



wwPDB EM Map/Model Validation Report ⓘ

Apr 10, 2016 – 03:00 PM BST

PDB ID : 4V6O
EMDB ID: : EMD-5359
Title : Structural characterization of mRNA-tRNA translocation intermediates (class 4a of the six classes)
Authors : Agirrezabala, X.; Liao, H.; Schreiner, E.; Fu, J.; Ortiz-Meoz, R.F.; Schulten, K.; Green, R.; Frank, J.
Deposited on : 2011-12-07
Resolution : 14.70 Å(reported)
Based on PDB ID : 2I2U

This is a wwPDB EM Map/Model Validation Report for a publicly released PDB/EMDB entry.
For rigid body fitted models, validation errors reported here could stem from errors in the original structure(s) used in the fitting.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/EMValidationReportHelp>


MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : trunk27241

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 14.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	111179	726
Sidechain outliers	111093	686
RNA backbone	3027	244

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	AA	1542	
2	AB	76	
3	AC	47	
4	AD	77	
5	AE	240	
6	AF	232	
7	AG	205	
8	AH	166	
9	AI	135	

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	AJ	178	
11	AK	129	
12	AL	129	
13	AM	103	
14	AN	128	
15	AO	123	
16	AP	117	
17	AQ	100	
18	AR	88	
19	AS	82	
20	AT	83	
21	AU	74	
22	AV	91	
23	AW	86	
24	AX	70	
25	BA	120	
26	BB	2904	
27	BC	234	
28	BD	272	
29	BE	209	
30	BF	201	
31	BG	178	
32	BH	176	
33	BI	149	
34	BJ	164	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
35	BK	141	 89% 11%
36	BL	142	 76% 21% •
37	BM	123	 74% 24% •
38	BN	144	 77% 18% 5%
39	BO	136	 78% 19% •
40	BP	127	 76% 20% •
41	BQ	117	 82% 14% •
42	BR	114	 66% 32% •
43	BS	117	 74% 23% •
44	BT	103	 80% 17% •
45	BU	110	 79% 17% •
46	BV	100	 79% 21%
47	BW	103	 79% 19% •
48	BX	94	 76% 22% •
49	BY	84	 77% 19% ••
50	BZ	77	 70% 23% 5% •
51	B0	63	 79% 19% •
52	B1	58	 78% 17% 5%
53	B2	70	 74% 21% •
54	B3	56	 73% 25% •
55	B4	54	 81% 17% •
56	B5	46	 57% 41% •
57	B6	64	 81% 17% •
58	B7	38	 68% 32%

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 152351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1542	Total	C	N	O	P	0	0
			33089	14767	6064	10717	1541		

- Molecule 2 is a RNA chain called A site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	AB	76	Total	C	N	O	P	S	0	0
			1627	731	287	532	75	2		

- Molecule 3 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AC	47	Total	C	N	O	P	0	0
			993	445	167	335	46		

- Molecule 4 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	AD	77	Total	C	N	O	P	S	0	0
			1641	734	297	533	76	1		

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AE	240	Total	C	N	O	S	0	0
			1872	1180	332	352	8		

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AF	232	Total	C	N	O	S	0	0
			1822	1149	346	323	4		

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AG	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AH	166	Total	C	N	O	S	0	0
			1225	761	232	226	6		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AI	135	Total	C	N	O	S	0	0
			1101	677	198	219	7		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AJ	178	Total	C	N	O	S	0	0
			1400	874	269	253	4		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AK	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AL	129	Total	C	N	O	S	0	0
			1036	642	208	183	3		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AM	103	Total	C	N	O	S	0	0
			825	514	158	151	2		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	128	Total	C	N	O	S	0	0
			965	595	196	171	3		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AP	117	Total	C	N	O	S	0	0
			910	564	183	160	3		

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AQ	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AR	88	Total	C	N	O	S	0	0
			716	440	146	129	1		

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AS	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AT	83	Total	C	N	O	S	0	0
			672	425	124	120	3		

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AU	74	Total	C	N	O	S	0	0
			626	395	123	107	1		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	91	Total	C	N	O	S	0	0
			727	464	139	122	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AW	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AX	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BA	120	Total	C	N	O	P	0	0
			2566	1144	468	835	119		

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BB	2904	Total	C	N	O	P	0	0
			62351	27824	11469	20155	2903		

- Molecule 27 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BC	234	Total	C	N	O	S	0	0
			1733	1081	315	330	7		

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BD	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BE	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BF	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BG	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BH	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BI	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 34 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BJ	164	Total	C	N	O	S	0	0
			1233	776	220	231	6		

- Molecule 35 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BK	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BL	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BM	123	Total	C	N	O	S	0	0
			947	593	181	167	6		

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BN	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BO	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BP	127	Total	C	N	O	S	0	0
			1008	621	204	178	5		

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BQ	117	Total	C	N	O	S	0	0
			900	557	179	163	1		

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BR	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BS	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BT	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BU	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BV	100	Total	C	N	O	S	0	0
			787	496	146	143	2		

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BW	103	Total	C	N	O		0	0
			789	498	148	143			

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BX	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BY	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BZ	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B0	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B2	70	Total	C	N	O	S	0	0
			549	339	104	100	6		

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	B3	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	B4	54	Total	C	N	O	0	0
			441	284	81	76		

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	46	Total	C	N	O	S	0	0
			377	228	90	57	2		


- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	B6	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 58 is a protein called 50S ribosomal protein L36.


Mol	Chain	Residues	Atoms					AltConf	Trace
58	B7	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 59 is TRYPTOPHAN (three-letter code: TRP) (formula: $C_{11}H_{12}N_2O_2$).



Mol	Chain	Residues	Atoms				AltConf
59	AB	1	Total	C	N	O	0
			14	11	2	1	

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: $C_6H_{11}NO_3S$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	BB	1	10	6	1	2	1	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S ribosomal RNA




A1502	A1503	A1504	A1505	A1506	A1507	A1508	A1509	A1510	A1511	A1512	A1513	A1514	A1515	A1516	A1517	A1518	A1519	A1520	A1521	A1522	A1523	A1524	A1525	A1526	A1527	A1528	A1529	A1530	A1531	A1532	A1533	A1534	A1535	A1536	A1537	A1538	A1539	A1540	A1541	A1542
G1442	C1382	C1322	C1262	U1202	G1142	A1082	A1022	U961	A901	C841	A781	G721																												
C1443	C1383	C1323	C1263	C1203	G1143	A1083	U1023	C962	G902	U942	A782	G722																												
A1444	C1384	A1324	U1264	C1204	G1144	A1084	U1024	C963	G903	U943	A783	G723																												
U1445	G1385	C1325	G1265	U1205	A1145	U1085	U1025	A964	U904	G844	A784	G724																												
A1446	G1386	U1326	G1266	G1206	A1146	U1086	G1026	U965	U905	G845	A785	G725																												
A1447	G1387	C1327	G1267	G1207	G1147	G1087	C1027		A906	G846	A786	G726																												
C1448	C1388	C1328	G1268	C1208	U1148	G1088	U1028	A968	A907	G847	A787	G727																												
C1449	C1389	A1329	A1269	C1209	C1149	G1089	U1029	C968	A908	C848	A788	A728																												
U1450	U1390	U1330	G1270	C1210	A1150	U1090	U1030	C970	A909	G849	A789	A729																												
U1451	U1391	G1331	A1271	U1211	A1151	U1091	C1031	C971	A910	U850	A790	G730																												
C1452	G1392	A1332	G1272	U1212	A1152	A1092	G1032	C972	U911	G851	G791	G731																												
G1453	U1393	A1333	C1273	A1213	G1153	A1093	G1033	C973	C912	G852	A792	G732																												
G1454	G1394	G1334	A1274	C1214	G1154	G1094	A1034	A974	A913	C853	U793	G733																												
G1455	C1395	U1335	A1275	G1215	A1155	U1095	A1035	A975	A914	U854	A794	G734																												
A1456	A1396	C1336	G1276	A1216	G1156	C1096	A1036	G976	A915	U855	A795	C735																												
G1457	G1397	G1337	C1277	G1217	A1157	C1097	G1037	A977	U916	C856	C796	G736																												
G1458	A1398	G1338	G1278	C1218	G1158	C1098	G1038	A978	G917	C857	C797	C737																												
G1459	C1399	A1339	G1279	A1219	U1159	G1099	G1039	C979	A918	C858	U798	C738																												
C1520	C1400	A1340	A1280	G1220	G1160	C1100	U1040	C980	A919	G859	G799	C739																												
A1522	G1401	U1341	C1281	G1221	C1161	A1101	G1041	U981	A920	A860	G800	U740																												
G1523	C1402	G1342	C1282	G1222	C1162	A1102	A1042	U982	U921	G861	U801	G741																												
U1463	G1403	G1343	U1283	C1223	A1163	C1103	G1043	A983	G922	C862	A802	G742																												
C1524	A1404	C1344	G1284	U1224	G1164	G1104	A1044	C984	A923	U863	G803	A743																												
G1525	U1464	U1345	A1285	A1225	U1165	A1105	C1045	C985	C924	A864	U804	C744																												
A1465	G1405	A1346	U1286	C1226	G1166	G1106	A1046	U986	G925	A865	C805	G745																												
A1527	U1406	C1347	A1287	A1227	G1167	C1107	G1047	G987	G926	C866	C806	A746																												
U1528	C1407	U1348	A1288	C1228	U1168	G1108	G1048	G988	G927	G867	A807	A747																												
G1529	A1408	G1349	A1289	A1229	A1169	C1109	U1049	U989	G928	C868	C808	G748																												
A1530	C1409	A1340	G1290	C1230	A1170	A1110	G1050	C990	G929	G869	G809	A749																												
U1531	U1410	U1350	A1291	G1231	A1171	A1111	C1051	U991	C930	U870	C810	C750																												
U1532	C1411	C1351	G1292	C1232	G1172	C1112	U1052	U992	C931	U871	C811	U751																												
A1533	G1412	C1352	C1293	U1233	A1173	C1113	G1053	G993	C932	A872	G812	G752																												
C1534	G1413	G1353	C1293	C1233	G1173	C1113	C1054	A994	G933	U873	U813	A753																												
U1541	U1414	U1354	G1294	G1234	G1174	C1114	A1054	C995	C934	G874	A814	C754																												
C1536	G1415	G1355	U1295	U1235	G1175	U1115	U1056	A996	A935	U875	A815	G755																												
A1537	G1416	G1356	C1296	A1236	A1176	U1116	G1057	U997	C936	C876	A816	C756																												
A1476	G1417	A1357	C1297	C1237	G1177	A1117	G1058	U998	A937	G877	C817	U757																												
U1477	A1418	U1358	U1298	A1238	G1178	U1118	U1059	C999	A938	A878	G818	A758																												
C1539	C1419	C1359	A1299	A1239	A1179	C1119	U1060	C999	G939	C879	A819	G759																												
U1540	U1420	A1360	G1300	U1240	A1180	C1120	U1061	C940	C940	C880	U820	G760																												
A1481	G1421	G1361	U1301	G1241	G1181	U1121	U1062	C941	G941	G881	G821	G761																												
U1482	G1422	A1362	C1302	G1242	G1182	C1122	C1063	C942	G942	C882	U822	U762																												
A1483	G1423	A1363	C1303	C1243	U1183	U1123	G1064	A1004	U943	C883	C823	G763																												
C1484	U1424	U1364	G1304	G1244	G1184	C1124	U1065	A1005	G944	U884	G824	C764																												
U1485	A1425	G1365	G1305	C1245	U1185	U1125	A1066	G945	G945	A885	A825	G765																												
G1426	C1366	C1367	A1306	A1246	G1186	G1126	A1067	U1007	A946	G886	C826	A766																												
G1487	C1427	G1367	U1307	U1247	G1187	G1127	C1068	U1008	G947	G887	U827	A767																												
A1428	A1428	A1368	U1308	A1248	A1188	C1128	C1069	U1009	C948	C888	U828	A768																												
G1489	A1429	C1369	G1309	C1249	U1189	C1129	U1070	A949	G949	A889	G829	G769																												
U1490	C1430	G1370	G1310	A1250	G1190	A1130	U1071	U950	U950	C890	G830	C770																												
G1491	A1431	G1371	A1311	A1251	A1191	C1131	C1071	C1011	G951	U891	A831	G771																												
A1492	C1432	U1372	G1312	A1252	C1192	C1132	G1072	A1012	U952	U892	A832	U772																												
A1493	A1433	G1373	U1313	G1253	G1193	G1133	U1073	G1013	G953	C893	G833	G773																												
G1494	A1434	A1374	C1314	A1254	U1194	G1134	G1074	A1014	G954	C894	U834	G774																												
U1495	G1435	A1375	U1315	G1255	C1195	U1135	U1075	G1015	G955	C895	U835	G775																												
C1496	U1436	U1376	G1316	A1256	A1196	C1136	G1076	A1016	U956	C896	G836	G776																												
G1497	A1437	C1377	C1317	A1257	A1197	C1137	G1077	U957	G1018	C897	U837	A777																												
U1498	G1438	C1378	A1318	G1258	G1198	G1138	U1078	A1018	A958	G898	G838	G778																												
A1499	A1439	G1379	A1319	C1259	U1199	G1139	G1079	A1019	C899	C899	C839	C779																												
A1500	U1440	U1380	C1320	G1260	C1200	C1140	A1080	G1020	A959	C900	C840																													
C1501	A1441	U1381	U1321	A1261	G1201	C1141	C1081	A1021	U960	C901	C841																													

• Molecule 2: A site tRNA


Chain AB: 7% 33% 42% 18%

A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12	A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24	A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36	A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48	A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60	A61
----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



- Molecule 3: mRNA

Chain AC: 17% 49% 34%



- Molecule 4: P site tRNA

Chain AD: 47% 36% 13%





- Molecule 5: 30S ribosomal protein S2

Chain AE: 80% 17%




- Molecule 6: 30S ribosomal protein S3

Chain AF: 77% 20%





- Molecule 7: 30S ribosomal protein S4

Chain AG: 73% 23%




- Molecule 8: 30S ribosomal protein S5

Chain AH:  85% 10%




- Molecule 9: 30S ribosomal protein S6

Chain AI:  70% 22% 7%





- Molecule 10: 30S ribosomal protein S7

Chain AJ:  73% 25%





- Molecule 11: 30S ribosomal protein S8

Chain AK:  74% 23%




- Molecule 12: 30S ribosomal protein S9

Chain AL:  75% 22%




- Molecule 13: 30S ribosomal protein S10


Chain AM:  70% 24% 6%




- Molecule 14: 30S ribosomal protein S11




- Molecule 15: 30S ribosomal protein S12




- Molecule 16: 30S ribosomal protein S13




- Molecule 17: 30S ribosomal protein S14




- Molecule 18: 30S ribosomal protein S15



- Molecule 19: 30S ribosomal protein S16



- Molecule 20: 30S ribosomal protein S17



- Molecule 21: 30S ribosomal protein S18





- Molecule 22: 30S ribosomal protein S19

Chain AV: 82% 11% 7%



- Molecule 23: 30S ribosomal protein S20

Chain AW: 87% 12% .



- Molecule 24: 30S ribosomal protein S21

Chain AX: 71% 24% .





- Molecule 25: 5S ribosomal RNA

Chain BA: 34% 53% 13%




- Molecule 26: 23S ribosomal RNA

Chain BB: 33% 54% 13%




A1262	G1202	A1142	U1082	G1022	C902	U842	A782	A721	A661	C601	A541	A481	C421	G361	G301
U1263	U1203	A1143	U1083	U1023	C903	G843	A783	A722	G662	A602	C542	A482	A422	A362	C302
A1264	A1204	A1144	A1084	G1024	C904	A844	G784	G723	G663	A603	G544	A483	A423	A363	G303
A1265	A1205	C1145	A1085	G1025	A905	A845	G785	U724	G664	G604	C545	A484	G424	C364	U304
U1266	G1206	C1146	A1086	G1026	U906	U846	G786	G725	U665	G605	U546	C485	G425	U365	C305
U1267	G1207	A1147	G1087	A1027	G907	U847	G787	G726	A666	U606	U547	C486	G426	C366	U306
A1268	U1208	U1148	A1088	A1028	C908	C848	A788	A727	U667	U607	A547	C487	U427	G367	G307
A1269	U1209	G1149	A1089	A1029	C909	A849	A789	G728	G668	A608	G548	A488	A428	A368	G308
G1210	C1200	C1150	A1090	C1030	A910	U850	U790	G729	A669	A609	G549	A489	A429	U369	A309
G1211	C1211	A1151	G1091	G1031	A911	C851	A791	A730	A670	C610	C550	A490	A430	G370	A310
G1212	C1212	C1152	C1092	A1032	A912	U852	A792	G731	G671	C611	G551	A491	U431	A371	A311
A1213	G1213	G1153	G1093	U1033	G913	C853	A793	G732	G672	G612	U552	A492	A432	U372	G312
A1214	A1214	U1154	U1094	G1034	G914	C854	A794	G733	G673	A613	G553	A493	C433	U373	G313
A1275	G1215	A1155	A1095	U1035	C915	G855	C795	A734	G674	A614	U554	A494	U434	A374	C314
U1276	G1216	A1156	A1096	G1036	G916	G856	C796	A735	A675	U615	G555	A495	C435	G375	G315
G1277	U1217	G1157	U1097	G1037	A917	G857	G797	G736	A676	A616	A556	A496	C436	G376	C316
C1278	G1218	C1158	A1098	G1038	A918	G858	G798	G737	A677	G617	U558	A497	U437	G377	G317
U1219	U1219	U1159	G1099	A1039	U919	G859	G799	G738	G678	G618	U559	A498	U438	C378	C318
G1220	G1220	G1160	C1100	A1040	A920	U860	A800	A739	C679	G619	G560	U499	A439	G379	G319
C1221	C1221	C1161	U1101	G1041	C921	A861	G801	C740	C680	G620	C560	G500	C440	G380	A320
U1222	U1222	G1162	C1102	G1042	C922	G862	A802	U741	G682	A621	A501	A501	U441	G381	U321
G1223	G1223	G1163	A1103	C1043	G923	A863	U803	A742	G683	G622	A502	A502	G442	A382	A322
A1284	U1224	C1164	A1104	A984	G924	G864	A804	A743	U683	C623	A503	A503	A443	C383	C323
A1285	G1225	A1165	U1105	C1045	A925	C865	G805	U744	G684	C624	C504	A504	C444	A384	A324
A1286	A1226	G1166	G1106	A1046	G926	A866	C806	U747	G685	G625	C505	A505	C445	C385	G325
G1227	G1227	C1167	G1107	G1047	A927	C867	U807	U748	U686	A626	U566	G506	G446	G386	G326
G1228	G1228	G1168	U1108	A1048	A928	U868	G808	G748	U687	A627	U567	A507	A447	U387	G327
C1229	C1229	A1169	C1109	C1049	U929	G869	G809	A749	U688	G628	U568	A508	U448	G388	U328
C1230	A1230	A990	A990	A990	U930	U870	U810	A750	U689	G629	U569	C509	A449	G389	G329
C1231	U1231	G1171	A1111	G1051	U931	U871	U811	U751	G690	G630	C510	G510	G450	U390	A330
G1232	G1232	C1172	G1112	C1052	U932	U872	C812	A752	C691	A631	U571	U511	U451	A391	C331
C1233	C1233	U1173	U1113	C1053	A933	C873	U813	A753	C692	A632	A572	G512	G452	U392	A332
U1234	U1234	U1174	C1114	A1054	U934	C874	C814	U754	A693	A633	U573	A513	A454	C393	G333
G1235	G1235	A1175	G1115	G1055	C935	G875	C815	U755	G694	C634	A574	A514	C454	C394	C334
G1236	G1236	U1176	G1116	G1056	A936	C876	C816	A756	G695	C635	A575	A515	C455	U395	C335
A1237	A1237	G1177	C1117	A1057	G937	A877	C817	G757	G696	G636	U576	C516	C456	G396	C336
G1238	G1238	C1178	C1118	U1058	G938	A878	G818	G758	G697	A637	A577	C517	A457	U397	C337
G1239	G1239	G1179	U1119	G1059	C939	G879	A819	G759	C988	G638	G578	G518	G458	C398	G338
G1300	G1300	U1180	G1120	U1060	G940	G880	A820	G760	A699	U639	G579	U519	U459	U399	U339
A1301	A1241	U1181	C1121	U1061	A941	G881	A821	A761	G700	C640	U580	G520	A460	G400	A340
G1302	U1242	G1182	G1122	G1062	G942	G882	G822	U762	G701	U641	C581	U521	C461	A401	C341
G1303	C1243	U1183	C1123	G1063	A943	G883	C823	G763	U702	U642	A582	A522	G462	A402	A342
A1304	A1244	U1184	G1124	C1064	C944	U884	U824	A764	U703	A643	G583	G523	G463	U403	C343
C1305	G1245	G1185	G1125	U1065	A945	C885	A825	C765	G704	A644	C584	G524	U464	A404	A344
C1306	A1246	G1186	A1126	U1066	C946	A886	U826	U766	A705	C645	G585	U525	G465	U405	A345
A1307	A1247	G1187	A1127	A1067	A947	U887	U827	G767	A706	U646	A586	A526	A466	G406	A346
G1248	G1248	U1188	G1128	G1068	C948	C888	U828	G768	G707	G647	C587	C527	G467	G407	A347
U1249	U1249	A1189	A1129	A1069	G949	C889	A829	U769	G708	G648	U588	A529	G468	G408	U348
G1310	G1250	G1190	U1130	A1070	G950	C890	G830	G770	U709	G649	U589	A529	G469	G409	U349
G1311	C1251	G1191	G1131	G1071	C951	G891	G831	G771	U710	C650	A590	G530	A470	G410	G350
G1312	G1252	U1192	U1132	C1072	G952	A892	U832	G772	G711	G651	U591	C531	A471	G411	C351
U1313	A1253	G1193	A1133	A1073	G953	C893	A833	U773	G712	U652	A592	A532	A472	A412	A352
C1314	A1254	A1194	A1134	G1074	G954	U894	G834	G774	G713	U653	U593	G533	G473	C413	C353
C1315	U1255	G1195	C1135	C1075	U955	U895	C835	G775	U714	A654	U594	U534	G474	C414	A354
U1316	G1256	G1196	G1136	G1076	G956	A896	G836	G776	A715	A655	C595	G535	C475	A415	U355
G1317	G1257	G1197	G1137	A1077	C957	C897	C837	G777	A716	G656	U596	G536	G476	U416	G356
U1258	U1258	U1198	G1138	U1078	U958	C898	C838	G778	C717	U657	G597	G537	A477	C417	C357
G1259	G1259	U1199	U1019	C1079	A959	A899	U839	U779	A718	U658	U598	A538	A478	C418	U358
C1320	A1260	C1200	A900	A1080	A960	A899	C840	G719	C719	G659	A599	G539	A479	U419	U359
A1321	C1261	U1201	U1141	U1081	C961	C901	G841	A781	U720	C660	G600	C540	A480	C420	U360

C2222	G2162	G2102	A2042	U1982	G1922	G1862	A1802	U1742	G1682	G1622	U1562	A1502	U1442	G1382	A1322
G2223	A2163	C2103	C2043	G1983	U1923	G1863	A1803	G1743	U1683	G1623	U1563	A1503	U1443	A1383	C1323
G2224	C2164	C2104	C2044	G1984	C1924	G1864	C1804	A1744	G1684	G1624	U1564	A1504	G1444	A1384	C1324
A2225	C2165	C1985	C2045	U1985	C1925	U1865	A1805	A1745	G1685	C1625	C1565	A1505	G1445	A1385	U1325
C2226	U2166	G2106	G2046	C1986	U1926	A1866	G1806	U1746	G1686	G1626	A1566	U1506	C1446	C1386	U1326
A2227	U2167	G2107	C2047	A1987	A1927	G1867	G1807	U1747	G1687	G1627	G1567	U1507	C1447	A1387	A1327
G2228	G2168	A2108	G2048	G1988	A1928	C1868	A1808	C1748	U1688	G1628	G1568	A1508	G1448	G1388	A1328
U2229	A2169	U2109	G2049	G1989	G1929	C1869	A1809	A1749	A1689	U1629	A1569	A1509	G1449	G1389	U1329
G2230	A2170	G2110	C2050	C1990	G1930	C1870	A1810	G1750	A1690	A1630	U1570	G1510	G1450	U1390	C1330
U2231	A2171	U2111	A2051	U1991	U1931	A1871	G1811	U1751	G1691	A1631	A1571	G1511	C1451	U1391	G1331
C2232	U2172	G2112	A2052	G1992	A1932	A1872	U1812	C1752	U1692	A1632	A1572	C1512	G1452	A1392	G1332
A2233	C2173	G2113	G2053	U1993	G1933	C1873	G1813	G1753	U1693	G1633	G1573	A1513	A1453	A1393	G1333
C2234	C2174	A2114	A2054	C1994	C1934	C1874	G1814	A1754	U1694	A1634	G1574	G1514	C1454	U1394	G1334
G2235	C2175	G2115	C2055	U1995	G1935	G1875	A1815	A1755	G1695	A1635	C1575	A1515	G1455	A1395	C1335
U2236	A2176	G2116	G2056	C1996	A1936	A1876	C1816	G1756	G1696	U1636	U1576	G1516	G1456	A1396	C1336
G2237	C2177	A2117	C2057	C1997	A1937	A1877	G1817	A1757	G1697	A1637	C1577	U1517	U1457	U1397	G1337
G2238	C2178	U2118	A2058	A1998	A1938	C1878	U1818	U1758	A1698	C1638	A1578	G1518	U1458	C1398	G1338
G2239	C2179	G2119	A2059	C1999	U1939	C1879	A1819	A1759	G1699	C1639	A1579	G1519	G1459	C1399	G1339
U2240	U2180	G2120	A2060	C2000	U1940	U1880	U1820	C1760	A1700	A1640	U1580	U1520	U1460	U1400	U1340
A2241	U2181	G2121	G2061	C2001	C1941	C1881	A1821	C1761	A1701	A1641	G1581	G1521	C1461	G1401	G1341
G2242	U2182	U2122	A2062	G2002	C1942	U1882	G1822	A1762	G1702	G1642	G1582	A1522	C1462	U1402	A1342
U2243	A2183	G2123	C2063	A2003	U1943	U1883	G1823	C1763	G1703	A1643	U1583	U1523	C1463	A1403	G1343
U2244	A2184	G2124	C2064	G2004	U1944	C1884	G1824	C1764	C1704	A1644	U1584	G1524	G1464	A1404	U1344
U2245	U2185	G2125	A2065	A2005	G1945	A1885	U1825	U1765	A1705	G1645	C1585	A1525	G1465	U1405	G1345
G2246	G2186	A2126	C2066	C2006	U1946	U1886	G1826	G1766	C1706	C1646	A1586	C1526	U1466	U1406	G1346
A2247	U2187	G2127	G2067	U2007	C1947	C1887	U1827	G1767	G1707	U1647	G1587	G1527	U1467	G1407	A1347
G2248	U2188	G2128	U2068	C2008	G1948	G1888	G1828	C1768	C1708	U1648	G1588	A1528	U1468	G1408	C1348
U2249	C2189	C2129	C2069	A2009	G1949	A1889	A1829	U1769	U1709	G1649	U1589	G1529	A1469	U1409	C1349
G2250	G2190	U2130	A2070	G2010	G1950	C1890	G1830	G1770	G1710	A1650	A1590	G1530	A1470	G1410	C1350
G2251	A2191	U2131	A2071	U1951	U1951	G1891	G1831	C1771	A1711	G1651	A1591	C1531	G1471	U1411	C1351
G2252	U2192	G2132	C2072	A2012	A1952	C1892	G1832	U1772	U1712	A1652	C1592	A1532	C1472	U1412	U1352
G2253	G2193	G2133	C2073	G2013	A1953	C1893	C1833	A1773	A1713	G1653	A1593	C1533	G1473	A1413	A1353
C2254	U2194	A2134	C2074	A2014	G1954	C1894	U1834	C1774	U1714	A1654	U1594	U1534	U1474	C1414	A1354
G2255	C2195	A2135	U2075	U2015	U1955	C1895	G1835	G1775	G1715	A1655	C1595	A1535	G1475	U1415	G1355
G2256	G2196	G2136	U2076	U2016	G1956	G1896	C1836	G1776	U1716	C1656	A1596	C1536	U1476	G1416	G1356
U2257	U2197	U2137	A2077	C2017	C1957	G1897	C1837	U1777	A1717	U1657	A1597	G1537	A1477	C1417	C1357
C2258	A2198	G2138	C2078	G2018	C1958	U1898	C1838	U1778	G1718	C1658	A1598	G1538	G1478	G1418	G1358
U2259	A2199	U2139	U2079	A2019	G1959	A1899	G1839	U1779	G1719	C1659	U1599	U1539	G1479	A1419	A1359
C2260	C2200	G2140	A2080	A2020	A1960	A1900	G1840	U1780	U1720	G1660	C1600	G1540	U1480	A1420	G1360
C2261	G2201	G2141	U2081	C2021	C1961	A1901	U1841	U1781	G1721	G1661	G1601	C1541	U1481	G1421	G1361
U2262	U2202	A2142	A2082	U2022	C1962	G1902	G1842	U1782	A1722	U1662	U1602	U1542	G1482	G1422	C1362
C2263	U2203	C2143	G2083	C2023	U1963	G1903	C1843	A1783	G1723	C1663	A1603	G1543	G1483	G1423	C1363
G2264	G2204	G2144	C2084	G2024	G1964	G1904	A1844	A1784	U1724	A1664	C1604	A1544	U1484	G1424	G1364
U2265	A2205	C2145	U2085	C2025	C1965	C1905	G1845	A1785	U1725	A1665	C1605	A1545	U1485	G1425	A1365
A2266	C2206	G2146	U2086	U2026	A1966	G1906	G1846	A1786	C1726	G1666	C1606	G1546	U1486	G1426	A1366
A2267	C2207	A2147	G2087	G2027	C1967	C1907	A1847	A1787	C1727	G1667	C1607	C1547	U1487	A1427	A1367
A2268	C2208	G2148	A2088	U2028	G1968	C1908	A1848	C1788	C1728	A1668	A1608	A1548	U1488	C1428	G1368
G2269	G2209	U2149	C2089	C2029	A1969	G1909	G1849	U1789	U1729	A1669	A1609	A1549	C1489	G1429	G1369
A2270	U2210	C2150	A2090	U2030	A1970	G1910	G1850	C1790	U1730	C1670	A1610	C1550	A1490	G1430	C1370
G2271	A2211	U2151	C2091	U2031	U1971	U1911	U1851	A1791	G1731	U1671	C1611	A1551	G1491	A1431	G1371
U2272	A2212	G2152	U2092	G2032	G1972	A1912	U1852	G1792	C1732	A1672	C1612	A1552	G1492	G1432	U1372
A2273	C2213	C2153	G2093	A2033	G1973	C1913	A1853	C1793	G1733	G1673	G1613	C1493	A1433	A1373	A1373
A2274	C2214	A2154	A2094	U2034	C1974	C1914	A1854	U1794	G1734	G1674	A1614	U1554	A1494	A1434	G1374
C2275	C2215	U2155	A2095	G2035	G1975	G1915	U1855	C1795	A1735	C1675	C1615	G1555	A1495	G1435	U1375
G2276	G2216	G2156	C2096	C2036	U1976	A1916	U1856	U1796	U1736	A1676	A1616	C1556	A1496	G1436	C1376
G2277	G2217	G2157	A2097	U2037	A1977	U1917	G1857	G1797	G1737	A1677	C1617	C1557	U1497	C1437	G1377
A2278	G2218	A2158	U2098	G2038	A1978	A1918	A1858	U1798	G1738	A1678	C1618	C1558	C1498	U1438	A1378
G2279	U2219	G2159	U2099	U2039	A1979	A1919	U1859	G1799	A1739	A1679	G1619	U1559	C1499	A1439	U1379
G2280	G2220	C2160	G2040	G1980	U1979	C1920	G1860	C1800	G1740	U1680	G1620	U1560	G1500	U1440	G1380
A2281	G2221	C2161	A2101	U2041	A1981	G1921	G1861	A1801	C1741	G1681	U1621	C1561	G1501	G1441	G1381




- Molecule 29: 50S ribosomal protein L3

Chain BE: 78% 17% 5%




- Molecule 30: 50S ribosomal protein L4

Chain BF: 75% 21% 4%




- Molecule 31: 50S ribosomal protein L5

Chain BG: 71% 24% 5%




- Molecule 32: 50S ribosomal protein L6


Chain BH: 75% 22% 3%




- Molecule 33: 50S ribosomal protein L9




- Molecule 34: 50S ribosomal protein L10




- Molecule 35: 50S ribosomal protein L11




- Molecule 36: 50S ribosomal protein L13




- Molecule 37: 50S ribosomal protein L14




- Molecule 38: 50S ribosomal protein L15



- Molecule 39: 50S ribosomal protein L16





- Molecule 40: 50S ribosomal protein L17

Chain BP: 76% 20% •




- Molecule 41: 50S ribosomal protein L18

Chain BQ: 82% 14% •




- Molecule 42: 50S ribosomal protein L19

Chain BR: 66% 32% •




- Molecule 43: 50S ribosomal protein L20

Chain BS: 74% 23% •




- Molecule 44: 50S ribosomal protein L21

Chain BT: 80% 17% •



- Molecule 45: 50S ribosomal protein L22

Chain BU: 79% 17% •



- Molecule 46: 50S ribosomal protein L23

Chain BV: 79% 21% •



- Molecule 47: 50S ribosomal protein L24

Chain BW: 79% 19% .



- Molecule 48: 50S ribosomal protein L25

Chain BX: 76% 22% .




- Molecule 49: 50S ribosomal protein L27

Chain BY: 77% 19% ..



- Molecule 50: 50S ribosomal protein L28

Chain BZ: 70% 23% 5% .




- Molecule 51: 50S ribosomal protein L29

Chain B0: 79% 19% .



- Molecule 52: 50S ribosomal protein L30

Chain B1: 78% 17% 5%



- Molecule 53: 50S ribosomal protein L31

Chain B2: 74% 21% .




- Molecule 54: 50S ribosomal protein L32

Chain B3:  73% 25% •



- Molecule 55: 50S ribosomal protein L33

Chain B4:  81% 17% •




- Molecule 56: 50S ribosomal protein L34

Chain B5:  57% 41% •




- Molecule 57: 50S ribosomal protein L35

Chain B6:  81% 17% •



- Molecule 58: 50S ribosomal protein L36

Chain B7:  68% 32%



4 Experimental information ⓘ

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of images	21000	Depositor
Resolution determination method	FSC at 0.5 cut-off	Depositor
CTF correction method	Volumes were CTF-corrected in defocus groups	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	59000	Depositor
Image detector	TVIPS TemCam-F415 (CCD)	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: OMC, 3TD, CH, OMG, 5MC, MA6, MIA, H2U, 2MA, 6MZ, 2MG, OMU, UR3, 4OC, FME, 4SU, 7MG, 5MU, 1MG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 2$	RMSZ	# $ Z > 2$
1	AA	3.08	3882/36769 (10.6%)	3.52	8356/57354 (14.6%)
10	AJ	1.54	9/1422 (0.6%)	2.04	43/1908 (2.3%)
11	AK	1.56	5/989 (0.5%)	1.94	28/1326 (2.1%)
12	AL	1.54	2/1048 (0.2%)	2.06	39/1394 (2.8%)
13	AM	1.43	1/835 (0.1%)	2.03	27/1127 (2.4%)
14	AN	1.53	5/982 (0.5%)	1.98	26/1323 (2.0%)
15	AO	1.52	2/969 (0.2%)	2.34	41/1300 (3.2%)
16	AP	1.47	2/919 (0.2%)	2.23	25/1226 (2.0%)
17	AQ	1.48	1/817 (0.1%)	2.06	30/1088 (2.8%)
18	AR	1.52	0/724	2.00	27/966 (2.8%)
19	AS	1.54	4/659 (0.6%)	2.11	21/884 (2.4%)
2	AB	3.05	161/1600 (10.1%)	3.56	386/2492 (15.5%)
20	AT	1.56	2/681 (0.3%)	1.87	11/913 (1.2%)
21	AU	1.61	2/637 (0.3%)	2.24	27/851 (3.2%)
22	AV	1.45	4/744 (0.5%)	1.88	16/995 (1.6%)
23	AW	1.41	2/676 (0.3%)	1.66	7/895 (0.8%)
24	AX	1.56	2/598 (0.3%)	2.09	22/792 (2.8%)
25	BA	3.06	310/2869 (10.8%)	3.49	627/4474 (14.0%)
26	BB	3.07	7266/69257 (10.5%)	3.53	15668/108040 (14.5%)
27	BC	1.46	6/1748 (0.3%)	1.80	32/2355 (1.4%)
28	BD	1.54	14/2131 (0.7%)	1.94	53/2863 (1.9%)
29	BE	1.53	3/1586 (0.2%)	1.90	32/2134 (1.5%)
3	AC	3.23	133/1108 (12.0%)	3.55	250/1724 (14.5%)
30	BF	1.46	7/1571 (0.4%)	2.00	43/2113 (2.0%)
31	BG	1.53	5/1444 (0.3%)	1.95	36/1937 (1.9%)
32	BH	1.45	3/1343 (0.2%)	1.88	31/1816 (1.7%)
33	BI	1.49	0/1122	1.97	30/1515 (2.0%)
34	BJ	1.53	6/1247 (0.5%)	1.94	35/1679 (2.1%)
35	BK	1.44	1/1046 (0.1%)	1.79	14/1410 (1.0%)
36	BL	1.54	6/1152 (0.5%)	1.93	29/1551 (1.9%)
37	BM	1.48	4/956 (0.4%)	1.93	27/1279 (2.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
38	BN	1.58	5/1062 (0.5%)	2.01	28/1413 (2.0%)
39	BO	1.54	4/1093 (0.4%)	2.04	35/1460 (2.4%)
4	AD	3.02	174/1721 (10.1%)	3.61	441/2683 (16.4%)
40	BP	1.51	4/1021 (0.4%)	1.90	23/1364 (1.7%)
41	BQ	1.55	4/910 (0.4%)	2.05	22/1219 (1.8%)
42	BR	1.55	3/929 (0.3%)	2.15	32/1242 (2.6%)
43	BS	1.53	5/960 (0.5%)	2.10	34/1278 (2.7%)
44	BT	1.56	3/829 (0.4%)	1.93	17/1107 (1.5%)
45	BU	1.40	1/864 (0.1%)	1.89	21/1156 (1.8%)
46	BV	1.55	3/794 (0.4%)	2.06	19/1060 (1.8%)
47	BW	1.51	4/797 (0.5%)	1.86	18/1062 (1.7%)
48	BX	1.49	4/766 (0.5%)	1.82	17/1025 (1.7%)
49	BY	1.54	3/642 (0.5%)	1.90	17/848 (2.0%)
5	AE	1.50	9/1904 (0.5%)	1.89	37/2565 (1.4%)
50	BZ	1.49	0/635	2.10	24/848 (2.8%)
51	B0	1.49	1/510 (0.2%)	1.95	10/677 (1.5%)
52	B1	1.46	3/453 (0.7%)	1.77	12/605 (2.0%)
53	B2	1.56	4/559 (0.7%)	1.96	10/745 (1.3%)
54	B3	1.53	2/450 (0.4%)	2.12	19/599 (3.2%)
55	B4	1.49	1/448 (0.2%)	1.90	7/594 (1.2%)
56	B5	1.52	1/380 (0.3%)	2.36	24/498 (4.8%)
57	B6	1.52	3/513 (0.6%)	1.68	6/676 (0.9%)
58	B7	1.41	2/303 (0.7%)	2.14	10/397 (2.5%)
6	AF	1.54	11/1852 (0.6%)	2.09	63/2490 (2.5%)
7	AG	1.51	9/1665 (0.5%)	1.95	48/2227 (2.2%)
8	AH	1.48	1/1239 (0.1%)	1.94	30/1664 (1.8%)
9	AI	1.57	5/1121 (0.4%)	2.07	36/1509 (2.4%)
All	All	2.69	12119/164069 (7.4%)	3.18	27099/244735 (11.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	888
10	AJ	0	6
11	AK	0	3
12	AL	0	5
13	AM	0	4
14	AN	0	5
15	AO	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
16	AP	0	3
17	AQ	0	1
19	AS	0	3
2	AB	0	39
20	AT	0	1
21	AU	0	6
23	AW	0	2
24	AX	0	1
25	BA	0	71
26	BB	0	1680
27	BC	0	4
28	BD	0	11
29	BE	0	7
3	AC	0	23
30	BF	0	6
31	BG	0	8
32	BH	0	3
34	BJ	0	6
36	BL	0	6
37	BM	0	3
38	BN	0	3
39	BO	0	2
4	AD	0	34
40	BP	0	6
41	BQ	0	4
42	BR	0	4
43	BS	0	5
44	BT	0	1
45	BU	0	3
47	BW	0	2
48	BX	0	3
49	BY	0	5
5	AE	0	6
50	BZ	0	4
51	B0	0	2
52	B1	0	2
53	B2	0	1
55	B4	0	3
56	B5	0	1
57	B6	0	3
58	B7	0	1
6	AF	0	8

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
7	AG	0	11
8	AH	0	5
9	AI	0	11
All	All	0	2927

All (12119) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1076	U	C2-N3	18.65	1.50	1.37
26	BB	757	G	P-O5'	16.91	1.76	1.59
25	BA	50	A	N7-C5	16.16	1.49	1.39
26	BB	2569	G	P-O5'	16.09	1.75	1.59
26	BB	1039	A	N7-C5	-15.99	1.29	1.39
26	BB	2611	C	N1-C6	15.92	1.46	1.37
1	AA	911	U	C2-N3	15.66	1.48	1.37
1	AA	1466	C	P-O5'	15.52	1.75	1.59
26	BB	1746	A	N3-C4	15.26	1.44	1.34
1	AA	1446	A	N3-C4	15.20	1.44	1.34
26	BB	2527	C	N1-C6	15.20	1.46	1.37
26	BB	2867	G	N3-C4	15.07	1.46	1.35
26	BB	2785	C	N1-C6	14.76	1.46	1.37
26	BB	2397	G	N7-C5	14.76	1.48	1.39
26	BB	785	G	P-O5'	14.73	1.74	1.59
1	AA	698	G	N7-C5	-14.65	1.30	1.39
26	BB	6	A	N9-C4	14.62	1.46	1.37
1	AA	395	C	P-O5'	14.55	1.74	1.59
1	AA	1219	A	N7-C5	-14.44	1.30	1.39
26	BB	511	U	C2-N3	14.41	1.47	1.37
26	BB	2700	A	N3-C4	14.36	1.43	1.34
26	BB	1691	C	N1-C6	14.35	1.45	1.37
1	AA	970	C	N1-C6	14.24	1.45	1.37
26	BB	235	U	C2-N3	14.20	1.47	1.37
26	BB	980	A	N7-C5	-14.14	1.30	1.39
1	AA	572	A	N3-C4	14.10	1.43	1.34
26	BB	1167	C	N1-C6	14.05	1.45	1.37
26	BB	428	A	N3-C4	14.03	1.43	1.34
1	AA	320	A	N3-C4	14.02	1.43	1.34
26	BB	472	A	N3-C4	13.86	1.43	1.34
1	AA	949	A	N9-C4	13.70	1.46	1.37
26	BB	637	A	N9-C4	-13.65	1.29	1.37
1	AA	1236	A	N3-C4	13.63	1.43	1.34
1	AA	1068	G	N7-C5	-13.56	1.31	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1133	A	N3-C4	13.50	1.43	1.34
1	AA	506	G	N7-C5	13.47	1.47	1.39
1	AA	600	A	N9-C4	13.45	1.46	1.37
4	AD	12	G	N3-C4	13.40	1.44	1.35
26	BB	1182	G	C8-N7	-13.38	1.23	1.30
26	BB	1280	G	C6-N1	13.38	1.49	1.39
26	BB	2322	A	P-O5'	13.35	1.73	1.59
26	BB	2302	U	P-O5'	13.33	1.73	1.59
26	BB	1151	A	P-O5'	13.18	1.73	1.59
26	BB	1558	C	P-O5'	13.18	1.73	1.59
26	BB	1376	C	P-O5'	13.15	1.73	1.59
26	BB	2408	U	P-O5'	13.15	1.73	1.59
26	BB	800	A	P-O5'	13.13	1.72	1.59
26	BB	1654	A	N3-C4	13.11	1.42	1.34
26	BB	2593	U	C2-N3	13.10	1.47	1.37
2	AB	27	C	N1-C6	13.07	1.45	1.37
26	BB	579	G	N3-C4	13.06	1.44	1.35
26	BB	798	G	P-O5'	13.04	1.72	1.59
26	BB	826	U	C2-N3	13.04	1.46	1.37
1	AA	1204	A	N3-C4	13.02	1.42	1.34
1	AA	676	A	N9-C4	13.01	1.45	1.37
26	BB	2751	G	P-O5'	13.01	1.72	1.59
1	AA	842	U	C4-C5	13.00	1.55	1.43
26	BB	109	C	N1-C6	12.99	1.45	1.37
26	BB	2700	A	N7-C5	12.99	1.47	1.39
26	BB	357	C	N1-C6	12.96	1.45	1.37
1	AA	303	A	P-O5'	12.91	1.72	1.59
26	BB	2276	G	C6-N1	12.89	1.48	1.39
1	AA	1368	A	P-O5'	12.89	1.72	1.59
26	BB	822	G	P-O5'	12.88	1.72	1.59
26	BB	643	A	N7-C5	12.84	1.47	1.39
1	AA	366	A	N9-C4	-12.83	1.30	1.37
1	AA	1081	A	N3-C4	12.83	1.42	1.34
26	BB	2758	A	P-O5'	12.83	1.72	1.59
1	AA	124	C	N3-C4	12.80	1.43	1.33
1	AA	866	C	N1-C6	12.78	1.44	1.37
26	BB	1614	A	O3'-P	12.75	1.76	1.61
26	BB	2708	G	P-O5'	12.73	1.72	1.59
2	AB	68	C	N1-C6	12.71	1.44	1.37
26	BB	14	A	N9-C4	-12.64	1.30	1.37
1	AA	49	U	P-O5'	12.63	1.72	1.59
1	AA	719	C	C4-C5	12.63	1.53	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	732	C	N1-C6	12.56	1.44	1.37
26	BB	1387	A	N3-C4	12.55	1.42	1.34
26	BB	1641	A	C5'-C4'	12.48	1.66	1.51
1	AA	134	G	P-O5'	12.47	1.72	1.59
26	BB	2388	A	N3-C4	-12.46	1.27	1.34
26	BB	1912	A	N3-C4	12.38	1.42	1.34
1	AA	1260	G	C5-C4	12.32	1.47	1.38
25	BA	12	C	C4-C5	12.29	1.52	1.43
26	BB	251	A	C8-N7	-12.23	1.23	1.31
1	AA	305	G	C6-N1	12.23	1.48	1.39
26	BB	1722	A	N9-C4	12.21	1.45	1.37
1	AA	86	G	N7-C5	12.20	1.46	1.39
1	AA	66	A	N3-C4	12.19	1.42	1.34
26	BB	1543	G	N3-C4	12.16	1.44	1.35
1	AA	1412	C	N3-C4	12.14	1.42	1.33
26	BB	321	U	P-O5'	12.14	1.71	1.59
26	BB	589	U	C2-N3	12.11	1.46	1.37
1	AA	1350	A	N3-C4	12.10	1.42	1.34
1	AA	1394	A	N3-C4	12.09	1.42	1.34
26	BB	1070	A	N7-C5	12.09	1.46	1.39
26	BB	1890	A	N3-C4	12.08	1.42	1.34
26	BB	317	G	N1-C2	12.07	1.47	1.37
26	BB	2274	A	N3-C4	12.06	1.42	1.34
26	BB	2709	G	C8-N7	-12.05	1.23	1.30
26	BB	569	U	N1-C2	12.05	1.49	1.38
26	BB	2126	A	N7-C5	-12.02	1.32	1.39
1	AA	535	A	N3-C4	12.01	1.42	1.34
1	AA	1517	G	P-O5'	12.01	1.71	1.59
26	BB	896	A	N3-C4	12.01	1.42	1.34
26	BB	2082	A	N3-C4	11.99	1.42	1.34
26	BB	2882	A	N9-C4	11.99	1.45	1.37
26	BB	995	C	C5-C6	11.97	1.44	1.34
26	BB	30	G	N7-C5	11.97	1.46	1.39
1	AA	1201	A	N3-C4	11.97	1.42	1.34
26	BB	2112	G	N7-C5	11.94	1.46	1.39
1	AA	1420	U	C2-N3	11.93	1.46	1.37
1	AA	313	A	C2'-C1'	-11.92	1.40	1.53
26	BB	112	U	P-O5'	11.92	1.71	1.59
1	AA	1094	G	N3-C4	11.91	1.43	1.35
26	BB	1134	A	N3-C4	11.91	1.42	1.34
26	BB	2616	C	N1-C6	11.89	1.44	1.37
26	BB	348	A	N3-C4	11.88	1.42	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	28	A	N3-C4	11.88	1.42	1.34
1	AA	1443	C	C4-C5	11.84	1.52	1.43
1	AA	961	U	P-O5'	11.83	1.71	1.59
26	BB	711	G	N7-C5	11.82	1.46	1.39
26	BB	1868	C	N3-C4	11.82	1.42	1.33
26	BB	210	C	C4-C5	11.80	1.52	1.43
1	AA	1275	A	N3-C4	11.80	1.42	1.34
26	BB	313	G	N9-C8	11.80	1.46	1.37
26	BB	1022	G	P-O5'	11.80	1.71	1.59
26	BB	830	G	N3-C4	11.78	1.43	1.35
26	BB	330	A	N7-C5	11.77	1.46	1.39
1	AA	1183	U	P-O5'	11.75	1.71	1.59
26	BB	1410	G	P-O5'	11.74	1.71	1.59
26	BB	1195	G	C2-N3	11.74	1.42	1.32
26	BB	1474	U	C2-N3	11.71	1.46	1.37
26	BB	2310	C	P-O5'	11.71	1.71	1.59
26	BB	2613	U	P-O5'	11.71	1.71	1.59
1	AA	370	C	C2-N3	11.70	1.45	1.35
26	BB	1699	G	C8-N7	-11.69	1.24	1.30
26	BB	1512	C	N1-C6	11.66	1.44	1.37
26	BB	2572	A	N9-C4	11.66	1.44	1.37
26	BB	1292	G	P-O5'	11.65	1.71	1.59
26	BB	1195	G	N3-C4	11.64	1.43	1.35
26	BB	1275	A	N7-C5	-11.64	1.32	1.39
1	AA	250	A	N3-C4	11.64	1.41	1.34
1	AA	583	A	P-O5'	11.63	1.71	1.59
1	AA	313	A	N3-C4	11.62	1.41	1.34
26	BB	2827	C	N1-C6	11.62	1.44	1.37
1	AA	548	G	C6-N1	11.61	1.47	1.39
26	BB	2786	U	C2-N3	11.60	1.45	1.37
26	BB	142	A	N3-C4	11.59	1.41	1.34
26	BB	1496	A	N7-C5	11.58	1.46	1.39
26	BB	1630	A	C5-C4	-11.58	1.30	1.38
26	BB	1151	A	N9-C4	11.55	1.44	1.37
26	BB	1550	C	C4-C5	11.55	1.52	1.43
26	BB	1812	U	P-O5'	11.54	1.71	1.59
26	BB	2021	C	C2-N3	11.54	1.45	1.35
3	AC	37	G	C6-N1	11.52	1.47	1.39
26	BB	2331	G	N7-C5	11.52	1.46	1.39
26	BB	2773	C	N1-C6	11.52	1.44	1.37
26	BB	2042	A	P-O5'	11.51	1.71	1.59
1	AA	765	G	C8-N7	11.50	1.37	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1846	G	P-O5'	11.50	1.71	1.59
26	BB	2834	G	N3-C4	11.50	1.43	1.35
1	AA	710	G	O3'-P	11.48	1.75	1.61
3	AC	19	A	C6-N6	-11.48	1.24	1.33
26	BB	2860	A	P-O5'	11.46	1.71	1.59
26	BB	2475	C	N1-C6	11.46	1.44	1.37
26	BB	1762	A	N3-C4	11.45	1.41	1.34
26	BB	1808	A	P-O5'	11.45	1.71	1.59
26	BB	574	A	P-O5'	11.45	1.71	1.59
26	BB	944	C	N1-C6	11.44	1.44	1.37
26	BB	271	G	C8-N7	11.42	1.37	1.30
26	BB	2086	U	C4-C5	11.42	1.53	1.43
26	BB	124	G	P-O5'	11.41	1.71	1.59
26	BB	1655	A	N3-C4	11.40	1.41	1.34
1	AA	793	U	N1-C2	11.39	1.48	1.38
26	BB	743	A	N9-C4	-11.39	1.31	1.37
1	AA	439	U	C2-N3	11.37	1.45	1.37
26	BB	198	C	N3-C4	11.37	1.42	1.33
2	AB	40	C	C4-C5	11.34	1.52	1.43
1	AA	738	C	N1-C6	11.33	1.44	1.37
1	AA	1417	G	P-O5'	11.28	1.71	1.59
26	BB	2280	G	N7-C5	11.27	1.46	1.39
26	BB	2455	G	P-O5'	11.26	1.71	1.59
26	BB	1981	A	N9-C4	11.26	1.44	1.37
1	AA	1360	A	O3'-P	11.25	1.74	1.61
1	AA	444	G	P-O5'	11.25	1.71	1.59
1	AA	453	G	C2-N3	11.24	1.41	1.32
1	AA	651	C	P-O5'	11.24	1.71	1.59
1	AA	6	G	C2-N3	11.24	1.41	1.32
1	AA	698	G	N3-C4	11.24	1.43	1.35
26	BB	1326	U	C2-N3	11.23	1.45	1.37
26	BB	2584	U	C2-N3	11.21	1.45	1.37
1	AA	1520	C	N3-C4	11.21	1.41	1.33
26	BB	1160	G	P-O5'	11.21	1.71	1.59
26	BB	1423	G	C8-N7	11.21	1.37	1.30
26	BB	481	G	P-O5'	11.17	1.71	1.59
26	BB	230	G	P-O5'	11.15	1.71	1.59
26	BB	380	G	N3-C4	11.15	1.43	1.35
26	BB	52	A	N7-C5	-11.14	1.32	1.39
26	BB	2564	A	C5-C4	-11.14	1.30	1.38
26	BB	2754	U	C2-N3	11.13	1.45	1.37
25	BA	102	G	N3-C4	11.13	1.43	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	918	A	P-O5'	11.13	1.70	1.59
1	AA	1236	A	C5'-C4'	11.12	1.64	1.51
26	BB	2079	U	C4'-O4'	-11.11	1.31	1.45
26	BB	584	C	P-O5'	11.10	1.70	1.59
26	BB	2496	C	C2-N3	11.10	1.44	1.35
26	BB	2729	G	C6-N1	11.10	1.47	1.39
26	BB	2525	G	C8-N7	11.10	1.37	1.30
4	AD	74	A	C8-N7	-11.09	1.23	1.31
26	BB	1546	G	N7-C5	11.09	1.46	1.39
1	AA	1007	U	N1-C6	11.08	1.48	1.38
1	AA	850	U	P-O5'	11.07	1.70	1.59
26	BB	762	U	C4-C5	11.04	1.53	1.43
25	BA	67	G	P-O5'	11.03	1.70	1.59
1	AA	707	U	C2-N3	11.03	1.45	1.37
1	AA	576	C	N3-C4	11.02	1.41	1.33
26	BB	113	U	N3-C4	11.02	1.48	1.38
26	BB	1444	G	C2-N3	11.01	1.41	1.32
26	BB	880	G	O3'-P	10.99	1.74	1.61
1	AA	1476	A	N7-C5	10.98	1.45	1.39
26	BB	1352	U	P-O5'	10.98	1.70	1.59
26	BB	1149	G	C6-N1	10.97	1.47	1.39
1	AA	272	C	N1-C6	10.96	1.43	1.37
26	BB	2751	G	N3-C4	10.96	1.43	1.35
1	AA	382	A	N7-C5	-10.95	1.32	1.39
1	AA	665	A	N7-C5	10.94	1.45	1.39
26	BB	1651	G	P-O5'	10.94	1.70	1.59
25	BA	64	G	P-O5'	10.93	1.70	1.59
26	BB	944	C	P-O5'	10.93	1.70	1.59
1	AA	84	U	C2-N3	10.93	1.45	1.37
1	AA	852	G	N7-C5	10.93	1.45	1.39
1	AA	461	A	N9-C4	10.92	1.44	1.37
26	BB	186	G	N1-C2	10.92	1.46	1.37
26	BB	1262	A	P-O5'	10.92	1.70	1.59
26	BB	2540	C	C2-N3	10.92	1.44	1.35
1	AA	1066	C	N1-C6	10.91	1.43	1.37
1	AA	1353	G	P-O5'	10.91	1.70	1.59
25	BA	75	G	N3-C4	10.91	1.43	1.35
26	BB	257	C	P-O5'	10.90	1.70	1.59
26	BB	1180	U	C2-N3	10.89	1.45	1.37
1	AA	996	A	C6-N1	10.89	1.43	1.35
25	BA	108	A	N3-C4	10.88	1.41	1.34
26	BB	1782	U	P-O5'	10.88	1.70	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	21	G	C2-N3	10.87	1.41	1.32
26	BB	2136	G	N3-C4	10.87	1.43	1.35
1	AA	1137	C	N1-C6	10.87	1.43	1.37
1	AA	1177	G	C8-N7	-10.87	1.24	1.30
26	BB	1955	U	C2-N3	10.87	1.45	1.37
26	BB	900	A	N3-C4	10.86	1.41	1.34
1	AA	1339	A	N3-C4	10.85	1.41	1.34
26	BB	1706	C	N1-C6	10.85	1.43	1.37
4	AD	66	C	N1-C6	10.85	1.43	1.37
1	AA	1531	A	P-O5'	10.85	1.70	1.59
26	BB	759	G	N3-C4	10.84	1.43	1.35
26	BB	1232	G	P-O5'	10.84	1.70	1.59
26	BB	528	A	N7-C5	-10.84	1.32	1.39
26	BB	1317	G	N3-C4	10.84	1.43	1.35
26	BB	1494	A	N3-C4	10.84	1.41	1.34
26	BB	920	A	N3-C4	10.83	1.41	1.34
26	BB	1486	U	P-O5'	10.83	1.70	1.59
26	BB	530	G	P-O5'	10.82	1.70	1.59
26	BB	1046	A	N9-C4	-10.81	1.31	1.37
26	BB	1307	A	N9-C4	10.80	1.44	1.37
26	BB	1930	G	O3'-P	10.79	1.74	1.61
1	AA	1385	G	P-O5'	10.79	1.70	1.59
1	AA	631	C	N1-C6	10.78	1.43	1.37
1	AA	774	G	P-O5'	10.77	1.70	1.59
26	BB	599	A	C5-C4	-10.77	1.31	1.38
25	BA	92	C	N1-C6	10.77	1.43	1.37
26	BB	2782	G	N7-C5	10.77	1.45	1.39
26	BB	2619	C	N1-C6	10.76	1.43	1.37
1	AA	1457	G	P-O5'	10.75	1.70	1.59
26	BB	90	U	P-O5'	-10.75	1.49	1.59
26	BB	224	U	C2-N3	10.74	1.45	1.37
26	BB	177	G	C8-N7	-10.74	1.24	1.30
26	BB	1644	C	N3-C4	10.74	1.41	1.33
26	BB	1090	A	C5-C4	-10.74	1.31	1.38
1	AA	1217	C	P-O5'	10.73	1.70	1.59
26	BB	396	G	P-O5'	10.73	1.70	1.59
26	BB	2046	G	N9-C4	-10.72	1.29	1.38
26	BB	1651	G	C2-N3	10.71	1.41	1.32
26	BB	900	A	C5-C6	10.71	1.50	1.41
26	BB	2426	A	N7-C5	-10.71	1.32	1.39
26	BB	2705	A	N3-C4	10.70	1.41	1.34
1	AA	76	G	N7-C5	10.70	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	783	A	N9-C4	10.70	1.44	1.37
1	AA	1535	C	N3-C4	10.69	1.41	1.33
26	BB	482	A	C8-N7	-10.69	1.24	1.31
1	AA	466	A	N9-C4	10.68	1.44	1.37
26	BB	2043	C	N1-C6	10.68	1.43	1.37
1	AA	433	G	C8-N7	-10.68	1.24	1.30
1	AA	1050	G	P-O5'	10.68	1.70	1.59
26	BB	2822	G	N7-C5	10.68	1.45	1.39
1	AA	254	G	O3'-P	10.68	1.74	1.61
4	AD	5	G	N1-C2	10.68	1.46	1.37
26	BB	404	A	C4'-C3'	10.67	1.64	1.53
25	BA	25	U	P-O5'	10.67	1.70	1.59
26	BB	920	A	N9-C4	-10.66	1.31	1.37
26	BB	82	U	C2-N3	10.66	1.45	1.37
1	AA	556	C	N1-C6	10.65	1.43	1.37
26	BB	435	C	N1-C6	10.65	1.43	1.37
26	BB	101	A	N3-C4	10.64	1.41	1.34
26	BB	285	G	N3-C4	10.63	1.42	1.35
1	AA	803	G	P-O5'	10.63	1.70	1.59
26	BB	86	G	C2-N3	10.62	1.41	1.32
26	BB	2841	C	C4-C5	10.62	1.51	1.43
1	AA	506	G	N1-C2	10.61	1.46	1.37
1	AA	412	A	N3-C4	10.61	1.41	1.34
26	BB	1046	A	P-O5'	10.59	1.70	1.59
26	BB	1478	G	N7-C5	10.59	1.45	1.39
1	AA	1508	A	N3-C4	10.59	1.41	1.34
1	AA	1349	A	C6-N1	-10.57	1.28	1.35
26	BB	2380	C	N3-C4	10.57	1.41	1.33
1	AA	1318	A	N7-C5	10.56	1.45	1.39
26	BB	926	G	P-O5'	10.56	1.70	1.59
2	AB	73	G	C8-N7	-10.56	1.24	1.30
26	BB	791	C	P-O5'	10.56	1.70	1.59
1	AA	1431	A	P-O5'	10.54	1.70	1.59
26	BB	724	U	P-O5'	10.54	1.70	1.59
1	AA	1329	A	N9-C4	10.53	1.44	1.37
1	AA	457	G	N7-C5	-10.52	1.32	1.39
26	BB	2585	U	C4-C5	10.51	1.53	1.43
26	BB	2569	G	C2-N3	10.51	1.41	1.32
1	AA	1042	A	N3-C4	10.51	1.41	1.34
26	BB	159	G	C8-N7	-10.50	1.24	1.30
26	BB	1356	G	N3-C4	10.50	1.42	1.35
1	AA	232	G	C2-N3	10.49	1.41	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	388	G	N7-C5	10.49	1.45	1.39
1	AA	585	G	N7-C5	10.49	1.45	1.39
26	BB	1577	C	N1-C6	10.49	1.43	1.37
26	BB	2677	G	N7-C5	-10.48	1.32	1.39
26	BB	604	G	C2-N3	10.48	1.41	1.32
26	BB	294	A	N9-C4	-10.48	1.31	1.37
26	BB	1226	A	P-O5'	10.48	1.70	1.59
1	AA	42	G	P-O5'	10.47	1.70	1.59
26	BB	2617	U	C2-N3	10.47	1.45	1.37
1	AA	471	U	C5-C6	10.47	1.43	1.34
1	AA	832	G	N3-C4	10.46	1.42	1.35
26	BB	204	A	N3-C4	10.46	1.41	1.34
26	BB	1171	G	C8-N7	10.46	1.37	1.30
1	AA	380	G	P-O5'	10.46	1.70	1.59
26	BB	990	A	C2-N3	10.45	1.43	1.33
26	BB	2530	A	N3-C4	10.45	1.41	1.34
26	BB	773	U	P-O5'	10.44	1.70	1.59
1	AA	711	G	C2-N3	10.44	1.41	1.32
1	AA	123	U	P-O5'	10.43	1.70	1.59
1	AA	1369	C	C4-C5	10.43	1.51	1.43
26	BB	905	A	N3-C4	10.43	1.41	1.34
26	BB	2513	A	C6-N1	10.43	1.42	1.35
1	AA	1197	A	P-O5'	10.43	1.70	1.59
1	AA	1186	G	N7-C5	10.41	1.45	1.39
26	BB	248	G	N3-C4	10.41	1.42	1.35
26	BB	227	A	N9-C4	10.41	1.44	1.37
26	BB	503	A	N3-C4	10.41	1.41	1.34
26	BB	2831	G	N7-C5	-10.40	1.33	1.39
26	BB	2177	C	C4-C5	10.39	1.51	1.43
1	AA	1259	C	P-O5'	10.39	1.70	1.59
2	AB	23	A	N7-C5	10.39	1.45	1.39
26	BB	1285	A	N3-C4	10.39	1.41	1.34
4	AD	67	C	P-O5'	10.38	1.70	1.59
26	BB	1285	A	C5-C4	-10.38	1.31	1.38
26	BB	1903	G	C6-N1	10.39	1.46	1.39
26	BB	1933	G	P-O5'	10.38	1.70	1.59
26	BB	1653	G	N7-C5	-10.38	1.33	1.39
1	AA	1505	G	P-O5'	10.38	1.70	1.59
26	BB	1096	A	N7-C5	10.38	1.45	1.39
26	BB	455	C	C5-C6	10.37	1.42	1.34
1	AA	302	G	N7-C5	-10.37	1.33	1.39
1	AA	567	G	C8-N7	-10.36	1.24	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1525	G	N9-C8	10.36	1.45	1.37
26	BB	709	U	P-O5'	10.36	1.70	1.59
26	BB	2158	A	C6-N1	10.36	1.42	1.35
1	AA	442	G	C2-N3	10.35	1.41	1.32
1	AA	724	G	N7-C5	-10.35	1.33	1.39
26	BB	2851	A	N3-C4	10.35	1.41	1.34
26	BB	1836	C	N1-C6	10.34	1.43	1.37
1	AA	273	U	C2-N3	10.32	1.45	1.37
25	BA	81	G	P-O5'	10.32	1.70	1.59
1	AA	468	A	N9-C4	10.32	1.44	1.37
1	AA	1293	C	P-O5'	10.32	1.70	1.59
26	BB	1711	A	N9-C4	10.32	1.44	1.37
26	BB	523	C	C4-C5	10.31	1.51	1.43
1	AA	1527	U	C2-N3	10.30	1.45	1.37
26	BB	998	C	N1-C6	10.28	1.43	1.37
26	BB	2711	A	P-O5'	10.28	1.70	1.59
1	AA	35	G	N9-C8	-10.27	1.30	1.37
26	BB	1227	G	N3-C4	10.27	1.42	1.35
26	BB	1703	G	C2-N3	10.27	1.41	1.32
26	BB	1231	U	C2-N3	10.25	1.45	1.37
26	BB	2820	A	N9-C4	-10.25	1.31	1.37
26	BB	11	C	N1-C6	10.24	1.43	1.37
1	AA	923	A	N9-C4	-10.23	1.31	1.37
26	BB	927	A	C6-N6	10.23	1.42	1.33
26	BB	2129	C	P-O5'	10.23	1.70	1.59
1	AA	1469	C	N1-C6	10.22	1.43	1.37
26	BB	425	G	N7-C5	10.22	1.45	1.39
26	BB	2177	C	C5-C6	10.22	1.42	1.34
26	BB	1803	A	P-O5'	10.21	1.70	1.59
1	AA	190	A	N7-C5	-10.21	1.33	1.39
26	BB	1587	G	N7-C5	10.21	1.45	1.39
1	AA	611	C	N1-C6	10.21	1.43	1.37
1	AA	444	G	N7-C5	-10.21	1.33	1.39
26	BB	1971	U	C2-N3	10.21	1.44	1.37
1	AA	1286	U	P-O5'	10.20	1.70	1.59
26	BB	2057	G	N3-C4	10.20	1.42	1.35
1	AA	632	U	P-O5'	10.19	1.70	1.59
26	BB	2641	G	N7-C5	10.19	1.45	1.39
26	BB	1187	G	C8-N7	-10.19	1.24	1.30
26	BB	7	G	P-O5'	10.19	1.70	1.59
26	BB	661	A	N3-C4	10.18	1.41	1.34
1	AA	167	A	N7-C5	10.18	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	580	C	C4'-O4'	-10.18	1.32	1.45
1	AA	1366	C	C5-C6	10.18	1.42	1.34
26	BB	2299	U	P-O5'	10.17	1.70	1.59
26	BB	358	U	C5-C6	10.15	1.43	1.34
26	BB	2375	G	N7-C5	-10.15	1.33	1.39
26	BB	999	U	C4'-O4'	-10.15	1.32	1.45
26	BB	1885	A	N3-C4	10.15	1.41	1.34
1	AA	1194	U	P-O5'	10.14	1.69	1.59
3	AC	38	G	N3-C4	10.14	1.42	1.35
26	BB	1938	A	N3-C4	10.14	1.41	1.34
1	AA	1105	A	N9-C4	10.13	1.44	1.37
1	AA	1216	A	N3-C4	10.13	1.41	1.34
26	BB	1268	A	N3-C4	10.13	1.41	1.34
26	BB	1206	G	N7-C5	10.13	1.45	1.39
26	BB	2154	A	P-O5'	10.12	1.69	1.59
26	BB	488	G	N3-C4	10.12	1.42	1.35
26	BB	2696	U	C2-N3	10.12	1.44	1.37
25	BA	43	C	C2-N3	10.11	1.43	1.35
26	BB	1746	A	P-O5'	10.11	1.69	1.59
1	AA	1146	A	N3-C4	10.11	1.41	1.34
26	BB	1342	A	C6-N1	-10.11	1.28	1.35
26	BB	919	U	P-O5'	10.11	1.69	1.59
1	AA	314	C	C2-N3	10.10	1.43	1.35
1	AA	1270	G	N9-C8	-10.10	1.30	1.37
26	BB	1787	A	N3-C4	10.10	1.41	1.34
1	AA	281	G	N9-C8	-10.10	1.30	1.37
26	BB	2664	G	N1-C2	10.09	1.45	1.37
1	AA	485	U	C2-N3	10.08	1.44	1.37
26	BB	2354	C	P-O5'	10.08	1.69	1.59
26	BB	1517	G	C3'-C2'	10.08	1.64	1.52
26	BB	2392	A	C4'-C3'	10.08	1.64	1.53
1	AA	800	G	N9-C8	10.08	1.45	1.37
26	BB	2405	G	C8-N7	-10.07	1.25	1.30
1	AA	415	A	N7-C5	-10.07	1.33	1.39
26	BB	755	U	C2-N3	10.07	1.44	1.37
26	BB	2259	U	N1-C2	10.07	1.47	1.38
1	AA	1541	U	C2-N3	10.06	1.44	1.37
1	AA	180	U	P-O5'	-10.06	1.49	1.59
1	AA	562	U	C2-N3	10.05	1.44	1.37
26	BB	2208	C	C2-N3	10.05	1.43	1.35
26	BB	2348	U	C2-N3	10.05	1.44	1.37
26	BB	2625	G	C8-N7	-10.04	1.25	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	366	A	N9-C8	10.04	1.45	1.37
3	AC	36	U	C2-N3	10.04	1.44	1.37
26	BB	111	A	N9-C4	10.03	1.43	1.37
26	BB	1688	U	C4-C5	10.02	1.52	1.43
26	BB	1729	U	C2-N3	10.02	1.44	1.37
1	AA	396	C	O3'-P	10.02	1.73	1.61
1	AA	521	G	C6-N1	10.02	1.46	1.39
26	BB	350	G	N3-C4	10.02	1.42	1.35
26	BB	628	G	N1-C2	10.02	1.45	1.37
26	BB	2134	A	N3-C4	10.02	1.40	1.34
26	BB	1418	G	C6-N1	-10.01	1.32	1.39
1	AA	1466	C	C4-C5	10.01	1.50	1.43
26	BB	578	G	N7-C5	10.01	1.45	1.39
1	AA	14	U	C2-N3	10.00	1.44	1.37
1	AA	410	G	C2-N3	10.00	1.40	1.32
26	BB	608	A	N3-C4	10.00	1.40	1.34
25	BA	78	A	C8-N7	-10.00	1.24	1.31
26	BB	1644	C	N1-C6	10.00	1.43	1.37
1	AA	274	A	N3-C4	10.00	1.40	1.34
1	AA	229	U	C4-C5	9.99	1.52	1.43
26	BB	524	G	C8-N7	-9.99	1.25	1.30
26	BB	1948	G	P-O5'	9.99	1.69	1.59
1	AA	1252	A	P-O5'	9.99	1.69	1.59
26	BB	1448	G	P-O5'	9.98	1.69	1.59
1	AA	595	A	N7-C5	9.98	1.45	1.39
26	BB	2412	A	N3-C4	9.97	1.40	1.34
26	BB	1881	C	C2-N3	9.97	1.43	1.35
26	BB	2474	U	C2-N3	9.97	1.44	1.37
1	AA	815	A	C3'-C2'	9.96	1.64	1.52
26	BB	2190	G	C2-N3	9.96	1.40	1.32
4	AD	29	C	C4-C5	9.96	1.50	1.43
26	BB	111	A	O3'-P	9.96	1.73	1.61
1	AA	1377	A	N7-C5	-9.95	1.33	1.39
1	AA	8	A	P-O5'	9.95	1.69	1.59
1	AA	382	A	N3-C4	9.95	1.40	1.34
26	BB	677	A	N7-C5	9.95	1.45	1.39
26	BB	1022	G	C2-N3	9.95	1.40	1.32
1	AA	453	G	C6-N1	9.94	1.46	1.39
1	AA	1199	U	C2-N3	9.94	1.44	1.37
26	BB	328	U	P-O5'	9.94	1.69	1.59
1	AA	1106	G	P-O5'	9.94	1.69	1.59
26	BB	107	G	P-O5'	9.93	1.69	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1113	U	P-O5'	9.93	1.69	1.59
1	AA	825	A	C8-N7	-9.93	1.24	1.31
26	BB	2229	U	P-O5'	9.93	1.69	1.59
26	BB	201	C	N1-C6	9.92	1.43	1.37
26	BB	670	A	N9-C4	-9.92	1.31	1.37
26	BB	1902	C	P-O5'	9.92	1.69	1.59
26	BB	263	G	C2-N3	9.92	1.40	1.32
26	BB	2250	G	C2-N3	9.92	1.40	1.32
3	AC	29	G	C6-N1	-9.91	1.32	1.39
26	BB	1948	G	C2'-C1'	9.90	1.64	1.53
26	BB	2822	G	N9-C4	9.90	1.45	1.38
26	BB	561	G	C2-N3	9.90	1.40	1.32
26	BB	2346	A	N3-C4	9.90	1.40	1.34
26	BB	150	U	O3'-P	9.90	1.73	1.61
26	BB	883	G	N1-C2	9.90	1.45	1.37
26	BB	1932	A	N3-C4	9.90	1.40	1.34
3	AC	43	U	P-O5'	9.90	1.69	1.59
26	BB	2433	A	P-O5'	9.90	1.69	1.59
26	BB	1527	G	C3'-C2'	9.89	1.63	1.52
26	BB	253	C	N3-C4	9.89	1.40	1.33
26	BB	604	G	C8-N7	-9.89	1.25	1.30
4	AD	38	A	C6-N1	9.88	1.42	1.35
1	AA	877	G	P-O5'	9.87	1.69	1.59
26	BB	1847	A	N7-C5	-9.87	1.33	1.39
3	AC	45	G	C2-N3	9.86	1.40	1.32
1	AA	648	A	N3-C4	-9.86	1.28	1.34
26	BB	513	A	N3-C4	9.86	1.40	1.34
26	BB	411	G	P-O5'	9.86	1.69	1.59
1	AA	68	G	C8-N7	-9.86	1.25	1.30
26	BB	2461	A	N9-C8	9.85	1.45	1.37
26	BB	400	G	C2-N3	9.85	1.40	1.32
3	AC	25	U	C2-N3	9.85	1.44	1.37
1	AA	258	G	N7-C5	9.85	1.45	1.39
26	BB	299	A	N3-C4	9.84	1.40	1.34
26	BB	2127	G	P-O5'	9.84	1.69	1.59
26	BB	1588	G	N7-C5	-9.84	1.33	1.39
1	AA	495	A	N3-C4	9.83	1.40	1.34
26	BB	261	G	C2-N3	9.83	1.40	1.32
1	AA	1357	A	N3-C4	9.83	1.40	1.34
26	BB	2573	C	O3'-P	9.82	1.73	1.61
1	AA	281	G	N3-C4	9.82	1.42	1.35
26	BB	2461	A	N9-C4	-9.82	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	829	G	N7-C5	-9.82	1.33	1.39
1	AA	741	G	C5-C4	-9.81	1.31	1.38
4	AD	54	G	N7-C5	9.81	1.45	1.39
26	BB	1546	G	P-O5'	9.81	1.69	1.59
26	BB	978	G	C5-C4	-9.81	1.31	1.38
1	AA	1149	C	C4-C5	9.79	1.50	1.43
26	BB	284	U	O3'-P	9.79	1.72	1.61
26	BB	2430	A	N9-C4	9.79	1.43	1.37
1	AA	278	G	C5-C6	9.78	1.52	1.42
26	BB	1806	C	N1-C6	9.78	1.43	1.37
26	BB	502	A	N3-C4	9.78	1.40	1.34
26	BB	2524	G	P-O5'	9.78	1.69	1.59
1	AA	1311	A	N3-C4	9.77	1.40	1.34
26	BB	403	U	C2-N3	9.77	1.44	1.37
1	AA	177	G	N1-C2	9.76	1.45	1.37
1	AA	872	A	N9-C4	9.76	1.43	1.37
26	BB	91	A	P-O5'	9.75	1.69	1.59
26	BB	177	G	C2-N3	9.75	1.40	1.32
1	AA	958	A	N7-C5	-9.74	1.33	1.39
26	BB	308	G	N1-C2	9.74	1.45	1.37
1	AA	1216	A	O3'-P	9.74	1.72	1.61
1	AA	582	C	N1-C6	9.74	1.43	1.37
1	AA	1440	U	C4-C5	9.74	1.52	1.43
26	BB	1626	A	N9-C4	-9.74	1.32	1.37
26	BB	1448	G	N7-C5	9.74	1.45	1.39
26	BB	1839	G	N1-C2	9.74	1.45	1.37
1	AA	289	G	C2-N3	9.73	1.40	1.32
26	BB	2088	A	N9-C4	9.73	1.43	1.37
26	BB	2597	G	C8-N7	-9.73	1.25	1.30
26	BB	44	A	N3-C4	9.72	1.40	1.34
26	BB	533	G	N1-C2	9.72	1.45	1.37
26	BB	1014	A	N3-C4	9.72	1.40	1.34
26	BB	981	A	C5-C6	9.72	1.49	1.41
1	AA	1210	C	C2-O2	-9.72	1.15	1.24
1	AA	558	G	N3-C4	9.72	1.42	1.35
1	AA	919	A	C8-N7	9.71	1.38	1.31
1	AA	764	C	N3-C4	9.71	1.40	1.33
26	BB	1069	A	N3-C4	9.71	1.40	1.34
26	BB	1090	A	N7-C5	-9.71	1.33	1.39
26	BB	585	G	C5-C4	-9.70	1.31	1.38
2	AB	62	U	C2-N3	9.70	1.44	1.37
26	BB	1765	U	C2-N3	9.69	1.44	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	165	G	O3'-P	9.69	1.72	1.61
1	AA	1219	A	C6-N1	9.69	1.42	1.35
26	BB	2651	C	N1-C6	9.69	1.43	1.37
26	BB	2303	G	C2-N3	9.68	1.40	1.32
26	BB	681	G	C8-N7	-9.68	1.25	1.30
26	BB	971	G	C6-N1	9.68	1.46	1.39
26	BB	993	G	N9-C8	-9.68	1.31	1.37
1	AA	376	G	N3-C4	9.67	1.42	1.35
26	BB	1327	A	P-O5'	9.67	1.69	1.59
1	AA	1218	C	C5-C6	9.67	1.42	1.34
26	BB	947	A	N3-C4	9.67	1.40	1.34
1	AA	102	G	C5'-C4'	9.67	1.62	1.51
25	BA	89	U	C5'-C4'	9.67	1.62	1.51
26	BB	1766	G	N3-C4	9.67	1.42	1.35
1	AA	866	C	C2'-O2'	9.66	1.54	1.41
1	AA	1434	A	N9-C4	-9.66	1.32	1.37
26	BB	1531	C	C4-C5	9.66	1.50	1.43
26	BB	1579	A	N3-C4	9.66	1.40	1.34
26	BB	2623	G	C6-N1	9.66	1.46	1.39
26	BB	1331	G	C5-C4	9.66	1.45	1.38
2	AB	67	G	N7-C5	-9.65	1.33	1.39
26	BB	2056	G	N3-C4	9.65	1.42	1.35
26	BB	1294	U	P-O5'	9.65	1.69	1.59
1	AA	1160	G	P-O5'	9.65	1.69	1.59
26	BB	416	U	N1-C2	9.65	1.47	1.38
26	BB	445	C	O3'-P	9.65	1.72	1.61
1	AA	272	C	P-O5'	9.64	1.69	1.59
26	BB	2128	G	P-O5'	9.64	1.69	1.59
1	AA	1185	G	C2-N3	9.63	1.40	1.32
26	BB	2170	A	N9-C4	9.63	1.43	1.37
1	AA	540	G	C2-N2	-9.63	1.25	1.34
26	BB	365	U	P-O5'	9.63	1.69	1.59
26	BB	1159	U	C2-N3	9.63	1.44	1.37
25	BA	10	G	C6-N1	9.62	1.46	1.39
26	BB	1138	G	C6-N1	9.62	1.46	1.39
1	AA	237	G	N7-C5	9.62	1.45	1.39
1	AA	968	A	C4'-O4'	-9.62	1.33	1.45
1	AA	71	A	N3-C4	9.62	1.40	1.34
26	BB	1776	G	C6-N1	9.62	1.46	1.39
26	BB	727	A	P-O5'	9.62	1.69	1.59
26	BB	2720	U	C5-C6	9.62	1.42	1.34
26	BB	778	G	O3'-P	9.62	1.72	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1338	G	C8-N7	-9.61	1.25	1.30
26	BB	1776	G	P-O5'	9.62	1.69	1.59
26	BB	2112	G	C8-N7	-9.61	1.25	1.30
1	AA	1130	A	N3-C4	9.61	1.40	1.34
2	AB	53	G	P-O5'	9.61	1.69	1.59
26	BB	1135	C	P-O5'	9.61	1.69	1.59
26	BB	823	C	P-O5'	9.61	1.69	1.59
26	BB	1408	G	N3-C4	9.61	1.42	1.35
26	BB	1950	G	P-O5'	9.60	1.69	1.59
26	BB	29	U	C2-N3	9.60	1.44	1.37
26	BB	101	A	C4'-O4'	-9.59	1.33	1.45
26	BB	1257	C	N1-C6	-9.58	1.31	1.37
26	BB	1868	C	O3'-P	-9.57	1.49	1.61
1	AA	236	A	N3-C4	9.56	1.40	1.34
26	BB	110	G	C5-C4	-9.56	1.31	1.38
26	BB	155	A	P-O5'	9.56	1.69	1.59
26	BB	2405	G	N7-C5	9.56	1.45	1.39
26	BB	2323	G	N7-C5	-9.56	1.33	1.39
26	BB	2042	A	N9-C4	9.55	1.43	1.37
26	BB	2733	A	C8-N7	-9.54	1.24	1.31
26	BB	1422	G	P-O5'	9.54	1.69	1.59
26	BB	1260	A	N3-C4	9.54	1.40	1.34
26	BB	1500	G	N3-C4	9.54	1.42	1.35
26	BB	308	G	P-O5'	9.54	1.69	1.59
26	BB	2275	C	N3-C4	9.53	1.40	1.33
26	BB	1400	U	C2-N3	9.53	1.44	1.37
26	BB	2886	A	P-O5'	9.53	1.69	1.59
1	AA	785	G	N9-C8	-9.53	1.31	1.37
1	AA	1335	U	C4-C5	9.52	1.52	1.43
3	AC	15	G	N3-C4	9.52	1.42	1.35
26	BB	2339	C	N3-C4	9.52	1.40	1.33
26	BB	1044	C	N1-C6	9.52	1.42	1.37
26	BB	1785	A	C6-N6	9.52	1.41	1.33
26	BB	1990	C	P-O5'	9.52	1.69	1.59
26	BB	1261	C	C3'-C2'	-9.52	1.42	1.52
1	AA	30	U	C5'-C4'	9.52	1.62	1.51
1	AA	77	A	N9-C4	9.51	1.43	1.37
26	BB	1414	C	O3'-P	9.51	1.72	1.61
26	BB	2704	C	C2-N3	9.51	1.43	1.35
1	AA	829	G	C8-N7	-9.51	1.25	1.30
26	BB	20	C	C5-C6	9.51	1.42	1.34
26	BB	1124	G	N7-C5	9.50	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1086	U	P-O5'	9.50	1.69	1.59
3	AC	58	C	C4-C5	9.50	1.50	1.43
26	BB	2229	U	O3'-P	9.50	1.72	1.61
26	BB	2550	G	C8-N7	9.50	1.36	1.30
26	BB	2556	C	C2-N3	9.50	1.43	1.35
26	BB	2666	C	N1-C6	-9.50	1.31	1.37
26	BB	2171	A	C6-N1	9.49	1.42	1.35
1	AA	360	G	N7-C5	9.49	1.45	1.39
1	AA	1263	C	N1-C6	9.49	1.42	1.37
1	AA	1032	G	N9-C4	-9.48	1.30	1.38
26	BB	1603	A	C5'-C4'	9.48	1.62	1.51
26	BB	653	U	C2-N3	9.48	1.44	1.37
26	BB	1087	G	N1-C2	9.47	1.45	1.37
26	BB	449	A	P-O5'	9.47	1.69	1.59
26	BB	450	G	N7-C5	9.47	1.45	1.39
26	BB	2871	U	C2-N3	9.47	1.44	1.37
1	AA	796	C	N3-C4	9.47	1.40	1.33
26	BB	2004	G	C5-C4	-9.46	1.31	1.38
26	BB	2554	U	P-O5'	9.46	1.69	1.59
26	BB	282	A	N9-C4	9.46	1.43	1.37
26	BB	2737	G	P-O5'	9.46	1.69	1.59
26	BB	1840	G	C6-N1	9.46	1.46	1.39
1	AA	1484	C	C4-C5	9.45	1.50	1.43
26	BB	498	G	P-O5'	9.45	1.69	1.59
26	BB	1265	A	N7-C5	-9.45	1.33	1.39
26	BB	290	U	C2-N3	9.45	1.44	1.37
3	AC	40	G	C8-N7	9.44	1.36	1.30
26	BB	2802	G	C2-N3	9.44	1.40	1.32
26	BB	1600	C	N3-C4	9.44	1.40	1.33
26	BB	830	G	C5-C4	-9.44	1.31	1.38
1	AA	1384	C	N3-C4	9.43	1.40	1.33
2	AB	5	G	P-O5'	9.43	1.69	1.59
1	AA	48	C	O3'-P	9.43	1.72	1.61
26	BB	2511	U	N1-C2	9.43	1.47	1.38
1	AA	388	G	N9-C4	9.43	1.45	1.38
26	BB	266	G	C6-N1	-9.43	1.32	1.39
26	BB	682	G	P-O5'	9.43	1.69	1.59
1	AA	519	C	C4-C5	-9.42	1.35	1.43
26	BB	1239	G	C2-N3	9.42	1.40	1.32
25	BA	74	U	N3-C4	9.42	1.47	1.38
26	BB	299	A	P-O5'	9.42	1.69	1.59
26	BB	1649	G	N7-C5	-9.42	1.33	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	452	G	N3-C4	9.41	1.42	1.35
1	AA	1004	A	N7-C5	9.41	1.44	1.39
26	BB	2151	U	C4'-O4'	-9.41	1.33	1.45
1	AA	1105	A	N3-C4	9.41	1.40	1.34
25	BA	3	C	P-O5'	9.40	1.69	1.59
1	AA	986	U	C2-N3	9.40	1.44	1.37
26	BB	776	G	P-O5'	9.40	1.69	1.59
1	AA	1487	G	N3-C4	9.40	1.42	1.35
26	BB	1597	A	N3-C4	9.40	1.40	1.34
26	BB	2535	G	P-O5'	9.40	1.69	1.59
26	BB	2602	A	C5-C4	9.40	1.45	1.38
1	AA	122	G	N3-C4	9.40	1.42	1.35
26	BB	2842	G	N3-C4	9.40	1.42	1.35
26	BB	1192	G	C5-C4	9.39	1.45	1.38
3	AC	41	A	N7-C5	-9.39	1.33	1.39
3	AC	54	U	C2-N3	9.39	1.44	1.37
26	BB	2778	A	N7-C5	-9.39	1.33	1.39
26	BB	985	C	P-O5'	9.39	1.69	1.59
26	BB	1214	A	N3-C4	9.38	1.40	1.34
26	BB	2846	G	C8-N7	9.38	1.36	1.30
1	AA	395	C	N1-C6	9.38	1.42	1.37
1	AA	238	A	N3-C4	9.38	1.40	1.34
26	BB	1410	G	C3'-C2'	9.38	1.63	1.52
26	BB	2306	C	O3'-P	9.37	1.72	1.61
1	AA	436	C	P-O5'	9.36	1.69	1.59
2	AB	10	G	N9-C8	9.37	1.44	1.37
26	BB	1038	G	N7-C5	9.36	1.44	1.39
26	BB	2837	A	N7-C5	-9.36	1.33	1.39
1	AA	819	A	P-O5'	9.36	1.69	1.59
3	AC	24	A	N3-C4	9.35	1.40	1.34
26	BB	2891	U	P-O5'	9.34	1.69	1.59
26	BB	461	C	N1-C6	9.34	1.42	1.37
26	BB	1747	U	O3'-P	9.34	1.72	1.61
1	AA	705	G	C8-N7	9.32	1.36	1.30
26	BB	219	A	N3-C4	9.32	1.40	1.34
26	BB	2061	G	N7-C5	9.32	1.44	1.39
26	BB	841	G	C6-N1	9.32	1.46	1.39
26	BB	2370	G	C2-N3	9.32	1.40	1.32
26	BB	2592	G	C2-N3	9.32	1.40	1.32
26	BB	2636	C	C2-O2	-9.32	1.16	1.24
1	AA	764	C	P-O5'	9.32	1.69	1.59
1	AA	817	C	C2-N3	-9.32	1.28	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	75	G	O3'-P	9.32	1.72	1.61
26	BB	2330	G	P-O5'	9.32	1.69	1.59
26	BB	1437	C	C5'-C4'	9.31	1.62	1.51
1	AA	138	G	N7-C5	-9.31	1.33	1.39
1	AA	818	G	C8-N7	-9.31	1.25	1.30
1	AA	1172	C	C2-N3	9.31	1.43	1.35
26	BB	1987	A	N7-C5	-9.30	1.33	1.39
1	AA	154	U	N1-C2	9.30	1.47	1.38
26	BB	1002	G	C6-N1	9.30	1.46	1.39
26	BB	1308	A	N3-C4	9.30	1.40	1.34
26	BB	1503	A	N9-C4	-9.30	1.32	1.37
26	BB	176	A	N9-C4	9.29	1.43	1.37
1	AA	85	U	N1-C6	-9.29	1.29	1.38
26	BB	2545	G	C5-C4	-9.29	1.31	1.38
1	AA	9	G	N7-C5	9.29	1.44	1.39
1	AA	1395	C	C4-C5	9.29	1.50	1.43
26	BB	441	U	C5'-C4'	9.29	1.62	1.51
26	BB	1294	U	N1-C2	9.29	1.47	1.38
26	BB	2147	A	N7-C5	-9.29	1.33	1.39
26	BB	2857	G	N7-C5	-9.29	1.33	1.39
26	BB	2560	A	N3-C4	9.28	1.40	1.34
1	AA	156	C	N1-C6	9.28	1.42	1.37
26	BB	466	A	P-O5'	9.28	1.69	1.59
26	BB	900	A	C5'-C4'	9.28	1.62	1.51
26	BB	53	A	N7-C5	9.28	1.44	1.39
1	AA	1299	A	N3-C4	9.28	1.40	1.34
26	BB	118	A	N9-C4	9.28	1.43	1.37
26	BB	2322	A	C8-N7	-9.27	1.25	1.31
26	BB	219	A	C6-N1	-9.27	1.29	1.35
26	BB	2657	A	C5-C4	-9.27	1.32	1.38
26	BB	2864	G	O3'-P	9.26	1.72	1.61
1	AA	1226	C	C4'-O4'	-9.26	1.33	1.45
4	AD	67	C	C4'-C3'	9.26	1.63	1.53
26	BB	2826	A	N9-C4	9.26	1.43	1.37
26	BB	1455	G	C2-N3	9.26	1.40	1.32
26	BB	2221	G	C5-C4	-9.25	1.31	1.38
26	BB	2510	C	P-O5'	9.25	1.69	1.59
1	AA	524	G	N9-C8	9.25	1.44	1.37
26	BB	298	G	C2-N2	-9.25	1.25	1.34
26	BB	1249	U	C2-N3	9.24	1.44	1.37
25	BA	108	A	C8-N7	-9.24	1.25	1.31
26	BB	2674	G	P-O5'	9.24	1.69	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2470	G	N7-C5	9.24	1.44	1.39
1	AA	441	A	P-O5'	9.23	1.69	1.59
26	BB	1008	A	N7-C5	-9.23	1.33	1.39
1	AA	1298	U	P-O5'	9.23	1.69	1.59
26	BB	1161	C	P-O5'	9.23	1.69	1.59
26	BB	1737	G	C5'-C4'	9.23	1.62	1.51
1	AA	187	G	C8-N7	-9.23	1.25	1.30
1	AA	1541	U	C4-C5	9.23	1.51	1.43
26	BB	1022	G	C2'-C1'	9.23	1.63	1.53
26	BB	1471	G	N7-C5	9.23	1.44	1.39
26	BB	1564	C	C4-C5	9.23	1.50	1.43
26	BB	2560	A	C8-N7	-9.23	1.25	1.31
1	AA	1044	A	C2'-C1'	-9.22	1.43	1.53
25	BA	63	C	P-O5'	9.22	1.69	1.59
1	AA	805	C	C4-C5	9.22	1.50	1.43
26	BB	1039	A	N3-C4	9.21	1.40	1.34
1	AA	749	A	N9-C4	9.21	1.43	1.37
2	AB	19	G	N3-C4	9.21	1.41	1.35
25	BA	115	A	N7-C5	9.21	1.44	1.39
2	AB	69	C	C5'-C4'	9.21	1.62	1.51
26	BB	1506	U	P-O5'	9.21	1.69	1.59
1	AA	910	C	C4-C5	9.20	1.50	1.43
1	AA	104	G	N7-C5	9.20	1.44	1.39
1	AA	446	G	N3-C4	9.20	1.41	1.35
26	BB	1743	G	P-O5'	9.19	1.69	1.59
26	BB	1946	U	P-O5'	9.19	1.69	1.59
26	BB	2077	A	N3-C4	9.19	1.40	1.34
26	BB	2844	G	P-O5'	9.19	1.69	1.59
1	AA	846	G	C2-N3	9.19	1.40	1.32
1	AA	1175	G	N9-C8	9.19	1.44	1.37
26	BB	2247	A	N7-C5	-9.19	1.33	1.39
1	AA	83	C	N1-C6	9.18	1.42	1.37
1	AA	431	A	N7-C5	-9.18	1.33	1.39
26	BB	357	C	C4-C5	9.18	1.50	1.43
26	BB	408	G	N7-C5	9.18	1.44	1.39
26	BB	2799	A	C6-N1	9.18	1.42	1.35
1	AA	853	C	C2-N3	9.18	1.43	1.35
26	BB	600	G	C2-N3	9.18	1.40	1.32
26	BB	1981	A	C5-C4	-9.18	1.32	1.38
1	AA	653	U	C2-N3	9.17	1.44	1.37
26	BB	139	U	C2'-C1'	9.17	1.63	1.53
26	BB	1663	G	C8-N7	-9.17	1.25	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1267	C	N1-C6	9.17	1.42	1.37
1	AA	977	A	N3-C4	9.17	1.40	1.34
26	BB	2248	C	P-O5'	9.17	1.69	1.59
26	BB	2371	G	C2-N3	9.17	1.40	1.32
26	BB	2602	A	P-O5'	9.17	1.69	1.59
26	BB	947	A	C6-N6	-9.16	1.26	1.33
26	BB	1632	A	N3-C4	9.16	1.40	1.34
26	BB	1722	A	N3-C4	9.16	1.40	1.34
4	AD	46	G	N3-C4	9.16	1.41	1.35
26	BB	2727	A	N3-C4	9.16	1.40	1.34
1	AA	1481	U	C2-N3	9.16	1.44	1.37
26	BB	2117	A	C5-C4	-9.16	1.32	1.38
1	AA	719	C	C2-N3	9.15	1.43	1.35
26	BB	551	G	C2-N3	9.15	1.40	1.32
26	BB	1329	U	C2-N3	9.15	1.44	1.37
26	BB	2344	U	C5-C6	9.15	1.42	1.34
1	AA	573	A	N9-C8	9.15	1.45	1.37
2	AB	47	U	C4'-O4'	-9.15	1.33	1.45
1	AA	69	G	C6-O6	-9.14	1.16	1.24
1	AA	306	A	P-O5'	9.14	1.68	1.59
26	BB	427	U	C2-N3	9.14	1.44	1.37
26	BB	118	A	P-O5'	9.14	1.68	1.59
26	BB	1021	A	P-O5'	9.14	1.68	1.59
1	AA	1195	C	N3-C4	9.14	1.40	1.33
26	BB	2140	G	C6-N1	-9.14	1.33	1.39
26	BB	2231	U	P-O5'	9.13	1.68	1.59
26	BB	2691	C	C4-C5	9.13	1.50	1.43
3	AC	30	U	N1-C2	9.13	1.46	1.38
26	BB	176	A	P-O5'	9.13	1.68	1.59
26	BB	1284	A	N3-C4	9.13	1.40	1.34
1	AA	877	G	N3-C4	9.13	1.41	1.35
26	BB	1050	A	N9-C4	9.13	1.43	1.37
1	AA	1292	G	C8-N7	-9.12	1.25	1.30
26	BB	1893	C	C4-C5	9.12	1.50	1.43
1	AA	710	G	N7-C5	9.12	1.44	1.39
1	AA	1419	G	P-O5'	9.12	1.68	1.59
26	BB	876	C	N1-C6	9.11	1.42	1.37
26	BB	930	G	C2-N3	9.11	1.40	1.32
1	AA	787	A	N3-C4	9.11	1.40	1.34
26	BB	690	G	C2-N3	9.11	1.40	1.32
26	BB	1205	A	N3-C4	9.11	1.40	1.34
1	AA	952	U	P-O5'	9.11	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	9	G	C8-N7	-9.10	1.25	1.30
1	AA	268	U	C2-N3	9.10	1.44	1.37
1	AA	759	A	O3'-P	9.10	1.72	1.61
26	BB	2421	G	P-O5'	9.10	1.68	1.59
1	AA	1072	G	C5-C4	9.10	1.44	1.38
26	BB	617	G	N9-C8	9.10	1.44	1.37
1	AA	546	A	O3'-P	9.10	1.72	1.61
26	BB	457	A	N7-C5	9.10	1.44	1.39
1	AA	125	U	P-O5'	9.09	1.68	1.59
26	BB	710	U	N1-C2	9.09	1.46	1.38
26	BB	1118	C	C5-C6	9.09	1.41	1.34
1	AA	715	A	C4'-O4'	-9.09	1.33	1.45
26	BB	1275	A	N3-C4	9.09	1.40	1.34
26	BB	2378	A	P-O5'	9.09	1.68	1.59
26	BB	2788	C	N3-C4	9.09	1.40	1.33
26	BB	953	G	N9-C8	9.09	1.44	1.37
1	AA	127	G	C5'-C4'	9.09	1.62	1.51
26	BB	2100	G	P-O5'	9.09	1.68	1.59
1	AA	629	A	N3-C4	9.08	1.40	1.34
1	AA	1228	C	C5-C6	9.08	1.41	1.34
26	BB	1227	G	C6-N1	-9.08	1.33	1.39
26	BB	1492	G	C6-N1	9.08	1.46	1.39
26	BB	2115	G	C6-N1	9.08	1.46	1.39
26	BB	1922	G	C6-N1	9.08	1.46	1.39
1	AA	348	G	N1-C2	9.08	1.45	1.37
1	AA	646	G	N7-C5	9.08	1.44	1.39
26	BB	700	G	C8-N7	-9.07	1.25	1.30
25	BA	7	G	P-O5'	9.07	1.68	1.59
26	BB	749	A	N7-C5	9.07	1.44	1.39
26	BB	298	G	N7-C5	9.07	1.44	1.39
1	AA	1248	A	N9-C4	-9.06	1.32	1.37
1	AA	1137	C	P-O5'	9.06	1.68	1.59
1	AA	925	G	N3-C4	9.06	1.41	1.35
26	BB	1457	U	C5'-C4'	9.06	1.62	1.51
1	AA	1295	U	P-O5'	9.06	1.68	1.59
26	BB	868	U	C5-C6	9.05	1.42	1.34
25	BA	66	A	P-O5'	9.05	1.68	1.59
1	AA	59	A	N3-C4	9.05	1.40	1.34
26	BB	2333	A	N9-C4	9.05	1.43	1.37
1	AA	1169	A	N3-C4	9.04	1.40	1.34
26	BB	970	U	P-O5'	9.04	1.68	1.59
26	BB	1700	A	N3-C4	9.04	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1120	G	C8-N7	-9.04	1.25	1.30
26	BB	2581	G	C6-N1	-9.04	1.33	1.39
26	BB	2263	C	C4-N4	9.04	1.42	1.33
1	AA	1089	G	C6-N1	-9.03	1.33	1.39
4	AD	22	A	P-O5'	9.03	1.68	1.59
1	AA	866	C	C2-N3	9.03	1.43	1.35
1	AA	1417	G	N3-C4	9.03	1.41	1.35
26	BB	547	A	N7-C5	-9.03	1.33	1.39
26	BB	2549	G	N3-C4	9.03	1.41	1.35
1	AA	1021	A	N3-C4	9.03	1.40	1.34
26	BB	1703	G	P-O5'	9.03	1.68	1.59
26	BB	85	G	N7-C5	-9.02	1.33	1.39
26	BB	1553	A	N9-C4	-9.02	1.32	1.37
4	AD	5	G	N7-C5	9.02	1.44	1.39
26	BB	774	G	C2'-C1'	-9.02	1.43	1.53
4	AD	77	A	N3-C4	9.01	1.40	1.34
26	BB	535	G	C2-N3	9.01	1.40	1.32
1	AA	215	C	C4-C5	9.01	1.50	1.43
1	AA	1458	G	C2'-C1'	9.00	1.63	1.53
1	AA	1514	G	C2-N3	-9.00	1.25	1.32
26	BB	1142	A	N7-C5	-9.00	1.33	1.39
26	BB	1321	A	N3-C4	-9.00	1.29	1.34
26	BB	631	A	P-O5'	8.99	1.68	1.59
26	BB	792	A	C6-N6	8.99	1.41	1.33
2	AB	32	OMC	O3'-P	8.99	1.72	1.61
26	BB	1676	A	N9-C4	8.99	1.43	1.37
26	BB	1113	U	C2-N3	8.99	1.44	1.37
26	BB	1540	G	P-O5'	8.99	1.68	1.59
26	BB	2517	C	C2-O2	-8.99	1.16	1.24
26	BB	905	A	C5'-C4'	8.99	1.62	1.51
1	AA	733	G	N3-C4	8.98	1.41	1.35
1	AA	352	C	P-O5'	8.98	1.68	1.59
1	AA	923	A	N7-C5	-8.98	1.33	1.39
26	BB	2548	U	O3'-P	8.98	1.72	1.61
26	BB	2223	G	P-O5'	8.98	1.68	1.59
26	BB	537	G	N1-C2	8.98	1.45	1.37
26	BB	963	U	C2-N3	8.98	1.44	1.37
26	BB	1147	A	N3-C4	8.97	1.40	1.34
1	AA	988	G	N9-C8	8.97	1.44	1.37
1	AA	359	G	C6-N1	8.97	1.45	1.39
1	AA	1470	U	C2-N3	8.97	1.44	1.37
1	AA	551	U	N1-C6	8.97	1.46	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	889	C	N1-C6	-8.97	1.31	1.37
1	AA	1216	A	C4'-O4'	-8.96	1.33	1.45
26	BB	2893	A	N3-C4	-8.96	1.29	1.34
1	AA	1088	G	N9-C8	8.96	1.44	1.37
26	BB	858	G	P-O5'	8.96	1.68	1.59
26	BB	2027	G	C2-N3	8.95	1.40	1.32
26	BB	191	A	N3-C4	8.95	1.40	1.34
26	BB	1458	U	C2-N3	8.95	1.44	1.37
26	BB	2890	G	C2'-C1'	8.95	1.63	1.53
1	AA	262	A	N9-C4	8.95	1.43	1.37
26	BB	2702	G	C6-N1	8.94	1.45	1.39
26	BB	730	A	N9-C8	8.94	1.45	1.37
26	BB	2273	A	C8-N7	-8.94	1.25	1.31
26	BB	986	C	P-O5'	8.94	1.68	1.59
1	AA	183	C	C4'-O4'	-8.93	1.33	1.45
1	AA	677	U	C2-N3	8.93	1.44	1.37
1	AA	525	C	C4-C5	8.93	1.50	1.43
1	AA	1318	A	N9-C4	8.93	1.43	1.37
1	AA	290	C	C2-N3	8.93	1.42	1.35
1	AA	720	C	C5-C6	8.93	1.41	1.34
26	BB	1315	C	P-O5'	8.92	1.68	1.59
26	BB	2319	G	C6-N1	8.92	1.45	1.39
1	AA	770	C	C5-C6	8.92	1.41	1.34
1	AA	1224	U	N1-C2	8.91	1.46	1.38
26	BB	914	G	C8-N7	-8.91	1.25	1.30
26	BB	843	G	C4'-O4'	-8.91	1.33	1.45
26	BB	1650	A	N3-C4	8.91	1.40	1.34
26	BB	1509	A	C6-N1	-8.90	1.29	1.35
1	AA	814	A	N3-C4	8.90	1.40	1.34
26	BB	885	C	N3-C4	8.90	1.40	1.33
1	AA	1017	U	P-O5'	8.90	1.68	1.59
1	AA	255	G	P-O5'	8.89	1.68	1.59
1	AA	498	A	N7-C5	-8.89	1.33	1.39
26	BB	655	A	C5'-C4'	8.89	1.62	1.51
1	AA	209	U	C5'-C4'	8.89	1.62	1.51
1	AA	885	G	N3-C4	8.89	1.41	1.35
26	BB	1000	A	C6-N6	8.89	1.41	1.33
26	BB	1814	G	N9-C4	-8.89	1.30	1.38
1	AA	55	A	C5-C4	-8.89	1.32	1.38
1	AA	744	C	N3-C4	8.89	1.40	1.33
3	AC	47	C	C4'-O4'	-8.89	1.33	1.45
1	AA	189	A	N3-C4	8.88	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	612	C	C2-O2	-8.88	1.16	1.24
1	AA	1050	G	C2-N3	8.88	1.39	1.32
26	BB	655	A	O3'-P	8.88	1.71	1.61
3	AC	37	G	N7-C5	-8.88	1.33	1.39
26	BB	1505	A	N3-C4	8.88	1.40	1.34
1	AA	1383	C	C4-C5	8.88	1.50	1.43
26	BB	2444	G	C5'-C4'	8.88	1.62	1.51
1	AA	823	C	N1-C6	8.88	1.42	1.37
25	BA	87	U	N1-C2	8.88	1.46	1.38
26	BB	155	A	N3-C4	8.88	1.40	1.34
1	AA	1463	U	C2-N3	8.87	1.44	1.37
1	AA	336	A	C6-N1	8.87	1.41	1.35
1	AA	544	G	C8-N7	-8.87	1.25	1.30
1	AA	926	G	N3-C4	8.87	1.41	1.35
26	BB	1237	A	C5-C6	8.87	1.49	1.41
26	BB	1501	G	N3-C4	8.87	1.41	1.35
26	BB	1056	G	C6-N1	-8.87	1.33	1.39
26	BB	1219	U	N3-C4	8.87	1.46	1.38
26	BB	796	C	P-O5'	8.86	1.68	1.59
26	BB	2001	C	P-O5'	8.86	1.68	1.59
1	AA	159	G	C2-N3	8.86	1.39	1.32
26	BB	470	A	N3-C4	8.85	1.40	1.34
26	BB	683	U	N1-C2	8.85	1.46	1.38
26	BB	2118	U	C5'-C4'	8.85	1.61	1.51
26	BB	291	G	N9-C4	-8.85	1.30	1.38
1	AA	801	U	P-O5'	8.85	1.68	1.59
26	BB	1198	U	O3'-P	8.85	1.71	1.61
26	BB	1202	G	C8-N7	8.85	1.36	1.30
26	BB	2684	U	C3'-C2'	8.85	1.62	1.52
26	BB	339	U	C2-N3	8.84	1.44	1.37
1	AA	808	C	C5'-C4'	8.84	1.61	1.51
26	BB	599	A	P-O5'	8.84	1.68	1.59
1	AA	1289	A	N3-C4	8.84	1.40	1.34
1	AA	1347	G	C8-N7	-8.84	1.25	1.30
26	BB	393	C	N1-C6	-8.84	1.31	1.37
1	AA	442	G	C5-C4	-8.84	1.32	1.38
1	AA	351	G	C6-N1	8.83	1.45	1.39
26	BB	130	C	N1-C6	8.83	1.42	1.37
26	BB	2801	G	N7-C5	8.83	1.44	1.39
26	BB	2553	G	N1-C2	8.83	1.44	1.37
1	AA	59	A	O4'-C1'	8.83	1.53	1.41
1	AA	1089	G	C2-N3	8.83	1.39	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	66	C	P-O5'	8.83	1.68	1.59
26	BB	2714	G	N1-C2	8.83	1.44	1.37
1	AA	177	G	N7-C5	-8.83	1.33	1.39
1	AA	747	A	P-O5'	8.83	1.68	1.59
26	BB	306	U	N3-C4	8.82	1.46	1.38
26	BB	717	C	N1-C6	8.82	1.42	1.37
26	BB	1608	A	N3-C4	8.82	1.40	1.34
26	BB	1471	G	C6-N1	-8.82	1.33	1.39
26	BB	581	C	N3-C4	8.82	1.40	1.33
26	BB	611	C	P-O5'	8.81	1.68	1.59
2	AB	3	G	C2-N3	8.81	1.39	1.32
26	BB	2255	G	N3-C4	8.81	1.41	1.35
26	BB	2058	A	N3-C4	8.81	1.40	1.34
26	BB	1809	A	C8-N7	8.81	1.37	1.31
26	BB	2523	G	P-O5'	8.80	1.68	1.59
1	AA	188	C	O3'-P	8.80	1.71	1.61
1	AA	1471	U	P-O5'	8.80	1.68	1.59
1	AA	217	C	O3'-P	8.80	1.71	1.61
1	AA	318	G	N9-C8	8.80	1.44	1.37
26	BB	1032	A	N3-C4	8.80	1.40	1.34
26	BB	1657	U	C2-N3	8.80	1.44	1.37
26	BB	1718	G	C4'-O4'	-8.79	1.34	1.45
26	BB	836	G	O3'-P	-8.79	1.50	1.61
26	BB	2383	G	P-O5'	8.79	1.68	1.59
26	BB	2587	A	C6-N1	-8.79	1.29	1.35
1	AA	609	A	N3-C4	8.78	1.40	1.34
25	BA	33	G	N1-C2	8.78	1.44	1.37
26	BB	489	G	C8-N7	-8.78	1.25	1.30
26	BB	599	A	C5-C6	8.78	1.49	1.41
1	AA	844	G	C5-C4	8.78	1.44	1.38
26	BB	1283	G	C8-N7	8.77	1.36	1.30
26	BB	1789	A	N9-C4	8.77	1.43	1.37
1	AA	836	G	P-O5'	8.77	1.68	1.59
1	AA	1442	G	N9-C4	-8.77	1.30	1.38
1	AA	1282	C	C4'-O4'	-8.77	1.34	1.45
26	BB	1893	C	C5'-C4'	8.77	1.61	1.51
26	BB	2380	C	N1-C6	8.77	1.42	1.37
26	BB	2539	C	C5'-C4'	8.77	1.61	1.51
26	BB	178	G	N7-C5	8.76	1.44	1.39
1	AA	324	G	N9-C8	8.76	1.44	1.37
1	AA	709	U	C2-N3	8.76	1.43	1.37
26	BB	1714	U	C2-N3	8.75	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	831	A	C6-N1	-8.75	1.29	1.35
1	AA	682	G	N7-C5	8.75	1.44	1.39
1	AA	1366	C	O3'-P	8.75	1.71	1.61
26	BB	535	G	N3-C4	8.74	1.41	1.35
26	BB	1300	G	C5'-C4'	8.74	1.61	1.51
26	BB	1460	U	C2-O2	8.74	1.30	1.22
1	AA	661	G	C8-N7	-8.74	1.25	1.30
26	BB	1491	G	C5'-C4'	8.74	1.61	1.51
26	BB	2776	A	C6-N1	8.73	1.41	1.35
26	BB	2368	C	P-O5'	8.73	1.68	1.59
1	AA	1033	G	C8-N7	8.73	1.36	1.30
1	AA	1224	U	C2-N3	8.73	1.43	1.37
26	BB	813	U	O4'-C1'	8.73	1.53	1.41
26	BB	1114	C	P-O5'	8.73	1.68	1.59
26	BB	488	G	C8-N7	-8.73	1.25	1.30
1	AA	900	A	N9-C4	8.72	1.43	1.37
2	AB	35	C	C5-C6	8.72	1.41	1.34
26	BB	863	A	N9-C4	8.72	1.43	1.37
1	AA	948	C	P-O5'	8.72	1.68	1.59
1	AA	1329	A	C5'-C4'	8.72	1.61	1.51
1	AA	515	G	C8-N7	-8.71	1.25	1.30
26	BB	2270	A	N9-C4	8.72	1.43	1.37
26	BB	1560	G	N1-C2	8.71	1.44	1.37
1	AA	373	A	C8-N7	-8.71	1.25	1.31
26	BB	1105	U	C2-N3	8.71	1.43	1.37
26	BB	1274	A	O4'-C1'	8.71	1.52	1.41
1	AA	121	U	C2-N3	8.71	1.43	1.37
26	BB	1350	C	C5'-C4'	8.70	1.61	1.51
26	BB	683	U	C4'-C3'	-8.70	1.43	1.53
26	BB	939	G	C6-N1	-8.70	1.33	1.39
26	BB	1933	G	N3-C4	8.70	1.41	1.35
26	BB	2389	G	C6-N1	8.70	1.45	1.39
1	AA	626	G	C6-N1	8.70	1.45	1.39
1	AA	686	U	C4'-O4'	-8.70	1.34	1.45
25	BA	40	U	P-O5'	8.70	1.68	1.59
26	BB	2	G	C5-C6	8.70	1.51	1.42
26	BB	2164	C	C3'-C2'	-8.70	1.43	1.52
26	BB	2188	U	C2-N3	8.70	1.43	1.37
26	BB	2553	G	C5-C6	8.70	1.51	1.42
4	AD	20	G	C2-N3	8.70	1.39	1.32
26	BB	1345	C	N1-C6	8.69	1.42	1.37
1	AA	1384	C	P-O5'	8.69	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	35	C	C2-N3	8.69	1.42	1.35
26	BB	894	U	O3'-P	8.69	1.71	1.61
1	AA	625	U	C2-N3	8.68	1.43	1.37
25	BA	108	A	N7-C5	-8.68	1.34	1.39
1	AA	757	U	C2-N3	8.68	1.43	1.37
1	AA	197	A	C5-C4	-8.68	1.32	1.38
1	AA	1061	G	N3-C4	8.68	1.41	1.35
26	BB	1203	U	C2-N3	-8.68	1.31	1.37
1	AA	430	A	C4'-O4'	-8.68	1.34	1.45
25	BA	29	A	N7-C5	-8.68	1.34	1.39
26	BB	2799	A	N7-C5	8.68	1.44	1.39
1	AA	451	A	N9-C4	8.68	1.43	1.37
3	AC	39	U	P-O5'	8.68	1.68	1.59
1	AA	603	U	C4-O4	-8.67	1.16	1.23
1	AA	1115	U	C4-C5	8.67	1.51	1.43
1	AA	206	C	N1-C6	8.67	1.42	1.37
26	BB	2671	G	N7-C5	-8.67	1.34	1.39
26	BB	1090	A	N1-C2	-8.67	1.26	1.34
26	BB	2409	G	N1-C2	8.67	1.44	1.37
26	BB	2633	G	C2-N3	8.67	1.39	1.32
26	BB	2875	C	C5-C6	8.67	1.41	1.34
26	BB	2294	G	P-O5'	8.66	1.68	1.59
26	BB	385	C	N1-C6	8.65	1.42	1.37
26	BB	2485	G	N9-C4	8.65	1.44	1.38
1	AA	579	A	N9-C8	8.65	1.44	1.37
26	BB	717	C	N3-C4	8.65	1.40	1.33
26	BB	1576	U	C2-N3	8.65	1.43	1.37
26	BB	2861	U	N1-C2	8.65	1.46	1.38
1	AA	1438	G	C2-N3	8.65	1.39	1.32
1	AA	31	G	C4'-O4'	-8.65	1.34	1.45
1	AA	454	G	C5'-C4'	8.65	1.61	1.51
1	AA	669	G	N3-C4	8.64	1.41	1.35
1	AA	1494	G	C8-N7	-8.64	1.25	1.30
26	BB	1903	G	C8-N7	8.64	1.36	1.30
1	AA	1502	A	N3-C4	8.64	1.40	1.34
26	BB	1770	G	N3-C4	8.64	1.41	1.35
4	AD	16	C	C2-N3	8.63	1.42	1.35
26	BB	1348	C	C2-N3	8.63	1.42	1.35
26	BB	1495	A	C5-C4	-8.63	1.32	1.38
1	AA	1047	G	C6-N1	-8.63	1.33	1.39
26	BB	632	A	N3-C4	8.63	1.40	1.34
1	AA	1324	A	P-O5'	8.63	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1409	U	C4'-C3'	8.63	1.62	1.53
26	BB	1511	G	C6-O6	-8.63	1.16	1.24
26	BB	1739	A	P-O5'	8.63	1.68	1.59
26	BB	2102	G	N1-C2	8.63	1.44	1.37
26	BB	267	C	P-O5'	8.62	1.68	1.59
26	BB	1155	A	N3-C4	8.62	1.40	1.34
26	BB	1642	G	C2-N3	8.62	1.39	1.32
26	BB	2083	G	C8-N7	-8.62	1.25	1.30
25	BA	28	C	N1-C6	8.61	1.42	1.37
26	BB	729	G	C6-N1	8.61	1.45	1.39
26	BB	2003	A	C5'-C4'	8.61	1.61	1.51
1	AA	953	G	N3-C4	8.61	1.41	1.35
26	BB	1166	G	C2-N3	8.61	1.39	1.32
26	BB	1971	U	C3'-C2'	8.61	1.62	1.52
26	BB	2424	C	C5-C6	8.61	1.41	1.34
1	AA	901	A	P-O5'	8.61	1.68	1.59
26	BB	1228	G	N7-C5	8.60	1.44	1.39
26	BB	1621	U	P-O5'	8.60	1.68	1.59
1	AA	1153	G	C8-N7	-8.60	1.25	1.30
26	BB	2735	G	N3-C4	8.60	1.41	1.35
1	AA	1522	U	P-O5'	8.60	1.68	1.59
26	BB	2122	U	O3'-P	8.60	1.71	1.61
26	BB	255	A	C2-N3	8.59	1.41	1.33
26	BB	457	A	C6-N1	-8.59	1.29	1.35
1	AA	706	A	N3-C4	8.59	1.40	1.34
26	BB	1474	U	N1-C2	8.59	1.46	1.38
26	BB	551	G	P-O5'	8.59	1.68	1.59
26	BB	1126	A	N9-C8	8.59	1.44	1.37
26	BB	1250	G	N1-C2	8.59	1.44	1.37
26	BB	2202	U	C5'-C4'	8.59	1.61	1.51
26	BB	2512	C	N1-C2	8.59	1.48	1.40
26	BB	2737	G	C2-N3	8.59	1.39	1.32
26	BB	965	C	N3-C4	8.59	1.40	1.33
26	BB	1493	C	N3-C4	8.59	1.40	1.33
4	AD	32	G	C8-N7	-8.59	1.25	1.30
26	BB	1547	C	N3-C4	8.59	1.40	1.33
1	AA	703	G	C8-N7	8.58	1.36	1.30
1	AA	874	G	N7-C5	8.58	1.44	1.39
1	AA	917	G	N1-C2	8.58	1.44	1.37
26	BB	1814	G	N1-C2	8.58	1.44	1.37
1	AA	432	A	C5-C6	8.58	1.48	1.41
26	BB	2194	U	O3'-P	8.58	1.71	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1168	U	C2'-O2'	8.58	1.52	1.41
26	BB	2396	G	C2-N3	8.57	1.39	1.32
26	BB	510	C	P-O5'	8.57	1.68	1.59
26	BB	1190	G	N7-C5	8.57	1.44	1.39
4	AD	28	U	C2-N3	8.57	1.43	1.37
26	BB	2511	U	P-O5'	8.57	1.68	1.59
26	BB	1441	G	C2-N3	8.56	1.39	1.32
1	AA	435	A	C6-N1	8.56	1.41	1.35
26	BB	2316	G	N3-C4	8.56	1.41	1.35
26	BB	798	G	N3-C4	8.56	1.41	1.35
26	BB	847	U	P-O5'	8.55	1.68	1.59
26	BB	1456	G	N1-C2	8.55	1.44	1.37
1	AA	902	G	N7-C5	8.55	1.44	1.39
1	AA	1475	G	N9-C8	-8.55	1.31	1.37
26	BB	294	A	P-O5'	8.55	1.68	1.59
26	BB	1059	G	C6-O6	-8.55	1.16	1.24
26	BB	1814	G	C5-C4	-8.55	1.32	1.38
26	BB	2312	U	C4'-O4'	-8.55	1.34	1.45
26	BB	1599	U	P-O5'	-8.55	1.51	1.59
26	BB	215	G	N3-C4	8.55	1.41	1.35
26	BB	2659	G	N9-C8	-8.55	1.31	1.37
26	BB	999	U	C4'-C3'	8.54	1.62	1.53
26	BB	1216	G	C4'-O4'	-8.54	1.34	1.45
26	BB	979	A	P-O5'	8.54	1.68	1.59
26	BB	1147	A	N9-C8	-8.54	1.30	1.37
26	BB	730	A	N3-C4	8.54	1.40	1.34
26	BB	2592	G	O3'-P	8.54	1.71	1.61
26	BB	2790	U	P-O5'	8.54	1.68	1.59
26	BB	1511	G	P-O5'	8.53	1.68	1.59
1	AA	1457	G	C2-N3	8.53	1.39	1.32
26	BB	2084	C	N3-C4	8.53	1.40	1.33
1	AA	1305	G	N1-C2	8.52	1.44	1.37
25	BA	58	A	P-O5'	8.52	1.68	1.59
26	BB	111	A	N3-C4	8.52	1.40	1.34
3	AC	50	U	C4'-O4'	-8.52	1.34	1.45
1	AA	24	U	C3'-C2'	8.52	1.62	1.52
1	AA	1528	U	C4-C5	8.52	1.51	1.43
26	BB	1093	G	P-O5'	8.52	1.68	1.59
26	BB	1174	U	C2-N3	8.52	1.43	1.37
26	BB	1358	G	N9-C8	-8.52	1.31	1.37
26	BB	2344	U	N1-C6	8.52	1.45	1.38
26	BB	2887	A	O3'-P	8.52	1.71	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	38	G	N7-C5	8.51	1.44	1.39
26	BB	1706	C	P-O5'	8.51	1.68	1.59
26	BB	1717	A	N9-C4	-8.51	1.32	1.37
26	BB	2533	U	P-O5'	8.51	1.68	1.59
3	AC	15	G	C6-N1	8.51	1.45	1.39
3	AC	46	C	P-O5'	8.51	1.68	1.59
26	BB	1368	G	O3'-P	8.51	1.71	1.61
1	AA	321	A	C4'-C3'	-8.50	1.43	1.53
26	BB	2895	G	N3-C4	8.50	1.41	1.35
1	AA	815	A	P-O5'	8.50	1.68	1.59
26	BB	406	G	C2'-C1'	-8.50	1.44	1.53
26	BB	2083	G	N7-C5	8.50	1.44	1.39
26	BB	409	G	C2-N3	8.50	1.39	1.32
26	BB	700	G	C3'-C2'	8.50	1.62	1.52
26	BB	1965	C	N1-C6	-8.50	1.32	1.37
26	BB	2290	G	C8-N7	8.50	1.36	1.30
1	AA	612	C	C4'-O4'	-8.50	1.34	1.45
1	AA	1464	U	N1-C2	8.50	1.46	1.38
26	BB	2681	C	N1-C6	8.50	1.42	1.37
1	AA	227	G	N7-C5	8.49	1.44	1.39
1	AA	1343	G	C6-N1	8.49	1.45	1.39
1	AA	1455	G	C5'-C4'	8.49	1.61	1.51
1	AA	117	G	C6-N1	8.49	1.45	1.39
1	AA	638	U	C4-C5	8.49	1.51	1.43
1	AA	1306	A	C5'-C4'	8.49	1.61	1.51
26	BB	1129	A	N3-C4	8.49	1.40	1.34
26	BB	656	G	P-O5'	8.48	1.68	1.59
26	BB	1823	G	N7-C5	-8.48	1.34	1.39
26	BB	2564	A	C6-N6	8.48	1.40	1.33
26	BB	2519	U	C2-N3	8.48	1.43	1.37
26	BB	1311	G	C6-N1	8.48	1.45	1.39
26	BB	782	A	N3-C4	8.48	1.40	1.34
1	AA	357	G	N3-C4	8.48	1.41	1.35
1	AA	965	U	N1-C2	8.48	1.46	1.38
1	AA	1015	G	P-O5'	8.48	1.68	1.59
1	AA	1159	U	C2-N3	8.48	1.43	1.37
26	BB	1591	A	C3'-C2'	8.48	1.62	1.52
25	BA	26	C	C2-N3	8.48	1.42	1.35
26	BB	2387	U	C4'-O4'	-8.48	1.34	1.45
26	BB	2846	G	N9-C8	-8.48	1.31	1.37
1	AA	1314	C	C3'-C2'	8.47	1.62	1.52
26	BB	1575	C	C2'-C1'	8.47	1.62	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2210	U	C2-N3	8.47	1.43	1.37
1	AA	805	C	N1-C6	-8.47	1.32	1.37
26	BB	1890	A	N9-C4	8.47	1.43	1.37
26	BB	2138	G	C2'-C1'	8.47	1.62	1.53
25	BA	85	G	N1-C2	8.47	1.44	1.37
26	BB	1515	A	C6-N1	8.47	1.41	1.35
26	BB	1723	G	C6-N1	-8.46	1.33	1.39
1	AA	231	U	C2-N3	8.46	1.43	1.37
1	AA	721	G	N3-C4	8.46	1.41	1.35
1	AA	1309	G	N7-C5	8.46	1.44	1.39
25	BA	4	C	C2-O2	-8.46	1.16	1.24
26	BB	2292	U	C2-N3	8.46	1.43	1.37
26	BB	2518	A	C5'-C4'	8.46	1.61	1.51
26	BB	936	A	C8-N7	-8.46	1.25	1.31
26	BB	472	A	N7-C5	8.46	1.44	1.39
26	BB	620	G	C2-N3	8.46	1.39	1.32
1	AA	664	G	N7-C5	8.45	1.44	1.39
26	BB	1368	G	P-O5'	8.46	1.68	1.59
25	BA	9	G	C8-N7	8.45	1.36	1.30
1	AA	615	G	C6-N1	8.45	1.45	1.39
26	BB	2533	U	C2-O2	8.45	1.29	1.22
1	AA	1030	U	C5-C6	8.45	1.41	1.34
1	AA	835	U	O3'-P	8.45	1.71	1.61
1	AA	362	G	N7-C5	8.44	1.44	1.39
1	AA	653	U	C4'-O4'	-8.44	1.34	1.45
1	AA	1220	G	N7-C5	8.44	1.44	1.39
1	AA	1520	C	N1-C6	8.44	1.42	1.37
26	BB	1123	C	C2-N3	8.44	1.42	1.35
26	BB	2154	A	N7-C5	8.44	1.44	1.39
1	AA	552	U	O3'-P	8.44	1.71	1.61
1	AA	177	G	N3-C4	-8.44	1.29	1.35
26	BB	1739	A	O3'-P	8.44	1.71	1.61
26	BB	1830	C	N3-C4	8.43	1.39	1.33
26	BB	260	G	N9-C8	8.43	1.43	1.37
26	BB	2276	G	N9-C8	-8.43	1.31	1.37
1	AA	752	G	N9-C4	-8.43	1.31	1.38
26	BB	176	A	N9-C8	8.43	1.44	1.37
26	BB	516	C	N1-C6	8.43	1.42	1.37
26	BB	1272	A	P-O5'	8.43	1.68	1.59
26	BB	1854	A	C3'-C2'	-8.43	1.43	1.52
1	AA	964	A	C6-N1	8.43	1.41	1.35
1	AA	728	A	N9-C4	8.42	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1498	C	C4'-O4'	-8.42	1.34	1.45
4	AD	54	G	N3-C4	8.42	1.41	1.35
25	BA	64	G	N3-C4	8.42	1.41	1.35
1	AA	1038	C	C4-N4	-8.42	1.26	1.33
26	BB	775	G	C5-C4	8.42	1.44	1.38
1	AA	193	C	C2'-C1'	8.42	1.62	1.53
1	AA	985	C	C5-C6	8.42	1.41	1.34
26	BB	663	G	C5-C4	-8.42	1.32	1.38
26	BB	941	A	N3-C4	8.42	1.40	1.34
26	BB	2576	G	O4'-C1'	8.42	1.52	1.41
26	BB	2862	G	C3'-O3'	-8.42	1.30	1.42
1	AA	485	U	N1-C2	8.42	1.46	1.38
1	AA	1021	A	C5-C4	-8.42	1.32	1.38
1	AA	91	U	C2-N3	8.42	1.43	1.37
26	BB	1281	G	C2'-C1'	-8.41	1.44	1.53
1	AA	488	C	C2-N3	8.41	1.42	1.35
2	AB	14	A	N3-C4	8.41	1.39	1.34
26	BB	2029	G	C2-N3	8.41	1.39	1.32
1	AA	1490	U	P-O5'	8.41	1.68	1.59
26	BB	2071	A	N3-C4	8.41	1.39	1.34
4	AD	3	C	C2-N3	8.40	1.42	1.35
26	BB	80	G	N1-C2	8.40	1.44	1.37
1	AA	1058	G	C2-N3	8.39	1.39	1.32
26	BB	1826	G	C6-N1	-8.39	1.33	1.39
26	BB	1882	U	C4'-C3'	-8.39	1.44	1.53
1	AA	1222	G	N9-C8	-8.39	1.31	1.37
26	BB	1111	A	C6-N6	-8.39	1.27	1.33
26	BB	1136	G	N3-C4	8.39	1.41	1.35
1	AA	278	G	N3-C4	8.39	1.41	1.35
26	BB	833	A	O4'-C1'	8.39	1.52	1.41
26	BB	1230	A	N3-C4	8.38	1.39	1.34
26	BB	1562	U	P-O5'	8.38	1.68	1.59
26	BB	2893	A	C6-N6	8.38	1.40	1.33
26	BB	1980	G	P-O5'	8.38	1.68	1.59
26	BB	2241	A	N3-C4	8.38	1.39	1.34
1	AA	1104	G	C2-N3	8.38	1.39	1.32
26	BB	259	G	C8-N7	-8.38	1.25	1.30
26	BB	830	G	N7-C5	8.37	1.44	1.39
25	BA	23	G	C8-N7	-8.37	1.25	1.30
1	AA	773	G	N9-C8	8.37	1.43	1.37
26	BB	406	G	N9-C8	-8.37	1.31	1.37
26	BB	1005	C	N1-C6	8.37	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	92	U	N1-C2	8.37	1.46	1.38
26	BB	94	A	N3-C4	8.37	1.39	1.34
26	BB	1429	G	C8-N7	8.37	1.35	1.30
1	AA	1065	U	P-O5'	8.36	1.68	1.59
26	BB	1681	G	C2-N3	8.36	1.39	1.32
1	AA	1447	A	N9-C4	8.36	1.42	1.37
2	AB	51	G	N9-C8	8.36	1.43	1.37
26	BB	1893	C	C2-O2	-8.36	1.17	1.24
1	AA	769	G	C2'-C1'	8.36	1.62	1.53
26	BB	634	C	N1-C6	8.36	1.42	1.37
26	BB	1842	G	C2-N3	8.36	1.39	1.32
26	BB	632	A	N7-C5	8.36	1.44	1.39
26	BB	2270	A	C4'-O4'	-8.36	1.34	1.45
26	BB	1768	C	N3-C4	8.36	1.39	1.33
1	AA	1507	A	C6-N6	8.35	1.40	1.33
1	AA	10	A	C5'-C4'	8.35	1.61	1.51
26	BB	1331	G	N9-C8	8.35	1.43	1.37
26	BB	1531	C	N1-C6	8.35	1.42	1.37
26	BB	860	U	O3'-P	8.35	1.71	1.61
1	AA	582	C	P-O5'	8.35	1.68	1.59
26	BB	309	A	C4'-O4'	-8.35	1.34	1.45
1	AA	828	U	C5-C6	8.35	1.41	1.34
26	BB	13	A	P-O5'	8.35	1.68	1.59
26	BB	317	G	C6-N1	8.35	1.45	1.39
1	AA	25	C	N1-C6	8.34	1.42	1.37
1	AA	141	G	C6-N1	8.34	1.45	1.39
1	AA	339	C	C4-C5	8.34	1.49	1.43
1	AA	563	A	N3-C4	8.34	1.39	1.34
1	AA	1221	G	P-O5'	8.34	1.68	1.59
1	AA	1301	U	N1-C6	-8.34	1.30	1.38
3	AC	40	G	N1-C2	8.34	1.44	1.37
26	BB	1920	C	C2-N3	8.34	1.42	1.35
26	BB	1314	C	O3'-P	8.34	1.71	1.61
26	BB	39	G	C2-N3	8.34	1.39	1.32
26	BB	61	C	N3-C4	8.34	1.39	1.33
26	BB	270	A	N3-C4	8.34	1.39	1.34
26	BB	651	G	N9-C8	-8.34	1.32	1.37
26	BB	1186	G	C6-N1	8.34	1.45	1.39
26	BB	1363	C	C4'-O4'	-8.34	1.34	1.45
26	BB	1804	C	C4'-C3'	-8.34	1.44	1.53
26	BB	1968	G	C2-N3	8.34	1.39	1.32
1	AA	896	C	O3'-P	8.33	1.71	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	844	A	N7-C5	8.33	1.44	1.39
26	BB	1082	U	C4-C5	8.33	1.51	1.43
1	AA	184	G	P-O5'	8.33	1.68	1.59
1	AA	845	A	N7-C5	-8.33	1.34	1.39
1	AA	1474	U	C5-C6	8.33	1.41	1.34
2	AB	58	A	C8-N7	-8.33	1.25	1.31
26	BB	2535	G	N3-C4	8.33	1.41	1.35
1	AA	926	G	P-O5'	8.32	1.68	1.59
26	BB	914	G	N7-C5	8.32	1.44	1.39
26	BB	2873	A	C8-N7	-8.32	1.25	1.31
1	AA	594	U	N1-C2	8.32	1.46	1.38
26	BB	1651	G	C8-N7	-8.32	1.25	1.30
26	BB	2076	U	C2-N3	8.32	1.43	1.37
26	BB	470	A	C6-N6	8.32	1.40	1.33
1	AA	508	U	N1-C2	8.31	1.46	1.38
26	BB	115	C	C4'-O4'	-8.31	1.34	1.45
26	BB	389	G	N7-C5	-8.31	1.34	1.39
26	BB	504	A	N9-C4	8.31	1.42	1.37
26	BB	706	A	C4'-O4'	-8.31	1.34	1.45
26	BB	1090	A	N3-C4	8.31	1.39	1.34
26	BB	623	C	N1-C6	8.31	1.42	1.37
26	BB	967	U	N1-C2	8.31	1.46	1.38
26	BB	2633	G	P-O5'	8.31	1.68	1.59
1	AA	109	A	N3-C4	8.30	1.39	1.34
26	BB	2369	A	C2'-C1'	8.30	1.62	1.53
26	BB	2397	G	N1-C2	8.30	1.44	1.37
1	AA	299	G	N9-C8	-8.30	1.32	1.37
1	AA	468	A	C5'-C4'	8.30	1.61	1.51
1	AA	535	A	N7-C5	8.30	1.44	1.39
26	BB	588	U	P-O5'	8.30	1.68	1.59
26	BB	2027	G	C5-C6	8.30	1.50	1.42
1	AA	51	A	N7-C5	-8.30	1.34	1.39
26	BB	1225	G	C6-N1	8.30	1.45	1.39
26	BB	2680	U	C2-N3	8.30	1.43	1.37
26	BB	565	C	N1-C6	8.29	1.42	1.37
1	AA	684	U	P-O5'	8.29	1.68	1.59
1	AA	924	C	N3-C4	8.29	1.39	1.33
1	AA	1003	G	N7-C5	8.29	1.44	1.39
26	BB	539	G	C2'-C1'	-8.29	1.44	1.53
26	BB	825	A	C6-N6	8.29	1.40	1.33
26	BB	2435	A	N3-C4	8.29	1.39	1.34
1	AA	26	A	N3-C4	8.28	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2015	A	N3-C4	8.28	1.39	1.34
1	AA	570	G	C8-N7	-8.28	1.25	1.30
26	BB	102	U	C4-C5	8.28	1.51	1.43
1	AA	282	A	P-O5'	8.28	1.68	1.59
1	AA	405	U	C2-N3	8.28	1.43	1.37
1	AA	479	U	P-O5'	8.28	1.68	1.59
1	AA	1088	G	N3-C4	8.28	1.41	1.35
26	BB	2665	A	C8-N7	-8.28	1.25	1.31
26	BB	1749	A	N7-C5	-8.27	1.34	1.39
26	BB	1933	G	N9-C8	8.27	1.43	1.37
26	BB	2079	U	P-O5'	8.27	1.68	1.59
26	BB	1239	G	C2'-C1'	-8.27	1.44	1.53
1	AA	424	G	N3-C4	8.27	1.41	1.35
26	BB	690	G	N7-C5	8.27	1.44	1.39
26	BB	1457	U	P-O5'	8.27	1.68	1.59
25	BA	119	A	N3-C4	8.27	1.39	1.34
26	BB	725	G	C6-O6	-8.27	1.16	1.24
26	BB	1904	G	N1-C2	8.27	1.44	1.37
1	AA	75	G	C5-C4	-8.26	1.32	1.38
26	BB	2597	G	N7-C5	8.26	1.44	1.39
1	AA	343	U	P-O5'	8.26	1.68	1.59
26	BB	166	U	C4-C5	8.26	1.50	1.43
26	BB	1906	G	N7-C5	8.26	1.44	1.39
1	AA	656	G	N3-C4	8.26	1.41	1.35
26	BB	48	G	P-O5'	8.26	1.68	1.59
26	BB	1552	A	C5-C4	-8.26	1.32	1.38
1	AA	1206	G	N3-C4	8.26	1.41	1.35
1	AA	936	C	P-O5'	8.25	1.68	1.59
1	AA	1267	C	C4-C5	8.25	1.49	1.43
26	BB	637	A	C6-N6	8.25	1.40	1.33
26	BB	1131	G	N7-C5	-8.25	1.34	1.39
26	BB	934	U	C2-N3	8.25	1.43	1.37
26	BB	1221	C	P-O5'	8.25	1.68	1.59
26	BB	2657	A	C8-N7	-8.25	1.25	1.31
26	BB	182	A	P-O5'	-8.25	1.51	1.59
26	BB	678	C	C2-N3	8.25	1.42	1.35
26	BB	1444	G	C5-C4	-8.25	1.32	1.38
26	BB	2743	U	C2'-C1'	8.24	1.62	1.53
25	BA	86	G	P-O5'	8.24	1.68	1.59
26	BB	969	G	C5-C6	8.24	1.50	1.42
26	BB	1240	U	O3'-P	8.24	1.71	1.61
26	BB	1445	G	C2-N3	8.24	1.39	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1610	A	N9-C4	8.24	1.42	1.37
1	AA	1347	G	N3-C4	8.24	1.41	1.35
26	BB	638	G	C2-N3	8.24	1.39	1.32
26	BB	1430	G	O3'-P	8.24	1.71	1.61
26	BB	1846	G	C6-N1	8.24	1.45	1.39
3	AC	18	A	C5-C4	-8.23	1.32	1.38
26	BB	1142	A	N3-C4	8.23	1.39	1.34
25	BA	8	C	C5-C6	8.23	1.41	1.34
26	BB	1137	G	C6-N1	8.23	1.45	1.39
26	BB	1489	C	C5'-C4'	8.23	1.61	1.51
26	BB	2483	C	C5-C6	8.23	1.41	1.34
26	BB	192	C	O3'-P	-8.23	1.51	1.61
26	BB	582	A	N1-C2	8.23	1.41	1.34
26	BB	599	A	C6-N6	8.23	1.40	1.33
26	BB	335	C	P-O5'	-8.23	1.51	1.59
26	BB	1293	C	P-O5'	8.22	1.68	1.59
26	BB	2361	G	C4'-C3'	8.22	1.62	1.53
26	BB	1877	A	N9-C8	8.22	1.44	1.37
26	BB	2606	C	C2-N3	8.22	1.42	1.35
26	BB	37	C	N1-C6	8.22	1.42	1.37
26	BB	1317	G	C8-N7	-8.22	1.26	1.30
26	BB	1599	U	N1-C2	8.22	1.46	1.38
26	BB	4	U	N3-C4	8.22	1.45	1.38
26	BB	333	G	C5'-C4'	8.22	1.61	1.51
26	BB	2156	G	P-O5'	8.22	1.68	1.59
26	BB	2534	A	N9-C4	8.22	1.42	1.37
1	AA	365	U	C5-C6	8.22	1.41	1.34
3	AC	55	A	N3-C4	8.21	1.39	1.34
26	BB	245	G	C8-N7	-8.21	1.26	1.30
1	AA	790	A	N7-C5	-8.21	1.34	1.39
1	AA	1443	C	N1-C6	8.21	1.42	1.37
26	BB	1755	A	N7-C5	8.21	1.44	1.39
26	BB	2193	G	C2-N3	8.21	1.39	1.32
1	AA	630	A	C4'-O4'	-8.21	1.34	1.45
1	AA	662	U	C4-C5	8.21	1.50	1.43
26	BB	762	U	C4-O4	-8.21	1.17	1.23
26	BB	1546	G	C8-N7	8.21	1.35	1.30
1	AA	964	A	C8-N7	-8.21	1.25	1.31
1	AA	977	A	C6-N1	-8.21	1.29	1.35
26	BB	2662	A	N3-C4	8.21	1.39	1.34
26	BB	2839	G	N1-C2	8.20	1.44	1.37
1	AA	7	A	C8-N7	8.20	1.37	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	194	G	C6-O6	-8.20	1.16	1.24
26	BB	577	G	C5-C6	8.20	1.50	1.42
26	BB	1052	C	C5-C6	8.20	1.41	1.34
26	BB	1410	G	C2-N3	8.20	1.39	1.32
26	BB	451	U	P-O5'	8.20	1.68	1.59
26	BB	463	G	P-O5'	8.20	1.68	1.59
26	BB	1673	G	N7-C5	-8.20	1.34	1.39
1	AA	1139	G	C6-N1	8.20	1.45	1.39
26	BB	1045	C	N3-C4	8.19	1.39	1.33
26	BB	1886	U	P-O5'	8.19	1.68	1.59
1	AA	192	A	C8-N7	-8.19	1.25	1.31
1	AA	997	U	C4'-O4'	-8.19	1.34	1.45
26	BB	1158	C	N1-C6	8.19	1.42	1.37
1	AA	1417	G	C2-N3	8.19	1.39	1.32
26	BB	230	G	N7-C5	8.19	1.44	1.39
26	BB	1447	C	N3-C4	8.19	1.39	1.33
26	BB	2001	C	N3-C4	8.19	1.39	1.33
26	BB	998	C	N3-C4	8.19	1.39	1.33
26	BB	1079	C	N3-C4	-8.19	1.28	1.33
1	AA	861	G	N3-C4	8.19	1.41	1.35
26	BB	2327	A	P-O5'	8.19	1.68	1.59
26	BB	2005	A	N9-C4	8.18	1.42	1.37
26	BB	691	C	C4'-O4'	-8.18	1.34	1.45
26	BB	2346	A	O3'-P	-8.18	1.51	1.61
26	BB	173	A	N7-C5	8.18	1.44	1.39
1	AA	1422	G	C3'-C2'	-8.18	1.43	1.52
26	BB	2750	A	C8-N7	-8.18	1.25	1.31
1	AA	944	G	C2-N3	8.17	1.39	1.32
26	BB	1152	C	N3-C4	8.17	1.39	1.33
1	AA	444	G	C5'-C4'	8.17	1.61	1.51
1	AA	1102	A	N9-C4	-8.17	1.32	1.37
26	BB	386	G	C6-N1	-8.17	1.33	1.39
26	BB	663	G	C3'-C2'	8.17	1.61	1.52
26	BB	1187	G	C3'-C2'	-8.17	1.43	1.52
26	BB	1354	A	N3-C4	8.17	1.39	1.34
26	BB	1753	G	N3-C4	8.17	1.41	1.35
1	AA	987	G	N7-C5	8.16	1.44	1.39
26	BB	2229	U	C5-C6	8.16	1.41	1.34
26	BB	2736	A	P-O5'	8.16	1.68	1.59
26	BB	1555	G	C6-O6	-8.16	1.16	1.24
26	BB	1097	U	C4'-O4'	-8.16	1.34	1.45
1	AA	815	A	C6-N6	8.16	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1405	G	C2-N3	8.16	1.39	1.32
25	BA	69	G	N7-C5	8.16	1.44	1.39
26	BB	367	G	N9-C8	-8.16	1.32	1.37
26	BB	1087	G	C5'-C4'	8.16	1.61	1.51
26	BB	1423	G	C5'-C4'	8.16	1.61	1.51
1	AA	679	C	C2'-C1'	8.15	1.62	1.53
1	AA	1077	G	N3-C4	8.15	1.41	1.35
4	AD	15	G	C2-N3	8.15	1.39	1.32
25	BA	97	C	N1-C6	8.15	1.42	1.37
26	BB	2203	U	C4-C5	8.15	1.50	1.43
26	BB	1195	G	N7-C5	8.15	1.44	1.39
1	AA	838	G	N1-C2	8.15	1.44	1.37
26	BB	337	C	C4'-O4'	-8.15	1.34	1.45
26	BB	748	G	C2-N3	8.15	1.39	1.32
26	BB	2227	A	P-O5'	8.14	1.67	1.59
1	AA	1354	U	N3-C4	8.14	1.45	1.38
1	AA	1368	A	N3-C4	8.14	1.39	1.34
26	BB	357	C	P-O5'	8.14	1.67	1.59
26	BB	10	A	N3-C4	8.14	1.39	1.34
26	BB	686	U	N1-C2	8.14	1.45	1.38
26	BB	2365	G	N9-C8	-8.14	1.32	1.37
26	BB	2524	G	N7-C5	8.14	1.44	1.39
1	AA	1247	U	C4-O4	-8.14	1.17	1.23
3	AC	28	U	P-O5'	8.13	1.67	1.59
26	BB	520	G	C2-N3	8.13	1.39	1.32
26	BB	2295	C	C3'-C2'	8.13	1.61	1.52
1	AA	47	C	N1-C2	8.13	1.48	1.40
1	AA	276	G	C2-N3	8.13	1.39	1.32
26	BB	2161	C	N3-C4	-8.13	1.28	1.33
1	AA	122	G	C5-C4	-8.13	1.32	1.38
1	AA	546	A	P-O5'	8.13	1.67	1.59
26	BB	348	A	N7-C5	8.13	1.44	1.39
1	AA	1392	G	O3'-P	8.13	1.71	1.61
26	BB	809	G	C2-N3	8.13	1.39	1.32
1	AA	308	C	C4'-O4'	-8.13	1.34	1.45
26	BB	879	G	C2-N3	8.12	1.39	1.32
26	BB	2356	U	C4-C5	8.12	1.50	1.43
26	BB	2253	G	O3'-P	8.12	1.70	1.61
26	BB	132	G	N9-C8	-8.12	1.32	1.37
26	BB	1744	A	N9-C4	8.12	1.42	1.37
1	AA	1192	C	P-O5'	8.12	1.67	1.59
26	BB	1284	A	P-O5'	8.12	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1339	A	C3'-C2'	-8.12	1.43	1.52
1	AA	417	G	C2'-C1'	8.11	1.62	1.53
1	AA	836	G	C5-C6	8.12	1.50	1.42
26	BB	1625	C	N1-C2	8.12	1.48	1.40
26	BB	2191	A	N7-C5	-8.11	1.34	1.39
26	BB	2529	G	C6-N1	8.12	1.45	1.39
1	AA	100	G	N7-C5	-8.11	1.34	1.39
26	BB	944	C	C2-N3	8.11	1.42	1.35
26	BB	1572	A	C8-N7	-8.11	1.25	1.31
26	BB	2665	A	C6-N1	8.11	1.41	1.35
26	BB	654	A	N7-C5	8.10	1.44	1.39
26	BB	2447	G	N9-C4	8.10	1.44	1.38
1	AA	1280	A	N7-C5	-8.10	1.34	1.39
26	BB	209	C	P-O5'	8.10	1.67	1.59
26	BB	395	U	N1-C6	8.10	1.45	1.38
26	BB	424	G	P-O5'	8.10	1.67	1.59
26	BB	814	C	P-O5'	8.10	1.67	1.59
26	BB	2903	U	N1-C6	8.10	1.45	1.38
2	AB	58	A	N9-C4	-8.10	1.32	1.37
26	BB	1787	A	C6-N1	-8.10	1.29	1.35
1	AA	1506	U	C2-N3	8.09	1.43	1.37
25	BA	19	C	C5-C6	8.09	1.40	1.34
26	BB	128	C	N3-C4	8.09	1.39	1.33
26	BB	1418	G	N3-C4	-8.09	1.29	1.35
1	AA	119	A	C5-C4	-8.09	1.33	1.38
1	AA	265	G	C2-N3	8.09	1.39	1.32
1	AA	1225	A	N7-C5	-8.09	1.34	1.39
26	BB	778	G	N7-C5	8.09	1.44	1.39
26	BB	1073	A	N3-C4	8.09	1.39	1.34
26	BB	1073	A	C5-C4	-8.09	1.33	1.38
26	BB	1770	G	C5'-C4'	8.09	1.61	1.51
1	AA	40	C	P-O5'	8.09	1.67	1.59
1	AA	542	G	P-O5'	-8.09	1.51	1.59
26	BB	2216	G	P-O5'	8.09	1.67	1.59
1	AA	1418	A	C5-C4	-8.09	1.33	1.38
1	AA	1538	C	N1-C2	8.09	1.48	1.40
26	BB	445	C	N1-C6	8.09	1.42	1.37
26	BB	1928	A	P-O5'	8.09	1.67	1.59
26	BB	2007	U	O3'-P	8.09	1.70	1.61
1	AA	67	C	N1-C2	8.08	1.48	1.40
26	BB	2136	G	C8-N7	-8.08	1.26	1.30
1	AA	528	C	N1-C6	-8.08	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	687	A	C2'-O2'	-8.08	1.31	1.41
1	AA	778	G	N7-C5	8.08	1.44	1.39
1	AA	60	A	N9-C8	8.08	1.44	1.37
1	AA	1040	U	C2-N3	8.08	1.43	1.37
26	BB	933	A	C6-N1	8.08	1.41	1.35
26	BB	2722	G	N3-C4	8.08	1.41	1.35
26	BB	45	G	C4'-C3'	8.08	1.62	1.53
26	BB	1216	G	C2-N2	-8.08	1.26	1.34
26	BB	1831	G	C8-N7	-8.08	1.26	1.30
26	BB	2151	U	C5-C6	8.08	1.41	1.34
26	BB	2565	A	N3-C4	8.08	1.39	1.34
26	BB	1580	A	N9-C4	8.07	1.42	1.37
26	BB	2049	G	C5-C4	-8.07	1.32	1.38
26	BB	2509	G	C2'-O2'	8.07	1.52	1.41
26	BB	2551	C	N1-C6	-8.07	1.32	1.37
1	AA	1421	G	N3-C4	8.07	1.41	1.35
26	BB	18	U	C2-N3	8.07	1.43	1.37
26	BB	30	G	C6-N1	8.07	1.45	1.39
25	BA	95	U	C2-N3	8.07	1.43	1.37
26	BB	1371	G	C2-N3	8.07	1.39	1.32
26	BB	1508	A	C6-N1	8.07	1.41	1.35
26	BB	1715	G	C6-N1	8.07	1.45	1.39
1	AA	500	G	N9-C8	8.07	1.43	1.37
1	AA	1260	G	C2'-C1'	-8.07	1.44	1.53
26	BB	929	U	C3'-C2'	8.07	1.61	1.52
26	BB	1025	G	N9-C4	8.07	1.44	1.38
26	BB	2148	G	C2-N2	-8.07	1.26	1.34
1	AA	731	G	P-O5'	8.06	1.67	1.59
1	AA	813	U	P-O5'	8.06	1.67	1.59
26	BB	751	A	N9-C4	8.06	1.42	1.37
26	BB	757	G	C2'-C1'	8.06	1.62	1.53
26	BB	1759	A	N7-C5	8.06	1.44	1.39
26	BB	2428	G	N9-C4	-8.06	1.31	1.38
1	AA	6	G	N9-C8	8.06	1.43	1.37
26	BB	892	A	C5-C6	8.06	1.48	1.41
1	AA	923	A	C5-C6	8.06	1.48	1.41
1	AA	1401	G	N3-C4	-8.05	1.29	1.35
1	AA	507	C	C4-C5	8.05	1.49	1.43
26	BB	1381	G	P-O5'	8.05	1.67	1.59
1	AA	351	G	N1-C2	8.05	1.44	1.37
1	AA	581	G	P-O5'	8.05	1.67	1.59
1	AA	1297	G	C8-N7	8.05	1.35	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	962	G	C5-C4	-8.05	1.32	1.38
26	BB	1614	A	C5'-C4'	8.05	1.61	1.51
26	BB	1220	G	C8-N7	-8.05	1.26	1.30
26	BB	2241	A	C5-C4	-8.05	1.33	1.38
26	BB	795	C	N1-C6	8.04	1.42	1.37
26	BB	1688	U	C2-N3	8.04	1.43	1.37
26	BB	1907	G	C4'-C3'	8.04	1.61	1.53
26	BB	2577	A	C3'-C2'	8.04	1.61	1.52
1	AA	1184	G	C5-C4	-8.04	1.32	1.38
26	BB	1654	A	N9-C4	8.04	1.42	1.37
26	BB	1701	A	C6-N1	-8.04	1.29	1.35
1	AA	219	U	N3-C4	8.04	1.45	1.38
26	BB	2255	G	O3'-P	8.04	1.70	1.61
1	AA	1437	A	P-O5'	8.04	1.67	1.59
26	BB	2425	A	C5-C4	-8.04	1.33	1.38
26	BB	2765	A	N3-C4	8.04	1.39	1.34
1	AA	613	C	C4-C5	8.03	1.49	1.43
1	AA	1386	G	C5'-C4'	8.03	1.60	1.51
1	AA	1456	A	N9-C4	8.04	1.42	1.37
26	BB	455	C	C2-N3	8.03	1.42	1.35
26	BB	2220	U	N1-C2	8.04	1.45	1.38
1	AA	512	U	C5'-C4'	8.03	1.60	1.51
1	AA	568	G	N7-C5	-8.03	1.34	1.39
26	BB	1747	U	P-O5'	8.03	1.67	1.59
26	BB	2453	A	N7-C5	8.03	1.44	1.39
26	BB	2738	A	C5-C4	-8.03	1.33	1.38
1	AA	877	G	C8-N7	8.03	1.35	1.30
1	AA	1151	A	N7-C5	-8.03	1.34	1.39
1	AA	1176	A	N9-C4	8.03	1.42	1.37
3	AC	29	G	P-O5'	8.03	1.67	1.59
26	BB	804	A	N3-C4	8.03	1.39	1.34
25	BA	102	G	C6-N1	8.03	1.45	1.39
26	BB	630	G	N9-C8	8.03	1.43	1.37
26	BB	1888	G	C6-N1	8.03	1.45	1.39
26	BB	2579	C	P-O5'	8.03	1.67	1.59
1	AA	309	A	N3-C4	8.02	1.39	1.34
1	AA	1121	U	C4-C5	8.02	1.50	1.43
1	AA	634	C	C5-C6	-8.02	1.27	1.34
26	BB	662	G	N7-C5	8.02	1.44	1.39
26	BB	774	G	C6-N1	8.02	1.45	1.39
1	AA	25	C	C4'-O4'	-8.02	1.35	1.45
26	BB	279	A	C5'-C4'	8.02	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2101	A	N3-C4	8.02	1.39	1.34
1	AA	179	A	N3-C4	8.02	1.39	1.34
1	AA	731	G	C8-N7	-8.02	1.26	1.30
26	BB	159	G	C2-N3	8.02	1.39	1.32
26	BB	364	C	C5-C6	8.02	1.40	1.34
26	BB	2306	C	C5-C6	8.02	1.40	1.34
26	BB	2637	U	P-O5'	8.02	1.67	1.59
1	AA	835	U	P-O5'	8.02	1.67	1.59
26	BB	9	G	N7-C5	8.02	1.44	1.39
26	BB	1150	C	N1-C6	8.02	1.42	1.37
26	BB	1685	C	O4'-C1'	8.02	1.52	1.41
26	BB	1271	G	N1-C2	8.01	1.44	1.37
1	AA	752	G	C2-N3	8.01	1.39	1.32
26	BB	2759	G	C4'-C3'	-8.01	1.44	1.53
25	BA	81	G	N7-C5	8.01	1.44	1.39
26	BB	1332	G	C2'-C1'	8.01	1.62	1.53
26	BB	2505	G	N1-C2	8.01	1.44	1.37
26	BB	715	A	C5'-C4'	8.01	1.60	1.51
26	BB	499	U	C5-C6	8.00	1.41	1.34
26	BB	1048	A	C8-N7	-8.00	1.25	1.31
26	BB	1490	A	N9-C4	8.00	1.42	1.37
1	AA	1288	A	C2-N3	8.00	1.40	1.33
25	BA	67	G	C8-N7	8.00	1.35	1.30
25	BA	68	C	C4'-O4'	-8.00	1.35	1.45
26	BB	1008	A	C5'-C4'	8.00	1.60	1.51
1	AA	1034	G	N9-C8	-8.00	1.32	1.37
26	BB	1519	G	C4'-O4'	-8.00	1.35	1.45
26	BB	271	G	N1-C2	7.99	1.44	1.37
26	BB	614	A	C5-C4	-7.99	1.33	1.38
26	BB	849	A	C5'-C4'	7.99	1.60	1.51
26	BB	2089	C	O4'-C1'	7.99	1.52	1.41
26	BB	2121	G	C2-N3	7.99	1.39	1.32
1	AA	795	C	P-O5'	7.99	1.67	1.59
26	BB	2115	G	N9-C8	7.99	1.43	1.37
26	BB	2443	C	P-O5'	7.99	1.67	1.59
26	BB	2127	G	C2-N3	7.98	1.39	1.32
26	BB	1195	G	C5'-C4'	7.98	1.60	1.51
26	BB	1420	A	N3-C4	7.98	1.39	1.34
26	BB	1795	C	N1-C6	7.98	1.42	1.37
26	BB	1815	A	C5-C4	-7.98	1.33	1.38
26	BB	1866	A	C4'-C3'	7.98	1.61	1.53
1	AA	1088	G	C6-N1	-7.98	1.33	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	60	C	P-O5'	7.98	1.67	1.59
26	BB	1426	G	C2-N3	7.98	1.39	1.32
26	BB	1478	G	N3-C4	7.98	1.41	1.35
1	AA	1130	A	N9-C4	7.98	1.42	1.37
1	AA	986	U	P-O5'	7.98	1.67	1.59
26	BB	481	G	N7-C5	7.98	1.44	1.39
26	BB	1652	A	P-O5'	7.98	1.67	1.59
26	BB	1751	U	C2-N3	7.98	1.43	1.37
26	BB	1666	G	C5'-C4'	7.98	1.60	1.51
26	BB	1797	G	N3-C4	7.98	1.41	1.35
1	AA	371	A	N7-C5	-7.97	1.34	1.39
1	AA	827	U	N1-C2	7.97	1.45	1.38
1	AA	1495	U	C4'-O4'	-7.97	1.35	1.45
4	AD	47	A	C5'-C4'	7.97	1.60	1.51
25	BA	30	C	C4-C5	7.97	1.49	1.43
26	BB	506	G	O3'-P	7.97	1.70	1.61
26	BB	582	A	N3-C4	7.97	1.39	1.34
26	BB	2735	G	C8-N7	-7.97	1.26	1.30
1	AA	698	G	C8-N7	-7.97	1.26	1.30
2	AB	41	C	C5'-C4'	7.97	1.60	1.51
26	BB	2173	A	P-O5'	7.97	1.67	1.59
1	AA	1514	G	N3-C4	7.97	1.41	1.35
26	BB	2636	C	N3-C4	7.97	1.39	1.33
25	BA	88	C	P-O5'	7.97	1.67	1.59
1	AA	1388	C	O3'-P	7.96	1.70	1.61
26	BB	1308	A	C5'-C4'	7.96	1.60	1.51
26	BB	1338	G	N7-C5	7.96	1.44	1.39
26	BB	505	A	C5'-C4'	7.96	1.60	1.51
26	BB	1168	G	C6-N1	-7.96	1.33	1.39
26	BB	937	C	C4'-C3'	7.96	1.61	1.53
26	BB	118	A	N9-C8	7.96	1.44	1.37
26	BB	695	G	N7-C5	-7.96	1.34	1.39
26	BB	1237	A	N3-C4	7.96	1.39	1.34
26	BB	1614	A	N3-C4	7.96	1.39	1.34
1	AA	197	A	P-O5'	7.96	1.67	1.59
26	BB	708	G	O3'-P	7.96	1.70	1.61
1	AA	891	U	N1-C2	7.95	1.45	1.38
1	AA	1534	A	N9-C4	-7.95	1.33	1.37
3	AC	36	U	P-O5'	7.95	1.67	1.59
26	BB	1038	G	C2-N3	7.95	1.39	1.32
1	AA	767	A	C6-N1	7.95	1.41	1.35
1	AA	177	G	C5-C4	7.95	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	437	U	P-O5'	7.95	1.67	1.59
1	AA	591	U	C4-C5	7.95	1.50	1.43
26	BB	866	A	C5-C4	7.95	1.44	1.38
26	BB	447	A	C8-N7	-7.95	1.25	1.31
26	BB	2429	G	C8-N7	7.95	1.35	1.30
26	BB	2868	A	N9-C8	7.95	1.44	1.37
26	BB	283	G	N9-C8	-7.95	1.32	1.37
26	BB	1824	G	N7-C5	-7.95	1.34	1.39
26	BB	378	C	N1-C6	7.95	1.42	1.37
26	BB	321	U	C5'-C4'	7.94	1.60	1.51
1	AA	58	C	P-O5'	7.94	1.67	1.59
1	AA	550	G	N9-C8	-7.94	1.32	1.37
26	BB	1312	U	C4'-O4'	-7.94	1.35	1.45
26	BB	2611	C	N3-C4	7.94	1.39	1.33
1	AA	92	U	C5-C6	7.94	1.41	1.34
1	AA	389	A	C6-N1	7.94	1.41	1.35
1	AA	391	G	C5'-C4'	7.94	1.60	1.51
1	AA	893	C	C4-N4	-7.94	1.26	1.33
2	AB	72	U	C4-O4	-7.94	1.17	1.23
26	BB	104	A	C6-N1	-7.94	1.29	1.35
26	BB	930	G	C5-C4	-7.94	1.32	1.38
26	BB	1601	G	P-O5'	7.94	1.67	1.59
1	AA	1110	A	N3-C4	7.93	1.39	1.34
26	BB	30	G	N9-C8	-7.93	1.32	1.37
26	BB	1055	G	C2-N3	7.93	1.39	1.32
26	BB	2890	G	C6-N1	-7.93	1.33	1.39
3	AC	19	A	C4'-O4'	-7.93	1.35	1.45
26	BB	2110	G	N9-C4	-7.93	1.31	1.38
26	BB	2565	A	C5'-C4'	7.93	1.60	1.51
26	BB	2648	G	N9-C4	-7.93	1.31	1.38
26	BB	2020	A	N9-C4	7.93	1.42	1.37
1	AA	1483	A	N3-C4	7.93	1.39	1.34
1	AA	1115	U	C5'-C4'	7.93	1.60	1.51
26	BB	1787	A	C8-N7	-7.93	1.26	1.31
1	AA	404	G	N1-C2	7.92	1.44	1.37
1	AA	1308	U	O3'-P	7.92	1.70	1.61
26	BB	1530	G	C2-N3	7.92	1.39	1.32
1	AA	425	G	C8-N7	7.92	1.35	1.30
1	AA	1039	G	C5-C4	7.92	1.43	1.38
26	BB	671	C	C2-N3	7.92	1.42	1.35
1	AA	444	G	N1-C2	7.92	1.44	1.37
26	BB	58	G	N3-C4	7.92	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1953	A	C4'-C3'	7.92	1.61	1.53
1	AA	1004	A	P-O5'	7.92	1.67	1.59
26	BB	263	G	N3-C4	7.92	1.41	1.35
26	BB	337	C	C2'-C1'	7.92	1.62	1.53
26	BB	880	G	N3-C4	7.92	1.41	1.35
26	BB	2143	C	C5-C6	7.92	1.40	1.34
1	AA	655	A	N9-C4	7.92	1.42	1.37
1	AA	1337	G	P-O5'	7.92	1.67	1.59
26	BB	2012	G	C2-N3	7.92	1.39	1.32
26	BB	845	A	N9-C8	7.91	1.44	1.37
26	BB	2796	U	C2-O2	7.91	1.29	1.22
1	AA	1230	C	N1-C6	-7.91	1.32	1.37
26	BB	1726	C	C2-N3	7.91	1.42	1.35
26	BB	2221	G	C2-N3	7.91	1.39	1.32
1	AA	637	C	C2-N3	7.91	1.42	1.35
1	AA	1488	G	C4'-O4'	-7.91	1.35	1.45
26	BB	265	A	N9-C4	7.91	1.42	1.37
1	AA	104	G	C2-N3	-7.91	1.26	1.32
1	AA	205	A	N9-C4	-7.91	1.33	1.37
1	AA	520	A	N7-C5	-7.91	1.34	1.39
1	AA	1248	A	C8-N7	-7.91	1.26	1.31
1	AA	1480	A	N3-C4	7.91	1.39	1.34
26	BB	1247	A	N9-C4	7.91	1.42	1.37
26	BB	115	C	O4'-C1'	7.90	1.51	1.41
26	BB	1521	G	N9-C8	7.90	1.43	1.37
1	AA	617	G	C6-O6	-7.90	1.17	1.24
1	AA	762	U	C2-N3	7.90	1.43	1.37
26	BB	1757	A	P-O5'	7.90	1.67	1.59
26	BB	2120	G	N9-C4	-7.90	1.31	1.38
26	BB	2164	C	C4-N4	7.90	1.41	1.33
1	AA	469	C	C5'-C4'	7.90	1.60	1.51
26	BB	581	C	C5-C6	7.90	1.40	1.34
1	AA	509	A	C2'-C1'	-7.90	1.44	1.53
1	AA	925	G	C4'-O4'	-7.90	1.35	1.45
1	AA	1250	A	P-O5'	7.90	1.67	1.59
1	AA	1445	U	P-O5'	-7.90	1.51	1.59
1	AA	1476	A	P-O5'	7.90	1.67	1.59
26	BB	2173	A	C6-N1	7.90	1.41	1.35
26	BB	2086	U	P-O5'	7.90	1.67	1.59
1	AA	1156	G	N7-C5	-7.89	1.34	1.39
26	BB	2202	U	C2-N3	7.89	1.43	1.37
26	BB	2770	G	C5'-C4'	7.89	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	7	G	N7-C5	-7.89	1.34	1.39
26	BB	1208	C	O3'-P	7.89	1.70	1.61
26	BB	1283	G	N7-C5	-7.89	1.34	1.39
1	AA	5	U	C3'-C2'	7.89	1.61	1.52
26	BB	470	A	C4'-C3'	7.89	1.61	1.53
26	BB	2353	G	N7-C5	-7.89	1.34	1.39
26	BB	2816	G	N3-C4	7.89	1.41	1.35
1	AA	984	C	C3'-C2'	-7.89	1.44	1.52
3	AC	40	G	N9-C4	-7.89	1.31	1.38
1	AA	1033	G	N3-C4	7.89	1.41	1.35
1	AA	1536	C	P-O5'	7.89	1.67	1.59
3	AC	43	U	C2-N3	7.89	1.43	1.37
26	BB	609	A	N7-C5	7.89	1.44	1.39
26	BB	2038	G	C8-N7	7.89	1.35	1.30
26	BB	2141	G	C6-N1	7.89	1.45	1.39
26	BB	403	U	N1-C6	7.88	1.45	1.38
26	BB	897	C	P-O5'	7.88	1.67	1.59
26	BB	1184	U	C4'-O4'	-7.88	1.35	1.45
26	BB	1268	A	C4'-C3'	7.88	1.61	1.53
26	BB	1538	G	C2-N3	7.88	1.39	1.32
26	BB	1891	G	C4'-C3'	7.88	1.61	1.53
26	BB	2576	G	N9-C4	7.88	1.44	1.38
26	BB	1093	G	N7-C5	7.88	1.44	1.39
26	BB	1320	C	C2-N3	7.88	1.42	1.35
26	BB	2397	G	C2-N3	7.88	1.39	1.32
1	AA	193	C	C4-N4	7.88	1.41	1.33
1	AA	1155	A	C5-C6	-7.88	1.33	1.41
26	BB	1455	G	C5-C4	-7.88	1.32	1.38
1	AA	10	A	C8-N7	-7.88	1.26	1.31
26	BB	2067	G	C2-N3	7.88	1.39	1.32
1	AA	663	A	P-O5'	7.88	1.67	1.59
26	BB	2769	U	P-O5'	7.88	1.67	1.59
26	BB	937	C	N1-C6	7.88	1.41	1.37
26	BB	1955	U	N3-C4	7.88	1.45	1.38
1	AA	702	A	N3-C4	7.87	1.39	1.34
26	BB	2425	A	N9-C4	7.87	1.42	1.37
26	BB	702	U	C5-C6	7.87	1.41	1.34
26	BB	1772	A	C5-C4	-7.87	1.33	1.38
26	BB	2847	U	C4'-O4'	-7.87	1.35	1.45
26	BB	1430	G	N7-C5	7.87	1.44	1.39
1	AA	286	C	C5-C6	7.87	1.40	1.34
26	BB	1160	G	N9-C8	-7.87	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1222	U	O3'-P	7.87	1.70	1.61
26	BB	1903	G	N3-C4	7.87	1.41	1.35
4	AD	74	A	C6-N6	7.86	1.40	1.33
26	BB	320	A	C4'-O4'	-7.86	1.35	1.45
26	BB	1627	G	C6-N1	7.86	1.45	1.39
1	AA	1048	G	O4'-C1'	7.86	1.51	1.41
26	BB	92	U	C2-N3	7.86	1.43	1.37
26	BB	817	C	N3-C4	7.86	1.39	1.33
26	BB	1091	G	N1-C2	7.86	1.44	1.37
1	AA	1056	U	P-O5'	7.86	1.67	1.59
1	AA	1093	A	N9-C8	-7.86	1.31	1.37
26	BB	516	C	P-O5'	7.86	1.67	1.59
26	BB	2553	G	C4'-O4'	-7.86	1.35	1.45
1	AA	441	A	N9-C4	7.86	1.42	1.37
1	AA	849	G	C2-N3	7.86	1.39	1.32
26	BB	1783	A	C6-N1	-7.86	1.30	1.35
26	BB	1999	C	C4-C5	7.86	1.49	1.43
1	AA	153	C	P-O5'	7.85	1.67	1.59
26	BB	1770	G	N1-C2	7.85	1.44	1.37
26	BB	997	G	C6-N1	-7.85	1.34	1.39
26	BB	1897	G	C2-N3	7.85	1.39	1.32
26	BB	2499	C	N1-C6	7.85	1.41	1.37
1	AA	617	G	C5'-C4'	7.85	1.60	1.51
1	AA	1012	A	O3'-P	7.85	1.70	1.61
26	BB	662	G	C5-C4	7.85	1.43	1.38
26	BB	2134	A	P-O5'	7.85	1.67	1.59
26	BB	2262	U	C4'-O4'	-7.85	1.35	1.45
26	BB	2901	C	P-O5'	-7.85	1.51	1.59
26	BB	1096	A	P-O5'	7.85	1.67	1.59
1	AA	839	C	N1-C6	7.84	1.41	1.37
1	AA	1016	A	N7-C5	-7.84	1.34	1.39
2	AB	31	U	C3'-C2'	7.84	1.61	1.52
26	BB	96	C	C2-N3	7.84	1.42	1.35
26	BB	929	U	N1-C6	7.84	1.45	1.38
1	AA	1124	G	N9-C4	7.84	1.44	1.38
26	BB	342	A	C8-N7	-7.84	1.26	1.31
26	BB	2777	G	P-O5'	7.84	1.67	1.59
1	AA	121	U	C4'-O4'	-7.84	1.35	1.45
1	AA	316	C	N1-C6	7.84	1.41	1.37
26	BB	2534	A	N1-C2	7.84	1.41	1.34
26	BB	1410	G	C6-N1	-7.84	1.34	1.39
26	BB	2668	G	N3-C4	7.84	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1451	C	C5-C6	7.84	1.40	1.34
26	BB	2795	C	C2-N3	7.84	1.42	1.35
1	AA	278	G	C6-N1	7.84	1.45	1.39
26	BB	628	G	N7-C5	-7.84	1.34	1.39
26	BB	1055	G	N9-C4	7.84	1.44	1.38
26	BB	1674	G	C4'-C3'	7.84	1.61	1.53
1	AA	1268	G	N9-C8	7.83	1.43	1.37
26	BB	2869	G	N9-C8	7.83	1.43	1.37
1	AA	614	C	C4-C5	7.83	1.49	1.43
26	BB	1346	G	N1-C2	7.83	1.44	1.37
1	AA	431	A	C5-C6	7.83	1.48	1.41
1	AA	853	C	N3-C4	7.83	1.39	1.33
26	BB	1929	G	N1-C2	7.83	1.44	1.37
1	AA	557	G	C2'-C1'	7.83	1.61	1.53
26	BB	1232	G	C5-C4	-7.83	1.32	1.38
26	BB	2112	G	C6-N1	7.83	1.45	1.39
1	AA	907	A	N9-C4	7.82	1.42	1.37
1	AA	1135	U	N1-C2	7.82	1.45	1.38
2	AB	21	A	N3-C4	7.82	1.39	1.34
25	BA	18	G	N3-C4	7.82	1.41	1.35
26	BB	672	C	C2-O2	-7.82	1.17	1.24
26	BB	1754	A	N9-C4	7.82	1.42	1.37
26	BB	2149	U	P-O5'	7.82	1.67	1.59
1	AA	1297	G	C4'-O4'	-7.82	1.35	1.45
26	BB	1333	G	P-O5'	7.82	1.67	1.59
26	BB	2448	A	C8-N7	-7.82	1.26	1.31
26	BB	2597	G	C4'-C3'	-7.82	1.44	1.53
26	BB	1683	U	C5'-C4'	7.82	1.60	1.51
1	AA	1271	A	N7-C5	-7.82	1.34	1.39
26	BB	1935	G	C3'-O3'	7.82	1.53	1.42
1	AA	566	G	P-O5'	7.82	1.67	1.59
1	AA	650	G	N7-C5	-7.82	1.34	1.39
26	BB	157	C	C2-N3	7.82	1.42	1.35
26	BB	822	G	N7-C5	-7.82	1.34	1.39
26	BB	1289	C	C5-C6	7.82	1.40	1.34
26	BB	2702	G	N3-C4	7.82	1.41	1.35
1	AA	1122	U	N1-C2	7.81	1.45	1.38
26	BB	1401	G	C5'-C4'	7.81	1.60	1.51
26	BB	2289	G	O3'-P	7.81	1.70	1.61
26	BB	2439	A	N9-C4	7.81	1.42	1.37
1	AA	1036	A	C2'-C1'	7.81	1.61	1.53
26	BB	816	C	N3-C4	7.81	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	819	A	N7-C5	-7.81	1.34	1.39
26	BB	821	A	C8-N7	-7.81	1.26	1.31
26	BB	1970	A	N9-C4	7.81	1.42	1.37
26	BB	2524	G	N1-C2	7.81	1.44	1.37
1	AA	281	G	N1-C2	7.81	1.44	1.37
1	AA	1246	A	N9-C8	-7.81	1.31	1.37
26	BB	119	A	C5'-C4'	7.81	1.60	1.51
26	BB	609	A	P-O5'	7.81	1.67	1.59
26	BB	1004	U	P-O5'	7.81	1.67	1.59
26	BB	1160	G	C6-N1	7.81	1.45	1.39
26	BB	1477	A	C8-N7	-7.81	1.26	1.31
26	BB	2597	G	C6-N1	7.81	1.45	1.39
26	BB	315	G	C2-N2	-7.81	1.26	1.34
26	BB	1744	A	N3-C4	7.81	1.39	1.34
26	BB	2062	A	N7-C5	7.81	1.44	1.39
26	BB	1669	A	N9-C4	7.80	1.42	1.37
26	BB	1988	G	C6-N1	-7.80	1.34	1.39
1	AA	1188	A	P-O5'	7.80	1.67	1.59
26	BB	1066	U	N1-C2	7.80	1.45	1.38
26	BB	1824	G	C2-N3	7.80	1.39	1.32
1	AA	1410	A	C2-N3	7.80	1.40	1.33
26	BB	2814	A	N7-C5	-7.80	1.34	1.39
1	AA	946	A	N7-C5	-7.80	1.34	1.39
26	BB	2495	G	C8-N7	-7.80	1.26	1.30
26	BB	513	A	P-O5'	7.79	1.67	1.59
26	BB	978	G	N9-C4	-7.79	1.31	1.38
26	BB	2501	C	C2-N3	7.79	1.42	1.35
1	AA	1022	A	N3-C4	7.79	1.39	1.34
26	BB	358	U	N1-C2	7.79	1.45	1.38
26	BB	575	A	N9-C4	7.79	1.42	1.37
26	BB	611	C	N3-C4	7.79	1.39	1.33
26	BB	1126	A	N9-C4	-7.79	1.33	1.37
1	AA	1350	A	C5'-C4'	7.79	1.60	1.51
26	BB	591	U	O3'-P	7.79	1.70	1.61
26	BB	797	G	N3-C4	7.79	1.41	1.35
1	AA	889	A	N9-C4	-7.79	1.33	1.37
25	BA	27	C	C4'-O4'	-7.79	1.35	1.45
26	BB	64	A	N9-C4	7.79	1.42	1.37
26	BB	2663	G	C2-N3	7.79	1.39	1.32
1	AA	174	A	C5-C4	-7.79	1.33	1.38
1	AA	493	A	C5'-C4'	7.79	1.60	1.51
26	BB	114	U	C4'-O4'	-7.79	1.35	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1404	C	C2-N3	7.79	1.42	1.35
26	BB	2676	C	N3-C4	7.79	1.39	1.33
26	BB	864	G	P-O5'	7.78	1.67	1.59
26	BB	1885	A	C2'-C1'	7.78	1.61	1.53
1	AA	373	A	N3-C4	7.78	1.39	1.34
2	AB	38	A	O3'-P	7.78	1.70	1.61
1	AA	1281	C	N3-C4	7.78	1.39	1.33
2	AB	13	C	C2-N3	7.78	1.42	1.35
4	AD	77	A	P-O5'	7.78	1.67	1.59
26	BB	499	U	C4'-C3'	7.78	1.61	1.53
1	AA	424	G	N7-C5	7.78	1.44	1.39
25	BA	86	G	C8-N7	-7.78	1.26	1.30
26	BB	707	G	N7-C5	7.78	1.44	1.39
26	BB	1808	A	C6-N1	-7.78	1.30	1.35
26	BB	1334	G	P-O5'	7.78	1.67	1.59
1	AA	1144	G	C2'-C1'	-7.78	1.44	1.53
26	BB	1588	G	C6-N1	7.78	1.45	1.39
1	AA	1436	U	C4-C5	7.77	1.50	1.43
26	BB	882	G	P-O5'	7.77	1.67	1.59
1	AA	54	C	C4'-O4'	-7.77	1.35	1.45
1	AA	988	G	O4'-C1'	7.77	1.51	1.41
26	BB	2350	C	N1-C6	7.77	1.41	1.37
1	AA	405	U	N1-C2	7.76	1.45	1.38
26	BB	331	C	N1-C6	-7.76	1.32	1.37
26	BB	1761	C	C4-N4	7.76	1.41	1.33
26	BB	2224	G	P-O5'	7.76	1.67	1.59
1	AA	929	G	P-O5'	7.76	1.67	1.59
26	BB	726	G	C8-N7	7.76	1.35	1.30
1	AA	346	G	P-O5'	7.76	1.67	1.59
26	BB	56	A	C4'-C3'	7.76	1.61	1.53
1	AA	161	A	N7-C5	7.76	1.44	1.39
1	AA	1259	C	C4-N4	7.76	1.41	1.33
26	BB	1640	A	N7-C5	7.76	1.44	1.39
26	BB	983	A	N9-C4	7.76	1.42	1.37
26	BB	2458	G	P-O5'	7.76	1.67	1.59
26	BB	2569	G	N1-C2	7.76	1.44	1.37
1	AA	483	C	N1-C6	7.75	1.41	1.37
1	AA	1036	A	N3-C4	7.75	1.39	1.34
26	BB	579	G	N9-C4	-7.75	1.31	1.38
26	BB	846	U	P-O5'	7.75	1.67	1.59
26	BB	2565	A	N7-C5	7.75	1.44	1.39
1	AA	295	C	C4'-O4'	-7.75	1.35	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	471	A	N3-C4	7.75	1.39	1.34
1	AA	141	G	N9-C4	7.75	1.44	1.38
1	AA	281	G	C2-N3	7.75	1.39	1.32
1	AA	1196	A	C6-N6	7.75	1.40	1.33
1	AA	1252	A	C6-N6	-7.75	1.27	1.33
26	BB	2643	G	C4'-C3'	7.75	1.61	1.53
1	AA	826	C	P-O5'	-7.75	1.52	1.59
1	AA	869	G	P-O5'	7.75	1.67	1.59
26	BB	733	G	N3-C4	7.75	1.40	1.35
26	BB	1593	A	C5-C4	-7.75	1.33	1.38
1	AA	414	A	C2-N3	7.75	1.40	1.33
26	BB	514	A	N3-C4	7.75	1.39	1.34
26	BB	1937	A	C5'-C4'	7.75	1.60	1.51
26	BB	2084	C	C4-N4	7.75	1.41	1.33
1	AA	794	A	N7-C5	-7.74	1.34	1.39
26	BB	2297	A	P-O5'	7.74	1.67	1.59
26	BB	2690	U	N3-C4	7.74	1.45	1.38
26	BB	42	A	C5-C4	-7.74	1.33	1.38
26	BB	1882	U	C2-N3	7.74	1.43	1.37
1	AA	381	C	C4-C5	7.74	1.49	1.43
1	AA	650	G	C8-N7	-7.74	1.26	1.30
26	BB	1753	G	C2-N3	7.74	1.39	1.32
26	BB	2093	G	C8-N7	7.74	1.35	1.30
1	AA	710	G	C6-N1	7.74	1.45	1.39
1	AA	146	G	C6-N1	7.74	1.45	1.39
1	AA	711	G	C5-C4	7.74	1.43	1.38
26	BB	619	G	P-O5'	7.74	1.67	1.59
26	BB	1353	A	N9-C8	7.74	1.44	1.37
1	AA	174	A	N7-C5	7.73	1.43	1.39
26	BB	2520	C	C2-N3	7.73	1.42	1.35
1	AA	1206	G	C2-N3	7.73	1.39	1.32
26	BB	23	G	C2-N2	-7.73	1.26	1.34
26	BB	320	A	C8-N7	-7.73	1.26	1.31
26	BB	1106	G	C5'-C4'	7.73	1.60	1.51
1	AA	1111	A	C5-C6	7.73	1.48	1.41
1	AA	74	A	N3-C4	7.72	1.39	1.34
2	AB	29	G	N7-C5	-7.72	1.34	1.39
26	BB	374	A	O3'-P	7.72	1.70	1.61
26	BB	380	G	N7-C5	-7.72	1.34	1.39
26	BB	1073	A	N9-C8	-7.72	1.31	1.37
53	B2	26	SER	CB-OG	-7.72	1.32	1.42
1	AA	1318	A	C8-N7	-7.72	1.26	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	410	G	C6-N1	7.72	1.45	1.39
26	BB	1107	G	N7-C5	7.72	1.43	1.39
26	BB	35	G	C2-N3	7.72	1.39	1.32
26	BB	259	G	N7-C5	7.72	1.43	1.39
26	BB	488	G	C5'-C4'	7.72	1.60	1.51
1	AA	860	A	P-O5'	7.72	1.67	1.59
25	BA	34	A	C3'-O3'	7.72	1.52	1.42
26	BB	306	U	O3'-P	7.72	1.70	1.61
26	BB	2108	A	N3-C4	7.72	1.39	1.34
1	AA	157	U	P-O5'	7.71	1.67	1.59
26	BB	1327	A	C4'-O4'	-7.71	1.35	1.45
26	BB	2389	G	C2-N3	7.71	1.39	1.32
1	AA	1368	A	N9-C8	-7.71	1.31	1.37
4	AD	48	U	N1-C2	7.71	1.45	1.38
26	BB	2129	C	C2'-C1'	7.71	1.61	1.53
1	AA	36	C	C4-C5	7.71	1.49	1.43
4	AD	11	A	P-O5'	7.71	1.67	1.59
1	AA	1147	C	C2-N3	7.71	1.42	1.35
26	BB	320	A	N3-C4	7.71	1.39	1.34
26	BB	1593	A	N3-C4	7.71	1.39	1.34
26	BB	1525	A	C6-N6	7.71	1.40	1.33
26	BB	2320	U	P-O5'	7.71	1.67	1.59
26	BB	1896	G	C8-N7	7.71	1.35	1.30
26	BB	2071	A	C3'-C2'	-7.71	1.44	1.52
1	AA	753	A	N1-C2	-7.70	1.27	1.34
1	AA	1536	C	C4'-O4'	-7.70	1.35	1.45
1	AA	126	G	N1-C2	7.70	1.44	1.37
26	BB	1139	G	C2-N3	7.70	1.39	1.32
1	AA	147	G	N9-C4	-7.70	1.31	1.38
1	AA	775	G	P-O5'	7.70	1.67	1.59
26	BB	1306	C	N1-C6	7.70	1.41	1.37
10	AJ	176	TYR	CD2-CE2	7.70	1.50	1.39
26	BB	1372	U	C5-C6	7.70	1.41	1.34
26	BB	463	G	N9-C8	7.69	1.43	1.37
1	AA	1002	G	C8-N7	-7.69	1.26	1.30
26	BB	2515	C	C2-O2	-7.69	1.17	1.24
1	AA	847	G	P-O5'	7.69	1.67	1.59
26	BB	2602	A	N9-C8	-7.69	1.31	1.37
26	BB	1491	G	C6-N1	7.69	1.45	1.39
26	BB	2397	G	N9-C4	7.69	1.44	1.38
26	BB	2521	C	O3'-P	7.69	1.70	1.61
26	BB	272	A	C5'-C4'	7.69	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1063	G	P-O5'	7.69	1.67	1.59
26	BB	1554	U	N1-C2	7.69	1.45	1.38
26	BB	2116	G	N3-C4	7.69	1.40	1.35
1	AA	102	G	C5-C4	7.68	1.43	1.38
26	BB	918	A	C8-N7	-7.68	1.26	1.31
26	BB	1557	C	P-O5'	7.68	1.67	1.59
26	BB	1754	A	P-O5'	7.68	1.67	1.59
1	AA	1409	C	C5'-C4'	7.68	1.60	1.51
26	BB	2157	G	N7-C5	7.68	1.43	1.39
26	BB	2304	G	P-O5'	7.68	1.67	1.59
26	BB	2602	A	N3-C4	7.68	1.39	1.34
1	AA	215	C	N1-C6	7.68	1.41	1.37
1	AA	1365	G	C4'-C3'	-7.68	1.44	1.53
26	BB	1764	C	C4-C5	7.68	1.49	1.43
26	BB	346	A	C8-N7	-7.68	1.26	1.31
26	BB	1849	G	C2'-C1'	7.68	1.61	1.53
26	BB	119	A	P-O5'	7.68	1.67	1.59
26	BB	2454	G	N1-C2	7.68	1.43	1.37
26	BB	2248	C	C2-N3	7.67	1.41	1.35
26	BB	927	A	N3-C4	-7.67	1.30	1.34
26	BB	1236	G	N3-C4	7.67	1.40	1.35
26	BB	1803	A	C8-N7	-7.67	1.26	1.31
26	BB	369	U	N1-C2	7.67	1.45	1.38
26	BB	621	A	N3-C4	7.67	1.39	1.34
26	BB	940	G	C2'-C1'	-7.67	1.45	1.53
26	BB	1829	A	P-O5'	7.67	1.67	1.59
1	AA	114	U	C4-O4	-7.67	1.17	1.23
1	AA	165	G	N1-C2	7.67	1.43	1.37
1	AA	792	A	N9-C8	-7.67	1.31	1.37
26	BB	198	C	C4'-O4'	-7.67	1.35	1.45
26	BB	352	A	N3-C4	7.67	1.39	1.34
26	BB	1119	U	C2-O2	7.67	1.29	1.22
26	BB	1598	A	N3-C4	7.67	1.39	1.34
26	BB	2684	U	N1-C6	7.67	1.44	1.38
1	AA	76	G	C2'-C1'	7.67	1.61	1.53
26	BB	619	G	C8-N7	-7.67	1.26	1.30
26	BB	2017	U	N3-C4	7.67	1.45	1.38
1	AA	218	U	C2-N3	7.67	1.43	1.37
1	AA	640	A	O3'-P	7.67	1.70	1.61
1	AA	1404	C	C4'-C3'	7.66	1.61	1.53
26	BB	1	G	O3'-P	7.66	1.70	1.61
1	AA	959	A	N3-C4	7.66	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	217	A	N9-C8	-7.66	1.31	1.37
26	BB	2437	G	N1-C2	7.66	1.43	1.37
1	AA	939	G	N3-C4	7.66	1.40	1.35
26	BB	174	U	P-O5'	7.66	1.67	1.59
26	BB	673	C	C4'-C3'	-7.66	1.44	1.53
26	BB	2098	U	P-O5'	7.66	1.67	1.59
1	AA	1148	U	C2-N3	7.66	1.43	1.37
3	AC	48	C	N1-C6	7.66	1.41	1.37
2	AB	22	G	N7-C5	7.65	1.43	1.39
26	BB	1156	A	C6-N6	-7.65	1.27	1.33
26	BB	2568	U	C4-C5	7.65	1.50	1.43
26	BB	296	U	C2-N3	7.65	1.43	1.37
26	BB	1021	A	N7-C5	-7.65	1.34	1.39
26	BB	1210	G	N9-C8	-7.65	1.32	1.37
26	BB	1646	C	C4-C5	7.65	1.49	1.43
1	AA	1279	G	P-O5'	7.65	1.67	1.59
26	BB	2578	G	C2-N3	7.65	1.38	1.32
26	BB	2669	G	C5-C6	7.65	1.50	1.42
26	BB	2903	U	C2-N3	7.65	1.43	1.37
1	AA	433	G	C5'-C4'	7.65	1.60	1.51
3	AC	52	U	N3-C4	7.65	1.45	1.38
26	BB	383	C	C4-N4	7.65	1.40	1.33
26	BB	1907	G	N7-C5	7.65	1.43	1.39
26	BB	1969	A	N9-C4	7.65	1.42	1.37
26	BB	2745	C	C3'-C2'	-7.65	1.44	1.52
1	AA	1082	A	N3-C4	7.65	1.39	1.34
26	BB	1021	A	N9-C8	-7.65	1.31	1.37
1	AA	130	A	N3-C4	7.64	1.39	1.34
26	BB	46	G	N3-C4	7.64	1.40	1.35
26	BB	175	G	C6-N1	7.64	1.45	1.39
26	BB	1336	A	C4'-O4'	-7.64	1.35	1.45
26	BB	2054	A	C5-C4	-7.64	1.33	1.38
1	AA	131	A	C2-N3	7.64	1.40	1.33
1	AA	1025	U	C4'-C3'	7.64	1.61	1.53
26	BB	2540	C	C4-C5	7.64	1.49	1.43
26	BB	938	G	C5-C4	-7.64	1.33	1.38
26	BB	1703	G	N9-C8	7.64	1.43	1.37
1	AA	532	A	P-O5'	7.64	1.67	1.59
1	AA	837	U	C4'-C3'	7.64	1.61	1.53
3	AC	57	C	C2-N3	7.64	1.41	1.35
26	BB	1090	A	P-O5'	7.64	1.67	1.59
26	BB	2002	G	P-O5'	7.64	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	949	A	N9-C8	7.64	1.43	1.37
1	AA	1288	A	C2'-C1'	-7.64	1.45	1.53
25	BA	69	G	C6-N1	7.64	1.44	1.39
26	BB	2336	A	N3-C4	7.64	1.39	1.34
26	BB	60	G	C5-C4	7.63	1.43	1.38
26	BB	239	C	P-O5'	7.63	1.67	1.59
26	BB	1128	G	C2-N3	7.63	1.38	1.32
26	BB	2845	U	C5'-C4'	7.63	1.60	1.51
26	BB	1043	C	O3'-P	7.63	1.70	1.61
26	BB	1163	G	O3'-P	7.63	1.70	1.61
26	BB	2823	A	C5'-C4'	7.63	1.60	1.51
1	AA	208	U	C5'-C4'	7.63	1.60	1.51
26	BB	469	G	N9-C8	-7.63	1.32	1.37
26	BB	710	U	C5-C6	7.63	1.41	1.34
26	BB	1125	G	C6-N1	7.63	1.44	1.39
26	BB	2655	G	N1-C2	7.63	1.43	1.37
26	BB	20	C	N1-C6	7.63	1.41	1.37
26	BB	2361	G	N3-C4	7.63	1.40	1.35
25	BA	62	C	P-O5'	7.63	1.67	1.59
1	AA	706	A	N7-C5	-7.63	1.34	1.39
1	AA	1192	C	C5-C6	7.63	1.40	1.34
1	AA	1283	U	N3-C4	7.63	1.45	1.38
25	BA	87	U	P-O5'	7.63	1.67	1.59
26	BB	311	A	N3-C4	-7.62	1.30	1.34
1	AA	5	U	C5'-C4'	7.62	1.60	1.51
25	BA	52	A	N7-C5	-7.62	1.34	1.39
26	BB	2475	C	C5-C6	7.62	1.40	1.34
1	AA	113	G	N7-C5	7.62	1.43	1.39
1	AA	375	U	C3'-O3'	-7.62	1.31	1.42
1	AA	736	C	O4'-C1'	7.62	1.51	1.41
26	BB	1295	C	N1-C6	7.62	1.41	1.37
26	BB	1445	G	N7-C5	-7.62	1.34	1.39
2	AB	50	G	C6-O6	-7.62	1.17	1.24
26	BB	14	A	N7-C5	7.62	1.43	1.39
26	BB	1628	G	C6-N1	-7.62	1.34	1.39
26	BB	620	G	P-O5'	7.61	1.67	1.59
1	AA	525	C	P-O5'	7.61	1.67	1.59
26	BB	1131	G	C8-N7	-7.61	1.26	1.30
26	BB	1404	C	C4-N4	7.61	1.40	1.33
1	AA	140	U	C2-N3	7.61	1.43	1.37
26	BB	2674	G	C6-N1	7.61	1.44	1.39
26	BB	104	A	C6-N6	7.61	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	497	A	N3-C4	7.61	1.39	1.34
26	BB	1186	G	N7-C5	7.61	1.43	1.39
25	BA	10	G	C5'-C4'	7.61	1.60	1.51
26	BB	312	G	C5-C6	7.61	1.50	1.42
26	BB	1296	G	N9-C4	-7.61	1.31	1.38
1	AA	1365	G	N1-C2	-7.61	1.31	1.37
26	BB	415	A	N3-C4	7.61	1.39	1.34
26	BB	807	U	C4'-O4'	-7.61	1.35	1.45
26	BB	855	G	C4'-O4'	-7.61	1.35	1.45
26	BB	993	G	C6-N1	7.61	1.44	1.39
26	BB	2354	C	N3-C4	7.61	1.39	1.33
26	BB	2776	A	N9-C4	-7.61	1.33	1.37
1	AA	702	A	N1-C2	-7.60	1.27	1.34
26	BB	719	C	N3-C4	7.60	1.39	1.33
1	AA	239	U	N1-C2	7.60	1.45	1.38
1	AA	1268	G	C4'-C3'	7.60	1.61	1.53
1	AA	1504	G	C5-C4	-7.60	1.33	1.38
1	AA	1160	G	C5-C4	7.60	1.43	1.38
26	BB	1757	A	N3-C4	7.60	1.39	1.34
1	AA	829	G	C5'-C4'	7.60	1.60	1.51
1	AA	925	G	C5'-C4'	7.60	1.60	1.51
1	AA	1004	A	N3-C4	7.60	1.39	1.34
26	BB	1356	G	C2-N3	7.60	1.38	1.32
26	BB	2339	C	C2'-C1'	7.60	1.61	1.53
3	AC	53	G	C4'-O4'	-7.60	1.35	1.45
26	BB	457	A	C5-C4	-7.60	1.33	1.38
26	BB	1160	G	C5-C4	-7.60	1.33	1.38
1	AA	1066	C	N3-C4	7.59	1.39	1.33
26	BB	1877	A	N3-C4	7.59	1.39	1.34
26	BB	1658	C	C4'-O4'	-7.59	1.35	1.45
1	AA	678	U	C2-N3	7.59	1.43	1.37
26	BB	239	C	N1-C6	-7.59	1.32	1.37
26	BB	266	G	C4'-O4'	-7.59	1.35	1.45
26	BB	1062	G	C5-C4	-7.59	1.33	1.38
26	BB	2098	U	C5-C6	7.59	1.41	1.34
26	BB	2716	C	C4-N4	-7.59	1.27	1.33
26	BB	359	G	C5-C4	-7.59	1.33	1.38
26	BB	2076	U	C5'-C4'	7.59	1.60	1.51
1	AA	451	A	N3-C4	7.59	1.39	1.34
25	BA	120	U	C2-N3	7.59	1.43	1.37
26	BB	1	G	N3-C4	7.59	1.40	1.35
26	BB	715	A	C5-C4	-7.59	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1101	U	C2-N3	7.59	1.43	1.37
26	BB	2486	C	N1-C6	7.59	1.41	1.37
1	AA	605	U	C4-O4	7.58	1.29	1.23
26	BB	1401	G	C2-N3	7.58	1.38	1.32
26	BB	2726	A	C5-C4	-7.58	1.33	1.38
1	AA	531	U	O3'-P	-7.58	1.52	1.61
1	AA	1290	G	N9-C8	7.58	1.43	1.37
26	BB	1819	A	N7-C5	7.58	1.43	1.39
26	BB	2487	G	C8-N7	7.58	1.35	1.30
26	BB	2749	A	N3-C4	7.58	1.39	1.34
26	BB	2828	G	C6-N1	7.58	1.44	1.39
1	AA	113	G	N9-C4	7.58	1.44	1.38
1	AA	728	A	C5'-C4'	7.58	1.60	1.51
26	BB	794	A	C5'-C4'	7.58	1.60	1.51
26	BB	924	G	N1-C2	7.58	1.43	1.37
1	AA	93	U	N1-C2	7.58	1.45	1.38
1	AA	247	G	C6-O6	-7.58	1.17	1.24
26	BB	2883	A	C8-N7	-7.58	1.26	1.31
1	AA	44	A	N3-C4	7.58	1.39	1.34
26	BB	835	C	P-O5'	7.58	1.67	1.59
1	AA	304	U	O3'-P	7.58	1.70	1.61
1	AA	1360	A	N3-C4	7.58	1.39	1.34
25	BA	35	C	C2'-C1'	7.58	1.61	1.53
26	BB	516	C	N3-C4	7.58	1.39	1.33
26	BB	1856	U	C4'-O4'	-7.58	1.35	1.45
1	AA	1306	A	C6-N1	7.57	1.40	1.35
26	BB	548	G	C5'-C4'	7.57	1.60	1.51
26	BB	1680	U	C4'-O4'	-7.57	1.35	1.45
26	BB	1997	C	C2-N3	7.57	1.41	1.35
26	BB	2888	C	C5'-C4'	7.57	1.60	1.51
26	BB	690	G	P-O5'	7.57	1.67	1.59
26	BB	1353	A	C5-C4	7.57	1.44	1.38
1	AA	297	G	N9-C4	7.57	1.44	1.38
1	AA	774	G	N3-C4	7.57	1.40	1.35
1	AA	1044	A	N7-C5	7.57	1.43	1.39
26	BB	138	U	C2-N3	7.57	1.43	1.37
26	BB	335	C	N3-C4	-7.57	1.28	1.33
26	BB	2489	U	P-O5'	7.57	1.67	1.59
1	AA	559	A	N9-C4	7.57	1.42	1.37
26	BB	56	A	P-O5'	7.57	1.67	1.59
26	BB	381	G	P-O5'	7.57	1.67	1.59
26	BB	591	U	P-O5'	7.56	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	562	U	N3-C4	7.56	1.45	1.38
1	AA	1331	G	C8-N7	7.56	1.35	1.30
1	AA	271	C	C5'-C4'	7.56	1.60	1.51
1	AA	722	G	P-O5'	7.56	1.67	1.59
26	BB	346	A	P-O5'	7.56	1.67	1.59
26	BB	442	G	C6-N1	7.56	1.44	1.39
26	BB	941	A	C4'-O4'	-7.56	1.35	1.45
26	BB	2870	C	N3-C4	7.56	1.39	1.33
1	AA	1403	C	C4'-O4'	-7.56	1.35	1.45
26	BB	724	U	N1-C2	7.56	1.45	1.38
26	BB	1297	C	C2-N3	7.56	1.41	1.35
26	BB	178	G	N1-C2	7.55	1.43	1.37
26	BB	990	A	C8-N7	-7.55	1.26	1.31
26	BB	1836	C	N1-C2	7.55	1.47	1.40
26	BB	1990	C	N1-C6	-7.55	1.32	1.37
1	AA	122	G	N9-C8	-7.55	1.32	1.37
1	AA	149	A	N7-C5	7.55	1.43	1.39
26	BB	1086	A	N3-C4	7.55	1.39	1.34
26	BB	2686	G	P-O5'	7.55	1.67	1.59
26	BB	947	A	N9-C4	-7.55	1.33	1.37
26	BB	2436	G	C4'-C3'	-7.55	1.44	1.53
26	BB	2803	G	C6-N1	7.55	1.44	1.39
1	AA	870	U	C3'-C2'	7.55	1.61	1.52
26	BB	1743	G	C6-N1	7.55	1.44	1.39
26	BB	1861	G	C5-C4	7.55	1.43	1.38
26	BB	2218	G	P-O5'	7.55	1.67	1.59
26	BB	1002	G	P-O5'	7.54	1.67	1.59
1	AA	297	G	C6-N1	7.54	1.44	1.39
1	AA	1491	G	C5'-C4'	7.54	1.60	1.51
3	AC	26	U	P-O5'	7.54	1.67	1.59
4	AD	54	G	N9-C8	7.54	1.43	1.37
26	BB	473	G	P-O5'	7.54	1.67	1.59
26	BB	1355	G	C3'-C2'	7.54	1.61	1.52
26	BB	1587	G	C2-N3	7.54	1.38	1.32
26	BB	1614	A	C6-N1	7.54	1.40	1.35
26	BB	1929	G	C3'-O3'	7.54	1.52	1.42
1	AA	405	U	P-O5'	7.54	1.67	1.59
1	AA	559	A	O3'-P	7.54	1.70	1.61
1	AA	1030	U	C2-N3	7.54	1.43	1.37
4	AD	62	C	C5-C6	7.54	1.40	1.34
26	BB	1021	A	N3-C4	7.54	1.39	1.34
26	BB	1192	G	N1-C2	7.54	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1242	U	C4-C5	7.54	1.50	1.43
1	AA	232	G	C5'-C4'	7.54	1.60	1.51
26	BB	2487	G	N3-C4	7.54	1.40	1.35
25	BA	106	G	C6-N1	7.54	1.44	1.39
26	BB	134	G	C2-N3	7.54	1.38	1.32
26	BB	506	G	P-O5'	7.54	1.67	1.59
26	BB	2114	A	P-O5'	7.54	1.67	1.59
26	BB	1794	A	N9-C4	7.54	1.42	1.37
26	BB	1968	G	C6-N1	-7.54	1.34	1.39
1	AA	134	G	C2-N3	7.54	1.38	1.32
25	BA	16	G	N7-C5	-7.54	1.34	1.39
26	BB	788	A	N9-C4	-7.54	1.33	1.37
26	BB	908	C	C4'-O4'	-7.54	1.35	1.45
26	BB	1412	U	C4-C5	7.54	1.50	1.43
26	BB	1509	A	C4'-C3'	7.54	1.61	1.53
26	BB	2594	C	P-O5'	7.54	1.67	1.59
1	AA	467	U	C4-C5	7.53	1.50	1.43
1	AA	1251	A	C2'-C1'	-7.53	1.45	1.53
1	AA	1511	G	N7-C5	-7.53	1.34	1.39
26	BB	2496	C	C4-C5	-7.53	1.36	1.43
1	AA	545	C	C2-N3	7.53	1.41	1.35
26	BB	1372	U	P-O5'	7.53	1.67	1.59
26	BB	1446	C	N1-C6	7.53	1.41	1.37
26	BB	2598	A	N1-C2	-7.53	1.27	1.34
26	BB	1855	U	C5-C6	7.53	1.41	1.34
26	BB	2031	A	N7-C5	7.53	1.43	1.39
26	BB	933	A	O3'-P	7.53	1.70	1.61
1	AA	542	G	N9-C8	-7.53	1.32	1.37
1	AA	750	C	N1-C6	7.53	1.41	1.37
26	BB	2670	A	N3-C4	7.53	1.39	1.34
26	BB	2704	C	C4-C5	7.53	1.49	1.43
1	AA	261	U	C2-N3	7.52	1.43	1.37
26	BB	292	U	P-O5'	7.52	1.67	1.59
1	AA	745	G	C2'-C1'	7.52	1.61	1.53
26	BB	53	A	C3'-C2'	7.52	1.61	1.52
26	BB	1472	C	C2-N3	7.52	1.41	1.35
4	AD	7	G	N7-C5	-7.52	1.34	1.39
4	AD	19	G	N9-C4	7.52	1.44	1.38
25	BA	97	C	P-O5'	7.52	1.67	1.59
26	BB	1271	G	C5-C6	7.52	1.49	1.42
1	AA	988	G	C2-N3	7.52	1.38	1.32
1	AA	995	C	C2-N3	7.52	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	39	A	N3-C4	7.52	1.39	1.34
26	BB	2523	G	N9-C8	-7.52	1.32	1.37
26	BB	110	G	N9-C8	7.52	1.43	1.37
26	BB	1927	A	C5-C6	7.52	1.47	1.41
26	BB	2527	C	C5-C6	7.52	1.40	1.34
26	BB	829	A	N3-C4	7.52	1.39	1.34
26	BB	1735	A	N7-C5	-7.52	1.34	1.39
26	BB	2721	A	C5'-C4'	7.52	1.60	1.51
1	AA	149	A	N3-C4	7.51	1.39	1.34
1	AA	575	G	C2-N2	-7.51	1.27	1.34
1	AA	1281	C	C5'-C4'	7.51	1.60	1.51
1	AA	1379	G	P-O5'	7.51	1.67	1.59
26	BB	814	C	N1-C6	7.51	1.41	1.37
26	BB	1138	G	C8-N7	-7.51	1.26	1.30
26	BB	80	G	N3-C4	-7.51	1.30	1.35
26	BB	1229	C	N1-C2	7.51	1.47	1.40
1	AA	1203	C	C4-C5	7.51	1.49	1.43
26	BB	2283	C	C5-C6	7.51	1.40	1.34
26	BB	2839	G	N3-C4	7.51	1.40	1.35
26	BB	502	A	C5-C4	7.51	1.44	1.38
26	BB	1548	A	O3'-P	7.51	1.70	1.61
26	BB	2139	U	C2-O2	7.51	1.29	1.22
1	AA	459	A	P-O5'	7.51	1.67	1.59
1	AA	175	C	C5-C6	7.51	1.40	1.34
1	AA	1122	U	C2-N3	7.51	1.43	1.37
3	AC	32	U	O3'-P	7.51	1.70	1.61
4	AD	13	C	C2-N3	7.51	1.41	1.35
26	BB	1594	U	C5'-C4'	7.51	1.60	1.51
26	BB	631	A	N7-C5	7.50	1.43	1.39
1	AA	1026	G	O4'-C1'	7.50	1.51	1.41
1	AA	1330	U	N1-C6	7.50	1.44	1.38
26	BB	250	G	C5-C4	7.50	1.43	1.38
26	BB	405	U	O4'-C1'	7.50	1.51	1.41
26	BB	2195	U	C2'-C1'	7.50	1.61	1.53
1	AA	1334	G	N9-C8	7.50	1.43	1.37
26	BB	450	G	P-O5'	7.50	1.67	1.59
26	BB	266	G	C2-N3	7.50	1.38	1.32
26	BB	1596	A	N7-C5	7.50	1.43	1.39
1	AA	542	G	C8-N7	-7.50	1.26	1.30
26	BB	2632	A	N3-C4	7.50	1.39	1.34
26	BB	256	A	C4'-O4'	-7.50	1.35	1.45
26	BB	1520	U	C4-C5	7.50	1.50	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2757	A	C8-N7	-7.50	1.26	1.31
1	AA	176	C	P-O5'	7.50	1.67	1.59
26	BB	1503	A	C6-N1	7.50	1.40	1.35
26	BB	1620	G	N9-C4	7.50	1.44	1.38
26	BB	2430	A	N3-C4	7.50	1.39	1.34
1	AA	933	G	N3-C4	7.49	1.40	1.35
1	AA	1338	G	N3-C4	7.49	1.40	1.35
25	BA	106	G	N9-C8	-7.49	1.32	1.37
26	BB	866	A	N3-C4	7.49	1.39	1.34
26	BB	1958	C	N3-C4	-7.49	1.28	1.33
26	BB	2238	G	N1-C2	7.49	1.43	1.37
26	BB	2774	C	C3'-C2'	7.49	1.61	1.52
26	BB	2415	G	C2-N3	7.49	1.38	1.32
1	AA	1353	G	N9-C8	-7.49	1.32	1.37
1	AA	1534	A	C5'-C4'	7.49	1.60	1.51
26	BB	23	G	N1-C2	7.49	1.43	1.37
26	BB	277	G	N9-C4	7.49	1.44	1.38
26	BB	391	A	N3-C4	7.49	1.39	1.34
1	AA	579	A	C4'-O4'	-7.49	1.35	1.45
1	AA	815	A	N3-C4	7.49	1.39	1.34
26	BB	189	G	N9-C8	7.49	1.43	1.37
26	BB	834	G	N7-C5	7.49	1.43	1.39
26	BB	1357	C	N1-C6	-7.49	1.32	1.37
26	BB	2501	C	N3-C4	7.49	1.39	1.33
1	AA	257	G	C5-C6	7.49	1.49	1.42
26	BB	1205	A	P-O5'	7.49	1.67	1.59
1	AA	1089	G	N3-C4	7.49	1.40	1.35
26	BB	2198	A	C8-N7	-7.49	1.26	1.31
1	AA	946	A	N3-C4	7.48	1.39	1.34
26	BB	1238	G	C5'-C4'	7.48	1.60	1.51
1	AA	401	C	O3'-P	7.48	1.70	1.61
1	AA	599	C	C4'-C3'	7.48	1.61	1.53
1	AA	956	U	C4-O4	7.48	1.29	1.23
26	BB	1101	U	N1-C2	7.48	1.45	1.38
26	BB	1611	C	N1-C6	7.48	1.41	1.37
1	AA	1304	G	N7-C5	7.48	1.43	1.39
1	AA	1439	G	P-O5'	7.48	1.67	1.59
1	AA	1493	A	N7-C5	7.48	1.43	1.39
26	BB	2301	C	C5'-C4'	7.48	1.60	1.51
1	AA	408	A	N9-C4	7.48	1.42	1.37
4	AD	9	G	C5'-C4'	7.48	1.60	1.51
26	BB	333	G	O3'-P	7.48	1.70	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2534	A	C5-C4	-7.48	1.33	1.38
26	BB	585	G	N1-C2	7.48	1.43	1.37
26	BB	2866	U	O3'-P	-7.48	1.52	1.61
1	AA	1431	A	C3'-C2'	7.48	1.61	1.52
1	AA	741	G	N1-C2	-7.47	1.31	1.37
1	AA	1441	A	N3-C4	7.47	1.39	1.34
26	BB	204	A	N7-C5	-7.47	1.34	1.39
26	BB	756	A	O3'-P	7.47	1.70	1.61
26	BB	865	C	N1-C6	7.47	1.41	1.37
26	BB	1707	G	C2-N3	7.47	1.38	1.32
30	BF	49	ARG	CZ-NH2	7.47	1.42	1.33
1	AA	124	C	C5-C6	7.47	1.40	1.34
1	AA	1077	G	N9-C8	7.47	1.43	1.37
1	AA	1505	G	C2'-O2'	-7.47	1.31	1.41
3	AC	25	U	N1-C2	7.47	1.45	1.38
26	BB	233	A	N9-C4	-7.47	1.33	1.37
26	BB	801	G	C2-N3	7.47	1.38	1.32
26	BB	868	U	C2-N3	7.47	1.43	1.37
26	BB	1878	G	N9-C4	7.47	1.44	1.38
26	BB	1355	G	N3-C4	7.47	1.40	1.35
1	AA	486	U	P-O5'	7.47	1.67	1.59
1	AA	657	U	C4'-O4'	-7.47	1.35	1.45
1	AA	1301	U	N1-C2	7.47	1.45	1.38
26	BB	225	C	C5-C6	7.47	1.40	1.34
26	BB	278	A	C3'-C2'	-7.47	1.44	1.52
26	BB	376	G	P-O5'	7.47	1.67	1.59
1	AA	1166	G	N1-C2	7.46	1.43	1.37
1	AA	1212	U	C5-C6	7.46	1.40	1.34
26	BB	26	G	P-O5'	7.46	1.67	1.59
26	BB	1237	A	C5'-C4'	7.46	1.60	1.51
26	BB	1403	A	C4'-O4'	-7.46	1.35	1.45
26	BB	1551	A	C4'-O4'	-7.46	1.35	1.45
26	BB	2638	G	N7-C5	7.46	1.43	1.39
1	AA	657	U	C2-N3	7.46	1.43	1.37
26	BB	61	C	P-O5'	7.46	1.67	1.59
26	BB	2091	C	C4-C5	7.46	1.49	1.43
26	BB	2100	G	C6-O6	-7.46	1.17	1.24
1	AA	1362	A	C5-C4	7.46	1.44	1.38
26	BB	2512	C	C4-C5	7.46	1.49	1.43
1	AA	469	C	C4'-C3'	-7.46	1.45	1.53
1	AA	1340	A	P-O5'	7.46	1.67	1.59
25	BA	15	A	C5'-C4'	7.46	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	369	U	C4-C5	7.46	1.50	1.43
26	BB	552	U	C2-O2	7.46	1.29	1.22
26	BB	1935	G	N9-C8	7.46	1.43	1.37
26	BB	2721	A	N3-C4	7.46	1.39	1.34
1	AA	8	A	C6-N1	7.46	1.40	1.35
26	BB	744	U	C2'-C1'	7.45	1.61	1.53
26	BB	821	A	N3-C4	7.45	1.39	1.34
26	BB	829	A	N9-C4	-7.45	1.33	1.37
26	BB	1371	G	N7-C5	7.45	1.43	1.39
26	BB	2376	A	C8-N7	-7.45	1.26	1.31
26	BB	2388	A	C8-N7	-7.45	1.26	1.31
26	BB	2719	G	C2-N3	7.45	1.38	1.32
1	AA	1526	G	C2'-C1'	7.45	1.61	1.53
26	BB	873	C	C3'-C2'	7.45	1.61	1.52
26	BB	1114	C	N1-C6	7.45	1.41	1.37
26	BB	1268	A	C5'-C4'	7.45	1.60	1.51
26	BB	2182	U	C4-O4	-7.45	1.17	1.23
26	BB	2271	G	N9-C8	-7.45	1.32	1.37
26	BB	2849	U	C4-C5	7.45	1.50	1.43
1	AA	572	A	C5-C4	-7.45	1.33	1.38
1	AA	1280	A	O3'-P	7.45	1.70	1.61
3	AC	56	G	N9-C8	7.45	1.43	1.37
26	BB	1148	U	P-O5'	7.45	1.67	1.59
26	BB	2238	G	C6-N1	7.45	1.44	1.39
1	AA	826	C	C5'-C4'	7.45	1.60	1.51
25	BA	73	A	N7-C5	-7.45	1.34	1.39
26	BB	971	G	N3-C4	7.45	1.40	1.35
26	BB	1867	G	C5'-C4'	7.45	1.60	1.51
1	AA	1231	G	C2-N3	-7.44	1.26	1.32
26	BB	874	G	N7-C5	-7.44	1.34	1.39
26	BB	879	G	P-O5'	7.44	1.67	1.59
1	AA	642	A	C8-N7	7.44	1.36	1.31
1	AA	1328	C	C4'-O4'	-7.44	1.35	1.45
3	AC	13	A	C5-C4	-7.44	1.33	1.38
26	BB	1408	G	C6-N1	7.44	1.44	1.39
26	BB	447	A	C6-N1	-7.44	1.30	1.35
26	BB	2362	C	N3-C4	7.44	1.39	1.33
26	BB	187	G	C4'-O4'	-7.44	1.35	1.45
26	BB	1361	G	N9-C8	7.44	1.43	1.37
26	BB	2351	G	O3'-P	7.44	1.70	1.61
26	BB	2619	C	N3-C4	7.44	1.39	1.33
1	AA	577	G	O3'-P	-7.44	1.52	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1347	A	N3-C4	7.44	1.39	1.34
26	BB	1596	A	N9-C4	7.44	1.42	1.37
26	BB	2234	G	C2-N3	7.44	1.38	1.32
1	AA	1444	U	C4-C5	7.44	1.50	1.43
26	BB	2414	G	N7-C5	-7.44	1.34	1.39
26	BB	2493	U	C4-C5	7.44	1.50	1.43
26	BB	2740	A	N3-C4	7.44	1.39	1.34
4	AD	16	C	C4-C5	7.43	1.48	1.43
26	BB	2247	A	P-O5'	7.43	1.67	1.59
1	AA	249	U	C3'-C2'	7.43	1.61	1.52
26	BB	177	G	N3-C4	7.43	1.40	1.35
1	AA	1538	C	N1-C6	7.43	1.41	1.37
26	BB	2550	G	P-O5'	7.43	1.67	1.59
1	AA	376	G	P-O5'	7.43	1.67	1.59
26	BB	195	A	C8-N7	-7.43	1.26	1.31
26	BB	960	A	O3'-P	-7.43	1.52	1.61
26	BB	1232	G	N7-C5	-7.43	1.34	1.39
26	BB	1408	G	O3'-P	7.43	1.70	1.61
26	BB	2476	A	C8-N7	-7.43	1.26	1.31
26	BB	2342	C	O3'-P	7.43	1.70	1.61
1	AA	729	A	C5'-C4'	7.43	1.60	1.51
26	BB	543	G	N3-C4	7.43	1.40	1.35
26	BB	1733	G	P-O5'	7.43	1.67	1.59
26	BB	425	G	N3-C4	7.42	1.40	1.35
26	BB	911	A	N7-C5	-7.42	1.34	1.39
26	BB	2031	A	C6-N6	-7.42	1.28	1.33
1	AA	622	A	C4'-O4'	-7.42	1.35	1.45
1	AA	1216	A	C8-N7	7.42	1.36	1.31
26	BB	83	A	C5-C6	7.42	1.47	1.41
26	BB	831	G	N3-C4	7.42	1.40	1.35
26	BB	1480	C	C5'-C4'	7.42	1.60	1.51
1	AA	796	C	C2'-C1'	7.42	1.61	1.53
26	BB	1452	G	N3-C4	7.42	1.40	1.35
26	BB	2068	U	N3-C4	7.42	1.45	1.38
1	AA	155	A	C5-C6	7.42	1.47	1.41
26	BB	1138	G	N7-C5	7.42	1.43	1.39
26	BB	2762	C	P-O5'	7.42	1.67	1.59
4	AD	1	C	N1-C6	7.42	1.41	1.37
25	BA	71	C	N3-C4	7.42	1.39	1.33
26	BB	1196	C	N3-C4	7.42	1.39	1.33
26	BB	1982	U	C3'-C2'	7.42	1.61	1.52
26	BB	2096	C	N1-C6	7.42	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1386	G	C5-C6	7.41	1.49	1.42
26	BB	540	C	N3-C4	7.41	1.39	1.33
26	BB	629	G	C2-N3	7.41	1.38	1.32
26	BB	2680	U	P-O5'	7.41	1.67	1.59
26	BB	2717	C	C4-C5	7.41	1.48	1.43
1	AA	1007	U	C5'-C4'	7.41	1.60	1.51
26	BB	123	G	C4'-O4'	-7.41	1.35	1.45
26	BB	347	A	C2'-C1'	7.41	1.61	1.53
26	BB	982	C	C4'-O4'	-7.41	1.35	1.45
26	BB	2191	A	N3-C4	7.41	1.39	1.34
26	BB	2695	U	P-O5'	-7.41	1.52	1.59
26	BB	2722	G	N7-C5	7.41	1.43	1.39
1	AA	1052	U	N3-C4	7.41	1.45	1.38
1	AA	1463	U	C3'-C2'	7.41	1.61	1.52
1	AA	654	G	C2-N3	7.40	1.38	1.32
26	BB	380	G	C5'-C4'	7.40	1.60	1.51
26	BB	1023	U	C4-C5	7.40	1.50	1.43
1	AA	186	C	C4'-O4'	-7.40	1.35	1.45
1	AA	983	A	C4'-C3'	7.40	1.61	1.53
26	BB	254	G	C6-N1	7.40	1.44	1.39
1	AA	256	U	C5'-C4'	7.40	1.60	1.51
26	BB	2618	G	C2-N3	7.40	1.38	1.32
26	BB	931	U	C5'-C4'	7.40	1.60	1.51
26	BB	1674	G	N7-C5	-7.40	1.34	1.39
26	BB	2039	U	C2-N3	7.40	1.43	1.37
1	AA	1461	G	N3-C4	7.39	1.40	1.35
26	BB	1396	U	C5-C6	7.39	1.40	1.34
26	BB	1717	A	C5-C4	7.39	1.44	1.38
26	BB	2278	A	C8-N7	7.39	1.36	1.31
1	AA	704	A	C6-N6	-7.39	1.28	1.33
26	BB	1028	A	C5-C6	7.39	1.47	1.41
26	BB	1426	G	P-O5'	7.39	1.67	1.59
1	AA	1371	G	C2'-C1'	-7.39	1.45	1.53
26	BB	325	G	N1-C2	7.39	1.43	1.37
26	BB	2861	U	C4-O4	-7.39	1.17	1.23
1	AA	381	C	N1-C6	7.39	1.41	1.37
26	BB	2077	A	N7-C5	7.39	1.43	1.39
1	AA	521	G	C5-C4	7.39	1.43	1.38
2	AB	50	G	N9-C4	-7.39	1.32	1.38
26	BB	1502	A	O3'-P	7.39	1.70	1.61
26	BB	1869	G	P-O5'	7.39	1.67	1.59
26	BB	570	G	C5-C4	-7.38	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2648	G	N9-C8	7.38	1.43	1.37
2	AB	56	C	C5-C6	7.38	1.40	1.34
26	BB	2140	G	C4'-C3'	-7.38	1.45	1.53
1	AA	19	A	N9-C4	7.38	1.42	1.37
26	BB	1359	A	P-O5'	7.38	1.67	1.59
2	AB	71	C	N1-C2	7.38	1.47	1.40
1	AA	1246	A	N3-C4	-7.38	1.30	1.34
4	AD	14	A	N7-C5	7.38	1.43	1.39
26	BB	1869	G	C2-N2	-7.38	1.27	1.34
26	BB	881	G	N7-C5	7.38	1.43	1.39
1	AA	112	G	C8-N7	-7.38	1.26	1.30
26	BB	158	U	C3'-C2'	7.38	1.61	1.52
26	BB	793	A	C5'-C4'	7.38	1.60	1.51
1	AA	431	A	P-O5'	7.37	1.67	1.59
1	AA	832	G	N1-C2	7.37	1.43	1.37
26	BB	2177	C	C5'-C4'	7.37	1.60	1.51
26	BB	2820	A	C4'-C3'	7.37	1.61	1.53
26	BB	2185	U	P-O5'	7.37	1.67	1.59
26	BB	328	U	C3'-C2'	7.37	1.61	1.52
26	BB	752	A	C5-C6	7.37	1.47	1.41
1	AA	1535	C	C5'-C4'	7.37	1.60	1.51
26	BB	256	A	C2'-C1'	-7.37	1.45	1.53
26	BB	2173	A	O4'-C1'	7.37	1.51	1.41
1	AA	220	G	N9-C8	-7.37	1.32	1.37
1	AA	580	C	N1-C6	7.37	1.41	1.37
26	BB	1570	A	N3-C4	7.37	1.39	1.34
1	AA	134	G	N7-C5	7.37	1.43	1.39
26	BB	719	C	C2'-C1'	-7.37	1.45	1.53
3	AC	30	U	C5'-C4'	7.36	1.60	1.51
26	BB	334	C	C5-C6	7.36	1.40	1.34
26	BB	1526	C	N1-C6	7.36	1.41	1.37
26	BB	2114	A	N3-C4	7.36	1.39	1.34
1	AA	1475	G	C2-N3	7.36	1.38	1.32
26	BB	69	C	C2-O2	-7.36	1.17	1.24
26	BB	1514	G	O3'-P	7.36	1.70	1.61
26	BB	2230	G	N1-C2	7.36	1.43	1.37
26	BB	2427	C	C4-C5	7.36	1.48	1.43
26	BB	2769	U	C2-N3	7.36	1.43	1.37
1	AA	900	A	C4'-C3'	7.36	1.61	1.53
26	BB	1036	G	P-O5'	7.36	1.67	1.59
26	BB	2469	A	N3-C4	7.36	1.39	1.34
1	AA	394	G	C2-N2	-7.36	1.27	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2812	G	C6-N1	-7.36	1.34	1.39
26	BB	2846	G	N7-C5	-7.36	1.34	1.39
26	BB	978	G	N3-C4	7.35	1.40	1.35
26	BB	1077	A	C6-N6	7.35	1.39	1.33
26	BB	1448	G	C8-N7	-7.35	1.26	1.30
1	AA	1052	U	O3'-P	7.35	1.70	1.61
3	AC	32	U	C2-N3	7.35	1.42	1.37
25	BA	36	C	N1-C6	7.35	1.41	1.37
26	BB	83	A	N3-C4	7.35	1.39	1.34
26	BB	392	U	O4'-C1'	7.35	1.51	1.41
1	AA	1241	G	N1-C2	7.35	1.43	1.37
26	BB	270	A	N7-C5	7.35	1.43	1.39
26	BB	273	G	C2-N3	7.35	1.38	1.32
26	BB	412	A	N7-C5	-7.35	1.34	1.39
26	BB	689	A	P-O5'	7.35	1.67	1.59
26	BB	1288	G	C4'-O4'	-7.35	1.35	1.45
26	BB	1296	G	N3-C4	7.35	1.40	1.35
26	BB	2283	C	C4-C5	7.35	1.48	1.43
26	BB	2361	G	P-O5'	7.35	1.67	1.59
1	AA	494	G	N7-C5	-7.35	1.34	1.39
4	AD	41	C	O3'-P	7.35	1.70	1.61
26	BB	2165	C	P-O5'	7.35	1.67	1.59
1	AA	293	G	P-O5'	7.35	1.67	1.59
1	AA	587	G	N9-C4	7.35	1.43	1.38
26	BB	1350	C	C5-C6	7.34	1.40	1.34
26	BB	2249	U	C4-C5	7.34	1.50	1.43
26	BB	2447	G	C5-C4	-7.34	1.33	1.38
26	BB	900	A	O3'-P	7.34	1.70	1.61
26	BB	2409	G	C8-N7	7.34	1.35	1.30
26	BB	489	G	C6-O6	-7.34	1.17	1.24
26	BB	984	A	C6-N1	-7.34	1.30	1.35
1	AA	615	G	N7-C5	-7.34	1.34	1.39
25	BA	14	U	C2-N3	7.34	1.42	1.37
26	BB	1289	C	C4-C5	-7.34	1.37	1.43
26	BB	2789	C	C2'-C1'	7.34	1.61	1.53
26	BB	134	G	C6-O6	-7.34	1.17	1.24
1	AA	1135	U	P-O5'	7.34	1.67	1.59
25	BA	114	C	N1-C6	7.34	1.41	1.37
26	BB	1601	G	N9-C8	7.34	1.43	1.37
26	BB	1745	A	N3-C4	-7.34	1.30	1.34
26	BB	2862	G	O4'-C1'	7.34	1.51	1.41
1	AA	765	G	C2'-C1'	-7.33	1.45	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	971	G	C5-C4	-7.33	1.33	1.38
2	AB	40	C	P-O5'	-7.33	1.52	1.59
26	BB	285	G	C8-N7	-7.33	1.26	1.30
26	BB	1737	G	P-O5'	7.33	1.67	1.59
26	BB	2390	U	C2-N3	7.33	1.42	1.37
26	BB	101	A	N7-C5	-7.33	1.34	1.39
26	BB	1013	C	C5-C6	7.33	1.40	1.34
26	BB	2020	A	O3'-P	7.33	1.70	1.61
26	BB	2056	G	C5-C6	7.33	1.49	1.42
26	BB	2221	G	P-O5'	7.33	1.67	1.59
1	AA	909	A	C6-N6	-7.33	1.28	1.33
26	BB	386	G	N7-C5	7.33	1.43	1.39
26	BB	657	U	N1-C2	7.33	1.45	1.38
26	BB	1377	G	C3'-C2'	7.33	1.61	1.52
26	BB	1711	A	C6-N1	7.33	1.40	1.35
1	AA	281	G	C8-N7	-7.33	1.26	1.30
1	AA	1477	U	C2-N3	7.33	1.42	1.37
26	BB	1423	G	C6-N1	7.33	1.44	1.39
26	BB	1453	A	N7-C5	-7.33	1.34	1.39
25	BA	62	C	C3'-C2'	7.33	1.61	1.52
26	BB	782	A	N7-C5	-7.33	1.34	1.39
26	BB	2891	U	C5'-C4'	7.33	1.60	1.51
1	AA	1044	A	N3-C4	7.33	1.39	1.34
25	BA	62	C	C4'-C3'	7.33	1.61	1.53
26	BB	450	G	N9-C8	-7.33	1.32	1.37
26	BB	1549	A	C8-N7	-7.33	1.26	1.31
1	AA	1046	A	C3'-C2'	7.32	1.61	1.52
26	BB	2572	A	N7-C5	7.32	1.43	1.39
1	AA	812	G	C2-N3	7.32	1.38	1.32
26	BB	1174	U	C4-O4	-7.32	1.17	1.23
1	AA	175	C	N3-C4	-7.32	1.28	1.33
1	AA	586	C	N1-C6	7.32	1.41	1.37
26	BB	370	G	N7-C5	-7.32	1.34	1.39
26	BB	1220	G	N9-C4	-7.32	1.32	1.38
26	BB	1228	G	N1-C2	7.32	1.43	1.37
1	AA	320	A	N9-C4	-7.32	1.33	1.37
1	AA	1008	U	N1-C2	7.32	1.45	1.38
26	BB	65	U	C2-N3	7.32	1.42	1.37
26	BB	1425	G	P-O5'	7.32	1.67	1.59
26	BB	816	C	C4'-O4'	-7.32	1.36	1.45
26	BB	996	A	N3-C4	7.32	1.39	1.34
4	AD	38	A	P-O5'	7.32	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	100	G	N3-C4	7.32	1.40	1.35
26	BB	354	A	N3-C4	7.32	1.39	1.34
1	AA	64	G	P-O5'	7.31	1.67	1.59
1	AA	489	C	N3-C4	7.31	1.39	1.33
26	BB	866	A	C8-N7	-7.31	1.26	1.31
26	BB	1137	G	C8-N7	7.31	1.35	1.30
26	BB	2476	A	C5-C4	-7.31	1.33	1.38
1	AA	697	U	C4-C5	7.31	1.50	1.43
1	AA	1124	G	N7-C5	7.31	1.43	1.39
3	AC	20	G	C8-N7	7.31	1.35	1.30
26	BB	2404	U	C5-C6	7.31	1.40	1.34
1	AA	437	U	C2-N3	7.31	1.42	1.37
1	AA	700	G	C6-O6	-7.31	1.17	1.24
1	AA	836	G	N3-C4	7.31	1.40	1.35
1	AA	1478	U	C2'-C1'	-7.31	1.45	1.53
26	BB	443	A	P-O5'	7.31	1.67	1.59
26	BB	904	G	N9-C8	7.31	1.43	1.37
26	BB	1212	G	N7-C5	-7.31	1.34	1.39
26	BB	2806	C	N1-C6	7.31	1.41	1.37
26	BB	702	U	P-O5'	7.31	1.67	1.59
26	BB	1360	G	P-O5'	7.31	1.67	1.59
26	BB	1808	A	C4'-C3'	7.31	1.61	1.53
26	BB	2385	C	C2'-C1'	7.31	1.61	1.53
1	AA	186	C	N1-C6	-7.31	1.32	1.37
26	BB	371	A	N9-C8	-7.31	1.31	1.37
26	BB	1210	G	N7-C5	-7.31	1.34	1.39
26	BB	2065	C	P-O5'	7.31	1.67	1.59
26	BB	2573	C	N1-C2	-7.31	1.32	1.40
1	AA	1495	U	C2-N3	7.30	1.42	1.37
26	BB	2328	A	N3-C4	7.30	1.39	1.34
26	BB	135	U	N1-C2	7.30	1.45	1.38
26	BB	191	A	C6-N6	7.30	1.39	1.33
26	BB	2783	U	P-O5'	7.30	1.67	1.59
1	AA	715	A	C5-C4	-7.30	1.33	1.38
26	BB	718	A	C8-N7	7.30	1.36	1.31
26	BB	895	U	C4-C5	7.30	1.50	1.43
26	BB	1691	C	N3-C4	7.30	1.39	1.33
26	BB	2866	U	P-O5'	7.30	1.67	1.59
4	AD	42	C	C4-C5	7.30	1.48	1.43
26	BB	2671	G	O3'-P	-7.30	1.52	1.61
28	BD	268	ARG	NE-CZ	7.30	1.42	1.33
1	AA	903	G	C4'-O4'	-7.30	1.36	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1063	C	P-O5'	7.30	1.67	1.59
26	BB	2218	G	C6-N1	7.30	1.44	1.39
26	BB	2597	G	C3'-O3'	-7.30	1.31	1.42
26	BB	1588	G	P-O5'	7.29	1.67	1.59
26	BB	2271	G	N7-C5	7.29	1.43	1.39
26	BB	18	U	C4-O4	-7.29	1.17	1.23
26	BB	267	C	N1-C6	-7.29	1.32	1.37
26	BB	2860	A	N7-C5	-7.29	1.34	1.39
1	AA	408	A	N3-C4	7.29	1.39	1.34
26	BB	895	U	C2-N3	7.29	1.42	1.37
26	BB	1900	A	P-O5'	7.29	1.67	1.59
26	BB	2797	U	P-O5'	7.29	1.67	1.59
1	AA	690	G	N1-C2	7.29	1.43	1.37
26	BB	215	G	C3'-C2'	7.29	1.60	1.52
26	BB	625	G	P-O5'	7.29	1.67	1.59
26	BB	666	A	C8-N7	-7.29	1.26	1.31
26	BB	1112	G	N7-C5	7.29	1.43	1.39
26	BB	1365	A	N3-C4	7.29	1.39	1.34
26	BB	176	A	C4'-C3'	7.29	1.61	1.53
26	BB	2202	U	C5-C6	7.29	1.40	1.34
26	BB	2847	U	N1-C6	7.29	1.44	1.38
1	AA	39	G	N7-C5	7.29	1.43	1.39
26	BB	650	C	C5-C6	7.29	1.40	1.34
26	BB	2190	G	N1-C2	7.29	1.43	1.37
1	AA	248	C	C4'-O4'	-7.28	1.36	1.45
1	AA	480	U	P-O5'	7.28	1.67	1.59
1	AA	1510	C	P-O5'	7.28	1.67	1.59
4	AD	53	G	N9-C8	7.28	1.43	1.37
25	BA	12	C	P-O5'	7.28	1.67	1.59
26	BB	478	A	C5-C4	-7.28	1.33	1.38
26	BB	1384	A	C5-C4	7.28	1.43	1.38
1	AA	750	C	C2-N3	7.28	1.41	1.35
26	BB	1036	G	C4'-O4'	-7.28	1.36	1.45
1	AA	1065	U	C2'-O2'	-7.28	1.32	1.41
26	BB	383	C	N1-C6	7.28	1.41	1.37
26	BB	906	U	N1-C2	7.28	1.45	1.38
26	BB	1949	G	N7-C5	-7.28	1.34	1.39
1	AA	969	A	N3-C4	7.28	1.39	1.34
26	BB	487	C	C5-C6	7.28	1.40	1.34
26	BB	1033	U	P-O5'	7.28	1.67	1.59
26	BB	1703	G	C5-C4	-7.28	1.33	1.38
2	AB	5	G	C2'-C1'	7.27	1.61	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1931	U	C4-C5	7.27	1.50	1.43
26	BB	2640	G	C5-C4	-7.27	1.33	1.38
1	AA	305	G	N9-C8	-7.27	1.32	1.37
1	AA	660	C	C4-C5	7.27	1.48	1.43
3	AC	26	U	C2'-C1'	-7.27	1.45	1.53
3	AC	42	U	C5-C6	7.27	1.40	1.34
26	BB	2426	A	O3'-P	7.27	1.69	1.61
26	BB	2894	G	N3-C4	7.27	1.40	1.35
1	AA	1173	U	C5'-C4'	7.27	1.60	1.51
4	AD	11	A	N3-C4	7.27	1.39	1.34
26	BB	354	A	C3'-C2'	7.27	1.60	1.52
1	AA	662	U	C4'-O4'	-7.27	1.36	1.45
1	AA	764	C	N1-C6	7.27	1.41	1.37
26	BB	1351	C	N1-C6	7.27	1.41	1.37
26	BB	2085	U	P-O5'	7.27	1.67	1.59
1	AA	876	C	P-O5'	7.26	1.67	1.59
26	BB	2246	G	C2-N3	7.26	1.38	1.32
1	AA	314	C	O4'-C1'	7.26	1.51	1.41
26	BB	2505	G	C8-N7	7.26	1.35	1.30
2	AB	18	G	N9-C4	7.26	1.43	1.38
1	AA	293	G	N9-C8	-7.26	1.32	1.37
1	AA	630	A	C5-C6	7.26	1.47	1.41
26	BB	983	A	C8-N7	-7.26	1.26	1.31
26	BB	2323	G	C2'-C1'	7.26	1.61	1.53
26	BB	2595	G	N1-C2	7.26	1.43	1.37
1	AA	1045	C	C4-N4	7.26	1.40	1.33
26	BB	1347	A	C5'-C4'	7.26	1.60	1.51
25	BA	5	U	P-O5'	7.26	1.67	1.59
1	AA	218	U	P-O5'	7.25	1.67	1.59
1	AA	461	A	C4'-O4'	-7.25	1.36	1.45
1	AA	503	C	C5'-C4'	7.25	1.60	1.51
1	AA	787	A	C5'-C4'	7.25	1.60	1.51
1	AA	1303	C	N3-C4	7.25	1.39	1.33
1	AA	1387	G	C6-N1	7.25	1.44	1.39
2	AB	41	C	P-O5'	7.25	1.67	1.59
26	BB	2204	G	O4'-C1'	7.25	1.51	1.41
1	AA	52	C	C5'-C4'	7.25	1.60	1.51
1	AA	259	G	N7-C5	7.25	1.43	1.39
1	AA	293	G	N3-C4	7.25	1.40	1.35
1	AA	444	G	O3'-P	7.25	1.69	1.61
26	BB	593	U	P-O5'	7.25	1.67	1.59
26	BB	1380	G	C6-N1	7.25	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	604	G	N7-C5	7.25	1.43	1.39
1	AA	920	U	N1-C6	-7.25	1.31	1.38
2	AB	3	G	C4'-O4'	-7.25	1.36	1.45
2	AB	14	A	N9-C4	7.25	1.42	1.37
3	AC	21	U	P-O5'	7.25	1.67	1.59
26	BB	910	A	P-O5'	7.25	1.67	1.59
26	BB	1197	G	C2'-O2'	-7.25	1.32	1.41
26	BB	2549	G	C2'-C1'	-7.25	1.45	1.53
26	BB	1802	A	O3'-P	7.25	1.69	1.61
1	AA	608	A	N7-C5	7.25	1.43	1.39
1	AA	1171	A	N9-C4	7.25	1.42	1.37
1	AA	1139	G	C5'-C4'	7.25	1.60	1.51
1	AA	1504	G	P-O5'	7.24	1.67	1.59
26	BB	1715	G	N3-C4	7.24	1.40	1.35
26	BB	1929	G	C8-N7	-7.24	1.26	1.30
26	BB	130	C	C2-N3	7.24	1.41	1.35
1	AA	237	G	C8-N7	7.24	1.35	1.30
25	BA	111	U	C5-C6	7.24	1.40	1.34
26	BB	351	C	N3-C4	7.24	1.39	1.33
26	BB	1056	G	C4'-C3'	7.24	1.61	1.53
26	BB	1277	G	P-O5'	7.24	1.67	1.59
26	BB	392	U	N3-C4	7.24	1.45	1.38
26	BB	1784	A	O3'-P	7.24	1.69	1.61
26	BB	1872	A	N3-C4	7.24	1.39	1.34
26	BB	452	G	N9-C4	7.24	1.43	1.38
26	BB	1068	G	C2-N3	7.24	1.38	1.32
4	AD	39	A	P-O5'	7.24	1.67	1.59
26	BB	1224	U	N1-C2	7.24	1.45	1.38
26	BB	2040	G	N7-C5	7.24	1.43	1.39
26	BB	2326	C	C2-N3	7.24	1.41	1.35
34	BJ	50	TYR	CE1-CZ	7.24	1.48	1.38
1	AA	520	A	C6-N1	-7.23	1.30	1.35
1	AA	390	U	C2-N3	7.23	1.42	1.37
1	AA	445	G	P-O5'	7.23	1.67	1.59
26	BB	2353	G	C2-N3	7.23	1.38	1.32
26	BB	61	C	N1-C6	7.23	1.41	1.37
26	BB	295	G	C5-C6	7.23	1.49	1.42
26	BB	1711	A	N7-C5	-7.23	1.34	1.39
26	BB	2213	U	C2-N3	7.23	1.42	1.37
26	BB	799	G	C6-N1	7.23	1.44	1.39
26	BB	1664	A	C5-C4	-7.23	1.33	1.38
26	BB	1724	G	N7-C5	7.23	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2088	A	C6-N1	7.23	1.40	1.35
26	BB	2532	G	P-O5'	7.23	1.67	1.59
4	AD	39	A	N9-C4	-7.23	1.33	1.37
26	BB	1789	A	N7-C5	-7.23	1.34	1.39
26	BB	2203	U	P-O5'	7.23	1.67	1.59
1	AA	1455	G	C5-C4	-7.22	1.33	1.38
4	AD	5	G	N9-C8	7.22	1.43	1.37
26	BB	272	A	C8-N7	-7.22	1.26	1.31
26	BB	278	A	N3-C4	7.22	1.39	1.34
26	BB	1877	A	C5'-C4'	-7.22	1.42	1.51
26	BB	2631	G	N9-C4	-7.22	1.32	1.38
1	AA	78	A	P-O5'	7.22	1.67	1.59
1	AA	187	G	N9-C4	-7.22	1.32	1.38
26	BB	541	A	P-O5'	7.22	1.67	1.59
26	BB	595	C	C2-N3	7.22	1.41	1.35
26	BB	2873	A	N3-C4	7.22	1.39	1.34
1	AA	236	A	C6-N1	7.22	1.40	1.35
1	AA	413	G	C5'-C4'	7.22	1.60	1.51
26	BB	395	U	P-O5'	7.22	1.67	1.59
26	BB	1950	G	N3-C4	7.22	1.40	1.35
26	BB	403	U	C4'-O4'	-7.22	1.36	1.45
26	BB	465	G	P-O5'	7.22	1.67	1.59
26	BB	547	A	C5-C4	-7.22	1.33	1.38
26	BB	1055	G	N9-C8	-7.22	1.32	1.37
26	BB	1983	G	C5-C4	7.22	1.43	1.38
26	BB	2006	C	N1-C6	7.22	1.41	1.37
1	AA	346	G	C6-N1	7.22	1.44	1.39
26	BB	989	G	P-O5'	7.22	1.67	1.59
1	AA	779	C	P-O5'	7.22	1.67	1.59
1	AA	1305	G	C2-N3	7.22	1.38	1.32
26	BB	241	A	C8-N7	7.22	1.36	1.31
26	BB	749	A	N9-C4	7.22	1.42	1.37
1	AA	1275	A	C5'-C4'	7.21	1.60	1.51
26	BB	223	A	C8-N7	-7.21	1.26	1.31
26	BB	1607	C	N3-C4	7.21	1.39	1.33
26	BB	1867	G	C2-N3	7.21	1.38	1.32
26	BB	2252	G	C6-N1	7.21	1.44	1.39
26	BB	1935	G	N7-C5	7.21	1.43	1.39
26	BB	2488	G	C8-N7	-7.21	1.26	1.30
1	AA	181	A	C4'-O4'	-7.21	1.36	1.45
26	BB	1257	C	C3'-C2'	-7.21	1.44	1.52
26	BB	2858	C	O4'-C1'	7.21	1.51	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1458	G	C3'-C2'	7.21	1.60	1.52
26	BB	636	G	O3'-P	7.21	1.69	1.61
26	BB	2227	A	C5-C4	-7.21	1.33	1.38
26	BB	2347	C	C4-N4	7.21	1.40	1.33
1	AA	421	U	C4-C5	7.20	1.50	1.43
26	BB	847	U	C4'-O4'	-7.20	1.36	1.45
26	BB	1162	G	C8-N7	-7.20	1.26	1.30
1	AA	416	G	C5'-C4'	7.20	1.59	1.51
1	AA	767	A	P-O5'	7.20	1.67	1.59
4	AD	49	C	N1-C6	7.20	1.41	1.37
1	AA	79	G	C6-N1	7.20	1.44	1.39
1	AA	449	G	C2-N3	7.20	1.38	1.32
1	AA	550	G	N7-C5	-7.20	1.34	1.39
1	AA	794	A	C6-N1	-7.20	1.30	1.35
1	AA	1174	G	N7-C5	7.20	1.43	1.39
1	AA	1400	C	O3'-P	7.20	1.69	1.61
26	BB	973	A	N9-C8	-7.20	1.31	1.37
2	AB	28	C	N1-C6	-7.20	1.32	1.37
26	BB	2758	A	O3'-P	7.20	1.69	1.61
1	AA	636	U	C3'-C2'	7.20	1.60	1.52
1	AA	302	G	P-O5'	7.19	1.67	1.59
1	AA	234	C	C2-N3	7.19	1.41	1.35
1	AA	1269	A	P-O5'	7.19	1.67	1.59
26	BB	2	G	C6-N1	7.19	1.44	1.39
41	BQ	94	ARG	NE-CZ	7.19	1.42	1.33
1	AA	1082	A	C8-N7	-7.19	1.26	1.31
1	AA	1318	A	P-O5'	7.19	1.67	1.59
26	BB	1657	U	N1-C2	7.19	1.45	1.38
1	AA	106	C	N1-C6	7.19	1.41	1.37
1	AA	867	G	P-O5'	7.19	1.67	1.59
26	BB	851	C	N1-C2	7.19	1.47	1.40
26	BB	856	G	C2-N3	7.19	1.38	1.32
26	BB	895	U	C5'-C4'	7.19	1.59	1.51
26	BB	2027	G	N3-C4	7.19	1.40	1.35
26	BB	2058	A	C6-N1	-7.19	1.30	1.35
1	AA	578	C	N1-C6	-7.18	1.32	1.37
26	BB	681	G	N9-C8	-7.18	1.32	1.37
1	AA	903	G	C2-N3	7.18	1.38	1.32
1	AA	979	C	C2-N3	7.18	1.41	1.35
3	AC	34	U	C4-C5	7.18	1.50	1.43
26	BB	78	U	C2-N3	7.18	1.42	1.37
26	BB	849	A	C6-N1	7.18	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1808	A	N9-C4	7.18	1.42	1.37
26	BB	1884	G	C8-N7	-7.18	1.26	1.30
26	BB	2628	C	P-O5'	7.18	1.67	1.59
1	AA	412	A	C6-N6	-7.18	1.28	1.33
1	AA	800	G	N3-C4	7.18	1.40	1.35
1	AA	1071	C	N1-C2	7.18	1.47	1.40
26	BB	2681	C	O3'-P	-7.18	1.52	1.61
1	AA	383	A	N3-C4	7.18	1.39	1.34
26	BB	196	A	N9-C4	7.18	1.42	1.37
26	BB	1512	C	P-O5'	7.18	1.67	1.59
26	BB	2886	A	N3-C4	7.18	1.39	1.34
1	AA	1185	G	N9-C4	7.18	1.43	1.38
26	BB	1057	A	N9-C4	7.18	1.42	1.37
26	BB	1076	C	C4'-O4'	-7.18	1.36	1.45
1	AA	846	G	N7-C5	-7.18	1.34	1.39
1	AA	1128	C	N3-C4	7.17	1.39	1.33
26	BB	2019	A	C2-N3	7.17	1.40	1.33
26	BB	2617	U	P-O5'	7.17	1.67	1.59
26	BB	2747	G	C5'-C4'	7.17	1.59	1.51
1	AA	428	G	N1-C2	7.17	1.43	1.37
1	AA	1123	U	C2-N3	7.17	1.42	1.37
1	AA	1219	A	C4'-O4'	-7.17	1.36	1.45
1	AA	1492	A	C4'-O4'	-7.17	1.36	1.45
26	BB	1652	A	N1-C2	-7.17	1.27	1.34
26	BB	1901	A	N7-C5	-7.17	1.34	1.39
26	BB	2066	C	C4-C5	7.17	1.48	1.43
26	BB	1807	G	P-O5'	7.17	1.67	1.59
26	BB	2893	A	C5'-C4'	7.17	1.59	1.51
1	AA	598	U	P-O5'	7.17	1.67	1.59
1	AA	794	A	N3-C4	7.17	1.39	1.34
1	AA	807	A	C8-N7	-7.17	1.26	1.31
1	AA	1356	G	C4'-C3'	7.17	1.61	1.53
26	BB	994	C	C4'-C3'	7.17	1.61	1.53
26	BB	1985	C	C2-N3	-7.17	1.30	1.35
1	AA	1478	U	C4-O4	-7.17	1.18	1.23
26	BB	1079	C	C2'-C1'	-7.17	1.45	1.53
1	AA	145	G	N3-C4	7.16	1.40	1.35
26	BB	775	G	C8-N7	7.16	1.35	1.30
26	BB	2648	G	C4'-O4'	-7.16	1.36	1.45
1	AA	1184	G	C4'-C3'	-7.16	1.45	1.53
26	BB	823	C	C4-C5	7.16	1.48	1.43
26	BB	1502	A	C6-N1	-7.16	1.30	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1588	G	C5'-C4'	7.16	1.59	1.51
1	AA	285	C	C5-C6	7.16	1.40	1.34
1	AA	772	U	C2-N3	7.16	1.42	1.37
26	BB	466	A	N3-C4	7.16	1.39	1.34
26	BB	1984	G	N7-C5	7.16	1.43	1.39
1	AA	487	A	N9-C4	-7.16	1.33	1.37
1	AA	1532	U	C5'-C4'	7.16	1.59	1.51
26	BB	2413	G	C6-O6	-7.16	1.17	1.24
1	AA	307	C	C5-C6	7.16	1.40	1.34
26	BB	27	G	O3'-P	7.16	1.69	1.61
26	BB	75	G	N3-C4	7.16	1.40	1.35
1	AA	528	C	C5'-C4'	7.16	1.59	1.51
1	AA	1347	G	C4'-O4'	-7.16	1.36	1.45
26	BB	92	U	C5'-C4'	7.16	1.59	1.51
26	BB	489	G	N7-C5	7.16	1.43	1.39
1	AA	175	C	C2-N3	7.15	1.41	1.35
1	AA	1328	C	P-O5'	7.15	1.67	1.59
26	BB	1120	G	N9-C8	7.15	1.42	1.37
1	AA	939	G	C6-N1	-7.15	1.34	1.39
1	AA	1291	U	P-O5'	7.15	1.67	1.59
26	BB	659	G	N9-C8	-7.15	1.32	1.37
26	BB	2386	A	C5'-C4'	7.15	1.59	1.51
1	AA	939	G	C5-C6	7.15	1.49	1.42
25	BA	8	C	C4'-O4'	-7.15	1.36	1.45
26	BB	186	G	C5'-C4'	7.15	1.59	1.51
26	BB	214	G	N9-C8	7.15	1.42	1.37
26	BB	736	C	O3'-P	7.15	1.69	1.61
26	BB	752	A	C2'-O2'	7.15	1.50	1.41
26	BB	848	C	N1-C6	7.15	1.41	1.37
26	BB	2767	C	P-O5'	7.15	1.67	1.59
2	AB	21	A	P-O5'	-7.15	1.52	1.59
26	BB	760	G	C2-N3	7.15	1.38	1.32
26	BB	20	C	C4'-C3'	-7.15	1.45	1.53
26	BB	332	A	C4'-O4'	-7.15	1.36	1.45
26	BB	723	C	C2-O2	-7.15	1.18	1.24
26	BB	2364	C	N1-C6	7.15	1.41	1.37
26	BB	1373	A	C5'-C4'	7.15	1.59	1.51
1	AA	1311	A	N9-C4	7.14	1.42	1.37
3	AC	52	U	N1-C2	7.14	1.45	1.38
1	AA	389	A	N3-C4	7.14	1.39	1.34
1	AA	533	A	C4'-C3'	7.14	1.61	1.53
1	AA	922	G	N3-C4	7.14	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1320	C	C4'-C3'	7.14	1.61	1.53
4	AD	11	A	C4'-O4'	-7.14	1.36	1.45
26	BB	2491	U	C4-C5	7.14	1.50	1.43
26	BB	1623	G	C2-N3	7.14	1.38	1.32
1	AA	1122	U	O3'-P	7.14	1.69	1.61
3	AC	50	U	N1-C2	7.14	1.45	1.38
26	BB	348	A	P-O5'	7.14	1.66	1.59
26	BB	2830	C	O4'-C1'	7.14	1.50	1.41
26	BB	2872	A	N3-C4	7.14	1.39	1.34
3	AC	49	U	N1-C2	7.14	1.45	1.38
26	BB	960	A	C8-N7	-7.14	1.26	1.31
26	BB	712	G	N9-C4	7.14	1.43	1.38
26	BB	2396	G	N1-C2	7.14	1.43	1.37
26	BB	1298	C	C4'-O4'	-7.13	1.36	1.45
26	BB	1534	U	C2-N3	-7.13	1.32	1.37
26	BB	2301	C	C2'-O2'	-7.13	1.32	1.41
1	AA	197	A	C5-C6	7.13	1.47	1.41
1	AA	257	G	C6-O6	-7.13	1.17	1.24
26	BB	2083	G	N9-C8	7.13	1.42	1.37
26	BB	2846	G	C2-N3	7.13	1.38	1.32
2	AB	50	G	C4'-O4'	-7.13	1.36	1.45
26	BB	246	C	C5-C6	7.13	1.40	1.34
26	BB	633	A	N3-C4	7.13	1.39	1.34
1	AA	901	A	C5'-C4'	7.13	1.59	1.51
1	AA	1001	C	N1-C6	-7.13	1.32	1.37
1	AA	1079	G	N9-C8	7.13	1.42	1.37
1	AA	1337	G	C8-N7	-7.13	1.26	1.30
2	AB	57	G	N3-C4	7.13	1.40	1.35
26	BB	181	A	C6-N6	7.13	1.39	1.33
26	BB	676	A	C6-N6	7.13	1.39	1.33
26	BB	1236	G	P-O5'	7.13	1.66	1.59
26	BB	1798	U	C2'-C1'	7.13	1.61	1.53
1	AA	610	U	C2-N3	7.12	1.42	1.37
26	BB	848	C	C5-C6	7.12	1.40	1.34
26	BB	854	C	N3-C4	-7.12	1.28	1.33
1	AA	807	A	N9-C8	7.12	1.43	1.37
1	AA	1420	U	C2-O2	7.12	1.28	1.22
1	AA	1512	U	C4-O4	-7.12	1.18	1.23
25	BA	93	C	N1-C6	7.12	1.41	1.37
26	BB	439	A	N7-C5	7.12	1.43	1.39
26	BB	1206	G	N9-C8	7.12	1.42	1.37
26	BB	2501	C	N1-C6	7.12	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2752	C	P-O5'	-7.12	1.52	1.59
1	AA	82	G	C6-N1	7.12	1.44	1.39
26	BB	2298	A	N3-C4	7.12	1.39	1.34
1	AA	1320	C	C4'-O4'	-7.12	1.36	1.45
26	BB	2448	A	C4'-O4'	-7.12	1.36	1.45
26	BB	704	G	C8-N7	-7.12	1.26	1.30
26	BB	1492	G	N1-C2	7.12	1.43	1.37
26	BB	1558	C	N3-C4	7.12	1.39	1.33
1	AA	32	A	N9-C4	-7.11	1.33	1.37
26	BB	2237	G	C2-N3	7.11	1.38	1.32
1	AA	1056	U	C4-C5	7.11	1.50	1.43
26	BB	1027	A	C8-N7	-7.11	1.26	1.31
26	BB	2205	A	N3-C4	7.11	1.39	1.34
26	BB	2887	A	N9-C4	7.11	1.42	1.37
1	AA	355	C	C5'-C4'	7.11	1.59	1.51
26	BB	2217	G	C2-N3	7.11	1.38	1.32
1	AA	1432	G	N1-C2	7.11	1.43	1.37
26	BB	120	U	N1-C6	7.11	1.44	1.38
26	BB	175	G	N9-C4	7.11	1.43	1.38
26	BB	616	A	C6-N6	7.11	1.39	1.33
26	BB	1569	A	P-O5'	7.11	1.66	1.59
26	BB	1613	G	C4'-O4'	-7.11	1.36	1.45
1	AA	728	A	C6-N1	7.11	1.40	1.35
26	BB	2016	U	C5-C6	7.11	1.40	1.34
1	AA	438	U	O4'-C1'	7.10	1.50	1.41
1	AA	168	G	N3-C4	7.10	1.40	1.35
1	AA	856	C	N3-C4	-7.10	1.28	1.33
4	AD	3	C	O4'-C1'	7.10	1.50	1.41
25	BA	44	G	N7-C5	-7.10	1.34	1.39
26	BB	476	G	N3-C4	7.10	1.40	1.35
1	AA	172	A	N9-C8	7.10	1.43	1.37
1	AA	691	G	C5'-C4'	7.10	1.59	1.51
1	AA	204	G	C2'-C1'	-7.10	1.45	1.53
26	BB	597	G	N9-C4	7.10	1.43	1.38
1	AA	466	A	C4'-O4'	-7.10	1.36	1.45
1	AA	550	G	C5-C4	7.10	1.43	1.38
1	AA	870	U	C5-C6	7.10	1.40	1.34
1	AA	1152	A	C4'-O4'	-7.10	1.36	1.45
4	AD	43	G	C8-N7	-7.10	1.26	1.30
1	AA	361	G	C8-N7	7.10	1.35	1.30
26	BB	604	G	C5'-C4'	7.10	1.59	1.51
26	BB	714	U	C2'-C1'	7.10	1.61	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1336	A	C5'-C4'	7.09	1.59	1.51
26	BB	1608	A	N9-C4	7.09	1.42	1.37
26	BB	2486	C	P-O5'	7.09	1.66	1.59
26	BB	2529	G	C5'-C4'	7.09	1.59	1.51
26	BB	2847	U	N1-C2	7.09	1.45	1.38
4	AD	50	G	C2-N3	7.09	1.38	1.32
26	BB	1777	U	C4'-O4'	-7.09	1.36	1.45
26	BB	1829	A	N7-C5	-7.09	1.34	1.39
26	BB	2308	G	N3-C4	-7.09	1.30	1.35
1	AA	84	U	N3-C4	7.09	1.44	1.38
26	BB	307	G	O3'-P	7.09	1.69	1.61
1	AA	778	G	C6-N1	7.09	1.44	1.39
26	BB	1954	G	N7-C5	-7.09	1.34	1.39
26	BB	2768	U	C2'-C1'	7.09	1.61	1.53
1	AA	90	C	N1-C6	7.08	1.41	1.37
1	AA	597	G	C2-N3	7.08	1.38	1.32
1	AA	1013	G	P-O5'	7.08	1.66	1.59
26	BB	643	A	C6-N6	7.08	1.39	1.33
26	BB	751	A	C8-N7	-7.08	1.26	1.31
26	BB	1108	U	O3'-P	7.08	1.69	1.61
26	BB	1901	A	C5-C4	7.08	1.43	1.38
1	AA	839	C	C4'-O4'	-7.08	1.36	1.45
1	AA	862	C	C5'-C4'	7.08	1.59	1.51
26	BB	69	C	C4'-O4'	-7.08	1.36	1.45
26	BB	136	G	N3-C4	7.08	1.40	1.35
26	BB	2038	G	C5-C4	7.08	1.43	1.38
26	BB	1654	A	C4'-C3'	7.08	1.60	1.53
26	BB	1687	G	C8-N7	7.08	1.35	1.30
26	BB	265	A	N3-C4	7.08	1.39	1.34
26	BB	1451	C	C4'-O4'	-7.08	1.36	1.45
26	BB	2866	U	C4-O4	-7.08	1.18	1.23
1	AA	489	C	C4'-C3'	7.08	1.60	1.53
26	BB	1526	C	N3-C4	7.08	1.39	1.33
26	BB	1844	C	C3'-C2'	-7.08	1.45	1.52
1	AA	559	A	N3-C4	7.08	1.39	1.34
1	AA	1160	G	C2'-C1'	-7.08	1.45	1.53
1	AA	1431	A	C6-N6	7.08	1.39	1.33
26	BB	559	G	C6-O6	-7.08	1.17	1.24
26	BB	1552	A	N9-C4	7.08	1.42	1.37
1	AA	654	G	N9-C4	7.07	1.43	1.38
26	BB	1068	G	P-O5'	7.07	1.66	1.59
1	AA	833	G	P-O5'	7.07	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1140	C	C4-C5	-7.07	1.37	1.43
1	AA	900	A	O3'-P	7.07	1.69	1.61
1	AA	1253	G	C2-N3	7.07	1.38	1.32
25	BA	94	A	C5-C6	7.07	1.47	1.41
26	BB	334	C	O3'-P	7.07	1.69	1.61
26	BB	1112	G	C4'-O4'	-7.07	1.36	1.45
26	BB	2403	C	N3-C4	7.07	1.38	1.33
26	BB	1521	G	C5-C4	7.07	1.43	1.38
26	BB	1712	U	N1-C2	7.07	1.45	1.38
26	BB	1814	G	P-O5'	7.07	1.66	1.59
1	AA	137	U	C4-C5	7.07	1.50	1.43
1	AA	289	G	N1-C2	7.07	1.43	1.37
1	AA	630	A	O3'-P	7.07	1.69	1.61
1	AA	1522	U	N3-C4	7.07	1.44	1.38
1	AA	544	G	N7-C5	7.07	1.43	1.39
26	BB	141	G	C5-C4	-7.07	1.33	1.38
26	BB	1603	A	N9-C4	-7.07	1.33	1.37
26	BB	1784	A	C3'-C2'	7.07	1.60	1.52
1	AA	836	G	C2-N3	7.06	1.38	1.32
1	AA	1375	A	O3'-P	7.06	1.69	1.61
26	BB	776	G	C4'-C3'	7.06	1.60	1.53
26	BB	1824	G	C4'-O4'	-7.06	1.36	1.45
26	BB	2195	U	C5-C6	7.06	1.40	1.34
1	AA	6	G	C6-N1	7.06	1.44	1.39
1	AA	104	G	N1-C2	7.06	1.43	1.37
1	AA	427	U	N1-C6	7.06	1.44	1.38
3	AC	47	C	C4-C5	7.06	1.48	1.43
3	AC	50	U	C3'-O3'	7.06	1.52	1.42
26	BB	2176	A	N3-C4	7.06	1.39	1.34
1	AA	1039	G	C5'-C4'	7.06	1.59	1.51
1	AA	1312	G	N9-C8	-7.06	1.32	1.37
26	BB	2718	G	N1-C2	7.06	1.43	1.37
1	AA	157	U	C4-C5	7.06	1.50	1.43
1	AA	725	G	C8-N7	-7.06	1.26	1.30
26	BB	713	G	O3'-P	7.06	1.69	1.61
26	BB	753	A	P-O5'	7.06	1.66	1.59
2	AB	33	U	C5'-C4'	7.06	1.59	1.51
1	AA	259	G	C8-N7	7.06	1.35	1.30
4	AD	64	G	O4'-C1'	7.06	1.50	1.41
26	BB	1222	U	C5-C6	7.06	1.40	1.34
1	AA	7	A	C1'-N9	7.05	1.59	1.48
1	AA	327	A	C2'-C1'	-7.05	1.45	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	633	G	N1-C2	7.05	1.43	1.37
1	AA	917	G	N9-C4	7.05	1.43	1.38
1	AA	1263	C	C5-C6	7.05	1.40	1.34
26	BB	695	G	P-O5'	7.05	1.66	1.59
26	BB	1698	A	N9-C8	-7.05	1.32	1.37
26	BB	1907	G	C6-N1	-7.05	1.34	1.39
26	BB	2244	U	C4-C5	7.05	1.49	1.43
26	BB	2416	C	O3'-P	7.05	1.69	1.61
26	BB	2700	A	C5-C4	-7.05	1.33	1.38
26	BB	1006	C	C4-C5	7.05	1.48	1.43
26	BB	1359	A	C4'-O4'	-7.05	1.36	1.45
26	BB	2019	A	N9-C4	-7.05	1.33	1.37
26	BB	618	G	C8-N7	-7.05	1.26	1.30
1	AA	18	C	N1-C6	-7.05	1.32	1.37
1	AA	74	A	O3'-P	7.05	1.69	1.61
1	AA	961	U	C3'-C2'	-7.05	1.45	1.52
1	AA	1057	G	N9-C8	7.05	1.42	1.37
1	AA	1146	A	C6-N6	7.05	1.39	1.33
26	BB	2347	C	C5-C6	7.05	1.40	1.34
26	BB	2764	A	C4'-O4'	-7.05	1.36	1.45
1	AA	1428	A	C4'-O4'	-7.05	1.36	1.45
26	BB	1777	U	C4-C5	7.05	1.49	1.43
1	AA	1004	A	C2-N3	7.05	1.39	1.33
1	AA	1285	A	C5'-C4'	7.05	1.59	1.51
25	BA	2	G	C6-N1	7.05	1.44	1.39
26	BB	180	G	N9-C4	7.05	1.43	1.38
26	BB	885	C	C2-N3	7.05	1.41	1.35
26	BB	1179	G	N7-C5	7.05	1.43	1.39
26	BB	2092	U	N1-C2	7.05	1.44	1.38
26	BB	2433	A	O4'-C1'	7.05	1.50	1.41
26	BB	2836	U	P-O5'	7.05	1.66	1.59
26	BB	726	G	C5'-C4'	7.04	1.59	1.51
26	BB	985	C	C4-C5	7.04	1.48	1.43
26	BB	2212	A	N9-C4	7.04	1.42	1.37
1	AA	1302	C	N1-C6	7.04	1.41	1.37
1	AA	1347	G	N9-C4	-7.04	1.32	1.38
1	AA	1368	A	N9-C4	7.04	1.42	1.37
26	BB	1197	G	N3-C4	-7.04	1.30	1.35
26	BB	2765	A	O3'-P	7.04	1.69	1.61
26	BB	2802	G	N1-C2	7.04	1.43	1.37
1	AA	198	G	N7-C5	7.04	1.43	1.39
1	AA	949	A	N3-C4	7.04	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1106	G	C3'-C2'	-7.04	1.45	1.52
1	AA	1264	U	P-O5'	7.04	1.66	1.59
25	BA	39	A	N1-C2	7.04	1.40	1.34
25	BA	49	C	P-O5'	-7.04	1.52	1.59
26	BB	2	G	O3'-P	-7.04	1.52	1.61
26	BB	371	A	C8-N7	-7.04	1.26	1.31
26	BB	1500	G	C2-N3	7.04	1.38	1.32
26	BB	2148	G	C2-N3	7.04	1.38	1.32
26	BB	2248	C	N1-C6	7.04	1.41	1.37
1	AA	851	G	N9-C4	-7.04	1.32	1.38
1	AA	1364	U	N3-C4	7.04	1.44	1.38
1	AA	1501	C	P-O5'	7.04	1.66	1.59
26	BB	1412	U	P-O5'	7.04	1.66	1.59
26	BB	2749	A	C6-N1	-7.04	1.30	1.35
26	BB	2838	G	C2-N3	7.04	1.38	1.32
25	BA	94	A	N9-C4	7.04	1.42	1.37
26	BB	226	A	C5'-C4'	7.04	1.59	1.51
26	BB	289	G	N7-C5	-7.04	1.35	1.39
26	BB	528	A	N3-C4	7.04	1.39	1.34
1	AA	962	C	P-O5'	7.04	1.66	1.59
1	AA	1374	A	N1-C2	7.04	1.40	1.34
26	BB	785	G	N9-C8	-7.04	1.32	1.37
26	BB	958	U	N1-C2	7.04	1.44	1.38
26	BB	1794	A	N3-C4	7.04	1.39	1.34
26	BB	2582	G	C5'-C4'	7.04	1.59	1.51
1	AA	357	G	N9-C8	-7.03	1.32	1.37
1	AA	534	U	P-O5'	7.03	1.66	1.59
1	AA	877	G	C5-C4	7.03	1.43	1.38
26	BB	85	G	N9-C8	7.03	1.42	1.37
26	BB	1676	A	N3-C4	7.03	1.39	1.34
26	BB	1873	G	N3-C4	7.03	1.40	1.35
26	BB	1914	C	C4-C5	7.03	1.48	1.43
26	BB	2382	G	N3-C4	7.03	1.40	1.35
1	AA	780	A	N1-C2	-7.03	1.28	1.34
1	AA	1179	A	N9-C8	-7.03	1.32	1.37
26	BB	2606	C	P-O5'	7.03	1.66	1.59
1	AA	1182	G	N3-C4	7.03	1.40	1.35
26	BB	677	A	C6-N1	-7.03	1.30	1.35
1	AA	305	G	N3-C4	7.03	1.40	1.35
4	AD	28	U	N1-C6	-7.03	1.31	1.38
26	BB	545	U	N1-C2	7.03	1.44	1.38
26	BB	2211	A	C6-N6	7.03	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	796	C	N1-C2	7.03	1.47	1.40
1	AA	1139	G	C2-N3	7.03	1.38	1.32
1	AA	308	C	C5'-C4'	7.03	1.59	1.51
1	AA	507	C	P-O5'	7.03	1.66	1.59
1	AA	586	C	N3-C4	-7.03	1.29	1.33
1	AA	794	A	N9-C4	7.03	1.42	1.37
26	BB	610	C	C5'-C4'	7.03	1.59	1.51
26	BB	1680	U	C2-N3	7.03	1.42	1.37
1	AA	321	A	N7-C5	7.02	1.43	1.39
26	BB	938	G	N1-C2	7.02	1.43	1.37
26	BB	2791	G	P-O5'	7.02	1.66	1.59
2	AB	59	G	N7-C5	-7.02	1.35	1.39
26	BB	683	U	C2-N3	7.02	1.42	1.37
1	AA	635	A	N9-C4	7.02	1.42	1.37
1	AA	655	A	P-O5'	7.02	1.66	1.59
26	BB	98	G	C3'-C2'	-7.02	1.45	1.52
26	BB	280	U	C4'-O4'	-7.02	1.36	1.45
26	BB	2623	G	N3-C4	-7.02	1.30	1.35
26	BB	2747	G	P-O5'	7.02	1.66	1.59
26	BB	655	A	C4'-O4'	-7.02	1.36	1.45
26	BB	1218	G	P-O5'	7.02	1.66	1.59
26	BB	1805	A	C8-N7	-7.02	1.26	1.31
26	BB	1843	C	N1-C6	7.02	1.41	1.37
1	AA	592	G	C5'-C4'	7.02	1.59	1.51
26	BB	493	G	C2-N3	7.02	1.38	1.32
26	BB	275	C	C5-C6	7.01	1.40	1.34
26	BB	1807	G	N9-C4	7.01	1.43	1.38
26	BB	2530	A	N9-C8	-7.01	1.32	1.37
1	AA	78	A	C4'-O4'	-7.01	1.36	1.45
26	BB	30	G	C6-O6	-7.01	1.17	1.24
26	BB	297	G	N9-C4	-7.01	1.32	1.38
1	AA	913	A	N3-C4	7.01	1.39	1.34
1	AA	1053	G	N3-C4	7.01	1.40	1.35
26	BB	317	G	C2-N3	7.01	1.38	1.32
26	BB	333	G	N1-C2	7.01	1.43	1.37
1	AA	898	G	C4'-O4'	-7.01	1.36	1.45
12	AL	89	TYR	CG-CD2	7.01	1.48	1.39
26	BB	562	U	P-O5'	7.01	1.66	1.59
26	BB	2127	G	N7-C5	7.01	1.43	1.39
26	BB	2714	G	C8-N7	-7.01	1.26	1.30
26	BB	2799	A	N3-C4	7.01	1.39	1.34
1	AA	193	C	C5-C6	7.00	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	28	C	C4'-C3'	7.00	1.60	1.53
26	BB	2590	A	N7-C5	-7.00	1.35	1.39
1	AA	365	U	C2-N3	7.00	1.42	1.37
1	AA	976	G	N7-C5	7.00	1.43	1.39
1	AA	1300	G	N9-C4	-7.00	1.32	1.38
1	AA	1332	A	P-O5'	7.00	1.66	1.59
26	BB	199	A	C8-N7	-7.00	1.26	1.31
26	BB	1860	G	N9-C8	7.00	1.42	1.37
26	BB	2570	G	N7-C5	7.00	1.43	1.39
26	BB	2757	A	N9-C8	7.00	1.43	1.37
26	BB	2759	G	N7-C5	7.00	1.43	1.39
1	AA	565	U	C3'-C2'	7.00	1.60	1.52
1	AA	616	G	N9-C8	-7.00	1.32	1.37
1	AA	893	C	C4'-O4'	-7.00	1.36	1.45
1	AA	1384	C	C4'-O4'	-7.00	1.36	1.45
26	BB	252	G	N7-C5	-7.00	1.35	1.39
26	BB	1804	C	N3-C4	7.00	1.38	1.33
26	BB	1375	U	C4'-O4'	-7.00	1.36	1.45
1	AA	1534	A	N3-C4	7.00	1.39	1.34
26	BB	1852	U	C2-N3	7.00	1.42	1.37
1	AA	699	C	C5-C6	7.00	1.40	1.34
25	BA	36	C	O3'-P	7.00	1.69	1.61
26	BB	1022	G	N7-C5	-7.00	1.35	1.39
26	BB	1844	C	N1-C6	7.00	1.41	1.37
26	BB	1899	A	C4'-C3'	7.00	1.60	1.53
1	AA	305	G	C5-C6	7.00	1.49	1.42
26	BB	1580	A	O3'-P	7.00	1.69	1.61
1	AA	413	G	C8-N7	-6.99	1.26	1.30
1	AA	1484	C	N1-C6	6.99	1.41	1.37
25	BA	115	A	P-O5'	6.99	1.66	1.59
26	BB	95	A	N1-C2	-6.99	1.28	1.34
26	BB	444	C	C4'-O4'	-6.99	1.36	1.45
26	BB	1041	G	N7-C5	6.99	1.43	1.39
26	BB	1840	G	C8-N7	6.99	1.35	1.30
1	AA	172	A	N7-C5	6.99	1.43	1.39
25	BA	34	A	O3'-P	6.99	1.69	1.61
26	BB	1844	C	C4-C5	6.99	1.48	1.43
1	AA	519	C	C5-C6	6.99	1.40	1.34
26	BB	544	C	P-O5'	6.99	1.66	1.59
26	BB	920	A	P-O5'	6.99	1.66	1.59
26	BB	1777	U	C2-O2	6.99	1.28	1.22
1	AA	13	U	N1-C6	6.99	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1472	U	C2-N3	6.99	1.42	1.37
26	BB	690	G	C6-N1	6.99	1.44	1.39
26	BB	873	C	N1-C6	6.99	1.41	1.37
26	BB	924	G	P-O5'	6.99	1.66	1.59
26	BB	2741	A	C5-C4	-6.99	1.33	1.38
26	BB	559	G	C6-N1	6.99	1.44	1.39
1	AA	11	G	C3'-C2'	6.99	1.60	1.52
1	AA	112	G	P-O5'	6.99	1.66	1.59
4	AD	4	G	P-O5'	6.99	1.66	1.59
26	BB	376	G	N7-C5	-6.99	1.35	1.39
26	BB	1165	A	N7-C5	-6.99	1.35	1.39
26	BB	1400	U	C4'-O4'	-6.99	1.36	1.45
26	BB	1811	G	C5-C4	-6.99	1.33	1.38
26	BB	1840	G	N9-C4	6.99	1.43	1.38
1	AA	867	G	C6-N1	-6.98	1.34	1.39
1	AA	1152	A	C6-N6	6.98	1.39	1.33
1	AA	1314	C	C5-C6	6.98	1.40	1.34
1	AA	836	G	C3'-C2'	6.98	1.60	1.52
1	AA	1527	U	C3'-C2'	-6.98	1.45	1.52
26	BB	78	U	C3'-O3'	-6.98	1.32	1.42
26	BB	126	A	C4'-O4'	-6.98	1.36	1.45
26	BB	261	G	C8-N7	6.98	1.35	1.30
26	BB	1556	C	N3-C4	-6.98	1.29	1.33
1	AA	305	G	P-O5'	6.98	1.66	1.59
1	AA	719	C	P-O5'	6.98	1.66	1.59
1	AA	1194	U	N1-C2	6.98	1.44	1.38
1	AA	1404	C	N1-C6	6.98	1.41	1.37
26	BB	789	A	O3'-P	-6.98	1.52	1.61
26	BB	1429	G	N3-C4	6.98	1.40	1.35
26	BB	2738	A	O4'-C1'	6.98	1.50	1.41
1	AA	377	G	C5-C4	-6.98	1.33	1.38
1	AA	479	U	N3-C4	6.98	1.44	1.38
26	BB	598	U	C2-O2	6.98	1.28	1.22
26	BB	1394	U	C5'-C4'	6.98	1.59	1.51
1	AA	502	A	C5-C6	6.98	1.47	1.41
1	AA	567	G	C4'-O4'	-6.98	1.36	1.45
1	AA	658	C	C2-N3	6.98	1.41	1.35
1	AA	659	U	N1-C2	6.98	1.44	1.38
1	AA	1014	A	N7-C5	6.98	1.43	1.39
1	AA	122	G	C6-N1	6.98	1.44	1.39
26	BB	2014	A	P-O5'	6.98	1.66	1.59
1	AA	270	A	C6-N1	-6.97	1.30	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2374	C	N3-C4	6.97	1.38	1.33
26	BB	2547	A	C6-N1	-6.97	1.30	1.35
26	BB	2803	G	N9-C8	-6.97	1.32	1.37
1	AA	6	G	N3-C4	6.97	1.40	1.35
1	AA	470	C	N1-C6	-6.97	1.32	1.37
1	AA	810	C	N1-C6	6.97	1.41	1.37
2	AB	66	C	C4'-O4'	-6.97	1.36	1.45
26	BB	772	C	C4'-O4'	-6.97	1.36	1.45
26	BB	969	G	C2-N3	6.97	1.38	1.32
26	BB	1510	G	C2-N3	6.97	1.38	1.32
26	BB	1753	G	C8-N7	-6.97	1.26	1.30
26	BB	1647	U	N1-C2	6.97	1.44	1.38
26	BB	2664	G	C5-C6	6.97	1.49	1.42
26	BB	1212	G	N3-C4	6.97	1.40	1.35
26	BB	1784	A	P-O5'	6.97	1.66	1.59
1	AA	347	G	C6-O6	-6.97	1.17	1.24
1	AA	469	C	O3'-P	6.97	1.69	1.61
1	AA	1257	A	C5-C6	6.97	1.47	1.41
26	BB	342	A	N9-C4	6.97	1.42	1.37
26	BB	1701	A	N9-C4	-6.97	1.33	1.37
26	BB	859	G	P-O5'	6.97	1.66	1.59
26	BB	908	C	P-O5'	6.97	1.66	1.59
26	BB	1158	C	C3'-C2'	6.97	1.60	1.52
26	BB	2147	A	N3-C4	6.97	1.39	1.34
1	AA	859	G	N1-C2	6.96	1.43	1.37
3	AC	17	U	P-O5'	6.96	1.66	1.59
26	BB	804	A	C6-N1	6.96	1.40	1.35
26	BB	111	A	C5-C4	-6.96	1.33	1.38
26	BB	2636	C	N1-C6	6.96	1.41	1.37
1	AA	977	A	C5-C4	-6.96	1.33	1.38
1	AA	1296	C	N1-C6	6.96	1.41	1.37
1	AA	1311	A	C5'-C4'	6.96	1.59	1.51
26	BB	331	C	C5-C6	6.96	1.40	1.34
26	BB	1451	C	N1-C6	6.96	1.41	1.37
26	BB	1877	A	N7-C5	6.96	1.43	1.39
1	AA	181	A	C5'-C4'	6.96	1.59	1.51
1	AA	387	U	C2-N3	-6.96	1.32	1.37
1	AA	576	C	N1-C6	6.96	1.41	1.37
26	BB	476	G	N7-C5	-6.96	1.35	1.39
26	BB	676	A	N3-C4	6.96	1.39	1.34
26	BB	1275	A	C3'-C2'	6.96	1.60	1.52
1	AA	509	A	C6-N6	6.96	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	34	U	C2-O2	6.96	1.28	1.22
3	AC	59	A	P-O5'	-6.95	1.52	1.59
26	BB	2677	G	C8-N7	6.95	1.35	1.30
1	AA	1351	U	C4'-C3'	-6.95	1.45	1.53
1	AA	476	U	C2'-C1'	-6.95	1.45	1.53
26	BB	2646	C	C5-C6	6.95	1.40	1.34
1	AA	891	U	C4-O4	-6.95	1.18	1.23
2	AB	63	C	C4'-C3'	6.95	1.60	1.53
26	BB	684	G	N9-C8	-6.95	1.32	1.37
26	BB	2662	A	N9-C4	6.95	1.42	1.37
1	AA	453	G	O3'-P	6.95	1.69	1.61
1	AA	622	A	C6-N6	6.95	1.39	1.33
1	AA	834	U	C4'-O4'	-6.95	1.36	1.45
26	BB	346	A	C4'-O4'	-6.95	1.36	1.45
26	BB	414	C	C4-C5	6.95	1.48	1.43
26	BB	668	A	C4'-O4'	-6.95	1.36	1.45
26	BB	983	A	N7-C5	6.95	1.43	1.39
26	BB	1973	G	P-O5'	6.95	1.66	1.59
1	AA	881	G	N1-C2	6.94	1.43	1.37
26	BB	1132	U	C4-C5	6.94	1.49	1.43
1	AA	362	G	N1-C2	6.94	1.43	1.37
1	AA	870	U	C5'-C4'	6.94	1.59	1.51
3	AC	57	C	C2'-O2'	6.94	1.50	1.41
1	AA	905	U	C4-C5	6.94	1.49	1.43
1	AA	1179	A	N9-C4	6.94	1.42	1.37
26	BB	263	G	N1-C2	6.94	1.43	1.37
28	BD	61	TYR	CE1-CZ	6.94	1.47	1.38
1	AA	426	U	C4'-O4'	-6.94	1.36	1.45
26	BB	1047	G	N3-C4	6.94	1.40	1.35
26	BB	2481	G	C8-N7	6.94	1.35	1.30
1	AA	79	G	N9-C8	6.94	1.42	1.37
26	BB	152	A	N7-C5	-6.94	1.35	1.39
26	BB	1882	U	O3'-P	6.94	1.69	1.61
26	BB	2295	C	C2-O2	-6.94	1.18	1.24
26	BB	1061	U	C4'-O4'	-6.94	1.36	1.45
26	BB	1430	G	N3-C4	6.94	1.40	1.35
26	BB	2881	U	C2-N3	6.94	1.42	1.37
1	AA	628	G	P-O5'	6.93	1.66	1.59
1	AA	944	G	N7-C5	6.93	1.43	1.39
1	AA	1043	G	P-O5'	6.93	1.66	1.59
1	AA	1454	G	C5'-C4'	6.93	1.59	1.51
26	BB	291	G	P-O5'	6.93	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1909	C	N1-C6	6.93	1.41	1.37
26	BB	2288	A	N3-C4	6.93	1.39	1.34
26	BB	46	G	C2'-C1'	6.93	1.60	1.53
26	BB	1281	G	P-O5'	6.93	1.66	1.59
1	AA	431	A	N3-C4	6.93	1.39	1.34
26	BB	1168	G	N7-C5	-6.93	1.35	1.39
1	AA	1162	C	N1-C6	6.93	1.41	1.37
1	AA	1232	U	C2-N3	6.93	1.42	1.37
1	AA	1493	A	C8-N7	-6.93	1.26	1.31
26	BB	48	G	N9-C4	-6.93	1.32	1.38
26	BB	1119	U	C4-O4	-6.93	1.18	1.23
26	BB	293	U	N3-C4	6.93	1.44	1.38
26	BB	1841	U	C4'-C3'	6.93	1.60	1.53
3	AC	24	A	C6-N6	-6.93	1.28	1.33
25	BA	79	G	N1-C2	6.93	1.43	1.37
26	BB	363	G	C6-N1	6.93	1.44	1.39
26	BB	1084	A	N7-C5	-6.93	1.35	1.39
26	BB	2345	G	N3-C4	6.93	1.40	1.35
26	BB	2609	U	O3'-P	6.93	1.69	1.61
1	AA	109	A	C5'-C4'	6.92	1.59	1.51
26	BB	226	A	N9-C8	6.92	1.43	1.37
26	BB	2031	A	N9-C4	-6.92	1.33	1.37
26	BB	2307	G	C4'-O4'	-6.92	1.36	1.45
26	BB	2366	A	C5'-C4'	6.92	1.59	1.51
26	BB	1959	G	C4'-O4'	-6.92	1.36	1.45
26	BB	2510	C	C2-N3	6.92	1.41	1.35
1	AA	117	G	N1-C2	6.92	1.43	1.37
1	AA	627	G	C2-N3	6.92	1.38	1.32
1	AA	661	G	C6-N1	6.92	1.44	1.39
26	BB	853	C	N3-C4	6.92	1.38	1.33
26	BB	2280	G	C2-N3	6.92	1.38	1.32
26	BB	2308	G	N1-C2	6.92	1.43	1.37
26	BB	2642	G	N1-C2	6.92	1.43	1.37
1	AA	1473	G	C4'-C3'	-6.92	1.45	1.53
26	BB	2173	A	N9-C4	6.92	1.42	1.37
1	AA	1040	U	C4-C5	6.92	1.49	1.43
26	BB	1700	A	C8-N7	-6.92	1.26	1.31
1	AA	1229	A	C6-N6	-6.92	1.28	1.33
1	AA	1231	G	N9-C4	6.92	1.43	1.38
25	BA	3	C	C4-C5	6.92	1.48	1.43
26	BB	60	G	N3-C4	6.92	1.40	1.35
26	BB	674	G	C5-C4	-6.92	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1484	U	C5-C6	6.92	1.40	1.34
26	BB	2793	C	C5'-C4'	6.92	1.59	1.51
1	AA	352	C	C5-C6	-6.92	1.28	1.34
1	AA	1430	A	N7-C5	6.92	1.43	1.39
1	AA	691	G	N3-C4	-6.91	1.30	1.35
1	AA	950	U	C2-N3	6.91	1.42	1.37
2	AB	76	A	P-O5'	-6.91	1.52	1.59
26	BB	1868	C	C2'-O2'	-6.91	1.32	1.41
26	BB	2096	C	C5-C6	-6.91	1.28	1.34
26	BB	2867	G	C2-N3	6.91	1.38	1.32
1	AA	352	C	C4'-O4'	-6.91	1.36	1.45
1	AA	1521	C	C2-O2	-6.91	1.18	1.24
26	BB	837	C	C5-C6	6.91	1.39	1.34
26	BB	54	G	C2-N3	6.91	1.38	1.32
26	BB	287	G	N3-C4	6.91	1.40	1.35
26	BB	401	A	C8-N7	-6.91	1.26	1.31
26	BB	613	A	C6-N6	-6.91	1.28	1.33
26	BB	1374	G	C4'-O4'	-6.91	1.36	1.45
26	BB	1014	A	N9-C4	-6.91	1.33	1.37
1	AA	364	A	C5-C4	-6.91	1.33	1.38
1	AA	736	C	C5-C6	6.91	1.39	1.34
26	BB	1545	A	P-O5'	6.91	1.66	1.59
26	BB	2170	A	N3-C4	6.91	1.39	1.34
1	AA	818	G	C2'-C1'	6.90	1.60	1.53
1	AA	1160	G	C2-N3	6.90	1.38	1.32
4	AD	53	G	C4'-O4'	-6.90	1.36	1.45
1	AA	362	G	N9-C8	6.90	1.42	1.37
1	AA	362	G	C6-O6	-6.90	1.18	1.24
1	AA	1189	U	N3-C4	6.90	1.44	1.38
1	AA	1227	A	C8-N7	-6.90	1.26	1.31
26	BB	2397	G	C5-C6	6.90	1.49	1.42
1	AA	449	G	N1-C2	6.90	1.43	1.37
1	AA	864	A	C6-N1	-6.90	1.30	1.35
1	AA	1487	G	N1-C2	6.90	1.43	1.37
26	BB	576	U	C4'-O4'	-6.90	1.36	1.45
26	BB	815	C	C5-C6	6.90	1.39	1.34
26	BB	1403	A	N9-C8	-6.90	1.32	1.37
26	BB	1662	U	C2-N3	6.90	1.42	1.37
1	AA	724	G	N9-C4	6.90	1.43	1.38
1	AA	1270	G	N7-C5	-6.90	1.35	1.39
26	BB	1664	A	C8-N7	-6.90	1.26	1.31
26	BB	1778	U	C2-N3	6.90	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	256	A	C6-N6	-6.90	1.28	1.33
26	BB	780	G	C2-N3	6.90	1.38	1.32
26	BB	2240	U	C4-O4	-6.90	1.18	1.23
3	AC	21	U	C4-C5	6.89	1.49	1.43
26	BB	183	C	N1-C6	6.89	1.41	1.37
26	BB	341	C	P-O5'	6.89	1.66	1.59
26	BB	506	G	N9-C8	-6.89	1.33	1.37
26	BB	2025	C	C2-N3	6.89	1.41	1.35
26	BB	2614	A	C5-C4	-6.89	1.33	1.38
1	AA	929	G	N1-C2	6.89	1.43	1.37
1	AA	1027	C	C5-C6	-6.89	1.28	1.34
3	AC	30	U	N1-C6	6.89	1.44	1.38
1	AA	133	U	C4-C5	6.89	1.49	1.43
26	BB	871	U	P-O5'	6.89	1.66	1.59
26	BB	1167	C	C5-C6	6.89	1.39	1.34
1	AA	168	G	C4'-C3'	6.89	1.60	1.53
26	BB	229	C	P-O5'	6.89	1.66	1.59
26	BB	739	A	N7-C5	6.89	1.43	1.39
26	BB	2237	G	N9-C8	6.89	1.42	1.37
26	BB	2808	G	C8-N7	6.89	1.35	1.30
26	BB	1653	G	C4'-C3'	-6.89	1.45	1.53
1	AA	575	G	C2-N3	6.89	1.38	1.32
26	BB	555	G	N9-C4	-6.89	1.32	1.38
26	BB	1193	G	O3'-P	6.89	1.69	1.61
26	BB	2493	U	P-O5'	6.89	1.66	1.59
4	AD	4	G	C5'-C4'	6.88	1.59	1.51
26	BB	190	A	N3-C4	6.88	1.39	1.34
26	BB	720	U	C2-N3	6.88	1.42	1.37
1	AA	1362	A	N7-C5	-6.88	1.35	1.39
26	BB	2217	G	P-O5'	6.88	1.66	1.59
1	AA	175	C	C3'-O3'	6.88	1.51	1.42
1	AA	197	A	N3-C4	-6.88	1.30	1.34
1	AA	649	A	C6-N6	-6.88	1.28	1.33
1	AA	669	G	N9-C4	6.88	1.43	1.38
2	AB	22	G	P-O5'	6.88	1.66	1.59
26	BB	579	G	N1-C2	6.88	1.43	1.37
26	BB	869	G	N9-C8	6.88	1.42	1.37
26	BB	1161	C	O3'-P	6.88	1.69	1.61
26	BB	2252	G	C5-C4	6.88	1.43	1.38
26	BB	2430	A	N7-C5	-6.88	1.35	1.39
26	BB	170	U	C2-N3	6.88	1.42	1.37
26	BB	2017	U	C5-C6	6.88	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	401	C	C4-C5	6.88	1.48	1.43
1	AA	1246	A	C8-N7	-6.88	1.26	1.31
2	AB	63	C	C3'-C2'	-6.88	1.45	1.52
26	BB	1540	G	N7-C5	6.88	1.43	1.39
26	BB	2289	G	C8-N7	-6.88	1.26	1.30
26	BB	2380	C	C5-C6	6.88	1.39	1.34
26	BB	2840	C	C4-C5	6.88	1.48	1.43
1	AA	250	A	N9-C4	6.88	1.42	1.37
1	AA	785	G	N7-C5	-6.88	1.35	1.39
1	AA	1358	U	O4'-C1'	6.88	1.50	1.41
26	BB	930	G	C5-C6	6.88	1.49	1.42
26	BB	1215	G	N9-C8	6.88	1.42	1.37
26	BB	1749	A	P-O5'	6.88	1.66	1.59
26	BB	2198	A	N7-C5	-6.88	1.35	1.39
26	BB	2538	C	C4-C5	6.88	1.48	1.43
26	BB	1360	G	C5-C6	6.87	1.49	1.42
26	BB	1492	G	C2'-C1'	6.87	1.60	1.53
26	BB	1707	G	N3-C4	6.87	1.40	1.35
26	BB	2876	G	C8-N7	6.87	1.35	1.30
1	AA	1266	G	O3'-P	6.87	1.69	1.61
6	AF	12	GLY	N-CA	-6.87	1.35	1.46
26	BB	392	U	C3'-C2'	-6.87	1.45	1.52
26	BB	644	A	N9-C4	6.87	1.42	1.37
26	BB	1049	C	C5'-C4'	6.87	1.59	1.51
26	BB	2780	G	N9-C8	6.87	1.42	1.37
1	AA	1455	G	C6-O6	6.87	1.30	1.24
26	BB	1812	U	C4-C5	6.87	1.49	1.43
26	BB	2443	C	C2'-C1'	6.87	1.60	1.53
26	BB	2702	G	C2-N3	6.87	1.38	1.32
26	BB	738	G	O3'-P	6.87	1.69	1.61
1	AA	95	C	P-O5'	6.87	1.66	1.59
1	AA	397	A	P-O5'	6.87	1.66	1.59
1	AA	561	U	C5'-C4'	6.87	1.59	1.51
1	AA	552	U	C5-C6	6.86	1.40	1.34
26	BB	280	U	N3-C4	6.86	1.44	1.38
26	BB	1736	U	C4-C5	6.86	1.49	1.43
1	AA	160	A	N3-C4	6.86	1.39	1.34
1	AA	202	G	N3-C4	-6.86	1.30	1.35
1	AA	775	G	C6-N1	6.86	1.44	1.39
1	AA	1079	G	C5-C6	6.86	1.49	1.42
26	BB	2031	A	C4'-C3'	6.86	1.60	1.53
26	BB	2165	C	C4'-C3'	6.86	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2513	A	C8-N7	-6.86	1.26	1.31
26	BB	415	A	C5'-C4'	6.86	1.59	1.51
1	AA	34	C	C2-N3	6.86	1.41	1.35
1	AA	529	G	C2-N3	6.86	1.38	1.32
1	AA	903	G	O4'-C1'	6.86	1.50	1.41
26	BB	1233	C	N1-C6	6.86	1.41	1.37
26	BB	1557	C	N1-C6	6.86	1.41	1.37
31	BG	127	TYR	CG-CD2	6.86	1.48	1.39
1	AA	39	G	C6-N1	6.86	1.44	1.39
2	AB	57	G	C8-N7	6.86	1.35	1.30
4	AD	15	G	N7-C5	-6.86	1.35	1.39
26	BB	639	U	C2'-O2'	6.86	1.50	1.41
26	BB	749	A	C6-N6	6.86	1.39	1.33
26	BB	2586	U	C5-C6	6.85	1.40	1.34
26	BB	2627	G	C2-N3	6.85	1.38	1.32
26	BB	1419	A	P-O5'	6.85	1.66	1.59
26	BB	2682	A	C5-C6	6.85	1.47	1.41
1	AA	75	G	N9-C8	-6.85	1.33	1.37
1	AA	799	G	N3-C4	6.85	1.40	1.35
26	BB	156	A	N3-C4	6.85	1.39	1.34
26	BB	316	C	N1-C6	6.85	1.41	1.37
26	BB	693	A	N9-C4	6.85	1.42	1.37
26	BB	2238	G	O3'-P	6.85	1.69	1.61
1	AA	433	G	C6-O6	-6.85	1.18	1.24
26	BB	1031	G	N1-C2	6.85	1.43	1.37
26	BB	1640	A	C3'-C2'	6.85	1.60	1.52
26	BB	1749	A	C2-N3	6.85	1.39	1.33
26	BB	1804	C	N1-C6	6.85	1.41	1.37
26	BB	2603	G	O4'-C1'	6.85	1.50	1.41
1	AA	602	A	N9-C4	6.85	1.42	1.37
1	AA	703	G	N9-C4	6.85	1.43	1.38
1	AA	906	A	C2'-C1'	6.85	1.60	1.53
26	BB	471	A	C4'-O4'	-6.85	1.36	1.45
26	BB	643	A	C6-N1	6.85	1.40	1.35
26	BB	892	A	N9-C8	6.85	1.43	1.37
26	BB	1433	A	C6-N6	-6.85	1.28	1.33
26	BB	1479	G	C2-N3	6.85	1.38	1.32
26	BB	2179	C	C4'-O4'	-6.85	1.36	1.45
26	BB	1381	G	O3'-P	6.85	1.69	1.61
1	AA	350	G	O3'-P	6.84	1.69	1.61
1	AA	821	G	C2-N3	6.84	1.38	1.32
4	AD	34	U	P-O5'	6.84	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
41	BQ	64	TYR	CE2-CZ	6.84	1.47	1.38
26	BB	333	G	C8-N7	-6.84	1.26	1.30
26	BB	1708	C	C2-N3	6.84	1.41	1.35
1	AA	11	G	N9-C8	6.84	1.42	1.37
1	AA	974	A	C5-C6	6.84	1.47	1.41
26	BB	822	G	C8-N7	6.84	1.35	1.30
26	BB	2328	A	C2'-C1'	6.84	1.60	1.53
26	BB	2623	G	C3'-O3'	6.84	1.51	1.42
26	BB	2824	C	C2-N3	6.84	1.41	1.35
1	AA	306	A	N3-C4	6.84	1.39	1.34
1	AA	1450	U	N1-C2	6.84	1.44	1.38
26	BB	639	U	N1-C6	6.84	1.44	1.38
26	BB	1483	G	N1-C2	6.84	1.43	1.37
26	BB	2337	G	C2-N3	6.84	1.38	1.32
1	AA	1225	A	C8-N7	-6.84	1.26	1.31
26	BB	696	G	N7-C5	-6.84	1.35	1.39
26	BB	1640	A	N9-C8	6.84	1.43	1.37
3	AC	13	A	C5'-C4'	6.84	1.59	1.51
26	BB	2509	G	C6-N1	-6.84	1.34	1.39
26	BB	2565	A	N9-C8	6.84	1.43	1.37
26	BB	2706	A	C6-N1	6.84	1.40	1.35
1	AA	247	G	N9-C4	-6.83	1.32	1.38
26	BB	626	A	C8-N7	6.83	1.36	1.31
26	BB	1411	U	C4-C5	6.83	1.49	1.43
26	BB	1954	G	C6-N1	6.83	1.44	1.39
1	AA	881	G	P-O5'	6.83	1.66	1.59
26	BB	537	G	C3'-C2'	6.83	1.60	1.52
26	BB	1622	G	N7-C5	6.83	1.43	1.39
26	BB	1789	A	O3'-P	-6.83	1.52	1.61
1	AA	679	C	P-O5'	6.83	1.66	1.59
26	BB	1427	A	N1-C2	-6.83	1.28	1.34
1	AA	14	U	C5-C6	6.83	1.40	1.34
1	AA	447	G	C2'-O2'	6.83	1.50	1.41
26	BB	1742	U	C5'-C4'	6.83	1.59	1.51
26	BB	2035	G	C4'-C3'	6.83	1.60	1.53
1	AA	24	U	O3'-P	6.83	1.69	1.61
1	AA	374	A	C6-N1	-6.83	1.30	1.35
1	AA	772	U	N1-C2	6.83	1.44	1.38
1	AA	788	U	C2-N3	6.83	1.42	1.37
26	BB	667	U	C2-N3	6.83	1.42	1.37
26	BB	1082	U	C5'-C4'	6.83	1.59	1.51
26	BB	2407	A	N3-C4	6.83	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2646	C	P-O5'	6.83	1.66	1.59
1	AA	599	C	P-O5'	-6.83	1.52	1.59
26	BB	433	C	C4'-O4'	-6.83	1.36	1.45
26	BB	1051	G	N7-C5	6.83	1.43	1.39
26	BB	1138	G	C5-C6	6.83	1.49	1.42
26	BB	1309	G	C6-N1	6.83	1.44	1.39
26	BB	1803	A	C4'-O4'	-6.83	1.36	1.45
26	BB	2621	G	C5'-C4'	6.82	1.59	1.51
26	BB	624	C	P-O5'	6.82	1.66	1.59
1	AA	74	A	C4'-C3'	-6.82	1.45	1.53
1	AA	372	C	P-O5'	6.82	1.66	1.59
26	BB	868	U	N1-C2	6.82	1.44	1.38
26	BB	2336	A	N1-C2	-6.82	1.28	1.34
26	BB	2581	G	C5-C4	-6.82	1.33	1.38
26	BB	1035	U	N1-C6	6.82	1.44	1.38
26	BB	1661	G	C2-N3	6.82	1.38	1.32
26	BB	2824	C	N1-C6	6.82	1.41	1.37
2	AB	48	U	C4-C5	6.82	1.49	1.43
26	BB	58	G	N7-C5	6.82	1.43	1.39
26	BB	75	G	N7-C5	-6.82	1.35	1.39
26	BB	1097	U	C5-C6	6.82	1.40	1.34
26	BB	1530	G	P-O5'	6.82	1.66	1.59
26	BB	2568	U	C4'-C3'	-6.82	1.45	1.53
1	AA	698	G	C4'-O4'	-6.81	1.36	1.45
26	BB	13	A	C4'-C3'	6.81	1.60	1.53
26	BB	958	U	C4-O4	-6.81	1.18	1.23
26	BB	1378	A	N9-C4	6.81	1.42	1.37
26	BB	999	U	P-O5'	6.81	1.66	1.59
26	BB	1298	C	O3'-P	6.81	1.69	1.61
26	BB	2351	G	C2-N2	-6.81	1.27	1.34
1	AA	84	U	P-O5'	6.81	1.66	1.59
1	AA	325	A	N9-C4	6.81	1.42	1.37
1	AA	1127	G	N7-C5	6.81	1.43	1.39
26	BB	1011	G	N1-C2	6.81	1.43	1.37
26	BB	2734	A	C5'-C4'	6.81	1.59	1.51
26	BB	1158	C	N3-C4	6.81	1.38	1.33
26	BB	1719	G	P-O5'	6.81	1.66	1.59
25	BA	19	C	N1-C6	6.80	1.41	1.37
26	BB	485	C	C4-C5	-6.80	1.37	1.43
26	BB	1299	G	C5'-C4'	6.80	1.59	1.51
26	BB	1307	A	N3-C4	6.80	1.39	1.34
26	BB	1709	U	P-O5'	6.80	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	695	A	N3-C4	6.80	1.39	1.34
26	BB	178	G	P-O5'	6.80	1.66	1.59
26	BB	888	C	P-O5'	6.80	1.66	1.59
26	BB	2341	G	N3-C4	6.80	1.40	1.35
26	BB	854	C	C5'-C4'	6.80	1.59	1.51
1	AA	1079	G	C2'-C1'	6.80	1.60	1.53
26	BB	571	U	C4-C5	6.80	1.49	1.43
26	BB	2106	U	C4-C5	6.80	1.49	1.43
1	AA	683	G	C2-N3	6.80	1.38	1.32
26	BB	244	A	N9-C4	-6.80	1.33	1.37
26	BB	2256	G	C2-N3	6.80	1.38	1.32
3	AC	16	A	C5-C4	-6.80	1.33	1.38
26	BB	377	G	C5-C4	-6.80	1.33	1.38
26	BB	1382	G	N7-C5	-6.80	1.35	1.39
26	BB	2341	G	P-O5'	-6.80	1.52	1.59
1	AA	1211	U	N1-C6	6.79	1.44	1.38
26	BB	2323	G	N9-C4	-6.79	1.32	1.38
1	AA	150	U	C3'-C2'	-6.79	1.45	1.52
4	AD	5	G	O3'-P	6.79	1.69	1.61
26	BB	966	G	N1-C2	6.79	1.43	1.37
1	AA	1117	A	P-O5'	-6.79	1.52	1.59
26	BB	685	A	C4'-C3'	6.79	1.60	1.53
26	BB	2780	G	C4'-O4'	-6.79	1.36	1.45
26	BB	2876	G	C2-N3	6.79	1.38	1.32
1	AA	537	G	C2-N3	6.79	1.38	1.32
26	BB	2106	U	N3-C4	6.79	1.44	1.38
26	BB	2159	G	C2-N3	6.79	1.38	1.32
1	AA	148	G	C5-C6	6.79	1.49	1.42
1	AA	417	G	N3-C4	6.79	1.40	1.35
26	BB	210	C	C1'-N1	6.79	1.58	1.48
26	BB	1173	U	N1-C2	6.79	1.44	1.38
26	BB	1368	G	N9-C8	-6.79	1.33	1.37
26	BB	1674	G	C3'-O3'	6.79	1.51	1.42
26	BB	2358	A	N1-C2	6.79	1.40	1.34
26	BB	2307	G	C5-C4	6.79	1.43	1.38
1	AA	89	U	C5-C6	6.79	1.40	1.34
1	AA	251	G	C4'-O4'	-6.79	1.36	1.45
1	AA	1397	C	C4'-C3'	6.79	1.60	1.53
3	AC	35	G	C8-N7	-6.79	1.26	1.30
25	BA	11	C	N1-C6	6.79	1.41	1.37
26	BB	901	C	C4-C5	6.79	1.48	1.43
26	BB	1626	A	N7-C5	6.79	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2708	G	N7-C5	6.79	1.43	1.39
1	AA	226	G	C2-N3	6.78	1.38	1.32
1	AA	605	U	C2-O2	6.78	1.28	1.22
1	AA	1108	G	N7-C5	6.78	1.43	1.39
25	BA	72	G	C2-N3	6.78	1.38	1.32
26	BB	175	G	N7-C5	6.78	1.43	1.39
26	BB	698	C	C3'-C2'	6.78	1.60	1.52
26	BB	1014	A	N7-C5	-6.78	1.35	1.39
26	BB	1654	A	C5'-C4'	6.78	1.59	1.51
26	BB	1753	G	O3'-P	-6.78	1.53	1.61
26	BB	2662	A	O3'-P	-6.78	1.53	1.61
26	BB	2680	U	C5'-C4'	6.78	1.59	1.51
1	AA	333	U	C2-N3	6.78	1.42	1.37
26	BB	2738	A	P-O5'	6.78	1.66	1.59
1	AA	754	C	C2-N3	6.78	1.41	1.35
1	AA	1087	G	N3-C4	6.78	1.40	1.35
4	AD	26	C	C2-N3	6.78	1.41	1.35
1	AA	1328	C	C2'-C1'	-6.78	1.45	1.53
26	BB	950	G	C6-N1	6.78	1.44	1.39
26	BB	2055	C	P-O5'	6.78	1.66	1.59
26	BB	899	A	N9-C8	6.78	1.43	1.37
26	BB	1602	U	C4'-O4'	-6.78	1.36	1.45
26	BB	2041	U	P-O5'	6.78	1.66	1.59
26	BB	2076	U	N1-C2	6.78	1.44	1.38
1	AA	250	A	C5'-C4'	6.78	1.59	1.51
1	AA	633	G	N9-C8	-6.78	1.33	1.37
1	AA	1526	G	N3-C4	6.78	1.40	1.35
26	BB	1133	A	P-O5'	6.78	1.66	1.59
26	BB	1770	G	C6-N1	6.78	1.44	1.39
26	BB	2762	C	C2-N3	6.78	1.41	1.35
1	AA	204	G	N9-C8	-6.77	1.33	1.37
1	AA	970	C	C4'-C3'	6.77	1.60	1.53
3	AC	44	U	P-O5'	6.77	1.66	1.59
26	BB	211	C	N3-C4	6.77	1.38	1.33
26	BB	673	C	N1-C6	6.77	1.41	1.37
26	BB	1009	A	C6-N1	-6.77	1.30	1.35
26	BB	2707	U	C1'-N1	6.77	1.58	1.48
26	BB	2733	A	P-O5'	6.77	1.66	1.59
4	AD	67	C	C4-C5	6.77	1.48	1.43
26	BB	1307	A	C4'-O4'	-6.77	1.36	1.45
26	BB	1922	G	O3'-P	6.77	1.69	1.61
1	AA	54	C	C4-C5	6.77	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	385	C	C3'-C2'	-6.77	1.45	1.52
1	AA	442	G	O3'-P	6.77	1.69	1.61
25	BA	23	G	C5'-C4'	6.77	1.59	1.51
26	BB	958	U	C5-C6	6.77	1.40	1.34
26	BB	2262	U	C2-N3	6.77	1.42	1.37
26	BB	2589	A	C6-N1	-6.77	1.30	1.35
40	BP	100	CYS	CB-SG	-6.77	1.70	1.82
26	BB	109	C	N3-C4	6.77	1.38	1.33
26	BB	161	A	C2-N3	6.77	1.39	1.33
26	BB	551	G	C5'-C4'	6.77	1.59	1.51
1	AA	814	A	N7-C5	-6.76	1.35	1.39
26	BB	196	A	C4'-O4'	-6.76	1.36	1.45
26	BB	1775	U	C2-N3	-6.76	1.33	1.37
26	BB	2706	A	N3-C4	6.76	1.39	1.34
1	AA	96	U	P-O5'	6.76	1.66	1.59
26	BB	1786	A	C5-C4	-6.76	1.34	1.38
26	BB	1506	U	C5'-C4'	6.76	1.59	1.51
26	BB	2653	U	C2'-C1'	-6.76	1.46	1.53
26	BB	2669	G	C5-C4	6.76	1.43	1.38
32	BH	94	ARG	CZ-NH1	6.76	1.41	1.33
1	AA	1080	A	N9-C8	-6.76	1.32	1.37
26	BB	1177	G	C5-C4	6.76	1.43	1.38
26	BB	2365	G	C6-O6	-6.76	1.18	1.24
1	AA	703	G	N3-C4	6.76	1.40	1.35
1	AA	45	G	N3-C4	-6.76	1.30	1.35
1	AA	48	C	C5-C6	6.76	1.39	1.34
26	BB	141	G	P-O5'	6.76	1.66	1.59
26	BB	658	U	C2-N3	6.76	1.42	1.37
26	BB	2228	G	N7-C5	-6.76	1.35	1.39
26	BB	2793	C	O3'-P	6.76	1.69	1.61
1	AA	353	A	C4'-O4'	-6.75	1.36	1.45
26	BB	369	U	N3-C4	6.75	1.44	1.38
26	BB	777	G	N3-C4	6.75	1.40	1.35
1	AA	378	G	C2'-C1'	6.75	1.60	1.53
1	AA	480	U	N1-C6	6.75	1.44	1.38
1	AA	1535	C	N1-C2	6.75	1.47	1.40
26	BB	749	A	N3-C4	6.75	1.39	1.34
26	BB	1324	G	P-O5'	6.75	1.66	1.59
1	AA	106	C	C4'-C3'	6.75	1.60	1.53
1	AA	1194	U	C2-O2	6.75	1.28	1.22
26	BB	1712	U	C3'-C2'	6.75	1.60	1.52
26	BB	2235	G	C6-O6	-6.75	1.18	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2851	A	C6-N6	-6.75	1.28	1.33
1	AA	299	G	C6-N1	6.75	1.44	1.39
1	AA	1364	U	N1-C2	6.75	1.44	1.38
1	AA	273	U	N1-C2	6.75	1.44	1.38
1	AA	930	C	N1-C6	6.75	1.41	1.37
1	AA	1400	C	C4-N4	6.75	1.40	1.33
4	AD	13	C	C4-C5	6.75	1.48	1.43
26	BB	508	A	C6-N6	-6.75	1.28	1.33
26	BB	572	A	N9-C8	-6.75	1.32	1.37
26	BB	1470	A	N9-C4	6.75	1.41	1.37
26	BB	2024	G	N3-C4	-6.75	1.30	1.35
26	BB	2102	G	O3'-P	-6.75	1.53	1.61
26	BB	2108	A	N7-C5	6.75	1.43	1.39
26	BB	2271	G	C4'-O4'	-6.75	1.36	1.45
26	BB	2510	C	C5'-C4'	6.75	1.59	1.51
1	AA	1225	A	N9-C8	-6.75	1.32	1.37
1	AA	1337	G	C4'-C3'	6.75	1.60	1.53
26	BB	1245	G	C8-N7	6.75	1.34	1.30
26	BB	1356	G	C6-O6	-6.75	1.18	1.24
26	BB	1836	C	P-O5'	6.75	1.66	1.59
2	AB	76	A	N9-C4	6.75	1.41	1.37
3	AC	48	C	C4-C5	6.75	1.48	1.43
26	BB	1178	C	C2-O2	-6.75	1.18	1.24
26	BB	2167	U	C2-N3	6.75	1.42	1.37
1	AA	1306	A	C4'-O4'	-6.74	1.36	1.45
1	AA	1316	G	P-O5'	6.74	1.66	1.59
4	AD	27	G	N3-C4	6.74	1.40	1.35
26	BB	273	G	P-O5'	6.74	1.66	1.59
26	BB	972	A	C8-N7	-6.74	1.26	1.31
26	BB	2482	A	N7-C5	-6.74	1.35	1.39
1	AA	452	A	N9-C4	6.74	1.41	1.37
1	AA	596	A	N9-C8	6.74	1.43	1.37
26	BB	2849	U	C2-N3	6.74	1.42	1.37
26	BB	2901	C	C5'-C4'	6.74	1.59	1.51
26	BB	899	A	C6-N1	6.74	1.40	1.35
26	BB	1276	A	N3-C4	6.74	1.38	1.34
26	BB	2599	G	O4'-C1'	6.74	1.50	1.41
1	AA	1084	G	N9-C8	-6.74	1.33	1.37
1	AA	1261	A	C6-N6	6.74	1.39	1.33
1	AA	1412	C	N1-C6	-6.74	1.33	1.37
26	BB	503	A	P-O5'	6.74	1.66	1.59
26	BB	1424	G	P-O5'	6.74	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2523	G	O4'-C1'	6.74	1.50	1.41
26	BB	2121	G	N1-C2	6.74	1.43	1.37
26	BB	18	U	C2-O2	6.74	1.28	1.22
26	BB	1386	C	N1-C6	6.74	1.41	1.37
26	BB	2227	A	C5'-C4'	6.74	1.59	1.51
1	AA	891	U	C2-N3	6.73	1.42	1.37
26	BB	1374	G	N7-C5	-6.73	1.35	1.39
1	AA	1012	A	C6-N1	-6.73	1.30	1.35
1	AA	1311	A	C6-N1	-6.73	1.30	1.35
1	AA	1376	U	P-O5'	6.73	1.66	1.59
26	BB	1339	G	N7-C5	6.73	1.43	1.39
26	BB	2450	A	C5'-C4'	6.73	1.59	1.51
26	BB	2814	A	P-O5'	-6.73	1.53	1.59
1	AA	50	A	N9-C4	-6.73	1.33	1.37
1	AA	824	G	P-O5'	6.73	1.66	1.59
1	AA	858	G	P-O5'	6.73	1.66	1.59
2	AB	51	G	P-O5'	6.73	1.66	1.59
26	BB	985	C	O3'-P	6.73	1.69	1.61
26	BB	758	C	P-O5'	6.73	1.66	1.59
26	BB	884	U	C3'-C2'	-6.73	1.45	1.52
1	AA	435	A	C5'-C4'	6.73	1.59	1.51
1	AA	747	A	N7-C5	6.73	1.43	1.39
26	BB	191	A	N7-C5	6.73	1.43	1.39
26	BB	2070	A	N9-C4	6.73	1.41	1.37
1	AA	98	A	N9-C4	6.72	1.41	1.37
1	AA	274	A	C4'-O4'	-6.72	1.36	1.45
26	BB	1202	G	N3-C4	6.72	1.40	1.35
26	BB	2120	G	C4'-O4'	-6.72	1.36	1.45
1	AA	685	G	N7-C5	6.72	1.43	1.39
1	AA	952	U	O4'-C1'	6.72	1.50	1.41
25	BA	35	C	C5-C6	6.72	1.39	1.34
26	BB	67	U	O3'-P	6.72	1.69	1.61
26	BB	900	A	N9-C4	6.72	1.41	1.37
26	BB	1424	G	C8-N7	-6.72	1.26	1.30
26	BB	2222	C	C4-C5	6.72	1.48	1.43
1	AA	1511	G	C2'-C1'	6.72	1.60	1.53
2	AB	44	G	N1-C2	6.72	1.43	1.37
1	AA	894	G	C5-C6	6.72	1.49	1.42
3	AC	44	U	C5'-C4'	6.72	1.59	1.51
25	BA	89	U	C2-N3	6.72	1.42	1.37
26	BB	196	A	C6-N1	6.72	1.40	1.35
26	BB	553	G	C8-N7	-6.72	1.26	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	192	A	C6-N6	6.72	1.39	1.33
26	BB	572	A	N9-C4	6.72	1.41	1.37
26	BB	1854	A	N7-C5	-6.72	1.35	1.39
26	BB	2654	A	C3'-C2'	6.72	1.60	1.52
1	AA	853	C	P-O5'	6.72	1.66	1.59
26	BB	1157	G	P-O5'	6.72	1.66	1.59
26	BB	2153	C	C3'-C2'	6.72	1.60	1.52
26	BB	2614	A	N7-C5	6.72	1.43	1.39
1	AA	299	G	C4'-C3'	-6.71	1.45	1.53
1	AA	847	G	N1-C2	6.71	1.43	1.37
1	AA	1480	A	C4'-O4'	-6.71	1.36	1.45
4	AD	4	G	C2-N3	6.71	1.38	1.32
26	BB	358	U	C4'-O4'	-6.71	1.36	1.45
26	BB	1109	C	C5-C6	6.71	1.39	1.34
26	BB	1191	G	C8-N7	-6.71	1.26	1.30
26	BB	1657	U	C4-O4	-6.71	1.18	1.23
26	BB	1873	G	N1-C2	-6.71	1.32	1.37
26	BB	2502	G	N1-C2	6.71	1.43	1.37
26	BB	2825	G	C5'-C4'	6.71	1.59	1.51
1	AA	27	G	C4'-C3'	6.71	1.60	1.53
1	AA	1116	U	C2-N3	6.71	1.42	1.37
26	BB	1523	U	C4-C5	6.71	1.49	1.43
26	BB	1663	G	C6-N1	6.71	1.44	1.39
26	BB	1862	G	C2'-C1'	6.71	1.60	1.53
26	BB	2705	A	N7-C5	6.71	1.43	1.39
26	BB	2826	A	C8-N7	6.71	1.36	1.31
1	AA	1287	A	C5-C4	6.71	1.43	1.38
1	AA	1343	G	C2-N3	6.71	1.38	1.32
26	BB	41	C	P-O5'	-6.71	1.53	1.59
26	BB	2425	A	C4'-O4'	-6.71	1.36	1.45
26	BB	2557	G	O3'-P	6.71	1.69	1.61
26	BB	1003	G	C2-N3	6.71	1.38	1.32
1	AA	54	C	O3'-P	6.71	1.69	1.61
1	AA	452	A	N3-C4	6.71	1.38	1.34
1	AA	1501	C	C2-N3	6.71	1.41	1.35
26	BB	234	U	C5-C6	6.71	1.40	1.34
26	BB	430	A	N7-C5	6.71	1.43	1.39
26	BB	1289	C	C3'-C2'	-6.71	1.45	1.52
26	BB	2601	C	C2-O2	-6.71	1.18	1.24
1	AA	20	U	C5-C6	6.71	1.40	1.34
1	AA	1090	U	C4-C5	6.71	1.49	1.43
1	AA	1414	U	C4-C5	6.71	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	110	G	C5'-C4'	6.71	1.59	1.51
26	BB	1411	U	C5-C6	6.71	1.40	1.34
26	BB	2036	C	N3-C4	6.71	1.38	1.33
26	BB	2644	G	P-O5'	6.71	1.66	1.59
26	BB	1201	U	N1-C2	6.71	1.44	1.38
1	AA	619	U	C2'-C1'	6.70	1.60	1.53
26	BB	2070	A	P-O5'	6.70	1.66	1.59
26	BB	2127	G	C5'-C4'	6.70	1.59	1.51
26	BB	2285	C	P-O5'	6.70	1.66	1.59
1	AA	656	G	N7-C5	6.70	1.43	1.39
26	BB	1112	G	N3-C4	6.70	1.40	1.35
26	BB	2259	U	C5'-C4'	6.70	1.59	1.51
1	AA	326	G	C5'-C4'	6.70	1.59	1.51
1	AA	1489	G	N7-C5	-6.70	1.35	1.39
2	AB	21	A	C4'-O4'	-6.70	1.36	1.45
26	BB	363	G	C5-C4	-6.70	1.33	1.38
1	AA	485	U	C4'-O4'	-6.70	1.36	1.45
26	BB	322	A	C2-N3	-6.70	1.27	1.33
1	AA	705	G	C4'-O4'	-6.70	1.36	1.45
1	AA	825	A	C6-N1	6.70	1.40	1.35
26	BB	291	G	C6-N1	6.70	1.44	1.39
26	BB	1631	G	P-O5'	6.70	1.66	1.59
1	AA	237	G	C4'-C3'	6.70	1.60	1.53
1	AA	1276	G	P-O5'	6.70	1.66	1.59
25	BA	53	A	C8-N7	-6.70	1.26	1.31
26	BB	986	C	O4'-C1'	6.70	1.50	1.41
26	BB	1644	C	O3'-P	6.70	1.69	1.61
26	BB	2121	G	N3-C4	-6.70	1.30	1.35
1	AA	2	A	N9-C4	6.69	1.41	1.37
1	AA	26	A	N7-C5	6.69	1.43	1.39
1	AA	668	G	C2-N3	6.69	1.38	1.32
26	BB	219	A	N7-C5	6.69	1.43	1.39
26	BB	196	A	N7-C5	-6.69	1.35	1.39
26	BB	554	U	C4'-O4'	-6.69	1.36	1.45
26	BB	896	A	N7-C5	6.69	1.43	1.39
26	BB	1040	A	N3-C4	6.69	1.38	1.34
26	BB	1357	C	C3'-C2'	6.69	1.60	1.52
26	BB	1663	G	C2-N3	6.69	1.38	1.32
26	BB	2485	G	C5-C4	-6.69	1.33	1.38
26	BB	2645	G	P-O5'	6.69	1.66	1.59
1	AA	1179	A	N3-C4	6.69	1.38	1.34
26	BB	145	C	C4'-O4'	-6.69	1.36	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	185	G	C8-N7	6.69	1.34	1.30
26	BB	251	A	N9-C4	6.69	1.41	1.37
26	BB	1256	G	O3'-P	-6.69	1.53	1.61
26	BB	1504	A	N7-C5	-6.69	1.35	1.39
26	BB	2286	G	C2-N3	6.69	1.38	1.32
26	BB	2397	G	O5'-C5'	-6.69	1.32	1.42
26	BB	2494	G	C2-N3	6.69	1.38	1.32
26	BB	2574	G	O4'-C1'	6.69	1.50	1.41
1	AA	1484	C	C3'-C2'	6.69	1.60	1.52
1	AA	1233	G	N7-C5	-6.69	1.35	1.39
26	BB	1177	G	C2-N3	6.69	1.38	1.32
26	BB	2010	G	N3-C4	6.69	1.40	1.35
26	BB	2156	G	C2'-C1'	-6.69	1.46	1.53
26	BB	70	G	C2'-C1'	-6.69	1.46	1.53
26	BB	575	A	C8-N7	6.69	1.36	1.31
2	AB	5	G	N9-C8	6.68	1.42	1.37
26	BB	1895	C	P-O5'	6.68	1.66	1.59
1	AA	328	C	P-O5'	6.68	1.66	1.59
1	AA	454	G	C6-O6	-6.68	1.18	1.24
26	BB	2444	G	N9-C8	6.68	1.42	1.37
26	BB	1421	G	N7-C5	-6.68	1.35	1.39
26	BB	2604	U	C4-C5	6.68	1.49	1.43
1	AA	990	C	O4'-C1'	6.68	1.50	1.41
1	AA	1015	G	O3'-P	6.68	1.69	1.61
1	AA	1354	U	N1-C2	6.68	1.44	1.38
26	BB	557	C	N1-C2	-6.68	1.33	1.40
26	BB	675	A	N3-C4	6.68	1.38	1.34
26	BB	2097	A	C6-N6	6.68	1.39	1.33
1	AA	974	A	P-O5'	6.68	1.66	1.59
1	AA	1132	C	O3'-P	6.68	1.69	1.61
26	BB	87	U	P-O5'	6.68	1.66	1.59
1	AA	49	U	N3-C4	6.68	1.44	1.38
1	AA	1291	U	C2-N3	6.68	1.42	1.37
25	BA	88	C	C2'-O2'	-6.68	1.32	1.41
26	BB	462	C	P-O5'	6.68	1.66	1.59
26	BB	1133	A	N9-C8	-6.68	1.32	1.37
1	AA	929	G	C2-N3	6.67	1.38	1.32
26	BB	274	C	P-O5'	6.67	1.66	1.59
26	BB	1330	C	P-O5'	6.67	1.66	1.59
26	BB	2515	C	O4'-C1'	-6.67	1.32	1.41
26	BB	2711	A	C8-N7	6.67	1.36	1.31
1	AA	771	G	C5'-C4'	6.67	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1423	G	N9-C8	6.67	1.42	1.37
25	BA	74	U	P-O5'	6.67	1.66	1.59
26	BB	591	U	N1-C2	6.67	1.44	1.38
1	AA	1212	U	C4-C5	6.67	1.49	1.43
26	BB	54	G	C4'-O4'	-6.67	1.36	1.45
26	BB	137	U	C4-C5	6.67	1.49	1.43
26	BB	618	G	N9-C4	-6.67	1.32	1.38
26	BB	822	G	N1-C2	6.67	1.43	1.37
26	BB	2542	A	C5-C4	-6.67	1.34	1.38
26	BB	2759	G	C8-N7	6.67	1.34	1.30
1	AA	868	C	N3-C4	6.67	1.38	1.33
1	AA	243	A	O4'-C1'	6.67	1.50	1.41
1	AA	609	A	P-O5'	6.67	1.66	1.59
3	AC	19	A	P-O5'	-6.67	1.53	1.59
4	AD	23	G	N9-C8	6.67	1.42	1.37
26	BB	109	C	C4'-O4'	-6.67	1.36	1.45
26	BB	1650	A	N9-C4	-6.67	1.33	1.37
26	BB	2335	A	C6-N1	-6.67	1.30	1.35
1	AA	217	C	C2-N3	6.67	1.41	1.35
26	BB	770	G	C4'-C3'	6.67	1.60	1.53
26	BB	2250	G	C5'-C4'	6.67	1.59	1.51
1	AA	782	A	C4'-O4'	-6.67	1.36	1.45
2	AB	75	C	O3'-P	6.67	1.69	1.61
26	BB	1344	U	C2-N3	6.67	1.42	1.37
26	BB	310	A	C6-N1	-6.66	1.30	1.35
26	BB	1441	G	N9-C8	-6.66	1.33	1.37
26	BB	1072	C	C5-C6	6.66	1.39	1.34
26	BB	1650	A	C8-N7	-6.66	1.26	1.31
26	BB	1738	G	C2-N3	6.66	1.38	1.32
1	AA	30	U	C2-N3	6.66	1.42	1.37
4	AD	12	G	C6-N1	-6.66	1.34	1.39
4	AD	65	G	N9-C8	6.66	1.42	1.37
26	BB	279	A	O3'-P	6.66	1.69	1.61
26	BB	1572	A	C6-N1	-6.66	1.30	1.35
26	BB	1687	G	C2-N3	6.66	1.38	1.32
26	BB	1833	C	C2-N3	6.66	1.41	1.35
26	BB	2200	C	P-O5'	6.66	1.66	1.59
26	BB	2298	A	N9-C4	6.66	1.41	1.37
1	AA	1245	C	C3'-C2'	6.66	1.60	1.52
26	BB	270	A	C6-N6	6.66	1.39	1.33
26	BB	821	A	C2'-C1'	6.66	1.60	1.53
26	BB	2486	C	N3-C4	6.66	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2811	G	C4'-O4'	-6.66	1.36	1.45
26	BB	39	G	O3'-P	6.66	1.69	1.61
1	AA	82	G	N9-C8	6.66	1.42	1.37
1	AA	186	C	P-O5'	6.66	1.66	1.59
1	AA	1080	A	N9-C4	6.66	1.41	1.37
26	BB	126	A	C5'-C4'	6.65	1.59	1.51
26	BB	1785	A	C8-N7	-6.65	1.26	1.31
26	BB	2215	C	N1-C6	6.65	1.41	1.37
1	AA	548	G	C5-C6	6.65	1.49	1.42
1	AA	783	C	N1-C6	6.65	1.41	1.37
1	AA	904	U	C4-O4	6.65	1.28	1.23
25	BA	22	U	O4'-C1'	6.65	1.50	1.41
26	BB	261	G	C5-C4	-6.65	1.33	1.38
26	BB	1326	U	C5-C6	6.65	1.40	1.34
26	BB	1487	U	N3-C4	6.65	1.44	1.38
26	BB	1855	U	N3-C4	6.65	1.44	1.38
26	BB	2195	U	N1-C2	6.65	1.44	1.38
26	BB	2242	G	O3'-P	6.65	1.69	1.61
4	AD	23	G	C6-N1	-6.65	1.34	1.39
25	BA	74	U	C2-N3	6.65	1.42	1.37
26	BB	115	C	N3-C4	6.65	1.38	1.33
26	BB	169	G	C5-C4	6.65	1.43	1.38
26	BB	1451	C	C4-C5	-6.65	1.37	1.43
26	BB	1542	U	C5'-C4'	6.65	1.59	1.51
26	BB	1761	C	P-O5'	6.65	1.66	1.59
26	BB	2145	C	C2-N3	-6.65	1.30	1.35
26	BB	2649	C	C4'-O4'	-6.65	1.36	1.45
1	AA	178	C	N1-C2	-6.65	1.33	1.40
1	AA	505	G	C4'-O4'	-6.65	1.36	1.45
1	AA	1270	G	N1-C2	6.65	1.43	1.37
4	AD	58	A	C8-N7	-6.65	1.26	1.31
25	BA	101	A	N1-C2	6.65	1.40	1.34
26	BB	1322	A	N7-C5	-6.65	1.35	1.39
3	AC	22	G	N9-C8	-6.64	1.33	1.37
26	BB	764	A	O3'-P	-6.64	1.53	1.61
26	BB	820	A	C8-N7	-6.64	1.26	1.31
26	BB	869	G	O3'-P	6.64	1.69	1.61
26	BB	1309	G	P-O5'	6.64	1.66	1.59
26	BB	2619	C	O3'-P	6.64	1.69	1.61
1	AA	880	C	P-O5'	6.64	1.66	1.59
1	AA	1167	A	C2-N3	6.64	1.39	1.33
25	BA	55	U	N3-C4	6.64	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	274	C	N1-C6	6.64	1.41	1.37
26	BB	1002	G	C2-N3	6.64	1.38	1.32
26	BB	1971	U	C4-O4	-6.64	1.18	1.23
1	AA	1016	A	C6-N6	6.64	1.39	1.33
26	BB	2706	A	C6-N6	-6.64	1.28	1.33
26	BB	2897	U	C4-C5	6.64	1.49	1.43
1	AA	491	G	O3'-P	6.64	1.69	1.61
26	BB	1088	A	C5-C4	6.64	1.43	1.38
26	BB	1678	A	N9-C4	-6.64	1.33	1.37
26	BB	2390	U	O3'-P	6.64	1.69	1.61
26	BB	2565	A	C2'-C1'	-6.64	1.46	1.53
26	BB	2803	G	C2-N3	6.64	1.38	1.32
26	BB	1056	G	N3-C4	6.64	1.40	1.35
26	BB	1139	G	C6-N1	6.64	1.44	1.39
25	BA	81	G	C5'-C4'	6.64	1.59	1.51
26	BB	333	G	P-O5'	6.64	1.66	1.59
26	BB	418	C	C4-C5	6.64	1.48	1.43
26	BB	485	C	P-O5'	6.64	1.66	1.59
26	BB	956	G	C2'-C1'	-6.64	1.46	1.53
26	BB	1358	G	N9-C4	6.64	1.43	1.38
26	BB	2353	G	C4'-O4'	-6.64	1.36	1.45
1	AA	132	C	C5'-C4'	6.63	1.59	1.51
1	AA	1527	U	C2-O2	6.63	1.28	1.22
26	BB	1451	C	N3-C4	6.63	1.38	1.33
26	BB	1723	G	N7-C5	6.63	1.43	1.39
26	BB	2132	U	C2-O2	6.63	1.28	1.22
26	BB	406	G	C4'-O4'	-6.63	1.36	1.45
26	BB	648	G	C4'-O4'	-6.63	1.36	1.45
26	BB	1048	A	C5'-C4'	6.63	1.59	1.51
26	BB	2751	G	N7-C5	-6.63	1.35	1.39
26	BB	2881	U	C4'-C3'	-6.63	1.45	1.53
1	AA	383	A	C2'-O2'	6.63	1.50	1.41
3	AC	13	A	O4'-C1'	-6.63	1.33	1.41
26	BB	984	A	O3'-P	6.63	1.69	1.61
26	BB	1019	U	P-O5'	6.63	1.66	1.59
26	BB	1250	G	C2-N3	6.63	1.38	1.32
26	BB	1437	C	N3-C4	6.63	1.38	1.33
2	AB	2	G	C6-N1	-6.63	1.34	1.39
1	AA	987	G	C5-C4	-6.63	1.33	1.38
26	BB	21	A	C5-C4	-6.63	1.34	1.38
26	BB	404	A	N3-C4	6.63	1.38	1.34
26	BB	440	C	P-O5'	-6.63	1.53	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	877	A	O3'-P	6.63	1.69	1.61
26	BB	996	A	C2'-O2'	-6.62	1.33	1.41
1	AA	759	A	C5-C4	6.62	1.43	1.38
1	AA	808	C	C2-N3	6.62	1.41	1.35
1	AA	1158	C	P-O5'	6.62	1.66	1.59
26	BB	1449	G	N1-C2	6.62	1.43	1.37
26	BB	1650	A	P-O5'	6.62	1.66	1.59
26	BB	1976	U	C4-C5	6.62	1.49	1.43
3	AC	59	A	C6-N6	6.62	1.39	1.33
26	BB	965	C	C2'-C1'	-6.62	1.46	1.53
26	BB	1200	C	C1'-N1	6.62	1.58	1.48
26	BB	1841	U	P-O5'	6.62	1.66	1.59
26	BB	2329	U	C4'-O4'	-6.62	1.36	1.45
1	AA	710	G	O5'-C5'	-6.62	1.32	1.42
26	BB	1900	A	C5-C4	6.62	1.43	1.38
26	BB	2472	G	N1-C2	6.62	1.43	1.37
1	AA	1191	A	C2'-O2'	6.62	1.50	1.41
26	BB	2	G	C2-N3	6.62	1.38	1.32
26	BB	1159	U	C5-C6	6.62	1.40	1.34
26	BB	1914	C	C2-N3	6.62	1.41	1.35
26	BB	2132	U	C4'-O4'	-6.62	1.36	1.45
26	BB	2880	C	C4'-O4'	-6.62	1.36	1.45
1	AA	484	G	N9-C8	-6.62	1.33	1.37
26	BB	1551	A	N7-C5	6.62	1.43	1.39
26	BB	1966	A	C5-C4	-6.62	1.34	1.38
26	BB	149	A	C5-C4	-6.62	1.34	1.38
26	BB	408	G	N1-C2	6.62	1.43	1.37
26	BB	2011	U	C4-C5	6.62	1.49	1.43
26	BB	2332	C	C4'-O4'	-6.62	1.36	1.45
1	AA	25	C	N3-C4	6.61	1.38	1.33
1	AA	1012	A	C8-N7	-6.61	1.26	1.31
1	AA	1123	U	C2'-O2'	6.61	1.50	1.41
26	BB	717	C	C4-C5	6.61	1.48	1.43
26	BB	751	A	O3'-P	6.61	1.69	1.61
26	BB	1448	G	C6-N1	6.61	1.44	1.39
26	BB	1901	A	C6-N6	-6.61	1.28	1.33
26	BB	2032	G	N3-C4	6.61	1.40	1.35
26	BB	1112	G	P-O5'	6.61	1.66	1.59
26	BB	2729	G	C6-O6	-6.61	1.18	1.24
1	AA	767	A	N9-C8	6.61	1.43	1.37
1	AA	934	C	C5-C6	6.61	1.39	1.34
1	AA	1032	G	N3-C4	6.61	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1416	G	N9-C4	6.61	1.43	1.38
26	BB	1243	C	C2'-O2'	6.61	1.50	1.41
26	BB	2452	C	N3-C4	6.61	1.38	1.33
26	BB	2847	U	C4-C5	6.61	1.49	1.43
1	AA	306	A	N7-C5	6.61	1.43	1.39
1	AA	587	G	N3-C4	6.61	1.40	1.35
1	AA	1243	C	N3-C4	6.61	1.38	1.33
4	AD	7	G	P-O5'	6.61	1.66	1.59
26	BB	284	U	P-O5'	6.61	1.66	1.59
26	BB	1000	A	P-O5'	6.61	1.66	1.59
26	BB	1194	A	C4'-O4'	-6.61	1.36	1.45
26	BB	2402	U	C4-O4	-6.61	1.18	1.23
30	BF	88	ARG	CZ-NH2	6.61	1.41	1.33
1	AA	220	G	C6-N1	6.61	1.44	1.39
1	AA	413	G	C2-N3	6.61	1.38	1.32
1	AA	1212	U	O3'-P	6.61	1.69	1.61
26	BB	674	G	N7-C5	-6.61	1.35	1.39
26	BB	1986	C	C2-O2	-6.61	1.18	1.24
26	BB	2045	C	C4-C5	6.61	1.48	1.43
26	BB	2639	A	C5'-C4'	6.61	1.59	1.51
1	AA	423	G	C2'-O2'	6.60	1.50	1.41
26	BB	4	U	C5'-C4'	6.60	1.59	1.51
26	BB	180	G	C6-N1	6.60	1.44	1.39
26	BB	799	G	C5'-C4'	6.60	1.59	1.51
26	BB	1973	G	C6-N1	6.60	1.44	1.39
1	AA	912	C	P-O5'	6.60	1.66	1.59
26	BB	1689	A	C5-C4	-6.60	1.34	1.38
1	AA	695	A	N7-C5	-6.60	1.35	1.39
1	AA	1373	G	P-O5'	6.60	1.66	1.59
26	BB	712	G	N1-C2	6.60	1.43	1.37
26	BB	2731	G	C5'-C4'	6.60	1.59	1.51
1	AA	708	C	C5-C6	-6.60	1.29	1.34
26	BB	730	A	C2'-C1'	6.60	1.60	1.53
1	AA	351	G	C4'-C3'	6.60	1.60	1.53
1	AA	949	A	C5'-C4'	6.60	1.59	1.51
1	AA	1063	C	C2'-C1'	6.60	1.60	1.53
26	BB	1040	A	C3'-O3'	6.60	1.51	1.42
26	BB	2411	A	N3-C4	6.60	1.38	1.34
25	BA	41	G	C6-N1	6.60	1.44	1.39
26	BB	1063	G	C6-N1	6.60	1.44	1.39
1	AA	160	A	C5-C4	-6.59	1.34	1.38
1	AA	859	G	C3'-C2'	-6.59	1.45	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	862	C	N3-C4	6.59	1.38	1.33
1	AA	920	U	P-O5'	6.59	1.66	1.59
26	BB	420	C	C5-C6	6.59	1.39	1.34
26	BB	547	A	N1-C2	-6.59	1.28	1.34
26	BB	1734	G	O3'-P	6.59	1.69	1.61
1	AA	1483	A	C2'-C1'	6.59	1.60	1.53
26	BB	734	A	C5-C4	-6.59	1.34	1.38
1	AA	337	G	C2-N3	6.59	1.38	1.32
1	AA	355	C	C2-N3	6.59	1.41	1.35
4	AD	75	C	P-O5'	6.59	1.66	1.59
26	BB	267	C	C5'-C4'	6.59	1.59	1.51
26	BB	882	G	C4'-C3'	6.59	1.60	1.53
26	BB	1408	G	C4'-O4'	-6.59	1.36	1.45
26	BB	2797	U	C4'-C3'	-6.59	1.46	1.53
26	BB	2874	C	N1-C6	6.59	1.41	1.37
1	AA	547	A	N7-C5	6.59	1.43	1.39
1	AA	908	A	N7-C5	-6.59	1.35	1.39
26	BB	411	G	C5'-C4'	6.59	1.59	1.51
26	BB	1305	C	C4'-O4'	-6.59	1.36	1.45
1	AA	65	A	P-O5'	-6.59	1.53	1.59
1	AA	275	G	N9-C8	-6.59	1.33	1.37
1	AA	1393	U	N1-C2	6.59	1.44	1.38
26	BB	2081	U	C4'-O4'	-6.59	1.36	1.45
1	AA	298	A	C8-N7	-6.59	1.26	1.31
1	AA	561	U	P-O5'	6.59	1.66	1.59
1	AA	991	U	O3'-P	6.59	1.69	1.61
26	BB	449	A	C6-N1	-6.59	1.30	1.35
26	BB	542	C	N3-C4	-6.59	1.29	1.33
26	BB	1612	C	C4'-O4'	-6.59	1.36	1.45
26	BB	2396	G	N7-C5	-6.59	1.35	1.39
26	BB	1451	C	N1-C2	6.58	1.46	1.40
26	BB	2141	G	P-O5'	6.58	1.66	1.59
1	AA	988	G	C8-N7	-6.58	1.27	1.30
1	AA	1294	G	N7-C5	6.58	1.43	1.39
1	AA	1386	G	C6-O6	-6.58	1.18	1.24
25	BA	88	C	C4-C5	6.58	1.48	1.43
26	BB	114	U	C2-N3	6.58	1.42	1.37
26	BB	1828	G	O3'-P	6.58	1.69	1.61
19	AS	17	TYR	CE2-CZ	6.58	1.47	1.38
26	BB	230	G	C2'-O2'	-6.58	1.33	1.41
26	BB	418	C	N1-C6	-6.58	1.33	1.37
26	BB	522	A	N7-C5	-6.58	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	855	G	N9-C8	-6.58	1.33	1.37
26	BB	972	A	C6-N6	6.58	1.39	1.33
26	BB	979	A	C8-N7	6.58	1.36	1.31
26	BB	2242	G	N9-C4	6.58	1.43	1.38
26	BB	2624	G	N7-C5	6.58	1.43	1.39
26	BB	245	G	N9-C4	-6.58	1.32	1.38
26	BB	2169	A	N9-C4	6.58	1.41	1.37
1	AA	279	A	P-O5'	-6.58	1.53	1.59
1	AA	1190	G	N3-C4	6.58	1.40	1.35
1	AA	1285	A	P-O5'	6.58	1.66	1.59
1	AA	1313	U	N1-C2	6.58	1.44	1.38
4	AD	10	G	N1-C2	6.58	1.43	1.37
26	BB	766	U	C2-N3	6.58	1.42	1.37
26	BB	1311	G	C5-C4	-6.58	1.33	1.38
26	BB	1686	C	C5-C6	6.58	1.39	1.34
1	AA	873	A	N3-C4	6.58	1.38	1.34
26	BB	2035	G	O3'-P	6.58	1.69	1.61
26	BB	411	G	N7-C5	-6.58	1.35	1.39
26	BB	1682	G	P-O5'	6.58	1.66	1.59
26	BB	2769	U	O3'-P	6.58	1.69	1.61
1	AA	439	U	O3'-P	6.57	1.69	1.61
1	AA	628	G	C6-O6	-6.57	1.18	1.24
1	AA	1146	A	N9-C4	6.57	1.41	1.37
1	AA	1350	A	N1-C2	-6.57	1.28	1.34
1	AA	1385	G	C2'-C1'	6.57	1.60	1.53
26	BB	52	A	O3'-P	6.57	1.69	1.61
26	BB	147	C	C2-O2	-6.57	1.18	1.24
26	BB	1756	G	C2-N3	6.57	1.38	1.32
26	BB	2595	G	C8-N7	-6.57	1.27	1.30
26	BB	914	G	C5-C4	-6.57	1.33	1.38
1	AA	40	C	C5-C6	6.57	1.39	1.34
1	AA	1119	C	C3'-C2'	6.57	1.60	1.52
1	AA	1295	U	C4-C5	6.57	1.49	1.43
1	AA	1300	G	N1-C2	6.57	1.43	1.37
4	AD	54	G	N1-C2	6.57	1.43	1.37
26	BB	648	G	N1-C2	6.57	1.43	1.37
26	BB	1774	C	C5-C6	6.57	1.39	1.34
26	BB	1934	C	N1-C6	6.57	1.41	1.37
26	BB	1944	U	N1-C2	6.57	1.44	1.38
26	BB	2210	U	C5'-C4'	6.57	1.59	1.51
26	BB	2696	U	C4-O4	6.57	1.28	1.23
26	BB	1501	G	O3'-P	6.57	1.69	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1914	C	C4-N4	6.57	1.39	1.33
26	BB	2609	U	C4-C5	6.57	1.49	1.43
1	AA	901	A	C6-N1	-6.57	1.30	1.35
26	BB	540	C	C2'-C1'	6.57	1.60	1.53
26	BB	2025	C	C4-N4	-6.57	1.28	1.33
26	BB	2047	C	C2-N3	6.57	1.41	1.35
26	BB	2193	G	C8-N7	-6.57	1.27	1.30
1	AA	550	G	C4'-C3'	6.57	1.60	1.53
1	AA	855	U	N1-C2	6.57	1.44	1.38
26	BB	224	U	C4-C5	6.57	1.49	1.43
26	BB	301	G	N9-C8	6.57	1.42	1.37
26	BB	655	A	N9-C8	6.57	1.43	1.37
26	BB	1464	G	N3-C4	6.57	1.40	1.35
26	BB	1764	C	N1-C2	6.57	1.46	1.40
26	BB	1145	C	N3-C4	6.56	1.38	1.33
26	BB	1932	A	C4'-C3'	6.56	1.60	1.53
1	AA	1540	U	N1-C2	6.56	1.44	1.38
2	AB	15	A	N7-C5	-6.56	1.35	1.39
4	AD	46	G	C2-N3	6.56	1.38	1.32
26	BB	699	A	C5'-C4'	6.56	1.59	1.51
1	AA	1220	G	C6-N1	6.56	1.44	1.39
1	AA	1511	G	C6-N1	-6.56	1.34	1.39
26	BB	197	A	C5'-C4'	6.56	1.59	1.51
26	BB	645	C	C4'-O4'	-6.56	1.37	1.45
26	BB	859	G	N3-C4	6.56	1.40	1.35
26	BB	1464	G	C6-N1	6.56	1.44	1.39
26	BB	1731	G	C2'-C1'	6.56	1.60	1.53
26	BB	1778	U	P-O5'	6.56	1.66	1.59
1	AA	917	G	C6-N1	-6.56	1.34	1.39
1	AA	1064	G	N9-C8	-6.56	1.33	1.37
26	BB	963	U	P-O5'	6.56	1.66	1.59
26	BB	2625	G	N1-C2	6.56	1.43	1.37
26	BB	1217	U	C2-N3	-6.55	1.33	1.37
26	BB	1367	A	C4'-O4'	-6.55	1.37	1.45
26	BB	1465	G	N3-C4	6.55	1.40	1.35
26	BB	1716	U	O4'-C1'	6.55	1.50	1.41
1	AA	951	G	N7-C5	6.55	1.43	1.39
1	AA	1453	G	N9-C8	-6.55	1.33	1.37
26	BB	806	C	C2-N3	6.55	1.41	1.35
26	BB	1754	A	C5-C6	-6.55	1.35	1.41
26	BB	1929	G	N3-C4	-6.55	1.30	1.35
1	AA	295	C	C5'-C4'	6.55	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1126	U	C4'-O4'	-6.55	1.37	1.45
25	BA	23	G	N3-C4	6.55	1.40	1.35
26	BB	1369	G	N9-C8	6.55	1.42	1.37
1	AA	57	G	O3'-P	6.55	1.69	1.61
1	AA	372	C	O3'-P	6.55	1.69	1.61
1	AA	598	U	C3'-C2'	-6.55	1.45	1.52
1	AA	1199	U	N1-C2	6.55	1.44	1.38
2	AB	49	G	C6-N1	-6.55	1.34	1.39
26	BB	709	U	C5-C6	6.55	1.40	1.34
26	BB	908	C	C2'-O2'	6.55	1.50	1.41
26	BB	2185	U	C4'-O4'	-6.55	1.37	1.45
1	AA	425	G	C6-O6	-6.55	1.18	1.24
1	AA	812	G	P-O5'	6.55	1.66	1.59
1	AA	972	C	C4'-O4'	-6.55	1.37	1.45
1	AA	1255	G	N1-C2	6.55	1.43	1.37
1	AA	1467	C	N1-C6	6.55	1.41	1.37
25	BA	44	G	N3-C4	-6.55	1.30	1.35
26	BB	208	C	N1-C6	6.55	1.41	1.37
26	BB	382	A	N1-C2	-6.55	1.28	1.34
26	BB	768	G	C2-N3	6.55	1.38	1.32
26	BB	1302	A	N9-C4	6.55	1.41	1.37
26	BB	1444	G	C6-O6	-6.55	1.18	1.24
26	BB	2189	U	C2-O2	-6.55	1.16	1.22
26	BB	2354	C	C4-C5	6.55	1.48	1.43
26	BB	174	U	C4-O4	-6.54	1.18	1.23
26	BB	368	A	C5-C4	6.54	1.43	1.38
26	BB	556	A	N7-C5	-6.54	1.35	1.39
26	BB	2436	G	N9-C4	-6.54	1.32	1.38
1	AA	104	G	C5-C6	6.54	1.48	1.42
26	BB	777	G	N1-C2	6.54	1.43	1.37
26	BB	881	G	N3-C4	6.54	1.40	1.35
26	BB	1472	C	C4-C5	6.54	1.48	1.43
26	BB	1585	C	N1-C6	6.54	1.41	1.37
26	BB	2557	G	P-O5'	6.54	1.66	1.59
26	BB	2566	A	N7-C5	-6.54	1.35	1.39
1	AA	120	A	C6-N6	-6.54	1.28	1.33
1	AA	493	A	C5-C4	-6.54	1.34	1.38
1	AA	687	A	N3-C4	6.54	1.38	1.34
1	AA	1421	G	N7-C5	6.54	1.43	1.39
26	BB	6	A	C8-N7	-6.54	1.26	1.31
26	BB	330	A	O3'-P	6.54	1.69	1.61
26	BB	366	C	N1-C6	6.54	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1759	A	C3'-C2'	-6.54	1.45	1.52
1	AA	443	C	C4'-C3'	6.54	1.60	1.53
26	BB	133	U	C5'-C4'	6.54	1.59	1.51
26	BB	1779	U	N1-C2	6.54	1.44	1.38
1	AA	413	G	C4'-C3'	6.54	1.60	1.53
1	AA	668	G	N7-C5	6.54	1.43	1.39
1	AA	956	U	C2-N3	6.54	1.42	1.37
26	BB	1138	G	N3-C4	6.54	1.40	1.35
26	BB	1767	G	N7-C5	6.54	1.43	1.39
26	BB	2800	A	O3'-P	6.54	1.69	1.61
1	AA	311	C	C4-C5	6.54	1.48	1.43
1	AA	943	U	N1-C2	6.54	1.44	1.38
1	AA	1255	G	C2-N3	6.54	1.38	1.32
26	BB	2602	A	C5-C6	-6.54	1.35	1.41
1	AA	180	U	N1-C2	6.54	1.44	1.38
1	AA	307	C	N1-C6	6.54	1.41	1.37
1	AA	797	C	N3-C4	6.54	1.38	1.33
1	AA	1510	C	N1-C6	6.54	1.41	1.37
26	BB	572	A	C8-N7	-6.54	1.26	1.31
26	BB	881	G	C5'-C4'	6.54	1.59	1.51
26	BB	1492	G	C6-O6	-6.54	1.18	1.24
26	BB	1573	G	N9-C4	6.54	1.43	1.38
26	BB	2238	G	C2-N3	6.54	1.38	1.32
1	AA	558	G	C4'-O4'	-6.53	1.37	1.45
1	AA	882	C	C2'-C1'	-6.53	1.46	1.53
1	AA	1306	A	C3'-C2'	-6.53	1.45	1.52
26	BB	423	A	N9-C4	6.53	1.41	1.37
26	BB	671	C	C2'-C1'	-6.53	1.46	1.53
26	BB	37	C	P-O5'	6.53	1.66	1.59
26	BB	137	U	N1-C2	6.53	1.44	1.38
26	BB	285	G	C2-N3	6.53	1.38	1.32
26	BB	1000	A	C6-N1	-6.53	1.30	1.35
1	AA	346	G	N7-C5	-6.53	1.35	1.39
1	AA	431	A	N9-C4	6.53	1.41	1.37
26	BB	760	G	N7-C5	6.53	1.43	1.39
26	BB	1222	U	C4'-C3'	6.53	1.60	1.53
26	BB	2364	C	C4-C5	6.53	1.48	1.43
26	BB	180	G	P-O5'	6.53	1.66	1.59
26	BB	1408	G	N9-C8	6.53	1.42	1.37
26	BB	1968	G	C4'-C3'	-6.53	1.46	1.53
1	AA	713	G	C2-N3	6.53	1.38	1.32
25	BA	85	G	O4'-C1'	6.53	1.50	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1314	C	C4'-C3'	-6.53	1.46	1.53
26	BB	1385	A	C4'-O4'	-6.53	1.37	1.45
26	BB	1721	G	C5-C6	6.53	1.48	1.42
1	AA	539	A	C5-C4	-6.53	1.34	1.38
1	AA	1075	U	O3'-P	6.53	1.69	1.61
2	AB	4	G	C2-N3	6.53	1.38	1.32
4	AD	1	C	C5'-C4'	6.53	1.59	1.51
25	BA	87	U	O4'-C1'	6.53	1.50	1.41
26	BB	208	C	N3-C4	6.53	1.38	1.33
26	BB	1574	C	C4'-C3'	6.53	1.60	1.53
26	BB	2588	G	C6-N1	-6.53	1.34	1.39
49	BY	38	ARG	CZ-NH1	6.53	1.41	1.33
1	AA	1213	A	C8-N7	6.52	1.36	1.31
1	AA	1329	A	C5-C4	-6.52	1.34	1.38
1	AA	1346	A	N3-C4	6.52	1.38	1.34
1	AA	1354	U	C2-N3	6.52	1.42	1.37
26	BB	1511	G	N3-C4	6.52	1.40	1.35
26	BB	2682	A	O4'-C1'	6.52	1.50	1.41
1	AA	130	A	C6-N1	-6.52	1.30	1.35
1	AA	154	U	C4'-O4'	-6.52	1.37	1.45
1	AA	360	G	C8-N7	6.52	1.34	1.30
1	AA	740	U	C4-C5	6.52	1.49	1.43
2	AB	10	G	N1-C2	6.52	1.43	1.37
4	AD	65	G	C2'-C1'	-6.52	1.46	1.53
26	BB	704	G	O5'-C5'	-6.52	1.32	1.42
1	AA	637	C	C4'-O4'	-6.52	1.37	1.45
25	BA	45	A	C6-N1	-6.52	1.30	1.35
25	BA	73	A	P-O5'	6.52	1.66	1.59
26	BB	778	G	N3-C4	6.52	1.40	1.35
1	AA	973	G	C6-N1	6.52	1.44	1.39
26	BB	57	C	O3'-P	6.52	1.69	1.61
26	BB	250	G	P-O5'	-6.52	1.53	1.59
26	BB	1379	U	C4'-O4'	-6.52	1.37	1.45
1	AA	532	A	N7-C5	-6.52	1.35	1.39
1	AA	1164	G	C5'-C4'	6.52	1.59	1.51
26	BB	1161	C	N3-C4	6.52	1.38	1.33
26	BB	2364	C	O3'-P	6.52	1.69	1.61
26	BB	2474	U	C3'-C2'	6.52	1.60	1.52
26	BB	2545	G	C6-N1	-6.52	1.34	1.39
26	BB	2735	G	C6-O6	-6.52	1.18	1.24
1	AA	896	C	C4'-O4'	-6.52	1.37	1.45
1	AA	1383	C	C4'-O4'	-6.52	1.37	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	1	A	C4'-C3'	6.52	1.60	1.53
3	AC	16	A	C4'-C3'	6.52	1.60	1.53
26	BB	372	G	C2-N3	6.52	1.38	1.32
1	AA	499	A	C6-N1	-6.51	1.30	1.35
1	AA	1339	A	O3'-P	6.51	1.69	1.61
26	BB	1626	A	C5'-C4'	6.51	1.59	1.51
1	AA	120	A	P-O5'	6.51	1.66	1.59
5	AE	192	PRO	N-CA	-6.51	1.36	1.47
26	BB	322	A	C5-C4	-6.51	1.34	1.38
26	BB	522	A	N9-C4	-6.51	1.33	1.37
26	BB	620	G	N3-C4	6.51	1.40	1.35
26	BB	675	A	N9-C4	-6.51	1.33	1.37
26	BB	779	U	C5-C6	6.51	1.40	1.34
26	BB	1937	A	N9-C4	6.51	1.41	1.37
1	AA	70	U	P-O5'	-6.51	1.53	1.59
26	BB	603	A	C8-N7	-6.51	1.26	1.31
26	BB	1484	U	C4'-O4'	-6.51	1.37	1.45
26	BB	1887	C	P-O5'	6.51	1.66	1.59
1	AA	164	G	N3-C4	6.51	1.40	1.35
26	BB	2342	C	P-O5'	-6.51	1.53	1.59
1	AA	200	G	N1-C2	6.51	1.43	1.37
1	AA	273	U	C2'-C1'	6.51	1.60	1.53
25	BA	84	G	C5-C6	6.51	1.48	1.42
26	BB	2542	A	C2-N3	6.51	1.39	1.33
1	AA	549	C	P-O5'	-6.50	1.53	1.59
25	BA	31	C	C4-C5	6.50	1.48	1.43
26	BB	452	G	C2'-O2'	6.50	1.50	1.41
26	BB	458	G	C8-N7	6.50	1.34	1.30
1	AA	188	C	C5-C6	6.50	1.39	1.34
1	AA	526	C	C2-N3	6.50	1.41	1.35
1	AA	563	A	N7-C5	-6.50	1.35	1.39
1	AA	1304	G	C5-C4	-6.50	1.33	1.38
2	AB	38	A	C2'-O2'	6.50	1.50	1.41
26	BB	856	G	N1-C2	6.50	1.43	1.37
26	BB	1432	G	N9-C8	6.50	1.42	1.37
26	BB	2817	U	C2-N3	6.50	1.42	1.37
1	AA	29	U	C2-N3	6.50	1.42	1.37
1	AA	72	A	P-O5'	6.50	1.66	1.59
1	AA	814	A	N1-C2	-6.50	1.28	1.34
1	AA	1151	A	N9-C4	6.50	1.41	1.37
26	BB	96	C	C4'-O4'	-6.50	1.37	1.45
26	BB	1584	U	C5-C6	6.50	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2787	C	N1-C2	6.50	1.46	1.40
26	BB	2845	U	C4-C5	6.50	1.49	1.43
1	AA	605	U	C2-N3	6.50	1.42	1.37
1	AA	655	A	N3-C4	6.50	1.38	1.34
1	AA	902	G	C5'-C4'	6.50	1.59	1.51
1	AA	1452	C	N3-C4	6.50	1.38	1.33
4	AD	20	G	N7-C5	-6.50	1.35	1.39
26	BB	235	U	C3'-C2'	6.50	1.60	1.52
26	BB	824	U	C5'-C4'	6.50	1.59	1.51
26	BB	943	A	C5-C4	6.50	1.43	1.38
26	BB	1384	A	O5'-C5'	-6.50	1.32	1.42
26	BB	1673	G	C2'-C1'	-6.50	1.46	1.53
26	BB	2115	G	N7-C5	6.50	1.43	1.39
34	BJ	83	TYR	CG-CD2	6.50	1.47	1.39
1	AA	619	U	C2-N3	6.50	1.42	1.37
1	AA	960	U	P-O5'	6.50	1.66	1.59
26	BB	697	G	O3'-P	-6.50	1.53	1.61
26	BB	1288	G	P-O5'	6.50	1.66	1.59
26	BB	1584	U	C4-C5	6.50	1.49	1.43
26	BB	2736	A	N3-C4	6.50	1.38	1.34
1	AA	1130	A	C6-N6	6.50	1.39	1.33
26	BB	1785	A	C4'-O4'	-6.50	1.37	1.45
26	BB	2340	A	C4'-O4'	-6.50	1.37	1.45
30	BF	64	GLY	CA-C	6.50	1.62	1.51
1	AA	144	G	C2-N3	6.49	1.38	1.32
1	AA	491	G	C3'-C2'	6.49	1.60	1.52
1	AA	663	A	C5-C4	-6.49	1.34	1.38
1	AA	875	U	N1-C2	6.49	1.44	1.38
1	AA	885	G	N1-C2	6.49	1.43	1.37
26	BB	189	G	C6-N1	6.49	1.44	1.39
26	BB	1341	G	N9-C8	-6.49	1.33	1.37
1	AA	7	A	N7-C5	6.49	1.43	1.39
1	AA	9	G	C6-N1	-6.49	1.35	1.39
26	BB	343	C	N1-C6	6.49	1.41	1.37
26	BB	2780	G	C2-N3	6.49	1.38	1.32
1	AA	1464	U	C5'-C4'	6.49	1.59	1.51
2	AB	66	C	C2'-O2'	6.49	1.50	1.41
26	BB	185	G	C3'-O3'	6.49	1.51	1.42
26	BB	1385	A	N7-C5	6.49	1.43	1.39
26	BB	2184	A	C6-N1	6.49	1.40	1.35
1	AA	575	G	C6-N1	6.49	1.44	1.39
1	AA	714	G	N3-C4	6.49	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	702	U	O3'-P	6.49	1.69	1.61
26	BB	2873	A	N9-C4	-6.49	1.33	1.37
26	BB	1585	C	C4'-O4'	-6.49	1.37	1.45
26	BB	2684	U	C2-N3	6.49	1.42	1.37
4	AD	50	G	C5-C6	6.49	1.48	1.42
25	BA	59	A	N9-C4	6.49	1.41	1.37
26	BB	1369	G	C8-N7	6.49	1.34	1.30
26	BB	2120	G	C5-C6	6.49	1.48	1.42
1	AA	1350	A	C4'-C3'	6.48	1.60	1.53
26	BB	1131	G	O3'-P	6.48	1.69	1.61
26	BB	820	A	C4'-O4'	-6.48	1.37	1.45
26	BB	2367	G	C4'-O4'	-6.48	1.37	1.45
1	AA	771	G	N1-C2	6.48	1.43	1.37
1	AA	1396	A	C5'-C4'	6.48	1.59	1.51
26	BB	300	A	O3'-P	6.48	1.69	1.61
26	BB	319	G	N7-C5	-6.48	1.35	1.39
26	BB	679	C	P-O5'	6.48	1.66	1.59
26	BB	1478	G	O3'-P	6.48	1.69	1.61
26	BB	1991	U	O3'-P	6.48	1.69	1.61
26	BB	2353	G	C5'-C4'	6.48	1.59	1.51
26	BB	2747	G	N3-C4	6.48	1.40	1.35
1	AA	721	G	C6-N1	-6.48	1.35	1.39
1	AA	790	A	C2'-C1'	-6.48	1.46	1.53
25	BA	97	C	O4'-C1'	6.48	1.50	1.41
26	BB	342	A	P-O5'	6.48	1.66	1.59
26	BB	1154	G	N9-C8	-6.48	1.33	1.37
26	BB	1973	G	C8-N7	6.48	1.34	1.30
1	AA	569	C	P-O5'	6.48	1.66	1.59
1	AA	1191	A	N3-C4	6.48	1.38	1.34
26	BB	2134	A	N9-C4	6.48	1.41	1.37
1	AA	778	G	C8-N7	6.48	1.34	1.30
26	BB	1511	G	C3'-C2'	6.48	1.60	1.52
1	AA	652	U	C2-N3	6.47	1.42	1.37
1	AA	1072	G	C2-N3	6.47	1.38	1.32
4	AD	69	C	C1'-N1	6.47	1.58	1.48
4	AD	75	C	N3-C4	6.47	1.38	1.33
26	BB	241	A	N9-C4	-6.47	1.33	1.37
26	BB	446	G	C2-N3	6.47	1.38	1.32
26	BB	486	C	N1-C6	6.47	1.41	1.37
26	BB	622	G	O3'-P	6.47	1.69	1.61
26	BB	2788	C	C2-N3	6.47	1.41	1.35
1	AA	723	U	C5'-C4'	6.47	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	906	A	C6-N1	-6.47	1.31	1.35
1	AA	964	A	C6-N6	-6.47	1.28	1.33
1	AA	1230	C	C2-O2	-6.47	1.18	1.24
26	BB	1271	G	N7-C5	-6.47	1.35	1.39
26	BB	1304	A	N3-C4	6.47	1.38	1.34
26	BB	1963	U	P-O5'	6.47	1.66	1.59
26	BB	2564	A	C4'-O4'	-6.47	1.37	1.45
1	AA	978	A	N3-C4	6.47	1.38	1.34
1	AA	1358	U	N3-C4	6.47	1.44	1.38
26	BB	230	G	C8-N7	-6.47	1.27	1.30
26	BB	563	A	C4'-C3'	-6.47	1.46	1.53
26	BB	1396	U	C4-C5	6.47	1.49	1.43
1	AA	1	A	N3-C4	6.47	1.38	1.34
26	BB	2071	A	C2'-O2'	6.47	1.50	1.41
26	BB	1000	A	C4'-O4'	-6.47	1.37	1.45
26	BB	1122	G	C6-N1	6.47	1.44	1.39
1	AA	894	G	P-O5'	6.47	1.66	1.59
4	AD	25	U	P-O5'	6.47	1.66	1.59
26	BB	215	G	N7-C5	6.47	1.43	1.39
26	BB	314	C	C5'-C4'	6.47	1.59	1.51
1	AA	220	G	C2-N3	6.46	1.38	1.32
1	AA	312	C	C2-N3	6.46	1.41	1.35
1	AA	369	G	C8-N7	-6.46	1.27	1.30
1	AA	617	G	C5-C4	-6.46	1.33	1.38
26	BB	1089	A	C4'-C3'	-6.46	1.46	1.53
26	BB	2738	A	N1-C2	-6.46	1.28	1.34
1	AA	10	A	N7-C5	-6.46	1.35	1.39
26	BB	670	A	C6-N1	6.46	1.40	1.35
26	BB	1627	G	N3-C4	6.46	1.40	1.35
26	BB	2699	C	C1'-N1	6.46	1.58	1.48
26	BB	2723	C	C2-N3	6.46	1.41	1.35
1	AA	1034	G	N1-C2	6.46	1.43	1.37
1	AA	1429	A	N3-C4	6.46	1.38	1.34
26	BB	200	U	C2-N3	6.46	1.42	1.37
26	BB	1755	A	C8-N7	-6.46	1.27	1.31
26	BB	2062	A	N3-C4	6.46	1.38	1.34
26	BB	113	U	C4-O4	6.46	1.28	1.23
26	BB	1647	U	C4-C5	6.46	1.49	1.43
26	BB	1752	C	C2'-O2'	6.46	1.50	1.41
1	AA	242	G	P-O5'	6.46	1.66	1.59
26	BB	95	A	P-O5'	6.46	1.66	1.59
26	BB	970	U	N1-C2	6.46	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1392	A	P-O5'	6.46	1.66	1.59
26	BB	1412	U	C2-O2	6.46	1.28	1.22
26	BB	2476	A	N3-C4	6.46	1.38	1.34
26	BB	2713	U	C4-C5	6.46	1.49	1.43
26	BB	2825	G	P-O5'	6.46	1.66	1.59
1	AA	1026	G	C3'-C2'	-6.46	1.45	1.52
1	AA	1231	G	P-O5'	6.46	1.66	1.59
26	BB	1755	A	C5-C4	-6.46	1.34	1.38
26	BB	2080	A	C5-C4	-6.46	1.34	1.38
26	BB	2355	G	C5-C6	6.46	1.48	1.42
26	BB	966	G	N3-C4	6.46	1.40	1.35
26	BB	2881	U	N3-C4	6.46	1.44	1.38
1	AA	443	C	N1-C6	6.45	1.41	1.37
1	AA	1219	A	N9-C4	-6.45	1.33	1.37
26	BB	2315	G	N9-C4	-6.45	1.32	1.38
26	BB	934	U	N3-C4	6.45	1.44	1.38
26	BB	1343	G	C8-N7	-6.45	1.27	1.30
1	AA	344	A	C5'-C4'	6.45	1.59	1.51
1	AA	645	G	C2'-C1'	6.45	1.60	1.53
1	AA	944	G	C2-N2	-6.45	1.28	1.34
26	BB	685	A	N7-C5	-6.45	1.35	1.39
26	BB	964	C	N1-C6	-6.45	1.33	1.37
26	BB	1709	U	C4-C5	6.45	1.49	1.43
26	BB	1892	C	N1-C6	-6.45	1.33	1.37
1	AA	1181	G	P-O5'	6.45	1.66	1.59
1	AA	1307	U	P-O5'	6.45	1.66	1.59
26	BB	667	U	C2-O2	6.45	1.28	1.22
26	BB	1074	G	C8-N7	6.45	1.34	1.30
26	BB	1127	A	C4'-O4'	-6.45	1.37	1.45
1	AA	1266	G	N7-C5	-6.45	1.35	1.39
1	AA	1271	A	C6-N6	-6.45	1.28	1.33
26	BB	2742	G	C8-N7	-6.45	1.27	1.30
1	AA	268	U	C3'-C2'	6.45	1.60	1.52
1	AA	281	G	C5-C6	6.45	1.48	1.42
1	AA	365	U	P-O5'	6.45	1.66	1.59
26	BB	154	U	C2'-O2'	-6.45	1.33	1.41
26	BB	467	G	N1-C2	6.45	1.43	1.37
26	BB	933	A	C5'-C4'	6.45	1.59	1.51
26	BB	1707	G	C5-C6	6.45	1.48	1.42
26	BB	1958	C	P-O5'	6.45	1.66	1.59
26	BB	2722	G	N9-C8	6.45	1.42	1.37
1	AA	40	C	O5'-C5'	-6.44	1.32	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	232	G	N7-C5	-6.44	1.35	1.39
26	BB	1750	G	C8-N7	-6.44	1.27	1.30
26	BB	2001	C	C4'-O4'	-6.44	1.37	1.45
1	AA	602	A	N9-C8	-6.44	1.32	1.37
1	AA	729	A	P-O5'	6.44	1.66	1.59
1	AA	1020	G	N9-C4	-6.44	1.32	1.38
2	AB	75	C	C2-O2	-6.44	1.18	1.24
26	BB	357	C	N1-C2	6.44	1.46	1.40
26	BB	1638	C	C5-C6	6.44	1.39	1.34
26	BB	1913	A	N7-C5	6.44	1.43	1.39
26	BB	1985	C	C4-C5	6.44	1.48	1.43
26	BB	2471	A	C5-C4	-6.44	1.34	1.38
1	AA	105	G	N9-C8	-6.44	1.33	1.37
1	AA	801	U	N1-C2	6.44	1.44	1.38
1	AA	1135	U	C4'-O4'	-6.44	1.37	1.45
1	AA	1141	C	P-O5'	6.44	1.66	1.59
1	AA	1513	A	C6-N1	6.44	1.40	1.35
26	BB	162	U	C2-N3	6.44	1.42	1.37
26	BB	1184	U	P-O5'	6.44	1.66	1.59
26	BB	1656	C	P-O5'	6.44	1.66	1.59
26	BB	2135	A	N9-C4	-6.44	1.33	1.37
1	AA	1027	C	P-O5'	6.44	1.66	1.59
26	BB	1453	A	C4'-C3'	6.44	1.60	1.53
26	BB	1708	C	P-O5'	6.44	1.66	1.59
26	BB	1991	U	N1-C2	6.44	1.44	1.38
26	BB	1115	G	C6-N1	-6.44	1.35	1.39
26	BB	2641	G	C3'-C2'	6.44	1.60	1.52
1	AA	91	U	O3'-P	6.44	1.68	1.61
1	AA	1447	A	N3-C4	6.44	1.38	1.34
26	BB	2763	G	C4'-C3'	6.44	1.60	1.53
1	AA	774	G	C6-O6	-6.43	1.18	1.24
1	AA	1182	G	C2-N3	6.43	1.37	1.32
26	BB	456	C	C4'-O4'	-6.43	1.37	1.45
26	BB	471	A	P-O5'	6.43	1.66	1.59
26	BB	579	G	C6-N1	-6.43	1.35	1.39
1	AA	415	A	C5'-C4'	6.43	1.59	1.51
1	AA	1036	A	N9-C4	-6.43	1.33	1.37
1	AA	1187	G	N3-C4	6.43	1.40	1.35
1	AA	1256	A	O3'-P	6.43	1.68	1.61
2	AB	52	A	N3-C4	6.43	1.38	1.34
25	BA	42	C	C2-O2	-6.43	1.18	1.24
26	BB	287	G	C6-N1	6.43	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	508	A	N3-C4	6.43	1.38	1.34
26	BB	641	U	N1-C2	-6.43	1.32	1.38
26	BB	655	A	P-O5'	6.43	1.66	1.59
26	BB	2730	C	N1-C6	6.43	1.41	1.37
26	BB	2884	U	C4-O4	-6.43	1.18	1.23
1	AA	1108	G	N1-C2	6.43	1.42	1.37
1	AA	1194	U	C2-N3	6.43	1.42	1.37
26	BB	1050	A	P-O5'	6.43	1.66	1.59
26	BB	2112	G	N1-C2	6.43	1.42	1.37
1	AA	670	G	C5-C6	6.43	1.48	1.42
26	BB	110	G	C4'-C3'	6.43	1.60	1.53
26	BB	819	A	P-O5'	6.43	1.66	1.59
26	BB	924	G	C4'-O4'	-6.43	1.37	1.45
26	BB	1660	G	N7-C5	6.43	1.43	1.39
26	BB	2463	C	C5-C6	6.43	1.39	1.34
26	BB	2574	G	C8-N7	-6.43	1.27	1.30
31	BG	163	GLU	CG-CD	6.43	1.61	1.51
1	AA	826	C	N1-C2	6.43	1.46	1.40
26	BB	531	C	P-O5'	6.43	1.66	1.59
1	AA	1208	C	N3-C4	6.43	1.38	1.33
1	AA	1470	U	N3-C4	6.43	1.44	1.38
26	BB	124	G	N1-C2	6.43	1.42	1.37
26	BB	1764	C	C2-N3	6.43	1.40	1.35
1	AA	10	A	C5-C4	-6.42	1.34	1.38
1	AA	465	A	C6-N6	6.42	1.39	1.33
25	BA	108	A	P-O5'	6.42	1.66	1.59
26	BB	1051	G	C8-N7	6.42	1.34	1.30
26	BB	1542	U	C3'-C2'	6.42	1.60	1.52
26	BB	1961	C	C5-C6	6.42	1.39	1.34
26	BB	1984	G	C2-N3	6.42	1.37	1.32
26	BB	2382	G	N7-C5	6.42	1.43	1.39
26	BB	2467	C	C4-C5	6.42	1.48	1.43
26	BB	2701	U	C2-N3	6.42	1.42	1.37
48	BX	2	PHE	CG-CD2	6.42	1.48	1.38
1	AA	64	G	C4'-C3'	6.42	1.60	1.53
26	BB	1571	A	P-O5'	6.42	1.66	1.59
26	BB	2779	U	P-O5'	6.42	1.66	1.59
1	AA	15	G	C4'-O4'	-6.42	1.37	1.45
1	AA	703	G	N1-C2	6.42	1.42	1.37
1	AA	1072	G	N9-C8	6.42	1.42	1.37
1	AA	1500	A	N9-C4	-6.42	1.33	1.37
26	BB	1181	U	C4-C5	6.42	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1904	G	C5-C4	-6.42	1.33	1.38
26	BB	2355	G	N1-C2	6.42	1.42	1.37
26	BB	2638	G	C2-N2	6.42	1.41	1.34
26	BB	2903	U	C5'-C4'	6.42	1.59	1.51
1	AA	112	G	O3'-P	6.42	1.68	1.61
1	AA	1079	G	C8-N7	6.42	1.34	1.30
1	AA	486	U	C3'-C2'	6.42	1.60	1.52
1	AA	766	A	N3-C4	6.42	1.38	1.34
1	AA	1301	U	N3-C4	-6.42	1.32	1.38
26	BB	218	A	C8-N7	6.42	1.36	1.31
26	BB	1060	U	C2-N3	6.42	1.42	1.37
1	AA	310	G	C5'-C4'	6.42	1.59	1.51
26	BB	439	A	C3'-C2'	-6.42	1.45	1.52
26	BB	1115	G	N9-C8	-6.42	1.33	1.37
26	BB	1309	G	N7-C5	6.42	1.43	1.39
26	BB	1893	C	N1-C2	6.42	1.46	1.40
26	BB	142	A	N9-C4	6.42	1.41	1.37
26	BB	912	C	C5-C6	6.42	1.39	1.34
1	AA	337	G	O3'-P	6.41	1.68	1.61
1	AA	796	C	N1-C6	6.41	1.41	1.37
1	AA	1270	G	C5-C4	-6.41	1.33	1.38
1	AA	1540	U	N1-C6	-6.41	1.32	1.38
3	AC	14	G	C4'-O4'	-6.41	1.37	1.45
26	BB	2305	U	N1-C2	6.41	1.44	1.38
26	BB	2621	G	C6-N1	6.41	1.44	1.39
26	BB	2680	U	C2'-O2'	-6.41	1.33	1.41
1	AA	105	G	N1-C2	6.41	1.42	1.37
1	AA	712	A	N3-C4	-6.41	1.31	1.34
1	AA	1042	A	C6-N1	-6.41	1.31	1.35
1	AA	1062	U	C5'-C4'	6.41	1.59	1.51
1	AA	1425	U	N1-C6	6.41	1.43	1.38
1	AA	1459	G	P-O5'	6.41	1.66	1.59
26	BB	176	A	N7-C5	-6.41	1.35	1.39
26	BB	223	A	N7-C5	6.41	1.43	1.39
26	BB	684	G	C8-N7	6.41	1.34	1.30
26	BB	2640	G	N9-C8	-6.41	1.33	1.37
1	AA	637	C	C5'-C4'	6.41	1.59	1.51
26	BB	100	U	C2-N3	6.41	1.42	1.37
26	BB	273	G	N9-C8	-6.41	1.33	1.37
26	BB	347	A	N9-C8	-6.41	1.32	1.37
26	BB	1878	G	C2-N2	-6.41	1.28	1.34
26	BB	2033	A	C4'-O4'	-6.41	1.37	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2318	G	C2-N3	6.41	1.37	1.32
26	BB	2749	A	C5-C4	6.41	1.43	1.38
1	AA	83	C	C4-C5	6.41	1.48	1.43
1	AA	1526	G	N7-C5	-6.41	1.35	1.39
4	AD	10	G	N9-C4	-6.41	1.32	1.38
25	BA	58	A	N9-C8	-6.41	1.32	1.37
26	BB	864	G	N7-C5	6.41	1.43	1.39
26	BB	953	G	C2'-C1'	-6.41	1.46	1.53
26	BB	1160	G	C5'-C4'	6.41	1.59	1.51
26	BB	1266	G	N7-C5	-6.41	1.35	1.39
26	BB	1456	G	C2-N3	6.41	1.37	1.32
26	BB	2506	U	N1-C6	6.41	1.43	1.38
26	BB	2753	A	O3'-P	6.41	1.68	1.61
26	BB	2771	C	C4'-O4'	-6.41	1.37	1.45
1	AA	1019	A	C6-N1	-6.41	1.31	1.35
1	AA	1155	A	N3-C4	6.41	1.38	1.34
26	BB	54	G	N7-C5	6.41	1.43	1.39
26	BB	108	G	C2-N3	6.41	1.37	1.32
26	BB	890	C	N1-C6	6.41	1.41	1.37
26	BB	1605	C	N1-C2	6.41	1.46	1.40
1	AA	319	G	N3-C4	-6.40	1.30	1.35
26	BB	281	C	C2'-C1'	6.40	1.60	1.53
1	AA	127	G	N1-C2	6.40	1.42	1.37
3	AC	59	A	N9-C4	-6.40	1.34	1.37
26	BB	1182	G	C5'-C4'	6.40	1.59	1.51
26	BB	1274	A	C6-N6	6.40	1.39	1.33
1	AA	148	G	C2-N3	6.40	1.37	1.32
1	AA	606	G	N7-C5	-6.40	1.35	1.39
1	AA	663	A	C8-N7	6.40	1.36	1.31
1	AA	913	A	C3'-O3'	6.40	1.51	1.42
26	BB	311	A	C8-N7	-6.40	1.27	1.31
26	BB	417	C	C4-N4	6.40	1.39	1.33
26	BB	551	G	N1-C2	6.40	1.42	1.37
26	BB	1486	U	N3-C4	6.40	1.44	1.38
26	BB	1906	G	C3'-C2'	-6.40	1.45	1.52
26	BB	2898	U	C2-N3	6.40	1.42	1.37
1	AA	120	A	C3'-C2'	-6.40	1.45	1.52
1	AA	991	U	C5'-C4'	6.40	1.59	1.51
1	AA	1365	G	N3-C4	6.40	1.40	1.35
26	BB	1686	C	C5'-C4'	6.40	1.59	1.51
4	AD	53	G	C5-C6	6.40	1.48	1.42
26	BB	697	G	N1-C2	6.40	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	788	A	N3-C4	6.40	1.38	1.34
26	BB	1578	U	C4-C5	6.40	1.49	1.43
26	BB	1903	G	C2-N3	6.40	1.37	1.32
26	BB	2154	A	N9-C4	6.40	1.41	1.37
26	BB	2732	G	O3'-P	-6.40	1.53	1.61
1	AA	310	G	C8-N7	6.40	1.34	1.30
1	AA	344	A	P-O5'	6.40	1.66	1.59
1	AA	769	G	C2-N3	6.40	1.37	1.32
1	AA	1371	G	N9-C4	-6.40	1.32	1.38
1	AA	326	G	O3'-P	6.39	1.68	1.61
1	AA	439	U	C5'-C4'	6.39	1.59	1.51
1	AA	907	A	P-O5'	6.39	1.66	1.59
26	BB	53	A	C8-N7	-6.39	1.27	1.31
26	BB	1557	C	N3-C4	6.39	1.38	1.33
26	BB	2528	U	O3'-P	-6.39	1.53	1.61
26	BB	2852	G	N9-C8	6.39	1.42	1.37
1	AA	523	A	C8-N7	-6.39	1.27	1.31
1	AA	1285	A	C5-C6	6.39	1.46	1.41
26	BB	216	A	C5'-C4'	6.39	1.59	1.51
26	BB	585	G	C4'-O4'	-6.39	1.37	1.45
26	BB	1146	C	N1-C2	6.39	1.46	1.40
26	BB	1214	A	O3'-P	6.39	1.68	1.61
26	BB	1777	U	N1-C2	6.39	1.44	1.38
26	BB	1792	G	P-O5'	6.39	1.66	1.59
26	BB	1905	C	C2-N3	6.39	1.40	1.35
26	BB	2376	A	C5-C4	-6.39	1.34	1.38
26	BB	2448	A	C2'-C1'	6.39	1.60	1.53
26	BB	536	G	C4'-O4'	-6.39	1.37	1.45
26	BB	579	G	O3'-P	-6.39	1.53	1.61
26	BB	2393	U	O4'-C1'	6.39	1.50	1.41
26	BB	279	A	C6-N1	6.39	1.40	1.35
36	BL	75	TYR	CE1-CZ	6.39	1.46	1.38
1	AA	97	G	P-O5'	6.39	1.66	1.59
1	AA	142	G	C8-N7	-6.39	1.27	1.30
1	AA	331	G	C2-N2	6.39	1.41	1.34
1	AA	603	U	O3'-P	6.39	1.68	1.61
1	AA	858	G	N9-C4	-6.39	1.32	1.38
1	AA	1018	G	C8-N7	-6.39	1.27	1.30
1	AA	1097	C	C5-C6	6.39	1.39	1.34
26	BB	482	A	C6-N6	6.39	1.39	1.33
26	BB	1876	A	C8-N7	-6.39	1.27	1.31
26	BB	2567	G	N1-C2	-6.39	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	226	G	C6-N1	6.38	1.44	1.39
1	AA	384	G	C5'-C4'	-6.38	1.43	1.51
2	AB	41	C	C4'-O4'	-6.38	1.37	1.45
26	BB	408	G	N9-C8	6.38	1.42	1.37
26	BB	533	G	C5-C4	6.38	1.42	1.38
26	BB	1006	C	C5-C6	6.38	1.39	1.34
26	BB	1529	G	C2'-O2'	6.38	1.50	1.41
26	BB	1825	U	O3'-P	6.38	1.68	1.61
37	BM	70	ARG	NE-CZ	6.38	1.41	1.33
1	AA	273	U	O3'-P	6.38	1.68	1.61
1	AA	442	G	C8-N7	6.38	1.34	1.30
26	BB	952	G	P-O5'	6.38	1.66	1.59
26	BB	1185	G	P-O5'	6.38	1.66	1.59
26	BB	1783	A	N9-C8	6.38	1.42	1.37
26	BB	2135	A	C8-N7	-6.38	1.27	1.31
26	BB	2898	U	O5'-C5'	-6.38	1.32	1.42
1	AA	530	G	C4'-O4'	-6.38	1.37	1.45
1	AA	1253	G	O4'-C1'	6.38	1.50	1.41
26	BB	538	A	C6-N1	6.38	1.40	1.35
26	BB	765	C	C2-N3	6.38	1.40	1.35
26	BB	1399	C	N1-C6	6.38	1.41	1.37
26	BB	2222	C	O3'-P	6.38	1.68	1.61
1	AA	270	A	N7-C5	-6.38	1.35	1.39
1	AA	334	C	P-O5'	6.38	1.66	1.59
1	AA	737	C	O4'-C1'	6.38	1.50	1.41
25	BA	104	A	C8-N7	-6.38	1.27	1.31
26	BB	530	G	N7-C5	-6.38	1.35	1.39
26	BB	1173	U	O3'-P	6.38	1.68	1.61
1	AA	659	U	N3-C4	6.38	1.44	1.38
1	AA	905	U	N1-C2	6.38	1.44	1.38
1	AA	1127	G	O3'-P	6.38	1.68	1.61
26	BB	95	A	N3-C4	6.38	1.38	1.34
26	BB	1530	G	C5-C6	6.38	1.48	1.42
26	BB	1727	C	C2'-O2'	6.38	1.50	1.41
26	BB	1879	C	C4-N4	6.38	1.39	1.33
26	BB	2035	G	C4'-O4'	-6.38	1.37	1.45
26	BB	2823	A	P-O5'	6.38	1.66	1.59
1	AA	543	U	N3-C4	6.38	1.44	1.38
1	AA	1232	U	C2'-C1'	-6.38	1.46	1.53
26	BB	277	G	C2'-C1'	6.38	1.60	1.53
26	BB	854	C	C2-N3	6.38	1.40	1.35
26	BB	2420	C	C4'-C3'	6.38	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	581	C	O4'-C1'	6.38	1.50	1.41
26	BB	1299	G	C2'-C1'	6.38	1.60	1.53
26	BB	1596	A	C6-N6	6.38	1.39	1.33
1	AA	887	G	N7-C5	6.37	1.43	1.39
1	AA	1054	C	P-O5'	6.37	1.66	1.59
1	AA	1405	G	C6-O6	-6.37	1.18	1.24
2	AB	49	G	C3'-C2'	6.37	1.59	1.52
26	BB	605	G	P-O5'	6.37	1.66	1.59
26	BB	1975	G	N7-C5	6.37	1.43	1.39
26	BB	2349	G	P-O5'	6.37	1.66	1.59
1	AA	728	A	C5-C4	-6.37	1.34	1.38
1	AA	1359	C	C4-C5	6.37	1.48	1.43
26	BB	86	G	C4'-C3'	6.37	1.60	1.53
26	BB	152	A	C5-C4	6.37	1.43	1.38
26	BB	1119	U	C2-N3	6.37	1.42	1.37
26	BB	2040	G	C8-N7	6.37	1.34	1.30
26	BB	2123	G	C8-N7	6.37	1.34	1.30
26	BB	2185	U	C2'-C1'	-6.37	1.46	1.53
26	BB	2194	U	C2-N3	6.37	1.42	1.37
1	AA	787	A	N9-C8	6.37	1.42	1.37
1	AA	824	G	N1-C2	6.37	1.42	1.37
26	BB	122	G	C8-N7	-6.37	1.27	1.30
26	BB	242	G	C2-N2	-6.37	1.28	1.34
26	BB	848	C	C2-N3	6.37	1.40	1.35
26	BB	2040	G	P-O5'	6.37	1.66	1.59
1	AA	1128	C	C4'-O4'	-6.37	1.37	1.45
1	AA	1198	G	C5-C4	-6.37	1.33	1.38
2	AB	59	G	C2-N3	6.37	1.37	1.32
14	AN	93	GLU	CG-CD	6.37	1.61	1.51
26	BB	1189	A	P-O5'	6.37	1.66	1.59
26	BB	1230	A	C5-C6	6.37	1.46	1.41
26	BB	1434	A	N3-C4	6.37	1.38	1.34
26	BB	1480	C	C2-O2	-6.37	1.18	1.24
26	BB	215	G	C5'-C4'	6.37	1.58	1.51
26	BB	1183	U	P-O5'	6.37	1.66	1.59
26	BB	1992	G	O3'-P	6.37	1.68	1.61
26	BB	2097	A	C5'-C4'	6.37	1.58	1.51
26	BB	2655	G	N9-C4	6.37	1.43	1.38
1	AA	313	A	C5-C4	-6.37	1.34	1.38
1	AA	566	G	C5-C4	-6.37	1.33	1.38
1	AA	717	U	C4-C5	6.37	1.49	1.43
1	AA	729	A	N3-C4	6.37	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	637	A	C6-N1	6.37	1.40	1.35
26	BB	1000	A	N7-C5	6.37	1.43	1.39
26	BB	1743	G	O3'-P	6.37	1.68	1.61
26	BB	2207	C	C4-N4	-6.37	1.28	1.33
4	AD	63	C	P-O5'	6.36	1.66	1.59
26	BB	638	G	C6-N1	6.36	1.44	1.39
26	BB	863	A	O3'-P	6.36	1.68	1.61
26	BB	2631	G	N7-C5	-6.36	1.35	1.39
26	BB	2649	C	C4-C5	6.36	1.48	1.43
1	AA	294	U	C4'-O4'	-6.36	1.37	1.45
1	AA	499	A	C2'-C1'	-6.36	1.46	1.53
26	BB	1348	C	N1-C2	6.36	1.46	1.40
26	BB	2473	U	N1-C2	6.36	1.44	1.38
1	AA	917	G	C3'-C2'	6.36	1.59	1.52
1	AA	1087	G	C2-N3	6.36	1.37	1.32
26	BB	551	G	C2-N2	-6.36	1.28	1.34
26	BB	748	G	N7-C5	6.36	1.43	1.39
1	AA	891	U	O3'-P	-6.36	1.53	1.61
1	AA	1154	G	N9-C8	6.36	1.42	1.37
2	AB	73	G	O3'-P	6.36	1.68	1.61
26	BB	125	A	P-O5'	6.36	1.66	1.59
26	BB	2168	G	C6-O6	-6.36	1.18	1.24
26	BB	2255	G	P-O5'	-6.36	1.53	1.59
26	BB	2661	G	N9-C8	-6.36	1.33	1.37
1	AA	1216	A	C5'-C4'	6.36	1.58	1.51
1	AA	1480	A	N1-C2	-6.36	1.28	1.34
25	BA	72	G	C4'-O4'	-6.36	1.37	1.45
26	BB	2038	G	P-O5'	6.36	1.66	1.59
26	BB	2179	C	P-O5'	6.36	1.66	1.59
26	BB	2614	A	O4'-C1'	6.36	1.50	1.41
1	AA	242	G	C2'-C1'	6.36	1.60	1.53
1	AA	663	A	C4'-O4'	-6.36	1.37	1.45
1	AA	1414	U	C2'-C1'	6.36	1.60	1.53
2	AB	67	G	C2-N2	-6.36	1.28	1.34
26	BB	804	A	C8-N7	-6.36	1.27	1.31
26	BB	877	A	C6-N1	-6.36	1.31	1.35
26	BB	1231	U	C5'-C4'	6.36	1.58	1.51
26	BB	1701	A	C4'-O4'	-6.36	1.37	1.45
26	BB	2409	G	N7-C5	-6.36	1.35	1.39
26	BB	2437	G	C4'-C3'	6.36	1.60	1.53
1	AA	433	G	C3'-O3'	6.35	1.51	1.42
1	AA	537	G	N7-C5	6.35	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	17	C	N1-C6	-6.35	1.33	1.37
26	BB	2554	U	C5-C6	6.35	1.39	1.34
26	BB	1245	G	C2-N3	6.35	1.37	1.32
26	BB	1501	G	C5'-C4'	6.35	1.58	1.51
26	BB	2021	C	C4-C5	6.35	1.48	1.43
26	BB	2146	C	C4'-C3'	6.35	1.60	1.53
1	AA	264	C	C4'-C3'	-6.35	1.46	1.53
26	BB	730	A	N7-C5	-6.35	1.35	1.39
26	BB	1316	U	C2'-O2'	-6.35	1.33	1.41
26	BB	1633	G	P-O5'	6.35	1.66	1.59
26	BB	2761	A	N9-C8	6.35	1.42	1.37
1	AA	97	G	C2-N3	6.35	1.37	1.32
1	AA	168	G	N7-C5	6.35	1.43	1.39
1	AA	222	C	N1-C2	6.35	1.46	1.40
1	AA	764	C	N1-C2	-6.35	1.33	1.40
1	AA	828	U	N1-C2	6.35	1.44	1.38
1	AA	1185	G	N9-C8	6.35	1.42	1.37
1	AA	1214	C	C4'-C3'	-6.35	1.46	1.53
1	AA	1455	G	P-O5'	6.35	1.66	1.59
25	BA	6	G	N9-C4	6.35	1.43	1.38
25	BA	12	C	C5'-C4'	6.35	1.58	1.51
26	BB	1189	A	N3-C4	-6.35	1.31	1.34
26	BB	1377	G	N3-C4	6.35	1.39	1.35
26	BB	1572	A	C5'-C4'	6.35	1.58	1.51
26	BB	1731	G	C3'-C2'	6.35	1.59	1.52
26	BB	2138	G	N3-C4	6.35	1.39	1.35
1	AA	428	G	N9-C4	-6.35	1.32	1.38
4	AD	9	G	C6-N1	6.35	1.44	1.39
26	BB	771	G	N7-C5	6.35	1.43	1.39
26	BB	1046	A	C6-N6	6.35	1.39	1.33
26	BB	1601	G	C5-C6	6.35	1.48	1.42
26	BB	2051	A	C8-N7	-6.35	1.27	1.31
1	AA	299	G	N7-C5	-6.35	1.35	1.39
1	AA	1379	G	N9-C8	-6.35	1.33	1.37
26	BB	1298	C	C4-C5	6.35	1.48	1.43
26	BB	2078	C	N3-C4	-6.35	1.29	1.33
26	BB	2146	C	C2-N3	-6.35	1.30	1.35
1	AA	141	G	N1-C2	6.34	1.42	1.37
1	AA	329	A	C6-N1	6.34	1.40	1.35
1	AA	1435	G	N9-C8	6.34	1.42	1.37
26	BB	78	U	C4'-C3'	6.34	1.60	1.53
26	BB	124	G	C5'-C4'	6.34	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2454	G	C8-N7	-6.34	1.27	1.30
26	BB	2667	C	C5'-C4'	6.34	1.58	1.51
26	BB	2903	U	N1-C2	6.34	1.44	1.38
1	AA	565	U	C2-N3	6.34	1.42	1.37
1	AA	1435	G	O3'-P	6.34	1.68	1.61
26	BB	541	A	C5'-C4'	6.34	1.58	1.51
26	BB	1656	C	O3'-P	6.34	1.68	1.61
26	BB	1784	A	C4'-O4'	-6.34	1.37	1.45
1	AA	937	A	C4'-O4'	-6.34	1.37	1.45
1	AA	1398	A	C2'-C1'	6.34	1.60	1.53
1	AA	1494	G	O3'-P	-6.34	1.53	1.61
26	BB	1036	G	C5-C4	6.34	1.42	1.38
26	BB	1270	C	C2'-C1'	6.34	1.60	1.53
26	BB	2129	C	C5-C6	6.34	1.39	1.34
1	AA	243	A	C2'-C1'	6.34	1.60	1.53
1	AA	971	G	C8-N7	-6.34	1.27	1.30
1	AA	990	C	C4'-C3'	6.34	1.60	1.53
4	AD	39	A	C5-C6	6.34	1.46	1.41
26	BB	91	A	C8-N7	-6.34	1.27	1.31
26	BB	286	U	O3'-P	6.34	1.68	1.61
26	BB	651	G	C2'-O2'	6.34	1.49	1.41
26	BB	1298	C	C2-N3	6.34	1.40	1.35
26	BB	1519	G	C6-N1	6.34	1.44	1.39
26	BB	2869	G	P-O5'	6.34	1.66	1.59
1	AA	374	A	N7-C5	6.34	1.43	1.39
1	AA	927	G	C6-N1	6.34	1.44	1.39
1	AA	1183	U	C4-C5	6.34	1.49	1.43
26	BB	156	A	C4'-O4'	-6.34	1.37	1.45
26	BB	944	C	C5'-C4'	6.34	1.58	1.51
1	AA	1270	G	P-O5'	6.33	1.66	1.59
26	BB	94	A	N9-C8	-6.33	1.32	1.37
26	BB	551	G	C8-N7	6.33	1.34	1.30
26	BB	2032	G	C4'-C3'	6.33	1.60	1.53
1	AA	282	A	N7-C5	-6.33	1.35	1.39
26	BB	8	C	P-O5'	6.33	1.66	1.59
26	BB	170	U	C2-O2	-6.33	1.16	1.22
26	BB	1469	A	C3'-C2'	6.33	1.59	1.52
26	BB	2222	C	C5'-C4'	6.33	1.58	1.51
1	AA	295	C	O3'-P	6.33	1.68	1.61
1	AA	647	C	O3'-P	6.33	1.68	1.61
1	AA	816	A	C5-C4	-6.33	1.34	1.38
1	AA	890	G	C5-C4	6.33	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1458	G	C8-N7	-6.33	1.27	1.30
26	BB	482	A	P-O5'	6.33	1.66	1.59
26	BB	1281	G	N7-C5	6.33	1.43	1.39
26	BB	2209	G	N1-C2	6.33	1.42	1.37
26	BB	2430	A	C5'-C4'	6.33	1.58	1.51
26	BB	2737	G	O3'-P	6.33	1.68	1.61
1	AA	56	U	C4'-O4'	-6.33	1.37	1.45
1	AA	758	C	C5-C6	6.33	1.39	1.34
26	BB	440	C	C5'-C4'	-6.33	1.43	1.51
26	BB	863	A	N3-C4	6.33	1.38	1.34
26	BB	2352	A	N3-C4	6.33	1.38	1.34
1	AA	243	A	N1-C2	-6.33	1.28	1.34
26	BB	1430	G	C5'-C4'	6.33	1.58	1.51
26	BB	1943	U	N1-C2	6.33	1.44	1.38
1	AA	521	G	P-O5'	6.33	1.66	1.59
26	BB	55	G	C8-N7	-6.33	1.27	1.30
26	BB	1416	G	O4'-C1'	-6.33	1.33	1.41
1	AA	140	U	P-O5'	6.32	1.66	1.59
1	AA	677	U	O4'-C1'	6.32	1.49	1.41
1	AA	1189	U	C4-C5	-6.32	1.37	1.43
4	AD	70	C	N3-C4	6.32	1.38	1.33
26	BB	1184	U	C2'-C1'	6.32	1.60	1.53
26	BB	1443	U	P-O5'	6.32	1.66	1.59
26	BB	1775	U	P-O5'	-6.32	1.53	1.59
26	BB	2447	G	N3-C4	6.32	1.39	1.35
26	BB	2469	A	P-O5'	-6.32	1.53	1.59
26	BB	2742	G	C2'-C1'	-6.32	1.46	1.53
1	AA	55	A	N9-C4	6.32	1.41	1.37
1	AA	524	G	C5'-C4'	6.32	1.58	1.51
26	BB	120	U	N1-C2	6.32	1.44	1.38
26	BB	529	A	C3'-C2'	6.32	1.59	1.52
26	BB	668	A	C6-N1	6.32	1.40	1.35
1	AA	371	A	N3-C4	6.32	1.38	1.34
1	AA	876	C	C2-N3	6.32	1.40	1.35
26	BB	1467	U	P-O5'	6.32	1.66	1.59
26	BB	1530	G	N3-C4	-6.32	1.31	1.35
26	BB	1776	G	C2'-C1'	-6.32	1.46	1.53
26	BB	2036	C	P-O5'	6.32	1.66	1.59
26	BB	2843	G	C8-N7	-6.32	1.27	1.30
26	BB	996	A	C4'-O4'	-6.32	1.37	1.45
26	BB	1024	G	O3'-P	6.32	1.68	1.61
1	AA	1245	C	P-O5'	6.32	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2012	G	C5'-C4'	6.32	1.58	1.51
26	BB	2071	A	O3'-P	-6.32	1.53	1.61
26	BB	2176	A	P-O5'	-6.32	1.53	1.59
26	BB	2584	U	C5'-C4'	6.32	1.58	1.51
1	AA	211	G	N1-C2	-6.32	1.32	1.37
26	BB	374	A	N3-C4	6.32	1.38	1.34
26	BB	540	C	P-O5'	6.32	1.66	1.59
26	BB	645	C	O3'-P	6.32	1.68	1.61
26	BB	826	U	N1-C6	6.32	1.43	1.38
26	BB	835	C	N3-C4	6.32	1.38	1.33
26	BB	2386	A	O3'-P	6.32	1.68	1.61
26	BB	2775	G	O3'-P	6.32	1.68	1.61
1	AA	1424	U	C4-O4	6.31	1.28	1.23
26	BB	795	C	C5'-C4'	6.31	1.58	1.51
1	AA	15	G	C4'-C3'	6.31	1.60	1.53
26	BB	2353	G	N9-C8	6.31	1.42	1.37
26	BB	2603	G	C5-C6	6.31	1.48	1.42
26	BB	2690	U	C4'-O4'	-6.31	1.37	1.45
26	BB	2872	A	C8-N7	6.31	1.35	1.31
1	AA	167	A	P-O5'	6.31	1.66	1.59
1	AA	921	U	C2'-O2'	-6.31	1.33	1.41
26	BB	334	C	C4'-O4'	-6.31	1.37	1.45
26	BB	430	A	P-O5'	6.31	1.66	1.59
26	BB	2731	G	N9-C8	-6.31	1.33	1.37
1	AA	1436	U	O3'-P	6.31	1.68	1.61
2	AB	26	A	N3-C4	6.31	1.38	1.34
26	BB	283	G	O3'-P	6.31	1.68	1.61
26	BB	908	C	O3'-P	6.31	1.68	1.61
26	BB	1851	U	O4'-C1'	6.31	1.49	1.41
1	AA	1439	G	C2-N3	6.31	1.37	1.32
26	BB	223	A	N3-C4	6.31	1.38	1.34
26	BB	1749	A	C4'-C3'	-6.31	1.46	1.53
26	BB	2355	G	N3-C4	6.31	1.39	1.35
26	BB	2751	G	N9-C4	6.31	1.43	1.38
25	BA	109	A	N3-C4	6.31	1.38	1.34
25	BA	115	A	O3'-P	-6.31	1.53	1.61
26	BB	2402	U	P-O5'	6.31	1.66	1.59
26	BB	2404	U	C4-C5	6.31	1.49	1.43
26	BB	2405	G	C5-C4	-6.31	1.33	1.38
26	BB	2813	A	N9-C4	-6.31	1.34	1.37
1	AA	138	G	P-O5'	6.30	1.66	1.59
1	AA	186	C	C2-O2	-6.30	1.18	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1164	G	C5-C6	6.30	1.48	1.42
26	BB	359	G	N1-C2	-6.30	1.32	1.37
26	BB	1604	C	C3'-O3'	6.30	1.50	1.42
1	AA	548	G	N7-C5	6.30	1.43	1.39
1	AA	604	G	C6-N1	6.30	1.44	1.39
26	BB	56	A	C6-N6	-6.30	1.28	1.33
1	AA	312	C	C2-O2	-6.30	1.18	1.24
1	AA	753	A	C5-C4	-6.30	1.34	1.38
1	AA	803	G	N9-C8	6.30	1.42	1.37
26	BB	244	A	C2'-C1'	-6.30	1.46	1.53
26	BB	357	C	C5-C6	6.30	1.39	1.34
26	BB	620	G	C5'-C4'	6.30	1.58	1.51
26	BB	1930	G	C5'-C4'	6.30	1.58	1.51
26	BB	2395	C	C4-C5	6.30	1.48	1.43
1	AA	1310	G	C6-N1	6.30	1.44	1.39
1	AA	1169	A	P-O5'	6.30	1.66	1.59
26	BB	613	A	C4'-C3'	6.30	1.60	1.53
26	BB	2347	C	C2-N3	6.30	1.40	1.35
1	AA	377	G	C5-C6	6.30	1.48	1.42
1	AA	478	A	C4'-O4'	-6.30	1.37	1.45
1	AA	666	G	N3-C4	-6.30	1.31	1.35
26	BB	541	A	C5-C4	6.30	1.43	1.38
26	BB	104	A	N9-C4	-6.29	1.34	1.37
26	BB	1159	U	N1-C2	6.29	1.44	1.38
1	AA	328	C	O3'-P	6.29	1.68	1.61
1	AA	1337	G	C5-C4	6.29	1.42	1.38
3	AC	38	G	N7-C5	6.29	1.43	1.39
26	BB	624	C	C4-C5	6.29	1.48	1.43
26	BB	2470	G	C8-N7	6.29	1.34	1.30
26	BB	2641	G	C2'-C1'	6.29	1.60	1.53
1	AA	203	G	C6-O6	6.29	1.29	1.24
1	AA	248	C	C5'-C4'	6.29	1.58	1.51
1	AA	414	A	C5'-C4'	6.29	1.58	1.51
1	AA	988	G	C5-C4	6.29	1.42	1.38
26	BB	72	U	O5'-C5'	-6.29	1.32	1.42
26	BB	311	A	C6-N1	-6.29	1.31	1.35
26	BB	1057	A	O4'-C1'	6.29	1.49	1.41
26	BB	2015	A	O3'-P	6.29	1.68	1.61
26	BB	2762	C	N3-C4	-6.29	1.29	1.33
1	AA	124	C	C2-N3	6.29	1.40	1.35
1	AA	141	G	C2-N2	-6.29	1.28	1.34
1	AA	1033	G	P-O5'	6.29	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	26	C	C2-O2	-6.29	1.18	1.24
26	BB	1411	U	N1-C2	6.29	1.44	1.38
26	BB	2764	A	C2-N3	6.29	1.39	1.33
1	AA	668	G	N9-C8	6.29	1.42	1.37
1	AA	944	G	N3-C4	6.29	1.39	1.35
26	BB	218	A	N9-C4	6.29	1.41	1.37
26	BB	976	G	C8-N7	-6.29	1.27	1.30
26	BB	1570	A	P-O5'	6.29	1.66	1.59
1	AA	812	G	C5-C4	6.29	1.42	1.38
1	AA	1524	C	O3'-P	-6.29	1.53	1.61
1	AA	1524	C	C4-C5	6.29	1.48	1.43
26	BB	295	G	C6-N1	6.29	1.44	1.39
26	BB	1610	A	P-O5'	6.29	1.66	1.59
26	BB	1709	U	O3'-P	6.29	1.68	1.61
26	BB	2168	G	C3'-C2'	6.29	1.59	1.52
1	AA	647	C	C5'-C4'	6.29	1.58	1.51
3	AC	54	U	C2-O2	6.29	1.28	1.22
26	BB	318	C	C2-N3	6.29	1.40	1.35
26	BB	1537	G	C6-N1	-6.29	1.35	1.39
26	BB	1812	U	O3'-P	6.29	1.68	1.61
26	BB	2829	A	C5-C6	6.29	1.46	1.41
26	BB	2340	A	N7-C5	-6.28	1.35	1.39
26	BB	2381	A	O3'-P	6.28	1.68	1.61
26	BB	529	A	N3-C4	6.28	1.38	1.34
26	BB	807	U	P-O5'	6.28	1.66	1.59
26	BB	1690	A	P-O5'	6.28	1.66	1.59
26	BB	2518	A	C4'-C3'	-6.28	1.46	1.53
1	AA	784	A	O4'-C1'	6.28	1.49	1.41
1	AA	991	U	C3'-C2'	6.28	1.59	1.52
4	AD	52	C	O3'-P	6.28	1.68	1.61
26	BB	786	C	P-O5'	-6.28	1.53	1.59
26	BB	941	A	C2'-C1'	6.28	1.60	1.53
26	BB	1691	C	P-O5'	6.28	1.66	1.59
26	BB	2244	U	O4'-C1'	6.28	1.49	1.41
26	BB	2267	A	N3-C4	6.28	1.38	1.34
26	BB	2599	G	P-O5'	6.28	1.66	1.59
26	BB	322	A	C6-N1	6.28	1.40	1.35
26	BB	1515	A	N9-C4	-6.28	1.34	1.37
1	AA	832	G	N7-C5	-6.28	1.35	1.39
3	AC	47	C	C4'-C3'	6.28	1.60	1.53
26	BB	562	U	C4'-O4'	-6.28	1.37	1.45
26	BB	1193	G	N1-C2	6.28	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1202	G	C4'-C3'	6.28	1.60	1.53
26	BB	1455	G	N7-C5	6.28	1.43	1.39
26	BB	2644	G	C2-N3	6.28	1.37	1.32
44	BT	23	GLU	CG-CD	6.28	1.61	1.51
1	AA	359	G	C5-C6	6.28	1.48	1.42
25	BA	99	A	N3-C4	6.28	1.38	1.34
26	BB	127	A	N1-C2	-6.28	1.28	1.34
26	BB	1922	G	C2-N3	6.28	1.37	1.32
26	BB	2508	G	C8-N7	6.28	1.34	1.30
26	BB	2561	U	N3-C4	6.28	1.44	1.38
1	AA	458	U	N1-C6	-6.27	1.32	1.38
26	BB	1193	G	N3-C4	6.27	1.39	1.35
26	BB	1265	A	P-O5'	-6.27	1.53	1.59
26	BB	1392	A	N7-C5	6.27	1.43	1.39
26	BB	1984	G	C3'-C2'	6.27	1.59	1.52
1	AA	195	A	N9-C4	6.27	1.41	1.37
1	AA	450	G	N9-C4	6.27	1.43	1.38
7	AG	201	GLU	CG-CD	6.27	1.61	1.51
26	BB	55	G	N9-C8	-6.27	1.33	1.37
26	BB	836	G	C5-C6	6.27	1.48	1.42
26	BB	1733	G	N3-C4	6.27	1.39	1.35
26	BB	1830	C	N1-C6	6.27	1.41	1.37
26	BB	2527	C	O4'-C1'	6.27	1.49	1.41
1	AA	608	A	N1-C2	-6.27	1.28	1.34
3	AC	33	A	N7-C5	6.27	1.43	1.39
25	BA	115	A	N9-C4	6.27	1.41	1.37
26	BB	295	G	N3-C4	6.27	1.39	1.35
26	BB	848	C	C4-C5	-6.27	1.38	1.43
26	BB	1674	G	C6-O6	-6.27	1.18	1.24
1	AA	632	U	C4-C5	6.27	1.49	1.43
1	AA	954	G	P-O5'	-6.27	1.53	1.59
26	BB	132	G	C3'-C2'	-6.27	1.45	1.52
26	BB	255	A	P-O5'	6.27	1.66	1.59
26	BB	439	A	C3'-O3'	6.27	1.50	1.42
26	BB	1217	U	N3-C4	6.27	1.44	1.38
26	BB	2103	C	N1-C6	6.27	1.41	1.37
1	AA	652	U	P-O5'	6.27	1.66	1.59
1	AA	924	C	O4'-C1'	6.27	1.49	1.41
26	BB	272	A	C2-N3	6.27	1.39	1.33
26	BB	438	G	N9-C8	-6.27	1.33	1.37
26	BB	817	C	C2-N3	6.27	1.40	1.35
26	BB	2482	A	C4'-C3'	-6.27	1.46	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1663	G	C5-C4	6.27	1.42	1.38
1	AA	27	G	C6-N1	6.26	1.44	1.39
1	AA	761	G	C8-N7	6.26	1.34	1.30
1	AA	1071	C	N3-C4	6.26	1.38	1.33
4	AD	31	G	C4'-C3'	-6.26	1.46	1.53
26	BB	81	G	C2-N3	6.26	1.37	1.32
26	BB	2217	G	C8-N7	6.26	1.34	1.30
1	AA	1096	C	C2-N3	6.26	1.40	1.35
25	BA	50	A	O3'-P	6.26	1.68	1.61
26	BB	425	G	C6-O6	-6.26	1.18	1.24
26	BB	1513	U	C2-O2	6.26	1.27	1.22
1	AA	591	U	N1-C6	-6.26	1.32	1.38
1	AA	692	U	C2-O2	6.26	1.27	1.22
1	AA	880	C	N1-C6	-6.26	1.33	1.37
1	AA	977	A	C4'-C3'	6.26	1.60	1.53
26	BB	79	C	C2-N3	6.26	1.40	1.35
26	BB	581	C	C2-N3	6.26	1.40	1.35
29	BE	118	PHE	CG-CD1	6.26	1.48	1.38
1	AA	326	G	C5-C6	6.26	1.48	1.42
2	AB	5	G	C2-N3	6.26	1.37	1.32
2	AB	43	G	C5-C4	6.26	1.42	1.38
26	BB	833	A	C6-N6	6.26	1.39	1.33
26	BB	1173	U	C5'-C4'	6.26	1.58	1.51
26	BB	1931	U	C5-C6	6.26	1.39	1.34
26	BB	2256	G	N1-C2	6.26	1.42	1.37
25	BA	112	G	C8-N7	-6.26	1.27	1.30
1	AA	459	A	N3-C4	-6.26	1.31	1.34
1	AA	1099	G	C6-N1	6.26	1.44	1.39
1	AA	1212	U	C2-N3	6.26	1.42	1.37
10	AJ	78	ARG	CZ-NH1	6.26	1.41	1.33
25	BA	56	G	N9-C4	-6.26	1.32	1.38
26	BB	1067	A	N3-C4	6.26	1.38	1.34
26	BB	1206	G	C5-C6	6.26	1.48	1.42
1	AA	23	C	N1-C6	6.25	1.41	1.37
1	AA	1302	C	C3'-C2'	6.25	1.59	1.52
26	BB	2668	G	O3'-P	6.25	1.68	1.61
26	BB	2900	A	C6-N1	-6.25	1.31	1.35
1	AA	1131	G	C5'-C4'	6.25	1.58	1.51
25	BA	109	A	C4'-O4'	-6.25	1.37	1.45
26	BB	1827	U	C4-O4	6.25	1.28	1.23
26	BB	2111	U	P-O5'	6.25	1.66	1.59
26	BB	2248	C	C5-C6	6.25	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	675	A	P-O5'	6.25	1.66	1.59
1	AA	1225	A	C5'-C4'	6.25	1.58	1.51
4	AD	7	G	C2-N3	6.25	1.37	1.32
26	BB	313	G	C2-N3	6.25	1.37	1.32
26	BB	752	A	N7-C5	6.25	1.43	1.39
26	BB	927	A	O3'-P	6.25	1.68	1.61
26	BB	1071	G	C5-C4	-6.25	1.33	1.38
26	BB	1499	C	C2-N3	6.25	1.40	1.35
26	BB	1512	C	C2-N3	6.25	1.40	1.35
26	BB	1523	U	C3'-O3'	6.25	1.50	1.42
26	BB	2441	U	P-O5'	6.25	1.66	1.59
1	AA	1204	A	C5'-C4'	6.25	1.58	1.51
26	BB	2867	G	C6-N1	6.25	1.44	1.39
1	AA	338	A	P-O5'	6.25	1.66	1.59
1	AA	1413	A	N3-C4	6.25	1.38	1.34
2	AB	74	C	C2-N3	6.25	1.40	1.35
26	BB	12	U	C2'-C1'	6.25	1.60	1.53
26	BB	272	A	O3'-P	6.25	1.68	1.61
26	BB	286	U	C4-O4	-6.25	1.18	1.23
26	BB	698	C	N3-C4	6.25	1.38	1.33
26	BB	767	U	C4'-O4'	-6.25	1.37	1.45
26	BB	818	G	C2'-O2'	6.25	1.49	1.41
26	BB	927	A	C8-N7	-6.25	1.27	1.31
26	BB	1066	U	C4-C5	6.25	1.49	1.43
26	BB	1266	G	C4'-O4'	-6.25	1.37	1.45
26	BB	1339	G	C6-O6	-6.25	1.18	1.24
26	BB	2075	U	P-O5'	6.25	1.66	1.59
26	BB	2338	C	N1-C2	6.25	1.46	1.40
1	AA	239	U	C2-N3	6.25	1.42	1.37
1	AA	1037	C	C2'-O2'	6.25	1.49	1.41
1	AA	1492	A	N9-C4	6.25	1.41	1.37
26	BB	2681	C	N3-C4	6.25	1.38	1.33
1	AA	771	G	N9-C4	6.25	1.43	1.38
26	BB	2110	G	C6-O6	-6.25	1.18	1.24
1	AA	655	A	C6-N6	6.24	1.39	1.33
4	AD	63	C	N1-C6	-6.24	1.33	1.37
26	BB	828	U	C4'-O4'	-6.24	1.37	1.45
26	BB	1335	C	C4-C5	6.24	1.48	1.43
26	BB	2119	A	N7-C5	6.24	1.43	1.39
26	BB	1159	U	N1-C6	6.24	1.43	1.38
26	BB	1331	G	C3'-C2'	6.24	1.59	1.52
26	BB	2104	C	N1-C6	6.24	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2768	U	C2-N3	6.24	1.42	1.37
1	AA	704	A	C8-N7	-6.24	1.27	1.31
26	BB	1568	G	N7-C5	6.24	1.43	1.39
26	BB	2050	C	N3-C4	-6.24	1.29	1.33
1	AA	903	G	C8-N7	-6.24	1.27	1.30
1	AA	1480	A	O3'-P	6.24	1.68	1.61
1	AA	1488	G	C6-N1	6.24	1.44	1.39
26	BB	495	G	O3'-P	6.24	1.68	1.61
26	BB	1438	U	C2-O2	6.24	1.27	1.22
26	BB	2598	A	N3-C4	6.24	1.38	1.34
1	AA	1255	G	C4'-C3'	6.24	1.60	1.53
1	AA	1465	A	N9-C4	6.24	1.41	1.37
26	BB	1641	A	C5-C4	-6.24	1.34	1.38
26	BB	1862	G	N7-C5	-6.24	1.35	1.39
26	BB	2209	G	N7-C5	6.24	1.43	1.39
26	BB	754	U	C4-C5	6.24	1.49	1.43
26	BB	2630	G	O3'-P	6.24	1.68	1.61
1	AA	547	A	C6-N6	6.23	1.39	1.33
26	BB	1660	G	C4'-O4'	-6.23	1.37	1.45
1	AA	172	A	C6-N1	-6.23	1.31	1.35
1	AA	309	A	C2'-O2'	-6.23	1.33	1.41
1	AA	725	G	C3'-C2'	-6.23	1.45	1.52
1	AA	1194	U	N1-C6	6.23	1.43	1.38
1	AA	1486	G	C4'-C3'	6.23	1.60	1.53
26	BB	114	U	P-O5'	6.23	1.66	1.59
26	BB	892	A	N7-C5	6.23	1.43	1.39
26	BB	1176	U	O4'-C1'	6.23	1.49	1.41
26	BB	1415	U	C4'-C3'	-6.23	1.46	1.53
26	BB	1750	G	N9-C8	6.23	1.42	1.37
26	BB	2189	U	N1-C2	6.23	1.44	1.38
26	BB	2595	G	C2-N2	6.23	1.40	1.34
26	BB	2743	U	C2-N3	6.23	1.42	1.37
1	AA	86	G	C2'-O2'	6.23	1.49	1.41
1	AA	641	U	N3-C4	6.23	1.44	1.38
1	AA	908	A	P-O5'	6.23	1.66	1.59
1	AA	1413	A	C3'-O3'	6.23	1.50	1.42
1	AA	1463	U	C4'-O4'	-6.23	1.37	1.45
26	BB	242	G	C5-C4	6.23	1.42	1.38
26	BB	462	C	N3-C4	-6.23	1.29	1.33
26	BB	879	G	N7-C5	-6.23	1.35	1.39
26	BB	1224	U	C4-O4	6.23	1.28	1.23
26	BB	1913	A	P-O5'	6.23	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2693	G	N1-C2	6.23	1.42	1.37
1	AA	1288	A	N9-C4	6.23	1.41	1.37
26	BB	128	C	C2-N3	6.23	1.40	1.35
26	BB	2192	U	C5-C6	6.23	1.39	1.34
1	AA	462	G	P-O5'	6.23	1.66	1.59
1	AA	750	C	C5'-C4'	6.23	1.58	1.51
1	AA	814	A	C5-C6	6.23	1.46	1.41
25	BA	51	G	P-O5'	6.23	1.66	1.59
26	BB	34	U	C5'-C4'	6.23	1.58	1.51
26	BB	87	U	C4-C5	6.23	1.49	1.43
26	BB	310	A	N3-C4	6.23	1.38	1.34
26	BB	479	A	C8-N7	-6.23	1.27	1.31
26	BB	1135	C	N1-C6	6.23	1.40	1.37
26	BB	1172	C	C4'-C3'	-6.23	1.46	1.53
26	BB	1314	C	N1-C2	6.23	1.46	1.40
26	BB	2315	G	N3-C4	-6.23	1.31	1.35
26	BB	2545	G	C6-O6	-6.23	1.18	1.24
43	BS	23	TYR	CG-CD2	6.23	1.47	1.39
1	AA	1089	G	C8-N7	-6.22	1.27	1.30
1	AA	1460	C	C5'-C4'	6.22	1.58	1.51
25	BA	24	G	C6-N1	6.22	1.44	1.39
26	BB	373	U	C2-N3	6.22	1.42	1.37
26	BB	538	A	N7-C5	6.22	1.43	1.39
26	BB	1338	G	C5-C4	-6.22	1.33	1.38
26	BB	1573	G	C6-O6	-6.22	1.18	1.24
26	BB	2211	A	C8-N7	-6.22	1.27	1.31
26	BB	2432	A	C5'-C4'	6.22	1.58	1.51
3	AC	50	U	C4-C5	6.22	1.49	1.43
26	BB	983	A	N3-C4	6.22	1.38	1.34
26	BB	1070	A	C8-N7	6.22	1.35	1.31
26	BB	1544	A	O3'-P	6.22	1.68	1.61
26	BB	1879	C	C4'-O4'	-6.22	1.37	1.45
1	AA	1091	U	P-O5'	6.22	1.66	1.59
26	BB	2413	G	P-O5'	6.22	1.66	1.59
1	AA	101	A	N7-C5	6.22	1.43	1.39
1	AA	587	G	N9-C8	-6.22	1.33	1.37
1	AA	1078	U	P-O5'	6.22	1.66	1.59
1	AA	1270	G	O3'-P	6.22	1.68	1.61
1	AA	1496	C	C4-C5	6.22	1.48	1.43
26	BB	905	A	C8-N7	-6.22	1.27	1.31
26	BB	1956	U	C4-O4	6.22	1.28	1.23
26	BB	2400	G	P-O5'	6.22	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	47	A	C8-N7	6.22	1.35	1.31
11	AK	79	ARG	CZ-NH1	6.22	1.41	1.33
26	BB	1587	G	C4'-O4'	-6.22	1.37	1.45
1	AA	1078	U	C4-C5	6.22	1.49	1.43
1	AA	1215	G	C2'-C1'	-6.22	1.46	1.53
1	AA	1323	G	P-O5'	6.22	1.66	1.59
4	AD	5	G	C2-N3	6.22	1.37	1.32
26	BB	1107	G	N3-C4	6.22	1.39	1.35
26	BB	1437	C	C2-O2	-6.22	1.18	1.24
26	BB	2399	G	N3-C4	6.22	1.39	1.35
1	AA	694	A	C6-N1	-6.21	1.31	1.35
2	AB	76	A	C5-C4	-6.21	1.34	1.38
26	BB	354	A	C6-N1	6.21	1.40	1.35
26	BB	1386	C	P-O5'	6.21	1.66	1.59
26	BB	1636	U	C2-N3	6.21	1.42	1.37
26	BB	2136	G	N7-C5	-6.21	1.35	1.39
3	AC	50	U	C3'-C2'	6.21	1.59	1.52
26	BB	160	A	C2-N3	6.21	1.39	1.33
26	BB	580	U	C2-N3	6.21	1.42	1.37
26	BB	1643	G	N9-C4	-6.21	1.32	1.38
26	BB	1748	C	C5-C6	6.21	1.39	1.34
26	BB	2816	G	C5-C4	-6.21	1.34	1.38
1	AA	1525	G	C5-C4	-6.21	1.34	1.38
4	AD	69	C	C4'-O4'	-6.21	1.37	1.45
26	BB	496	G	N7-C5	6.21	1.43	1.39
26	BB	1099	G	N3-C4	6.21	1.39	1.35
26	BB	2621	G	N9-C4	-6.21	1.32	1.38
26	BB	113	U	C5-C6	6.21	1.39	1.34
1	AA	539	A	N3-C4	6.21	1.38	1.34
1	AA	886	G	C5-C4	-6.21	1.34	1.38
26	BB	1552	A	C8-N7	-6.21	1.27	1.31
26	BB	1813	G	N7-C5	-6.21	1.35	1.39
26	BB	2491	U	C3'-C2'	6.21	1.59	1.52
1	AA	178	C	C5'-C4'	6.21	1.58	1.51
1	AA	344	A	N3-C4	6.21	1.38	1.34
25	BA	98	G	C5-C4	6.21	1.42	1.38
26	BB	580	U	C4'-O4'	-6.21	1.37	1.45
26	BB	141	G	N3-C4	6.21	1.39	1.35
26	BB	797	G	C2'-C1'	-6.21	1.46	1.53
26	BB	911	A	P-O5'	-6.21	1.53	1.59
26	BB	1175	A	C5-C4	6.21	1.43	1.38
26	BB	1945	G	N3-C4	6.21	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2315	G	C4'-O4'	-6.21	1.37	1.45
26	BB	2798	U	N1-C2	6.21	1.44	1.38
4	AD	39	A	N1-C2	6.20	1.40	1.34
26	BB	475	C	C2-N3	6.20	1.40	1.35
26	BB	926	G	C6-N1	6.20	1.43	1.39
26	BB	933	A	N9-C8	6.20	1.42	1.37
26	BB	1109	C	C2'-C1'	6.20	1.60	1.53
26	BB	2256	G	N7-C5	6.20	1.43	1.39
1	AA	1452	C	N1-C2	6.20	1.46	1.40
26	BB	830	G	N1-C2	6.20	1.42	1.37
26	BB	134	G	C8-N7	-6.20	1.27	1.30
26	BB	453	A	N3-C4	6.20	1.38	1.34
26	BB	554	U	O4'-C1'	6.20	1.49	1.41
1	AA	40	C	C2-N3	6.20	1.40	1.35
1	AA	189	A	N9-C8	6.20	1.42	1.37
1	AA	418	C	C5-C6	6.20	1.39	1.34
1	AA	1507	A	N3-C4	6.20	1.38	1.34
25	BA	96	G	N7-C5	6.20	1.43	1.39
26	BB	315	G	C3'-O3'	-6.20	1.33	1.42
26	BB	852	U	P-O5'	6.20	1.66	1.59
26	BB	984	A	C5'-C4'	6.20	1.58	1.51
26	BB	2221	G	C5'-C4'	6.20	1.58	1.51
26	BB	2428	G	C5-C4	6.20	1.42	1.38
26	BB	2713	U	P-O5'	6.20	1.66	1.59
26	BB	2899	A	C6-N6	-6.20	1.28	1.33
1	AA	508	U	C4'-C3'	6.20	1.59	1.53
1	AA	698	G	N1-C2	6.20	1.42	1.37
1	AA	1150	A	C8-N7	-6.20	1.27	1.31
1	AA	1503	A	N3-C4	6.20	1.38	1.34
1	AA	1529	G	C2-N3	6.20	1.37	1.32
26	BB	431	U	C4'-C3'	-6.20	1.46	1.53
26	BB	604	G	N1-C2	6.20	1.42	1.37
26	BB	1106	G	N7-C5	-6.20	1.35	1.39
26	BB	1842	G	P-O5'	6.20	1.66	1.59
26	BB	2169	A	N3-C4	6.20	1.38	1.34
26	BB	2602	A	N7-C5	-6.20	1.35	1.39
26	BB	2812	G	P-O5'	6.20	1.66	1.59
1	AA	123	U	C5'-C4'	6.19	1.58	1.51
11	AK	64	TYR	CE1-CZ	6.19	1.46	1.38
26	BB	2083	G	C4'-C3'	6.19	1.59	1.53
1	AA	129	A	C4'-O4'	-6.19	1.37	1.45
1	AA	184	G	N3-C4	6.19	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1106	G	N3-C4	6.19	1.39	1.35
26	BB	48	G	C6-O6	-6.19	1.18	1.24
26	BB	96	C	C1'-N1	6.19	1.58	1.48
26	BB	316	C	P-O5'	6.19	1.66	1.59
26	BB	470	A	C6-N1	-6.19	1.31	1.35
26	BB	1762	A	C5'-C4'	6.19	1.58	1.51
26	BB	2290	G	C2-N3	6.19	1.37	1.32
1	AA	470	C	O5'-C5'	-6.19	1.32	1.42
1	AA	927	G	N7-C5	-6.19	1.35	1.39
1	AA	1295	U	C4'-O4'	-6.19	1.37	1.45
1	AA	1531	A	N9-C4	-6.19	1.34	1.37
3	AC	43	U	C2-O2	6.19	1.27	1.22
25	BA	48	U	C4'-C3'	6.19	1.59	1.53
25	BA	95	U	O3'-P	6.19	1.68	1.61
26	BB	1292	G	C2-N3	6.19	1.37	1.32
26	BB	2837	A	N9-C4	-6.19	1.34	1.37
1	AA	352	C	N3-C4	-6.19	1.29	1.33
26	BB	2090	A	N1-C2	-6.19	1.28	1.34
1	AA	29	U	C2'-C1'	-6.19	1.46	1.53
1	AA	453	G	N3-C4	6.19	1.39	1.35
1	AA	478	A	N7-C5	-6.19	1.35	1.39
26	BB	72	U	O3'-P	6.19	1.68	1.61
26	BB	496	G	C2-N2	6.19	1.40	1.34
26	BB	1471	G	P-O5'	6.19	1.66	1.59
26	BB	2322	A	C5-C4	-6.19	1.34	1.38
25	BA	86	G	C4'-O4'	-6.19	1.37	1.45
26	BB	187	G	C1'-N9	6.19	1.58	1.48
26	BB	1077	A	C4'-O4'	-6.19	1.37	1.45
26	BB	1948	G	N9-C8	-6.19	1.33	1.37
26	BB	2204	G	C8-N7	-6.19	1.27	1.30
1	AA	947	G	P-O5'	6.18	1.66	1.59
25	BA	81	G	N9-C4	6.18	1.42	1.38
26	BB	153	U	C4'-O4'	-6.18	1.37	1.45
26	BB	872	U	C4'-O4'	-6.18	1.37	1.45
26	BB	1179	G	N3-C4	6.18	1.39	1.35
26	BB	1636	U	C3'-O3'	-6.18	1.33	1.42
26	BB	2622	U	C4-O4	-6.18	1.18	1.23
1	AA	1008	U	C4-C5	6.18	1.49	1.43
26	BB	2266	A	C6-N1	6.18	1.39	1.35
26	BB	1985	C	N3-C4	-6.18	1.29	1.33
1	AA	82	G	N1-C2	6.18	1.42	1.37
1	AA	217	C	O4'-C1'	6.18	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1375	A	N9-C4	6.18	1.41	1.37
1	AA	1426	G	N7-C5	6.18	1.43	1.39
26	BB	280	U	C5'-C4'	6.18	1.58	1.51
26	BB	1256	G	P-O5'	6.18	1.66	1.59
4	AD	75	C	C4'-O4'	-6.18	1.37	1.45
26	BB	1	G	C2-N3	6.18	1.37	1.32
26	BB	679	C	C2'-C1'	6.18	1.60	1.53
26	BB	2475	C	N3-C4	6.18	1.38	1.33
1	AA	392	C	N3-C4	6.18	1.38	1.33
26	BB	240	C	C4-C5	6.18	1.47	1.43
26	BB	376	G	C8-N7	-6.18	1.27	1.30
26	BB	1193	G	C6-O6	-6.18	1.18	1.24
26	BB	2825	G	C4'-O4'	-6.18	1.37	1.45
1	AA	848	C	C4'-C3'	6.17	1.59	1.53
1	AA	935	A	C5'-C4'	6.17	1.58	1.51
1	AA	1141	C	C5'-C4'	6.17	1.58	1.51
1	AA	1290	G	C6-O6	6.17	1.29	1.24
1	AA	1504	G	C3'-C2'	6.17	1.59	1.52
26	BB	185	G	C2-N3	6.17	1.37	1.32
26	BB	326	G	C3'-C2'	-6.17	1.46	1.52
1	AA	1484	C	O3'-P	6.17	1.68	1.61
26	BB	1824	G	N3-C4	-6.17	1.31	1.35
26	BB	2407	A	C6-N6	-6.17	1.29	1.33
26	BB	2453	A	C1'-N9	6.17	1.58	1.48
1	AA	73	C	N1-C2	6.17	1.46	1.40
1	AA	963	G	C2-N2	6.17	1.40	1.34
1	AA	1432	G	C2-N3	6.17	1.37	1.32
26	BB	297	G	C5-C4	-6.17	1.34	1.38
26	BB	953	G	P-O5'	6.17	1.66	1.59
26	BB	1156	A	C5-C6	6.17	1.46	1.41
26	BB	1544	A	C2'-C1'	6.17	1.60	1.53
26	BB	2050	C	C5'-C4'	-6.17	1.44	1.51
26	BB	2871	U	N1-C2	6.17	1.44	1.38
26	BB	2885	G	C2-N3	6.17	1.37	1.32
1	AA	1387	G	P-O5'	6.17	1.66	1.59
26	BB	124	G	C4'-O4'	-6.17	1.37	1.45
26	BB	982	C	C2'-C1'	6.17	1.60	1.53
26	BB	1341	G	C5-C4	6.17	1.42	1.38
26	BB	2679	A	C4'-C3'	-6.17	1.46	1.53
1	AA	298	A	C2'-C1'	6.17	1.60	1.53
1	AA	337	G	C6-N1	6.17	1.43	1.39
26	BB	51	G	C2-N3	6.17	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	203	A	P-O5'	-6.17	1.53	1.59
26	BB	1576	U	C4'-O4'	-6.17	1.37	1.45
1	AA	1528	U	P-O5'	6.17	1.66	1.59
25	BA	76	G	C8-N7	-6.17	1.27	1.30
26	BB	70	G	N9-C8	6.17	1.42	1.37
26	BB	337	C	P-O5'	6.17	1.66	1.59
26	BB	514	A	N9-C8	-6.17	1.32	1.37
26	BB	2099	U	N1-C2	6.17	1.44	1.38
26	BB	2513	A	C2'-O2'	6.17	1.49	1.41
26	BB	2888	C	C5-C6	6.17	1.39	1.34
26	BB	1128	G	C6-N1	-6.17	1.35	1.39
26	BB	2297	A	N3-C4	6.17	1.38	1.34
1	AA	177	G	N9-C4	-6.16	1.33	1.38
25	BA	23	G	N9-C8	6.16	1.42	1.37
25	BA	120	U	O4'-C1'	6.16	1.49	1.41
26	BB	521	U	N1-C2	6.16	1.44	1.38
26	BB	658	U	C2-O2	6.16	1.27	1.22
26	BB	766	U	N3-C4	-6.16	1.32	1.38
26	BB	2499	C	C2-N3	6.16	1.40	1.35
1	AA	38	G	C4'-C3'	6.16	1.59	1.53
1	AA	1196	A	C5-C6	6.16	1.46	1.41
1	AA	1225	A	N1-C2	-6.16	1.28	1.34
26	BB	2484	G	N7-C5	6.16	1.43	1.39
30	BF	183	PHE	CG-CD1	6.16	1.48	1.38
1	AA	43	C	C5-C6	6.16	1.39	1.34
1	AA	773	G	C6-N1	6.16	1.43	1.39
1	AA	1367	C	C3'-O3'	6.16	1.50	1.42
26	BB	875	G	C3'-C2'	6.16	1.59	1.52
26	BB	1182	G	C4'-O4'	-6.16	1.37	1.45
26	BB	1466	U	N1-C2	6.16	1.44	1.38
26	BB	2465	C	P-O5'	6.16	1.66	1.59
26	BB	2588	G	N9-C8	-6.16	1.33	1.37
1	AA	121	U	C5'-C4'	6.16	1.58	1.51
1	AA	332	G	C5-C4	-6.16	1.34	1.38
1	AA	629	A	C6-N6	-6.16	1.29	1.33
26	BB	488	G	C2-N3	6.16	1.37	1.32
26	BB	496	G	C2-N3	6.16	1.37	1.32
26	BB	886	A	O3'-P	6.16	1.68	1.61
26	BB	2568	U	C5'-C4'	6.16	1.58	1.51
26	BB	804	A	P-O5'	6.16	1.66	1.59
26	BB	2054	A	N7-C5	6.16	1.43	1.39
26	BB	2260	C	O3'-P	6.16	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	330	C	N1-C6	6.16	1.40	1.37
1	AA	1156	G	P-O5'	6.16	1.66	1.59
4	AD	22	A	N9-C8	6.16	1.42	1.37
26	BB	782	A	N1-C2	6.16	1.39	1.34
26	BB	1127	A	N7-C5	6.16	1.43	1.39
26	BB	1146	C	C5-C6	6.16	1.39	1.34
26	BB	2269	G	O3'-P	6.16	1.68	1.61
1	AA	471	U	C4-O4	6.15	1.28	1.23
1	AA	1257	A	C8-N7	-6.15	1.27	1.31
1	AA	1417	G	C5-C4	-6.15	1.34	1.38
26	BB	256	A	O3'-P	6.15	1.68	1.61
26	BB	851	C	N3-C4	6.15	1.38	1.33
26	BB	1935	G	N1-C2	6.15	1.42	1.37
1	AA	465	A	N3-C4	6.15	1.38	1.34
4	AD	10	G	C4'-O4'	-6.15	1.37	1.45
4	AD	64	G	N3-C4	6.15	1.39	1.35
26	BB	385	C	P-O5'	6.15	1.66	1.59
26	BB	1800	C	N1-C6	6.15	1.40	1.37
26	BB	1807	G	N7-C5	6.15	1.43	1.39
1	AA	433	G	N1-C2	6.15	1.42	1.37
3	AC	54	U	N1-C6	6.15	1.43	1.38
26	BB	698	C	C4-C5	6.15	1.47	1.43
26	BB	904	G	C6-N1	-6.15	1.35	1.39
26	BB	1650	A	N7-C5	6.15	1.43	1.39
1	AA	316	C	C3'-C2'	6.15	1.59	1.52
26	BB	426	C	C2-N3	6.15	1.40	1.35
26	BB	1218	G	N3-C4	6.15	1.39	1.35
1	AA	682	G	O3'-P	-6.15	1.53	1.61
1	AA	928	G	N1-C2	6.15	1.42	1.37
26	BB	865	C	P-O5'	6.15	1.65	1.59
26	BB	1197	G	N7-C5	-6.15	1.35	1.39
26	BB	1309	G	N3-C4	6.15	1.39	1.35
26	BB	2563	U	N1-C2	6.15	1.44	1.38
35	BK	7	TYR	CE2-CZ	6.15	1.46	1.38
1	AA	182	A	C8-N7	-6.15	1.27	1.31
1	AA	1390	U	C4'-O4'	-6.15	1.37	1.45
26	BB	2670	A	C3'-C2'	6.15	1.59	1.52
1	AA	774	G	N7-C5	-6.14	1.35	1.39
1	AA	1304	G	P-O5'	6.14	1.65	1.59
1	AA	1354	U	C4-C5	6.14	1.49	1.43
1	AA	1479	C	C5-C6	6.14	1.39	1.34
26	BB	651	G	O5'-C5'	-6.14	1.33	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1213	A	N7-C5	-6.14	1.35	1.39
26	BB	1326	U	N3-C4	-6.14	1.32	1.38
26	BB	1355	G	C5-C4	-6.14	1.34	1.38
26	BB	1478	G	C8-N7	-6.14	1.27	1.30
26	BB	1803	A	C2-N3	6.14	1.39	1.33
26	BB	1895	C	N3-C4	6.14	1.38	1.33
1	AA	321	A	C3'-C2'	6.14	1.59	1.52
26	BB	529	A	C3'-O3'	6.14	1.50	1.42
26	BB	1324	G	N9-C8	6.14	1.42	1.37
26	BB	1562	U	C4-C5	6.14	1.49	1.43
26	BB	1847	A	C3'-C2'	-6.14	1.46	1.52
26	BB	1916	A	C2-N3	-6.14	1.28	1.33
26	BB	2693	G	N7-C5	-6.14	1.35	1.39
26	BB	2748	A	N3-C4	-6.14	1.31	1.34
26	BB	2864	G	N9-C8	6.14	1.42	1.37
1	AA	260	G	C5-C4	-6.14	1.34	1.38
1	AA	769	G	C6-N1	6.14	1.43	1.39
25	BA	81	G	O3'-P	6.14	1.68	1.61
26	BB	739	A	C5'-C4'	6.14	1.58	1.51
26	BB	845	A	N3-C4	6.14	1.38	1.34
26	BB	1057	A	C4'-O4'	-6.14	1.37	1.45
1	AA	12	U	C5-C6	6.14	1.39	1.34
1	AA	1181	G	C4'-C3'	6.14	1.59	1.53
2	AB	11	U	C5'-C4'	6.14	1.58	1.51
25	BA	75	G	C5-C4	-6.14	1.34	1.38
26	BB	47	C	C5-C6	6.14	1.39	1.34
26	BB	784	G	P-O5'	6.14	1.65	1.59
26	BB	1202	G	C5-C4	6.14	1.42	1.38
26	BB	1419	A	N1-C2	-6.14	1.28	1.34
1	AA	1358	U	C5-C6	6.14	1.39	1.34
1	AA	374	A	C4'-O4'	-6.14	1.37	1.45
1	AA	548	G	C5-C4	-6.14	1.34	1.38
1	AA	1342	C	C5-C6	6.14	1.39	1.34
26	BB	134	G	C4'-O4'	-6.14	1.37	1.45
26	BB	248	G	C2-N2	6.14	1.40	1.34
26	BB	265	A	C4'-O4'	-6.14	1.37	1.45
26	BB	905	A	N7-C5	6.14	1.43	1.39
26	BB	1055	G	C3'-C2'	-6.14	1.46	1.52
26	BB	1271	G	C2'-O2'	6.14	1.49	1.41
1	AA	540	G	C2-N3	6.13	1.37	1.32
1	AA	1004	A	C3'-C2'	6.13	1.59	1.52
1	AA	1176	A	N7-C5	6.13	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	21	G	C6-O6	-6.13	1.18	1.24
26	BB	771	G	C6-N1	6.13	1.43	1.39
26	BB	1076	C	P-O5'	6.13	1.65	1.59
26	BB	1191	G	N7-C5	-6.13	1.35	1.39
26	BB	1591	A	C5-C4	6.13	1.43	1.38
26	BB	1670	C	C5'-C4'	6.13	1.58	1.51
26	BB	2569	G	C2-N2	-6.13	1.28	1.34
1	AA	717	U	C5'-C4'	6.13	1.58	1.51
1	AA	821	G	C5-C6	6.13	1.48	1.42
26	BB	663	G	N9-C8	-6.13	1.33	1.37
26	BB	1252	G	N7-C5	6.13	1.43	1.39
1	AA	7	A	C4'-C3'	6.13	1.59	1.53
1	AA	1015	G	C6-O6	-6.13	1.18	1.24
1	AA	1266	G	C5-C4	6.13	1.42	1.38
25	BA	51	G	N9-C8	-6.13	1.33	1.37
26	BB	246	C	C2-N3	-6.13	1.30	1.35
26	BB	518	G	C4'-O4'	-6.13	1.37	1.45
26	BB	2120	G	P-O5'	6.13	1.65	1.59
26	BB	2378	A	N3-C4	6.13	1.38	1.34
26	BB	2548	U	C4'-O4'	-6.13	1.37	1.45
1	AA	266	G	C2-N3	6.13	1.37	1.32
34	BJ	131	TYR	CE1-CZ	6.13	1.46	1.38
1	AA	1542	A	N7-C5	-6.13	1.35	1.39
26	BB	195	A	C2'-C1'	6.13	1.60	1.53
26	BB	361	G	C5-C4	-6.13	1.34	1.38
26	BB	748	G	O3'-P	-6.13	1.53	1.61
26	BB	1085	A	C2-N3	6.13	1.39	1.33
1	AA	54	C	C5-C6	6.13	1.39	1.34
1	AA	153	C	O3'-P	-6.13	1.53	1.61
1	AA	1244	G	C4'-C3'	-6.13	1.46	1.53
26	BB	621	A	C8-N7	-6.13	1.27	1.31
26	BB	950	G	N3-C4	6.13	1.39	1.35
26	BB	1510	G	C6-N1	6.13	1.43	1.39
26	BB	2491	U	C4'-O4'	-6.13	1.37	1.45
26	BB	2567	G	N9-C8	6.13	1.42	1.37
26	BB	2598	A	P-O5'	6.13	1.65	1.59
26	BB	2733	A	N9-C8	6.13	1.42	1.37
1	AA	361	G	N3-C4	6.12	1.39	1.35
26	BB	1099	G	P-O5'	6.12	1.65	1.59
26	BB	1383	A	N9-C8	6.12	1.42	1.37
26	BB	2056	G	O4'-C1'	6.12	1.49	1.41
1	AA	97	G	C5'-C4'	6.12	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	120	A	C6-N1	-6.12	1.31	1.35
1	AA	366	A	P-O5'	6.12	1.65	1.59
1	AA	373	A	N7-C5	6.12	1.43	1.39
1	AA	696	A	C3'-O3'	-6.12	1.33	1.42
25	BA	84	G	N7-C5	6.12	1.43	1.39
26	BB	1096	A	N3-C4	6.12	1.38	1.34
26	BB	1653	G	N3-C4	6.12	1.39	1.35
26	BB	1837	C	C2-N3	6.12	1.40	1.35
1	AA	129	A	C5'-C4'	6.12	1.58	1.51
1	AA	208	U	C5-C6	6.12	1.39	1.34
1	AA	495	A	C4'-C3'	6.12	1.59	1.53
1	AA	1418	A	N3-C4	6.12	1.38	1.34
25	BA	13	G	C6-O6	6.12	1.29	1.24
26	BB	1048	A	C3'-C2'	-6.12	1.46	1.52
26	BB	1137	G	N9-C4	-6.12	1.33	1.38
26	BB	2328	A	N9-C4	6.12	1.41	1.37
26	BB	2818	U	O3'-P	6.12	1.68	1.61
1	AA	756	C	C2'-C1'	6.12	1.60	1.53
26	BB	733	G	C5-C6	6.12	1.48	1.42
26	BB	1393	A	C6-N1	-6.12	1.31	1.35
1	AA	393	A	N7-C5	-6.12	1.35	1.39
1	AA	440	C	C5-C6	6.12	1.39	1.34
1	AA	914	A	C6-N6	-6.12	1.29	1.33
1	AA	1310	G	C4'-C3'	-6.12	1.46	1.53
26	BB	2851	A	P-O5'	-6.12	1.53	1.59
1	AA	952	U	C4'-C3'	-6.12	1.46	1.53
22	AV	72	GLU	CG-CD	6.12	1.61	1.51
26	BB	205	G	C4'-O4'	-6.12	1.37	1.45
1	AA	16	A	N7-C5	-6.12	1.35	1.39
1	AA	414	A	C5-C6	6.12	1.46	1.41
1	AA	625	U	C4'-O4'	-6.12	1.37	1.45
1	AA	1238	A	N3-C4	6.12	1.38	1.34
25	BA	39	A	N3-C4	6.12	1.38	1.34
26	BB	1809	A	N9-C8	-6.12	1.32	1.37
1	AA	57	G	C3'-C2'	6.11	1.59	1.52
1	AA	367	U	C1'-N1	6.11	1.57	1.48
1	AA	539	A	C3'-C2'	6.11	1.59	1.52
1	AA	670	G	P-O5'	6.11	1.65	1.59
1	AA	900	A	C6-N1	6.11	1.39	1.35
26	BB	44	A	N7-C5	-6.11	1.35	1.39
26	BB	569	U	O3'-P	6.11	1.68	1.61
26	BB	1744	A	N7-C5	6.11	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1756	G	C5'-C4'	6.11	1.58	1.51
26	BB	2304	G	C8-N7	6.11	1.34	1.30
26	BB	2370	G	N7-C5	6.11	1.43	1.39
26	BB	2784	U	O3'-P	6.11	1.68	1.61
1	AA	1027	C	N3-C4	6.11	1.38	1.33
1	AA	1491	G	C8-N7	6.11	1.34	1.30
3	AC	28	U	C5'-C4'	6.11	1.58	1.51
26	BB	901	C	P-O5'	6.11	1.65	1.59
26	BB	1909	C	P-O5'	6.11	1.65	1.59
26	BB	2324	U	C4'-O4'	-6.11	1.37	1.45
1	AA	627	G	N1-C2	6.11	1.42	1.37
1	AA	644	U	C2-N3	6.11	1.42	1.37
1	AA	800	G	O4'-C1'	6.11	1.49	1.41
1	AA	1385	G	N7-C5	-6.11	1.35	1.39
4	AD	8	4SU	O3'-P	-6.11	1.53	1.61
26	BB	976	G	C5-C4	6.11	1.42	1.38
26	BB	1136	G	C4'-C3'	6.11	1.59	1.53
26	BB	1889	A	C3'-C2'	6.11	1.59	1.52
26	BB	2722	G	N1-C2	6.11	1.42	1.37
1	AA	9	G	N3-C4	6.11	1.39	1.35
1	AA	117	G	N3-C4	-6.11	1.31	1.35
1	AA	1116	U	N1-C2	6.11	1.44	1.38
26	BB	122	G	N9-C8	6.11	1.42	1.37
2	AB	53	G	C5'-C4'	6.11	1.58	1.51
25	BA	61	G	C3'-C2'	6.11	1.59	1.52
26	BB	1122	G	N1-C2	6.11	1.42	1.37
26	BB	1888	G	C4'-C3'	6.11	1.59	1.53
26	BB	2271	G	C2-N3	6.11	1.37	1.32
26	BB	2567	G	N9-C4	6.11	1.42	1.38
26	BB	2676	C	C4'-O4'	-6.11	1.37	1.45
1	AA	640	A	N1-C2	-6.11	1.28	1.34
4	AD	21	H2U	O3'-P	6.11	1.68	1.61
5	AE	236	PHE	CE1-CZ	6.11	1.49	1.37
26	BB	3	U	N1-C2	6.11	1.44	1.38
1	AA	86	G	N1-C2	6.10	1.42	1.37
1	AA	447	G	C4'-O4'	-6.10	1.37	1.45
26	BB	338	G	N7-C5	-6.10	1.35	1.39
26	BB	521	U	C3'-C2'	6.10	1.59	1.52
26	BB	542	C	C4'-O4'	-6.10	1.37	1.45
26	BB	864	G	C6-N1	-6.10	1.35	1.39
26	BB	1093	G	C5-C4	6.10	1.42	1.38
1	AA	353	A	N3-C4	6.10	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	383	A	O3'-P	6.10	1.68	1.61
1	AA	861	G	N1-C2	-6.10	1.32	1.37
1	AA	1057	G	N9-C4	-6.10	1.33	1.38
1	AA	1062	U	N1-C6	6.10	1.43	1.38
1	AA	1448	C	N1-C6	6.10	1.40	1.37
26	BB	741	U	P-O5'	6.10	1.65	1.59
26	BB	1057	A	N3-C4	6.10	1.38	1.34
26	BB	2117	A	C4'-O4'	-6.10	1.37	1.45
26	BB	2830	C	N3-C4	6.10	1.38	1.33
26	BB	1862	G	N9-C8	-6.10	1.33	1.37
26	BB	2108	A	C6-N6	6.10	1.38	1.33
11	AK	76	ARG	CD-NE	6.10	1.56	1.46
26	BB	170	U	C4'-C3'	-6.10	1.46	1.53
26	BB	188	G	N9-C8	-6.10	1.33	1.37
26	BB	396	G	C6-N1	6.10	1.43	1.39
26	BB	517	C	C4'-O4'	-6.10	1.37	1.45
26	BB	655	A	C2'-C1'	-6.10	1.46	1.53
26	BB	923	G	N1-C2	6.10	1.42	1.37
26	BB	1480	C	N1-C6	6.10	1.40	1.37
26	BB	1999	C	N3-C4	6.10	1.38	1.33
26	BB	2694	G	N7-C5	-6.10	1.35	1.39
49	BY	40	ARG	NE-CZ	6.10	1.41	1.33
52	B1	52	PHE	CG-CD2	6.10	1.48	1.38
1	AA	1494	G	N1-C2	6.10	1.42	1.37
25	BA	6	G	C5'-C4'	-6.10	1.44	1.51
26	BB	576	U	C4-O4	-6.10	1.18	1.23
26	BB	634	C	C4-N4	6.10	1.39	1.33
26	BB	886	A	C6-N6	6.10	1.38	1.33
26	BB	2288	A	N9-C4	6.10	1.41	1.37
26	BB	2453	A	N1-C2	-6.10	1.28	1.34
26	BB	2579	C	C5-C6	6.10	1.39	1.34
26	BB	2762	C	N1-C6	-6.10	1.33	1.37
1	AA	292	G	O3'-P	6.10	1.68	1.61
26	BB	1189	A	N1-C2	6.10	1.39	1.34
26	BB	2866	U	C5-C6	6.10	1.39	1.34
1	AA	1515	G	C2-N3	6.09	1.37	1.32
4	AD	74	A	O4'-C1'	6.09	1.49	1.41
26	BB	110	G	N7-C5	6.09	1.43	1.39
26	BB	655	A	N7-C5	-6.09	1.35	1.39
26	BB	2307	G	C8-N7	-6.09	1.27	1.30
26	BB	2312	U	N1-C2	6.09	1.44	1.38
1	AA	616	G	C2-N3	6.09	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	633	G	C6-N1	-6.09	1.35	1.39
26	BB	759	G	O3'-P	-6.09	1.53	1.61
26	BB	2193	G	C4'-C3'	-6.09	1.46	1.53
1	AA	672	U	C2'-O2'	6.09	1.49	1.41
1	AA	1385	G	N1-C2	6.09	1.42	1.37
4	AD	13	C	C5'-C4'	6.09	1.58	1.51
26	BB	297	G	C5'-C4'	6.09	1.58	1.51
26	BB	910	A	N3-C4	6.09	1.38	1.34
26	BB	2355	G	N7-C5	-6.09	1.35	1.39
26	BB	2466	C	P-O5'	-6.09	1.53	1.59
26	BB	2543	G	C4'-O4'	-6.09	1.37	1.45
1	AA	13	U	P-O5'	6.09	1.65	1.59
1	AA	227	G	O3'-P	-6.09	1.53	1.61
1	AA	1182	G	C2'-C1'	-6.09	1.46	1.53
1	AA	1273	C	C2-N3	6.09	1.40	1.35
1	AA	1534	A	C6-N1	6.09	1.39	1.35
26	BB	209	C	C4-C5	6.09	1.47	1.43
26	BB	2010	G	C5-C6	6.09	1.48	1.42
26	BB	2526	G	C6-N1	6.09	1.43	1.39
26	BB	2794	C	N1-C6	6.09	1.40	1.37
1	AA	474	G	C3'-C2'	6.09	1.59	1.52
25	BA	72	G	C5-C4	-6.09	1.34	1.38
26	BB	1833	C	C2-O2	-6.09	1.19	1.24
26	BB	2318	G	C4'-C3'	6.09	1.59	1.53
53	B2	59	ARG	CZ-NH2	6.09	1.41	1.33
1	AA	391	G	C4'-O4'	-6.09	1.37	1.45
26	BB	1292	G	C6-N1	6.09	1.43	1.39
26	BB	1372	U	O4'-C1'	6.09	1.49	1.41
26	BB	2694	G	C8-N7	-6.09	1.27	1.30
26	BB	2814	A	O3'-P	6.09	1.68	1.61
26	BB	2838	G	P-O5'	6.09	1.65	1.59
1	AA	136	C	C4'-O4'	-6.08	1.37	1.45
43	BS	24	TYR	CE2-CZ	6.08	1.46	1.38
1	AA	472	U	C4-O4	-6.08	1.18	1.23
1	AA	1393	U	P-O5'	6.08	1.65	1.59
25	BA	6	G	N9-C8	-6.08	1.33	1.37
26	BB	1263	U	N3-C4	6.08	1.44	1.38
26	BB	2388	A	C4'-O4'	-6.08	1.37	1.45
1	AA	16	A	P-O5'	6.08	1.65	1.59
1	AA	48	C	N1-C6	6.08	1.40	1.37
1	AA	829	G	N9-C8	6.08	1.42	1.37
4	AD	52	C	C2-N3	6.08	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	221	A	C2'-C1'	6.08	1.60	1.53
26	BB	440	C	C5-C6	6.08	1.39	1.34
26	BB	760	G	C4'-O4'	-6.08	1.37	1.45
26	BB	828	U	C4-O4	-6.08	1.18	1.23
26	BB	893	C	N1-C2	-6.08	1.34	1.40
26	BB	1003	G	N1-C2	6.08	1.42	1.37
26	BB	2532	G	C4'-C3'	6.08	1.59	1.53
26	BB	2770	G	N3-C4	6.08	1.39	1.35
26	BB	2778	A	C2-N3	-6.08	1.28	1.33
1	AA	332	G	C2-N3	6.08	1.37	1.32
26	BB	2739	U	C5'-C4'	6.08	1.58	1.51
1	AA	1074	G	N7-C5	-6.08	1.35	1.39
2	AB	75	C	P-O5'	6.08	1.65	1.59
26	BB	964	C	C5'-C4'	6.08	1.58	1.51
26	BB	1740	G	C8-N7	6.08	1.34	1.30
26	BB	2209	G	C2-N3	6.08	1.37	1.32
26	BB	2220	U	C4'-C3'	6.08	1.59	1.53
26	BB	2410	G	C5-C4	-6.08	1.34	1.38
26	BB	2572	A	P-O5'	6.08	1.65	1.59
1	AA	385	C	C2-O2	-6.08	1.19	1.24
26	BB	613	A	N9-C8	-6.08	1.32	1.37
26	BB	55	G	N7-C5	6.08	1.42	1.39
26	BB	1321	A	N7-C5	6.08	1.42	1.39
26	BB	2106	U	C2-N3	-6.08	1.33	1.37
26	BB	2228	G	C5-C4	-6.08	1.34	1.38
1	AA	21	G	N3-C4	6.07	1.39	1.35
1	AA	1026	G	C5-C6	6.07	1.48	1.42
25	BA	14	U	P-O5'	-6.07	1.53	1.59
25	BA	97	C	O3'-P	6.07	1.68	1.61
26	BB	206	U	N1-C2	6.07	1.44	1.38
26	BB	258	G	N3-C4	6.07	1.39	1.35
26	BB	1370	C	C4-C5	6.07	1.47	1.43
26	BB	1898	U	P-O5'	6.07	1.65	1.59
26	BB	2135	A	N3-C4	6.07	1.38	1.34
1	AA	1118	U	C4-O4	-6.07	1.18	1.23
6	AF	167	TYR	CG-CD1	6.07	1.47	1.39
26	BB	227	A	C2'-O2'	6.07	1.49	1.41
26	BB	251	A	N7-C5	6.07	1.42	1.39
26	BB	1559	U	C4-O4	-6.07	1.18	1.23
26	BB	1966	A	O3'-P	6.07	1.68	1.61
1	AA	246	A	N7-C5	6.07	1.42	1.39
1	AA	588	G	C3'-C2'	-6.07	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1195	G	C8-N7	-6.07	1.27	1.30
26	BB	2061	G	O3'-P	6.07	1.68	1.61
26	BB	2216	G	N9-C4	6.07	1.42	1.38
26	BB	2791	G	C6-N1	-6.07	1.35	1.39
26	BB	1416	G	C5'-C4'	6.07	1.58	1.51
26	BB	1882	U	P-O5'	6.07	1.65	1.59
26	BB	1993	U	C4'-O4'	-6.07	1.37	1.45
26	BB	2385	C	C2-N3	6.07	1.40	1.35
26	BB	2452	C	C2-N3	6.07	1.40	1.35
1	AA	62	U	C4-C5	6.07	1.49	1.43
1	AA	646	G	N3-C4	6.07	1.39	1.35
1	AA	1198	G	C6-N1	-6.07	1.35	1.39
26	BB	113	U	C5'-C4'	6.07	1.58	1.51
26	BB	655	A	N3-C4	6.07	1.38	1.34
26	BB	2001	C	N1-C6	6.07	1.40	1.37
26	BB	2438	U	N1-C6	-6.07	1.32	1.38
1	AA	152	A	P-O5'	6.07	1.65	1.59
1	AA	344	A	C6-N6	6.07	1.38	1.33
7	AG	68	GLU	CD-OE1	6.07	1.32	1.25
25	BA	109	A	C5-C4	-6.07	1.34	1.38
25	BA	112	G	N3-C4	6.07	1.39	1.35
26	BB	388	G	C4'-O4'	6.07	1.53	1.45
26	BB	421	C	C4-C5	6.07	1.47	1.43
26	BB	1345	C	N1-C2	6.07	1.46	1.40
26	BB	1662	U	P-O5'	6.07	1.65	1.59
26	BB	2270	A	N9-C8	-6.07	1.32	1.37
26	BB	2761	A	N9-C4	6.07	1.41	1.37
1	AA	843	U	C2'-O2'	6.06	1.49	1.41
1	AA	1502	A	N9-C4	6.06	1.41	1.37
21	AU	69	TYR	CB-CG	6.06	1.60	1.51
1	AA	70	U	C4-O4	6.06	1.28	1.23
1	AA	386	C	O5'-C5'	-6.06	1.33	1.42
1	AA	980	C	C5-C6	6.06	1.39	1.34
1	AA	1369	C	C4'-O4'	-6.06	1.37	1.45
22	AV	45	GLY	CA-C	6.06	1.61	1.51
26	BB	808	G	N7-C5	6.06	1.42	1.39
26	BB	990	A	C6-N1	6.06	1.39	1.35
26	BB	2601	C	N1-C2	6.06	1.46	1.40
26	BB	2858	C	C4-C5	6.06	1.47	1.43
1	AA	99	C	C2'-C1'	6.06	1.60	1.53
26	BB	597	G	C2'-C1'	-6.06	1.46	1.53
26	BB	1755	A	C2'-C1'	-6.06	1.46	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	369	G	N1-C2	6.06	1.42	1.37
1	AA	973	G	C2-N3	6.06	1.37	1.32
1	AA	1094	G	C6-O6	-6.06	1.18	1.24
4	AD	67	C	C2-O2	-6.06	1.19	1.24
26	BB	1473	G	P-O5'	6.06	1.65	1.59
26	BB	1767	G	C6-O6	-6.06	1.18	1.24
1	AA	1241	G	N7-C5	-6.06	1.35	1.39
1	AA	1378	C	C4'-C3'	6.06	1.59	1.53
25	BA	67	G	C2'-O2'	6.06	1.49	1.41
26	BB	477	A	C5-C6	6.06	1.46	1.41
26	BB	840	C	N3-C4	6.06	1.38	1.33
1	AA	401	C	O4'-C1'	6.06	1.49	1.41
2	AB	36	A	C5-C4	6.06	1.43	1.38
7	AG	164	ARG	CD-NE	6.06	1.56	1.46
26	BB	143	C	N3-C4	6.06	1.38	1.33
26	BB	328	U	C4-O4	6.06	1.28	1.23
1	AA	915	A	N9-C8	-6.05	1.32	1.37
1	AA	915	A	P-O5'	6.05	1.65	1.59
1	AA	1193	G	C8-N7	-6.05	1.27	1.30
2	AB	76	A	C4'-O4'	-6.05	1.37	1.45
26	BB	136	G	C2-N3	6.05	1.37	1.32
26	BB	1413	A	C2'-C1'	-6.05	1.46	1.53
26	BB	1653	G	C2-N3	6.05	1.37	1.32
26	BB	2558	C	C4'-O4'	-6.05	1.37	1.45
1	AA	560	A	C4'-C3'	6.05	1.59	1.53
26	BB	347	A	O3'-P	6.05	1.68	1.61
26	BB	1657	U	C5'-C4'	6.05	1.58	1.51
26	BB	1834	U	C4'-O4'	-6.05	1.37	1.45
26	BB	1852	U	C4-C5	6.05	1.49	1.43
1	AA	134	G	N9-C8	-6.05	1.33	1.37
1	AA	213	G	N7-C5	6.05	1.42	1.39
1	AA	430	A	C6-N6	6.05	1.38	1.33
1	AA	436	C	N1-C6	-6.05	1.33	1.37
1	AA	668	G	C5-C4	6.05	1.42	1.38
1	AA	765	G	N3-C4	6.05	1.39	1.35
1	AA	1251	A	O3'-P	6.05	1.68	1.61
1	AA	1305	G	C6-O6	6.05	1.29	1.24
1	AA	1462	C	N3-C4	6.05	1.38	1.33
4	AD	65	G	C8-N7	-6.05	1.27	1.30
26	BB	207	A	N3-C4	-6.05	1.31	1.34
26	BB	455	C	P-O5'	6.05	1.65	1.59
26	BB	572	A	O3'-P	6.05	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	630	G	P-O5'	6.05	1.65	1.59
26	BB	1937	A	P-O5'	6.05	1.65	1.59
26	BB	2657	A	C6-N1	-6.05	1.31	1.35
1	AA	224	U	C4-C5	6.05	1.49	1.43
1	AA	868	C	C2-O2	-6.05	1.19	1.24
1	AA	1226	C	N3-C4	6.05	1.38	1.33
25	BA	8	C	C5'-C4'	6.05	1.58	1.51
26	BB	1553	A	C5'-C4'	6.05	1.58	1.51
26	BB	2116	G	C2-N3	6.05	1.37	1.32
26	BB	2214	C	P-O5'	6.05	1.65	1.59
1	AA	458	U	C4'-O4'	-6.05	1.37	1.45
1	AA	751	U	N3-C4	6.05	1.43	1.38
26	BB	972	A	C2-N3	6.05	1.39	1.33
26	BB	2577	A	O3'-P	-6.05	1.53	1.61
1	AA	198	G	O3'-P	6.05	1.68	1.61
1	AA	467	U	N3-C4	6.05	1.43	1.38
26	BB	332	A	C5-C4	-6.05	1.34	1.38
26	BB	536	G	O3'-P	6.05	1.68	1.61
26	BB	682	G	C5-C4	-6.05	1.34	1.38
26	BB	1141	U	P-O5'	6.05	1.65	1.59
1	AA	851	G	N9-C8	6.04	1.42	1.37
2	AB	59	G	C4'-C3'	6.04	1.59	1.53
26	BB	145	C	N3-C4	6.04	1.38	1.33
26	BB	369	U	N1-C6	-6.04	1.32	1.38
26	BB	567	U	C5'-C4'	6.04	1.58	1.51
26	BB	1011	G	C8-N7	-6.04	1.27	1.30
26	BB	2479	U	C5'-C4'	6.04	1.58	1.51
26	BB	2807	U	C5-C6	6.04	1.39	1.34
1	AA	558	G	O3'-P	6.04	1.68	1.61
1	AA	1061	G	C3'-C2'	6.04	1.59	1.52
1	AA	1126	U	C1'-N1	6.04	1.57	1.48
1	AA	1200	C	C4-C5	-6.04	1.38	1.43
2	AB	58	A	C2'-C1'	6.04	1.59	1.53
26	BB	59	U	C5'-C4'	6.04	1.58	1.51
26	BB	155	A	N7-C5	-6.04	1.35	1.39
26	BB	378	C	O3'-P	6.04	1.68	1.61
26	BB	978	G	C5-C6	6.04	1.48	1.42
26	BB	1181	U	N1-C6	6.04	1.43	1.38
26	BB	1646	C	O4'-C1'	6.04	1.49	1.41
1	AA	62	U	C1'-N1	6.04	1.57	1.48
1	AA	575	G	N9-C4	6.04	1.42	1.38
1	AA	600	A	C8-N7	-6.04	1.27	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	987	G	N9-C8	6.04	1.42	1.37
1	AA	1383	C	P-O5'	6.04	1.65	1.59
1	AA	1443	C	C4'-C3'	-6.04	1.46	1.53
26	BB	94	A	C6-N1	-6.04	1.31	1.35
26	BB	121	G	C8-N7	6.04	1.34	1.30
26	BB	625	G	N7-C5	6.04	1.42	1.39
26	BB	983	A	P-O5'	6.04	1.65	1.59
26	BB	1047	G	C4'-C3'	6.04	1.59	1.53
26	BB	1057	A	C5'-C4'	6.04	1.58	1.51
26	BB	1449	G	C5-C4	6.04	1.42	1.38
26	BB	1526	C	C4'-O4'	-6.04	1.37	1.45
26	BB	1648	U	C4-O4	-6.04	1.18	1.23
26	BB	1892	C	C4-N4	-6.04	1.28	1.33
26	BB	1926	U	C2-N3	6.04	1.42	1.37
26	BB	2349	G	C5-C6	-6.04	1.36	1.42
26	BB	2469	A	N9-C8	6.04	1.42	1.37
26	BB	2560	A	C2-N3	-6.04	1.28	1.33
25	BA	84	G	N3-C4	6.04	1.39	1.35
26	BB	2553	G	O3'-P	6.04	1.68	1.61
1	AA	441	A	C5'-C4'	6.04	1.58	1.51
1	AA	452	A	C6-N1	6.04	1.39	1.35
1	AA	482	A	P-O5'	-6.04	1.53	1.59
1	AA	523	A	C2'-O2'	6.04	1.49	1.41
1	AA	1487	G	N9-C4	6.04	1.42	1.38
1	AA	1529	G	C6-N1	-6.04	1.35	1.39
25	BA	17	C	O3'-P	-6.04	1.53	1.61
26	BB	101	A	P-O5'	6.04	1.65	1.59
26	BB	1232	G	N9-C8	6.04	1.42	1.37
26	BB	2310	C	C4-N4	-6.04	1.28	1.33
26	BB	2480	C	C2-N3	6.04	1.40	1.35
1	AA	278	G	N1-C2	6.04	1.42	1.37
1	AA	1262	C	P-O5'	6.04	1.65	1.59
1	AA	1361	G	O3'-P	6.04	1.68	1.61
3	AC	37	G	C5-C4	-6.04	1.34	1.38
3	AC	44	U	C4'-O4'	-6.04	1.37	1.45
26	BB	1573	G	C5-C6	6.04	1.48	1.42
1	AA	506	G	N3-C4	6.04	1.39	1.35
1	AA	1458	G	C5'-C4'	6.04	1.58	1.51
4	AD	77	A	C2-N3	-6.04	1.28	1.33
25	BA	10	G	C2-N3	6.04	1.37	1.32
26	BB	1024	G	N9-C4	6.04	1.42	1.38
26	BB	1925	C	C5-C6	6.04	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1963	U	C5-C6	6.04	1.39	1.34
26	BB	2782	G	O3'-P	6.04	1.68	1.61
26	BB	2854	G	N7-C5	6.04	1.42	1.39
1	AA	10	A	C4'-O4'	-6.03	1.37	1.45
1	AA	293	G	C6-O6	6.03	1.29	1.24
1	AA	397	A	N9-C4	6.03	1.41	1.37
4	AD	31	G	N1-C2	6.03	1.42	1.37
25	BA	59	A	C6-N1	-6.03	1.31	1.35
26	BB	411	G	C6-N1	6.03	1.43	1.39
26	BB	1763	G	N3-C4	6.03	1.39	1.35
26	BB	2416	C	C4-C5	6.03	1.47	1.43
26	BB	2768	U	C5'-C4'	6.03	1.58	1.51
1	AA	1225	A	P-O5'	-6.03	1.53	1.59
26	BB	1701	A	O3'-P	6.03	1.68	1.61
26	BB	2332	C	C2-N3	6.03	1.40	1.35
26	BB	2355	G	C3'-C2'	6.03	1.59	1.52
26	BB	2737	G	C5-C6	6.03	1.48	1.42
1	AA	416	G	P-O5'	6.03	1.65	1.59
1	AA	924	C	C4-C5	6.03	1.47	1.43
26	BB	190	A	C1'-N9	6.03	1.57	1.48
26	BB	775	G	C6-N1	6.03	1.43	1.39
26	BB	913	U	P-O5'	6.03	1.65	1.59
26	BB	990	A	N3-C4	6.03	1.38	1.34
26	BB	1570	A	C2-N3	6.03	1.39	1.33
26	BB	2832	U	C2-N3	6.03	1.42	1.37
29	BE	77	ARG	NE-CZ	6.03	1.40	1.33
1	AA	230	G	N1-C2	6.03	1.42	1.37
2	AB	1	A	C6-N1	-6.03	1.31	1.35
26	BB	155	A	O4'-C1'	6.03	1.49	1.41
1	AA	12	U	C2-O2	6.03	1.27	1.22
1	AA	736	C	C4'-O4'	-6.03	1.37	1.45
1	AA	908	A	N9-C4	6.03	1.41	1.37
25	BA	16	G	P-O5'	6.03	1.65	1.59
26	BB	144	A	C3'-C2'	6.03	1.59	1.52
26	BB	1230	A	N9-C4	-6.03	1.34	1.37
26	BB	1380	G	N3-C4	6.03	1.39	1.35
26	BB	1866	A	N3-C4	6.03	1.38	1.34
26	BB	1933	G	N7-C5	6.03	1.42	1.39
26	BB	2279	G	C2-N2	-6.03	1.28	1.34
37	BM	109	SER	CA-CB	6.03	1.61	1.52
1	AA	239	U	P-O5'	6.03	1.65	1.59
1	AA	890	G	N9-C8	6.03	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	63	A	C3'-C2'	-6.03	1.46	1.52
26	BB	151	C	C5'-C4'	6.03	1.58	1.51
26	BB	1292	G	O4'-C1'	6.03	1.49	1.41
26	BB	1384	A	C8-N7	6.03	1.35	1.31
26	BB	2015	A	N9-C8	6.03	1.42	1.37
26	BB	2620	C	C4-C5	6.03	1.47	1.43
26	BB	1524	G	C5'-C4'	6.02	1.58	1.51
26	BB	1686	C	N1-C2	6.02	1.46	1.40
26	BB	1713	A	C8-N7	-6.02	1.27	1.31
1	AA	141	G	C4'-O4'	-6.02	1.37	1.45
1	AA	504	C	C4-C5	6.02	1.47	1.43
1	AA	1503	A	C6-N1	-6.02	1.31	1.35
1	AA	1505	G	O3'-P	6.02	1.68	1.61
26	BB	370	G	C3'-C2'	6.02	1.59	1.52
26	BB	1135	C	C5-C6	6.02	1.39	1.34
26	BB	2194	U	C3'-C2'	-6.02	1.46	1.52
26	BB	2374	C	C5-C6	6.02	1.39	1.34
26	BB	2809	A	N1-C2	-6.02	1.28	1.34
26	BB	2898	U	C5-C6	6.02	1.39	1.34
1	AA	299	G	P-O5'	6.02	1.65	1.59
3	AC	19	A	C5-C4	6.02	1.43	1.38
15	AO	94	TYR	CE2-CZ	6.02	1.46	1.38
26	BB	1710	G	P-O5'	6.02	1.65	1.59
26	BB	1943	U	C4'-O4'	-6.02	1.37	1.45
26	BB	2357	G	C5-C4	-6.02	1.34	1.38
1	AA	1120	C	C4'-O4'	-6.02	1.37	1.45
1	AA	1228	C	C4-C5	6.02	1.47	1.43
2	AB	11	U	C5-C6	6.02	1.39	1.34
2	AB	60	U	P-O5'	6.02	1.65	1.59
26	BB	534	U	C2-N3	-6.02	1.33	1.37
26	BB	564	C	C2-O2	-6.02	1.19	1.24
26	BB	742	A	O3'-P	-6.02	1.53	1.61
26	BB	1171	G	O3'-P	6.02	1.68	1.61
26	BB	1235	G	P-O5'	6.02	1.65	1.59
26	BB	1487	U	C4-O4	6.02	1.28	1.23
26	BB	1532	A	N1-C2	-6.02	1.28	1.34
26	BB	1664	A	P-O5'	6.02	1.65	1.59
26	BB	1699	G	N9-C4	6.02	1.42	1.38
26	BB	2349	G	C4'-O4'	-6.02	1.37	1.45
26	BB	2389	G	C3'-C2'	6.02	1.59	1.52
1	AA	358	U	O3'-P	6.02	1.68	1.61
26	BB	43	G	C2-N3	6.02	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	220	G	C5'-C4'	6.02	1.58	1.51
26	BB	332	A	N3-C4	6.02	1.38	1.34
26	BB	762	U	N1-C6	6.02	1.43	1.38
26	BB	2736	A	C4'-O4'	-6.02	1.37	1.45
1	AA	74	A	C6-N1	6.01	1.39	1.35
1	AA	276	G	N9-C4	6.01	1.42	1.38
1	AA	851	G	C6-N1	-6.01	1.35	1.39
1	AA	999	C	N1-C6	6.01	1.40	1.37
1	AA	1101	A	N1-C2	-6.01	1.28	1.34
2	AB	1	A	C6-N6	6.01	1.38	1.33
14	AN	43	TRP	CD2-CE2	6.01	1.48	1.41
26	BB	97	C	C5'-C4'	6.01	1.58	1.51
26	BB	2415	G	N7-C5	-6.01	1.35	1.39
26	BB	174	U	C4'-O4'	-6.01	1.37	1.45
26	BB	1149	G	N3-C4	6.01	1.39	1.35
26	BB	2323	G	C2'-O2'	-6.01	1.33	1.41
1	AA	335	C	N1-C6	6.01	1.40	1.37
1	AA	378	G	C4'-O4'	-6.01	1.37	1.45
1	AA	1521	C	C5-C6	6.01	1.39	1.34
26	BB	416	U	N1-C6	6.01	1.43	1.38
26	BB	585	G	C4'-C3'	6.01	1.59	1.53
26	BB	2701	U	N3-C4	6.01	1.43	1.38
1	AA	71	A	N1-C2	-6.01	1.28	1.34
1	AA	1522	U	C4-C5	6.01	1.49	1.43
25	BA	11	C	C4-N4	6.01	1.39	1.33
25	BA	28	C	N1-C2	6.01	1.46	1.40
25	BA	38	C	N3-C4	-6.01	1.29	1.33
26	BB	415	A	N9-C4	6.01	1.41	1.37
1	AA	655	A	C6-N1	-6.01	1.31	1.35
26	BB	556	A	N3-C4	6.01	1.38	1.34
26	BB	2542	A	C2'-C1'	-6.01	1.46	1.53
26	BB	2569	G	N3-C4	6.01	1.39	1.35
1	AA	61	G	C5'-C4'	6.01	1.58	1.51
1	AA	1197	A	C8-N7	-6.01	1.27	1.31
26	BB	431	U	C2'-C1'	-6.01	1.46	1.53
26	BB	559	G	C5-C4	6.01	1.42	1.38
26	BB	861	A	C4'-O4'	-6.01	1.37	1.45
26	BB	910	A	N7-C5	-6.01	1.35	1.39
26	BB	1772	A	O4'-C1'	6.01	1.49	1.41
1	AA	1016	A	C2'-O2'	6.00	1.49	1.41
26	BB	1192	G	C4'-O4'	-6.00	1.37	1.45
26	BB	2502	G	C2'-O2'	6.00	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	257	G	C4'-O4'	-6.00	1.37	1.45
1	AA	495	A	C5'-C4'	6.00	1.58	1.51
1	AA	1528	U	O3'-P	6.00	1.68	1.61
3	AC	30	U	P-O5'	6.00	1.65	1.59
26	BB	581	C	C2-O2	-6.00	1.19	1.24
26	BB	637	A	C5-C4	-6.00	1.34	1.38
26	BB	1400	U	C3'-O3'	6.00	1.50	1.42
26	BB	1963	U	N1-C2	6.00	1.44	1.38
26	BB	2419	U	N3-C4	6.00	1.43	1.38
26	BB	2810	A	P-O5'	6.00	1.65	1.59
1	AA	1310	G	C2-N2	-6.00	1.28	1.34
26	BB	386	G	C4'-O4'	-6.00	1.37	1.45
26	BB	734	A	C5'-C4'	6.00	1.58	1.51
26	BB	1009	A	C3'-C2'	-6.00	1.46	1.52
26	BB	1066	U	N3-C4	6.00	1.43	1.38
26	BB	1204	A	C6-N1	6.00	1.39	1.35
26	BB	1632	A	C6-N1	-6.00	1.31	1.35
26	BB	1788	C	C2'-C1'	-6.00	1.46	1.53
26	BB	2011	U	C4'-O4'	6.00	1.53	1.45
26	BB	2436	G	C4'-O4'	-6.00	1.37	1.45
26	BB	471	A	O3'-P	6.00	1.68	1.61
26	BB	751	A	C3'-C2'	-6.00	1.46	1.52
26	BB	2040	G	C5'-C4'	6.00	1.58	1.51
26	BB	2146	C	N1-C2	6.00	1.46	1.40
1	AA	333	U	C4-C5	6.00	1.49	1.43
1	AA	1036	A	C4'-O4'	-6.00	1.37	1.45
26	BB	711	G	C2'-O2'	-6.00	1.33	1.41
26	BB	1248	G	C8-N7	-6.00	1.27	1.30
26	BB	1384	A	N7-C5	-6.00	1.35	1.39
26	BB	2173	A	C4'-O4'	-6.00	1.37	1.45
26	BB	2484	G	N9-C8	-6.00	1.33	1.37
26	BB	2612	C	C4'-O4'	-6.00	1.37	1.45
1	AA	280	C	N3-C4	-6.00	1.29	1.33
1	AA	852	G	O3'-P	6.00	1.68	1.61
1	AA	1075	U	C2-O2	6.00	1.27	1.22
1	AA	1137	C	O3'-P	6.00	1.68	1.61
1	AA	1168	U	P-O5'	6.00	1.65	1.59
1	AA	1447	A	O5'-C5'	-6.00	1.33	1.42
26	BB	83	A	N1-C2	-6.00	1.28	1.34
26	BB	238	C	C4'-O4'	-6.00	1.37	1.45
26	BB	771	G	P-O5'	6.00	1.65	1.59
26	BB	904	G	N9-C4	-6.00	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1181	U	N1-C2	6.00	1.44	1.38
26	BB	1225	G	O3'-P	-6.00	1.53	1.61
26	BB	1711	A	O4'-C1'	6.00	1.49	1.41
26	BB	1753	G	C4'-O4'	-6.00	1.37	1.45
26	BB	2195	U	C2-N3	6.00	1.42	1.37
1	AA	925	G	P-O5'	6.00	1.65	1.59
9	AI	44	ARG	NE-CZ	6.00	1.40	1.33
26	BB	1731	G	C5'-C4'	6.00	1.58	1.51
26	BB	2113	U	N1-C2	6.00	1.44	1.38
1	AA	275	G	C4'-O4'	-5.99	1.37	1.45
1	AA	1014	A	P-O5'	5.99	1.65	1.59
1	AA	1223	C	O3'-P	5.99	1.68	1.61
1	AA	1514	G	N9-C4	5.99	1.42	1.38
25	BA	46	A	N7-C5	-5.99	1.35	1.39
26	BB	450	G	C6-O6	-5.99	1.18	1.24
26	BB	1393	A	C5-C6	5.99	1.46	1.41
26	BB	1483	G	C2-N2	-5.99	1.28	1.34
26	BB	1608	A	N9-C8	5.99	1.42	1.37
26	BB	2036	C	C2-N3	5.99	1.40	1.35
26	BB	2589	A	N7-C5	5.99	1.42	1.39
26	BB	1451	C	P-O5'	5.99	1.65	1.59
26	BB	2303	G	N9-C4	-5.99	1.33	1.38
26	BB	2729	G	C2-N3	5.99	1.37	1.32
1	AA	540	G	C8-N7	5.99	1.34	1.30
1	AA	664	G	N9-C8	-5.99	1.33	1.37
1	AA	842	U	C2-N3	5.99	1.42	1.37
4	AD	60	A	N9-C8	5.99	1.42	1.37
26	BB	854	C	N1-C6	5.99	1.40	1.37
26	BB	1059	G	C4'-O4'	-5.99	1.37	1.45
26	BB	1258	U	N1-C2	5.99	1.44	1.38
26	BB	1516	G	N7-C5	5.99	1.42	1.39
26	BB	2454	G	N7-C5	5.99	1.42	1.39
1	AA	413	G	N7-C5	5.99	1.42	1.39
1	AA	932	C	N3-C4	-5.99	1.29	1.33
1	AA	1005	A	P-O5'	5.99	1.65	1.59
1	AA	1115	U	C4'-O4'	-5.99	1.37	1.45
1	AA	1305	G	C5-C6	5.99	1.48	1.42
1	AA	1325	C	C2-N3	5.99	1.40	1.35
1	AA	1423	G	P-O5'	5.99	1.65	1.59
2	AB	40	C	C5-C6	-5.99	1.29	1.34
26	BB	226	A	C5-C6	-5.99	1.35	1.41
26	BB	2010	G	N1-C2	-5.99	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2224	G	N7-C5	-5.99	1.35	1.39
26	BB	2230	G	C2-N2	5.99	1.40	1.34
1	AA	487	A	N7-C5	-5.99	1.35	1.39
26	BB	1041	G	C2-N2	-5.99	1.28	1.34
1	AA	245	U	C4-O4	-5.99	1.18	1.23
1	AA	302	G	C2-N2	5.99	1.40	1.34
1	AA	356	A	P-O5'	5.99	1.65	1.59
1	AA	436	C	N3-C4	5.99	1.38	1.33
1	AA	444	G	N9-C8	-5.99	1.33	1.37
1	AA	681	A	C4'-O4'	-5.99	1.37	1.45
1	AA	997	U	N3-C4	5.99	1.43	1.38
1	AA	1251	A	N9-C4	5.99	1.41	1.37
1	AA	1413	A	N7-C5	5.99	1.42	1.39
2	AB	63	C	C4'-O4'	-5.99	1.37	1.45
25	BA	18	G	C4'-O4'	-5.99	1.37	1.45
26	BB	718	A	P-O5'	5.99	1.65	1.59
26	BB	1116	G	C2-N3	5.99	1.37	1.32
26	BB	2808	G	N1-C2	5.99	1.42	1.37
26	BB	2878	U	C4'-O4'	-5.99	1.37	1.45
1	AA	273	U	C5'-C4'	5.98	1.58	1.51
1	AA	807	A	C5'-C4'	5.98	1.58	1.51
1	AA	1379	G	N3-C4	5.98	1.39	1.35
4	AD	64	G	N1-C2	5.98	1.42	1.37
26	BB	645	C	N3-C4	5.98	1.38	1.33
1	AA	149	A	N9-C8	-5.98	1.32	1.37
1	AA	923	A	C5-C4	5.98	1.43	1.38
2	AB	33	U	N1-C2	5.98	1.44	1.38
24	AX	70	TYR	CE2-CZ	5.98	1.46	1.38
25	BA	72	G	P-O5'	5.98	1.65	1.59
26	BB	673	C	C2-N3	5.98	1.40	1.35
26	BB	1803	A	N3-C4	5.98	1.38	1.34
26	BB	2096	C	C1'-N1	5.98	1.57	1.48
26	BB	2108	A	C5-C6	5.98	1.46	1.41
1	AA	616	G	C2-N2	-5.98	1.28	1.34
1	AA	812	G	C8-N7	5.98	1.34	1.30
26	BB	1826	G	C1'-N9	5.98	1.57	1.48
26	BB	1861	G	N3-C4	5.98	1.39	1.35
26	BB	2004	G	C6-O6	-5.98	1.18	1.24
26	BB	2090	A	N9-C4	5.98	1.41	1.37
26	BB	2544	G	N1-C2	5.98	1.42	1.37
26	BB	2826	A	N7-C5	5.98	1.42	1.39
25	BA	1	U	C5-C6	5.98	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	712	G	C6-N1	5.98	1.43	1.39
26	BB	950	G	C4'-O4'	-5.98	1.37	1.45
26	BB	1157	G	C5-C4	5.98	1.42	1.38
1	AA	1039	G	C2'-O2'	-5.98	1.33	1.41
5	AE	207	ARG	CZ-NH2	5.98	1.40	1.33
25	BA	65	U	C2-N3	5.98	1.42	1.37
26	BB	45	G	C2-N3	5.98	1.37	1.32
26	BB	408	G	C5-C6	5.98	1.48	1.42
26	BB	625	G	N9-C8	-5.98	1.33	1.37
26	BB	658	U	C4'-O4'	-5.98	1.37	1.45
26	BB	757	G	C5-C4	-5.98	1.34	1.38
26	BB	1082	U	C4'-O4'	-5.98	1.37	1.45
26	BB	1581	G	C2-N3	5.98	1.37	1.32
26	BB	1998	A	N7-C5	-5.98	1.35	1.39
26	BB	2286	G	P-O5'	5.98	1.65	1.59
26	BB	2317	A	C4'-C3'	5.98	1.59	1.53
26	BB	2468	A	N9-C4	-5.98	1.34	1.37
26	BB	2674	G	C6-O6	-5.98	1.18	1.24
26	BB	2889	C	N1-C6	5.98	1.40	1.37
1	AA	954	G	N7-C5	5.98	1.42	1.39
26	BB	1125	G	C5'-C4'	5.98	1.58	1.51
1	AA	44	A	C4'-C3'	-5.97	1.46	1.52
1	AA	771	G	O4'-C1'	5.97	1.49	1.41
1	AA	1395	C	O3'-P	-5.97	1.53	1.61
7	AG	25	ARG	CZ-NH2	5.97	1.40	1.33
26	BB	112	U	C4'-O4'	-5.97	1.37	1.45
26	BB	233	A	N9-C8	5.97	1.42	1.37
26	BB	2534	A	C5-C6	5.97	1.46	1.41
26	BB	2586	U	P-O5'	5.97	1.65	1.59
1	AA	1349	A	C5-C6	5.97	1.46	1.41
26	BB	234	U	C4'-O4'	-5.97	1.37	1.45
26	BB	1162	G	C3'-C2'	5.97	1.59	1.52
26	BB	1377	G	C5-C6	5.97	1.48	1.42
26	BB	2415	G	C5'-C4'	5.97	1.58	1.51
26	BB	2731	G	P-O5'	5.97	1.65	1.59
1	AA	526	C	C2-O2	5.97	1.29	1.24
1	AA	1319	A	C5-C4	5.97	1.43	1.38
1	AA	1450	U	P-O5'	5.97	1.65	1.59
2	AB	38	A	C2'-C1'	-5.97	1.46	1.53
26	BB	2017	U	C2-O2	5.97	1.27	1.22
26	BB	2310	C	C2-N3	5.97	1.40	1.35
1	AA	341	C	N3-C4	-5.97	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	445	G	C8-N7	5.97	1.34	1.30
1	AA	1284	C	C5-C6	5.97	1.39	1.34
6	AF	168	ARG	CZ-NH1	5.97	1.40	1.33
26	BB	1464	G	C3'-C2'	5.97	1.59	1.52
26	BB	1571	A	N9-C8	5.97	1.42	1.37
26	BB	2294	G	C8-N7	5.97	1.34	1.30
26	BB	2597	G	C5'-C4'	5.97	1.58	1.51
25	BA	48	U	C4-C5	5.97	1.49	1.43
26	BB	1073	A	C5-C6	5.97	1.46	1.41
26	BB	1169	A	P-O5'	5.97	1.65	1.59
26	BB	1858	A	C8-N7	-5.97	1.27	1.31
1	AA	39	G	C2-N3	5.97	1.37	1.32
1	AA	350	G	C5-C6	5.97	1.48	1.42
1	AA	1101	A	C6-N6	-5.97	1.29	1.33
2	AB	25	C	C4-C5	5.97	1.47	1.43
26	BB	636	G	N7-C5	-5.97	1.35	1.39
26	BB	716	A	N7-C5	5.97	1.42	1.39
26	BB	853	C	C4'-O4'	-5.97	1.37	1.45
26	BB	866	A	C6-N1	-5.97	1.31	1.35
26	BB	1017	G	N1-C2	5.97	1.42	1.37
26	BB	1115	G	N9-C4	5.97	1.42	1.38
26	BB	1314	C	N3-C4	-5.97	1.29	1.33
26	BB	1337	G	N9-C8	-5.97	1.33	1.37
26	BB	1365	A	N9-C8	-5.97	1.32	1.37
1	AA	468	A	C6-N1	-5.96	1.31	1.35
1	AA	925	G	O3'-P	5.96	1.68	1.61
3	AC	34	U	O4'-C1'	5.96	1.49	1.41
26	BB	974	G	C2'-O2'	5.96	1.49	1.41
26	BB	1524	G	C2-N3	5.96	1.37	1.32
26	BB	2102	G	C8-N7	-5.96	1.27	1.30
26	BB	2489	U	O4'-C1'	5.96	1.49	1.41
3	AC	58	C	N3-C4	-5.96	1.29	1.33
26	BB	51	G	C2'-O2'	-5.96	1.33	1.41
26	BB	118	A	C2'-C1'	5.96	1.59	1.53
1	AA	38	G	C3'-C2'	5.96	1.59	1.52
1	AA	961	U	O3'-P	5.96	1.68	1.61
25	BA	119	A	N7-C5	5.96	1.42	1.39
26	BB	238	C	N1-C6	5.96	1.40	1.37
26	BB	681	G	C4'-C3'	5.96	1.59	1.53
26	BB	2033	A	C8-N7	-5.96	1.27	1.31
26	BB	2078	C	C4'-O4'	-5.96	1.37	1.45
26	BB	2823	A	N3-C4	5.96	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	188	C	P-O5'	5.96	1.65	1.59
1	AA	684	U	C2-N3	5.96	1.42	1.37
10	AJ	110	ARG	NE-CZ	5.96	1.40	1.33
1	AA	1539	C	C3'-C2'	5.96	1.59	1.52
26	BB	679	C	C2-O2	-5.96	1.19	1.24
26	BB	1854	A	P-O5'	5.96	1.65	1.59
26	BB	2631	G	P-O5'	5.96	1.65	1.59
1	AA	615	G	P-O5'	5.96	1.65	1.59
1	AA	1007	U	C4-C5	5.96	1.49	1.43
1	AA	1192	C	N3-C4	-5.96	1.29	1.33
1	AA	1422	G	O3'-P	5.96	1.68	1.61
26	BB	5	A	N9-C4	-5.96	1.34	1.37
26	BB	431	U	C5'-C4'	5.96	1.58	1.51
26	BB	1148	U	C2'-O2'	5.96	1.49	1.41
26	BB	2745	C	P-O5'	5.96	1.65	1.59
1	AA	556	C	N3-C4	5.96	1.38	1.33
2	AB	34	C	C2-N3	-5.96	1.30	1.35
26	BB	916	G	C5'-C4'	5.96	1.58	1.51
26	BB	942	G	C2-N3	5.96	1.37	1.32
26	BB	1097	U	P-O5'	-5.96	1.53	1.59
26	BB	1701	A	C5-C6	5.96	1.46	1.41
26	BB	2292	U	N1-C2	5.96	1.44	1.38
1	AA	621	A	N3-C4	5.95	1.38	1.34
1	AA	679	C	C5'-C4'	5.95	1.58	1.51
1	AA	1108	G	N3-C4	-5.95	1.31	1.35
1	AA	1223	C	N1-C2	5.95	1.46	1.40
26	BB	729	G	C4'-C3'	-5.95	1.46	1.52
26	BB	836	G	C6-N1	5.95	1.43	1.39
26	BB	1329	U	N3-C4	5.95	1.43	1.38
26	BB	1773	A	C6-N1	-5.95	1.31	1.35
26	BB	2013	A	C5-C4	-5.95	1.34	1.38
26	BB	2294	G	N3-C4	-5.95	1.31	1.35
26	BB	1359	A	C4'-C3'	5.95	1.59	1.53
26	BB	2290	G	N3-C4	-5.95	1.31	1.35
46	BV	6	ARG	NE-CZ	5.95	1.40	1.33
1	AA	845	A	N3-C4	5.95	1.38	1.34
1	AA	881	G	C5'-C4'	5.95	1.58	1.51
26	BB	193	U	N3-C4	5.95	1.43	1.38
26	BB	1052	C	C4'-O4'	-5.95	1.37	1.45
26	BB	1502	A	N9-C4	5.95	1.41	1.37
26	BB	1847	A	N9-C4	5.95	1.41	1.37
26	BB	1910	G	N9-C8	-5.95	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	467	G	O4'-C1'	5.95	1.49	1.41
26	BB	1433	A	C3'-C2'	5.95	1.59	1.52
26	BB	1921	G	N1-C2	5.95	1.42	1.37
1	AA	40	C	O4'-C1'	5.95	1.49	1.41
1	AA	304	U	C4'-C3'	5.95	1.59	1.53
1	AA	314	C	C4'-O4'	-5.95	1.37	1.45
1	AA	1338	G	N9-C8	-5.95	1.33	1.37
1	AA	1386	G	C4'-C3'	-5.95	1.46	1.52
26	BB	220	G	C5-C4	5.95	1.42	1.38
26	BB	361	G	N7-C5	5.95	1.42	1.39
26	BB	1340	U	C5'-C4'	5.95	1.58	1.51
26	BB	1648	U	C5'-C4'	5.95	1.58	1.51
26	BB	2793	C	C5-C6	-5.95	1.29	1.34
1	AA	1270	G	C5'-C4'	5.94	1.58	1.51
26	BB	1532	A	N9-C4	-5.94	1.34	1.37
26	BB	2838	G	N9-C4	5.94	1.42	1.38
1	AA	331	G	C4'-O4'	-5.94	1.37	1.45
1	AA	1502	A	C5-C4	5.94	1.43	1.38
25	BA	45	A	N3-C4	5.94	1.38	1.34
25	BA	116	G	P-O5'	5.94	1.65	1.59
26	BB	578	G	P-O5'	5.94	1.65	1.59
26	BB	586	A	C3'-C2'	5.94	1.59	1.52
26	BB	1277	G	C2-N3	5.94	1.37	1.32
26	BB	1283	G	N1-C2	5.94	1.42	1.37
26	BB	1458	U	N1-C2	5.94	1.43	1.38
26	BB	2509	G	N1-C2	5.94	1.42	1.37
1	AA	69	G	C3'-C2'	5.94	1.59	1.52
1	AA	1330	U	N3-C4	5.94	1.43	1.38
26	BB	68	G	C5-C6	5.94	1.48	1.42
26	BB	84	A	P-O5'	5.94	1.65	1.59
26	BB	1020	A	P-O5'	5.94	1.65	1.59
26	BB	1809	A	C5-C6	5.94	1.46	1.41
26	BB	545	U	C4-C5	5.94	1.48	1.43
26	BB	1649	G	C5-C4	5.94	1.42	1.38
26	BB	1943	U	C5'-C4'	5.94	1.58	1.51
26	BB	2172	U	C2-N3	5.94	1.42	1.37
1	AA	435	A	P-O5'	5.94	1.65	1.59
1	AA	1282	C	O3'-P	5.94	1.68	1.61
26	BB	389	G	C5-C4	5.94	1.42	1.38
26	BB	785	G	C6-N1	-5.94	1.35	1.39
26	BB	2146	C	C5'-C4'	5.94	1.58	1.51
32	BH	153	PRO	N-CD	-5.94	1.39	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	15	G	C2'-C1'	5.94	1.59	1.53
26	BB	55	G	O3'-P	5.94	1.68	1.61
26	BB	897	C	N3-C4	5.94	1.38	1.33
26	BB	1150	C	C5'-C4'	5.94	1.58	1.51
26	BB	2885	G	C6-N1	5.94	1.43	1.39
1	AA	753	A	C2'-O2'	5.93	1.49	1.41
26	BB	614	A	P-O5'	5.93	1.65	1.59
26	BB	1378	A	N3-C4	5.93	1.38	1.34
26	BB	1482	G	O4'-C1'	5.93	1.49	1.41
26	BB	2079	U	C2-N3	5.93	1.42	1.37
1	AA	350	G	N3-C4	5.93	1.39	1.35
26	BB	106	C	C4'-O4'	-5.93	1.37	1.45
26	BB	483	A	C4'-O4'	-5.93	1.37	1.45
26	BB	1371	G	C8-N7	5.93	1.34	1.30
26	BB	1608	A	C5'-C4'	5.93	1.58	1.51
26	BB	1615	C	C4'-C3'	-5.93	1.46	1.52
26	BB	1867	G	N3-C4	5.93	1.39	1.35
26	BB	2748	A	P-O5'	5.93	1.65	1.59
26	BB	1824	G	C3'-C2'	5.93	1.59	1.52
1	AA	318	G	C6-N1	-5.93	1.35	1.39
1	AA	1188	A	N7-C5	5.93	1.42	1.39
1	AA	1409	C	N1-C6	5.93	1.40	1.37
26	BB	227	A	N3-C4	5.93	1.38	1.34
26	BB	411	G	C8-N7	-5.93	1.27	1.30
26	BB	494	G	N3-C4	5.93	1.39	1.35
26	BB	1238	G	P-O5'	5.93	1.65	1.59
26	BB	1773	A	C5-C6	5.93	1.46	1.41
1	AA	346	G	C4'-O4'	-5.93	1.37	1.45
1	AA	643	C	N1-C2	5.93	1.46	1.40
26	BB	1009	A	N3-C4	5.93	1.38	1.34
1	AA	150	U	N1-C6	5.93	1.43	1.38
1	AA	1272	G	N3-C4	5.93	1.39	1.35
4	AD	29	C	O3'-P	5.93	1.68	1.61
25	BA	114	C	C2-N3	5.93	1.40	1.35
26	BB	100	U	O3'-P	5.93	1.68	1.61
26	BB	1095	A	O4'-C1'	5.93	1.49	1.41
26	BB	1121	C	N1-C6	5.93	1.40	1.37
26	BB	2866	U	C4-C5	5.93	1.48	1.43
1	AA	117	G	C3'-C2'	-5.92	1.46	1.52
1	AA	221	C	C5'-C4'	5.92	1.58	1.51
1	AA	602	A	C5-C6	5.92	1.46	1.41
1	AA	1089	G	C2'-C1'	5.92	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1178	G	N9-C8	5.92	1.42	1.37
26	BB	14	A	C4'-C3'	5.92	1.59	1.53
26	BB	164	C	C5'-C4'	5.92	1.58	1.51
26	BB	555	G	P-O5'	-5.92	1.53	1.59
26	BB	942	G	C2-N2	-5.92	1.28	1.34
26	BB	1115	G	N3-C4	5.92	1.39	1.35
26	BB	1636	U	C3'-C2'	-5.92	1.46	1.52
1	AA	1317	C	C4-C5	5.92	1.47	1.43
26	BB	1596	A	C5-C6	5.92	1.46	1.41
26	BB	1971	U	N1-C6	5.92	1.43	1.38
1	AA	818	G	N7-C5	-5.92	1.35	1.39
1	AA	858	G	N3-C4	5.92	1.39	1.35
1	AA	875	U	C4-C5	5.92	1.48	1.43
1	AA	1059	C	P-O5'	5.92	1.65	1.59
1	AA	1484	C	N3-C4	5.92	1.38	1.33
25	BA	120	U	C4-C5	5.92	1.48	1.43
26	BB	242	G	C3'-C2'	-5.92	1.46	1.52
26	BB	1817	G	N9-C4	5.92	1.42	1.38
1	AA	214	C	P-O5'	5.92	1.65	1.59
26	BB	289	G	C6-N1	5.92	1.43	1.39
26	BB	780	G	C4'-C3'	5.92	1.59	1.53
1	AA	171	A	C5-C6	5.92	1.46	1.41
1	AA	730	G	N3-C4	5.92	1.39	1.35
1	AA	756	C	O4'-C1'	5.92	1.49	1.41
1	AA	1335	U	P-O5'	5.92	1.65	1.59
1	AA	1385	G	C2-N3	5.92	1.37	1.32
26	BB	417	C	C4'-O4'	-5.92	1.37	1.45
26	BB	448	U	C4-C5	5.92	1.48	1.43
26	BB	2158	A	C2'-C1'	-5.92	1.46	1.53
26	BB	2451	A	C4'-C3'	5.92	1.59	1.53
26	BB	2650	U	C5-C6	5.92	1.39	1.34
1	AA	419	C	C5'-C4'	5.92	1.58	1.51
1	AA	749	A	C4'-O4'	-5.92	1.37	1.45
26	BB	269	C	C4-C5	5.92	1.47	1.43
26	BB	848	C	C2-O2	-5.92	1.19	1.24
26	BB	1183	U	N1-C2	5.92	1.43	1.38
26	BB	1847	A	C5-C4	-5.92	1.34	1.38
26	BB	2031	A	C6-N1	-5.92	1.31	1.35
26	BB	2075	U	N1-C6	-5.92	1.32	1.38
26	BB	2139	U	C4'-O4'	-5.92	1.37	1.45
26	BB	2422	C	C5-C6	5.92	1.39	1.34
26	BB	2811	G	C8-N7	5.92	1.34	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	480	U	C2-N3	5.92	1.41	1.37
1	AA	745	G	C5'-C4'	5.92	1.58	1.51
1	AA	1355	G	C4'-O4'	-5.92	1.37	1.45
26	BB	2194	U	O4'-C1'	5.92	1.49	1.41
26	BB	2482	A	C4'-O4'	-5.92	1.37	1.45
1	AA	701	U	P-O5'	5.91	1.65	1.59
26	BB	312	G	C8-N7	5.91	1.34	1.30
26	BB	779	U	C2-O2	5.91	1.27	1.22
26	BB	912	C	C4'-O4'	-5.91	1.37	1.45
26	BB	2138	G	C8-N7	-5.91	1.27	1.30
26	BB	2203	U	O3'-P	5.91	1.68	1.61
26	BB	2523	G	C8-N7	-5.91	1.27	1.30
26	BB	2628	C	C5'-C4'	5.91	1.58	1.51
1	AA	1068	G	P-O5'	5.91	1.65	1.59
25	BA	109	A	N7-C5	5.91	1.42	1.39
26	BB	80	G	C2-N3	5.91	1.37	1.32
26	BB	1933	G	C1'-N9	-5.91	1.38	1.46
1	AA	475	C	P-O5'	5.91	1.65	1.59
1	AA	995	C	C5-C6	5.91	1.39	1.34
25	BA	61	G	C4'-O4'	-5.91	1.37	1.45
26	BB	723	C	C4'-C3'	5.91	1.59	1.53
26	BB	814	C	O4'-C1'	5.91	1.49	1.41
26	BB	2074	U	C2-N3	5.91	1.41	1.37
26	BB	2087	G	N7-C5	-5.91	1.35	1.39
1	AA	328	C	C3'-O3'	5.91	1.50	1.42
1	AA	1025	U	C5-C6	5.91	1.39	1.34
26	BB	162	U	C3'-C2'	-5.91	1.46	1.52
26	BB	603	A	O4'-C1'	5.91	1.49	1.41
26	BB	630	G	N7-C5	5.91	1.42	1.39
26	BB	803	U	C2-N3	5.91	1.41	1.37
26	BB	811	U	C2'-C1'	-5.91	1.46	1.53
26	BB	847	U	C5-C6	5.91	1.39	1.34
26	BB	2011	U	O3'-P	5.91	1.68	1.61
26	BB	2477	U	C5-C6	5.91	1.39	1.34
26	BB	2769	U	C1'-N1	5.91	1.57	1.48
1	AA	191	G	P-O5'	5.91	1.65	1.59
26	BB	1237	A	N9-C4	5.91	1.41	1.37
26	BB	2505	G	C5-C4	5.91	1.42	1.38
26	BB	2632	A	N9-C8	-5.91	1.33	1.37
1	AA	235	C	C2-N3	5.91	1.40	1.35
1	AA	820	U	N1-C2	5.91	1.43	1.38
1	AA	991	U	C4'-O4'	-5.91	1.37	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1229	A	O3'-P	5.91	1.68	1.61
1	AA	1332	A	C5-C6	5.91	1.46	1.41
1	AA	1480	A	N9-C4	5.91	1.41	1.37
26	BB	61	C	C2'-C1'	5.91	1.59	1.53
26	BB	809	G	C5-C4	-5.91	1.34	1.38
26	BB	1025	G	C2'-O2'	5.91	1.49	1.41
26	BB	1352	U	C4-C5	5.91	1.48	1.43
26	BB	1664	A	N3-C4	5.91	1.38	1.34
26	BB	2541	A	C2'-C1'	5.91	1.59	1.53
26	BB	2365	G	P-O5'	5.90	1.65	1.59
1	AA	551	U	P-O5'	5.90	1.65	1.59
1	AA	865	A	N9-C4	-5.90	1.34	1.37
1	AA	969	A	N9-C4	5.90	1.41	1.37
26	BB	483	A	C2'-C1'	-5.90	1.46	1.53
26	BB	1078	U	C2-O2	5.90	1.27	1.22
26	BB	1942	C	C4-N4	5.90	1.39	1.33
26	BB	2072	C	C5'-C4'	5.90	1.58	1.51
26	BB	2391	G	N1-C2	5.90	1.42	1.37
26	BB	2509	G	N9-C4	5.90	1.42	1.38
26	BB	2816	G	C4'-C3'	5.90	1.59	1.53
1	AA	415	A	N3-C4	5.90	1.38	1.34
1	AA	1053	G	N7-C5	5.90	1.42	1.39
1	AA	1449	C	C2-O2	-5.90	1.19	1.24
26	BB	79	C	C5-C6	5.90	1.39	1.34
26	BB	842	U	C4-O4	-5.90	1.19	1.23
26	BB	1581	G	N3-C4	5.90	1.39	1.35
26	BB	1752	C	C4-N4	5.90	1.39	1.33
28	BD	77	VAL	CB-CG2	5.90	1.65	1.52
42	BR	18	SER	CB-OG	-5.90	1.34	1.42
26	BB	1242	U	N1-C6	-5.90	1.32	1.38
1	AA	135	C	O3'-P	-5.90	1.54	1.61
4	AD	48	U	C4'-O4'	-5.90	1.37	1.45
26	BB	320	A	C6-N1	5.90	1.39	1.35
26	BB	770	G	N3-C4	5.90	1.39	1.35
26	BB	918	A	O4'-C1'	5.90	1.49	1.41
26	BB	1976	U	C4'-O4'	-5.90	1.37	1.45
26	BB	2816	G	N7-C5	-5.90	1.35	1.39
1	AA	234	C	C2'-O2'	-5.90	1.33	1.41
2	AB	9	A	N7-C5	5.90	1.42	1.39
26	BB	242	G	C4'-O4'	-5.90	1.37	1.45
26	BB	936	A	N9-C4	-5.90	1.34	1.37
26	BB	1028	A	O3'-P	-5.90	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2692	G	O3'-P	5.90	1.68	1.61
26	BB	2766	A	N7-C5	5.90	1.42	1.39
1	AA	1009	U	C4'-O4'	-5.89	1.37	1.45
1	AA	1409	C	C2-O2	-5.89	1.19	1.24
26	BB	280	U	C2-O2	5.89	1.27	1.22
26	BB	670	A	C4'-O4'	-5.89	1.37	1.45
26	BB	836	G	O4'-C1'	5.89	1.49	1.41
26	BB	2513	A	C4'-O4'	-5.89	1.37	1.45
26	BB	2734	A	P-O5'	5.89	1.65	1.59
1	AA	278	G	P-O5'	5.89	1.65	1.59
1	AA	737	C	C5-C6	5.89	1.39	1.34
1	AA	1129	C	P-O5'	5.89	1.65	1.59
1	AA	1278	G	C6-N1	5.89	1.43	1.39
25	BA	31	C	C2'-C1'	5.89	1.59	1.53
26	BB	1612	C	C5'-C4'	5.89	1.58	1.51
26	BB	1698	A	N3-C4	-5.89	1.31	1.34
26	BB	2579	C	N3-C4	-5.89	1.29	1.33
42	BR	19	PHE	CE1-CZ	5.89	1.48	1.37
26	BB	2825	G	N9-C4	5.89	1.42	1.38
1	AA	656	G	C4'-O4'	-5.89	1.37	1.45
1	AA	1418	A	N9-C8	5.89	1.42	1.37
26	BB	260	G	P-O5'	5.89	1.65	1.59
26	BB	1274	A	N9-C4	5.89	1.41	1.37
26	BB	2053	G	N1-C2	5.89	1.42	1.37
26	BB	2221	G	O3'-P	5.89	1.68	1.61
1	AA	712	A	C6-N6	-5.89	1.29	1.33
1	AA	713	G	N1-C2	5.89	1.42	1.37
1	AA	941	G	C5-C4	5.89	1.42	1.38
1	AA	1003	G	P-O5'	5.89	1.65	1.59
1	AA	1190	G	C3'-O3'	5.89	1.50	1.42
1	AA	1274	A	N7-C5	-5.89	1.35	1.39
1	AA	1455	G	C2-N3	5.89	1.37	1.32
4	AD	77	A	C6-N6	5.89	1.38	1.33
26	BB	41	C	C2'-C1'	5.89	1.59	1.53
26	BB	1044	C	N3-C4	5.89	1.38	1.33
1	AA	58	C	C5-C6	5.88	1.39	1.34
1	AA	219	U	C5'-C4'	5.88	1.58	1.51
1	AA	309	A	C6-N1	5.88	1.39	1.35
1	AA	758	C	N3-C4	5.88	1.38	1.33
1	AA	834	U	C2'-C1'	-5.88	1.46	1.53
26	BB	158	U	N3-C4	5.88	1.43	1.38
26	BB	916	G	N3-C4	5.88	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1589	U	O5'-C5'	5.88	1.53	1.44
26	BB	2012	G	C8-N7	-5.88	1.27	1.30
26	BB	2241	A	N7-C5	-5.88	1.35	1.39
26	BB	2260	C	C2-O2	-5.88	1.19	1.24
28	BD	220	ARG	CZ-NH2	5.88	1.40	1.33
26	BB	464	U	C4'-O4'	-5.88	1.38	1.45
26	BB	1802	A	N7-C5	5.88	1.42	1.39
1	AA	311	C	N3-C4	5.88	1.38	1.33
1	AA	848	C	C3'-C2'	-5.88	1.46	1.52
1	AA	912	C	C4'-O4'	-5.88	1.38	1.45
1	AA	946	A	C5-C4	-5.88	1.34	1.38
1	AA	1260	G	N3-C4	-5.88	1.31	1.35
1	AA	1437	A	C2'-O2'	5.88	1.49	1.41
26	BB	306	U	O4'-C1'	5.88	1.49	1.41
26	BB	1461	C	N1-C2	5.88	1.46	1.40
26	BB	1529	G	C8-N7	-5.88	1.27	1.30
26	BB	2351	G	C2-N3	5.88	1.37	1.32
26	BB	2673	G	P-O5'	5.88	1.65	1.59
1	AA	469	C	N1-C6	5.88	1.40	1.37
26	BB	1005	C	C2'-C1'	5.88	1.59	1.53
1	AA	1160	G	N3-C4	5.88	1.39	1.35
26	BB	192	C	C4'-C3'	5.88	1.59	1.53
26	BB	942	G	C8-N7	-5.88	1.27	1.30
26	BB	1229	C	C4'-O4'	-5.88	1.38	1.45
26	BB	2545	G	N1-C2	-5.88	1.33	1.37
1	AA	303	A	N3-C4	5.88	1.38	1.34
1	AA	654	G	C5'-C4'	5.88	1.58	1.51
1	AA	787	A	P-O5'	5.88	1.65	1.59
4	AD	2	G	C4'-O4'	-5.88	1.38	1.45
26	BB	296	U	C3'-C2'	-5.88	1.46	1.52
26	BB	426	C	P-O5'	5.88	1.65	1.59
26	BB	503	A	N9-C4	-5.88	1.34	1.37
26	BB	572	A	N3-C4	5.88	1.38	1.34
26	BB	966	G	C4'-C3'	5.88	1.59	1.53
26	BB	1759	A	C6-N1	5.88	1.39	1.35
26	BB	1969	A	C2'-C1'	-5.88	1.46	1.53
26	BB	2323	G	N1-C2	5.88	1.42	1.37
26	BB	2442	C	N1-C6	-5.88	1.33	1.37
39	BO	91	TYR	CE2-CZ	5.88	1.46	1.38
1	AA	1113	C	N1-C6	5.88	1.40	1.37
3	AC	41	A	C2'-C1'	-5.88	1.46	1.53
26	BB	798	G	C2'-C1'	-5.88	1.46	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	629	A	C5-C6	5.87	1.46	1.41
1	AA	1063	C	C3'-C2'	5.87	1.59	1.52
1	AA	1333	A	C5-C4	-5.87	1.34	1.38
1	AA	1524	C	C5-C6	5.87	1.39	1.34
26	BB	39	G	N7-C5	5.87	1.42	1.39
26	BB	563	A	N7-C5	5.87	1.42	1.39
26	BB	1276	A	P-O5'	-5.87	1.53	1.59
26	BB	1333	G	N7-C5	-5.87	1.35	1.39
26	BB	1396	U	N1-C2	5.87	1.43	1.38
26	BB	1527	G	C8-N7	5.87	1.34	1.30
26	BB	1792	G	C2'-C1'	-5.87	1.46	1.53
26	BB	2427	C	C2-N3	5.87	1.40	1.35
26	BB	2841	C	O3'-P	5.87	1.68	1.61
26	BB	2857	G	C2-N2	5.87	1.40	1.34
26	BB	105	C	C2'-C1'	5.87	1.59	1.53
26	BB	429	A	O3'-P	5.87	1.68	1.61
26	BB	481	G	C6-N1	-5.87	1.35	1.39
26	BB	535	G	C5-C6	5.87	1.48	1.42
26	BB	1084	A	P-O5'	5.87	1.65	1.59
26	BB	2139	U	C2-N3	5.87	1.41	1.37
26	BB	2238	G	N3-C4	-5.87	1.31	1.35
26	BB	2717	C	N1-C6	-5.87	1.33	1.37
3	AC	27	A	C5-C4	-5.87	1.34	1.38
26	BB	516	C	C4'-O4'	-5.87	1.38	1.45
26	BB	1260	A	N7-C5	-5.87	1.35	1.39
26	BB	1817	G	C6-N1	5.87	1.43	1.39
26	BB	2205	A	C6-N6	5.87	1.38	1.33
26	BB	2493	U	C5'-C4'	5.87	1.58	1.51
1	AA	355	C	C5-C6	5.87	1.39	1.34
25	BA	75	G	O3'-P	5.87	1.68	1.61
26	BB	294	A	C4'-O4'	-5.87	1.38	1.45
26	BB	2075	U	C4-C5	5.87	1.48	1.43
26	BB	2221	G	C1'-N9	5.87	1.57	1.48
26	BB	2295	C	C2-N3	5.87	1.40	1.35
26	BB	2357	G	N7-C5	5.87	1.42	1.39
26	BB	877	A	C5'-C4'	5.87	1.58	1.51
26	BB	1144	A	N9-C4	-5.87	1.34	1.37
26	BB	1160	G	C2-N3	5.87	1.37	1.32
1	AA	94	G	N7-C5	5.87	1.42	1.39
1	AA	635	A	C4'-O4'	-5.87	1.38	1.45
1	AA	746	A	P-O5'	5.87	1.65	1.59
1	AA	1047	G	C2-N3	5.87	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	908	C	N3-C4	5.87	1.38	1.33
26	BB	1138	G	C5-C4	-5.87	1.34	1.38
26	BB	2515	C	C1'-N1	5.87	1.57	1.48
26	BB	2600	A	N3-C4	5.87	1.38	1.34
1	AA	28	A	O3'-P	5.86	1.68	1.61
1	AA	54	C	C4-N4	-5.86	1.28	1.33
1	AA	861	G	C6-N1	5.86	1.43	1.39
1	AA	1061	G	C6-N1	5.86	1.43	1.39
26	BB	866	A	P-O5'	5.86	1.65	1.59
26	BB	1010	A	P-O5'	5.86	1.65	1.59
26	BB	1363	C	C4-C5	5.86	1.47	1.43
26	BB	1554	U	C5-C6	5.86	1.39	1.34
26	BB	2854	G	N9-C4	-5.86	1.33	1.38
1	AA	302	G	C2-N3	5.86	1.37	1.32
1	AA	703	G	O3'-P	-5.86	1.54	1.61
26	BB	1697	G	C6-O6	-5.86	1.18	1.24
26	BB	1980	G	C2-N3	5.86	1.37	1.32
26	BB	2252	G	C2-N3	5.86	1.37	1.32
26	BB	2427	C	N1-C6	-5.86	1.33	1.37
26	BB	2538	C	C2-N3	5.86	1.40	1.35
1	AA	1421	G	C4'-O4'	-5.86	1.38	1.45
1	AA	1494	G	C4'-C3'	-5.86	1.46	1.52
26	BB	1256	G	N1-C2	5.86	1.42	1.37
26	BB	2431	U	C4'-O4'	-5.86	1.38	1.45
26	BB	2639	A	P-O5'	-5.86	1.53	1.59
1	AA	354	G	C5'-C4'	5.86	1.58	1.51
26	BB	350	G	C2'-O2'	5.86	1.49	1.41
1	AA	730	G	N1-C2	5.86	1.42	1.37
1	AA	1240	U	C4-O4	-5.86	1.19	1.23
25	BA	25	U	C5'-C4'	5.86	1.58	1.51
26	BB	24	G	C2-N2	5.86	1.40	1.34
26	BB	40	U	P-O5'	-5.86	1.53	1.59
26	BB	320	A	N9-C4	5.86	1.41	1.37
26	BB	657	U	C5-C6	5.86	1.39	1.34
26	BB	756	A	P-O5'	5.86	1.65	1.59
26	BB	761	A	O4'-C1'	5.86	1.49	1.41
26	BB	2171	A	P-O5'	5.86	1.65	1.59
26	BB	2460	U	N1-C6	-5.86	1.32	1.38
1	AA	426	U	C2-N3	5.86	1.41	1.37
1	AA	1049	U	C2-N3	5.86	1.41	1.37
1	AA	1223	C	C2'-O2'	5.86	1.49	1.41
26	BB	331	C	P-O5'	5.86	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	416	U	C4-C5	5.86	1.48	1.43
26	BB	470	A	N9-C8	5.86	1.42	1.37
26	BB	1428	C	N1-C6	-5.86	1.33	1.37
26	BB	1720	U	C2-N3	-5.86	1.33	1.37
26	BB	2148	G	N9-C8	-5.86	1.33	1.37
26	BB	2418	A	N3-C4	5.86	1.38	1.34
26	BB	2894	G	C6-N1	5.86	1.43	1.39
1	AA	146	G	C5'-C4'	5.85	1.58	1.51
1	AA	198	G	N1-C2	5.85	1.42	1.37
1	AA	900	A	N9-C8	-5.85	1.33	1.37
1	AA	943	U	O3'-P	-5.85	1.54	1.61
26	BB	2474	U	C4'-O4'	-5.85	1.38	1.45
1	AA	716	A	C3'-C2'	-5.85	1.46	1.52
1	AA	919	A	N3-C4	5.85	1.38	1.34
1	AA	1105	A	C3'-C2'	5.85	1.59	1.52
1	AA	1294	G	C5'-C4'	5.85	1.58	1.51
26	BB	494	G	O3'-P	5.85	1.68	1.61
26	BB	580	U	N3-C4	5.85	1.43	1.38
26	BB	2544	G	C8-N7	-5.85	1.27	1.30
1	AA	328	C	C5-C6	5.85	1.39	1.34
1	AA	936	C	C4'-O4'	-5.85	1.38	1.45
1	AA	1256	A	P-O5'	5.85	1.65	1.59
25	BA	29	A	N9-C8	-5.85	1.33	1.37
26	BB	52	A	C6-N6	-5.85	1.29	1.33
26	BB	1864	U	P-O5'	5.85	1.65	1.59
37	BM	120	PRO	N-CD	-5.85	1.39	1.47
1	AA	38	G	C6-O6	-5.85	1.18	1.24
1	AA	245	U	N1-C2	5.85	1.43	1.38
1	AA	315	A	C5-C6	5.85	1.46	1.41
1	AA	509	A	N9-C8	5.85	1.42	1.37
26	BB	540	C	C5-C6	5.85	1.39	1.34
26	BB	1138	G	N9-C4	5.85	1.42	1.38
26	BB	1655	A	N1-C2	-5.85	1.29	1.34
26	BB	2780	G	C5-C4	-5.85	1.34	1.38
1	AA	173	U	C4-C5	5.85	1.48	1.43
1	AA	892	A	N3-C4	5.85	1.38	1.34
26	BB	297	G	C2-N2	-5.85	1.28	1.34
26	BB	1428	C	N3-C4	-5.85	1.29	1.33
26	BB	1695	G	C2-N3	5.85	1.37	1.32
26	BB	1738	G	C3'-C2'	5.85	1.59	1.52
26	BB	2776	A	C4'-C3'	5.85	1.59	1.53
1	AA	1306	A	O3'-P	5.85	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1479	C	N1-C6	5.85	1.40	1.37
25	BA	22	U	C2'-C1'	5.85	1.59	1.53
26	BB	300	A	C4'-C3'	5.85	1.59	1.53
26	BB	486	C	C3'-C2'	-5.85	1.46	1.52
26	BB	1236	G	C2-N2	5.85	1.40	1.34
26	BB	1271	G	C5-C4	5.85	1.42	1.38
26	BB	1395	A	C5'-C4'	5.85	1.58	1.51
26	BB	1811	G	N3-C4	5.85	1.39	1.35
26	BB	1931	U	O5'-C5'	-5.85	1.33	1.42
26	BB	2199	A	C4'-C3'	5.85	1.59	1.53
38	BN	33	ARG	CZ-NH2	5.85	1.40	1.33
1	AA	525	C	C2-N3	-5.84	1.31	1.35
1	AA	764	C	C5'-C4'	5.84	1.58	1.51
1	AA	843	U	C2-N3	5.84	1.41	1.37
1	AA	937	A	C6-N1	5.84	1.39	1.35
1	AA	1367	C	C5'-C4'	5.84	1.58	1.51
26	BB	618	G	C6-N1	5.84	1.43	1.39
26	BB	930	G	C6-N1	5.84	1.43	1.39
26	BB	1095	A	C5'-C4'	5.84	1.58	1.51
26	BB	1206	G	C4'-O4'	-5.84	1.38	1.45
26	BB	1230	A	C5-C4	-5.84	1.34	1.38
26	BB	1366	A	P-O5'	5.84	1.65	1.59
26	BB	1383	A	C3'-C2'	-5.84	1.46	1.52
26	BB	1935	G	P-O5'	5.84	1.65	1.59
26	BB	2290	G	C2'-O2'	-5.84	1.34	1.41
26	BB	2515	C	C5'-C4'	5.84	1.58	1.51
1	AA	269	C	C4'-O4'	-5.84	1.38	1.45
1	AA	492	C	N1-C2	5.84	1.46	1.40
26	BB	850	U	N1-C2	5.84	1.43	1.38
1	AA	786	G	C3'-C2'	-5.84	1.46	1.52
1	AA	1259	C	C2-N3	5.84	1.40	1.35
1	AA	1375	A	N9-C8	-5.84	1.33	1.37
2	AB	1	A	C4'-O4'	-5.84	1.38	1.45
4	AD	31	G	C6-N1	-5.84	1.35	1.39
4	AD	37	U	C2-N3	5.84	1.41	1.37
25	BA	16	G	N9-C4	5.84	1.42	1.38
26	BB	127	A	N9-C8	5.84	1.42	1.37
26	BB	503	A	C8-N7	-5.84	1.27	1.31
26	BB	1744	A	C8-N7	5.84	1.35	1.31
26	BB	2168	G	C5-C4	-5.84	1.34	1.38
26	BB	2198	A	C5-C4	-5.84	1.34	1.38
26	BB	2680	U	C5-C6	5.84	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2742	G	C4'-C3'	5.84	1.59	1.53
27	BC	232	SER	CB-OG	5.84	1.49	1.42
1	AA	1174	G	C6-O6	-5.84	1.18	1.24
1	AA	1268	G	P-O5'	5.84	1.65	1.59
20	AT	36	PHE	CE2-CZ	5.84	1.48	1.37
26	BB	357	C	O3'-P	5.84	1.68	1.61
26	BB	1361	G	C5'-C4'	5.84	1.58	1.51
26	BB	1595	C	C4-C5	5.84	1.47	1.43
1	AA	1297	G	C3'-C2'	5.84	1.59	1.52
25	BA	101	A	C2-N3	5.84	1.38	1.33
26	BB	2781	A	N9-C4	-5.84	1.34	1.37
26	BB	2797	U	C5'-C4'	5.84	1.58	1.51
1	AA	201	G	C5-C6	5.84	1.48	1.42
1	AA	892	A	N9-C4	5.84	1.41	1.37
1	AA	1252	A	C8-N7	-5.84	1.27	1.31
26	BB	1160	G	C5-C6	5.84	1.48	1.42
26	BB	2756	U	C5'-C4'	5.84	1.58	1.51
26	BB	2817	U	N1-C6	5.84	1.43	1.38
1	AA	560	A	N9-C4	5.83	1.41	1.37
1	AA	1413	A	C6-N1	5.83	1.39	1.35
26	BB	33	C	N1-C6	-5.83	1.33	1.37
34	BJ	134	ALA	CA-CB	5.83	1.64	1.52
26	BB	723	C	O3'-P	5.83	1.68	1.61
26	BB	1338	G	C3'-O3'	5.83	1.50	1.42
26	BB	1916	A	N7-C5	5.83	1.42	1.39
26	BB	2779	U	C4-C5	5.83	1.48	1.43
26	BB	2833	U	C2-O2	5.83	1.27	1.22
1	AA	1152	A	C5-C4	-5.83	1.34	1.38
26	BB	118	A	N7-C5	-5.83	1.35	1.39
26	BB	177	G	C6-O6	-5.83	1.19	1.24
26	BB	825	A	C4'-C3'	5.83	1.59	1.53
26	BB	852	U	C3'-O3'	5.83	1.50	1.42
26	BB	1139	G	C8-N7	-5.83	1.27	1.30
26	BB	2183	A	C5'-C4'	5.83	1.58	1.51
26	BB	2883	A	O4'-C1'	5.83	1.49	1.41
1	AA	70	U	O3'-P	5.83	1.68	1.61
1	AA	1271	A	C6-N1	5.83	1.39	1.35
26	BB	211	C	N1-C2	5.83	1.46	1.40
26	BB	1323	C	C5-C6	5.83	1.39	1.34
1	AA	184	G	C3'-C2'	5.83	1.59	1.52
1	AA	400	C	P-O5'	5.83	1.65	1.59
1	AA	678	U	N3-C4	5.83	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1029	U	P-O5'	5.83	1.65	1.59
1	AA	1273	C	C5'-C4'	5.83	1.58	1.51
26	BB	310	A	C2'-C1'	-5.83	1.47	1.53
26	BB	507	A	N3-C4	5.83	1.38	1.34
26	BB	632	A	C5-C4	-5.83	1.34	1.38
26	BB	2299	U	N3-C4	5.83	1.43	1.38
26	BB	2647	U	C3'-C2'	5.83	1.59	1.52
26	BB	2831	G	N3-C4	5.83	1.39	1.35
1	AA	914	A	C6-N1	-5.83	1.31	1.35
1	AA	1024	G	O3'-P	5.83	1.68	1.61
4	AD	23	G	N1-C2	5.83	1.42	1.37
26	BB	193	U	C4-C5	5.83	1.48	1.43
26	BB	265	A	C8-N7	5.83	1.35	1.31
26	BB	710	U	C4'-O4'	-5.83	1.38	1.45
26	BB	1784	A	N3-C4	5.83	1.38	1.34
26	BB	2213	U	N1-C2	5.83	1.43	1.38
26	BB	2710	C	C4'-C3'	-5.83	1.46	1.52
1	AA	446	G	P-O5'	5.83	1.65	1.59
1	AA	701	U	N1-C2	5.83	1.43	1.38
1	AA	741	G	C4'-O4'	-5.83	1.38	1.45
1	AA	1426	G	N9-C8	5.83	1.42	1.37
3	AC	53	G	N3-C4	5.83	1.39	1.35
26	BB	573	U	N1-C2	5.83	1.43	1.38
26	BB	710	U	C4-C5	5.83	1.48	1.43
26	BB	834	G	N3-C4	5.83	1.39	1.35
26	BB	1091	G	C5-C6	5.83	1.48	1.42
26	BB	1222	U	C4-O4	-5.83	1.19	1.23
26	BB	1248	G	N1-C2	5.83	1.42	1.37
26	BB	2295	C	C5-C6	5.83	1.39	1.34
26	BB	2739	U	O4'-C1'	5.83	1.49	1.41
1	AA	102	G	N3-C4	-5.82	1.31	1.35
1	AA	371	A	C5-C4	-5.82	1.34	1.38
1	AA	793	U	N3-C4	5.82	1.43	1.38
1	AA	883	C	C2-N3	5.82	1.40	1.35
1	AA	1170	A	C8-N7	-5.82	1.27	1.31
1	AA	1210	C	C4-C5	5.82	1.47	1.43
26	BB	146	A	N9-C4	-5.82	1.34	1.37
26	BB	360	U	C4-C5	5.82	1.48	1.43
26	BB	1722	A	N7-C5	5.82	1.42	1.39
26	BB	2178	C	C5'-C4'	5.82	1.58	1.51
26	BB	2422	C	C4-N4	5.82	1.39	1.33
1	AA	341	C	C5'-C4'	5.82	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1186	G	C8-N7	5.82	1.34	1.30
1	AA	1505	G	C8-N7	-5.82	1.27	1.30
26	BB	978	G	N9-C8	-5.82	1.33	1.37
1	AA	1252	A	N1-C2	-5.82	1.29	1.34
1	AA	1364	U	C4-O4	-5.82	1.19	1.23
13	AM	78	GLU	CG-CD	5.82	1.60	1.51
26	BB	387	U	C4-O4	-5.82	1.19	1.23
26	BB	601	C	C2-N3	5.82	1.40	1.35
26	BB	1635	A	C4'-O4'	-5.82	1.38	1.45
26	BB	2100	G	O5'-C5'	-5.82	1.33	1.42
26	BB	2324	U	C4-O4	5.82	1.28	1.23
26	BB	2339	C	O3'-P	5.82	1.68	1.61
32	BH	107	GLY	N-CA	5.82	1.54	1.46
1	AA	1454	G	C8-N7	-5.82	1.27	1.30
1	AA	1487	G	O3'-P	5.82	1.68	1.61
26	BB	511	U	N1-C6	5.82	1.43	1.38
26	BB	1168	G	C5-C6	5.82	1.48	1.42
26	BB	1359	A	N9-C4	-5.82	1.34	1.37
26	BB	2225	A	P-O5'	5.82	1.65	1.59
26	BB	2685	G	N7-C5	5.82	1.42	1.39
1	AA	414	A	C4'-O4'	-5.82	1.38	1.45
1	AA	441	A	C2-N3	5.82	1.38	1.33
1	AA	679	C	N3-C4	-5.82	1.29	1.33
1	AA	755	G	C5-C4	-5.82	1.34	1.38
1	AA	1340	A	C3'-C2'	5.82	1.59	1.52
26	BB	551	G	O3'-P	5.82	1.68	1.61
26	BB	869	G	N3-C4	5.82	1.39	1.35
26	BB	950	G	N9-C4	-5.82	1.33	1.38
1	AA	1107	C	O3'-P	5.82	1.68	1.61
1	AA	1228	C	P-O5'	5.82	1.65	1.59
1	AA	1365	G	P-O5'	-5.82	1.53	1.59
26	BB	408	G	N3-C4	5.82	1.39	1.35
26	BB	633	A	P-O5'	5.82	1.65	1.59
26	BB	1182	G	N3-C4	-5.82	1.31	1.35
26	BB	1413	A	C5-C4	-5.82	1.34	1.38
26	BB	2091	C	C4'-O4'	-5.82	1.38	1.45
26	BB	2177	C	C2'-C1'	5.82	1.59	1.53
1	AA	1464	U	C5-C6	5.81	1.39	1.34
4	AD	61	U	N1-C2	5.81	1.43	1.38
26	BB	31	C	N3-C4	-5.81	1.29	1.33
26	BB	35	G	C2'-O2'	5.81	1.49	1.41
26	BB	804	A	N9-C4	5.81	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1639	C	C4-C5	5.81	1.47	1.43
26	BB	2157	G	C6-N1	5.81	1.43	1.39
26	BB	2256	G	C2'-O2'	5.81	1.49	1.41
1	AA	457	G	C2-N3	5.81	1.37	1.32
26	BB	511	U	P-O5'	5.81	1.65	1.59
26	BB	1028	A	C2'-C1'	-5.81	1.47	1.53
26	BB	1929	G	P-O5'	5.81	1.65	1.59
26	BB	2212	A	C4'-O4'	-5.81	1.38	1.45
26	BB	2609	U	N1-C6	5.81	1.43	1.38
1	AA	791	G	N7-C5	5.81	1.42	1.39
9	AI	4	TYR	CD2-CE2	5.81	1.48	1.39
26	BB	1868	C	C4-C5	5.81	1.47	1.43
1	AA	1124	G	O3'-P	5.81	1.68	1.61
25	BA	94	A	N3-C4	5.81	1.38	1.34
25	BA	98	G	C5'-C4'	5.81	1.58	1.51
26	BB	801	G	C4'-O4'	-5.81	1.38	1.45
1	AA	280	C	P-O5'	5.81	1.65	1.59
4	AD	6	G	C2'-C1'	5.81	1.59	1.53
25	BA	32	U	N1-C2	5.81	1.43	1.38
25	BA	80	U	C2-O2	-5.81	1.17	1.22
26	BB	212	G	C2'-C1'	5.81	1.59	1.53
26	BB	419	U	N3-C4	5.81	1.43	1.38
26	BB	764	A	C5'-C4'	5.81	1.58	1.51
26	BB	992	C	C4'-C3'	-5.81	1.46	1.52
26	BB	1034	G	C6-N1	-5.81	1.35	1.39
26	BB	1139	G	N9-C8	5.81	1.42	1.37
26	BB	1947	C	C4-C5	5.81	1.47	1.43
26	BB	2355	G	C6-N1	5.81	1.43	1.39
26	BB	2447	G	O3'-P	5.81	1.68	1.61
26	BB	2783	U	C2'-C1'	5.81	1.59	1.53
1	AA	1525	G	C4'-O4'	-5.81	1.38	1.45
26	BB	171	U	C2-N3	5.81	1.41	1.37
1	AA	779	C	C4'-O4'	-5.80	1.38	1.45
1	AA	1010	U	C2-N3	5.80	1.41	1.37
1	AA	1461	G	N7-C5	5.80	1.42	1.39
4	AD	37	U	N1-C2	5.80	1.43	1.38
4	AD	44	A	C5-C6	5.80	1.46	1.41
26	BB	160	A	C6-N6	-5.80	1.29	1.33
26	BB	475	C	C2'-C1'	-5.80	1.47	1.53
26	BB	525	U	P-O5'	5.80	1.65	1.59
26	BB	1142	A	P-O5'	5.80	1.65	1.59
26	BB	1176	U	P-O5'	5.80	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1329	U	C4'-C3'	5.80	1.59	1.53
1	AA	957	U	N1-C2	5.80	1.43	1.38
26	BB	733	G	C5'-C4'	5.80	1.58	1.51
1	AA	672	U	C4-O4	-5.80	1.19	1.23
1	AA	1112	C	C3'-C2'	5.80	1.59	1.52
1	AA	1332	A	O4'-C1'	5.80	1.49	1.41
26	BB	864	G	N1-C2	5.80	1.42	1.37
26	BB	1909	C	N3-C4	5.80	1.38	1.33
26	BB	2219	U	C4-C5	5.80	1.48	1.43
1	AA	12	U	C3'-C2'	-5.80	1.46	1.52
1	AA	1133	G	C3'-C2'	-5.80	1.46	1.52
1	AA	1158	C	C5'-C4'	5.80	1.58	1.51
1	AA	1209	C	C5'-C4'	5.80	1.58	1.51
1	AA	1337	G	C3'-C2'	5.80	1.59	1.52
6	AF	81	GLU	CB-CG	5.80	1.63	1.52
20	AT	73	THR	CB-OG1	-5.80	1.31	1.43
26	BB	171	U	C4-O4	5.80	1.28	1.23
26	BB	875	G	P-O5'	5.80	1.65	1.59
26	BB	1195	G	C2'-O2'	-5.80	1.34	1.41
26	BB	1672	A	C8-N7	5.80	1.35	1.31
26	BB	1897	G	O3'-P	5.80	1.68	1.61
26	BB	2171	A	C5'-C4'	5.80	1.58	1.51
26	BB	2367	G	C2'-O2'	5.80	1.49	1.41
26	BB	2444	G	N1-C2	5.80	1.42	1.37
26	BB	2640	G	N7-C5	5.80	1.42	1.39
14	AN	10	ARG	NE-CZ	5.80	1.40	1.33
26	BB	957	C	N1-C6	5.80	1.40	1.37
26	BB	2562	U	C3'-C2'	5.80	1.59	1.52
1	AA	722	G	N9-C4	5.80	1.42	1.38
1	AA	1003	G	C6-N1	5.80	1.43	1.39
3	AC	21	U	C4-O4	5.80	1.28	1.23
25	BA	113	C	N1-C6	-5.80	1.33	1.37
26	BB	14	A	C2-N3	5.80	1.38	1.33
26	BB	694	U	C2-O2	5.80	1.27	1.22
26	BB	863	A	C4'-C3'	5.80	1.59	1.53
26	BB	1179	G	O3'-P	-5.80	1.54	1.61
26	BB	1339	G	N3-C4	5.80	1.39	1.35
26	BB	2356	U	O3'-P	5.80	1.68	1.61
26	BB	2537	U	C3'-C2'	5.80	1.59	1.52
26	BB	2721	A	C5-C4	-5.80	1.34	1.38
1	AA	445	G	C2-N3	5.79	1.37	1.32
26	BB	213	A	N9-C4	5.79	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2129	C	C2-N3	5.79	1.40	1.35
1	AA	260	G	C6-O6	5.79	1.29	1.24
26	BB	1627	G	C2-N3	5.79	1.37	1.32
26	BB	1728	C	N3-C4	-5.79	1.29	1.33
26	BB	1834	U	C2-O2	5.79	1.27	1.22
26	BB	2370	G	C2-N2	-5.79	1.28	1.34
1	AA	1267	C	N3-C4	5.79	1.38	1.33
1	AA	1531	A	C6-N1	-5.79	1.31	1.35
26	BB	244	A	N9-C8	5.79	1.42	1.37
26	BB	371	A	P-O5'	-5.79	1.53	1.59
26	BB	762	U	N1-C2	5.79	1.43	1.38
26	BB	821	A	C4'-O4'	-5.79	1.38	1.45
26	BB	2283	C	C3'-O3'	5.79	1.50	1.42
26	BB	2663	G	N9-C8	-5.79	1.33	1.37
1	AA	207	C	C4'-O4'	-5.79	1.38	1.45
6	AF	124	GLU	CD-OE2	5.79	1.32	1.25
26	BB	2217	G	N9-C4	-5.79	1.33	1.38
26	BB	2418	A	N1-C2	5.79	1.39	1.34
1	AA	404	G	N9-C4	5.79	1.42	1.38
1	AA	1006	G	N7-C5	5.79	1.42	1.39
1	AA	1258	G	N7-C5	-5.79	1.35	1.39
26	BB	2	G	C6-O6	-5.79	1.19	1.24
26	BB	193	U	C2-N3	5.79	1.41	1.37
26	BB	842	U	N1-C2	5.79	1.43	1.38
26	BB	1784	A	C6-N1	-5.79	1.31	1.35
26	BB	2579	C	C4-C5	5.79	1.47	1.43
1	AA	186	C	C5-C6	5.79	1.39	1.34
26	BB	350	G	C8-N7	-5.79	1.27	1.30
26	BB	585	G	N9-C4	5.79	1.42	1.38
26	BB	2156	G	C3'-C2'	-5.79	1.46	1.52
26	BB	2615	U	N3-C4	5.79	1.43	1.38
1	AA	848	C	C4'-O4'	-5.79	1.38	1.45
26	BB	189	G	C5'-C4'	5.79	1.58	1.51
26	BB	618	G	C5-C4	5.79	1.42	1.38
26	BB	886	A	N9-C4	5.79	1.41	1.37
26	BB	1049	C	C4-N4	-5.79	1.28	1.33
26	BB	1644	C	C5-C6	5.79	1.39	1.34
26	BB	2091	C	N1-C6	5.79	1.40	1.37
26	BB	2556	C	C5-C6	5.79	1.39	1.34
1	AA	260	G	P-O5'	-5.78	1.53	1.59
1	AA	730	G	C8-N7	-5.78	1.27	1.30
1	AA	815	A	C2'-O2'	5.78	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	926	G	C5'-C4'	5.78	1.58	1.51
4	AD	61	U	C5'-C4'	5.78	1.58	1.51
26	BB	231	A	N3-C4	5.78	1.38	1.34
26	BB	737	C	N1-C2	5.78	1.46	1.40
26	BB	1396	U	C4-O4	5.78	1.28	1.23
26	BB	2413	G	N1-C2	5.78	1.42	1.37
26	BB	2603	G	P-O5'	5.78	1.65	1.59
26	BB	2628	C	C4-C5	5.78	1.47	1.43
26	BB	2657	A	C3'-C2'	-5.78	1.46	1.52
26	BB	1110	G	C2'-C1'	-5.78	1.47	1.53
1	AA	142	G	C2'-O2'	5.78	1.49	1.41
1	AA	1309	G	C2-N3	5.78	1.37	1.32
26	BB	103	A	C6-N1	-5.78	1.31	1.35
26	BB	1615	C	C5-C6	5.78	1.39	1.34
26	BB	1615	C	N1-C2	-5.78	1.34	1.40
26	BB	1849	G	P-O5'	5.78	1.65	1.59
1	AA	1227	A	C5-C4	-5.78	1.34	1.38
2	AB	29	G	C6-O6	-5.78	1.19	1.24
25	BA	105	G	N1-C2	5.78	1.42	1.37
26	BB	1493	C	C5-C6	5.78	1.39	1.34
26	BB	2163	A	N9-C4	5.78	1.41	1.37
1	AA	17	U	C5'-C4'	5.78	1.58	1.51
1	AA	166	U	P-O5'	5.78	1.65	1.59
15	AO	103	CYS	CB-SG	-5.78	1.72	1.81
26	BB	372	G	C5-C4	-5.78	1.34	1.38
26	BB	1307	A	C3'-C2'	5.78	1.59	1.52
26	BB	1436	G	C8-N7	5.78	1.34	1.30
26	BB	1689	A	C8-N7	5.78	1.35	1.31
26	BB	2850	A	C4'-C3'	-5.78	1.46	1.52
49	BY	13	ARG	CZ-NH2	5.78	1.40	1.33
1	AA	377	G	O3'-P	5.78	1.68	1.61
1	AA	416	G	C6-N1	-5.78	1.35	1.39
1	AA	700	G	C8-N7	5.78	1.34	1.30
26	BB	102	U	C5-C6	5.78	1.39	1.34
26	BB	845	A	P-O5'	5.78	1.65	1.59
26	BB	1033	U	N3-C4	5.78	1.43	1.38
26	BB	1362	C	N1-C6	5.78	1.40	1.37
26	BB	2263	C	N1-C2	-5.78	1.34	1.40
1	AA	1449	C	N1-C6	5.77	1.40	1.37
1	AA	350	G	C5-C4	-5.77	1.34	1.38
1	AA	860	A	C5-C4	-5.77	1.34	1.38
1	AA	1179	A	O3'-P	5.77	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1213	A	N1-C2	-5.77	1.29	1.34
1	AA	1335	U	N3-C4	5.77	1.43	1.38
1	AA	1458	G	O3'-P	5.77	1.68	1.61
26	BB	291	G	C5-C4	5.77	1.42	1.38
26	BB	327	G	N1-C2	5.77	1.42	1.37
26	BB	1029	A	C6-N6	-5.77	1.29	1.33
26	BB	1096	A	C6-N1	-5.77	1.31	1.35
26	BB	1900	A	C8-N7	-5.77	1.27	1.31
26	BB	2126	A	C2'-C1'	5.77	1.59	1.53
26	BB	2659	G	N3-C4	5.77	1.39	1.35
26	BB	2754	U	P-O5'	5.77	1.65	1.59
26	BB	32	C	O4'-C1'	-5.77	1.34	1.41
26	BB	108	G	P-O5'	5.77	1.65	1.59
26	BB	266	G	N7-C5	5.77	1.42	1.39
26	BB	792	A	C4'-O4'	-5.77	1.38	1.45
26	BB	1228	G	C6-N1	-5.77	1.35	1.39
26	BB	2081	U	N1-C2	5.77	1.43	1.38
1	AA	916	U	C5-C6	5.77	1.39	1.34
1	AA	963	G	N3-C4	5.77	1.39	1.35
1	AA	1162	C	C4-C5	5.77	1.47	1.43
1	AA	1394	A	C6-N6	5.77	1.38	1.33
1	AA	1473	G	P-O5'	5.77	1.65	1.59
26	BB	441	U	C5-C6	5.77	1.39	1.34
26	BB	710	U	C1'-N1	5.77	1.57	1.48
26	BB	1261	C	P-O5'	5.77	1.65	1.59
26	BB	1467	U	C2-N3	5.77	1.41	1.37
26	BB	1544	A	N3-C4	5.77	1.38	1.34
26	BB	1567	G	C2'-O2'	-5.77	1.34	1.41
26	BB	1692	U	C5'-C4'	5.77	1.58	1.51
26	BB	2203	U	C5-C6	5.77	1.39	1.34
26	BB	2679	A	N7-C5	-5.77	1.35	1.39
1	AA	263	A	N9-C4	5.77	1.41	1.37
1	AA	553	A	C4'-O4'	-5.77	1.38	1.45
1	AA	600	A	C5-C4	-5.77	1.34	1.38
1	AA	695	A	C5-C4	-5.77	1.34	1.38
1	AA	1520	C	C5-C6	5.77	1.39	1.34
26	BB	25	U	N3-C4	-5.77	1.33	1.38
26	BB	691	C	C4-C5	5.77	1.47	1.43
26	BB	1171	G	C2-N3	5.77	1.37	1.32
26	BB	1513	U	C4'-O4'	-5.77	1.38	1.45
26	BB	1718	G	O3'-P	-5.77	1.54	1.61
26	BB	2626	C	C5'-C4'	5.77	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2653	U	P-O5'	-5.77	1.53	1.59
1	AA	720	C	C3'-O3'	5.77	1.50	1.42
3	AC	34	U	C3'-C2'	5.77	1.59	1.52
26	BB	2342	C	C4-C5	-5.77	1.38	1.43
26	BB	2707	U	C5'-C4'	5.77	1.58	1.51
1	AA	240	G	C2'-O2'	5.76	1.49	1.41
1	AA	277	C	O5'-C5'	-5.76	1.33	1.42
1	AA	301	G	C4'-C3'	-5.76	1.46	1.52
1	AA	729	A	C4'-O4'	-5.76	1.38	1.45
1	AA	1319	A	C4'-C3'	5.76	1.59	1.53
1	AA	1325	C	N1-C2	5.76	1.46	1.40
26	BB	533	G	C6-N1	-5.76	1.35	1.39
26	BB	605	G	C2-N2	5.76	1.40	1.34
26	BB	840	C	N1-C2	5.76	1.46	1.40
26	BB	1271	G	C8-N7	5.76	1.34	1.30
26	BB	2295	C	O3'-P	5.76	1.68	1.61
26	BB	2566	A	N3-C4	5.76	1.38	1.34
1	AA	229	U	N1-C2	5.76	1.43	1.38
26	BB	216	A	C5-C4	-5.76	1.34	1.38
26	BB	999	U	O3'-P	5.76	1.68	1.61
26	BB	1980	G	C6-N1	5.76	1.43	1.39
26	BB	2763	G	C2-N3	5.76	1.37	1.32
1	AA	476	U	N1-C6	5.76	1.43	1.38
1	AA	655	A	N7-C5	5.76	1.42	1.39
26	BB	632	A	C5-C6	5.76	1.46	1.41
26	BB	1078	U	O3'-P	5.76	1.68	1.61
1	AA	131	A	P-O5'	5.76	1.65	1.59
1	AA	851	G	N3-C4	5.76	1.39	1.35
1	AA	1234	C	N1-C6	5.76	1.40	1.37
3	AC	56	G	C2'-C1'	5.76	1.59	1.53
4	AD	4	G	N7-C5	5.76	1.42	1.39
4	AD	61	U	P-O5'	5.76	1.65	1.59
26	BB	497	A	C6-N6	5.76	1.38	1.33
26	BB	2693	G	C2-N3	5.76	1.37	1.32
1	AA	648	A	N9-C4	5.76	1.41	1.37
26	BB	1806	C	C3'-C2'	-5.76	1.46	1.52
1	AA	729	A	C5-C4	-5.76	1.34	1.38
1	AA	1174	G	P-O5'	5.76	1.65	1.59
1	AA	1394	A	N9-C4	5.76	1.41	1.37
1	AA	1435	G	C2-N3	5.76	1.37	1.32
26	BB	145	C	O3'-P	5.76	1.68	1.61
26	BB	213	A	C3'-C2'	5.76	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1196	C	C5-C6	5.76	1.39	1.34
26	BB	1547	C	C2-N3	5.76	1.40	1.35
26	BB	2540	C	C5'-C4'	5.76	1.58	1.51
26	BB	2815	C	P-O5'	5.76	1.65	1.59
26	BB	549	G	O3'-P	5.75	1.68	1.61
26	BB	1548	A	N7-C5	-5.75	1.35	1.39
26	BB	2044	C	C3'-C2'	5.75	1.59	1.52
1	AA	192	A	P-O5'	5.75	1.65	1.59
1	AA	783	C	N3-C4	5.75	1.38	1.33
1	AA	1350	A	N9-C8	5.75	1.42	1.37
26	BB	12	U	C4'-O4'	-5.75	1.38	1.45
26	BB	432	A	C5-C6	5.75	1.46	1.41
26	BB	1028	A	N9-C8	-5.75	1.33	1.37
26	BB	1030	C	O5'-C5'	-5.75	1.33	1.42
26	BB	1089	A	N9-C8	5.75	1.42	1.37
26	BB	2560	A	N9-C8	5.75	1.42	1.37
26	BB	2630	G	C5-C4	-5.75	1.34	1.38
26	BB	2847	U	C4-O4	5.75	1.28	1.23
1	AA	226	G	N1-C2	5.75	1.42	1.37
1	AA	227	G	P-O5'	5.75	1.65	1.59
1	AA	607	A	C2'-C1'	5.75	1.59	1.53
1	AA	1033	G	C4'-C3'	-5.75	1.46	1.52
26	BB	519	U	O3'-P	-5.75	1.54	1.61
26	BB	1133	A	C4'-C3'	5.75	1.59	1.53
26	BB	1346	G	C2-N3	5.75	1.37	1.32
26	BB	1483	G	C5-C4	-5.75	1.34	1.38
26	BB	2033	A	N3-C4	5.75	1.38	1.34
26	BB	2415	G	C3'-C2'	-5.75	1.46	1.52
26	BB	2822	G	C5-C4	-5.75	1.34	1.38
1	AA	1280	A	P-O5'	5.75	1.65	1.59
1	AA	1501	C	C5'-C4'	5.75	1.58	1.51
25	BA	95	U	C3'-C2'	5.75	1.59	1.52
26	BB	1665	A	C5-C4	-5.75	1.34	1.38
26	BB	2363	G	P-O5'	5.75	1.65	1.59
26	BB	2597	G	N3-C4	5.75	1.39	1.35
1	AA	135	C	C4-C5	5.75	1.47	1.43
1	AA	685	G	P-O5'	5.75	1.65	1.59
1	AA	816	A	N9-C4	-5.75	1.34	1.37
1	AA	1265	C	C4'-O4'	-5.75	1.38	1.45
1	AA	1477	U	P-O5'	5.75	1.65	1.59
3	AC	21	U	C5-C6	5.75	1.39	1.34
4	AD	32	G	N1-C2	5.75	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	553	G	C4'-C3'	-5.75	1.46	1.52
26	BB	2741	A	C2-N3	-5.75	1.28	1.33
1	AA	128	G	N3-C4	5.75	1.39	1.35
1	AA	989	U	C4'-C3'	5.75	1.59	1.53
1	AA	1156	G	C2-N3	5.75	1.37	1.32
26	BB	501	A	C2'-C1'	-5.75	1.47	1.53
26	BB	2668	G	C2-N2	5.75	1.40	1.34
26	BB	2776	A	C4'-O4'	-5.75	1.38	1.45
26	BB	2851	A	C6-N1	-5.75	1.31	1.35
1	AA	993	G	C3'-O3'	5.75	1.50	1.42
26	BB	1773	A	N1-C2	5.75	1.39	1.34
26	BB	1983	G	C4'-O4'	-5.75	1.38	1.45
1	AA	16	A	N9-C4	5.74	1.41	1.37
1	AA	498	A	C2'-C1'	-5.74	1.47	1.53
1	AA	1183	U	C5'-C4'	5.74	1.58	1.51
2	AB	1	A	C2'-C1'	5.74	1.59	1.53
26	BB	1026	G	C5'-C4'	5.74	1.58	1.51
26	BB	2749	A	N7-C5	5.74	1.42	1.39
26	BB	1267	U	C4'-O4'	-5.74	1.38	1.45
26	BB	1742	U	N1-C2	5.74	1.43	1.38
26	BB	2828	G	N9-C8	-5.74	1.33	1.37
1	AA	125	U	C4'-O4'	-5.74	1.38	1.45
1	AA	827	U	O3'-P	5.74	1.68	1.61
1	AA	1436	U	C2-N3	5.74	1.41	1.37
1	AA	1520	C	C4-C5	5.74	1.47	1.43
1	AA	1539	C	C5-C6	5.74	1.39	1.34
26	BB	93	G	O3'-P	5.74	1.68	1.61
26	BB	2296	U	P-O5'	5.74	1.65	1.59
26	BB	2432	A	C6-N6	5.74	1.38	1.33
26	BB	2610	C	O3'-P	5.74	1.68	1.61
26	BB	2659	G	C5-C4	-5.74	1.34	1.38
40	BP	49	GLU	CD-OE1	-5.74	1.19	1.25
1	AA	792	A	C8-N7	-5.74	1.27	1.31
7	AG	106	PHE	CG-CD2	5.74	1.47	1.38
26	BB	55	G	C2-N3	5.74	1.37	1.32
26	BB	308	G	C4'-O4'	-5.74	1.38	1.45
26	BB	311	A	C5'-C4'	5.74	1.58	1.51
26	BB	789	A	C4'-C3'	5.74	1.59	1.53
26	BB	1523	U	C2-N3	5.74	1.41	1.37
26	BB	2302	U	O4'-C1'	5.74	1.49	1.41
26	BB	2553	G	C8-N7	5.74	1.34	1.30
26	BB	2600	A	N7-C5	-5.74	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	554	A	C8-N7	-5.74	1.27	1.31
26	BB	843	G	N9-C4	-5.74	1.33	1.38
1	AA	285	C	C2'-C1'	5.74	1.59	1.53
1	AA	661	G	C5'-C4'	5.74	1.58	1.51
1	AA	721	G	N9-C8	-5.74	1.33	1.37
1	AA	1225	A	N9-C4	5.74	1.41	1.37
4	AD	38	A	C4'-O4'	-5.74	1.38	1.45
5	AE	201	GLY	CA-C	5.74	1.61	1.51
26	BB	57	C	P-O5'	5.74	1.65	1.59
26	BB	452	G	C8-N7	-5.74	1.27	1.30
26	BB	949	G	C8-N7	-5.74	1.27	1.30
26	BB	1064	C	N3-C4	5.74	1.38	1.33
26	BB	1067	A	N1-C2	-5.74	1.29	1.34
26	BB	2016	U	C2-N3	5.74	1.41	1.37
26	BB	2861	U	N1-C6	-5.74	1.32	1.38
1	AA	82	G	N7-C5	5.73	1.42	1.39
1	AA	332	G	C5'-C4'	5.73	1.58	1.51
1	AA	998	C	N3-C4	5.73	1.38	1.33
1	AA	1094	G	N1-C2	5.73	1.42	1.37
1	AA	1383	C	C5'-C4'	5.73	1.58	1.51
2	AB	75	C	C2'-C1'	-5.73	1.47	1.53
26	BB	589	U	C4'-O4'	-5.73	1.38	1.45
26	BB	1219	U	N1-C2	5.73	1.43	1.38
1	AA	470	C	C5-C6	5.73	1.39	1.34
1	AA	530	G	C5-C4	-5.73	1.34	1.38
1	AA	1362	A	C4'-O4'	-5.73	1.38	1.45
1	AA	1393	U	C5-C6	5.73	1.39	1.34
26	BB	1574	C	P-O5'	5.73	1.65	1.59
26	BB	1622	G	N1-C2	5.73	1.42	1.37
26	BB	1771	C	C5-C6	5.73	1.39	1.34
26	BB	2162	G	C2'-C1'	-5.73	1.47	1.53
28	BD	198	GLU	CD-OE1	5.73	1.31	1.25
1	AA	501	C	N3-C4	5.73	1.38	1.33
1	AA	651	C	O3'-P	5.73	1.68	1.61
1	AA	1265	C	N3-C4	5.73	1.38	1.33
1	AA	1540	U	C1'-N1	5.73	1.57	1.48
25	BA	71	C	P-O5'	5.73	1.65	1.59
26	BB	248	G	N9-C8	-5.73	1.33	1.37
26	BB	875	G	N9-C8	-5.73	1.33	1.37
26	BB	901	C	N1-C2	5.73	1.45	1.40
26	BB	918	A	C5-C6	5.73	1.46	1.41
26	BB	2000	C	C3'-O3'	5.73	1.50	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2363	G	N9-C8	5.73	1.41	1.37
26	BB	2559	C	C2'-C1'	5.73	1.59	1.53
26	BB	634	C	C2-N3	5.73	1.40	1.35
26	BB	1185	G	C4'-C3'	5.73	1.59	1.53
26	BB	2834	G	C2'-C1'	5.73	1.59	1.53
1	AA	735	C	C4'-O4'	-5.73	1.38	1.45
1	AA	1248	A	C5'-C4'	5.73	1.58	1.51
25	BA	66	A	C6-N1	-5.73	1.31	1.35
26	BB	58	G	C5-C4	5.73	1.42	1.38
26	BB	216	A	P-O5'	5.73	1.65	1.59
26	BB	1021	A	C6-N6	5.73	1.38	1.33
26	BB	1666	G	C5-C4	5.73	1.42	1.38
1	AA	35	G	P-O5'	5.73	1.65	1.59
1	AA	1450	U	C4'-O4'	-5.73	1.38	1.45
26	BB	2223	G	C5-C6	5.73	1.48	1.42
1	AA	1449	C	C2'-C1'	-5.72	1.47	1.53
26	BB	1150	C	P-O5'	5.72	1.65	1.59
26	BB	1320	C	C4-C5	5.72	1.47	1.43
26	BB	1739	A	C3'-C2'	-5.72	1.46	1.52
26	BB	1878	G	O3'-P	5.72	1.68	1.61
26	BB	2155	U	N3-C4	5.72	1.43	1.38
1	AA	1355	G	N3-C4	5.72	1.39	1.35
1	AA	1499	A	P-O5'	5.72	1.65	1.59
25	BA	76	G	C4'-O4'	-5.72	1.38	1.45
26	BB	1713	A	O3'-P	-5.72	1.54	1.61
26	BB	2411	A	C2-N3	-5.72	1.28	1.33
26	BB	2718	G	N7-C5	-5.72	1.35	1.39
26	BB	65	U	P-O5'	-5.72	1.54	1.59
26	BB	1453	A	C5'-C4'	5.72	1.58	1.51
26	BB	1522	A	C2'-O2'	5.72	1.49	1.41
1	AA	241	G	C6-N1	5.72	1.43	1.39
25	BA	24	G	N7-C5	5.72	1.42	1.39
26	BB	2599	G	N9-C4	5.72	1.42	1.38
26	BB	2835	A	O3'-P	5.72	1.68	1.61
26	BB	795	C	N3-C4	5.72	1.38	1.33
26	BB	1482	G	P-O5'	5.72	1.65	1.59
26	BB	1583	A	C5-C6	5.72	1.46	1.41
1	AA	174	A	C2'-O2'	5.72	1.49	1.41
2	AB	30	G	N9-C4	-5.72	1.33	1.38
26	BB	407	G	N9-C8	5.72	1.41	1.37
26	BB	1527	G	C5'-C4'	5.72	1.58	1.51
26	BB	2446	G	C6-N1	5.72	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2644	G	C8-N7	5.72	1.34	1.30
26	BB	2736	A	N7-C5	5.72	1.42	1.39
26	BB	2815	C	C3'-O3'	5.72	1.50	1.42
1	AA	134	G	O4'-C1'	5.71	1.49	1.41
25	BA	91	C	C4'-C3'	5.71	1.59	1.53
25	BA	102	G	C4'-O4'	-5.71	1.38	1.45
26	BB	267	C	C4'-O4'	-5.71	1.38	1.45
26	BB	1267	U	N1-C2	5.71	1.43	1.38
26	BB	1491	G	N3-C4	5.71	1.39	1.35
26	BB	1869	G	C6-N1	5.71	1.43	1.39
26	BB	2003	A	C2-N3	-5.71	1.28	1.33
26	BB	2128	G	N3-C4	5.71	1.39	1.35
26	BB	2472	G	C6-O6	-5.71	1.19	1.24
26	BB	2889	C	C4'-O4'	-5.71	1.38	1.45
1	AA	428	G	N9-C8	-5.71	1.33	1.37
1	AA	1418	A	C8-N7	-5.71	1.27	1.31
26	BB	1283	G	O4'-C1'	5.71	1.49	1.41
1	AA	632	U	C5-C6	5.71	1.39	1.34
1	AA	1001	C	C5-C6	5.71	1.39	1.34
25	BA	86	G	C4'-C3'	5.71	1.59	1.53
26	BB	968	C	O3'-P	-5.71	1.54	1.61
26	BB	1714	U	C3'-C2'	-5.71	1.46	1.52
26	BB	2121	G	N9-C4	-5.71	1.33	1.38
26	BB	2320	U	C4-C5	5.71	1.48	1.43
26	BB	2458	G	C5'-C4'	5.71	1.58	1.51
1	AA	302	G	N9-C4	-5.71	1.33	1.38
1	AA	330	C	C4-C5	5.71	1.47	1.43
1	AA	808	C	C4'-C3'	-5.71	1.46	1.52
1	AA	820	U	C2-N3	5.71	1.41	1.37
1	AA	927	G	C5'-C4'	5.71	1.58	1.51
26	BB	2053	G	C5-C4	5.71	1.42	1.38
1	AA	67	C	C4'-C3'	5.71	1.59	1.53
1	AA	169	C	C4-N4	5.71	1.39	1.33
1	AA	1202	U	C3'-O3'	5.71	1.50	1.42
2	AB	62	U	C5'-C4'	5.71	1.58	1.51
4	AD	65	G	C6-N1	-5.71	1.35	1.39
25	BA	59	A	N1-C2	5.71	1.39	1.34
26	BB	359	G	C3'-O3'	5.71	1.50	1.42
26	BB	428	A	C2'-C1'	5.71	1.59	1.53
26	BB	1586	A	C5'-C4'	5.71	1.58	1.51
26	BB	1725	U	C5'-C4'	5.71	1.58	1.51
26	BB	2329	U	C3'-C2'	5.71	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2434	A	N7-C5	-5.71	1.35	1.39
1	AA	133	U	N1-C2	5.71	1.43	1.38
26	BB	532	A	N9-C4	5.71	1.41	1.37
26	BB	1199	U	C2-O2	5.71	1.27	1.22
26	BB	1340	U	N1-C2	5.71	1.43	1.38
26	BB	2057	G	C5'-C4'	5.71	1.58	1.51
1	AA	139	A	P-O5'	5.71	1.65	1.59
1	AA	389	A	C5-C4	-5.71	1.34	1.38
1	AA	520	A	N9-C4	-5.71	1.34	1.37
1	AA	681	A	C5-C4	-5.71	1.34	1.38
26	BB	55	G	C4'-C3'	5.71	1.59	1.53
26	BB	493	G	C6-N1	-5.71	1.35	1.39
26	BB	520	G	C5-C6	5.71	1.48	1.42
26	BB	1555	G	C3'-C2'	5.71	1.59	1.52
26	BB	2130	U	C2-N3	5.71	1.41	1.37
1	AA	568	G	N3-C4	5.70	1.39	1.35
1	AA	673	A	N7-C5	-5.70	1.35	1.39
1	AA	723	U	P-O5'	5.70	1.65	1.59
1	AA	978	A	P-O5'	5.70	1.65	1.59
2	AB	62	U	C5-C6	5.70	1.39	1.34
26	BB	1031	G	C2'-O2'	5.70	1.49	1.41
26	BB	1209	U	C2-N3	5.70	1.41	1.37
26	BB	1535	A	C8-N7	5.70	1.35	1.31
26	BB	2867	G	N7-C5	-5.70	1.35	1.39
1	AA	44	A	C6-N6	-5.70	1.29	1.33
1	AA	292	G	C2-N3	5.70	1.37	1.32
1	AA	946	A	N9-C4	5.70	1.41	1.37
1	AA	1395	C	C5-C6	5.70	1.39	1.34
1	AA	1425	U	C5'-C4'	5.70	1.58	1.51
2	AB	47	U	C4'-C3'	5.70	1.59	1.53
1	AA	270	A	C4'-O4'	-5.70	1.38	1.45
1	AA	804	U	C3'-C2'	5.70	1.59	1.52
1	AA	1186	G	C4'-O4'	-5.70	1.38	1.45
1	AA	1188	A	O4'-C1'	5.70	1.49	1.41
26	BB	453	A	C5'-C4'	5.70	1.58	1.51
26	BB	565	C	C2-O2	-5.70	1.19	1.24
26	BB	1091	G	N3-C4	-5.70	1.31	1.35
26	BB	1654	A	N1-C2	-5.70	1.29	1.34
26	BB	2482	A	P-O5'	5.70	1.65	1.59
26	BB	2516	A	C6-N6	5.70	1.38	1.33
26	BB	2847	U	P-O5'	5.70	1.65	1.59
38	BN	132	ARG	CZ-NH2	5.70	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	340	U	C2-N3	5.70	1.41	1.37
1	AA	852	G	C8-N7	-5.70	1.27	1.30
1	AA	862	C	N1-C2	5.70	1.45	1.40
25	BA	42	C	C4-N4	5.70	1.39	1.33
26	BB	516	C	O3'-P	5.70	1.68	1.61
26	BB	1019	U	C2-N3	5.70	1.41	1.37
26	BB	1041	G	N1-C2	5.70	1.42	1.37
26	BB	1139	G	N3-C4	-5.70	1.31	1.35
1	AA	1006	G	C6-N1	5.70	1.43	1.39
2	AB	10	G	N3-C4	5.70	1.39	1.35
26	BB	41	C	C2-O2	-5.70	1.19	1.24
26	BB	111	A	P-O5'	5.70	1.65	1.59
26	BB	844	A	N1-C2	-5.70	1.29	1.34
1	AA	954	G	C6-N1	5.70	1.43	1.39
1	AA	1127	G	C2'-C1'	-5.70	1.47	1.53
1	AA	1462	C	N1-C6	5.70	1.40	1.37
25	BA	58	A	C5'-C4'	5.70	1.58	1.51
26	BB	38	A	N7-C5	5.70	1.42	1.39
26	BB	687	C	C3'-C2'	5.70	1.59	1.52
26	BB	717	C	P-O5'	5.70	1.65	1.59
26	BB	1469	A	C5'-C4'	5.70	1.58	1.51
26	BB	1532	A	C5-C6	5.70	1.46	1.41
26	BB	1739	A	N3-C4	-5.70	1.31	1.34
26	BB	1891	G	C3'-C2'	5.70	1.59	1.52
26	BB	2082	A	C6-N6	5.70	1.38	1.33
26	BB	2253	G	N7-C5	-5.70	1.35	1.39
26	BB	2274	A	C5-C4	5.70	1.42	1.38
1	AA	473	U	C4'-O4'	-5.69	1.38	1.45
1	AA	573	A	N7-C5	5.69	1.42	1.39
1	AA	835	U	N1-C2	5.69	1.43	1.38
26	BB	364	C	C2'-O2'	-5.69	1.34	1.41
26	BB	1447	C	C4-C5	5.69	1.47	1.43
26	BB	2744	G	C3'-C2'	5.69	1.59	1.52
1	AA	22	G	N7-C5	-5.69	1.35	1.39
1	AA	347	G	C5-C4	-5.69	1.34	1.38
1	AA	503	C	N3-C4	5.69	1.38	1.33
1	AA	1015	G	C2-N3	5.69	1.37	1.32
1	AA	1504	G	O3'-P	5.69	1.68	1.61
26	BB	494	G	C2-N3	5.69	1.37	1.32
26	BB	1113	U	C5'-C4'	5.69	1.58	1.51
1	AA	122	G	C8-N7	5.69	1.34	1.30
1	AA	500	G	P-O5'	5.69	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	762	U	C4-O4	5.69	1.28	1.23
1	AA	809	G	N1-C2	5.69	1.42	1.37
26	BB	284	U	C4-O4	5.69	1.28	1.23
1	AA	252	U	C4'-O4'	-5.69	1.38	1.45
1	AA	633	G	O3'-P	-5.69	1.54	1.61
26	BB	1004	U	N1-C6	5.69	1.43	1.38
26	BB	1160	G	N9-C4	-5.69	1.33	1.38
26	BB	1266	G	C3'-C2'	-5.69	1.46	1.52
1	AA	85	U	C2-N3	5.69	1.41	1.37
1	AA	259	G	C5'-C4'	5.69	1.58	1.51
1	AA	917	G	C2'-C1'	5.69	1.59	1.53
26	BB	315	G	C6-N1	-5.69	1.35	1.39
26	BB	396	G	N3-C4	-5.69	1.31	1.35
26	BB	1038	G	C5'-C4'	5.69	1.58	1.51
26	BB	1630	A	O3'-P	5.69	1.68	1.61
26	BB	2086	U	C4'-C3'	-5.69	1.46	1.52
26	BB	2505	G	C4'-C3'	5.69	1.59	1.53
26	BB	2736	A	C5-C6	5.69	1.46	1.41
1	AA	121	U	C3'-C2'	5.69	1.59	1.52
26	BB	158	U	C4'-C3'	5.69	1.59	1.53
26	BB	805	G	N7-C5	-5.69	1.35	1.39
26	BB	2669	G	C2-N3	5.69	1.37	1.32
1	AA	619	U	P-O5'	5.68	1.65	1.59
1	AA	698	G	C5-C4	-5.68	1.34	1.38
1	AA	1159	U	C2-O2	5.68	1.27	1.22
2	AB	27	C	C5-C6	5.68	1.38	1.34
26	BB	636	G	P-O5'	5.68	1.65	1.59
26	BB	851	C	C4-C5	5.68	1.47	1.43
26	BB	1867	G	C4'-C3'	-5.68	1.46	1.52
1	AA	67	C	C2'-C1'	5.68	1.59	1.53
1	AA	112	G	N1-C2	5.68	1.42	1.37
1	AA	240	G	N1-C2	5.68	1.42	1.37
1	AA	1238	A	N7-C5	-5.68	1.35	1.39
26	BB	587	C	C5-C6	5.68	1.38	1.34
26	BB	1565	C	C2-O2	-5.68	1.19	1.24
26	BB	2037	A	P-O5'	5.68	1.65	1.59
1	AA	1529	G	C2'-C1'	5.68	1.59	1.53
26	BB	32	C	C5'-C4'	5.68	1.58	1.51
26	BB	477	A	N7-C5	-5.68	1.35	1.39
26	BB	498	G	C6-N1	-5.68	1.35	1.39
26	BB	499	U	C2-N3	5.68	1.41	1.37
26	BB	1940	U	N3-C4	5.68	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	79	G	N9-C4	5.68	1.42	1.38
1	AA	607	A	C5-C6	5.68	1.46	1.41
1	AA	856	C	C5-C6	5.68	1.38	1.34
1	AA	856	C	C2'-O2'	5.68	1.49	1.41
1	AA	1298	U	C5'-C4'	5.68	1.58	1.51
11	AK	59	GLU	CD-OE2	-5.68	1.19	1.25
25	BA	118	C	P-O5'	5.68	1.65	1.59
26	BB	58	G	C3'-C2'	5.68	1.59	1.52
26	BB	325	G	C2'-O2'	-5.68	1.34	1.41
26	BB	876	C	O4'-C1'	5.68	1.49	1.41
26	BB	1541	C	P-O5'	5.68	1.65	1.59
26	BB	2481	G	P-O5'	5.68	1.65	1.59
26	BB	1047	G	N9-C8	5.68	1.41	1.37
26	BB	1754	A	C6-N6	5.68	1.38	1.33
1	AA	274	A	C5-C6	5.68	1.46	1.41
1	AA	842	U	C4-O4	-5.68	1.19	1.23
3	AC	41	A	C4'-O4'	-5.68	1.38	1.45
26	BB	135	U	C5'-C4'	5.68	1.58	1.51
26	BB	916	G	C6-O6	5.68	1.29	1.24
26	BB	1428	C	C4'-C3'	-5.68	1.46	1.52
26	BB	2033	A	C2'-C1'	-5.68	1.47	1.53
26	BB	2561	U	C2-N3	5.68	1.41	1.37
1	AA	540	G	P-O5'	5.67	1.65	1.59
1	AA	759	A	N9-C4	-5.67	1.34	1.37
1	AA	1171	A	P-O5'	5.67	1.65	1.59
1	AA	1295	U	C5'-C4'	5.67	1.58	1.51
26	BB	241	A	C4'-O4'	-5.67	1.38	1.45
26	BB	531	C	N1-C6	5.67	1.40	1.37
26	BB	808	G	C2-N3	5.67	1.37	1.32
26	BB	1000	A	C5-C4	-5.67	1.34	1.38
26	BB	2003	A	N1-C2	-5.67	1.29	1.34
26	BB	2110	G	N3-C4	5.67	1.39	1.35
26	BB	2597	G	P-O5'	5.67	1.65	1.59
26	BB	2699	C	O3'-P	5.67	1.68	1.61
1	AA	125	U	C2-N3	-5.67	1.33	1.37
1	AA	1534	A	C8-N7	-5.67	1.27	1.31
26	BB	66	C	C2'-O2'	5.67	1.49	1.41
26	BB	295	G	N1-C2	5.67	1.42	1.37
26	BB	363	G	N9-C4	5.67	1.42	1.38
26	BB	1613	G	N7-C5	5.67	1.42	1.39
1	AA	81	A	P-O5'	5.67	1.65	1.59
1	AA	483	C	N3-C4	5.67	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	802	A	P-O5'	5.67	1.65	1.59
1	AA	1134	G	O4'-C1'	5.67	1.49	1.41
25	BA	88	C	C4'-O4'	-5.67	1.38	1.45
26	BB	804	A	O3'-P	5.67	1.68	1.61
26	BB	1156	A	C5'-C4'	5.67	1.58	1.51
26	BB	2054	A	C2-N3	5.67	1.38	1.33
1	AA	580	C	N1-C2	-5.67	1.34	1.40
25	BA	92	C	C4-C5	-5.67	1.38	1.43
26	BB	856	G	N3-C4	5.67	1.39	1.35
26	BB	2287	A	C4'-O4'	-5.67	1.38	1.45
26	BB	2542	A	C5'-C4'	5.67	1.58	1.51
26	BB	2903	U	P-O5'	5.67	1.65	1.59
1	AA	432	A	C5'-C4'	5.67	1.58	1.51
1	AA	547	A	P-O5'	5.67	1.65	1.59
1	AA	568	G	C4'-C3'	-5.67	1.46	1.52
1	AA	758	C	O3'-P	5.67	1.68	1.61
1	AA	917	G	C4'-O4'	-5.67	1.38	1.45
1	AA	1432	G	N9-C4	5.67	1.42	1.38
25	BA	76	G	C2-N3	5.67	1.37	1.32
26	BB	309	A	C5'-C4'	5.67	1.58	1.51
26	BB	594	U	N1-C6	-5.67	1.32	1.38
26	BB	685	A	C5-C6	5.67	1.46	1.41
26	BB	689	A	C5'-C4'	5.67	1.58	1.51
26	BB	1003	G	C4'-O4'	-5.67	1.38	1.45
26	BB	1239	G	C4'-C3'	-5.67	1.46	1.52
26	BB	2693	G	N9-C8	5.67	1.41	1.37
26	BB	956	G	C8-N7	-5.67	1.27	1.30
26	BB	1296	G	C6-O6	-5.67	1.19	1.24
26	BB	1749	A	C5-C6	5.67	1.46	1.41
26	BB	2259	U	C2-N3	5.67	1.41	1.37
26	BB	2610	C	C5-C6	5.67	1.38	1.34
26	BB	2828	G	N7-C5	-5.67	1.35	1.39
1	AA	239	U	O5'-C5'	-5.67	1.33	1.42
1	AA	497	G	P-O5'	-5.67	1.54	1.59
1	AA	1200	C	C3'-O3'	5.67	1.50	1.42
1	AA	599	C	C5'-C4'	5.66	1.58	1.51
1	AA	1307	U	O3'-P	5.66	1.68	1.61
26	BB	77	G	C3'-C2'	-5.66	1.46	1.52
26	BB	1558	C	C3'-O3'	5.66	1.50	1.42
26	BB	1799	G	N9-C8	-5.66	1.33	1.37
26	BB	2071	A	C6-N6	5.66	1.38	1.33
26	BB	2483	C	C2-O2	-5.66	1.19	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1159	U	N1-C2	5.66	1.43	1.38
3	AC	57	C	C5-C6	5.66	1.38	1.34
26	BB	1727	C	N1-C6	5.66	1.40	1.37
26	BB	1780	A	N3-C4	5.66	1.38	1.34
1	AA	212	G	N9-C4	5.66	1.42	1.38
1	AA	262	A	C4'-O4'	-5.66	1.38	1.45
1	AA	363	A	N9-C8	5.66	1.42	1.37
1	AA	404	G	C8-N7	-5.66	1.27	1.30
1	AA	487	A	O3'-P	5.66	1.68	1.61
1	AA	1233	G	N1-C2	5.66	1.42	1.37
1	AA	1504	G	C2-N3	5.66	1.37	1.32
26	BB	160	A	P-O5'	5.66	1.65	1.59
26	BB	556	A	C6-N6	-5.66	1.29	1.33
26	BB	2001	C	C2'-C1'	5.66	1.59	1.53
26	BB	2212	A	C5'-C4'	5.66	1.58	1.51
26	BB	2615	U	P-O5'	5.66	1.65	1.59
1	AA	555	U	O4'-C1'	5.66	1.49	1.41
1	AA	1339	A	N9-C8	-5.66	1.33	1.37
26	BB	149	A	N1-C2	-5.66	1.29	1.34
26	BB	716	A	C6-N1	5.66	1.39	1.35
26	BB	1279	G	N1-C2	5.66	1.42	1.37
26	BB	1337	G	C2-N3	5.66	1.37	1.32
26	BB	1742	U	O3'-P	5.66	1.68	1.61
26	BB	1756	G	N7-C5	5.66	1.42	1.39
1	AA	627	G	N9-C8	-5.66	1.33	1.37
26	BB	501	A	N9-C4	5.66	1.41	1.37
2	AB	21	A	N7-C5	5.66	1.42	1.39
26	BB	1041	G	N3-C4	5.66	1.39	1.35
26	BB	1682	G	C4'-O4'	-5.66	1.38	1.45
26	BB	2053	G	C6-N1	5.66	1.43	1.39
26	BB	2116	G	C4'-O4'	-5.66	1.38	1.45
26	BB	2743	U	N1-C2	5.66	1.43	1.38
26	BB	2824	C	C4-C5	5.66	1.47	1.43
1	AA	1024	G	C6-N1	5.65	1.43	1.39
26	BB	656	G	C5-C4	-5.65	1.34	1.38
26	BB	1656	C	N1-C2	5.65	1.45	1.40
1	AA	301	G	P-O5'	5.65	1.65	1.59
1	AA	565	U	C5'-C4'	5.65	1.58	1.51
1	AA	782	A	C5-C4	-5.65	1.34	1.38
25	BA	53	A	N3-C4	5.65	1.38	1.34
26	BB	36	G	N7-C5	-5.65	1.35	1.39
26	BB	2233	U	C4-C5	5.65	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	46	G	C1'-N9	5.65	1.57	1.48
1	AA	667	G	C5-C4	-5.65	1.34	1.38
1	AA	1261	A	C4'-C3'	-5.65	1.47	1.52
2	AB	60	U	C2-N3	5.65	1.41	1.37
26	BB	299	A	N7-C5	-5.65	1.35	1.39
26	BB	370	G	O4'-C1'	5.65	1.49	1.41
26	BB	1741	C	C5-C6	5.65	1.38	1.34
26	BB	2297	A	N1-C2	-5.65	1.29	1.34
26	BB	2206	C	C5-C6	5.65	1.38	1.34
1	AA	338	A	N3-C4	5.65	1.38	1.34
1	AA	431	A	C5'-C4'	5.65	1.58	1.51
26	BB	3	U	C4-C5	5.65	1.48	1.43
26	BB	1198	U	N1-C2	5.65	1.43	1.38
26	BB	1266	G	P-O5'	-5.65	1.54	1.59
26	BB	1488	C	N3-C4	-5.65	1.29	1.33
26	BB	2598	A	C5'-C4'	5.65	1.58	1.51
1	AA	302	G	N1-C2	5.64	1.42	1.37
1	AA	580	C	C4-C5	5.64	1.47	1.43
1	AA	1206	G	N1-C2	5.64	1.42	1.37
1	AA	1493	A	N9-C8	-5.64	1.33	1.37
26	BB	384	A	C2-N3	-5.64	1.28	1.33
26	BB	398	C	O3'-P	5.64	1.68	1.61
26	BB	542	C	C4-N4	5.64	1.39	1.33
26	BB	1028	A	C4'-C3'	-5.64	1.47	1.52
26	BB	1114	C	C5-C6	5.64	1.38	1.34
26	BB	1791	A	N7-C5	-5.64	1.35	1.39
26	BB	1868	C	C5'-C4'	5.64	1.58	1.51
26	BB	2300	C	N3-C4	5.64	1.38	1.33
26	BB	2345	G	N7-C5	5.64	1.42	1.39
26	BB	2437	G	C3'-C2'	5.64	1.59	1.52
26	BB	2521	C	N3-C4	5.64	1.38	1.33
1	AA	196	A	N1-C2	5.64	1.39	1.34
1	AA	796	C	C4'-O4'	-5.64	1.38	1.45
1	AA	1149	C	C4'-C3'	-5.64	1.47	1.52
26	BB	306	U	C4-O4	-5.64	1.19	1.23
26	BB	439	A	C4'-O4'	-5.64	1.38	1.45
26	BB	670	A	C5-C4	5.64	1.42	1.38
26	BB	1261	C	C5-C6	5.64	1.38	1.34
26	BB	1989	G	N7-C5	-5.64	1.35	1.39
1	AA	1272	G	C3'-O3'	-5.64	1.34	1.42
26	BB	14	A	N9-C8	5.64	1.42	1.37
26	BB	738	G	C6-N1	-5.64	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	800	G	C2-N3	5.64	1.37	1.32
1	AA	811	C	P-O5'	5.64	1.65	1.59
1	AA	887	G	C8-N7	-5.64	1.27	1.30
1	AA	1124	G	C2-N3	5.64	1.37	1.32
26	BB	223	A	C3'-O3'	5.64	1.50	1.42
26	BB	367	G	C8-N7	-5.64	1.27	1.30
26	BB	1776	G	C2-N3	5.64	1.37	1.32
26	BB	2806	C	N3-C4	-5.64	1.30	1.33
26	BB	1736	U	C3'-C2'	5.64	1.59	1.52
26	BB	2206	C	C2-O2	-5.64	1.19	1.24
1	AA	19	A	C5-C6	5.64	1.46	1.41
1	AA	108	G	P-O5'	5.64	1.65	1.59
1	AA	264	C	N1-C6	5.64	1.40	1.37
1	AA	933	G	N9-C8	5.64	1.41	1.37
1	AA	1079	G	C5'-C4'	5.64	1.58	1.51
1	AA	1509	C	N1-C2	5.64	1.45	1.40
26	BB	152	A	N1-C2	5.64	1.39	1.34
26	BB	225	C	C2-O2	-5.64	1.19	1.24
26	BB	227	A	O4'-C1'	5.64	1.49	1.41
26	BB	384	A	C4'-O4'	-5.64	1.38	1.45
26	BB	1155	A	C4'-O4'	-5.64	1.38	1.45
26	BB	1609	A	C8-N7	-5.64	1.27	1.31
26	BB	1960	A	N9-C4	5.64	1.41	1.37
1	AA	149	A	P-O5'	5.63	1.65	1.59
1	AA	519	C	O3'-P	5.63	1.68	1.61
1	AA	1088	G	C2-N3	5.63	1.37	1.32
1	AA	1386	G	O4'-C1'	-5.63	1.34	1.41
26	BB	437	U	C4'-O4'	-5.63	1.38	1.45
26	BB	690	G	C4'-C3'	-5.63	1.47	1.52
26	BB	880	G	N9-C4	-5.63	1.33	1.38
26	BB	1821	A	N9-C4	5.63	1.41	1.37
26	BB	2768	U	O5'-C5'	-5.63	1.33	1.42
1	AA	96	U	C2-N3	5.63	1.41	1.37
1	AA	337	G	C5-C4	-5.63	1.34	1.38
1	AA	823	C	C2-N3	5.63	1.40	1.35
1	AA	1390	U	P-O5'	5.63	1.65	1.59
26	BB	130	C	O3'-P	5.63	1.68	1.61
26	BB	1400	U	O3'-P	5.63	1.68	1.61
1	AA	320	A	O3'-P	5.63	1.68	1.61
1	AA	473	U	C3'-C2'	5.63	1.59	1.52
1	AA	529	G	N1-C2	5.63	1.42	1.37
1	AA	671	G	C8-N7	-5.63	1.27	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	21	G	C6-N1	5.63	1.43	1.39
26	BB	8	C	N1-C6	5.63	1.40	1.37
26	BB	662	G	P-O5'	5.63	1.65	1.59
26	BB	707	G	N3-C4	5.63	1.39	1.35
26	BB	1102	C	N3-C4	5.63	1.37	1.33
26	BB	1244	A	N3-C4	5.63	1.38	1.34
26	BB	1760	C	N1-C6	5.63	1.40	1.37
26	BB	2235	G	C2-N3	5.63	1.37	1.32
26	BB	2436	G	N9-C8	5.63	1.41	1.37
26	BB	1810	A	C8-N7	-5.63	1.27	1.31
26	BB	2119	A	C6-N1	5.63	1.39	1.35
26	BB	2819	G	N7-C5	5.63	1.42	1.39
1	AA	133	U	N3-C4	-5.63	1.33	1.38
1	AA	858	G	N1-C2	5.63	1.42	1.37
1	AA	991	U	N1-C2	5.63	1.43	1.38
4	AD	50	G	C6-N1	5.63	1.43	1.39
26	BB	483	A	N7-C5	-5.63	1.35	1.39
26	BB	782	A	N9-C4	5.63	1.41	1.37
26	BB	1867	G	C2'-O2'	5.63	1.49	1.41
26	BB	2123	G	N1-C2	-5.63	1.33	1.37
26	BB	2278	A	C5-C4	5.63	1.42	1.38
26	BB	2338	C	C4-C5	5.63	1.47	1.43
26	BB	2846	G	C2'-O2'	-5.63	1.34	1.41
1	AA	709	U	O3'-P	-5.63	1.54	1.61
4	AD	4	G	C6-O6	-5.63	1.19	1.24
26	BB	171	U	C1'-N1	5.63	1.57	1.48
26	BB	285	G	P-O5'	-5.63	1.54	1.59
26	BB	1036	G	N7-C5	-5.63	1.35	1.39
26	BB	1636	U	P-O5'	5.63	1.65	1.59
1	AA	872	A	N3-C4	5.62	1.38	1.34
1	AA	975	A	N3-C4	5.62	1.38	1.34
1	AA	1235	U	O5'-C5'	-5.62	1.33	1.42
1	AA	1333	A	C8-N7	-5.62	1.27	1.31
26	BB	2420	C	C5-C6	5.62	1.38	1.34
1	AA	83	C	C2-N3	5.62	1.40	1.35
1	AA	187	G	C6-N1	5.62	1.43	1.39
1	AA	275	G	C2-N3	5.62	1.37	1.32
1	AA	478	A	O4'-C1'	5.62	1.49	1.41
25	BA	35	C	P-O5'	5.62	1.65	1.59
26	BB	121	G	O3'-P	5.62	1.67	1.61
26	BB	175	G	C8-N7	-5.62	1.27	1.30
26	BB	744	U	N1-C2	5.62	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1980	G	N1-C2	5.62	1.42	1.37
26	BB	2089	C	C2'-C1'	5.62	1.59	1.53
26	BB	2218	G	C6-O6	-5.62	1.19	1.24
26	BB	2671	G	C6-N1	5.62	1.43	1.39
1	AA	925	G	N9-C4	5.62	1.42	1.38
1	AA	969	A	C2'-C1'	-5.62	1.47	1.53
1	AA	1131	G	N7-C5	5.62	1.42	1.39
25	BA	13	G	C8-N7	-5.62	1.27	1.30
25	BA	16	G	C4'-C3'	5.62	1.59	1.53
26	BB	548	G	N1-C2	5.62	1.42	1.37
26	BB	921	C	N3-C4	5.62	1.37	1.33
26	BB	1868	C	C4'-O4'	-5.62	1.38	1.45
26	BB	1959	G	C5-C4	-5.62	1.34	1.38
26	BB	2136	G	C4'-O4'	-5.62	1.38	1.45
26	BB	2714	G	C6-N1	-5.62	1.35	1.39
1	AA	270	A	N9-C8	5.62	1.42	1.37
25	BA	68	C	C2-N3	5.62	1.40	1.35
26	BB	662	G	C4'-O4'	-5.62	1.38	1.45
26	BB	2144	G	P-O5'	5.62	1.65	1.59
1	AA	399	G	C6-N1	5.62	1.43	1.39
1	AA	1109	C	C2'-C1'	5.62	1.59	1.53
1	AA	1500	A	C8-N7	-5.62	1.27	1.31
26	BB	566	U	C5'-C4'	5.62	1.58	1.51
26	BB	865	C	N3-C4	5.62	1.37	1.33
26	BB	1350	C	C2-N3	-5.62	1.31	1.35
26	BB	1447	C	P-O5'	5.62	1.65	1.59
26	BB	1472	C	C4'-O4'	-5.62	1.38	1.45
26	BB	1702	G	N9-C8	5.62	1.41	1.37
26	BB	2426	A	C5-C4	5.62	1.42	1.38
1	AA	247	G	C4'-O4'	-5.62	1.38	1.45
19	AS	24	SER	CB-OG	5.62	1.49	1.42
26	BB	60	G	C4'-O4'	-5.62	1.38	1.45
26	BB	1198	U	P-O5'	5.62	1.65	1.59
26	BB	1302	A	C8-N7	-5.62	1.27	1.31
2	AB	39	A	N9-C4	-5.62	1.34	1.37
26	BB	479	A	N7-C5	-5.62	1.35	1.39
26	BB	504	A	N3-C4	5.62	1.38	1.34
26	BB	1910	G	N7-C5	-5.62	1.35	1.39
26	BB	2399	G	N1-C2	5.62	1.42	1.37
1	AA	351	G	C5'-C4'	5.61	1.58	1.51
25	BA	66	A	C4'-O4'	-5.61	1.38	1.45
26	BB	181	A	C5'-C4'	5.61	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	413	C	N1-C6	5.61	1.40	1.37
26	BB	1249	U	P-O5'	5.61	1.65	1.59
26	BB	1459	G	C4'-C3'	5.61	1.59	1.53
26	BB	2328	A	C4'-O4'	-5.61	1.38	1.45
26	BB	2373	G	N7-C5	-5.61	1.35	1.39
26	BB	2530	A	C6-N1	5.61	1.39	1.35
26	BB	2581	G	P-O5'	5.61	1.65	1.59
1	AA	321	A	O3'-P	5.61	1.67	1.61
26	BB	1450	G	C6-N1	-5.61	1.35	1.39
26	BB	1725	U	P-O5'	5.61	1.65	1.59
26	BB	2163	A	C5-C4	-5.61	1.34	1.38
26	BB	2195	U	P-O5'	5.61	1.65	1.59
26	BB	2276	G	C5'-C4'	5.61	1.58	1.51
26	BB	2299	U	C4-C5	5.61	1.48	1.43
26	BB	2894	G	C5-C6	5.61	1.48	1.42
1	AA	443	C	O3'-P	5.61	1.67	1.61
1	AA	882	C	C4-N4	5.61	1.39	1.33
1	AA	1021	A	N7-C5	5.61	1.42	1.39
25	BA	59	A	N7-C5	-5.61	1.35	1.39
26	BB	743	A	C4'-O4'	-5.61	1.38	1.45
26	BB	1198	U	C2-N3	5.61	1.41	1.37
26	BB	1475	G	C8-N7	5.61	1.34	1.30
26	BB	1482	G	N9-C8	-5.61	1.33	1.37
26	BB	1784	A	N1-C2	5.61	1.39	1.34
26	BB	1842	G	N9-C8	5.61	1.41	1.37
26	BB	2628	C	N1-C6	5.61	1.40	1.37
26	BB	2697	G	C6-N1	5.61	1.43	1.39
40	BP	8	ARG	CZ-NH1	5.61	1.40	1.33
1	AA	366	A	C2-N3	5.61	1.38	1.33
1	AA	927	G	N1-C2	-5.61	1.33	1.37
26	BB	399	U	C4-C5	5.61	1.48	1.43
26	BB	1088	A	N3-C4	5.61	1.38	1.34
26	BB	1222	U	P-O5'	5.61	1.65	1.59
26	BB	1363	C	C4-N4	5.61	1.39	1.33
26	BB	1547	C	C2'-C1'	5.61	1.59	1.53
1	AA	630	A	C6-N6	5.61	1.38	1.33
1	AA	928	G	P-O5'	5.61	1.65	1.59
26	BB	23	G	C8-N7	5.61	1.34	1.30
26	BB	1193	G	N7-C5	-5.61	1.35	1.39
26	BB	1231	U	C5-C6	5.61	1.39	1.34
26	BB	1471	G	C2-N3	5.61	1.37	1.32
26	BB	1556	C	C5-C6	5.61	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1978	A	O4'-C1'	5.61	1.49	1.41
26	BB	2016	U	C5'-C4'	5.61	1.58	1.51
48	BX	11	GLU	CG-CD	5.61	1.60	1.51
1	AA	83	C	N1-C2	5.61	1.45	1.40
1	AA	274	A	C6-N1	5.61	1.39	1.35
1	AA	1092	A	N9-C4	-5.61	1.34	1.37
26	BB	105	C	N1-C6	5.61	1.40	1.37
26	BB	247	G	C5-C4	5.61	1.42	1.38
26	BB	725	G	N1-C2	5.61	1.42	1.37
26	BB	904	G	N1-C2	5.61	1.42	1.37
26	BB	943	A	N9-C8	5.61	1.42	1.37
26	BB	953	G	N9-C4	-5.61	1.33	1.38
26	BB	1057	A	C5-C4	-5.61	1.34	1.38
54	B3	39	ARG	NE-CZ	5.61	1.40	1.33
1	AA	500	G	C5-C4	-5.60	1.34	1.38
1	AA	715	A	P-O5'	5.60	1.65	1.59
26	BB	940	G	N3-C4	5.60	1.39	1.35
26	BB	1213	A	C3'-C2'	5.60	1.59	1.52
26	BB	1459	G	N9-C4	5.60	1.42	1.38
26	BB	2495	G	N9-C8	-5.60	1.33	1.37
26	BB	2496	C	C4-N4	5.60	1.39	1.33
1	AA	407	U	P-O5'	-5.60	1.54	1.59
1	AA	602	A	C6-N6	5.60	1.38	1.33
1	AA	705	G	C5'-C4'	5.60	1.58	1.51
1	AA	1079	G	C2'-O2'	-5.60	1.34	1.41
1	AA	1462	C	C3'-C2'	5.60	1.59	1.52
4	AD	45	A	C5'-C4'	5.60	1.58	1.51
25	BA	44	G	C8-N7	5.60	1.34	1.30
26	BB	241	A	O4'-C1'	5.60	1.49	1.41
26	BB	429	A	C6-N1	-5.60	1.31	1.35
26	BB	441	U	N1-C2	5.60	1.43	1.38
26	BB	818	G	N9-C4	5.60	1.42	1.38
26	BB	1436	G	N9-C8	-5.60	1.33	1.37
26	BB	1690	A	C2'-C1'	5.60	1.59	1.53
26	BB	1724	G	N9-C8	-5.60	1.33	1.37
26	BB	1986	C	C2-N3	5.60	1.40	1.35
26	BB	1989	G	C4'-O4'	-5.60	1.38	1.45
26	BB	2801	G	P-O5'	5.60	1.65	1.59
26	BB	2813	A	C4'-O4'	-5.60	1.38	1.45
1	AA	164	G	C8-N7	-5.60	1.27	1.30
25	BA	22	U	C5'-C4'	5.60	1.58	1.51
26	BB	9	G	C5-C4	-5.60	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	983	A	C5-C4	-5.60	1.34	1.38
26	BB	1421	G	P-O5'	5.60	1.65	1.59
26	BB	2351	G	P-O5'	-5.60	1.54	1.59
26	BB	2398	U	C4'-C3'	5.60	1.59	1.53
1	AA	114	U	C5'-C4'	5.60	1.58	1.51
1	AA	614	C	P-O5'	-5.60	1.54	1.59
1	AA	703	G	N9-C8	-5.60	1.33	1.37
1	AA	1320	C	C3'-C2'	-5.60	1.46	1.52
3	AC	35	G	C2-N3	5.60	1.37	1.32
26	BB	1517	G	P-O5'	5.60	1.65	1.59
26	BB	2534	A	C5'-C4'	5.60	1.58	1.51
26	BB	2550	G	N9-C4	5.60	1.42	1.38
26	BB	2643	G	N9-C8	-5.60	1.33	1.37
26	BB	2689	U	P-O5'	-5.60	1.54	1.59
1	AA	180	U	C2-N3	5.60	1.41	1.37
1	AA	854	U	C2-N3	5.60	1.41	1.37
1	AA	1083	U	C5'-C4'	5.60	1.58	1.51
26	BB	380	G	O4'-C1'	5.60	1.49	1.41
26	BB	618	G	C3'-C2'	5.60	1.59	1.52
26	BB	1330	C	C4'-O4'	-5.60	1.38	1.45
26	BB	1426	G	N7-C5	-5.60	1.35	1.39
26	BB	1729	U	C5-C6	5.60	1.39	1.34
26	BB	2309	A	N3-C4	5.60	1.38	1.34
26	BB	2396	G	C8-N7	-5.60	1.27	1.30
26	BB	2898	U	C2'-C1'	5.60	1.59	1.53
1	AA	212	G	C5'-C4'	5.60	1.58	1.51
1	AA	958	A	P-O5'	5.60	1.65	1.59
1	AA	1223	C	C2-N3	5.60	1.40	1.35
25	BA	53	A	C3'-C2'	5.60	1.59	1.52
26	BB	30	G	C5-C4	-5.60	1.34	1.38
26	BB	647	G	C2-N2	5.60	1.40	1.34
26	BB	931	U	O3'-P	-5.60	1.54	1.61
26	BB	1027	A	C3'-O3'	5.60	1.50	1.42
26	BB	2047	C	C2'-O2'	-5.60	1.34	1.41
26	BB	2636	C	C4-C5	-5.60	1.38	1.43
1	AA	1377	A	C4'-C3'	5.59	1.59	1.53
26	BB	127	A	P-O5'	5.59	1.65	1.59
26	BB	160	A	N3-C4	5.59	1.38	1.34
26	BB	587	C	O3'-P	5.59	1.67	1.61
26	BB	723	C	C2-N3	5.59	1.40	1.35
26	BB	1070	A	C5-C6	-5.59	1.36	1.41
26	BB	1403	A	P-O5'	5.59	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1405	U	C5-C6	5.59	1.39	1.34
26	BB	1514	G	N1-C2	5.59	1.42	1.37
26	BB	1897	G	N1-C2	5.59	1.42	1.37
26	BB	2138	G	N7-C5	5.59	1.42	1.39
26	BB	2516	A	C4'-O4'	-5.59	1.38	1.45
1	AA	638	U	O4'-C1'	5.59	1.49	1.41
1	AA	920	U	N1-C2	5.59	1.43	1.38
1	AA	1372	U	C2-N3	5.59	1.41	1.37
11	AK	57	GLU	CB-CG	5.59	1.62	1.52
26	BB	696	G	N3-C4	5.59	1.39	1.35
26	BB	948	C	C4'-O4'	-5.59	1.38	1.45
26	BB	1794	A	C8-N7	-5.59	1.27	1.31
26	BB	2573	C	P-O5'	5.59	1.65	1.59
1	AA	921	U	C3'-C2'	5.59	1.59	1.52
1	AA	1077	G	P-O5'	5.59	1.65	1.59
4	AD	47	A	N9-C4	-5.59	1.34	1.37
26	BB	427	U	O4'-C1'	5.59	1.49	1.41
26	BB	1492	G	C3'-C2'	5.59	1.59	1.52
26	BB	1783	A	C5-C6	5.59	1.46	1.41
26	BB	2118	U	C2-N3	5.59	1.41	1.37
26	BB	2521	C	N1-C6	5.59	1.40	1.37
1	AA	633	G	P-O5'	5.59	1.65	1.59
1	AA	658	C	C4'-O4'	-5.59	1.38	1.45
1	AA	1055	A	N7-C5	-5.59	1.35	1.39
26	BB	32	C	N3-C4	-5.59	1.30	1.33
26	BB	340	A	C1'-N9	5.59	1.57	1.48
26	BB	368	A	C1'-N9	5.59	1.57	1.48
26	BB	594	U	C4-O4	5.59	1.28	1.23
26	BB	1614	A	C8-N7	-5.59	1.27	1.31
1	AA	748	G	C3'-C2'	-5.59	1.46	1.52
1	AA	1297	G	N9-C8	-5.59	1.33	1.37
1	AA	1528	U	O4'-C1'	5.59	1.49	1.41
19	AS	31	ARG	NE-CZ	5.59	1.40	1.33
26	BB	416	U	C2-O2	-5.59	1.17	1.22
26	BB	906	U	O3'-P	5.59	1.67	1.61
26	BB	1596	A	P-O5'	5.59	1.65	1.59
1	AA	984	C	C2-N3	5.59	1.40	1.35
1	AA	1046	A	N7-C5	5.59	1.42	1.39
1	AA	1403	C	C4-N4	5.59	1.39	1.33
26	BB	399	U	C4-O4	5.59	1.28	1.23
26	BB	451	U	C5'-C4'	5.59	1.58	1.51
26	BB	776	G	N3-C4	5.59	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1185	G	C4'-O4'	-5.59	1.38	1.45
26	BB	1403	A	C4'-C3'	-5.59	1.47	1.52
26	BB	1590	A	C3'-C2'	5.59	1.59	1.52
26	BB	1791	A	N9-C8	5.59	1.42	1.37
26	BB	2113	U	P-O5'	5.59	1.65	1.59
26	BB	2248	C	C4-C5	5.59	1.47	1.43
26	BB	2477	U	N1-C6	-5.59	1.32	1.38
26	BB	2634	A	N9-C8	-5.59	1.33	1.37
26	BB	2784	U	C3'-C2'	-5.59	1.46	1.52
26	BB	2798	U	C5'-C4'	5.59	1.58	1.51
1	AA	74	A	C5-C4	-5.58	1.34	1.38
1	AA	737	C	P-O5'	-5.58	1.54	1.59
26	BB	5	A	N3-C4	5.58	1.38	1.34
26	BB	473	G	C4'-O4'	-5.58	1.38	1.45
26	BB	2156	G	C8-N7	-5.58	1.27	1.30
26	BB	2470	G	C6-N1	-5.58	1.35	1.39
26	BB	2562	U	C4'-O4'	-5.58	1.38	1.45
1	AA	316	C	C2-N3	5.58	1.40	1.35
1	AA	546	A	N1-C2	-5.58	1.29	1.34
1	AA	627	G	N9-C4	5.58	1.42	1.38
1	AA	690	G	C4'-O4'	-5.58	1.38	1.45
1	AA	853	C	C4-C5	5.58	1.47	1.43
1	AA	1153	G	C2'-C1'	5.58	1.59	1.53
1	AA	1352	C	P-O5'	5.58	1.65	1.59
26	BB	607	U	N1-C2	5.58	1.43	1.38
26	BB	1264	A	C5-C4	-5.58	1.34	1.38
26	BB	1360	G	N3-C4	-5.58	1.31	1.35
26	BB	1839	G	C5'-C4'	5.58	1.58	1.51
26	BB	2425	A	N3-C4	5.58	1.38	1.34
26	BB	2565	A	C2-N3	5.58	1.38	1.33
26	BB	2771	C	C2-N3	5.58	1.40	1.35
1	AA	43	C	C2-N3	5.58	1.40	1.35
3	AC	13	A	N9-C8	5.58	1.42	1.37
26	BB	268	C	C2'-C1'	5.58	1.59	1.53
26	BB	878	A	C4'-C3'	5.58	1.59	1.53
26	BB	899	A	C5-C4	-5.58	1.34	1.38
26	BB	1090	A	C2'-C1'	-5.58	1.47	1.53
26	BB	1213	A	O3'-P	-5.58	1.54	1.61
26	BB	1227	G	C2-N3	5.58	1.37	1.32
26	BB	1782	U	N1-C2	5.58	1.43	1.38
26	BB	1816	C	C3'-C2'	-5.58	1.46	1.52
26	BB	1933	G	C3'-C2'	5.58	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2007	U	C2'-C1'	5.58	1.59	1.53
3	AC	59	A	C2-N3	5.58	1.38	1.33
26	BB	672	C	C2-N3	5.58	1.40	1.35
26	BB	843	G	P-O5'	5.58	1.65	1.59
26	BB	1589	U	N1-C6	-5.58	1.32	1.38
26	BB	2166	U	P-O5'	5.58	1.65	1.59
26	BB	2447	G	C5'-C4'	5.58	1.58	1.51
1	AA	324	G	N1-C2	5.58	1.42	1.37
1	AA	666	G	C5'-C4'	5.58	1.58	1.51
1	AA	684	U	C4-O4	-5.58	1.19	1.23
1	AA	812	G	N3-C4	5.58	1.39	1.35
1	AA	975	A	P-O5'	-5.58	1.54	1.59
1	AA	1046	A	N3-C4	5.58	1.38	1.34
26	BB	365	U	O3'-P	5.58	1.67	1.61
26	BB	620	G	C4'-O4'	-5.58	1.38	1.45
26	BB	652	U	C5-C6	5.58	1.39	1.34
26	BB	735	A	N3-C4	5.58	1.38	1.34
26	BB	850	U	N3-C4	5.58	1.43	1.38
26	BB	1191	G	P-O5'	5.58	1.65	1.59
26	BB	2343	U	C4-C5	5.58	1.48	1.43
26	BB	2741	A	C1'-N9	5.58	1.57	1.48
54	B3	47	TYR	CB-CG	5.58	1.60	1.51
26	BB	150	U	C2'-C1'	5.58	1.59	1.53
26	BB	382	A	N3-C4	5.58	1.38	1.34
26	BB	603	A	C2'-C1'	-5.58	1.47	1.53
26	BB	1211	C	C4'-O4'	-5.58	1.38	1.45
26	BB	1596	A	C4'-O4'	-5.58	1.38	1.45
26	BB	1979	U	N3-C4	-5.58	1.33	1.38
26	BB	2160	C	C4'-O4'	-5.58	1.38	1.45
1	AA	463	U	C4-C5	5.58	1.48	1.43
1	AA	1129	C	N3-C4	5.58	1.37	1.33
1	AA	1467	C	C5'-C4'	5.58	1.58	1.51
1	AA	1485	U	C4-C5	5.58	1.48	1.43
26	BB	560	C	N3-C4	5.58	1.37	1.33
26	BB	994	C	N1-C6	-5.58	1.33	1.37
26	BB	1219	U	O4'-C1'	5.58	1.48	1.41
26	BB	1865	U	C4-C5	5.58	1.48	1.43
26	BB	2076	U	C5-C6	5.58	1.39	1.34
26	BB	2569	G	N9-C8	-5.58	1.33	1.37
26	BB	2599	G	C6-N1	5.58	1.43	1.39
26	BB	2644	G	N1-C2	5.58	1.42	1.37
1	AA	993	G	C4'-C3'	5.57	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	73	G	C4'-O4'	-5.57	1.38	1.45
3	AC	22	G	N3-C4	5.57	1.39	1.35
26	BB	744	U	C5-C6	5.57	1.39	1.34
26	BB	1209	U	C4-C5	5.57	1.48	1.43
26	BB	1215	G	C2'-C1'	5.57	1.59	1.53
26	BB	1838	C	N1-C6	5.57	1.40	1.37
26	BB	1860	G	N7-C5	5.57	1.42	1.39
26	BB	2225	A	N3-C4	5.57	1.38	1.34
26	BB	2440	C	C5-C6	5.57	1.38	1.34
26	BB	2787	C	C2-N3	5.57	1.40	1.35
26	BB	2829	A	N9-C4	-5.57	1.34	1.37
26	BB	2844	G	C2-N3	5.57	1.37	1.32
1	AA	148	G	P-O5'	5.57	1.65	1.59
1	AA	179	A	C4'-O4'	-5.57	1.38	1.45
26	BB	118	A	O3'-P	5.57	1.67	1.61
26	BB	651	G	C6-N1	5.57	1.43	1.39
26	BB	1137	G	C2-N3	5.57	1.37	1.32
26	BB	1289	C	C2-O2	-5.57	1.19	1.24
26	BB	1499	C	C5-C6	-5.57	1.29	1.34
26	BB	1518	C	C4-C5	5.57	1.47	1.43
26	BB	2853	C	C2'-C1'	5.57	1.59	1.53
1	AA	703	G	O4'-C1'	5.57	1.48	1.41
1	AA	867	G	C8-N7	5.57	1.34	1.30
26	BB	9	G	P-O5'	5.57	1.65	1.59
26	BB	332	A	P-O5'	5.57	1.65	1.59
26	BB	887	U	C2-O2	5.57	1.27	1.22
26	BB	1113	U	C5-C6	5.57	1.39	1.34
26	BB	1342	A	P-O5'	-5.57	1.54	1.59
26	BB	1370	C	C4-N4	5.57	1.39	1.33
26	BB	1416	G	C2'-O2'	-5.57	1.34	1.41
26	BB	1587	G	N9-C4	-5.57	1.33	1.38
26	BB	1975	G	C2'-C1'	-5.57	1.47	1.53
26	BB	2326	C	C2'-O2'	5.57	1.48	1.41
1	AA	992	U	P-O5'	5.57	1.65	1.59
1	AA	1078	U	C5'-C4'	5.57	1.58	1.51
26	BB	836	G	C8-N7	5.57	1.34	1.30
26	BB	2474	U	C2-O2	-5.57	1.17	1.22
1	AA	137	U	C3'-C2'	5.57	1.59	1.52
1	AA	280	C	C3'-O3'	5.57	1.50	1.42
1	AA	457	G	P-O5'	5.57	1.65	1.59
1	AA	517	G	C8-N7	-5.57	1.27	1.30
1	AA	1080	A	C2'-C1'	-5.57	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1345	U	C2-N3	5.57	1.41	1.37
26	BB	63	A	O3'-P	5.57	1.67	1.61
26	BB	659	G	N9-C4	-5.57	1.33	1.38
26	BB	1094	U	C5-C6	5.57	1.39	1.34
26	BB	1602	U	C4'-C3'	5.57	1.59	1.53
26	BB	2375	G	C2-N3	5.57	1.37	1.32
26	BB	2532	G	C5-C4	5.57	1.42	1.38
26	BB	2660	A	C5'-C4'	5.57	1.58	1.51
26	BB	2857	G	P-O5'	5.57	1.65	1.59
1	AA	152	A	N3-C4	5.57	1.38	1.34
1	AA	454	G	N3-C4	5.57	1.39	1.35
26	BB	285	G	N1-C2	5.57	1.42	1.37
26	BB	1565	C	N1-C2	5.57	1.45	1.40
26	BB	1745	A	O4'-C1'	-5.57	1.34	1.41
26	BB	2418	A	C2-N3	5.57	1.38	1.33
26	BB	2502	G	C2'-C1'	-5.57	1.47	1.53
43	BS	76	SER	N-CA	5.57	1.57	1.46
26	BB	1845	G	C5'-C4'	5.56	1.58	1.51
26	BB	2782	G	P-O5'	5.56	1.65	1.59
34	BJ	67	PRO	N-CD	-5.56	1.40	1.47
1	AA	134	G	N9-C4	5.56	1.42	1.38
1	AA	226	G	C6-O6	-5.56	1.19	1.24
26	BB	116	C	N1-C6	5.56	1.40	1.37
26	BB	1699	G	N1-C2	5.56	1.42	1.37
1	AA	160	A	C4'-O4'	-5.56	1.38	1.45
26	BB	149	A	N9-C8	-5.56	1.33	1.37
1	AA	283	U	C4-C5	5.56	1.48	1.43
1	AA	338	A	N9-C8	-5.56	1.33	1.37
1	AA	673	A	C5'-C4'	5.56	1.58	1.51
1	AA	1081	A	C5-C6	5.56	1.46	1.41
1	AA	1103	C	O4'-C1'	5.56	1.48	1.41
26	BB	369	U	C3'-O3'	5.56	1.50	1.42
26	BB	802	A	O3'-P	5.56	1.67	1.61
26	BB	1465	G	C6-O6	-5.56	1.19	1.24
26	BB	2002	G	C5-C6	5.56	1.48	1.42
26	BB	2344	U	C2-N3	5.56	1.41	1.37
1	AA	691	G	C4'-O4'	-5.56	1.38	1.45
1	AA	1499	A	N9-C8	5.56	1.42	1.37
26	BB	166	U	O3'-P	5.56	1.67	1.61
26	BB	692	C	C4-C5	5.56	1.47	1.43
26	BB	1257	C	C4'-O4'	-5.56	1.38	1.45
1	AA	448	A	C8-N7	-5.56	1.27	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2443	C	O3'-P	5.56	1.67	1.61
1	AA	377	G	C6-N1	5.55	1.43	1.39
1	AA	650	G	C2-N3	5.55	1.37	1.32
1	AA	663	A	N9-C4	5.55	1.41	1.37
1	AA	1128	C	N1-C2	-5.55	1.34	1.40
1	AA	1250	A	C5-C6	5.55	1.46	1.41
1	AA	1321	U	C2-N3	5.55	1.41	1.37
4	AD	22	A	C3'-C2'	5.55	1.59	1.52
26	BB	91	A	C5-C6	5.55	1.46	1.41
26	BB	272	A	C5-C6	5.55	1.46	1.41
26	BB	1585	C	O3'-P	5.55	1.67	1.61
26	BB	2387	U	C4-O4	5.55	1.28	1.23
26	BB	2470	G	C2-N3	5.55	1.37	1.32
1	AA	38	G	N9-C4	5.55	1.42	1.38
1	AA	428	G	C5'-C4'	5.55	1.58	1.51
1	AA	1189	U	O3'-P	-5.55	1.54	1.61
26	BB	1354	A	O5'-C5'	-5.55	1.33	1.42
26	BB	1773	A	C5'-C4'	5.55	1.58	1.51
1	AA	26	A	C4'-O4'	-5.55	1.38	1.45
1	AA	147	G	C3'-C2'	-5.55	1.46	1.52
1	AA	558	G	N7-C5	5.55	1.42	1.39
1	AA	830	G	C3'-C2'	-5.55	1.46	1.52
1	AA	1205	U	C4-C5	5.55	1.48	1.43
1	AA	1255	G	C5-C4	-5.55	1.34	1.38
25	BA	82	U	C4-O4	-5.55	1.19	1.23
26	BB	610	C	C2'-C1'	5.55	1.59	1.53
26	BB	815	C	C4-C5	-5.55	1.38	1.43
26	BB	1122	G	C8-N7	5.55	1.34	1.30
26	BB	2222	C	C5-C6	-5.55	1.29	1.34
1	AA	387	U	N1-C2	5.55	1.43	1.38
2	AB	51	G	C6-N1	5.55	1.43	1.39
25	BA	33	G	N9-C4	-5.55	1.33	1.38
26	BB	77	G	C2-N2	-5.55	1.29	1.34
26	BB	416	U	O4'-C1'	5.55	1.48	1.41
26	BB	470	A	C5'-C4'	5.55	1.58	1.51
26	BB	954	G	N9-C8	5.55	1.41	1.37
26	BB	1098	A	C8-N7	-5.55	1.27	1.31
26	BB	1128	G	C3'-C2'	5.55	1.59	1.52
26	BB	1368	G	C1'-N9	5.55	1.57	1.48
26	BB	1872	A	C3'-C2'	5.55	1.59	1.52
26	BB	2585	U	C2'-C1'	5.55	1.59	1.53
1	AA	1009	U	C2'-C1'	5.55	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1669	A	N3-C4	5.55	1.38	1.34
26	BB	1729	U	P-O5'	5.55	1.65	1.59
26	BB	1741	C	C2'-O2'	-5.55	1.34	1.41
26	BB	1832	C	C5'-C4'	5.55	1.58	1.51
26	BB	1900	A	C5'-C4'	5.55	1.58	1.51
26	BB	2269	G	C4'-O4'	-5.55	1.38	1.45
26	BB	2627	G	O4'-C1'	5.55	1.48	1.41
26	BB	2750	A	N9-C4	-5.55	1.34	1.37
1	AA	365	U	C2-O2	5.55	1.27	1.22
1	AA	788	U	N1-C2	5.55	1.43	1.38
1	AA	1290	G	N3-C4	5.55	1.39	1.35
1	AA	1367	C	P-O5'	5.55	1.65	1.59
26	BB	39	G	P-O5'	-5.55	1.54	1.59
26	BB	47	C	C4-N4	5.55	1.39	1.33
26	BB	219	A	N9-C4	-5.55	1.34	1.37
26	BB	417	C	N3-C4	5.55	1.37	1.33
26	BB	627	A	O5'-C5'	-5.55	1.33	1.42
26	BB	1001	A	N9-C8	5.55	1.42	1.37
26	BB	1103	A	P-O5'	5.55	1.65	1.59
26	BB	1144	A	C3'-C2'	5.55	1.59	1.52
26	BB	1347	A	C5-C4	-5.55	1.34	1.38
26	BB	2469	A	C6-N1	-5.55	1.31	1.35
1	AA	103	U	N1-C2	5.54	1.43	1.38
1	AA	149	A	N9-C4	5.54	1.41	1.37
1	AA	650	G	C2'-C1'	5.54	1.59	1.53
2	AB	29	G	C8-N7	5.54	1.34	1.30
26	BB	935	C	N1-C6	5.54	1.40	1.37
26	BB	2668	G	C2'-C1'	-5.54	1.47	1.53
1	AA	267	C	C5'-C4'	5.54	1.58	1.51
1	AA	460	A	C6-N6	5.54	1.38	1.33
1	AA	1025	U	C2-N3	5.54	1.41	1.37
1	AA	1080	A	N7-C5	-5.54	1.35	1.39
1	AA	1497	G	N7-C5	5.54	1.42	1.39
26	BB	352	A	C8-N7	5.54	1.35	1.31
26	BB	1141	U	N1-C2	5.54	1.43	1.38
26	BB	1628	G	C2-N3	5.54	1.37	1.32
26	BB	2031	A	N3-C4	5.54	1.38	1.34
26	BB	2242	G	N3-C4	-5.54	1.31	1.35
26	BB	2297	A	O3'-P	5.54	1.67	1.61
26	BB	2568	U	O3'-P	5.54	1.67	1.61
1	AA	353	A	C2'-O2'	5.54	1.48	1.41
1	AA	604	G	C5-C4	5.54	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	696	A	C4'-C3'	5.54	1.59	1.53
1	AA	1228	C	C5'-C4'	5.54	1.57	1.51
26	BB	301	G	P-O5'	-5.54	1.54	1.59
26	BB	670	A	C3'-C2'	5.54	1.59	1.52
26	BB	1311	G	C2-N3	5.54	1.37	1.32
26	BB	1320	C	N3-C4	-5.54	1.30	1.33
26	BB	1887	C	C4-C5	5.54	1.47	1.43
26	BB	2426	A	C3'-C2'	5.54	1.59	1.52
25	BA	75	G	C5'-C4'	5.54	1.57	1.51
26	BB	1474	U	N1-C6	5.54	1.43	1.38
26	BB	1971	U	C4'-O4'	-5.54	1.38	1.45
26	BB	1974	C	N3-C4	5.54	1.37	1.33
26	BB	2070	A	O3'-P	5.54	1.67	1.61
1	AA	155	A	C5'-C4'	5.54	1.57	1.51
1	AA	216	U	C2-N3	5.54	1.41	1.37
1	AA	373	A	N9-C4	-5.54	1.34	1.37
1	AA	800	G	C8-N7	-5.54	1.27	1.30
25	BA	56	G	C2-N3	5.54	1.37	1.32
26	BB	737	C	O4'-C1'	5.54	1.48	1.41
26	BB	842	U	C3'-O3'	5.54	1.50	1.42
26	BB	1112	G	C8-N7	5.54	1.34	1.30
26	BB	1850	G	C6-N1	5.54	1.43	1.39
26	BB	2162	G	N1-C2	5.54	1.42	1.37
26	BB	2276	G	C2'-C1'	-5.54	1.47	1.53
26	BB	2431	U	C4-O4	-5.54	1.19	1.23
31	BG	6	TYR	CE2-CZ	5.54	1.45	1.38
1	AA	45	G	C3'-O3'	-5.54	1.34	1.42
1	AA	75	G	C4'-O4'	-5.54	1.38	1.45
1	AA	104	G	C1'-N9	5.54	1.57	1.48
1	AA	1360	A	P-O5'	5.54	1.65	1.59
1	AA	156	C	C4'-C3'	-5.54	1.47	1.52
1	AA	357	G	C5'-C4'	5.54	1.57	1.51
1	AA	360	G	N3-C4	-5.54	1.31	1.35
1	AA	1145	A	C5-C4	5.54	1.42	1.38
1	AA	1382	C	N1-C6	-5.54	1.33	1.37
4	AD	9	G	C8-N7	5.54	1.34	1.30
25	BA	36	C	P-O5'	5.54	1.65	1.59
26	BB	538	A	C6-N6	5.54	1.38	1.33
26	BB	660	C	C4'-O4'	-5.54	1.38	1.45
26	BB	1509	A	C5-C4	-5.54	1.34	1.38
26	BB	1518	C	C4'-O4'	-5.54	1.38	1.45
26	BB	1612	C	C2'-C1'	5.54	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1687	G	N9-C4	5.54	1.42	1.38
26	BB	2159	G	C6-O6	-5.54	1.19	1.24
26	BB	2482	A	N9-C4	5.54	1.41	1.37
26	BB	2493	U	C2-O2	5.54	1.27	1.22
26	BB	2797	U	N1-C2	5.54	1.43	1.38
1	AA	376	G	C5'-C4'	5.53	1.57	1.51
1	AA	650	G	N9-C8	-5.53	1.33	1.37
1	AA	869	G	N9-C4	-5.53	1.33	1.38
1	AA	1182	G	O3'-P	5.53	1.67	1.61
1	AA	1415	G	C5-C4	-5.53	1.34	1.38
26	BB	277	G	C4'-O4'	-5.53	1.38	1.45
26	BB	1354	A	O3'-P	5.53	1.67	1.61
26	BB	1393	A	C2-N3	-5.53	1.28	1.33
26	BB	2014	A	N9-C4	-5.53	1.34	1.37
26	BB	2439	A	C4'-O4'	-5.53	1.38	1.45
26	BB	2513	A	O4'-C1'	5.53	1.48	1.41
26	BB	2652	C	C4-C5	5.53	1.47	1.43
1	AA	793	U	C4-C5	5.53	1.48	1.43
1	AA	807	A	O3'-P	-5.53	1.54	1.61
1	AA	872	A	C3'-C2'	5.53	1.59	1.52
2	AB	52	A	C6-N1	-5.53	1.31	1.35
25	BA	101	A	N9-C8	-5.53	1.33	1.37
26	BB	918	A	C5-C4	-5.53	1.34	1.38
26	BB	2045	C	C2-N3	5.53	1.40	1.35
1	AA	340	U	C2'-O2'	5.53	1.48	1.41
1	AA	626	G	N9-C8	-5.53	1.33	1.37
26	BB	880	G	C4'-C3'	5.53	1.59	1.53
26	BB	1096	A	N9-C4	-5.53	1.34	1.37
26	BB	1099	G	C2-N3	5.53	1.37	1.32
26	BB	1326	U	C4-O4	5.53	1.28	1.23
26	BB	1850	G	O3'-P	5.53	1.67	1.61
26	BB	2133	G	N1-C2	5.53	1.42	1.37
26	BB	38	A	O4'-C1'	5.53	1.48	1.41
26	BB	989	G	N1-C2	5.53	1.42	1.37
26	BB	1416	G	P-O5'	5.53	1.65	1.59
26	BB	1514	G	C2-N3	5.53	1.37	1.32
1	AA	420	U	P-O5'	5.53	1.65	1.59
1	AA	897	C	C5-C6	5.53	1.38	1.34
1	AA	918	A	C5-C6	5.53	1.46	1.41
1	AA	1123	U	P-O5'	5.53	1.65	1.59
2	AB	4	G	C4'-O4'	-5.53	1.38	1.45
3	AC	38	G	C2-N3	5.53	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	AF	166	TRP	CD2-CE2	5.53	1.48	1.41
26	BB	859	G	C6-O6	-5.53	1.19	1.24
1	AA	374	A	O3'-P	5.53	1.67	1.61
1	AA	398	U	C4-C5	5.53	1.48	1.43
1	AA	1213	A	C3'-C2'	-5.53	1.46	1.52
1	AA	1304	G	N3-C4	-5.53	1.31	1.35
1	AA	1338	G	N7-C5	5.53	1.42	1.39
1	AA	1393	U	N1-C6	5.53	1.43	1.38
1	AA	1469	C	C4'-C3'	5.53	1.59	1.53
1	AA	1472	U	C4'-O4'	-5.53	1.38	1.45
26	BB	315	G	N9-C4	-5.53	1.33	1.38
26	BB	1361	G	C2-N2	5.53	1.40	1.34
26	BB	2824	C	C4-N4	5.53	1.39	1.33
1	AA	511	C	C1'-N1	5.52	1.57	1.48
26	BB	488	G	C6-N1	5.52	1.43	1.39
26	BB	813	U	C2'-C1'	5.52	1.59	1.53
26	BB	1198	U	C2'-C1'	5.52	1.59	1.53
26	BB	1460	U	O3'-P	5.52	1.67	1.61
1	AA	1341	U	N3-C4	5.52	1.43	1.38
2	AB	35	C	C4'-O4'	-5.52	1.38	1.45
6	AF	119	ILE	N-CA	5.52	1.57	1.46
26	BB	76	C	C4'-O4'	-5.52	1.38	1.45
26	BB	210	C	N3-C4	-5.52	1.30	1.33
26	BB	251	A	C2-N3	5.52	1.38	1.33
26	BB	775	G	N9-C8	5.52	1.41	1.37
26	BB	1082	U	C2-N3	5.52	1.41	1.37
26	BB	1083	U	C2-N3	5.52	1.41	1.37
26	BB	2806	C	O3'-P	5.52	1.67	1.61
1	AA	495	A	N9-C4	5.52	1.41	1.37
1	AA	1325	C	C4'-O4'	-5.52	1.38	1.45
3	AC	31	U	O5'-C5'	-5.52	1.34	1.42
26	BB	523	C	C4'-O4'	-5.52	1.38	1.45
26	BB	916	G	N7-C5	-5.52	1.35	1.39
26	BB	935	C	C5'-C4'	5.52	1.57	1.51
26	BB	2129	C	N1-C6	5.52	1.40	1.37
1	AA	131	A	N9-C8	5.52	1.42	1.37
1	AA	501	C	P-O5'	5.52	1.65	1.59
1	AA	1044	A	C5'-C4'	5.52	1.57	1.51
1	AA	1251	A	C5-C4	-5.52	1.34	1.38
1	AA	1473	G	C5'-C4'	5.52	1.57	1.51
26	BB	442	G	O4'-C1'	5.52	1.48	1.41
26	BB	1109	C	C2'-O2'	5.52	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1428	C	C1'-N1	5.52	1.57	1.48
48	BX	82	TYR	CE2-CZ	5.52	1.45	1.38
1	AA	31	G	C2'-C1'	5.52	1.59	1.53
1	AA	79	G	N3-C4	5.52	1.39	1.35
1	AA	135	C	C2'-C1'	-5.52	1.47	1.53
1	AA	576	C	O3'-P	-5.52	1.54	1.61
1	AA	1130	A	P-O5'	5.52	1.65	1.59
26	BB	603	A	N7-C5	-5.52	1.35	1.39
26	BB	1172	C	N1-C6	5.52	1.40	1.37
26	BB	1522	A	N3-C4	5.52	1.38	1.34
26	BB	2204	G	N9-C8	-5.52	1.33	1.37
1	AA	485	U	C5-C6	5.52	1.39	1.34
1	AA	793	U	C4'-O4'	-5.52	1.38	1.45
1	AA	1000	A	N3-C4	5.52	1.38	1.34
26	BB	752	A	C5-C4	-5.52	1.34	1.38
26	BB	1891	G	N3-C4	5.52	1.39	1.35
1	AA	1060	U	N1-C2	5.51	1.43	1.38
1	AA	1175	G	C5-C4	5.51	1.42	1.38
1	AA	1271	A	N9-C4	5.51	1.41	1.37
25	BA	104	A	C5-C4	-5.51	1.34	1.38
26	BB	76	C	C5'-C4'	5.51	1.57	1.51
26	BB	371	A	N3-C4	5.51	1.38	1.34
26	BB	1639	C	C4-N4	5.51	1.39	1.33
26	BB	2814	A	N9-C8	-5.51	1.33	1.37
1	AA	321	A	P-O5'	-5.51	1.54	1.59
1	AA	418	C	C2'-C1'	-5.51	1.47	1.53
1	AA	1110	A	C5-C4	5.51	1.42	1.38
26	BB	831	G	C3'-C2'	-5.51	1.46	1.52
26	BB	1085	A	C5-C6	5.51	1.46	1.41
1	AA	10	A	C4'-C3'	-5.51	1.47	1.52
1	AA	163	C	C2-N3	5.51	1.40	1.35
1	AA	556	C	C4-C5	5.51	1.47	1.43
1	AA	792	A	N9-C4	-5.51	1.34	1.37
1	AA	818	G	C2-N3	5.51	1.37	1.32
1	AA	1022	A	C6-N6	5.51	1.38	1.33
26	BB	1214	A	C5-C6	-5.51	1.36	1.41
26	BB	1394	U	C2-N3	5.51	1.41	1.37
26	BB	2570	G	O3'-P	5.51	1.67	1.61
26	BB	2885	G	N9-C8	-5.51	1.33	1.37
1	AA	2	A	N7-C5	5.51	1.42	1.39
1	AA	699	C	O3'-P	-5.51	1.54	1.61
1	AA	846	G	C6-O6	-5.51	1.19	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1430	A	C2-N3	5.51	1.38	1.33
26	BB	225	C	P-O5'	5.51	1.65	1.59
26	BB	484	C	C2-N3	5.51	1.40	1.35
26	BB	505	A	N3-C4	5.51	1.38	1.34
26	BB	766	U	N1-C6	5.51	1.43	1.38
26	BB	1242	U	C4'-O4'	-5.51	1.38	1.45
26	BB	1494	A	C6-N1	-5.51	1.31	1.35
26	BB	1814	G	N7-C5	-5.51	1.35	1.39
26	BB	818	G	P-O5'	5.51	1.65	1.59
26	BB	2297	A	C5-C6	5.51	1.46	1.41
1	AA	46	G	C2-N2	-5.51	1.29	1.34
1	AA	1499	A	C2-N3	5.51	1.38	1.33
1	AA	1536	C	N1-C6	5.51	1.40	1.37
2	AB	61	C	P-O5'	5.51	1.65	1.59
26	BB	176	A	C6-N1	-5.51	1.31	1.35
26	BB	515	A	N9-C4	-5.51	1.34	1.37
26	BB	520	G	P-O5'	5.51	1.65	1.59
26	BB	1212	G	O3'-P	5.51	1.67	1.61
26	BB	2206	C	C4-N4	-5.51	1.28	1.33
26	BB	2222	C	P-O5'	-5.51	1.54	1.59
26	BB	2505	G	C5-C6	5.51	1.47	1.42
26	BB	2866	U	N3-C4	-5.51	1.33	1.38
40	BP	94	TYR	CE1-CZ	5.51	1.45	1.38
1	AA	871	U	C4-C5	5.50	1.48	1.43
25	BA	20	G	P-O5'	5.50	1.65	1.59
26	BB	1454	C	P-O5'	5.50	1.65	1.59
26	BB	1581	G	C2'-C1'	-5.50	1.47	1.53
26	BB	1945	G	C5-C4	-5.50	1.34	1.38
26	BB	2118	U	O3'-P	-5.50	1.54	1.61
26	BB	2158	A	P-O5'	5.50	1.65	1.59
26	BB	2750	A	C4'-C3'	5.50	1.59	1.53
1	AA	954	G	O5'-C5'	-5.50	1.34	1.42
1	AA	1009	U	C3'-C2'	5.50	1.59	1.52
26	BB	1409	U	N1-C6	-5.50	1.32	1.38
26	BB	2197	U	C4-C5	5.50	1.48	1.43
26	BB	2276	G	N1-C2	5.50	1.42	1.37
28	BD	147	PRO	N-CD	-5.50	1.40	1.47
34	BJ	31	GLY	CA-C	5.50	1.60	1.51
1	AA	374	A	N3-C4	5.50	1.38	1.34
1	AA	409	U	C5'-C4'	5.50	1.57	1.51
1	AA	465	A	C5'-C4'	5.50	1.57	1.51
1	AA	670	G	N7-C5	5.50	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	777	A	C5'-C4'	5.50	1.57	1.51
1	AA	830	G	N9-C8	-5.50	1.33	1.37
10	AJ	124	SER	CB-OG	-5.50	1.35	1.42
26	BB	715	A	C4'-O4'	-5.50	1.38	1.45
26	BB	1086	A	C6-N1	-5.50	1.31	1.35
26	BB	1350	C	N1-C6	-5.50	1.33	1.37
26	BB	1398	C	N1-C6	5.50	1.40	1.37
26	BB	1491	G	C5-C4	-5.50	1.34	1.38
26	BB	1957	C	C5-C6	5.50	1.38	1.34
26	BB	2138	G	P-O5'	-5.50	1.54	1.59
28	BD	150	GLY	N-CA	5.50	1.54	1.46
4	AD	73	A	N9-C4	5.50	1.41	1.37
26	BB	2396	G	C5-C6	5.50	1.47	1.42
1	AA	260	G	C2-N3	5.50	1.37	1.32
1	AA	767	A	N3-C4	5.50	1.38	1.34
1	AA	1119	C	P-O5'	5.50	1.65	1.59
2	AB	63	C	C4-C5	5.50	1.47	1.43
25	BA	83	G	C3'-O3'	5.50	1.49	1.42
26	BB	373	U	C2'-C1'	-5.50	1.47	1.53
26	BB	423	A	C4'-C3'	-5.50	1.47	1.52
26	BB	1362	C	C2-N3	5.50	1.40	1.35
26	BB	1395	A	C2'-C1'	5.50	1.59	1.53
26	BB	1839	G	N3-C4	5.50	1.39	1.35
26	BB	2389	G	N7-C5	-5.50	1.35	1.39
26	BB	2846	G	O4'-C1'	5.50	1.48	1.41
1	AA	326	G	C6-N1	5.50	1.43	1.39
1	AA	432	A	C8-N7	5.50	1.35	1.31
1	AA	624	C	O4'-C1'	5.50	1.48	1.41
1	AA	809	G	C6-N1	5.50	1.43	1.39
1	AA	936	C	N1-C6	5.50	1.40	1.37
1	AA	948	C	C4-C5	5.50	1.47	1.43
1	AA	992	U	C4'-C3'	5.50	1.59	1.53
1	AA	1163	A	C2'-O2'	5.50	1.48	1.41
1	AA	1454	G	O3'-P	-5.50	1.54	1.61
2	AB	27	C	C5'-C4'	5.50	1.57	1.51
26	BB	147	C	N3-C4	5.50	1.37	1.33
26	BB	291	G	C3'-O3'	5.50	1.49	1.42
26	BB	1342	A	C5-C4	-5.50	1.34	1.38
26	BB	1507	C	C5-C6	5.50	1.38	1.34
26	BB	1605	C	C5'-C4'	5.50	1.57	1.51
26	BB	2506	U	C3'-O3'	5.50	1.49	1.42
26	BB	2572	A	C5-C4	5.50	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1361	G	C5-C6	5.50	1.47	1.42
26	BB	1718	G	C6-N1	5.50	1.43	1.39
26	BB	2535	G	C5-C6	5.50	1.47	1.42
1	AA	200	G	N3-C4	5.49	1.39	1.35
1	AA	465	A	N9-C4	5.49	1.41	1.37
26	BB	1105	U	C4-C5	5.49	1.48	1.43
26	BB	1280	G	N3-C4	5.49	1.39	1.35
26	BB	1516	G	N9-C8	5.49	1.41	1.37
26	BB	1570	A	C4'-O4'	-5.49	1.38	1.45
26	BB	1782	U	C2-N3	5.49	1.41	1.37
26	BB	2177	C	C4'-C3'	5.49	1.59	1.53
26	BB	2763	G	N1-C2	5.49	1.42	1.37
26	BB	2900	A	N3-C4	5.49	1.38	1.34
1	AA	41	G	N1-C2	5.49	1.42	1.37
1	AA	335	C	C4-N4	5.49	1.38	1.33
26	BB	716	A	C5-C6	5.49	1.46	1.41
26	BB	1794	A	C4'-O4'	-5.49	1.38	1.45
26	BB	1976	U	C2-N3	5.49	1.41	1.37
26	BB	2116	G	P-O5'	5.49	1.65	1.59
1	AA	740	U	P-O5'	-5.49	1.54	1.59
1	AA	1430	A	N9-C4	5.49	1.41	1.37
25	BA	16	G	N3-C4	5.49	1.39	1.35
26	BB	98	G	C2-N3	5.49	1.37	1.32
26	BB	557	C	P-O5'	5.49	1.65	1.59
26	BB	951	C	C5'-C4'	5.49	1.57	1.51
26	BB	1208	C	C4-C5	-5.49	1.38	1.43
26	BB	1516	G	C5-C6	5.49	1.47	1.42
26	BB	1945	G	C4'-O4'	-5.49	1.38	1.45
26	BB	2246	G	C8-N7	-5.49	1.27	1.30
26	BB	2358	A	C6-N6	5.49	1.38	1.33
26	BB	2438	U	C4'-O4'	-5.49	1.38	1.45
1	AA	457	G	O3'-P	5.49	1.67	1.61
1	AA	992	U	C4-C5	5.49	1.48	1.43
26	BB	598	U	C2-N3	5.49	1.41	1.37
26	BB	696	G	C2-N2	-5.49	1.29	1.34
26	BB	1215	G	C6-N1	-5.49	1.35	1.39
26	BB	1511	G	N7-C5	5.49	1.42	1.39
26	BB	1904	G	N3-C4	5.49	1.39	1.35
26	BB	2187	U	C4-C5	5.49	1.48	1.43
26	BB	2289	G	C2-N2	-5.49	1.29	1.34
26	BB	2627	G	C6-N1	-5.49	1.35	1.39
26	BB	2673	G	N1-C2	5.49	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	235	C	O3'-P	5.49	1.67	1.61
1	AA	642	A	N9-C8	5.49	1.42	1.37
1	AA	1039	G	C5-C6	-5.49	1.36	1.42
26	BB	1896	G	N1-C2	5.49	1.42	1.37
26	BB	2267	A	N1-C2	-5.49	1.29	1.34
1	AA	6	G	C4'-O4'	-5.49	1.38	1.45
1	AA	48	C	C4-C5	5.49	1.47	1.43
1	AA	352	C	C2-O2	-5.49	1.19	1.24
1	AA	487	A	C4'-O4'	-5.49	1.38	1.45
1	AA	801	U	C4-O4	5.49	1.28	1.23
1	AA	1076	U	C4'-C3'	5.49	1.59	1.53
1	AA	1342	C	C2-N3	5.49	1.40	1.35
26	BB	208	C	C2-N3	5.49	1.40	1.35
26	BB	711	G	C2-N3	5.49	1.37	1.32
26	BB	1321	A	O3'-P	5.49	1.67	1.61
26	BB	2192	U	C2-N3	-5.49	1.33	1.37
26	BB	2363	G	N7-C5	-5.49	1.35	1.39
1	AA	692	U	C2-N3	5.48	1.41	1.37
1	AA	883	C	C2-O2	-5.48	1.19	1.24
26	BB	316	C	C4'-C3'	-5.48	1.47	1.52
26	BB	1619	G	N3-C4	-5.48	1.31	1.35
26	BB	2870	C	C5-C6	5.48	1.38	1.34
1	AA	22	G	P-O5'	5.48	1.65	1.59
1	AA	73	C	C4-C5	5.48	1.47	1.43
1	AA	240	G	O3'-P	-5.48	1.54	1.61
1	AA	608	A	C5-C4	-5.48	1.34	1.38
1	AA	674	G	N9-C4	5.48	1.42	1.38
26	BB	83	A	P-O5'	5.48	1.65	1.59
26	BB	171	U	N1-C6	-5.48	1.33	1.38
26	BB	596	U	N1-C6	-5.48	1.33	1.38
26	BB	679	C	C4'-O4'	-5.48	1.38	1.45
26	BB	1498	C	C5'-C4'	5.48	1.57	1.51
26	BB	2848	G	C2'-C1'	5.48	1.59	1.53
1	AA	327	A	O4'-C1'	5.48	1.48	1.41
1	AA	745	G	C4'-O4'	-5.48	1.38	1.45
1	AA	1180	A	N1-C2	-5.48	1.29	1.34
1	AA	1215	G	N3-C4	5.48	1.39	1.35
1	AA	1325	C	N1-C6	5.48	1.40	1.37
26	BB	250	G	C2-N2	-5.48	1.29	1.34
26	BB	670	A	N7-C5	5.48	1.42	1.39
26	BB	737	C	N1-C6	5.48	1.40	1.37
26	BB	758	C	N1-C6	5.48	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	921	C	C2-N3	5.48	1.40	1.35
26	BB	1156	A	P-O5'	5.48	1.65	1.59
26	BB	1475	G	C3'-C2'	-5.48	1.46	1.52
26	BB	1475	G	C6-N1	5.48	1.43	1.39
26	BB	1510	G	C2'-C1'	5.48	1.59	1.53
26	BB	2149	U	C2'-C1'	5.48	1.59	1.53
26	BB	2581	G	C5-C6	5.48	1.47	1.42
26	BB	190	A	C5-C4	-5.48	1.34	1.38
26	BB	1095	A	N1-C2	5.48	1.39	1.34
26	BB	1775	U	C5-C6	5.48	1.39	1.34
26	BB	2275	C	C2-N3	5.48	1.40	1.35
47	BW	29	SER	CB-OG	5.48	1.49	1.42
1	AA	792	A	C2'-C1'	5.48	1.59	1.53
1	AA	1321	U	O3'-P	-5.48	1.54	1.61
1	AA	1365	G	N7-C5	-5.48	1.35	1.39
26	BB	785	G	C4'-O4'	-5.48	1.38	1.45
26	BB	829	A	O3'-P	5.48	1.67	1.61
26	BB	1028	A	O5'-C5'	-5.48	1.34	1.42
26	BB	1845	G	O4'-C1'	5.48	1.48	1.41
26	BB	2159	G	C8-N7	-5.48	1.27	1.30
1	AA	220	G	N7-C5	5.47	1.42	1.39
1	AA	411	A	N1-C2	5.47	1.39	1.34
1	AA	1196	A	N1-C2	-5.47	1.29	1.34
4	AD	50	G	N3-C4	5.47	1.39	1.35
26	BB	179	C	N1-C6	5.47	1.40	1.37
26	BB	399	U	O3'-P	5.47	1.67	1.61
26	BB	505	A	N1-C2	-5.47	1.29	1.34
26	BB	1052	C	N1-C6	5.47	1.40	1.37
1	AA	667	G	N9-C4	5.47	1.42	1.38
1	AA	1065	U	C4'-O4'	-5.47	1.38	1.45
25	BA	10	G	C5-C4	-5.47	1.34	1.38
26	BB	149	A	N3-C4	5.47	1.38	1.34
26	BB	270	A	C4'-O4'	-5.47	1.38	1.45
26	BB	1003	G	C5-C4	-5.47	1.34	1.38
26	BB	1099	G	C3'-C2'	-5.47	1.46	1.52
26	BB	1312	U	C2-N3	-5.47	1.33	1.37
26	BB	1383	A	N9-C4	5.47	1.41	1.37
26	BB	1619	G	C2-N3	5.47	1.37	1.32
26	BB	248	G	N7-C5	5.47	1.42	1.39
26	BB	1501	G	N9-C8	5.47	1.41	1.37
26	BB	1639	C	O3'-P	5.47	1.67	1.61
1	AA	428	G	C5-C6	5.47	1.47	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	633	G	N7-C5	5.47	1.42	1.39
1	AA	1398	A	C2-N3	-5.47	1.28	1.33
1	AA	1538	C	P-O5'	-5.47	1.54	1.59
3	AC	48	C	C1'-N1	5.47	1.56	1.48
26	BB	342	A	C3'-C2'	-5.47	1.46	1.52
26	BB	1295	C	N1-C2	-5.47	1.34	1.40
26	BB	1825	U	C2'-C1'	5.47	1.59	1.53
1	AA	542	G	C3'-C2'	5.47	1.58	1.52
1	AA	1287	A	N7-C5	-5.47	1.35	1.39
1	AA	1517	G	C2-N2	-5.47	1.29	1.34
26	BB	149	A	C8-N7	-5.47	1.27	1.31
26	BB	1968	G	C5'-C4'	5.47	1.57	1.51
1	AA	2	A	C8-N7	-5.47	1.27	1.31
1	AA	324	G	N7-C5	5.47	1.42	1.39
1	AA	328	C	C2-O2	-5.47	1.19	1.24
1	AA	441	A	C2'-C1'	-5.47	1.47	1.53
1	AA	866	C	C4'-O4'	-5.47	1.38	1.45
1	AA	1010	U	C4'-C3'	-5.47	1.47	1.52
1	AA	1187	G	C4'-C3'	-5.47	1.47	1.52
1	AA	1460	C	N3-C4	5.47	1.37	1.33
26	BB	1	G	N7-C5	5.47	1.42	1.39
26	BB	382	A	C6-N1	5.47	1.39	1.35
26	BB	448	U	C5'-C4'	5.47	1.57	1.51
26	BB	706	A	C5'-C4'	5.47	1.57	1.51
26	BB	799	G	N9-C4	-5.47	1.33	1.38
26	BB	859	G	C3'-C2'	5.47	1.58	1.52
26	BB	1345	C	O3'-P	5.47	1.67	1.61
26	BB	2295	C	C3'-O3'	5.47	1.49	1.42
1	AA	1	A	O3'-P	5.46	1.67	1.61
4	AD	39	A	N3-C4	-5.46	1.31	1.34
22	AV	79	TYR	CE2-CZ	5.46	1.45	1.38
26	BB	1758	U	C4'-O4'	-5.46	1.38	1.45
26	BB	2439	A	C5-C4	5.46	1.42	1.38
26	BB	2473	U	C2'-C1'	5.46	1.59	1.53
1	AA	16	A	C5-C4	-5.46	1.34	1.38
1	AA	478	A	C6-N1	-5.46	1.31	1.35
1	AA	630	A	C5-C4	-5.46	1.34	1.38
1	AA	943	U	C2'-C1'	-5.46	1.47	1.53
1	AA	991	U	P-O5'	5.46	1.65	1.59
1	AA	1044	A	C4'-O4'	-5.46	1.38	1.45
1	AA	1458	G	N7-C5	5.46	1.42	1.39
6	AF	109	GLU	CD-OE2	-5.46	1.19	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	47	C	C5-C6	5.46	1.38	1.34
26	BB	148	U	O4'-C1'	-5.46	1.34	1.41
26	BB	1302	A	P-O5'	5.46	1.65	1.59
26	BB	1572	A	N3-C4	-5.46	1.31	1.34
26	BB	1850	G	P-O5'	5.46	1.65	1.59
26	BB	2255	G	N7-C5	-5.46	1.35	1.39
26	BB	2463	C	O4'-C1'	-5.46	1.34	1.41
26	BB	2534	A	N7-C5	5.46	1.42	1.39
1	AA	376	G	C3'-C2'	5.46	1.58	1.52
1	AA	539	A	O4'-C1'	-5.46	1.34	1.41
1	AA	1001	C	C2-O2	-5.46	1.19	1.24
1	AA	1178	G	C2-N3	5.46	1.37	1.32
1	AA	1413	A	C4'-C3'	5.46	1.59	1.53
26	BB	262	A	C4'-O4'	-5.46	1.38	1.45
26	BB	696	G	C2'-O2'	5.46	1.48	1.41
26	BB	699	A	C2'-C1'	5.46	1.59	1.53
26	BB	1591	A	C4'-C3'	5.46	1.59	1.53
26	BB	2025	C	C5'-C4'	5.46	1.57	1.51
26	BB	2411	A	C8-N7	-5.46	1.27	1.31
26	BB	2533	U	C4'-C3'	5.46	1.59	1.53
1	AA	202	G	P-O5'	5.46	1.65	1.59
1	AA	413	G	C2'-O2'	5.46	1.48	1.41
26	BB	2394	C	C5-C6	5.46	1.38	1.34
26	BB	2571	U	N1-C6	5.46	1.42	1.38
1	AA	262	A	C6-N6	5.46	1.38	1.33
1	AA	1033	G	C2'-O2'	5.46	1.48	1.41
1	AA	1383	C	N3-C4	-5.46	1.30	1.33
26	BB	362	A	C6-N1	-5.46	1.31	1.35
26	BB	1485	U	O3'-P	5.46	1.67	1.61
26	BB	1575	C	C5'-C4'	5.46	1.57	1.51
26	BB	2155	U	C4'-O4'	-5.46	1.38	1.45
26	BB	2507	C	N3-C4	5.46	1.37	1.33
1	AA	416	G	C6-O6	-5.46	1.19	1.24
1	AA	483	C	C2-N3	5.46	1.40	1.35
1	AA	579	A	C6-N1	5.46	1.39	1.35
1	AA	1142	G	C2'-C1'	-5.46	1.47	1.53
1	AA	1308	U	C4'-O4'	-5.46	1.38	1.45
25	BA	5	U	O4'-C1'	5.46	1.48	1.41
26	BB	54	G	C8-N7	-5.46	1.27	1.30
26	BB	804	A	C5-C4	-5.46	1.34	1.38
26	BB	1270	C	C4-C5	5.46	1.47	1.43
26	BB	1808	A	N3-C4	5.46	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2651	C	P-O5'	5.46	1.65	1.59
26	BB	2692	G	N9-C4	5.46	1.42	1.38
1	AA	180	U	C4'-C3'	5.46	1.59	1.53
1	AA	345	C	C5-C6	5.46	1.38	1.34
1	AA	818	G	C4'-O4'	-5.46	1.38	1.45
26	BB	537	G	P-O5'	5.46	1.65	1.59
26	BB	2242	G	N1-C2	5.46	1.42	1.37
26	BB	2626	C	C2'-C1'	5.46	1.59	1.53
1	AA	287	U	C5'-C4'	5.45	1.57	1.51
1	AA	1379	G	O4'-C1'	5.45	1.48	1.41
4	AD	2	G	P-O5'	5.45	1.65	1.59
25	BA	91	C	N3-C4	5.45	1.37	1.33
26	BB	132	G	C6-O6	5.45	1.29	1.24
26	BB	263	G	C4'-O4'	-5.45	1.38	1.45
26	BB	1699	G	C6-O6	5.45	1.29	1.24
26	BB	2444	G	P-O5'	5.45	1.65	1.59
26	BB	2587	A	C5-C6	5.45	1.46	1.41
1	AA	1021	A	C5-C6	5.45	1.46	1.41
1	AA	1148	U	C2-O2	5.45	1.27	1.22
26	BB	104	A	N9-C8	5.45	1.42	1.37
26	BB	710	U	N3-C4	5.45	1.43	1.38
26	BB	2718	G	C6-O6	-5.45	1.19	1.24
1	AA	68	G	P-O5'	5.45	1.65	1.59
1	AA	418	C	O4'-C1'	5.45	1.48	1.41
1	AA	1240	U	O3'-P	5.45	1.67	1.61
25	BA	67	G	N3-C4	5.45	1.39	1.35
26	BB	1406	U	C5'-C4'	5.45	1.57	1.51
26	BB	1897	G	N3-C4	5.45	1.39	1.35
26	BB	2011	U	N1-C2	5.45	1.43	1.38
1	AA	1387	G	C5'-C4'	5.45	1.57	1.51
1	AA	1493	A	C5-C4	-5.45	1.34	1.38
26	BB	28	A	C6-N1	-5.45	1.31	1.35
26	BB	445	C	C2'-C1'	5.45	1.59	1.53
26	BB	802	A	C4'-O4'	-5.45	1.38	1.45
26	BB	941	A	N9-C4	5.45	1.41	1.37
26	BB	1050	A	C6-N1	-5.45	1.31	1.35
26	BB	1120	G	C2'-O2'	5.45	1.48	1.41
26	BB	1165	A	C4'-O4'	-5.45	1.38	1.45
26	BB	1876	A	C2-N3	5.45	1.38	1.33
26	BB	2690	U	P-O5'	5.45	1.65	1.59
26	BB	2752	C	N3-C4	-5.45	1.30	1.33
1	AA	395	C	C4'-O4'	-5.45	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	569	C	O3'-P	5.45	1.67	1.61
1	AA	959	A	C8-N7	-5.45	1.27	1.31
3	AC	23	C	N1-C6	5.45	1.40	1.37
4	AD	14	A	N3-C4	5.45	1.38	1.34
26	BB	430	A	C2'-C1'	5.45	1.59	1.53
26	BB	2391	G	C2'-C1'	5.45	1.59	1.53
26	BB	2654	A	N9-C4	5.45	1.41	1.37
1	AA	1326	U	N3-C4	5.45	1.43	1.38
26	BB	70	G	C8-N7	-5.45	1.27	1.30
26	BB	894	U	C4'-C3'	-5.45	1.47	1.52
26	BB	911	A	N9-C4	-5.45	1.34	1.37
26	BB	948	C	O4'-C1'	5.45	1.48	1.41
26	BB	1204	A	C4'-C3'	-5.45	1.47	1.52
26	BB	1252	G	C2-N2	5.45	1.40	1.34
26	BB	1518	C	C5-C6	5.45	1.38	1.34
26	BB	1613	G	C5'-C4'	5.45	1.57	1.51
26	BB	2444	G	C2-N3	5.45	1.37	1.32
26	BB	2623	G	C2-N3	5.45	1.37	1.32
1	AA	1196	A	N9-C8	-5.44	1.33	1.37
26	BB	117	G	C2'-C1'	5.44	1.59	1.53
26	BB	1082	U	C3'-O3'	-5.44	1.34	1.42
26	BB	2021	C	N3-C4	5.44	1.37	1.33
26	BB	2663	G	O3'-P	5.44	1.67	1.61
26	BB	2892	G	N7-C5	5.44	1.42	1.39
1	AA	25	C	C4-C5	5.44	1.47	1.43
1	AA	381	C	N1-C2	5.44	1.45	1.40
1	AA	553	A	N9-C4	-5.44	1.34	1.37
25	BA	6	G	O3'-P	5.44	1.67	1.61
26	BB	790	U	O3'-P	5.44	1.67	1.61
26	BB	1297	C	C5'-C4'	5.44	1.57	1.51
26	BB	1394	U	C5-C6	5.44	1.39	1.34
26	BB	1508	A	C2'-O2'	5.44	1.48	1.41
26	BB	2888	C	C2'-O2'	5.44	1.48	1.41
1	AA	570	G	C6-N1	5.44	1.43	1.39
1	AA	809	G	N7-C5	-5.44	1.35	1.39
1	AA	851	G	P-O5'	5.44	1.65	1.59
1	AA	933	G	C2'-C1'	5.44	1.59	1.53
1	AA	1049	U	C5'-C4'	-5.44	1.44	1.51
4	AD	75	C	C3'-O3'	-5.44	1.34	1.42
26	BB	575	A	C6-N1	5.44	1.39	1.35
26	BB	992	C	O5'-C5'	-5.44	1.34	1.42
26	BB	1052	C	N1-C2	5.44	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1100	C	C2-O2	-5.44	1.19	1.24
26	BB	1286	A	O3'-P	5.44	1.67	1.61
26	BB	1350	C	N3-C4	5.44	1.37	1.33
26	BB	1456	G	C5'-C4'	5.44	1.57	1.51
26	BB	1781	U	C4'-C3'	5.44	1.59	1.53
26	BB	2181	U	N1-C6	-5.44	1.33	1.38
26	BB	2574	G	N1-C2	5.44	1.42	1.37
26	BB	2851	A	O3'-P	5.44	1.67	1.61
1	AA	1033	G	N9-C8	5.44	1.41	1.37
26	BB	377	G	N3-C4	5.44	1.39	1.35
26	BB	2123	G	N7-C5	5.44	1.42	1.39
26	BB	2635	A	N9-C4	5.44	1.41	1.37
1	AA	1297	G	C5'-C4'	5.44	1.57	1.51
1	AA	1500	A	C4'-O4'	-5.44	1.38	1.45
26	BB	273	G	C5-C4	-5.44	1.34	1.38
26	BB	296	U	O4'-C1'	5.44	1.48	1.41
26	BB	643	A	N3-C4	5.44	1.38	1.34
26	BB	1383	A	N1-C2	-5.44	1.29	1.34
26	BB	1386	C	C4'-O4'	-5.44	1.38	1.45
26	BB	1995	U	C2-N3	5.44	1.41	1.37
26	BB	2218	G	N9-C8	-5.44	1.34	1.37
30	BF	16	GLU	CB-CG	5.44	1.62	1.52
47	BW	93	ARG	NE-CZ	5.44	1.40	1.33
1	AA	409	U	P-O5'	5.44	1.65	1.59
1	AA	482	A	C6-N6	5.44	1.38	1.33
1	AA	1269	A	N3-C4	5.44	1.38	1.34
1	AA	1422	G	C3'-O3'	5.44	1.49	1.42
26	BB	1511	G	O3'-P	5.44	1.67	1.61
26	BB	1696	G	C2'-C1'	5.44	1.59	1.53
26	BB	1722	A	O3'-P	5.44	1.67	1.61
26	BB	1745	A	C2-N3	-5.44	1.28	1.33
26	BB	1848	A	O5'-C5'	-5.44	1.34	1.42
26	BB	2552	OMU	O3'-P	5.44	1.67	1.61
26	BB	2670	A	C5-C6	-5.44	1.36	1.41
1	AA	79	G	P-O5'	5.43	1.65	1.59
1	AA	159	G	C6-N1	5.43	1.43	1.39
1	AA	215	C	C3'-C2'	5.43	1.58	1.52
1	AA	340	U	C5'-C4'	5.43	1.57	1.51
1	AA	1405	G	C4'-O4'	-5.43	1.38	1.45
25	BA	70	C	N1-C6	5.43	1.40	1.37
26	BB	126	A	N3-C4	5.43	1.38	1.34
26	BB	350	G	C5-C4	5.43	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	387	U	C4'-O4'	-5.43	1.38	1.45
26	BB	543	G	C6-O6	-5.43	1.19	1.24
26	BB	862	G	O4'-C1'	-5.43	1.34	1.41
26	BB	922	C	N1-C2	5.43	1.45	1.40
26	BB	1049	C	C2'-C1'	5.43	1.59	1.53
26	BB	1741	C	P-O5'	5.43	1.65	1.59
26	BB	1768	C	N1-C6	5.43	1.40	1.37
26	BB	2297	A	C5'-C4'	5.43	1.57	1.51
26	BB	2488	G	C4'-O4'	-5.43	1.38	1.45
26	BB	2528	U	C3'-C2'	5.43	1.58	1.52
26	BB	2804	U	C4'-C3'	-5.43	1.47	1.52
26	BB	2829	A	C2'-C1'	5.43	1.59	1.53
1	AA	271	C	P-O5'	5.43	1.65	1.59
1	AA	472	U	C4-C5	5.43	1.48	1.43
1	AA	610	U	P-O5'	5.43	1.65	1.59
25	BA	26	C	O3'-P	-5.43	1.54	1.61
25	BA	104	A	N9-C8	5.43	1.42	1.37
26	BB	34	U	N1-C6	-5.43	1.33	1.38
26	BB	36	G	C5-C4	5.43	1.42	1.38
26	BB	449	A	N3-C4	-5.43	1.31	1.34
26	BB	1525	A	C6-N1	5.43	1.39	1.35
26	BB	1608	A	N7-C5	5.43	1.42	1.39
1	AA	193	C	N3-C4	5.43	1.37	1.33
1	AA	1392	G	N9-C8	5.43	1.41	1.37
25	BA	118	C	C4'-C3'	5.43	1.59	1.53
26	BB	46	G	C5'-C4'	5.43	1.57	1.51
26	BB	368	A	C5'-C4'	5.43	1.57	1.51
26	BB	996	A	C6-N1	-5.43	1.31	1.35
26	BB	2344	U	C5'-C4'	5.43	1.57	1.51
42	BR	21	PRO	N-CD	-5.43	1.40	1.47
1	AA	1405	G	C5-C6	5.43	1.47	1.42
1	AA	1488	G	N3-C4	-5.43	1.31	1.35
26	BB	779	U	N3-C4	5.43	1.43	1.38
26	BB	1069	A	N1-C2	-5.43	1.29	1.34
26	BB	1651	G	O3'-P	5.43	1.67	1.61
26	BB	1759	A	C2'-O2'	-5.43	1.34	1.41
2	AB	74	C	P-O5'	5.43	1.65	1.59
6	AF	142	ARG	CZ-NH2	5.43	1.40	1.33
26	BB	205	G	C2-N2	-5.43	1.29	1.34
26	BB	1413	A	C5-C6	5.43	1.46	1.41
28	BD	208	GLY	CA-C	5.43	1.60	1.51
39	BO	47	GLU	CG-CD	5.43	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	29	U	C3'-O3'	5.43	1.49	1.42
1	AA	758	C	C4-C5	5.43	1.47	1.43
1	AA	1437	A	C8-N7	-5.43	1.27	1.31
25	BA	45	A	P-O5'	5.43	1.65	1.59
26	BB	8	C	C4'-C3'	-5.43	1.47	1.52
26	BB	607	U	N1-C6	5.43	1.42	1.38
26	BB	891	G	N7-C5	5.43	1.42	1.39
26	BB	1285	A	C2'-C1'	5.43	1.59	1.53
26	BB	2232	C	C2-N3	5.43	1.40	1.35
26	BB	2270	A	N1-C2	-5.43	1.29	1.34
26	BB	2283	C	C5'-C4'	5.43	1.57	1.51
1	AA	103	U	C4'-O4'	-5.42	1.38	1.45
1	AA	107	G	C2'-C1'	5.42	1.59	1.53
1	AA	284	C	C4-N4	-5.42	1.29	1.33
1	AA	345	C	C4-C5	5.42	1.47	1.43
1	AA	726	C	C4'-O4'	-5.42	1.38	1.45
1	AA	1397	C	P-O5'	5.42	1.65	1.59
26	BB	32	C	O3'-P	5.42	1.67	1.61
26	BB	827	U	P-O5'	5.42	1.65	1.59
26	BB	1255	U	O3'-P	5.42	1.67	1.61
26	BB	2008	C	P-O5'	5.42	1.65	1.59
26	BB	2178	C	N1-C6	-5.42	1.33	1.37
26	BB	2187	U	N1-C2	5.42	1.43	1.38
1	AA	650	G	N3-C4	5.42	1.39	1.35
1	AA	311	C	C2'-O2'	5.42	1.48	1.41
1	AA	742	G	C5-C4	-5.42	1.34	1.38
1	AA	1363	A	C5-C6	5.42	1.46	1.41
5	AE	109	SER	CB-OG	-5.42	1.35	1.42
26	BB	147	C	C4'-O4'	-5.42	1.38	1.45
26	BB	478	A	C2'-C1'	-5.42	1.47	1.53
26	BB	777	G	C6-N1	5.42	1.43	1.39
26	BB	1432	G	C2-N3	5.42	1.37	1.32
26	BB	1665	A	C3'-C2'	-5.42	1.46	1.52
26	BB	1855	U	C4-C5	5.42	1.48	1.43
26	BB	2175	C	C4'-O4'	-5.42	1.38	1.45
26	BB	2506	U	P-O5'	5.42	1.65	1.59
26	BB	2820	A	C6-N1	5.42	1.39	1.35
31	BG	64	PRO	N-CD	-5.42	1.40	1.47
26	BB	537	G	C6-N1	5.42	1.43	1.39
26	BB	806	C	C5-C6	5.42	1.38	1.34
26	BB	1059	G	N3-C4	5.42	1.39	1.35
26	BB	1500	G	O3'-P	5.42	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2412	A	C8-N7	-5.42	1.27	1.31
26	BB	2508	G	C4'-O4'	-5.42	1.38	1.45
26	BB	2540	C	C3'-C2'	-5.42	1.46	1.52
1	AA	260	G	O3'-P	-5.42	1.54	1.61
1	AA	290	C	C5'-C4'	5.42	1.57	1.51
1	AA	918	A	C8-N7	-5.42	1.27	1.31
1	AA	935	A	C5-C4	-5.42	1.34	1.38
1	AA	1015	G	C2'-C1'	-5.42	1.47	1.53
1	AA	1386	G	C2-N3	5.42	1.37	1.32
1	AA	1438	G	C8-N7	5.42	1.34	1.30
26	BB	250	G	O3'-P	-5.42	1.54	1.61
26	BB	918	A	N9-C4	-5.42	1.34	1.37
26	BB	1999	C	C4-N4	5.42	1.38	1.33
26	BB	2035	G	C2-N3	5.42	1.37	1.32
26	BB	2205	A	N7-C5	-5.42	1.35	1.39
26	BB	2589	A	N3-C4	5.42	1.38	1.34
26	BB	2829	A	C4'-C3'	5.42	1.59	1.53
1	AA	410	G	P-O5'	5.42	1.65	1.59
1	AA	814	A	C1'-N9	5.42	1.56	1.48
1	AA	1024	G	C5-C4	-5.42	1.34	1.38
1	AA	1097	C	O3'-P	5.42	1.67	1.61
1	AA	1489	G	O3'-P	5.42	1.67	1.61
1	AA	1514	G	C5'-C4'	5.42	1.57	1.51
25	BA	50	A	N3-C4	5.42	1.38	1.34
26	BB	1478	G	C2-N3	5.42	1.37	1.32
26	BB	1568	G	N3-C4	-5.42	1.31	1.35
26	BB	2096	C	N3-C4	5.42	1.37	1.33
1	AA	801	U	O3'-P	5.42	1.67	1.61
1	AA	926	G	N1-C2	5.42	1.42	1.37
26	BB	1753	G	C2-N2	-5.42	1.29	1.34
26	BB	2164	C	N3-C4	-5.42	1.30	1.33
1	AA	61	G	O5'-C5'	-5.41	1.34	1.42
1	AA	534	U	C4'-C3'	5.41	1.59	1.53
1	AA	1308	U	C2-N3	-5.41	1.33	1.37
26	BB	326	G	P-O5'	5.41	1.65	1.59
26	BB	948	C	P-O5'	5.41	1.65	1.59
26	BB	1268	A	C5-C4	-5.41	1.34	1.38
26	BB	2082	A	C5-C4	-5.41	1.34	1.38
26	BB	2432	A	N3-C4	5.41	1.38	1.34
1	AA	500	G	N7-C5	-5.41	1.36	1.39
26	BB	309	A	P-O5'	5.41	1.65	1.59
26	BB	316	C	C4-C5	5.41	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	271	C	C2'-C1'	-5.41	1.47	1.53
1	AA	606	G	N9-C4	-5.41	1.33	1.38
1	AA	870	U	C2-N3	5.41	1.41	1.37
1	AA	887	G	O3'-P	5.41	1.67	1.61
26	BB	225	C	C4'-O4'	-5.41	1.38	1.45
26	BB	577	G	N1-C2	5.41	1.42	1.37
26	BB	603	A	N3-C4	5.41	1.38	1.34
26	BB	933	A	C2'-O2'	5.41	1.48	1.41
26	BB	1363	C	C2-O2	-5.41	1.19	1.24
26	BB	1948	G	O3'-P	5.41	1.67	1.61
26	BB	2167	U	C4'-O4'	-5.41	1.38	1.45
26	BB	2323	G	C6-O6	-5.41	1.19	1.24
26	BB	2565	A	O3'-P	5.41	1.67	1.61
26	BB	2715	C	C5-C6	5.41	1.38	1.34
1	AA	1181	G	C2-N3	5.41	1.37	1.32
1	AA	1261	A	C6-N1	5.41	1.39	1.35
3	AC	26	U	C5'-C4'	5.41	1.57	1.51
4	AD	39	A	C6-N6	-5.41	1.29	1.33
26	BB	340	A	C2-N3	5.41	1.38	1.33
26	BB	371	A	N9-C4	-5.41	1.34	1.37
26	BB	602	A	C8-N7	-5.41	1.27	1.31
26	BB	653	U	C4'-O4'	-5.41	1.38	1.45
26	BB	961	C	C5'-C4'	5.41	1.57	1.51
26	BB	1905	C	N1-C2	5.41	1.45	1.40
26	BB	2325	G	C6-N1	-5.41	1.35	1.39
26	BB	2454	G	C4'-O4'	-5.41	1.38	1.45
1	AA	1511	G	O4'-C1'	5.41	1.48	1.41
26	BB	74	A	N3-C4	5.41	1.38	1.34
26	BB	2189	U	N3-C4	5.41	1.43	1.38
1	AA	53	A	N9-C8	5.41	1.42	1.37
1	AA	290	C	P-O5'	5.41	1.65	1.59
1	AA	530	G	N1-C2	5.41	1.42	1.37
1	AA	923	A	C3'-C2'	5.41	1.58	1.52
1	AA	962	C	C4-C5	5.41	1.47	1.43
1	AA	1012	A	N9-C4	5.41	1.41	1.37
1	AA	1517	G	C2'-O2'	5.41	1.48	1.41
3	AC	22	G	P-O5'	5.41	1.65	1.59
26	BB	151	C	C4'-O4'	-5.41	1.38	1.45
26	BB	206	U	C4-C5	5.41	1.48	1.43
26	BB	811	U	O4'-C1'	5.41	1.48	1.41
26	BB	2079	U	N1-C6	5.41	1.42	1.38
26	BB	2337	G	C8-N7	-5.41	1.27	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2521	C	C4'-C3'	-5.41	1.47	1.52
1	AA	57	G	C5-C4	-5.40	1.34	1.38
1	AA	174	A	C8-N7	-5.40	1.27	1.31
1	AA	791	G	C8-N7	-5.40	1.27	1.30
26	BB	198	C	C5'-C4'	5.40	1.57	1.51
26	BB	1780	A	C5-C4	5.40	1.42	1.38
26	BB	1861	G	C5-C6	5.40	1.47	1.42
44	BT	2	TYR	CG-CD2	5.40	1.46	1.39
1	AA	130	A	P-O5'	5.40	1.65	1.59
1	AA	505	G	N1-C2	5.40	1.42	1.37
1	AA	586	C	C5-C6	5.40	1.38	1.34
1	AA	1000	A	C2-N3	5.40	1.38	1.33
1	AA	1222	G	C2-N3	5.40	1.37	1.32
26	BB	965	C	C3'-C2'	5.40	1.58	1.52
26	BB	1278	C	N3-C4	5.40	1.37	1.33
26	BB	1599	U	C4'-O4'	-5.40	1.38	1.45
26	BB	1869	G	C4'-O4'	-5.40	1.38	1.45
26	BB	2110	G	C8-N7	-5.40	1.27	1.30
26	BB	2287	A	C3'-O3'	5.40	1.49	1.42
26	BB	2586	U	N1-C6	-5.40	1.33	1.38
26	BB	2719	G	C5'-C4'	5.40	1.57	1.51
1	AA	19	A	N7-C5	5.40	1.42	1.39
1	AA	271	C	C2-N3	-5.40	1.31	1.35
1	AA	889	A	C4'-C3'	-5.40	1.47	1.52
1	AA	964	A	N9-C4	-5.40	1.34	1.37
1	AA	1061	G	P-O5'	5.40	1.65	1.59
1	AA	1111	A	C4'-C3'	5.40	1.59	1.53
25	BA	103	U	N1-C2	5.40	1.43	1.38
26	BB	192	C	P-O5'	5.40	1.65	1.59
26	BB	260	G	C3'-C2'	-5.40	1.46	1.52
26	BB	956	G	N9-C4	-5.40	1.33	1.38
26	BB	1241	A	C3'-C2'	-5.40	1.46	1.52
26	BB	1367	A	N3-C4	-5.40	1.31	1.34
26	BB	1465	G	P-O5'	-5.40	1.54	1.59
26	BB	2408	U	C5-C6	5.40	1.39	1.34
26	BB	2875	C	O3'-P	5.40	1.67	1.61
1	AA	1145	A	N7-C5	-5.40	1.36	1.39
26	BB	91	A	N3-C4	5.40	1.38	1.34
26	BB	311	A	N1-C2	-5.40	1.29	1.34
26	BB	2649	C	C2-N3	-5.40	1.31	1.35
1	AA	297	G	P-O5'	5.40	1.65	1.59
1	AA	376	G	N7-C5	5.40	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	773	G	C2'-C1'	5.40	1.59	1.53
1	AA	1389	C	P-O5'	5.40	1.65	1.59
1	AA	1506	U	C3'-C2'	5.40	1.58	1.52
17	AQ	100	TRP	CD2-CE2	5.40	1.47	1.41
25	BA	89	U	N1-C2	5.40	1.43	1.38
25	BA	97	C	C2-N3	5.40	1.40	1.35
25	BA	104	A	O3'-P	5.40	1.67	1.61
26	BB	165	A	N3-C4	-5.40	1.31	1.34
26	BB	1069	A	C6-N1	5.40	1.39	1.35
26	BB	1177	G	O3'-P	5.40	1.67	1.61
26	BB	1652	A	C2'-O2'	-5.40	1.34	1.41
26	BB	2081	U	P-O5'	5.40	1.65	1.59
26	BB	2098	U	N3-C4	5.40	1.43	1.38
1	AA	114	U	C4'-O4'	-5.40	1.38	1.45
26	BB	205	G	N9-C8	5.40	1.41	1.37
26	BB	1364	G	C6-N1	5.40	1.43	1.39
1	AA	107	G	C2-N3	5.39	1.37	1.32
1	AA	619	U	C2-O2	5.39	1.27	1.22
1	AA	621	A	C4'-O4'	-5.39	1.38	1.45
1	AA	716	A	C4'-O4'	-5.39	1.38	1.45
1	AA	726	C	C5'-C4'	5.39	1.57	1.51
1	AA	830	G	N1-C2	5.39	1.42	1.37
1	AA	1525	G	N7-C5	5.39	1.42	1.39
3	AC	18	A	N9-C4	5.39	1.41	1.37
26	BB	582	A	C4'-O4'	-5.39	1.38	1.45
26	BB	623	C	P-O5'	-5.39	1.54	1.59
26	BB	793	A	N3-C4	5.39	1.38	1.34
26	BB	1121	C	C2'-O2'	-5.39	1.34	1.41
26	BB	1228	G	C2-N3	5.39	1.37	1.32
26	BB	1530	G	C2'-C1'	5.39	1.59	1.53
26	BB	2037	A	N3-C4	-5.39	1.31	1.34
1	AA	526	C	N3-C4	5.39	1.37	1.33
1	AA	890	G	C5'-C4'	5.39	1.57	1.51
1	AA	1061	G	C2-N2	5.39	1.40	1.34
1	AA	1368	A	C5-C6	-5.39	1.36	1.41
1	AA	1479	C	C4-C5	5.39	1.47	1.43
26	BB	122	G	N7-C5	-5.39	1.36	1.39
26	BB	620	G	C6-N1	5.39	1.43	1.39
26	BB	869	G	C8-N7	5.39	1.34	1.30
26	BB	1349	C	C5'-C4'	5.39	1.57	1.51
26	BB	2066	C	C2'-O2'	-5.39	1.34	1.41
26	BB	2315	G	N7-C5	5.39	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2376	A	N3-C4	5.39	1.38	1.34
26	BB	2709	G	N3-C4	5.39	1.39	1.35
26	BB	2867	G	C4'-O4'	-5.39	1.38	1.45
45	BU	8	ARG	CA-CB	5.39	1.65	1.53
1	AA	1228	C	N1-C6	-5.39	1.33	1.37
26	BB	790	U	N1-C6	5.39	1.42	1.38
26	BB	1438	U	N3-C4	5.39	1.43	1.38
26	BB	2181	U	N1-C2	5.39	1.43	1.38
26	BB	2490	G	O3'-P	5.39	1.67	1.61
26	BB	2736	A	O3'-P	5.39	1.67	1.61
1	AA	102	G	C6-O6	-5.39	1.19	1.24
1	AA	481	G	C6-N1	5.39	1.43	1.39
3	AC	14	G	C6-O6	-5.39	1.19	1.24
7	AG	75	TYR	CE2-CZ	5.39	1.45	1.38
25	BA	24	G	C5-C4	5.39	1.42	1.38
25	BA	100	G	N1-C2	5.39	1.42	1.37
26	BB	114	U	C5'-C4'	5.39	1.57	1.51
26	BB	374	A	C4'-C3'	-5.39	1.47	1.52
26	BB	707	G	C4'-C3'	-5.39	1.47	1.52
26	BB	1226	A	C6-N1	-5.39	1.31	1.35
26	BB	1926	U	C5'-C4'	5.39	1.57	1.51
26	BB	1992	G	C4'-C3'	5.39	1.59	1.53
26	BB	2277	G	C8-N7	5.39	1.34	1.30
26	BB	2288	A	C2'-O2'	-5.39	1.34	1.41
26	BB	2408	U	C4-O4	5.39	1.27	1.23
1	AA	295	C	C4'-C3'	5.39	1.59	1.53
1	AA	652	U	O3'-P	5.39	1.67	1.61
1	AA	1366	C	N3-C4	5.39	1.37	1.33
26	BB	290	U	P-O5'	5.39	1.65	1.59
26	BB	423	A	C5'-C4'	5.39	1.57	1.51
26	BB	902	C	C4-C5	5.39	1.47	1.43
26	BB	1443	U	C2-N3	5.39	1.41	1.37
26	BB	1988	G	N9-C4	5.39	1.42	1.38
26	BB	2903	U	C4-C5	5.39	1.48	1.43
1	AA	104	G	C2'-C1'	5.39	1.59	1.53
1	AA	209	U	C4-C5	5.39	1.48	1.43
1	AA	247	G	C2-N3	5.39	1.37	1.32
1	AA	538	G	O4'-C1'	-5.39	1.34	1.41
9	AI	25	TYR	CG-CD2	5.39	1.46	1.39
9	AI	59	TYR	CE1-CZ	5.39	1.45	1.38
25	BA	55	U	C4-O4	-5.39	1.19	1.23
26	BB	552	U	O3'-P	5.39	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	577	G	C4'-C3'	-5.39	1.47	1.52
26	BB	802	A	N1-C2	-5.39	1.29	1.34
26	BB	1070	A	N9-C4	5.39	1.41	1.37
26	BB	1294	U	O3'-P	5.39	1.67	1.61
1	AA	214	C	C5'-C4'	5.38	1.57	1.51
1	AA	1245	C	C4'-O4'	-5.38	1.38	1.45
25	BA	39	A	C5-C4	-5.38	1.34	1.38
25	BA	101	A	N3-C4	5.38	1.38	1.34
26	BB	116	C	C4-N4	-5.38	1.29	1.33
26	BB	424	G	N3-C4	5.38	1.39	1.35
26	BB	834	G	N9-C8	5.38	1.41	1.37
26	BB	1257	C	N3-C4	5.38	1.37	1.33
26	BB	1399	C	C4'-O4'	-5.38	1.38	1.45
26	BB	1735	A	C2'-O2'	5.38	1.48	1.41
26	BB	2397	G	O3'-P	5.38	1.67	1.61
1	AA	578	C	O3'-P	5.38	1.67	1.61
1	AA	828	U	C4-O4	5.38	1.27	1.23
1	AA	1142	G	N9-C4	5.38	1.42	1.38
26	BB	492	A	C5-C4	-5.38	1.34	1.38
26	BB	790	U	N1-C2	5.38	1.43	1.38
1	AA	234	C	C2'-C1'	5.38	1.59	1.53
1	AA	605	U	P-O5'	5.38	1.65	1.59
1	AA	1014	A	C5-C4	-5.38	1.34	1.38
1	AA	1532	U	O3'-P	5.38	1.67	1.61
25	BA	71	C	C1'-N1	5.38	1.56	1.48
26	BB	261	G	N3-C4	5.38	1.39	1.35
26	BB	1353	A	N3-C4	5.38	1.38	1.34
26	BB	1909	C	C5-C6	5.38	1.38	1.34
26	BB	2174	C	C2'-O2'	5.38	1.48	1.41
1	AA	1080	A	C5-C6	5.38	1.45	1.41
26	BB	1704	C	C2'-C1'	5.38	1.59	1.53
26	BB	2534	A	C6-N1	-5.38	1.31	1.35
1	AA	876	C	C4-C5	5.38	1.47	1.43
1	AA	1278	G	C5'-C4'	5.38	1.57	1.51
26	BB	337	C	C3'-C2'	5.38	1.58	1.52
26	BB	384	A	C3'-C2'	5.38	1.58	1.52
26	BB	593	U	C2-N3	5.38	1.41	1.37
26	BB	641	U	C2-N3	5.38	1.41	1.37
26	BB	1132	U	C4'-C3'	5.38	1.59	1.53
26	BB	1194	A	N3-C4	5.38	1.38	1.34
26	BB	2055	C	C2-N3	5.38	1.40	1.35
26	BB	2452	C	N1-C6	5.38	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	324	G	C3'-C2'	-5.38	1.46	1.52
1	AA	830	G	O3'-P	5.38	1.67	1.61
1	AA	882	C	N1-C6	5.38	1.40	1.37
1	AA	1469	C	C2'-C1'	-5.38	1.47	1.53
3	AC	53	G	C2'-C1'	-5.38	1.47	1.53
26	BB	1136	G	C6-N1	5.38	1.43	1.39
26	BB	1336	A	C6-N6	5.38	1.38	1.33
26	BB	1807	G	N3-C4	5.38	1.39	1.35
26	BB	2270	A	C6-N1	-5.38	1.31	1.35
52	B1	45	GLY	CA-C	5.38	1.60	1.51
52	B1	52	PHE	CG-CD1	5.38	1.46	1.38
1	AA	810	C	N3-C4	-5.38	1.30	1.33
1	AA	938	A	P-O5'	5.38	1.65	1.59
1	AA	953	G	C8-N7	-5.38	1.27	1.30
1	AA	1286	U	C4-C5	5.38	1.48	1.43
1	AA	1355	G	O4'-C1'	5.38	1.48	1.41
3	AC	41	A	C5-C4	-5.38	1.34	1.38
26	BB	15	G	C6-N1	5.38	1.43	1.39
26	BB	637	A	C4'-O4'	-5.38	1.38	1.45
26	BB	2638	G	C2-N3	5.38	1.37	1.32
1	AA	85	U	C4'-O4'	-5.37	1.38	1.45
1	AA	869	G	C2'-C1'	5.37	1.59	1.53
26	BB	126	A	C5-C4	-5.37	1.34	1.38
26	BB	233	A	N3-C4	5.37	1.38	1.34
26	BB	479	A	C6-N6	5.37	1.38	1.33
26	BB	699	A	C2'-O2'	5.37	1.48	1.41
26	BB	1027	A	C5'-C4'	5.37	1.57	1.51
26	BB	1031	G	N7-C5	5.37	1.42	1.39
26	BB	1293	C	C5'-C4'	5.37	1.57	1.51
26	BB	2357	G	C5-C6	5.37	1.47	1.42
1	AA	309	A	C2'-C1'	-5.37	1.47	1.53
1	AA	321	A	N3-C4	5.37	1.38	1.34
1	AA	522	C	N1-C6	-5.37	1.33	1.37
2	AB	3	G	N7-C5	-5.37	1.36	1.39
4	AD	29	C	N3-C4	5.37	1.37	1.33
26	BB	1007	C	C1'-N1	5.37	1.56	1.48
26	BB	1091	G	C8-N7	-5.37	1.27	1.30
26	BB	1122	G	C3'-C2'	-5.37	1.46	1.52
26	BB	2355	G	C2-N2	-5.37	1.29	1.34
26	BB	2430	A	P-O5'	5.37	1.65	1.59
1	AA	910	C	C2-O2	-5.37	1.19	1.24
26	BB	405	U	N1-C2	5.37	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	855	G	C3'-C2'	5.37	1.58	1.52
26	BB	1344	U	C4-O4	5.37	1.27	1.23
1	AA	424	G	C5-C6	5.37	1.47	1.42
1	AA	593	U	O3'-P	5.37	1.67	1.61
1	AA	704	A	N3-C4	5.37	1.38	1.34
1	AA	825	A	C5'-C4'	5.37	1.57	1.51
1	AA	988	G	C3'-O3'	5.37	1.49	1.42
1	AA	1289	A	C5'-C4'	5.37	1.57	1.51
1	AA	1458	G	O5'-C5'	-5.37	1.34	1.42
4	AD	43	G	N9-C4	-5.37	1.33	1.38
26	BB	208	C	C2-O2	-5.37	1.19	1.24
26	BB	1076	C	N1-C6	5.37	1.40	1.37
26	BB	2228	G	C2-N2	-5.37	1.29	1.34
26	BB	2828	G	C8-N7	5.37	1.34	1.30
36	BL	46	PRO	N-CD	-5.37	1.40	1.47
1	AA	649	A	N9-C8	-5.37	1.33	1.37
2	AB	5	G	C5-C6	5.37	1.47	1.42
1	AA	120	A	N9-C8	5.37	1.42	1.37
1	AA	344	A	N9-C8	5.37	1.42	1.37
1	AA	1354	U	C3'-C2'	-5.37	1.46	1.52
26	BB	178	G	O3'-P	5.37	1.67	1.61
26	BB	470	A	C2'-C1'	5.37	1.59	1.53
26	BB	1365	A	O3'-P	5.37	1.67	1.61
26	BB	1823	G	O5'-C5'	-5.37	1.34	1.42
26	BB	1969	A	O3'-P	5.37	1.67	1.61
26	BB	2008	C	C4-N4	-5.37	1.29	1.33
26	BB	2064	C	N1-C6	5.37	1.40	1.37
1	AA	382	A	P-O5'	5.36	1.65	1.59
1	AA	792	A	C4'-O4'	-5.36	1.38	1.45
1	AA	819	A	N7-C5	5.36	1.42	1.39
1	AA	1479	C	C2'-O2'	5.36	1.48	1.41
26	BB	189	G	C2'-C1'	-5.36	1.47	1.53
26	BB	779	U	C5'-C4'	5.36	1.57	1.51
26	BB	804	A	N9-C8	-5.36	1.33	1.37
26	BB	1596	A	C3'-O3'	5.36	1.49	1.42
26	BB	1860	G	C6-N1	5.36	1.43	1.39
26	BB	2032	G	C4'-O4'	-5.36	1.38	1.45
26	BB	2105	U	N3-C4	5.36	1.43	1.38
26	BB	2345	G	C4'-C3'	-5.36	1.47	1.52
26	BB	2545	G	N9-C4	-5.36	1.33	1.38
26	BB	2882	A	C6-N6	-5.36	1.29	1.33
1	AA	1538	C	C4-N4	5.36	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	68	C	C3'-C2'	-5.36	1.46	1.52
25	BA	80	U	C4-O4	-5.36	1.19	1.23
26	BB	694	U	N1-C2	5.36	1.43	1.38
26	BB	2232	C	O3'-P	5.36	1.67	1.61
26	BB	2646	C	C2-N3	5.36	1.40	1.35
46	BV	5	GLU	CG-CD	5.36	1.59	1.51
1	AA	344	A	C5-C4	-5.36	1.34	1.38
1	AA	441	A	C8-N7	-5.36	1.27	1.31
1	AA	1037	C	C1'-N1	5.36	1.56	1.48
1	AA	1302	C	P-O5'	5.36	1.65	1.59
1	AA	1435	G	C6-N1	5.36	1.43	1.39
25	BA	92	C	O3'-P	5.36	1.67	1.61
26	BB	687	C	P-O5'	5.36	1.65	1.59
26	BB	734	A	C4'-O4'	-5.36	1.38	1.45
26	BB	909	A	C5'-C4'	5.36	1.57	1.51
26	BB	945	A	N7-C5	5.36	1.42	1.39
26	BB	1011	G	N3-C4	5.36	1.39	1.35
26	BB	1020	A	N3-C4	5.36	1.38	1.34
26	BB	1032	A	N9-C8	5.36	1.42	1.37
26	BB	1343	G	N1-C2	5.36	1.42	1.37
26	BB	1895	C	C5-C6	5.36	1.38	1.34
26	BB	2111	U	C2-O2	-5.36	1.17	1.22
26	BB	2664	G	C6-N1	-5.36	1.35	1.39
1	AA	641	U	N1-C6	-5.36	1.33	1.38
1	AA	857	C	C4-C5	5.36	1.47	1.43
3	AC	43	U	C2'-C1'	5.36	1.59	1.53
25	BA	103	U	C2-N3	5.36	1.41	1.37
26	BB	604	G	P-O5'	-5.36	1.54	1.59
26	BB	981	A	C4'-O4'	-5.36	1.38	1.45
26	BB	1768	C	C5'-C4'	5.36	1.57	1.51
26	BB	1977	A	C4'-C3'	-5.36	1.47	1.52
57	B6	63	TYR	CE1-CZ	5.36	1.45	1.38
1	AA	751	U	C2-O2	5.36	1.27	1.22
1	AA	1100	C	N1-C2	5.36	1.45	1.40
1	AA	1300	G	C4'-O4'	-5.36	1.38	1.45
2	AB	64	U	P-O5'	5.36	1.65	1.59
25	BA	6	G	N3-C4	-5.36	1.31	1.35
26	BB	172	A	N9-C8	5.36	1.42	1.37
26	BB	191	A	N9-C8	5.36	1.42	1.37
26	BB	281	C	N3-C4	5.36	1.37	1.33
26	BB	507	A	O5'-C5'	-5.36	1.34	1.42
26	BB	1242	U	C2'-O2'	-5.36	1.34	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1445	G	C5-C4	5.36	1.42	1.38
26	BB	1715	G	C8-N7	5.36	1.34	1.30
26	BB	2391	G	N7-C5	5.36	1.42	1.39
26	BB	2718	G	N3-C4	5.36	1.39	1.35
1	AA	846	G	C4'-O4'	-5.36	1.38	1.45
1	AA	892	A	C6-N6	5.36	1.38	1.33
1	AA	1211	U	N1-C2	5.36	1.43	1.38
1	AA	1335	U	C4'-O4'	-5.36	1.38	1.45
2	AB	65	C	C2'-C1'	5.36	1.59	1.53
25	BA	104	A	N7-C5	-5.36	1.36	1.39
26	BB	138	U	C4'-O4'	-5.36	1.38	1.45
26	BB	155	A	C5-C4	5.36	1.42	1.38
26	BB	1050	A	C5-C6	5.36	1.45	1.41
26	BB	1341	G	N7-C5	-5.36	1.36	1.39
26	BB	1436	G	N1-C2	-5.36	1.33	1.37
26	BB	1488	C	C4'-O4'	-5.36	1.38	1.45
26	BB	1863	G	C2'-C1'	-5.36	1.47	1.53
26	BB	2880	C	C3'-O3'	5.36	1.49	1.42
57	B6	63	TYR	CE2-CZ	5.36	1.45	1.38
58	B7	31	PRO	N-CD	-5.36	1.40	1.47
1	AA	540	G	C6-O6	-5.35	1.19	1.24
26	BB	100	U	O5'-C5'	5.35	1.53	1.44
26	BB	473	G	C6-N1	5.35	1.43	1.39
26	BB	539	G	C4'-O4'	-5.35	1.38	1.45
26	BB	973	A	C2-N3	5.35	1.38	1.33
26	BB	2026	U	P-O5'	-5.35	1.54	1.59
1	AA	242	G	N7-C5	-5.35	1.36	1.39
1	AA	763	G	C2-N3	5.35	1.37	1.32
1	AA	910	C	P-O5'	-5.35	1.54	1.59
25	BA	9	G	C2-N3	5.35	1.37	1.32
25	BA	49	C	C2-O2	-5.35	1.19	1.24
26	BB	86	G	C6-N1	5.35	1.43	1.39
26	BB	934	U	C5'-C4'	5.35	1.57	1.51
26	BB	1659	G	C6-N1	-5.35	1.35	1.39
26	BB	1748	C	P-O5'	5.35	1.65	1.59
26	BB	2062	A	C8-N7	-5.35	1.27	1.31
1	AA	370	C	O5'-C5'	-5.35	1.34	1.42
26	BB	1663	G	N3-C4	5.35	1.39	1.35
26	BB	2390	U	C4-C5	5.35	1.48	1.43
1	AA	380	G	C5-C4	-5.35	1.34	1.38
1	AA	463	U	C3'-C2'	-5.35	1.46	1.52
1	AA	936	C	N1-C2	5.35	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1001	C	C4-C5	5.35	1.47	1.43
23	AW	79	THR	CB-OG1	-5.35	1.32	1.43
26	BB	1262	A	N9-C8	5.35	1.42	1.37
26	BB	2472	G	C4'-C3'	5.35	1.59	1.53
48	BX	82	TYR	CE1-CZ	5.35	1.45	1.38
57	B6	62	PRO	N-CD	-5.35	1.40	1.47
1	AA	489	C	O4'-C1'	5.35	1.48	1.41
1	AA	1220	G	N3-C4	5.35	1.39	1.35
25	BA	5	U	C5-C6	5.35	1.39	1.34
26	BB	257	C	C4'-O4'	-5.35	1.38	1.45
26	BB	301	G	C5'-C4'	5.35	1.57	1.51
26	BB	906	U	C5-C6	5.35	1.39	1.34
26	BB	1145	C	C4'-O4'	-5.35	1.38	1.45
26	BB	2019	A	C5-C4	5.35	1.42	1.38
26	BB	2469	A	C3'-O3'	-5.35	1.34	1.42
1	AA	640	A	C5-C6	5.35	1.45	1.41
2	AB	56	C	O3'-P	5.35	1.67	1.61
26	BB	1682	G	C2-N3	5.35	1.37	1.32
26	BB	2354	C	C2-N3	-5.35	1.31	1.35
26	BB	2623	G	P-O5'	5.35	1.65	1.59
1	AA	1027	C	C4'-C3'	5.34	1.59	1.53
26	BB	72	U	N3-C4	-5.34	1.33	1.38
26	BB	87	U	C4'-C3'	5.34	1.59	1.53
26	BB	95	A	N9-C4	5.34	1.41	1.37
26	BB	732	C	C4'-O4'	-5.34	1.38	1.45
26	BB	980	A	C4'-O4'	-5.34	1.38	1.45
26	BB	1460	U	C3'-C2'	5.34	1.58	1.52
26	BB	2044	C	C5'-C4'	5.34	1.57	1.51
26	BB	2172	U	C5-C6	5.34	1.39	1.34
27	BC	39	VAL	CB-CG2	5.34	1.64	1.52
1	AA	949	A	O4'-C1'	-5.34	1.34	1.41
1	AA	1457	G	C4'-O4'	-5.34	1.38	1.45
26	BB	1360	G	N9-C8	5.34	1.41	1.37
26	BB	1435	G	C5-C4	5.34	1.42	1.38
26	BB	1842	G	O3'-P	5.34	1.67	1.61
26	BB	2377	A	P-O5'	5.34	1.65	1.59
26	BB	2697	G	N7-C5	5.34	1.42	1.39
1	AA	334	C	C2-N3	5.34	1.40	1.35
1	AA	350	G	N1-C2	5.34	1.42	1.37
1	AA	394	G	C2'-C1'	-5.34	1.47	1.53
1	AA	1257	A	N7-C5	-5.34	1.36	1.39
26	BB	549	G	N1-C2	5.34	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	980	A	C6-N6	5.34	1.38	1.33
26	BB	1368	G	C5-C4	-5.34	1.34	1.38
26	BB	1440	U	N1-C6	-5.34	1.33	1.38
26	BB	2540	C	N1-C6	5.34	1.40	1.37
26	BB	2758	A	C3'-C2'	5.34	1.58	1.52
26	BB	2870	C	C5'-C4'	5.34	1.57	1.51
1	AA	646	G	C5'-C4'	-5.34	1.45	1.51
1	AA	878	A	N3-C4	5.34	1.38	1.34
1	AA	885	G	C3'-C2'	5.34	1.58	1.52
1	AA	1006	G	C2-N3	5.34	1.37	1.32
1	AA	1515	G	C6-O6	-5.34	1.19	1.24
2	AB	29	G	C4'-O4'	-5.34	1.38	1.45
19	AS	45	GLU	N-CA	5.34	1.57	1.46
25	BA	61	G	N9-C4	5.34	1.42	1.38
26	BB	709	U	O3'-P	5.34	1.67	1.61
26	BB	836	G	C2-N3	5.34	1.37	1.32
26	BB	861	A	N9-C8	5.34	1.42	1.37
26	BB	1266	G	C3'-O3'	5.34	1.49	1.42
26	BB	1865	U	C2'-C1'	-5.34	1.47	1.53
26	BB	2252	G	C5'-C4'	5.34	1.57	1.51
26	BB	2330	G	C6-N1	5.34	1.43	1.39
26	BB	2561	U	N1-C6	-5.34	1.33	1.38
26	BB	2833	U	C3'-O3'	5.34	1.49	1.42
26	BB	70	G	O5'-C5'	-5.34	1.34	1.42
26	BB	635	C	C4-C5	5.34	1.47	1.43
26	BB	701	G	C8-N7	5.34	1.34	1.30
26	BB	713	G	N9-C4	5.34	1.42	1.38
26	BB	816	C	C2'-C1'	5.34	1.59	1.53
26	BB	2061	G	C5-C6	5.34	1.47	1.42
26	BB	2314	A	C5-C6	5.34	1.45	1.41
26	BB	2473	U	C2-N3	5.34	1.41	1.37
47	BW	5	ARG	NE-CZ	5.34	1.40	1.33
1	AA	216	U	C4'-O4'	-5.34	1.38	1.45
1	AA	336	A	C2-N3	5.34	1.38	1.33
1	AA	1089	G	C5'-C4'	5.34	1.57	1.51
4	AD	27	G	C5-C6	5.34	1.47	1.42
26	BB	784	G	C3'-C2'	5.34	1.58	1.52
26	BB	817	C	C5-C6	5.34	1.38	1.34
26	BB	853	C	P-O5'	5.34	1.65	1.59
26	BB	897	C	C4-N4	-5.34	1.29	1.33
26	BB	1322	A	C2-N3	-5.34	1.28	1.33
26	BB	1774	C	N3-C4	5.34	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2429	G	P-O5'	5.34	1.65	1.59
26	BB	2510	C	N3-C4	-5.34	1.30	1.33
26	BB	2516	A	C4'-C3'	5.34	1.59	1.53
26	BB	2732	G	N3-C4	-5.34	1.31	1.35
1	AA	79	G	C3'-C2'	5.33	1.58	1.52
1	AA	446	G	O3'-P	5.33	1.67	1.61
1	AA	725	G	C2'-C1'	-5.33	1.47	1.53
26	BB	605	G	C5-C6	5.33	1.47	1.42
26	BB	811	U	O5'-C5'	-5.33	1.34	1.42
30	BF	85	PHE	CG-CD1	5.33	1.46	1.38
1	AA	358	U	C2'-O2'	-5.33	1.34	1.41
1	AA	798	U	C2'-O2'	5.33	1.48	1.41
1	AA	844	G	C8-N7	5.33	1.34	1.30
1	AA	1264	U	N1-C6	5.33	1.42	1.38
1	AA	1296	C	C2-O2	5.33	1.29	1.24
26	BB	613	A	P-O5'	5.33	1.65	1.59
26	BB	752	A	N9-C4	5.33	1.41	1.37
26	BB	2434	A	N9-C4	5.33	1.41	1.37
26	BB	2674	G	N9-C8	5.33	1.41	1.37
1	AA	1102	A	C3'-C2'	-5.33	1.46	1.52
1	AA	1264	U	N1-C2	5.33	1.43	1.38
1	AA	1330	U	C4'-O4'	-5.33	1.38	1.45
25	BA	24	G	C2-N3	5.33	1.37	1.32
26	BB	187	G	N3-C4	5.33	1.39	1.35
26	BB	305	C	C4'-C3'	5.33	1.59	1.53
26	BB	986	C	C4'-O4'	-5.33	1.38	1.45
26	BB	1439	A	N7-C5	5.33	1.42	1.39
26	BB	1678	A	O4'-C1'	5.33	1.48	1.41
26	BB	2461	A	N7-C5	-5.33	1.36	1.39
26	BB	2657	A	P-O5'	5.33	1.65	1.59
1	AA	524	G	N1-C2	5.33	1.42	1.37
1	AA	545	C	C4-C5	5.33	1.47	1.43
26	BB	1518	C	C2-N3	5.33	1.40	1.35
26	BB	1519	G	C2-N3	5.33	1.37	1.32
26	BB	1772	A	C5'-C4'	5.33	1.57	1.51
26	BB	1988	G	P-O5'	5.33	1.65	1.59
1	AA	195	A	N1-C2	5.33	1.39	1.34
1	AA	842	U	C4'-O4'	-5.33	1.38	1.45
26	BB	33	C	C4-C5	5.33	1.47	1.43
26	BB	297	G	N3-C4	5.33	1.39	1.35
26	BB	1990	C	O3'-P	5.33	1.67	1.61
26	BB	2421	G	N1-C2	5.33	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2526	G	C5-C4	-5.33	1.34	1.38
26	BB	2593	U	C3'-O3'	-5.33	1.34	1.42
1	AA	1258	G	P-O5'	5.33	1.65	1.59
26	BB	130	C	C5'-C4'	5.33	1.57	1.51
26	BB	250	G	C1'-N9	-5.33	1.39	1.46
26	BB	360	U	N3-C4	5.33	1.43	1.38
26	BB	509	C	O3'-P	5.33	1.67	1.61
26	BB	1520	U	C4'-O4'	-5.33	1.38	1.45
26	BB	2758	A	N9-C4	5.33	1.41	1.37
1	AA	1398	A	C2'-O2'	5.33	1.48	1.41
1	AA	1523	G	N1-C2	5.33	1.42	1.37
26	BB	28	A	N7-C5	5.33	1.42	1.39
26	BB	532	A	C6-N1	5.33	1.39	1.35
26	BB	556	A	C5'-C4'	5.33	1.57	1.51
26	BB	666	A	C2-N3	5.33	1.38	1.33
26	BB	973	A	O3'-P	5.33	1.67	1.61
26	BB	1256	G	C5-C4	5.33	1.42	1.38
26	BB	2006	C	C4-C5	5.33	1.47	1.43
27	BC	134	ARG	NE-CZ	5.33	1.40	1.33
1	AA	153	C	N1-C6	5.32	1.40	1.37
1	AA	251	G	C4'-C3'	5.32	1.59	1.53
1	AA	299	G	C2-N2	-5.32	1.29	1.34
1	AA	634	C	C2-O2	-5.32	1.19	1.24
1	AA	667	G	O3'-P	-5.32	1.54	1.61
1	AA	962	C	C5'-C4'	5.32	1.57	1.51
1	AA	1140	C	C4'-O4'	-5.32	1.38	1.45
26	BB	700	G	C5'-C4'	5.32	1.57	1.51
26	BB	1005	C	C2-N3	-5.32	1.31	1.35
26	BB	2045	C	C5-C6	5.32	1.38	1.34
26	BB	2277	G	C2-N3	5.32	1.37	1.32
1	AA	296	U	C5-C6	5.32	1.39	1.34
1	AA	306	A	C2-N3	5.32	1.38	1.33
2	AB	34	C	C4-C5	-5.32	1.38	1.43
26	BB	914	G	N9-C4	5.32	1.42	1.38
26	BB	1473	G	C6-N1	5.32	1.43	1.39
26	BB	1753	G	C5'-C4'	5.32	1.57	1.51
26	BB	1756	G	C4'-O4'	-5.32	1.38	1.45
26	BB	2677	G	C2-N2	-5.32	1.29	1.34
1	AA	701	U	C4'-O4'	-5.32	1.38	1.45
22	AV	79	TYR	CE1-CZ	5.32	1.45	1.38
25	BA	6	G	C3'-O3'	5.32	1.49	1.42
26	BB	653	U	C5'-C4'	5.32	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1157	G	N9-C8	-5.32	1.34	1.37
26	BB	1222	U	C1'-N1	5.32	1.56	1.48
26	BB	1351	C	C4-N4	-5.32	1.29	1.33
26	BB	1968	G	C8-N7	-5.32	1.27	1.30
26	BB	1997	C	N1-C6	-5.32	1.33	1.37
26	BB	2415	G	C5-C6	-5.32	1.37	1.42
26	BB	2700	A	C6-N6	-5.32	1.29	1.33
1	AA	109	A	N9-C4	5.32	1.41	1.37
1	AA	546	A	C3'-C2'	5.32	1.58	1.52
1	AA	1323	G	C2-N2	5.32	1.39	1.34
26	BB	420	C	N3-C4	5.32	1.37	1.33
26	BB	1394	U	C4-O4	-5.32	1.19	1.23
26	BB	1719	G	C3'-O3'	5.32	1.49	1.42
26	BB	2007	U	O4'-C1'	5.32	1.48	1.41
1	AA	190	A	O3'-P	-5.32	1.54	1.61
1	AA	488	C	C5'-C4'	5.32	1.57	1.51
1	AA	497	G	O3'-P	5.32	1.67	1.61
1	AA	698	G	P-O5'	5.32	1.65	1.59
1	AA	898	G	N9-C4	-5.32	1.33	1.38
1	AA	1255	G	N9-C4	-5.32	1.33	1.38
2	AB	36	A	C2'-O2'	5.32	1.48	1.41
26	BB	1031	G	C2-N2	-5.32	1.29	1.34
26	BB	1671	U	C1'-N1	5.32	1.56	1.48
26	BB	2469	A	C5-C4	-5.32	1.35	1.38
28	BD	265	PHE	CB-CG	5.32	1.60	1.51
30	BF	162	ARG	NE-CZ	5.32	1.40	1.33
1	AA	764	C	C3'-C2'	5.32	1.58	1.52
1	AA	895	G	P-O5'	5.32	1.65	1.59
1	AA	1284	C	N3-C4	5.32	1.37	1.33
26	BB	373	U	P-O5'	5.32	1.65	1.59
26	BB	514	A	C6-N6	5.32	1.38	1.33
26	BB	1611	C	N3-C4	5.32	1.37	1.33
26	BB	2019	A	O3'-P	5.32	1.67	1.61
26	BB	2158	A	C2'-O2'	-5.32	1.34	1.41
26	BB	2327	A	C8-N7	-5.32	1.27	1.31
26	BB	2356	U	C5'-C4'	5.32	1.57	1.51
1	AA	1268	G	C4'-O4'	-5.31	1.38	1.45
1	AA	1480	A	C4'-C3'	5.31	1.58	1.53
26	BB	1392	A	C5-C4	-5.31	1.35	1.38
1	AA	871	U	N1-C6	-5.31	1.33	1.38
1	AA	1050	G	N9-C4	5.31	1.42	1.38
26	BB	619	G	N9-C8	5.31	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	947	A	N7-C5	-5.31	1.36	1.39
26	BB	1025	G	C5-C4	-5.31	1.34	1.38
26	BB	1719	G	N7-C5	-5.31	1.36	1.39
26	BB	1834	U	P-O5'	5.31	1.65	1.59
26	BB	2407	A	N9-C4	-5.31	1.34	1.37
26	BB	2847	U	C5'-C4'	5.31	1.57	1.51
28	BD	84	PRO	N-CD	-5.31	1.40	1.47
1	AA	1441	A	P-O5'	5.31	1.65	1.59
26	BB	7	G	N1-C2	5.31	1.42	1.37
26	BB	351	C	C5-C6	5.31	1.38	1.34
26	BB	2034	U	C5-C6	5.31	1.39	1.34
1	AA	251	G	P-O5'	5.31	1.65	1.59
1	AA	565	U	C4-O4	-5.31	1.19	1.23
1	AA	726	C	C4-N4	-5.31	1.29	1.33
1	AA	818	G	C5'-C4'	5.31	1.57	1.51
1	AA	1064	G	O4'-C1'	5.31	1.48	1.41
2	AB	50	G	N9-C8	-5.31	1.34	1.37
25	BA	28	C	C4-N4	5.31	1.38	1.33
26	BB	376	G	C2-N3	5.31	1.36	1.32
26	BB	379	G	C2-N3	5.31	1.36	1.32
26	BB	512	G	C5'-C4'	5.31	1.57	1.51
26	BB	1112	G	C2-N3	5.31	1.36	1.32
26	BB	1223	G	C5'-C4'	5.31	1.57	1.51
26	BB	1705	A	C5-C4	-5.31	1.35	1.38
26	BB	2237	G	C6-N1	-5.31	1.35	1.39
26	BB	2362	C	C4'-C3'	5.31	1.58	1.53
26	BB	2433	A	C5'-C4'	5.31	1.57	1.51
26	BB	2481	G	C5-C4	5.31	1.42	1.38
26	BB	2548	U	C5-C6	5.31	1.39	1.34
26	BB	2692	G	N7-C5	5.31	1.42	1.39
1	AA	122	G	C2-N3	5.31	1.36	1.32
1	AA	1200	C	C2-N3	5.31	1.40	1.35
1	AA	1426	G	C2'-O2'	5.31	1.48	1.41
3	AC	54	U	C4'-O4'	-5.31	1.38	1.45
26	BB	353	C	C4-C5	5.31	1.47	1.43
26	BB	353	C	C2-N3	5.31	1.40	1.35
26	BB	509	C	N1-C2	5.31	1.45	1.40
26	BB	803	U	N1-C6	5.31	1.42	1.38
26	BB	961	C	N1-C6	5.31	1.40	1.37
26	BB	974	G	C8-N7	-5.31	1.27	1.30
26	BB	1128	G	C8-N7	5.31	1.34	1.30
26	BB	1841	U	C5-C6	5.31	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1891	G	O4'-C1'	5.31	1.48	1.41
26	BB	2433	A	C5-C4	-5.31	1.35	1.38
26	BB	2666	C	C5'-C4'	5.31	1.57	1.51
26	BB	2867	G	C6-O6	5.31	1.28	1.24
1	AA	310	G	C4'-O4'	-5.31	1.38	1.45
1	AA	408	A	P-O5'	5.31	1.65	1.59
1	AA	617	G	C8-N7	5.31	1.34	1.30
1	AA	773	G	C2'-O2'	-5.31	1.34	1.41
1	AA	1147	C	N1-C6	-5.31	1.33	1.37
26	BB	231	A	C2'-C1'	5.31	1.59	1.53
26	BB	613	A	O3'-P	5.31	1.67	1.61
26	BB	1008	A	N3-C4	5.31	1.38	1.34
26	BB	1540	G	C8-N7	-5.31	1.27	1.30
26	BB	1753	G	C6-N1	5.31	1.43	1.39
26	BB	2739	U	P-O5'	5.31	1.65	1.59
53	B2	49	ARG	NE-CZ	5.31	1.40	1.33
1	AA	279	A	O3'-P	5.30	1.67	1.61
2	AB	53	G	N1-C2	-5.30	1.33	1.37
26	BB	914	G	P-O5'	5.30	1.65	1.59
26	BB	1697	G	O3'-P	5.30	1.67	1.61
26	BB	1809	A	O3'-P	5.30	1.67	1.61
26	BB	1928	A	C4'-O4'	-5.30	1.38	1.45
26	BB	2112	G	C4'-O4'	-5.30	1.38	1.45
26	BB	2825	G	N9-C8	-5.30	1.34	1.37
1	AA	195	A	P-O5'	-5.30	1.54	1.59
1	AA	356	A	C4'-C3'	5.30	1.58	1.53
1	AA	1281	C	C2'-O2'	5.30	1.48	1.41
3	AC	20	G	N1-C2	5.30	1.42	1.37
10	AJ	69	ARG	NE-CZ	5.30	1.40	1.33
26	BB	224	U	O3'-P	5.30	1.67	1.61
26	BB	602	A	C3'-C2'	-5.30	1.47	1.52
26	BB	763	G	N3-C4	5.30	1.39	1.35
26	BB	836	G	P-O5'	5.30	1.65	1.59
26	BB	929	U	C2-O2	5.30	1.27	1.22
26	BB	1332	G	N3-C4	5.30	1.39	1.35
26	BB	2540	C	O3'-P	5.30	1.67	1.61
26	BB	2824	C	C3'-C2'	5.30	1.58	1.52
1	AA	179	A	C5-C4	-5.30	1.35	1.38
1	AA	642	A	N7-C5	5.30	1.42	1.39
1	AA	878	A	C4'-O4'	-5.30	1.38	1.45
1	AA	1084	G	C4'-O4'	-5.30	1.38	1.45
1	AA	1513	A	C5'-C4'	5.30	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	732	C	C2'-C1'	5.30	1.59	1.53
26	BB	1534	U	P-O5'	5.30	1.65	1.59
26	BB	1552	A	C5-C6	-5.30	1.36	1.41
26	BB	1739	A	C5-C4	5.30	1.42	1.38
26	BB	1798	U	C2'-O2'	-5.30	1.34	1.41
26	BB	2175	C	N3-C4	5.30	1.37	1.33
1	AA	118	U	C2'-C1'	-5.30	1.47	1.53
1	AA	277	C	N3-C4	5.30	1.37	1.33
1	AA	376	G	C8-N7	-5.30	1.27	1.30
1	AA	867	G	C5'-C4'	5.30	1.57	1.51
1	AA	897	C	C4-C5	5.30	1.47	1.43
1	AA	1121	U	C2-N3	5.30	1.41	1.37
1	AA	1493	A	C4'-O4'	-5.30	1.38	1.45
21	AU	31	TYR	CG-CD1	5.30	1.46	1.39
26	BB	91	A	C6-N1	5.30	1.39	1.35
26	BB	1003	G	N9-C8	5.30	1.41	1.37
26	BB	1237	A	O3'-P	-5.30	1.54	1.61
26	BB	1402	U	C4'-O4'	-5.30	1.38	1.45
26	BB	1574	C	C4'-O4'	-5.30	1.38	1.45
26	BB	1800	C	C2-N3	-5.30	1.31	1.35
26	BB	2239	G	N7-C5	-5.30	1.36	1.39
26	BB	2288	A	O3'-P	5.30	1.67	1.61
36	BL	34	ARG	CZ-NH2	5.30	1.40	1.33
1	AA	69	G	N3-C4	5.30	1.39	1.35
1	AA	176	C	C2'-C1'	5.30	1.59	1.53
1	AA	213	G	C2-N3	5.30	1.36	1.32
1	AA	932	C	C2-N3	5.30	1.40	1.35
26	BB	126	A	N7-C5	-5.30	1.36	1.39
1	AA	288	A	C5-C6	-5.30	1.36	1.41
1	AA	327	A	N9-C8	-5.30	1.33	1.37
1	AA	382	A	N9-C8	5.30	1.42	1.37
1	AA	808	C	C2'-O2'	5.30	1.48	1.41
1	AA	963	G	N7-C5	5.30	1.42	1.39
1	AA	1081	A	C2-N3	5.30	1.38	1.33
1	AA	1208	C	C4'-C3'	5.30	1.58	1.53
1	AA	1272	G	C5-C6	5.30	1.47	1.42
1	AA	1333	A	C5-C6	5.30	1.45	1.41
1	AA	1382	C	C4'-O4'	-5.30	1.38	1.45
1	AA	1425	U	C4'-C3'	-5.30	1.47	1.52
26	BB	492	A	N1-C2	-5.30	1.29	1.34
26	BB	792	A	N7-C5	5.30	1.42	1.39
26	BB	1603	A	N3-C4	5.30	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2054	A	C2'-C1'	5.30	1.59	1.53
26	BB	2608	G	O3'-P	-5.30	1.54	1.61
26	BB	2665	A	C4'-C3'	-5.30	1.47	1.52
26	BB	2776	A	C6-N6	5.30	1.38	1.33
26	BB	743	A	P-O5'	-5.29	1.54	1.59
26	BB	1071	G	C4'-O4'	-5.29	1.38	1.45
1	AA	466	A	N3-C4	5.29	1.38	1.34
1	AA	513	C	O3'-P	5.29	1.67	1.61
1	AA	713	G	C3'-O3'	5.29	1.49	1.42
1	AA	759	A	C5-C6	-5.29	1.36	1.41
1	AA	1040	U	C5-C6	5.29	1.39	1.34
1	AA	1521	C	C5'-C4'	5.29	1.57	1.51
4	AD	25	U	N1-C2	5.29	1.43	1.38
25	BA	27	C	N3-C4	5.29	1.37	1.33
26	BB	111	A	C5-C6	5.29	1.45	1.41
26	BB	263	G	N9-C8	5.29	1.41	1.37
26	BB	431	U	C3'-C2'	5.29	1.58	1.52
26	BB	953	G	C8-N7	5.29	1.34	1.30
26	BB	1041	G	C2'-C1'	5.29	1.59	1.53
26	BB	2068	U	C5'-C4'	5.29	1.57	1.51
26	BB	2615	U	C4'-O4'	-5.29	1.38	1.45
28	BD	216	ARG	CZ-NH1	5.29	1.40	1.33
1	AA	166	U	C5'-C4'	5.29	1.57	1.51
1	AA	340	U	C4-C5	5.29	1.48	1.43
1	AA	416	G	C5-C6	5.29	1.47	1.42
1	AA	859	G	O3'-P	5.29	1.67	1.61
1	AA	894	G	O3'-P	5.29	1.67	1.61
1	AA	1003	G	C8-N7	5.29	1.34	1.30
1	AA	1052	U	N1-C2	5.29	1.43	1.38
1	AA	1054	C	C5'-C4'	5.29	1.57	1.51
1	AA	1115	U	C4-O4	5.29	1.27	1.23
26	BB	103	A	C8-N7	-5.29	1.27	1.31
26	BB	222	A	N3-C4	5.29	1.38	1.34
26	BB	598	U	C1'-N1	5.29	1.56	1.48
26	BB	1054	A	P-O5'	5.29	1.65	1.59
26	BB	1125	G	C8-N7	5.29	1.34	1.30
26	BB	1162	G	C1'-N9	5.29	1.56	1.48
26	BB	1186	G	O3'-P	5.29	1.67	1.61
26	BB	1296	G	C5-C4	-5.29	1.34	1.38
26	BB	1738	G	N9-C8	-5.29	1.34	1.37
26	BB	1983	G	P-O5'	5.29	1.65	1.59
26	BB	2119	A	C2'-C1'	-5.29	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2246	G	N1-C2	5.29	1.42	1.37
26	BB	2275	C	O4'-C1'	5.29	1.48	1.41
1	AA	649	A	C4'-O4'	-5.29	1.38	1.45
1	AA	1101	A	C6-N1	5.29	1.39	1.35
1	AA	1524	C	C2'-C1'	5.29	1.59	1.53
3	AC	41	A	N9-C8	5.29	1.42	1.37
26	BB	180	G	O4'-C1'	5.29	1.48	1.41
26	BB	1737	G	C2-N3	5.29	1.36	1.32
26	BB	2663	G	O4'-C1'	-5.29	1.34	1.41
1	AA	561	U	C2'-C1'	5.29	1.59	1.53
1	AA	856	C	O3'-P	5.29	1.67	1.61
1	AA	1305	G	N7-C5	-5.29	1.36	1.39
2	AB	27	C	C4'-C3'	-5.29	1.47	1.52
26	BB	5	A	C6-N1	-5.29	1.31	1.35
26	BB	185	G	C5-C4	5.29	1.42	1.38
26	BB	404	A	C8-N7	-5.29	1.27	1.31
26	BB	428	A	P-O5'	5.29	1.65	1.59
26	BB	980	A	C5-C4	5.29	1.42	1.38
26	BB	2453	A	C5'-C4'	5.29	1.57	1.51
26	BB	2712	C	C4'-O4'	-5.29	1.38	1.45
29	BE	169	ARG	CD-NE	5.29	1.55	1.46
4	AD	44	A	N9-C4	5.29	1.41	1.37
26	BB	267	C	C4-C5	-5.29	1.38	1.43
26	BB	1449	G	C2-N3	5.29	1.36	1.32
26	BB	1782	U	C1'-N1	5.29	1.56	1.48
1	AA	235	C	N3-C4	-5.29	1.30	1.33
1	AA	353	A	C5'-C4'	5.29	1.57	1.51
26	BB	42	A	C4'-O4'	-5.29	1.38	1.45
26	BB	184	C	C3'-O3'	5.29	1.49	1.42
26	BB	249	C	C4'-O4'	-5.29	1.38	1.45
26	BB	695	G	O3'-P	5.29	1.67	1.61
26	BB	735	A	C6-N1	5.29	1.39	1.35
26	BB	743	A	N3-C4	5.29	1.38	1.34
26	BB	1565	C	N3-C4	5.29	1.37	1.33
26	BB	2039	U	C4'-O4'	-5.29	1.38	1.45
26	BB	2078	C	C4-N4	5.29	1.38	1.33
26	BB	2435	A	C5'-C4'	5.29	1.57	1.51
26	BB	2489	U	C4-C5	5.29	1.48	1.43
1	AA	137	U	C3'-O3'	5.28	1.49	1.42
1	AA	322	C	O3'-P	5.28	1.67	1.61
1	AA	1049	U	C2'-C1'	5.28	1.59	1.53
1	AA	1075	U	N1-C6	5.28	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1109	C	N3-C4	-5.28	1.30	1.33
1	AA	1442	G	C4'-C3'	-5.28	1.47	1.52
2	AB	73	G	N3-C4	5.28	1.39	1.35
14	AN	68	ARG	CA-CB	5.28	1.65	1.53
26	BB	154	U	C5'-C4'	5.28	1.57	1.51
26	BB	476	G	N9-C8	-5.28	1.34	1.37
26	BB	1023	U	C4'-C3'	5.28	1.58	1.53
26	BB	1253	A	C2-N3	5.28	1.38	1.33
26	BB	1328	A	C5-C4	-5.28	1.35	1.38
26	BB	1757	A	C6-N1	5.28	1.39	1.35
26	BB	2269	G	N7-C5	-5.28	1.36	1.39
4	AD	5	G	C8-N7	5.28	1.34	1.30
26	BB	79	C	C1'-N1	5.28	1.56	1.48
26	BB	132	G	C8-N7	-5.28	1.27	1.30
26	BB	1512	C	C4-C5	5.28	1.47	1.43
1	AA	173	U	N1-C2	5.28	1.43	1.38
1	AA	1238	A	C5'-C4'	5.28	1.57	1.51
2	AB	70	C	O3'-P	5.28	1.67	1.61
3	AC	35	G	N9-C8	5.28	1.41	1.37
26	BB	184	C	C4'-O4'	-5.28	1.38	1.45
26	BB	511	U	C2-O2	5.28	1.27	1.22
26	BB	774	G	C6-O6	-5.28	1.19	1.24
26	BB	1613	G	N1-C2	5.28	1.42	1.37
26	BB	1811	G	O3'-P	5.28	1.67	1.61
26	BB	2035	G	N7-C5	-5.28	1.36	1.39
1	AA	907	A	O3'-P	5.28	1.67	1.61
1	AA	1306	A	C8-N7	-5.28	1.27	1.31
1	AA	1324	A	N9-C8	5.28	1.42	1.37
1	AA	1453	G	C6-N1	5.28	1.43	1.39
26	BB	24	G	N9-C8	-5.28	1.34	1.37
26	BB	931	U	C4-O4	-5.28	1.19	1.23
26	BB	1042	G	C2'-C1'	-5.28	1.47	1.53
26	BB	1866	A	N9-C4	5.28	1.41	1.37
1	AA	191	G	C2-N2	-5.28	1.29	1.34
1	AA	451	A	N9-C8	-5.28	1.33	1.37
1	AA	907	A	C2'-O2'	5.28	1.48	1.41
1	AA	1501	C	C2-O2	-5.28	1.19	1.24
6	AF	87	ARG	CZ-NH1	5.28	1.40	1.33
26	BB	240	C	N3-C4	-5.28	1.30	1.33
26	BB	602	A	O3'-P	5.28	1.67	1.61
26	BB	1052	C	C4-C5	-5.28	1.38	1.43
26	BB	1713	A	C3'-C2'	-5.28	1.47	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1859	U	C2-N3	5.28	1.41	1.37
1	AA	296	U	N1-C2	5.28	1.43	1.38
1	AA	371	A	P-O5'	5.28	1.65	1.59
1	AA	474	G	N9-C8	-5.28	1.34	1.37
1	AA	779	C	C4-N4	-5.28	1.29	1.33
1	AA	1014	A	O3'-P	5.28	1.67	1.61
1	AA	1020	G	N1-C2	5.28	1.42	1.37
1	AA	1533	C	C5'-C4'	5.28	1.57	1.51
26	BB	590	A	C2'-C1'	5.28	1.59	1.53
26	BB	1458	U	C5-C6	5.28	1.38	1.34
26	BB	1938	A	C6-N1	5.28	1.39	1.35
26	BB	2078	C	P-O5'	5.28	1.65	1.59
26	BB	2420	C	C5'-C4'	5.28	1.57	1.51
26	BB	2863	C	P-O5'	-5.28	1.54	1.59
58	B7	30	GLU	CG-CD	5.28	1.59	1.51
1	AA	1283	U	C2-O2	5.27	1.27	1.22
26	BB	1031	G	C8-N7	-5.27	1.27	1.30
26	BB	2577	A	N3-C4	5.27	1.38	1.34
1	AA	177	G	P-O5'	5.27	1.65	1.59
1	AA	396	C	C3'-O3'	5.27	1.49	1.42
1	AA	571	U	N1-C6	-5.27	1.33	1.38
1	AA	704	A	C4'-O4'	-5.27	1.38	1.45
25	BA	97	C	C2'-C1'	-5.27	1.47	1.53
26	BB	493	G	N1-C2	5.27	1.42	1.37
26	BB	612	G	C2'-O2'	5.27	1.48	1.41
26	BB	1071	G	C2'-O2'	5.27	1.48	1.41
26	BB	1149	G	C2'-O2'	-5.27	1.34	1.41
26	BB	1589	U	O3'-P	5.27	1.67	1.61
26	BB	1783	A	N7-C5	-5.27	1.36	1.39
26	BB	2065	C	C4'-O4'	-5.27	1.38	1.45
1	AA	460	A	P-O5'	5.27	1.65	1.59
1	AA	663	A	N3-C4	5.27	1.38	1.34
4	AD	77	A	N9-C8	5.27	1.42	1.37
26	BB	545	U	C4'-C3'	5.27	1.58	1.53
26	BB	851	C	C2'-O2'	5.27	1.48	1.41
26	BB	2168	G	C5'-C4'	5.27	1.57	1.51
26	BB	2311	A	N7-C5	5.27	1.42	1.39
1	AA	718	A	N3-C4	5.27	1.38	1.34
1	AA	862	C	P-O5'	5.27	1.65	1.59
1	AA	1141	C	C4'-O4'	-5.27	1.38	1.45
26	BB	741	U	N1-C2	5.27	1.43	1.38
26	BB	1207	C	C2-O2	-5.27	1.19	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1783	A	C5-C4	-5.27	1.35	1.38
26	BB	2556	C	C4-C5	5.27	1.47	1.43
26	BB	2603	G	N9-C4	-5.27	1.33	1.38
26	BB	2700	A	C2-N3	-5.27	1.28	1.33
26	BB	2711	A	N9-C8	-5.27	1.33	1.37
26	BB	2748	A	N9-C4	-5.27	1.34	1.37
1	AA	552	U	C1'-N1	5.27	1.56	1.48
1	AA	934	C	C5'-C4'	5.27	1.57	1.51
4	AD	20	G	N9-C4	5.27	1.42	1.38
25	BA	35	C	C4'-C3'	5.27	1.58	1.53
25	BA	67	G	C6-N1	-5.27	1.35	1.39
25	BA	119	A	N9-C4	5.27	1.41	1.37
26	BB	29	U	C3'-C2'	5.27	1.58	1.52
26	BB	122	G	C6-O6	-5.27	1.19	1.24
26	BB	453	A	C4'-O4'	-5.27	1.38	1.45
26	BB	667	U	N3-C4	5.27	1.43	1.38
26	BB	785	G	C2-N2	-5.27	1.29	1.34
26	BB	976	G	N7-C5	-5.27	1.36	1.39
26	BB	1359	A	N3-C4	-5.27	1.31	1.34
26	BB	1798	U	C5'-C4'	5.27	1.57	1.51
26	BB	2029	G	C2'-C1'	5.27	1.59	1.53
26	BB	2337	G	P-O5'	5.27	1.65	1.59
26	BB	2358	A	N9-C4	5.27	1.41	1.37
53	B2	16	CYS	CB-SG	5.27	1.91	1.82
26	BB	2332	C	C4-C5	5.27	1.47	1.43
1	AA	504	C	N1-C6	5.26	1.40	1.37
1	AA	687	A	C2-N3	5.26	1.38	1.33
1	AA	888	G	C6-O6	-5.26	1.19	1.24
1	AA	1426	G	C6-O6	-5.26	1.19	1.24
1	AA	1465	A	N9-C8	5.26	1.42	1.37
26	BB	397	U	C4-C5	5.26	1.48	1.43
26	BB	479	A	C4'-C3'	5.26	1.58	1.53
26	BB	1239	G	N1-C2	5.26	1.42	1.37
26	BB	1250	G	C4'-O4'	-5.26	1.38	1.45
26	BB	1681	G	O3'-P	-5.26	1.54	1.61
26	BB	1905	C	C4'-O4'	-5.26	1.38	1.45
26	BB	2493	U	C4'-O4'	-5.26	1.38	1.45
26	BB	2671	G	P-O5'	5.26	1.65	1.59
26	BB	2831	G	C8-N7	5.26	1.34	1.30
1	AA	1010	U	O4'-C1'	5.26	1.48	1.41
1	AA	1281	C	C2-N3	5.26	1.40	1.35
3	AC	24	A	O3'-P	5.26	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	48	C	C4-N4	5.26	1.38	1.33
26	BB	578	G	N9-C8	-5.26	1.34	1.37
26	BB	811	U	O3'-P	5.26	1.67	1.61
26	BB	2243	U	C5'-C4'	5.26	1.57	1.51
26	BB	2513	A	C6-N6	5.26	1.38	1.33
1	AA	100	G	N3-C4	5.26	1.39	1.35
1	AA	411	A	C2'-C1'	5.26	1.59	1.53
1	AA	699	C	N1-C6	-5.26	1.33	1.37
1	AA	968	A	C2-N3	5.26	1.38	1.33
1	AA	1437	A	O3'-P	-5.26	1.54	1.61
1	AA	1514	G	P-O5'	5.26	1.65	1.59
4	AD	54	G	C8-N7	5.26	1.34	1.30
26	BB	305	C	C2-N3	5.26	1.40	1.35
26	BB	507	A	N9-C4	-5.26	1.34	1.37
26	BB	917	A	N7-C5	-5.26	1.36	1.39
26	BB	1242	U	N1-C2	-5.26	1.33	1.38
26	BB	1420	A	C6-N1	5.26	1.39	1.35
26	BB	1813	G	C2'-O2'	5.26	1.48	1.41
26	BB	2868	A	C2'-C1'	5.26	1.59	1.53
1	AA	266	G	N3-C4	5.26	1.39	1.35
1	AA	674	G	C5-C4	-5.26	1.34	1.38
1	AA	676	A	P-O5'	5.26	1.65	1.59
1	AA	1261	A	C4'-O4'	-5.26	1.38	1.45
26	BB	831	G	C2-N3	5.26	1.36	1.32
26	BB	1259	G	C8-N7	-5.26	1.27	1.30
26	BB	1340	U	C2-N3	5.26	1.41	1.37
26	BB	1465	G	N9-C4	5.26	1.42	1.38
26	BB	1951	U	C4-O4	5.26	1.27	1.23
26	BB	1965	C	C4'-O4'	-5.26	1.38	1.45
26	BB	2075	U	C4'-C3'	-5.26	1.47	1.52
26	BB	2816	G	C4'-O4'	-5.26	1.38	1.45
1	AA	743	A	C1'-N9	5.26	1.56	1.48
1	AA	1314	C	N3-C4	5.26	1.37	1.33
1	AA	1452	C	C5-C6	5.26	1.38	1.34
26	BB	20	C	P-O5'	5.26	1.65	1.59
26	BB	1516	G	C6-N1	-5.26	1.35	1.39
1	AA	82	G	C5'-C4'	-5.26	1.45	1.51
1	AA	252	U	C4-O4	-5.26	1.19	1.23
1	AA	843	U	C4'-O4'	-5.26	1.38	1.45
1	AA	965	U	C2-O2	5.26	1.27	1.22
1	AA	971	G	N3-C4	-5.26	1.31	1.35
1	AA	1109	C	C4'-C3'	5.26	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1396	A	N3-C4	5.26	1.38	1.34
26	BB	471	A	C5-C6	5.26	1.45	1.41
26	BB	548	G	P-O5'	-5.26	1.54	1.59
26	BB	927	A	N7-C5	5.26	1.42	1.39
26	BB	1159	U	C4'-C3'	5.26	1.58	1.53
26	BB	1742	U	N3-C4	-5.26	1.33	1.38
26	BB	1861	G	N7-C5	-5.26	1.36	1.39
26	BB	1941	C	O4'-C1'	5.26	1.48	1.41
26	BB	2312	U	C5-C6	5.26	1.38	1.34
36	BL	44	TYR	CG-CD2	5.26	1.46	1.39
1	AA	543	U	C4-O4	-5.25	1.19	1.23
1	AA	787	A	O3'-P	5.25	1.67	1.61
1	AA	1046	A	N9-C8	5.25	1.42	1.37
26	BB	40	U	C2-N3	5.25	1.41	1.37
26	BB	173	A	O3'-P	5.25	1.67	1.61
26	BB	485	C	O3'-P	5.25	1.67	1.61
26	BB	1673	G	P-O5'	5.25	1.65	1.59
26	BB	2390	U	N3-C4	5.25	1.43	1.38
26	BB	2687	U	C5'-C4'	5.25	1.57	1.51
1	AA	316	C	N1-C2	-5.25	1.34	1.40
1	AA	1227	A	O3'-P	5.25	1.67	1.61
1	AA	1332	A	C3'-C2'	5.25	1.58	1.52
7	AG	107	GLY	CA-C	5.25	1.60	1.51
26	BB	190	A	C6-N1	-5.25	1.31	1.35
26	BB	505	A	N9-C4	5.25	1.41	1.37
26	BB	787	C	C4-C5	5.25	1.47	1.43
26	BB	1175	A	C2-N3	5.25	1.38	1.33
26	BB	1339	G	C4'-O4'	-5.25	1.38	1.45
26	BB	1598	A	C8-N7	-5.25	1.27	1.31
26	BB	1899	A	N7-C5	-5.25	1.36	1.39
26	BB	2654	A	C5-C4	5.25	1.42	1.38
1	AA	40	C	N3-C4	5.25	1.37	1.33
1	AA	151	A	N7-C5	5.25	1.42	1.39
1	AA	164	G	C2-N3	5.25	1.36	1.32
1	AA	238	A	C3'-C2'	5.25	1.58	1.52
1	AA	691	G	P-O5'	5.25	1.65	1.59
1	AA	1448	C	C5-C6	5.25	1.38	1.34
26	BB	981	A	N3-C4	-5.25	1.31	1.34
26	BB	1138	G	N9-C8	-5.25	1.34	1.37
26	BB	1240	U	C1'-N1	5.25	1.56	1.48
26	BB	1524	G	C3'-O3'	-5.25	1.34	1.42
26	BB	1662	U	O3'-P	5.25	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2067	G	C5'-C4'	5.25	1.57	1.51
26	BB	2137	U	C2-N3	5.25	1.41	1.37
26	BB	2351	G	C5-C4	-5.25	1.34	1.38
26	BB	2415	G	C8-N7	-5.25	1.27	1.30
26	BB	2459	A	C5'-C4'	5.25	1.57	1.51
26	BB	2881	U	C2'-C1'	5.25	1.59	1.53
1	AA	1060	U	P-O5'	5.25	1.65	1.59
1	AA	1390	U	C2-N3	5.25	1.41	1.37
1	AA	1467	C	C5-C6	5.25	1.38	1.34
1	AA	1515	G	C5'-C4'	5.25	1.57	1.51
26	BB	302	C	C4'-O4'	-5.25	1.38	1.45
26	BB	869	G	C3'-C2'	5.25	1.58	1.52
26	BB	921	C	C4'-C3'	-5.25	1.47	1.52
26	BB	933	A	N9-C4	5.25	1.41	1.37
26	BB	1940	U	C4-C5	5.25	1.48	1.43
1	AA	550	G	C2'-C1'	5.25	1.59	1.53
1	AA	996	A	C3'-O3'	5.25	1.49	1.42
1	AA	1525	G	O3'-P	5.25	1.67	1.61
26	BB	266	G	C4'-C3'	5.25	1.58	1.53
26	BB	478	A	N3-C4	5.25	1.38	1.34
26	BB	1089	A	N3-C4	5.25	1.38	1.34
26	BB	1477	A	C5'-C4'	5.25	1.57	1.51
26	BB	1936	A	C5-C4	-5.25	1.35	1.38
26	BB	2204	G	C2-N3	5.25	1.36	1.32
26	BB	2531	A	C3'-C2'	5.25	1.58	1.52
26	BB	2876	G	N9-C4	5.25	1.42	1.38
1	AA	176	C	N3-C4	-5.25	1.30	1.33
1	AA	285	C	C2-N3	5.25	1.40	1.35
1	AA	1047	G	O4'-C1'	5.25	1.48	1.41
1	AA	1255	G	C5-C6	5.25	1.47	1.42
1	AA	1271	A	C3'-C2'	-5.25	1.47	1.52
1	AA	1305	G	C5-C4	5.25	1.42	1.38
1	AA	1449	C	C4'-C3'	-5.25	1.47	1.52
26	BB	136	G	C4'-O4'	-5.25	1.38	1.45
26	BB	433	C	P-O5'	5.25	1.65	1.59
26	BB	663	G	C2'-C1'	-5.25	1.47	1.53
26	BB	734	A	N1-C2	-5.25	1.29	1.34
26	BB	1123	C	C5'-C4'	5.25	1.57	1.51
26	BB	2428	G	C8-N7	5.25	1.34	1.30
26	BB	2471	A	O4'-C1'	5.25	1.48	1.41
26	BB	2645	G	N9-C4	5.25	1.42	1.38
26	BB	2854	G	C1'-N9	5.25	1.56	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
41	BQ	99	TYR	CG-CD2	-5.25	1.32	1.39
1	AA	158	G	O4'-C1'	5.25	1.48	1.41
1	AA	1201	A	C5-C4	-5.25	1.35	1.38
26	BB	471	A	C4'-C3'	5.25	1.58	1.53
26	BB	558	U	C4'-C3'	5.25	1.58	1.53
26	BB	1934	C	C4-N4	-5.25	1.29	1.33
1	AA	187	G	O4'-C1'	-5.24	1.34	1.41
1	AA	419	C	N3-C4	5.24	1.37	1.33
1	AA	510	A	O3'-P	5.24	1.67	1.61
1	AA	511	C	N1-C2	5.24	1.45	1.40
1	AA	570	G	C2'-C1'	5.24	1.59	1.53
1	AA	662	U	N1-C2	5.24	1.43	1.38
1	AA	665	A	N3-C4	-5.24	1.31	1.34
1	AA	1395	C	N1-C6	-5.24	1.34	1.37
1	AA	1437	A	O5'-C5'	-5.24	1.34	1.42
26	BB	133	U	C4'-O4'	-5.24	1.38	1.45
26	BB	703	U	C3'-C2'	-5.24	1.47	1.52
26	BB	909	A	C4'-O4'	-5.24	1.38	1.45
26	BB	2209	G	C8-N7	-5.24	1.27	1.30
43	BS	44	TYR	CE1-CZ	5.24	1.45	1.38
1	AA	152	A	C8-N7	-5.24	1.27	1.31
26	BB	235	U	C4'-O4'	-5.24	1.38	1.45
1	AA	448	A	O3'-P	5.24	1.67	1.61
1	AA	869	G	C4'-O4'	-5.24	1.38	1.45
1	AA	1468	A	N7-C5	-5.24	1.36	1.39
25	BA	19	C	N3-C4	-5.24	1.30	1.33
26	BB	646	U	C2'-C1'	5.24	1.59	1.53
26	BB	1116	G	N7-C5	-5.24	1.36	1.39
26	BB	1754	A	N9-C8	5.24	1.42	1.37
26	BB	2174	C	N3-C4	5.24	1.37	1.33
26	BB	2588	G	O3'-P	5.24	1.67	1.61
1	AA	442	G	C2'-C1'	5.24	1.59	1.53
1	AA	668	G	P-O5'	-5.24	1.54	1.59
1	AA	987	G	C1'-N9	5.24	1.56	1.48
1	AA	1064	G	C5-C4	-5.24	1.34	1.38
1	AA	1276	G	C2-N3	5.24	1.36	1.32
1	AA	1335	U	C2-O2	5.24	1.27	1.22
1	AA	1449	C	C2-N3	5.24	1.40	1.35
4	AD	57	C	C4'-C3'	-5.24	1.47	1.52
25	BA	6	G	P-O5'	5.24	1.65	1.59
26	BB	50	U	O3'-P	5.24	1.67	1.61
26	BB	216	A	C8-N7	-5.24	1.27	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	708	G	C8-N7	-5.24	1.27	1.30
26	BB	923	G	N9-C4	5.24	1.42	1.38
26	BB	1422	G	C3'-C2'	-5.24	1.47	1.52
26	BB	2098	U	C4-O4	-5.24	1.19	1.23
1	AA	1026	G	N9-C8	-5.24	1.34	1.37
26	BB	79	C	C4-N4	5.24	1.38	1.33
26	BB	2095	A	N3-C4	5.24	1.38	1.34
1	AA	54	C	N1-C6	5.24	1.40	1.37
1	AA	183	C	N3-C4	5.24	1.37	1.33
1	AA	447	G	P-O5'	5.24	1.65	1.59
1	AA	1210	C	C2'-O2'	5.24	1.48	1.41
2	AB	22	G	C5-C4	-5.24	1.34	1.38
25	BA	64	G	N1-C2	5.24	1.42	1.37
26	BB	47	C	P-O5'	5.24	1.65	1.59
26	BB	376	G	C5'-C4'	5.24	1.57	1.51
26	BB	952	G	O3'-P	5.24	1.67	1.61
26	BB	1703	G	N3-C4	-5.24	1.31	1.35
26	BB	2002	G	C4'-O4'	-5.24	1.38	1.45
26	BB	2377	A	C5'-C4'	5.24	1.57	1.51
26	BB	2555	U	C5-C6	5.24	1.38	1.34
1	AA	736	C	C3'-C2'	5.23	1.58	1.52
1	AA	1307	U	C2-O2	5.23	1.27	1.22
26	BB	1860	G	C4'-O4'	-5.23	1.38	1.45
26	BB	2257	U	C2-O2	-5.23	1.17	1.22
1	AA	14	U	C4-C5	5.23	1.48	1.43
26	BB	365	U	C2'-C1'	5.23	1.59	1.53
26	BB	432	A	C6-N1	5.23	1.39	1.35
26	BB	763	G	C2-N3	5.23	1.36	1.32
26	BB	965	C	C5-C6	5.23	1.38	1.34
26	BB	1600	C	C3'-C2'	-5.23	1.47	1.52
26	BB	2179	C	C4'-C3'	-5.23	1.47	1.52
26	BB	2502	G	C5-C6	5.23	1.47	1.42
26	BB	2821	A	O4'-C1'	5.23	1.48	1.41
1	AA	92	U	C4-C5	5.23	1.48	1.43
1	AA	565	U	C2'-O2'	5.23	1.48	1.41
1	AA	939	G	C6-O6	-5.23	1.19	1.24
2	AB	52	A	P-O5'	-5.23	1.54	1.59
26	BB	21	A	N7-C5	-5.23	1.36	1.39
26	BB	686	U	C2'-O2'	5.23	1.48	1.41
26	BB	966	G	P-O5'	5.23	1.65	1.59
26	BB	975	A	C4'-C3'	-5.23	1.47	1.52
26	BB	1582	C	C4-C5	5.23	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1888	G	N3-C4	5.23	1.39	1.35
26	BB	2677	G	N9-C8	-5.23	1.34	1.37
1	AA	985	C	C1'-N1	5.23	1.56	1.48
26	BB	550	C	N3-C4	5.23	1.37	1.33
26	BB	1749	A	N9-C4	5.23	1.41	1.37
1	AA	476	U	C3'-O3'	-5.23	1.34	1.42
1	AA	597	G	C4'-O4'	-5.23	1.38	1.45
1	AA	895	G	C2-N3	5.23	1.36	1.32
1	AA	1388	C	N1-C6	5.23	1.40	1.37
2	AB	73	G	C2'-C1'	5.23	1.59	1.53
26	BB	118	A	C5'-C4'	5.23	1.57	1.51
26	BB	293	U	N1-C2	5.23	1.43	1.38
26	BB	478	A	C5-C6	5.23	1.45	1.41
26	BB	505	A	C4'-O4'	-5.23	1.38	1.45
26	BB	1786	A	N9-C4	5.23	1.41	1.37
26	BB	2061	G	C6-N1	-5.23	1.35	1.39
26	BB	2282	G	N1-C2	5.23	1.42	1.37
26	BB	2341	G	N9-C4	-5.23	1.33	1.38
26	BB	2347	C	C4'-O4'	-5.23	1.38	1.45
26	BB	2406	A	P-O5'	5.23	1.65	1.59
26	BB	2462	C	P-O5'	5.23	1.65	1.59
1	AA	760	G	N3-C4	5.23	1.39	1.35
26	BB	148	U	C4-C5	5.23	1.48	1.43
26	BB	255	A	N3-C4	5.23	1.38	1.34
26	BB	291	G	N1-C2	5.23	1.42	1.37
26	BB	606	U	C3'-C2'	5.23	1.58	1.52
26	BB	863	A	C8-N7	-5.23	1.27	1.31
26	BB	1001	A	N3-C4	-5.23	1.31	1.34
26	BB	1470	A	C2'-C1'	-5.23	1.47	1.53
26	BB	1748	C	C3'-O3'	-5.23	1.34	1.42
1	AA	683	G	N1-C2	-5.22	1.33	1.37
1	AA	1385	G	N9-C4	5.22	1.42	1.38
1	AA	1388	C	C5-C6	5.22	1.38	1.34
1	AA	1466	C	C5-C6	5.22	1.38	1.34
4	AD	42	C	C5'-C4'	-5.22	1.45	1.51
25	BA	19	C	C4-C5	5.22	1.47	1.43
26	BB	74	A	C2'-O2'	-5.22	1.34	1.41
26	BB	1120	G	C5-C4	-5.22	1.34	1.38
26	BB	1145	C	P-O5'	5.22	1.65	1.59
26	BB	1964	G	C5-C4	5.22	1.42	1.38
26	BB	2168	G	O3'-P	5.22	1.67	1.61
26	BB	2188	U	C4-C5	5.22	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2224	G	C2'-C1'	-5.22	1.47	1.53
26	BB	2277	G	C5-C4	5.22	1.42	1.38
26	BB	2428	G	C3'-C2'	5.22	1.58	1.52
26	BB	2810	A	C2-N3	5.22	1.38	1.33
1	AA	73	C	P-O5'	-5.22	1.54	1.59
1	AA	261	U	C2-O2	5.22	1.27	1.22
1	AA	788	U	C3'-O3'	-5.22	1.34	1.42
1	AA	867	G	N1-C2	5.22	1.42	1.37
2	AB	18	G	C2-N3	5.22	1.36	1.32
4	AD	44	A	C5-C4	-5.22	1.35	1.38
26	BB	344	A	C5'-C4'	5.22	1.57	1.51
26	BB	435	C	C5-C6	5.22	1.38	1.34
26	BB	977	G	C2'-O2'	5.22	1.48	1.41
26	BB	2080	A	N9-C4	5.22	1.41	1.37
26	BB	2511	U	C4'-O4'	-5.22	1.38	1.45
1	AA	348	G	P-O5'	5.22	1.65	1.59
1	AA	503	C	O3'-P	5.22	1.67	1.61
25	BA	70	C	N1-C2	-5.22	1.34	1.40
26	BB	1023	U	N3-C4	-5.22	1.33	1.38
26	BB	1667	G	N7-C5	-5.22	1.36	1.39
26	BB	2599	G	N9-C8	-5.22	1.34	1.37
1	AA	889	A	N3-C4	-5.22	1.31	1.34
1	AA	938	A	C5'-C4'	5.22	1.57	1.51
4	AD	50	G	N7-C5	-5.22	1.36	1.39
26	BB	1034	G	C4'-O4'	-5.22	1.38	1.45
26	BB	1127	A	N9-C8	-5.22	1.33	1.37
26	BB	1564	C	C5-C6	5.22	1.38	1.34
26	BB	1866	A	C4'-O4'	-5.22	1.38	1.45
26	BB	2621	G	C2-N3	5.22	1.36	1.32
1	AA	275	G	C3'-C2'	5.22	1.58	1.52
1	AA	841	C	C5'-C4'	5.22	1.57	1.51
12	AL	40	ARG	CZ-NH1	5.22	1.39	1.33
26	BB	1176	U	C4-C5	5.22	1.48	1.43
26	BB	1792	G	C5-C4	-5.22	1.34	1.38
26	BB	2570	G	O5'-C5'	-5.22	1.34	1.42
1	AA	465	A	C3'-C2'	-5.22	1.47	1.52
1	AA	993	G	C2'-C1'	5.22	1.59	1.53
1	AA	1229	A	C2-N3	-5.22	1.28	1.33
1	AA	1472	U	C5-C6	5.22	1.38	1.34
4	AD	29	C	C2'-C1'	-5.22	1.47	1.53
26	BB	435	C	C4-C5	5.22	1.47	1.43
26	BB	529	A	C5'-C4'	5.22	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	617	G	C2-N3	5.22	1.36	1.32
26	BB	674	G	N9-C8	-5.22	1.34	1.37
26	BB	1131	G	C5'-C4'	5.22	1.57	1.51
26	BB	1999	C	O4'-C1'	5.22	1.48	1.41
26	BB	2026	U	N3-C4	5.22	1.43	1.38
26	BB	2549	G	P-O5'	5.22	1.65	1.59
26	BB	2849	U	N3-C4	5.22	1.43	1.38
38	BN	143	GLU	CG-CD	5.22	1.59	1.51
1	AA	963	G	C5'-C4'	5.21	1.57	1.51
1	AA	1184	G	N1-C2	-5.21	1.33	1.37
6	AF	41	TYR	CE2-CZ	5.21	1.45	1.38
26	BB	1135	C	C5'-C4'	5.21	1.57	1.51
26	BB	1602	U	N3-C4	-5.21	1.33	1.38
1	AA	340	U	P-O5'	5.21	1.65	1.59
1	AA	721	G	C2'-O2'	5.21	1.48	1.41
1	AA	279	A	C6-N6	5.21	1.38	1.33
1	AA	473	U	C4'-C3'	-5.21	1.47	1.52
1	AA	726	C	C2'-C1'	-5.21	1.47	1.53
1	AA	1204	A	O3'-P	5.21	1.67	1.61
1	AA	1280	A	C4'-O4'	-5.21	1.38	1.45
1	AA	1294	G	C5-C4	-5.21	1.34	1.38
1	AA	1386	G	N9-C8	5.21	1.41	1.37
25	BA	59	A	C4'-C3'	-5.21	1.47	1.52
25	BA	119	A	N9-C8	-5.21	1.33	1.37
26	BB	38	A	O3'-P	5.21	1.67	1.61
26	BB	48	G	N1-C2	5.21	1.42	1.37
26	BB	204	A	C2'-C1'	-5.21	1.47	1.53
26	BB	270	A	C5-C4	5.21	1.42	1.38
26	BB	1017	G	C6-N1	-5.21	1.35	1.39
26	BB	1354	A	N9-C8	-5.21	1.33	1.37
26	BB	1381	G	C8-N7	-5.21	1.27	1.30
26	BB	1399	C	C4-C5	5.21	1.47	1.43
26	BB	1452	G	O3'-P	5.21	1.67	1.61
26	BB	1459	G	N1-C2	-5.21	1.33	1.37
26	BB	1517	G	O4'-C1'	5.21	1.48	1.41
26	BB	1529	G	N7-C5	-5.21	1.36	1.39
26	BB	1759	A	C5-C6	5.21	1.45	1.41
26	BB	1803	A	C3'-C2'	5.21	1.58	1.52
26	BB	2268	A	C6-N6	5.21	1.38	1.33
26	BB	2893	A	C2'-C1'	5.21	1.59	1.53
56	B5	28	ARG	CZ-NH1	5.21	1.39	1.33
2	AB	26	A	N9-C4	-5.21	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1655	A	C6-N1	5.21	1.39	1.35
26	BB	1910	G	C5-C4	-5.21	1.34	1.38
26	BB	2050	C	C4'-O4'	-5.21	1.38	1.45
26	BB	2658	C	P-O5'	5.21	1.65	1.59
26	BB	2718	G	C8-N7	-5.21	1.27	1.30
26	BB	2789	C	N3-C4	-5.21	1.30	1.33
1	AA	880	C	C4-C5	5.21	1.47	1.43
26	BB	981	A	N9-C4	-5.21	1.34	1.37
26	BB	1279	G	O3'-P	5.21	1.67	1.61
26	BB	1827	U	C5'-C4'	5.21	1.57	1.51
26	BB	2163	A	C4'-C3'	5.21	1.58	1.53
26	BB	2726	A	N1-C2	-5.21	1.29	1.34
26	BB	2885	G	C6-O6	5.21	1.28	1.24
1	AA	162	A	N7-C5	5.21	1.42	1.39
1	AA	234	C	C5'-C4'	5.21	1.57	1.51
1	AA	506	G	P-O5'	5.21	1.65	1.59
1	AA	1351	U	C1'-N1	5.21	1.56	1.48
4	AD	68	C	O4'-C1'	5.21	1.48	1.41
26	BB	434	U	O3'-P	5.21	1.67	1.61
26	BB	1475	G	P-O5'	5.21	1.65	1.59
26	BB	1733	G	N7-C5	-5.21	1.36	1.39
26	BB	1773	A	C8-N7	-5.21	1.27	1.31
26	BB	2083	G	C6-N1	5.21	1.43	1.39
26	BB	2193	G	O3'-P	5.21	1.67	1.61
26	BB	2459	A	C3'-C2'	5.21	1.58	1.52
1	AA	574	A	N7-C5	5.21	1.42	1.39
1	AA	1387	G	C5-C6	5.21	1.47	1.42
25	BA	60	C	C1'-N1	5.21	1.56	1.48
26	BB	639	U	C4'-C3'	-5.21	1.47	1.52
26	BB	912	C	N1-C6	-5.21	1.34	1.37
26	BB	2041	U	C2-N3	5.21	1.41	1.37
26	BB	2185	U	C3'-C2'	5.21	1.58	1.52
26	BB	2707	U	N1-C2	5.21	1.43	1.38
26	BB	2734	A	O5'-C5'	-5.21	1.34	1.42
1	AA	319	G	O4'-C1'	5.20	1.48	1.41
1	AA	352	C	C3'-O3'	-5.20	1.34	1.42
1	AA	416	G	C5-C4	-5.20	1.34	1.38
1	AA	1010	U	C4-O4	5.20	1.27	1.23
1	AA	1330	U	C2-N3	5.20	1.41	1.37
1	AA	1539	C	C2'-O2'	5.20	1.48	1.41
26	BB	633	A	C4'-O4'	-5.20	1.38	1.45
26	BB	693	A	O4'-C1'	5.20	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	980	A	O3'-P	-5.20	1.54	1.61
26	BB	1919	A	C2-N3	5.20	1.38	1.33
26	BB	2829	A	O3'-P	5.20	1.67	1.61
1	AA	447	G	C2-N3	5.20	1.36	1.32
26	BB	427	U	P-O5'	-5.20	1.54	1.59
26	BB	583	G	C5-C4	-5.20	1.34	1.38
26	BB	739	A	C2'-O2'	-5.20	1.34	1.41
26	BB	1026	G	C6-N1	5.20	1.43	1.39
26	BB	1534	U	C2'-O2'	5.20	1.48	1.41
26	BB	1976	U	C2-O2	5.20	1.27	1.22
1	AA	225	C	C4-N4	5.20	1.38	1.33
1	AA	745	G	N7-C5	-5.20	1.36	1.39
1	AA	823	C	C2'-C1'	-5.20	1.47	1.53
1	AA	1163	A	C6-N1	5.20	1.39	1.35
1	AA	1173	U	C5-C6	5.20	1.38	1.34
3	AC	29	G	C4'-O4'	-5.20	1.38	1.45
4	AD	43	G	C3'-C2'	5.20	1.58	1.52
26	BB	483	A	C5-C6	-5.20	1.36	1.41
26	BB	635	C	P-O5'	5.20	1.65	1.59
26	BB	748	G	C4'-O4'	-5.20	1.38	1.45
26	BB	1510	G	C8-N7	5.20	1.34	1.30
26	BB	1527	G	P-O5'	5.20	1.65	1.59
26	BB	1540	G	C4'-O4'	-5.20	1.38	1.45
26	BB	1690	A	O3'-P	5.20	1.67	1.61
26	BB	1814	G	C6-N1	5.20	1.43	1.39
26	BB	2089	C	C2-O2	-5.20	1.19	1.24
26	BB	2506	U	N3-C4	5.20	1.43	1.38
26	BB	2672	U	C2-N3	-5.20	1.34	1.37
26	BB	2849	U	O3'-P	5.20	1.67	1.61
1	AA	11	G	C2'-O2'	5.20	1.48	1.41
1	AA	1057	G	C4'-O4'	-5.20	1.38	1.45
1	AA	1332	A	C5-C4	-5.20	1.35	1.38
1	AA	1443	C	C2-N3	-5.20	1.31	1.35
26	BB	1253	A	C5-C6	5.20	1.45	1.41
26	BB	1313	U	N3-C4	5.20	1.43	1.38
26	BB	1322	A	C2'-O2'	5.20	1.48	1.41
26	BB	1533	C	N3-C4	5.20	1.37	1.33
26	BB	2142	A	N3-C4	5.20	1.38	1.34
26	BB	2644	G	C2'-O2'	5.20	1.48	1.41
26	BB	2722	G	C2'-C1'	5.20	1.59	1.53
1	AA	730	G	C6-N1	5.20	1.43	1.39
1	AA	822	U	C2-N3	5.20	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	600	G	N9-C4	-5.20	1.33	1.38
26	BB	982	C	C5-C6	5.20	1.38	1.34
26	BB	1177	G	C2'-O2'	-5.20	1.34	1.41
26	BB	1364	G	C4'-C3'	-5.20	1.47	1.52
26	BB	1554	U	P-O5'	5.20	1.65	1.59
26	BB	2289	G	N7-C5	-5.20	1.36	1.39
1	AA	160	A	C8-N7	-5.20	1.27	1.31
1	AA	160	A	N9-C4	5.20	1.41	1.37
1	AA	1281	C	C4-C5	-5.20	1.38	1.43
26	BB	141	G	C6-N1	5.20	1.43	1.39
26	BB	196	A	P-O5'	-5.20	1.54	1.59
26	BB	1375	U	N1-C2	-5.20	1.33	1.38
26	BB	1533	C	C3'-C2'	5.20	1.58	1.52
26	BB	1976	U	C5-C6	5.20	1.38	1.34
26	BB	2327	A	N3-C4	5.20	1.38	1.34
26	BB	2597	G	N9-C8	5.20	1.41	1.37
1	AA	799	G	C5-C6	5.19	1.47	1.42
1	AA	1091	U	C4-O4	-5.19	1.19	1.23
1	AA	1236	A	C6-N1	5.19	1.39	1.35
3	AC	18	A	O4'-C1'	5.19	1.48	1.41
26	BB	89	A	N3-C4	5.19	1.38	1.34
26	BB	656	G	O4'-C1'	5.19	1.48	1.41
26	BB	1313	U	O3'-P	-5.19	1.54	1.61
26	BB	1706	C	C3'-C2'	5.19	1.58	1.52
26	BB	1809	A	C4'-O4'	-5.19	1.38	1.45
26	BB	1912	A	N9-C8	-5.19	1.33	1.37
1	AA	65	A	N1-C2	-5.19	1.29	1.34
1	AA	552	U	C4-O4	-5.19	1.19	1.23
1	AA	1148	U	P-O5'	5.19	1.65	1.59
1	AA	1152	A	N7-C5	5.19	1.42	1.39
1	AA	1259	C	C4'-C3'	-5.19	1.47	1.52
2	AB	59	G	C6-N1	-5.19	1.35	1.39
26	BB	148	U	O3'-P	5.19	1.67	1.61
26	BB	181	A	C2'-C1'	-5.19	1.47	1.53
26	BB	590	A	N9-C8	-5.19	1.33	1.37
26	BB	614	A	N7-C5	-5.19	1.36	1.39
26	BB	1211	C	C2'-C1'	5.19	1.59	1.53
26	BB	1218	G	O3'-P	5.19	1.67	1.61
26	BB	1290	C	P-O5'	5.19	1.65	1.59
26	BB	1429	G	C5-C4	-5.19	1.34	1.38
26	BB	1473	G	N1-C2	5.19	1.42	1.37
26	BB	1633	G	N3-C4	5.19	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2531	A	N7-C5	-5.19	1.36	1.39
1	AA	144	G	N7-C5	-5.19	1.36	1.39
1	AA	163	C	C4-C5	5.19	1.47	1.43
1	AA	382	A	C2-N3	-5.19	1.28	1.33
1	AA	951	G	C6-N1	5.19	1.43	1.39
1	AA	1018	G	N9-C8	5.19	1.41	1.37
1	AA	1099	G	C8-N7	5.19	1.34	1.30
5	AE	77	GLU	CD-OE1	5.19	1.31	1.25
26	BB	210	C	C5'-C4'	5.19	1.57	1.51
26	BB	764	A	P-O5'	-5.19	1.54	1.59
26	BB	845	A	C6-N6	5.19	1.38	1.33
26	BB	860	U	N1-C2	5.19	1.43	1.38
26	BB	1102	C	C2-N3	5.19	1.40	1.35
26	BB	1768	C	C5-C6	5.19	1.38	1.34
26	BB	1845	G	O3'-P	5.19	1.67	1.61
26	BB	2020	A	C2-N3	5.19	1.38	1.33
26	BB	2366	A	C2-N3	5.19	1.38	1.33
26	BB	2444	G	C8-N7	-5.19	1.27	1.30
26	BB	303	G	C5-C4	-5.19	1.34	1.38
26	BB	1244	A	O3'-P	5.19	1.67	1.61
26	BB	1653	G	C3'-C2'	5.19	1.58	1.52
26	BB	2135	A	C6-N6	5.19	1.38	1.33
1	AA	122	G	N9-C4	5.19	1.42	1.38
26	BB	260	G	C5'-C4'	5.19	1.57	1.51
26	BB	495	G	N3-C4	5.19	1.39	1.35
26	BB	787	C	N3-C4	-5.19	1.30	1.33
26	BB	1141	U	C2-O2	-5.19	1.17	1.22
26	BB	1739	A	N9-C4	5.19	1.41	1.37
26	BB	1787	A	C5'-C4'	5.19	1.57	1.51
26	BB	1788	C	N1-C2	5.19	1.45	1.40
26	BB	1872	A	N9-C4	-5.19	1.34	1.37
26	BB	1963	U	C3'-C2'	5.19	1.58	1.52
26	BB	2576	G	O3'-P	-5.19	1.54	1.61
26	BB	2586	U	C4'-O4'	-5.19	1.38	1.45
26	BB	2587	A	C4'-O4'	-5.19	1.38	1.45
1	AA	182	A	C5-C6	5.19	1.45	1.41
1	AA	328	C	C4-C5	5.19	1.47	1.43
1	AA	882	C	C4-C5	5.19	1.47	1.43
4	AD	9	G	N9-C8	-5.19	1.34	1.37
26	BB	18	U	C2'-O2'	5.19	1.48	1.41
26	BB	241	A	N3-C4	5.19	1.38	1.34
26	BB	520	G	N3-C4	5.19	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1774	C	C4'-C3'	5.19	1.58	1.53
26	BB	2542	A	O3'-P	-5.19	1.54	1.61
1	AA	1178	G	P-O5'	5.18	1.65	1.59
1	AA	1251	A	C2-N3	-5.18	1.28	1.33
25	BA	70	C	C2-N3	5.18	1.39	1.35
25	BA	89	U	C5-C6	5.18	1.38	1.34
26	BB	45	G	N9-C4	5.18	1.42	1.38
26	BB	763	G	C2'-C1'	5.18	1.59	1.53
26	BB	1761	C	C4-C5	5.18	1.47	1.43
26	BB	2067	G	N9-C8	5.18	1.41	1.37
26	BB	2373	G	N9-C8	5.18	1.41	1.37
26	BB	2648	G	N7-C5	5.18	1.42	1.39
1	AA	196	A	C2-N3	5.18	1.38	1.33
1	AA	339	C	O4'-C1'	5.18	1.48	1.41
26	BB	169	G	C2'-C1'	5.18	1.59	1.53
26	BB	913	U	C2'-C1'	-5.18	1.47	1.53
26	BB	1434	A	C3'-C2'	5.18	1.58	1.52
26	BB	1634	A	C6-N1	5.18	1.39	1.35
26	BB	2021	C	N1-C6	5.18	1.40	1.37
26	BB	2199	A	C2-N3	5.18	1.38	1.33
26	BB	2622	U	C5'-C4'	5.18	1.57	1.51
1	AA	77	A	C6-N1	5.18	1.39	1.35
26	BB	925	A	C6-N6	-5.18	1.29	1.33
26	BB	1663	G	C5'-C4'	5.18	1.57	1.51
1	AA	1313	U	C5'-C4'	5.18	1.57	1.51
2	AB	29	G	C5-C6	-5.18	1.37	1.42
25	BA	40	U	C3'-C2'	5.18	1.58	1.52
25	BA	112	G	N9-C4	-5.18	1.33	1.38
26	BB	20	C	C5'-C4'	5.18	1.57	1.51
26	BB	388	G	O3'-P	5.18	1.67	1.61
26	BB	568	U	C4-O4	-5.18	1.19	1.23
26	BB	1409	U	C4-C5	5.18	1.48	1.43
26	BB	2426	A	N1-C2	5.18	1.39	1.34
26	BB	2733	A	O3'-P	5.18	1.67	1.61
1	AA	10	A	O3'-P	-5.18	1.54	1.61
1	AA	1257	A	C4'-C3'	-5.18	1.47	1.52
26	BB	480	A	C2-N3	5.18	1.38	1.33
26	BB	1148	U	O3'-P	5.18	1.67	1.61
26	BB	1177	G	N9-C8	-5.18	1.34	1.37
26	BB	1476	U	C5'-C4'	5.18	1.57	1.51
26	BB	2035	G	C8-N7	5.18	1.34	1.30
26	BB	2402	U	O3'-P	5.18	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2845	U	N1-C2	5.18	1.43	1.38
1	AA	264	C	C4'-O4'	-5.18	1.38	1.45
1	AA	349	A	O3'-P	5.18	1.67	1.61
1	AA	744	C	C4'-O4'	-5.18	1.38	1.45
1	AA	1107	C	C3'-C2'	5.18	1.58	1.52
1	AA	1221	G	C4'-C3'	-5.18	1.47	1.52
25	BA	11	C	C1'-N1	5.18	1.56	1.48
25	BA	20	G	C2'-C1'	-5.18	1.47	1.53
26	BB	469	G	O3'-P	5.18	1.67	1.61
26	BB	1521	G	N7-C5	-5.18	1.36	1.39
26	BB	1696	G	N3-C4	5.18	1.39	1.35
26	BB	1987	A	C5-C6	5.18	1.45	1.41
26	BB	2408	U	C4'-O4'	-5.18	1.38	1.45
1	AA	133	U	O3'-P	5.17	1.67	1.61
1	AA	660	C	C5'-C4'	5.17	1.57	1.51
1	AA	868	C	C1'-N1	5.17	1.56	1.48
1	AA	888	G	C2-N3	5.17	1.36	1.32
1	AA	1253	G	C6-O6	-5.17	1.19	1.24
1	AA	1493	A	P-O5'	5.17	1.65	1.59
10	AJ	1	PRO	N-CD	5.17	1.55	1.47
26	BB	477	A	C4'-O4'	-5.17	1.38	1.45
26	BB	1867	G	C3'-C2'	5.17	1.58	1.52
26	BB	1992	G	C2'-O2'	-5.17	1.34	1.41
26	BB	2089	C	N3-C4	5.17	1.37	1.33
26	BB	2126	A	N9-C4	5.17	1.41	1.37
26	BB	415	A	C5-C4	-5.17	1.35	1.38
26	BB	457	A	C2-N3	-5.17	1.28	1.33
26	BB	506	G	N7-C5	5.17	1.42	1.39
26	BB	1803	A	C3'-O3'	-5.17	1.34	1.42
26	BB	2032	G	C6-N1	5.17	1.43	1.39
26	BB	2116	G	C5'-C4'	5.17	1.57	1.51
26	BB	2850	A	N3-C4	-5.17	1.31	1.34
1	AA	423	G	C5'-C4'	5.17	1.57	1.51
1	AA	498	A	C2'-O2'	-5.17	1.34	1.41
1	AA	629	A	C4'-C3'	-5.17	1.47	1.52
25	BA	74	U	C4-C5	5.17	1.48	1.43
26	BB	332	A	N7-C5	-5.17	1.36	1.39
26	BB	427	U	C4-O4	5.17	1.27	1.23
26	BB	1022	G	C4'-O4'	-5.17	1.38	1.45
26	BB	1454	C	C5-C6	5.17	1.38	1.34
26	BB	2524	G	C8-N7	5.17	1.34	1.30
26	BB	2615	U	N1-C2	5.17	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	BS	78	PHE	CE2-CZ	5.17	1.47	1.37
1	AA	753	A	C4'-O4'	-5.17	1.38	1.45
1	AA	1084	G	C5-C4	-5.17	1.34	1.38
1	AA	1156	G	C5-C4	5.17	1.42	1.38
26	BB	84	A	N3-C4	5.17	1.38	1.34
26	BB	456	C	C2-N3	5.17	1.39	1.35
26	BB	800	A	O4'-C1'	5.17	1.48	1.41
26	BB	942	G	C4'-O4'	-5.17	1.38	1.45
26	BB	1091	G	C4'-O4'	-5.17	1.38	1.45
26	BB	2799	A	O3'-P	-5.17	1.54	1.61
1	AA	880	C	O3'-P	5.17	1.67	1.61
3	AC	57	C	N3-C4	5.17	1.37	1.33
25	BA	44	G	C5-C4	5.17	1.42	1.38
25	BA	106	G	C5'-C4'	5.17	1.57	1.51
26	BB	772	C	C3'-C2'	5.17	1.58	1.52
26	BB	858	G	C5-C4	-5.17	1.34	1.38
26	BB	1134	A	C4'-O4'	-5.17	1.38	1.45
26	BB	1871	A	N3-C4	5.17	1.38	1.34
28	BD	68	ARG	NE-CZ	5.17	1.39	1.33
1	AA	831	A	C8-N7	-5.17	1.27	1.31
1	AA	1506	U	C5-C6	5.17	1.38	1.34
25	BA	29	A	C8-N7	5.17	1.35	1.31
26	BB	490	C	C4'-O4'	-5.17	1.38	1.45
26	BB	501	A	C2-N3	5.17	1.38	1.33
26	BB	910	A	C8-N7	-5.17	1.27	1.31
26	BB	1270	C	C4'-C3'	5.17	1.58	1.53
26	BB	1274	A	C5'-C4'	5.17	1.57	1.51
26	BB	1757	A	C3'-C2'	5.17	1.58	1.52
26	BB	1926	U	C5-C6	5.17	1.38	1.34
26	BB	1960	A	C5-C6	5.17	1.45	1.41
26	BB	2004	G	C8-N7	-5.17	1.27	1.30
26	BB	2167	U	C4-C5	5.17	1.48	1.43
26	BB	2255	G	C4'-O4'	-5.17	1.38	1.45
26	BB	2307	G	C6-N1	5.17	1.43	1.39
26	BB	2555	U	C2-N3	5.17	1.41	1.37
28	BD	81	GLU	CD-OE2	5.17	1.31	1.25
1	AA	1306	A	P-O5'	5.17	1.65	1.59
1	AA	1343	G	C5'-C4'	5.17	1.57	1.51
4	AD	19	G	C2-N3	5.17	1.36	1.32
26	BB	721	A	C4'-O4'	-5.17	1.38	1.45
26	BB	762	U	C2-O2	5.17	1.26	1.22
26	BB	795	C	O4'-C1'	5.17	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1141	U	O3'-P	-5.17	1.54	1.61
26	BB	1198	U	C1'-N1	5.17	1.56	1.48
26	BB	1811	G	N1-C2	5.17	1.41	1.37
1	AA	121	U	P-O5'	5.16	1.65	1.59
1	AA	704	A	C2'-C1'	5.16	1.59	1.53
1	AA	987	G	P-O5'	5.16	1.65	1.59
1	AA	1087	G	O4'-C1'	5.16	1.48	1.41
1	AA	1110	A	P-O5'	5.16	1.65	1.59
1	AA	1410	A	N7-C5	5.16	1.42	1.39
1	AA	1515	G	C5-C4	5.16	1.42	1.38
26	BB	142	A	O3'-P	-5.16	1.54	1.61
26	BB	396	G	C4'-O4'	-5.16	1.38	1.45
26	BB	502	A	C5-C6	5.16	1.45	1.41
26	BB	593	U	O3'-P	-5.16	1.54	1.61
26	BB	679	C	C2-N3	-5.16	1.31	1.35
26	BB	712	G	C5-C6	5.16	1.47	1.42
26	BB	1237	A	C6-N6	5.16	1.38	1.33
26	BB	1323	C	C5'-C4'	-5.16	1.45	1.51
26	BB	1427	A	C4'-C3'	5.16	1.58	1.53
26	BB	1996	C	C4-C5	5.16	1.47	1.43
26	BB	2438	U	N1-C2	5.16	1.43	1.38
26	BB	2596	U	C5-C6	5.16	1.38	1.34
1	AA	434	U	O4'-C1'	5.16	1.48	1.41
16	AP	85	TYR	CE1-CZ	5.16	1.45	1.38
26	BB	2205	A	C5-C4	-5.16	1.35	1.38
26	BB	2577	A	N1-C2	-5.16	1.29	1.34
26	BB	2639	A	C4'-O4'	-5.16	1.38	1.45
1	AA	640	A	O4'-C1'	5.16	1.48	1.41
1	AA	937	A	C6-N6	5.16	1.38	1.33
1	AA	962	C	C4'-O4'	-5.16	1.38	1.45
26	BB	324	A	C4'-O4'	-5.16	1.38	1.45
26	BB	421	C	C2-O2	-5.16	1.19	1.24
26	BB	1037	G	C6-N1	5.16	1.43	1.39
26	BB	1275	A	C5-C6	5.16	1.45	1.41
26	BB	1361	G	N1-C2	5.16	1.41	1.37
26	BB	1632	A	C2'-O2'	-5.16	1.34	1.41
26	BB	1793	C	P-O5'	5.16	1.65	1.59
26	BB	1883	U	O3'-P	5.16	1.67	1.61
26	BB	2272	U	O3'-P	-5.16	1.54	1.61
26	BB	2565	A	N9-C4	5.16	1.41	1.37
26	BB	2770	G	C6-O6	5.16	1.28	1.24
1	AA	139	A	C5-C6	5.16	1.45	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	257	G	O3'-P	-5.16	1.54	1.61
1	AA	273	U	C4-O4	-5.16	1.19	1.23
1	AA	485	U	C4'-C3'	5.16	1.58	1.53
1	AA	576	C	C5-C6	5.16	1.38	1.34
1	AA	622	A	N7-C5	5.16	1.42	1.39
1	AA	819	A	C6-N6	-5.16	1.29	1.33
1	AA	833	G	C2-N3	5.16	1.36	1.32
1	AA	1109	C	C4-N4	5.16	1.38	1.33
24	AX	61	ARG	CZ-NH2	5.16	1.39	1.33
26	BB	606	U	O4'-C1'	5.16	1.48	1.41
26	BB	940	G	N7-C5	5.16	1.42	1.39
26	BB	1263	U	C5-C6	5.16	1.38	1.34
26	BB	1592	C	O4'-C1'	5.16	1.48	1.41
1	AA	1032	G	C5-C6	-5.16	1.37	1.42
26	BB	471	A	C6-N6	-5.16	1.29	1.33
26	BB	561	G	N3-C4	5.16	1.39	1.35
26	BB	706	A	C5-C4	-5.16	1.35	1.38
26	BB	1005	C	P-O5'	5.16	1.65	1.59
26	BB	2573	C	C5-C6	5.16	1.38	1.34
26	BB	2610	C	C2'-C1'	-5.16	1.47	1.53
1	AA	806	C	C2-N3	-5.16	1.31	1.35
1	AA	1343	G	C8-N7	-5.16	1.27	1.30
4	AD	27	G	C6-N1	5.16	1.43	1.39
7	AG	62	ARG	NE-CZ	5.16	1.39	1.33
9	AI	75	GLU	CG-CD	5.16	1.59	1.51
25	BA	100	G	C2-N3	5.16	1.36	1.32
26	BB	19	A	C6-N1	-5.16	1.31	1.35
26	BB	434	U	N1-C2	5.16	1.43	1.38
26	BB	1012	U	C2'-C1'	-5.16	1.47	1.53
26	BB	1203	U	N3-C4	5.16	1.43	1.38
26	BB	1538	G	N9-C8	5.16	1.41	1.37
26	BB	1640	A	C5-C6	5.16	1.45	1.41
26	BB	2000	C	P-O5'	-5.16	1.54	1.59
26	BB	2143	C	C4'-O4'	-5.16	1.38	1.45
26	BB	2411	A	C6-N1	5.16	1.39	1.35
26	BB	2437	G	N9-C4	5.16	1.42	1.38
26	BB	2583	G	C5'-C4'	5.16	1.57	1.51
26	BB	2678	C	C4-N4	5.16	1.38	1.33
26	BB	2872	A	C6-N1	-5.16	1.31	1.35
1	AA	347	G	N7-C5	-5.15	1.36	1.39
1	AA	367	U	C4'-O4'	-5.15	1.38	1.45
1	AA	660	C	O4'-C1'	5.15	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	850	U	N3-C4	5.15	1.43	1.38
1	AA	1271	A	C2'-C1'	5.15	1.59	1.53
26	BB	43	G	O4'-C1'	5.15	1.48	1.41
26	BB	512	G	O3'-P	5.15	1.67	1.61
26	BB	597	G	N9-C8	-5.15	1.34	1.37
26	BB	615	U	N1-C6	5.15	1.42	1.38
26	BB	932	U	N1-C2	5.15	1.43	1.38
26	BB	1127	A	N9-C4	5.15	1.41	1.37
26	BB	1840	G	C3'-O3'	5.15	1.49	1.42
26	BB	2165	C	N3-C4	5.15	1.37	1.33
26	BB	2446	G	C5-C4	-5.15	1.34	1.38
26	BB	2528	U	C2'-O2'	5.15	1.48	1.41
1	AA	181	A	N7-C5	5.15	1.42	1.39
1	AA	1297	G	C5-C4	5.15	1.42	1.38
2	AB	49	G	N9-C4	5.15	1.42	1.38
25	BA	23	G	C2'-C1'	-5.15	1.47	1.53
26	BB	231	A	N7-C5	5.15	1.42	1.39
26	BB	768	G	N1-C2	5.15	1.41	1.37
26	BB	979	A	N9-C8	-5.15	1.33	1.37
26	BB	1017	G	C2-N3	5.15	1.36	1.32
26	BB	1357	C	C4'-O4'	-5.15	1.38	1.45
26	BB	1487	U	C4'-O4'	-5.15	1.38	1.45
26	BB	2346	A	P-O5'	5.15	1.65	1.59
26	BB	2431	U	O5'-C5'	-5.15	1.34	1.42
26	BB	2520	C	C5-C6	5.15	1.38	1.34
26	BB	2571	U	N1-C2	5.15	1.43	1.38
26	BB	2688	G	C4'-O4'	-5.15	1.38	1.45
44	BT	90	ARG	CZ-NH1	5.15	1.39	1.33
1	AA	37	U	C4'-O4'	-5.15	1.38	1.45
1	AA	140	U	C5'-C4'	5.15	1.57	1.51
1	AA	481	G	C6-O6	-5.15	1.19	1.24
1	AA	1039	G	C8-N7	-5.15	1.27	1.30
1	AA	1058	G	C6-N1	-5.15	1.35	1.39
1	AA	1294	G	C6-N1	-5.15	1.35	1.39
2	AB	2	G	C5-C4	5.15	1.42	1.38
3	AC	37	G	C4'-C3'	5.15	1.58	1.53
26	BB	331	C	C4-C5	5.15	1.47	1.43
26	BB	1899	A	N3-C4	5.15	1.38	1.34
26	BB	2751	G	C5'-C4'	5.15	1.57	1.51
1	AA	45	G	N9-C8	5.15	1.41	1.37
3	AC	43	U	N1-C2	5.15	1.43	1.38
26	BB	863	A	N1-C2	5.15	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1312	U	O3'-P	5.15	1.67	1.61
26	BB	1458	U	C2'-C1'	5.15	1.59	1.53
26	BB	1968	G	O3'-P	5.15	1.67	1.61
26	BB	2492	U	C2'-C1'	-5.15	1.47	1.53
26	BB	2696	U	O4'-C1'	5.15	1.48	1.41
1	AA	359	G	C5-C4	5.15	1.42	1.38
1	AA	537	G	P-O5'	5.15	1.64	1.59
1	AA	595	A	P-O5'	5.15	1.64	1.59
1	AA	616	G	C4'-O4'	-5.15	1.38	1.45
1	AA	1049	U	N1-C2	5.15	1.43	1.38
1	AA	1067	A	C1'-N9	5.15	1.56	1.48
4	AD	73	A	C5-C4	5.15	1.42	1.38
26	BB	233	A	C5-C4	-5.15	1.35	1.38
26	BB	430	A	N3-C4	5.15	1.38	1.34
26	BB	580	U	C3'-C2'	5.15	1.58	1.52
26	BB	2384	U	C3'-O3'	5.15	1.49	1.42
27	BC	108	GLU	CG-CD	5.15	1.59	1.51
1	AA	79	G	C2'-C1'	-5.15	1.47	1.53
1	AA	752	G	O3'-P	5.15	1.67	1.61
1	AA	932	C	O3'-P	5.15	1.67	1.61
25	BA	48	U	C2'-C1'	5.15	1.59	1.53
26	BB	392	U	N1-C6	5.15	1.42	1.38
26	BB	964	C	C2'-C1'	5.15	1.59	1.53
26	BB	1449	G	P-O5'	5.15	1.64	1.59
26	BB	1953	A	C8-N7	5.15	1.35	1.31
1	AA	323	U	C3'-C2'	5.14	1.58	1.52
1	AA	694	A	C3'-C2'	5.14	1.58	1.52
1	AA	1211	U	C1'-N1	5.14	1.56	1.48
1	AA	1497	G	P-O5'	5.14	1.64	1.59
26	BB	201	C	C4-N4	5.14	1.38	1.33
26	BB	578	G	O4'-C1'	5.14	1.48	1.41
26	BB	1252	G	P-O5'	-5.14	1.54	1.59
26	BB	1586	A	P-O5'	5.14	1.64	1.59
26	BB	1684	G	P-O5'	5.14	1.64	1.59
26	BB	1886	U	C5'-C4'	5.14	1.57	1.51
26	BB	2156	G	C4'-O4'	-5.14	1.38	1.45
26	BB	2390	U	C3'-C2'	5.14	1.58	1.52
26	BB	2571	U	P-O5'	5.14	1.64	1.59
1	AA	607	A	N3-C4	5.14	1.38	1.34
1	AA	1050	G	C5-C4	5.14	1.42	1.38
2	AB	48	U	C2-N3	5.14	1.41	1.37
25	BA	6	G	C4'-O4'	-5.14	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	240	C	C2-O2	-5.14	1.19	1.24
26	BB	456	C	O3'-P	5.14	1.67	1.61
26	BB	583	G	C5'-C4'	5.14	1.57	1.51
26	BB	783	A	O3'-P	5.14	1.67	1.61
26	BB	911	A	C5-C6	5.14	1.45	1.41
26	BB	1520	U	C5-C6	-5.14	1.29	1.34
26	BB	2169	A	N1-C2	-5.14	1.29	1.34
26	BB	2514	U	C4-O4	5.14	1.27	1.23
1	AA	1254	A	C2'-O2'	-5.14	1.34	1.41
1	AA	1434	A	C5'-C4'	5.14	1.57	1.51
26	BB	1133	A	N9-C4	-5.14	1.34	1.37
26	BB	1358	G	C4'-C3'	5.14	1.58	1.53
26	BB	1487	U	C1'-N1	5.14	1.56	1.48
1	AA	67	C	C5-C6	5.14	1.38	1.34
1	AA	772	U	C5'-C4'	5.14	1.57	1.51
1	AA	789	U	N1-C2	5.14	1.43	1.38
2	AB	67	G	C4'-C3'	5.14	1.58	1.53
26	BB	1228	G	P-OP2	-5.14	1.40	1.49
26	BB	1669	A	C4'-C3'	5.14	1.58	1.53
26	BB	1844	C	O4'-C1'	5.14	1.48	1.41
26	BB	1857	G	C2-N3	5.14	1.36	1.32
26	BB	2639	A	C6-N1	-5.14	1.31	1.35
1	AA	506	G	C4'-O4'	-5.14	1.38	1.45
1	AA	663	A	O3'-P	5.14	1.67	1.61
26	BB	96	C	N1-C6	-5.14	1.34	1.37
26	BB	2423	U	O3'-P	5.14	1.67	1.61
26	BB	2824	C	N3-C4	-5.14	1.30	1.33
1	AA	53	A	N3-C4	5.14	1.38	1.34
1	AA	108	G	C8-N7	-5.14	1.27	1.30
1	AA	225	C	N1-C6	5.14	1.40	1.37
1	AA	608	A	N9-C4	5.14	1.41	1.37
1	AA	1315	U	P-O5'	5.14	1.64	1.59
2	AB	42	G	O3'-P	5.14	1.67	1.61
14	AN	46	ALA	C-N	5.14	1.42	1.33
26	BB	847	U	C4-C5	5.14	1.48	1.43
26	BB	943	A	C6-N1	-5.14	1.31	1.35
26	BB	1182	G	C1'-N9	5.14	1.56	1.48
26	BB	1225	G	P-O5'	-5.14	1.54	1.59
26	BB	1651	G	C4'-O4'	-5.14	1.38	1.45
26	BB	1690	A	N3-C4	5.14	1.38	1.34
26	BB	1919	A	C5-C4	5.14	1.42	1.38
26	BB	2055	C	C4'-C3'	-5.14	1.47	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2166	U	C2'-O2'	5.14	1.48	1.41
46	BV	42	GLU	CD-OE1	5.14	1.31	1.25
1	AA	288	A	N3-C4	5.13	1.38	1.34
1	AA	476	U	C2'-O2'	5.13	1.48	1.41
1	AA	754	C	N1-C6	5.13	1.40	1.37
1	AA	1344	C	O4'-C1'	-5.13	1.34	1.41
1	AA	1423	G	N1-C2	5.13	1.41	1.37
1	AA	1424	U	N3-C4	5.13	1.43	1.38
3	AC	19	A	N3-C4	5.13	1.38	1.34
26	BB	922	C	C2-N3	5.13	1.39	1.35
26	BB	1381	G	C3'-C2'	5.13	1.58	1.52
26	BB	1501	G	C5-C4	-5.13	1.34	1.38
26	BB	1543	G	C5-C6	5.13	1.47	1.42
26	BB	1570	A	N1-C2	-5.13	1.29	1.34
26	BB	1728	C	C4-C5	5.13	1.47	1.43
26	BB	1924	C	C4-N4	-5.13	1.29	1.33
26	BB	2447	G	C3'-C2'	5.13	1.58	1.52
26	BB	2788	C	P-O5'	5.13	1.64	1.59
39	BO	9	PHE	CG-CD1	5.13	1.46	1.38
2	AB	15	A	C2'-O2'	5.13	1.48	1.41
26	BB	691	C	C1'-N1	5.13	1.56	1.48
26	BB	842	U	C2-N3	5.13	1.41	1.37
26	BB	1239	G	C3'-C2'	5.13	1.58	1.52
26	BB	1301	A	N7-C5	-5.13	1.36	1.39
26	BB	2095	A	C8-N7	5.13	1.35	1.31
1	AA	87	C	C4-C5	5.13	1.47	1.43
1	AA	740	U	C4'-C3'	5.13	1.58	1.53
4	AD	29	C	C2-N3	5.13	1.39	1.35
25	BA	94	A	C6-N1	-5.13	1.31	1.35
26	BB	398	C	C5'-C4'	5.13	1.57	1.51
26	BB	565	C	C4'-O4'	-5.13	1.38	1.45
26	BB	647	G	C2'-C1'	5.13	1.58	1.53
26	BB	1607	C	O4'-C1'	-5.13	1.34	1.41
26	BB	1929	G	C5'-C4'	5.13	1.57	1.51
26	BB	2035	G	C2-N2	-5.13	1.29	1.34
26	BB	2145	C	O3'-P	-5.13	1.54	1.61
26	BB	2572	A	C5'-C4'	5.13	1.57	1.51
26	BB	2675	A	C6-N6	-5.13	1.29	1.33
1	AA	145	G	N7-C5	5.13	1.42	1.39
1	AA	1056	U	N1-C2	5.13	1.43	1.38
1	AA	1329	A	C3'-C2'	5.13	1.58	1.52
26	BB	480	A	C2'-C1'	-5.13	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	670	A	P-O5'	5.13	1.64	1.59
26	BB	947	A	C2'-C1'	5.13	1.58	1.53
26	BB	952	G	N7-C5	-5.13	1.36	1.39
26	BB	1091	G	O5'-C5'	-5.13	1.34	1.42
26	BB	1318	U	P-O5'	5.13	1.64	1.59
26	BB	2613	U	C4'-O4'	-5.13	1.38	1.45
1	AA	25	C	C2'-C1'	5.13	1.58	1.53
1	AA	723	U	C1'-N1	5.13	1.56	1.48
1	AA	760	G	O3'-P	5.13	1.67	1.61
1	AA	837	U	N1-C6	5.13	1.42	1.38
1	AA	1009	U	C2-N3	5.13	1.41	1.37
26	BB	409	G	O3'-P	-5.13	1.54	1.61
26	BB	1672	A	C6-N6	-5.13	1.29	1.33
26	BB	1896	G	C2-N3	5.13	1.36	1.32
26	BB	1991	U	C3'-C2'	5.13	1.58	1.52
26	BB	2465	C	C5'-C4'	5.13	1.57	1.51
26	BB	2548	U	C3'-C2'	5.13	1.58	1.52
26	BB	2671	G	C5'-C4'	5.13	1.57	1.51
26	BB	2856	A	C3'-O3'	5.13	1.49	1.42
28	BD	99	GLU	CG-CD	5.13	1.59	1.51
39	BO	38	ARG	NE-CZ	5.13	1.39	1.33
1	AA	48	C	P-O5'	5.13	1.64	1.59
1	AA	874	G	O5'-C5'	-5.13	1.34	1.42
1	AA	1542	A	C4'-O4'	-5.13	1.38	1.45
4	AD	4	G	N1-C2	5.13	1.41	1.37
26	BB	18	U	C4'-O4'	-5.13	1.38	1.45
26	BB	383	C	N1-C2	-5.13	1.35	1.40
26	BB	613	A	C5-C6	5.13	1.45	1.41
26	BB	636	G	C3'-C2'	-5.13	1.47	1.52
26	BB	2088	A	P-O5'	5.13	1.64	1.59
26	BB	2701	U	C4'-O4'	-5.13	1.38	1.45
26	BB	2889	C	P-O5'	5.13	1.64	1.59
26	BB	2899	A	N3-C4	5.13	1.38	1.34
7	AG	127	ARG	CZ-NH2	5.12	1.39	1.33
25	BA	30	C	N1-C6	5.12	1.40	1.37
26	BB	893	C	P-O5'	5.12	1.64	1.59
26	BB	1214	A	C5-C4	5.12	1.42	1.38
26	BB	1477	A	N7-C5	5.12	1.42	1.39
26	BB	1633	G	C6-N1	-5.12	1.35	1.39
26	BB	2588	G	N9-C4	-5.12	1.33	1.38
26	BB	2795	C	P-O5'	5.12	1.64	1.59
1	AA	545	C	P-O5'	5.12	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	725	G	N3-C4	5.12	1.39	1.35
1	AA	1463	U	C2-O2	5.12	1.26	1.22
2	AB	36	A	C6-N6	-5.12	1.29	1.33
25	BA	91	C	C4'-O4'	-5.12	1.38	1.45
26	BB	43	G	C5-C4	-5.12	1.34	1.38
26	BB	467	G	C2-N3	5.12	1.36	1.32
26	BB	469	G	C6-O6	-5.12	1.19	1.24
26	BB	701	G	C4'-O4'	-5.12	1.38	1.45
26	BB	1071	G	N7-C5	-5.12	1.36	1.39
26	BB	1085	A	P-O5'	5.12	1.64	1.59
26	BB	1123	C	C4'-O4'	-5.12	1.38	1.45
26	BB	1288	G	C4'-C3'	5.12	1.58	1.53
26	BB	1410	G	C2'-C1'	5.12	1.58	1.53
26	BB	1852	U	C2-O2	5.12	1.26	1.22
26	BB	2063	C	C4-C5	5.12	1.47	1.43
26	BB	2430	A	C6-N1	5.12	1.39	1.35
26	BB	2577	A	C2-N3	5.12	1.38	1.33
26	BB	2740	A	C5-C6	5.12	1.45	1.41
1	AA	692	U	C4-O4	-5.12	1.19	1.23
1	AA	821	G	C6-O6	-5.12	1.19	1.24
1	AA	1437	A	C4'-O4'	-5.12	1.38	1.45
26	BB	134	G	N7-C5	5.12	1.42	1.39
26	BB	299	A	C5-C6	5.12	1.45	1.41
26	BB	548	G	O4'-C1'	5.12	1.48	1.41
26	BB	1047	G	O3'-P	5.12	1.67	1.61
26	BB	1221	C	C5'-C4'	5.12	1.57	1.51
26	BB	1400	U	C4-O4	-5.12	1.19	1.23
26	BB	1765	U	N1-C2	-5.12	1.33	1.38
26	BB	1870	C	N1-C6	5.12	1.40	1.37
26	BB	2025	C	P-O5'	5.12	1.64	1.59
26	BB	2541	A	N3-C4	5.12	1.38	1.34
26	BB	2900	A	C3'-C2'	5.12	1.58	1.52
41	BQ	36	TYR	CE1-CZ	5.12	1.45	1.38
1	AA	81	A	C4'-C3'	-5.12	1.47	1.52
1	AA	980	C	C2-N3	-5.12	1.31	1.35
26	BB	1928	A	N7-C5	-5.12	1.36	1.39
26	BB	1988	G	C5-C4	5.12	1.42	1.38
26	BB	2060	A	C3'-C2'	5.12	1.58	1.52
1	AA	146	G	C8-N7	-5.12	1.27	1.30
1	AA	804	U	P-O5'	-5.12	1.54	1.59
1	AA	1383	C	O3'-P	-5.12	1.55	1.61
1	AA	1472	U	C2-O2	5.12	1.26	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	287	G	N1-C2	5.12	1.41	1.37
26	BB	701	G	N3-C4	5.12	1.39	1.35
26	BB	780	G	C5'-C4'	-5.12	1.45	1.51
26	BB	1521	G	P-O5'	-5.12	1.54	1.59
26	BB	1767	G	O4'-C1'	5.12	1.48	1.41
26	BB	1964	G	C5-C6	5.12	1.47	1.42
26	BB	2073	C	N1-C6	5.12	1.40	1.37
26	BB	2526	G	N7-C5	5.12	1.42	1.39
26	BB	2583	G	N7-C5	5.12	1.42	1.39
26	BB	2789	C	C3'-C2'	5.12	1.58	1.52
1	AA	1343	G	N9-C8	5.12	1.41	1.37
26	BB	41	C	N1-C2	5.12	1.45	1.40
26	BB	247	G	C2-N3	5.12	1.36	1.32
26	BB	673	C	C4-C5	5.12	1.47	1.43
26	BB	899	A	C8-N7	5.12	1.35	1.31
26	BB	1007	C	O4'-C1'	5.12	1.48	1.41
26	BB	1673	G	C5'-C4'	5.12	1.57	1.51
26	BB	2232	C	C5'-C4'	5.12	1.57	1.51
26	BB	2354	C	C1'-N1	5.12	1.56	1.48
4	AD	65	G	N7-C5	5.12	1.42	1.39
8	AH	7	ALA	C-N	5.12	1.42	1.33
26	BB	327	G	C3'-C2'	-5.12	1.47	1.52
26	BB	1094	U	C4-C5	5.12	1.48	1.43
26	BB	1477	A	C3'-C2'	5.12	1.58	1.52
26	BB	1559	U	P-O5'	5.12	1.64	1.59
26	BB	1584	U	P-O5'	5.12	1.64	1.59
26	BB	1841	U	N3-C4	5.12	1.43	1.38
26	BB	2425	A	C5'-C4'	5.12	1.57	1.51
26	BB	2704	C	C4'-O4'	-5.12	1.38	1.45
26	BB	2716	C	P-O5'	5.12	1.64	1.59
4	AD	12	G	N9-C4	-5.11	1.33	1.38
16	AP	112	ARG	NE-CZ	5.11	1.39	1.33
26	BB	476	G	O4'-C1'	5.11	1.48	1.41
26	BB	1583	A	C4'-O4'	-5.11	1.39	1.45
26	BB	2272	U	C4-C5	5.11	1.48	1.43
26	BB	2665	A	N3-C4	5.11	1.38	1.34
26	BB	2753	A	C8-N7	-5.11	1.27	1.31
1	AA	808	C	C4'-O4'	-5.11	1.39	1.45
1	AA	922	G	C2'-C1'	-5.11	1.47	1.53
25	BA	69	G	C4'-O4'	-5.11	1.39	1.45
26	BB	1683	U	C3'-C2'	5.11	1.58	1.52
26	BB	1821	A	N3-C4	5.11	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2074	U	N1-C2	5.11	1.43	1.38
26	BB	2879	A	N3-C4	5.11	1.38	1.34
1	AA	265	G	N3-C4	5.11	1.39	1.35
1	AA	511	C	C5-C6	5.11	1.38	1.34
1	AA	532	A	C5'-C4'	5.11	1.57	1.51
1	AA	579	A	C5'-C4'	5.11	1.57	1.51
1	AA	656	G	N9-C8	-5.11	1.34	1.37
2	AB	38	A	N9-C4	5.11	1.41	1.37
4	AD	19	G	N3-C4	5.11	1.39	1.35
26	BB	73	A	C5-C4	-5.11	1.35	1.38
26	BB	807	U	C5-C6	5.11	1.38	1.34
26	BB	811	U	C4-O4	5.11	1.27	1.23
26	BB	1200	C	N3-C4	-5.11	1.30	1.33
26	BB	1514	G	P-O5'	5.11	1.64	1.59
26	BB	1702	G	C5-C6	5.11	1.47	1.42
26	BB	2027	G	C8-N7	-5.11	1.27	1.30
26	BB	2168	G	N9-C4	5.11	1.42	1.38
26	BB	2395	C	N1-C2	5.11	1.45	1.40
26	BB	2649	C	C3'-C2'	-5.11	1.47	1.52
26	BB	2822	G	C8-N7	5.11	1.34	1.30
1	AA	773	G	N1-C2	5.11	1.41	1.37
2	AB	5	G	C5-C4	-5.11	1.34	1.38
25	BA	9	G	N9-C8	-5.11	1.34	1.37
26	BB	456	C	C2-O2	-5.11	1.19	1.24
1	AA	165	G	C2-N3	5.11	1.36	1.32
1	AA	325	A	C2'-O2'	5.11	1.48	1.41
1	AA	855	U	C2'-O2'	5.11	1.48	1.41
1	AA	1008	U	C5-C6	5.11	1.38	1.34
1	AA	1196	A	O3'-P	-5.11	1.55	1.61
1	AA	1353	G	C2-N3	5.11	1.36	1.32
2	AB	52	A	C5'-C4'	5.11	1.57	1.51
26	BB	157	C	O3'-P	5.11	1.67	1.61
26	BB	177	G	C1'-N9	5.11	1.56	1.48
26	BB	382	A	C5-C4	-5.11	1.35	1.38
26	BB	680	C	N3-C4	-5.11	1.30	1.33
26	BB	752	A	C4'-O4'	-5.11	1.39	1.45
26	BB	1649	G	N3-C4	5.11	1.39	1.35
26	BB	1766	G	C2-N3	5.11	1.36	1.32
26	BB	2141	G	N1-C2	5.11	1.41	1.37
26	BB	2618	G	C4'-O4'	-5.11	1.39	1.45
51	B0	12	GLU	CB-CG	5.11	1.61	1.52
1	AA	1154	G	C5-C4	5.11	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1257	A	N9-C8	-5.11	1.33	1.37
1	AA	1500	A	P-O5'	5.11	1.64	1.59
25	BA	115	A	C6-N1	5.11	1.39	1.35
26	BB	415	A	C4'-C3'	-5.11	1.47	1.52
26	BB	502	A	P-O5'	5.11	1.64	1.59
26	BB	791	C	C4-C5	5.11	1.47	1.43
26	BB	973	A	N1-C2	-5.11	1.29	1.34
26	BB	1441	G	N3-C4	-5.11	1.31	1.35
26	BB	1651	G	C2-N2	-5.11	1.29	1.34
26	BB	1820	U	C5'-C4'	5.11	1.57	1.51
26	BB	2186	G	C4'-O4'	-5.11	1.39	1.45
26	BB	2803	G	O3'-P	5.11	1.67	1.61
25	BA	22	U	O3'-P	5.10	1.67	1.61
26	BB	245	G	C2-N2	-5.10	1.29	1.34
26	BB	853	C	N1-C6	-5.10	1.34	1.37
26	BB	881	G	C6-O6	5.10	1.28	1.24
1	AA	31	G	N7-C5	-5.10	1.36	1.39
1	AA	782	A	C3'-O3'	5.10	1.49	1.42
1	AA	813	U	C2-N3	-5.10	1.34	1.37
10	AJ	131	GLY	CA-C	5.10	1.60	1.51
26	BB	26	G	C5-C4	-5.10	1.34	1.38
26	BB	67	U	C4'-O4'	-5.10	1.39	1.45
26	BB	362	A	C4'-C3'	5.10	1.58	1.53
26	BB	596	U	P-O5'	5.10	1.64	1.59
26	BB	900	A	C2-N3	5.10	1.38	1.33
26	BB	1180	U	P-O5'	5.10	1.64	1.59
26	BB	1646	C	C4'-O4'	-5.10	1.39	1.45
26	BB	1674	G	C8-N7	-5.10	1.27	1.30
26	BB	1756	G	P-O5'	5.10	1.64	1.59
26	BB	1524	G	N9-C4	5.10	1.42	1.38
26	BB	2360	G	C4'-C3'	5.10	1.58	1.53
1	AA	33	A	C6-N1	-5.10	1.31	1.35
1	AA	624	C	N3-C4	-5.10	1.30	1.33
1	AA	777	A	P-O5'	5.10	1.64	1.59
1	AA	1046	A	C2-N3	-5.10	1.28	1.33
1	AA	1294	G	P-O5'	5.10	1.64	1.59
1	AA	1307	U	C4'-O4'	-5.10	1.39	1.45
1	AA	1356	G	N3-C4	5.10	1.39	1.35
2	AB	26	A	C4'-C3'	-5.10	1.47	1.52
3	AC	17	U	C3'-O3'	-5.10	1.35	1.42
25	BA	84	G	C5-C4	-5.10	1.34	1.38
26	BB	74	A	C4'-O4'	-5.10	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	196	A	C5-C4	5.10	1.42	1.38
26	BB	312	G	N3-C4	5.10	1.39	1.35
26	BB	1212	G	C6-N1	-5.10	1.35	1.39
26	BB	1813	G	C3'-C2'	-5.10	1.47	1.52
26	BB	1822	C	C4-N4	-5.10	1.29	1.33
26	BB	1952	A	C6-N1	5.10	1.39	1.35
26	BB	2269	G	C6-N1	5.10	1.43	1.39
25	BA	6	G	C5-C6	5.10	1.47	1.42
26	BB	597	G	N1-C2	-5.10	1.33	1.37
26	BB	654	A	C6-N6	5.10	1.38	1.33
26	BB	732	C	C5'-C4'	5.10	1.57	1.51
26	BB	758	C	N3-C4	-5.10	1.30	1.33
26	BB	994	C	C3'-O3'	5.10	1.49	1.42
26	BB	1150	C	N3-C4	5.10	1.37	1.33
26	BB	1411	U	C1'-N1	5.10	1.56	1.48
26	BB	1754	A	P-OP1	-5.10	1.40	1.49
26	BB	2281	A	N3-C4	5.10	1.38	1.34
26	BB	2473	U	O4'-C1'	5.10	1.48	1.41
1	AA	259	G	P-O5'	5.10	1.64	1.59
26	BB	1271	G	C4'-C3'	-5.10	1.47	1.52
26	BB	1750	G	C6-N1	5.10	1.43	1.39
26	BB	2331	G	C3'-C2'	5.10	1.58	1.52
26	BB	2338	C	C2-O2	-5.10	1.19	1.24
1	AA	699	C	C4'-O4'	-5.09	1.39	1.45
1	AA	831	A	N9-C4	5.09	1.41	1.37
3	AC	30	U	C3'-C2'	5.09	1.58	1.52
25	BA	18	G	O3'-P	-5.09	1.55	1.61
26	BB	255	A	N9-C8	-5.09	1.33	1.37
26	BB	1061	U	C2'-C1'	5.09	1.58	1.53
26	BB	1201	U	C4'-O4'	-5.09	1.39	1.45
26	BB	1206	G	N1-C2	-5.09	1.33	1.37
27	BC	78	PHE	CE2-CZ	5.09	1.47	1.37
1	AA	382	A	C5-C4	5.09	1.42	1.38
1	AA	1146	A	C6-N1	5.09	1.39	1.35
26	BB	512	G	C2-N3	5.09	1.36	1.32
26	BB	675	A	C6-N6	-5.09	1.29	1.33
26	BB	2354	C	C2'-O2'	5.09	1.48	1.41
26	BB	2448	A	N3-C4	5.09	1.38	1.34
26	BB	2807	U	O3'-P	5.09	1.67	1.61
26	BB	2839	G	P-O5'	-5.09	1.54	1.59
1	AA	496	A	C6-N6	5.09	1.38	1.33
1	AA	610	U	C1'-N1	5.09	1.56	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	629	A	C2-N3	-5.09	1.28	1.33
1	AA	1478	U	N3-C4	5.09	1.43	1.38
3	AC	57	C	N1-C6	5.09	1.40	1.37
26	BB	1189	A	C2-N3	5.09	1.38	1.33
26	BB	1940	U	C5-C6	5.09	1.38	1.34
26	BB	2455	G	C8-N7	-5.09	1.27	1.30
26	BB	2695	U	C2-N3	5.09	1.41	1.37
1	AA	76	G	C5-C4	-5.09	1.34	1.38
1	AA	771	G	C4'-C3'	-5.09	1.47	1.52
1	AA	927	G	N3-C4	5.09	1.39	1.35
1	AA	1353	G	C2'-C1'	-5.09	1.47	1.53
26	BB	457	A	N3-C4	-5.09	1.31	1.34
26	BB	773	U	C4'-O4'	-5.09	1.39	1.45
26	BB	1473	G	N9-C4	5.09	1.42	1.38
26	BB	1852	U	O3'-P	5.09	1.67	1.61
26	BB	2307	G	P-O5'	5.09	1.64	1.59
26	BB	2377	A	N9-C4	-5.09	1.34	1.37
26	BB	2500	U	C4-O4	-5.09	1.19	1.23
26	BB	2661	G	C8-N7	-5.09	1.27	1.30
1	AA	686	U	C4-C5	5.09	1.48	1.43
1	AA	1138	G	O4'-C1'	5.09	1.48	1.41
25	BA	46	A	C5'-C4'	5.09	1.57	1.51
26	BB	475	C	C5-C6	5.09	1.38	1.34
26	BB	1181	U	N3-C4	5.09	1.43	1.38
26	BB	1290	C	C2-O2	5.09	1.29	1.24
1	AA	646	G	C5-C4	5.09	1.42	1.38
26	BB	121	G	N3-C4	5.09	1.39	1.35
26	BB	598	U	O3'-P	5.09	1.67	1.61
26	BB	961	C	C2-N3	-5.09	1.31	1.35
26	BB	1331	G	P-O5'	5.09	1.64	1.59
26	BB	1548	A	O4'-C1'	-5.09	1.35	1.41
26	BB	2027	G	C3'-C2'	5.09	1.58	1.52
26	BB	2244	U	C2-N3	5.09	1.41	1.37
1	AA	513	C	N1-C6	5.08	1.40	1.37
1	AA	1318	A	C6-N1	5.08	1.39	1.35
26	BB	24	G	C4'-O4'	-5.08	1.39	1.45
26	BB	1179	G	N1-C2	5.08	1.41	1.37
26	BB	1377	G	N7-C5	5.08	1.42	1.39
26	BB	2867	G	C8-N7	5.08	1.34	1.30
3	AC	24	A	C8-N7	5.08	1.35	1.31
3	AC	35	G	C6-N1	5.08	1.43	1.39
4	AD	6	G	N9-C8	-5.08	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	153	U	C3'-C2'	5.08	1.58	1.52
26	BB	355	U	N3-C4	-5.08	1.33	1.38
26	BB	964	C	C1'-N1	5.08	1.56	1.48
1	AA	285	C	C4'-C3'	5.08	1.58	1.53
1	AA	1104	G	N7-C5	-5.08	1.36	1.39
1	AA	1302	C	O3'-P	-5.08	1.55	1.61
1	AA	1366	C	C4'-C3'	-5.08	1.47	1.52
26	BB	847	U	C3'-C2'	5.08	1.58	1.52
26	BB	887	U	C4'-C3'	5.08	1.58	1.53
26	BB	909	A	C8-N7	-5.08	1.27	1.31
26	BB	922	C	N3-C4	5.08	1.37	1.33
26	BB	1890	A	N9-C8	5.08	1.41	1.37
26	BB	2568	U	C5-C6	-5.08	1.29	1.34
26	BB	2774	C	N1-C6	5.08	1.40	1.37
1	AA	204	G	C8-N7	5.08	1.33	1.30
1	AA	541	G	C4'-O4'	-5.08	1.39	1.45
1	AA	614	C	N3-C4	5.08	1.37	1.33
26	BB	1964	G	P-O5'	5.08	1.64	1.59
26	BB	2110	G	C3'-O3'	-5.08	1.35	1.42
1	AA	125	U	O3'-P	5.08	1.67	1.61
1	AA	679	C	C4-N4	-5.08	1.29	1.33
1	AA	848	C	N1-C2	5.08	1.45	1.40
1	AA	1353	G	C5-C6	5.08	1.47	1.42
1	AA	1380	U	C3'-C2'	5.08	1.58	1.52
26	BB	196	A	N1-C2	-5.08	1.29	1.34
26	BB	1041	G	C5'-C4'	5.08	1.57	1.51
26	BB	1182	G	C2-N2	-5.08	1.29	1.34
26	BB	1313	U	C5-C6	5.08	1.38	1.34
26	BB	1545	A	O4'-C1'	5.08	1.48	1.41
26	BB	2061	G	C5-C4	-5.08	1.34	1.38
26	BB	2341	G	C2'-O2'	5.08	1.48	1.41
26	BB	2368	C	N1-C2	5.08	1.45	1.40
26	BB	2398	U	C2-N3	5.08	1.41	1.37
26	BB	2778	A	P-O5'	5.08	1.64	1.59
1	AA	327	A	C4'-O4'	-5.08	1.39	1.45
1	AA	1061	G	C5-C6	5.08	1.47	1.42
1	AA	1159	U	C3'-O3'	5.08	1.49	1.42
1	AA	1434	A	N7-C5	-5.08	1.36	1.39
26	BB	423	A	C2-N3	5.08	1.38	1.33
26	BB	606	U	C4'-O4'	-5.08	1.39	1.45
26	BB	659	G	O3'-P	5.08	1.67	1.61
26	BB	819	A	C2'-O2'	-5.08	1.35	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1474	U	O5'-C5'	5.08	1.52	1.44
26	BB	2151	U	C5'-C4'	5.08	1.57	1.51
1	AA	199	A	N9-C4	5.08	1.40	1.37
1	AA	275	G	P-O5'	5.08	1.64	1.59
1	AA	801	U	C5-C6	5.08	1.38	1.34
1	AA	1253	G	N9-C8	-5.08	1.34	1.37
4	AD	19	G	C6-O6	-5.08	1.19	1.24
26	BB	112	U	C2-O2	5.08	1.26	1.22
26	BB	257	C	C4-C5	5.08	1.47	1.43
26	BB	573	U	C4-C5	5.08	1.48	1.43
26	BB	596	U	C4-O4	5.08	1.27	1.23
26	BB	896	A	C6-N6	-5.08	1.29	1.33
26	BB	1314	C	N1-C6	5.08	1.40	1.37
26	BB	1667	G	N9-C4	5.08	1.42	1.38
26	BB	1971	U	C2-O2	5.08	1.26	1.22
26	BB	2517	C	O3'-P	5.08	1.67	1.61
26	BB	1280	G	N1-C2	5.07	1.41	1.37
26	BB	1537	G	P-O5'	5.07	1.64	1.59
26	BB	1982	U	C4'-C3'	-5.07	1.47	1.52
26	BB	2263	C	N1-C6	5.07	1.40	1.37
26	BB	2488	G	N9-C8	-5.07	1.34	1.37
26	BB	2741	A	O3'-P	5.07	1.67	1.61
26	BB	2903	U	N3-C4	-5.07	1.33	1.38
1	AA	841	C	P-O5'	5.07	1.64	1.59
26	BB	36	G	C2-N3	5.07	1.36	1.32
26	BB	325	G	C6-N1	-5.07	1.35	1.39
26	BB	783	A	N3-C4	5.07	1.37	1.34
26	BB	1992	G	N9-C8	5.07	1.41	1.37
26	BB	2127	G	N3-C4	5.07	1.39	1.35
26	BB	2244	U	C4'-O4'	-5.07	1.39	1.45
26	BB	2878	U	C3'-O3'	-5.07	1.35	1.42
1	AA	108	G	C4'-O4'	-5.07	1.39	1.45
1	AA	345	C	N3-C4	-5.07	1.30	1.33
1	AA	615	G	C5-C4	5.07	1.42	1.38
1	AA	653	U	N1-C6	5.07	1.42	1.38
1	AA	1028	C	C2-N3	5.07	1.39	1.35
2	AB	29	G	C2-N3	5.07	1.36	1.32
4	AD	18	U	C5'-C4'	5.07	1.57	1.51
5	AE	21	TYR	CE2-CZ	5.07	1.45	1.38
26	BB	703	U	C4'-C3'	5.07	1.58	1.53
26	BB	820	A	P-O5'	5.07	1.64	1.59
26	BB	1737	G	C8-N7	5.07	1.33	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1923	U	P-O5'	5.07	1.64	1.59
26	BB	2282	G	C4'-O4'	-5.07	1.39	1.45
26	BB	2887	A	O4'-C1'	-5.07	1.35	1.41
1	AA	272	C	C4'-C3'	-5.07	1.47	1.52
26	BB	79	C	P-O5'	5.07	1.64	1.59
26	BB	674	G	C5'-C4'	5.07	1.57	1.51
26	BB	1591	A	C6-N1	5.07	1.39	1.35
1	AA	636	U	C5-C6	5.07	1.38	1.34
1	AA	661	G	C2-N3	5.07	1.36	1.32
1	AA	666	G	C6-O6	-5.07	1.19	1.24
2	AB	23	A	C5-C4	-5.07	1.35	1.38
2	AB	75	C	C2-N3	5.07	1.39	1.35
25	BA	30	C	C2'-C1'	-5.07	1.47	1.53
26	BB	34	U	C5-C6	5.07	1.38	1.34
26	BB	131	A	N9-C8	-5.07	1.33	1.37
26	BB	586	A	C5'-C4'	5.07	1.57	1.51
26	BB	1067	A	C6-N1	5.07	1.39	1.35
26	BB	1534	U	N1-C2	5.07	1.43	1.38
26	BB	1743	G	N9-C8	5.07	1.41	1.37
26	BB	1904	G	C8-N7	5.07	1.33	1.30
26	BB	2099	U	N1-C6	5.07	1.42	1.38
26	BB	2890	G	C5-C4	5.07	1.41	1.38
1	AA	45	G	O3'-P	5.07	1.67	1.61
1	AA	243	A	C4'-O4'	-5.07	1.39	1.45
1	AA	406	G	C4'-O4'	-5.07	1.39	1.45
1	AA	493	A	O4'-C1'	5.07	1.48	1.41
1	AA	600	A	C6-N1	-5.07	1.32	1.35
1	AA	941	G	C4'-O4'	-5.07	1.39	1.45
1	AA	1032	G	N9-C8	5.07	1.41	1.37
1	AA	1288	A	C5-C4	-5.07	1.35	1.38
26	BB	649	G	C5-C4	-5.07	1.34	1.38
26	BB	1551	A	N9-C4	5.07	1.40	1.37
26	BB	1692	U	N3-C4	5.07	1.43	1.38
26	BB	1760	C	C5-C6	-5.07	1.30	1.34
26	BB	2281	A	C6-N1	5.07	1.39	1.35
26	BB	2359	C	O4'-C1'	5.07	1.48	1.41
26	BB	2513	A	N7-C5	5.07	1.42	1.39
1	AA	43	C	C4-N4	5.06	1.38	1.33
1	AA	760	G	P-O5'	5.06	1.64	1.59
1	AA	1266	G	C4'-O4'	-5.06	1.39	1.45
1	AA	1535	C	O4'-C1'	-5.06	1.35	1.41
2	AB	70	C	P-O5'	5.06	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	3	U	C2-N3	5.06	1.41	1.37
26	BB	416	U	C2'-C1'	-5.06	1.47	1.53
26	BB	868	U	C3'-C2'	5.06	1.58	1.52
26	BB	1651	G	C5-C6	5.06	1.47	1.42
1	AA	411	A	O4'-C1'	5.06	1.48	1.41
1	AA	977	A	C3'-C2'	-5.06	1.47	1.52
1	AA	1004	A	C5-C4	5.06	1.42	1.38
1	AA	1188	A	C8-N7	5.06	1.35	1.31
2	AB	18	G	C6-O6	5.06	1.28	1.24
25	BA	6	G	C5-C4	5.06	1.41	1.38
26	BB	52	A	N9-C4	5.06	1.40	1.37
26	BB	340	A	C4'-O4'	-5.06	1.39	1.45
26	BB	576	U	C5-C6	5.06	1.38	1.34
26	BB	1125	G	N7-C5	5.06	1.42	1.39
26	BB	1315	C	O4'-C1'	5.06	1.48	1.41
26	BB	1579	A	P-O5'	5.06	1.64	1.59
26	BB	2886	A	N9-C8	-5.06	1.33	1.37
1	AA	464	U	C5-C6	5.06	1.38	1.34
10	AJ	138	GLU	CD-OE1	-5.06	1.20	1.25
26	BB	303	G	N3-C4	5.06	1.39	1.35
26	BB	1286	A	C3'-C2'	5.06	1.58	1.52
26	BB	1586	A	C2-N3	-5.06	1.28	1.33
26	BB	1645	G	C3'-C2'	-5.06	1.47	1.52
26	BB	1703	G	N7-C5	5.06	1.42	1.39
26	BB	2089	C	C4-C5	5.06	1.47	1.43
1	AA	18	C	O3'-P	5.06	1.67	1.61
1	AA	192	A	O3'-P	-5.06	1.55	1.61
1	AA	480	U	C3'-C2'	5.06	1.58	1.52
1	AA	878	A	N9-C8	-5.06	1.33	1.37
1	AA	1318	A	N9-C8	-5.06	1.33	1.37
2	AB	65	C	C5-C6	5.06	1.38	1.34
25	BA	69	G	C5'-C4'	5.06	1.57	1.51
26	BB	898	C	O4'-C1'	5.06	1.48	1.41
26	BB	951	C	P-O5'	5.06	1.64	1.59
26	BB	1740	G	C2'-C1'	5.06	1.58	1.53
26	BB	2082	A	N7-C5	-5.06	1.36	1.39
26	BB	2419	U	C4'-O4'	-5.06	1.39	1.45
26	BB	2550	G	C6-O6	-5.06	1.19	1.24
55	B4	19	PHE	CE1-CZ	5.06	1.47	1.37
1	AA	230	G	C6-N1	5.06	1.43	1.39
1	AA	263	A	O3'-P	5.06	1.67	1.61
1	AA	303	A	C3'-C2'	-5.06	1.47	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	766	A	C4'-C3'	5.06	1.58	1.53
1	AA	840	C	P-O5'	5.06	1.64	1.59
4	AD	31	G	C2-N2	-5.06	1.29	1.34
26	BB	297	G	C3'-C2'	5.06	1.58	1.52
26	BB	311	A	C3'-C2'	5.06	1.58	1.52
26	BB	359	G	N9-C8	-5.06	1.34	1.37
26	BB	755	U	C4-C5	5.06	1.48	1.43
26	BB	1083	U	O5'-C5'	-5.06	1.34	1.42
26	BB	1786	A	C5-C6	5.06	1.45	1.41
26	BB	2040	G	N9-C4	5.06	1.42	1.38
26	BB	2219	U	N1-C2	5.06	1.43	1.38
26	BB	2272	U	C4'-O4'	-5.06	1.39	1.45
26	BB	2838	G	C5'-C4'	5.06	1.57	1.51
36	BL	129	GLU	CG-CD	5.06	1.59	1.51
1	AA	900	A	P-O5'	-5.06	1.54	1.59
1	AA	1164	G	O3'-P	5.06	1.67	1.61
1	AA	1494	G	P-O5'	5.06	1.64	1.59
4	AD	58	A	C6-N1	-5.06	1.32	1.35
26	BB	46	G	C6-O6	-5.06	1.19	1.24
26	BB	931	U	C4-C5	-5.06	1.39	1.43
1	AA	113	G	C6-O6	-5.05	1.19	1.24
1	AA	168	G	C3'-C2'	5.05	1.58	1.52
1	AA	310	G	N7-C5	5.05	1.42	1.39
1	AA	929	G	C5-C6	5.05	1.47	1.42
1	AA	1391	U	C5-C6	5.05	1.38	1.34
26	BB	768	G	N3-C4	5.05	1.39	1.35
26	BB	816	C	C2-N3	5.05	1.39	1.35
26	BB	899	A	C2'-C1'	-5.05	1.47	1.53
26	BB	923	G	C6-N1	5.05	1.43	1.39
26	BB	1877	A	C3'-C2'	5.05	1.58	1.52
26	BB	1987	A	C5-C4	-5.05	1.35	1.38
26	BB	1997	C	P-O5'	5.05	1.64	1.59
26	BB	2096	C	C2-O2	-5.05	1.20	1.24
26	BB	2495	G	C5'-C4'	5.05	1.57	1.51
26	BB	2705	A	C6-N6	-5.05	1.29	1.33
1	AA	1133	G	C4'-O4'	-5.05	1.39	1.45
26	BB	170	U	C4-O4	5.05	1.27	1.23
26	BB	953	G	C5-C4	-5.05	1.34	1.38
26	BB	1709	U	N3-C4	-5.05	1.33	1.38
26	BB	2090	A	C4'-C3'	-5.05	1.47	1.52
1	AA	5	U	O3'-P	5.05	1.67	1.61
1	AA	632	U	N1-C2	5.05	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1068	G	C2-N3	5.05	1.36	1.32
4	AD	18	U	C2-N3	5.05	1.41	1.37
10	AJ	176	TYR	CE1-CZ	5.05	1.45	1.38
25	BA	69	G	C3'-C2'	5.05	1.58	1.52
26	BB	254	G	N7-C5	-5.05	1.36	1.39
26	BB	501	A	C1'-N9	-5.05	1.39	1.46
26	BB	552	U	C5'-C4'	5.05	1.57	1.51
26	BB	648	G	N9-C8	-5.05	1.34	1.37
26	BB	1588	G	N3-C4	-5.05	1.31	1.35
26	BB	2261	C	C2-O2	-5.05	1.20	1.24
26	BB	2716	C	C4-C5	5.05	1.47	1.43
1	AA	871	U	P-O5'	5.05	1.64	1.59
1	AA	915	A	N7-C5	5.05	1.42	1.39
1	AA	1372	U	N1-C2	5.05	1.43	1.38
26	BB	742	A	C2'-O2'	-5.05	1.35	1.41
26	BB	938	G	P-O5'	5.05	1.64	1.59
26	BB	1283	G	C6-O6	-5.05	1.19	1.24
26	BB	1676	A	C8-N7	-5.05	1.28	1.31
26	BB	1826	G	C8-N7	-5.05	1.27	1.30
26	BB	1903	G	C5-C6	5.05	1.47	1.42
37	BM	70	ARG	CZ-NH1	5.05	1.39	1.33
1	AA	240	G	N9-C4	5.05	1.42	1.38
1	AA	271	C	N1-C6	5.05	1.40	1.37
1	AA	1185	G	C6-N1	5.05	1.43	1.39
26	BB	220	G	C4'-O4'	5.05	1.52	1.45
26	BB	361	G	C5-C6	5.05	1.47	1.42
26	BB	491	G	C4'-C3'	5.05	1.58	1.53
1	AA	446	G	N9-C4	-5.05	1.33	1.38
1	AA	737	C	C4'-O4'	-5.05	1.39	1.45
1	AA	785	G	C4'-O4'	-5.05	1.39	1.45
1	AA	1288	A	O3'-P	5.05	1.67	1.61
3	AC	27	A	N3-C4	5.05	1.37	1.34
23	AW	50	PHE	CG-CD2	5.05	1.46	1.38
26	BB	1269	A	N3-C4	5.05	1.37	1.34
26	BB	1589	U	C4-C5	5.05	1.48	1.43
26	BB	1715	G	N7-C5	5.05	1.42	1.39
26	BB	1858	A	N9-C4	-5.05	1.34	1.37
26	BB	2346	A	N7-C5	5.05	1.42	1.39
26	BB	2695	U	C2'-O2'	5.05	1.48	1.41
1	AA	360	G	C2-N2	5.04	1.39	1.34
1	AA	1451	U	C2-O2	5.04	1.26	1.22
26	BB	131	A	P-O5'	5.04	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1408	G	C5-C4	-5.04	1.34	1.38
26	BB	1637	A	N9-C4	-5.04	1.34	1.37
1	AA	470	C	C5'-C4'	5.04	1.57	1.51
1	AA	1267	C	C5-C6	-5.04	1.30	1.34
1	AA	1317	C	C5-C6	5.04	1.38	1.34
26	BB	378	C	C2-N3	5.04	1.39	1.35
26	BB	914	G	C2'-O2'	-5.04	1.35	1.41
26	BB	1189	A	C2'-O2'	-5.04	1.35	1.41
26	BB	1323	C	N1-C2	-5.04	1.35	1.40
26	BB	1490	A	N1-C2	-5.04	1.29	1.34
26	BB	1508	A	C2-N3	-5.04	1.29	1.33
26	BB	2396	G	C2'-C1'	-5.04	1.47	1.53
26	BB	2868	A	N3-C4	5.04	1.37	1.34
31	BG	139	GLU	CD-OE2	-5.04	1.20	1.25
1	AA	273	U	C5-C6	5.04	1.38	1.34
1	AA	323	U	C2'-C1'	-5.04	1.47	1.53
1	AA	812	G	N1-C2	5.04	1.41	1.37
1	AA	1231	G	C4'-C3'	5.04	1.58	1.53
26	BB	205	G	N1-C2	-5.04	1.33	1.37
26	BB	1677	A	C3'-C2'	5.04	1.58	1.52
26	BB	1729	U	C2-O2	5.04	1.26	1.22
26	BB	1808	A	C6-N6	-5.04	1.29	1.33
1	AA	421	U	C5-C6	5.04	1.38	1.34
1	AA	954	G	N1-C2	5.04	1.41	1.37
1	AA	1353	G	C6-O6	-5.04	1.19	1.24
5	AE	34	ARG	CZ-NH2	5.04	1.39	1.33
26	BB	415	A	C8-N7	-5.04	1.28	1.31
26	BB	1565	C	C5'-C4'	5.04	1.57	1.51
26	BB	1760	C	C5'-C4'	5.04	1.57	1.51
26	BB	2791	G	C5-C4	-5.04	1.34	1.38
1	AA	64	G	N3-C4	5.04	1.39	1.35
1	AA	164	G	N1-C2	5.04	1.41	1.37
1	AA	721	G	N7-C5	-5.04	1.36	1.39
1	AA	738	C	C5-C6	5.04	1.38	1.34
1	AA	1030	U	P-O5'	-5.04	1.54	1.59
25	BA	54	G	N1-C2	5.04	1.41	1.37
26	BB	526	A	C6-N6	-5.04	1.29	1.33
26	BB	623	C	C5'-C4'	5.04	1.57	1.51
26	BB	1034	G	N3-C4	-5.04	1.31	1.35
26	BB	1358	G	C6-N1	5.04	1.43	1.39
26	BB	1927	A	N3-C4	5.04	1.37	1.34
26	BB	2000	C	C3'-C2'	5.04	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1194	U	C2'-C1'	-5.04	1.47	1.53
26	BB	484	C	N1-C2	5.04	1.45	1.40
26	BB	889	C	C2'-C1'	5.04	1.58	1.53
26	BB	1246	A	P-O5'	5.04	1.64	1.59
26	BB	1675	C	C4-C5	-5.04	1.39	1.43
1	AA	434	U	C2-N3	-5.04	1.34	1.37
1	AA	564	C	C2'-C1'	5.04	1.58	1.53
1	AA	620	C	C5-C6	5.04	1.38	1.34
1	AA	724	G	C2-N3	5.04	1.36	1.32
1	AA	1146	A	P-O5'	5.04	1.64	1.59
1	AA	1186	G	C4'-C3'	-5.04	1.47	1.52
3	AC	33	A	P-O5'	5.04	1.64	1.59
25	BA	32	U	O3'-P	5.04	1.67	1.61
26	BB	118	A	C2'-O2'	5.04	1.48	1.41
26	BB	838	C	C1'-N1	5.04	1.56	1.48
26	BB	1005	C	N1-C2	-5.04	1.35	1.40
26	BB	1380	G	P-O5'	5.04	1.64	1.59
26	BB	1454	C	C5'-C4'	5.04	1.57	1.51
26	BB	1666	G	C6-O6	-5.04	1.19	1.24
26	BB	2032	G	C5'-C4'	5.04	1.57	1.51
26	BB	2315	G	N9-C8	-5.04	1.34	1.37
27	BC	40	GLU	CB-CG	5.04	1.61	1.52
1	AA	161	A	N9-C4	-5.03	1.34	1.37
1	AA	1096	C	C5-C6	5.03	1.38	1.34
3	AC	24	A	C5-C6	5.03	1.45	1.41
26	BB	62	U	N1-C6	5.03	1.42	1.38
26	BB	1478	G	C5-C6	-5.03	1.37	1.42
26	BB	1479	G	C5-C4	-5.03	1.34	1.38
26	BB	1691	C	N1-C2	5.03	1.45	1.40
26	BB	1770	G	C3'-C2'	-5.03	1.47	1.52
26	BB	2014	A	C4'-C3'	-5.03	1.47	1.52
26	BB	2734	A	C6-N1	5.03	1.39	1.35
36	BL	76	HIS	CB-CG	5.03	1.59	1.50
47	BW	21	ARG	CZ-NH2	5.03	1.39	1.33
26	BB	435	C	C2-O2	-5.03	1.20	1.24
26	BB	865	C	C2'-C1'	-5.03	1.47	1.53
26	BB	1253	A	C4'-O4'	-5.03	1.39	1.45
26	BB	2219	U	C4'-O4'	-5.03	1.39	1.45
26	BB	2459	A	C8-N7	-5.03	1.28	1.31
1	AA	161	A	C5-C4	-5.03	1.35	1.38
1	AA	613	C	C4'-O4'	-5.03	1.39	1.45
1	AA	859	G	C2-N2	5.03	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1031	C	N1-C2	5.03	1.45	1.40
1	AA	1058	G	C2-N2	5.03	1.39	1.34
1	AA	1102	A	C5-C6	5.03	1.45	1.41
1	AA	1454	G	C5-C6	5.03	1.47	1.42
26	BB	611	C	C4-C5	5.03	1.47	1.43
26	BB	834	G	N1-C2	5.03	1.41	1.37
26	BB	1169	A	C8-N7	-5.03	1.28	1.31
26	BB	1583	A	C2'-C1'	5.03	1.58	1.53
26	BB	1949	G	C6-N1	5.03	1.43	1.39
26	BB	2101	A	C2'-O2'	5.03	1.48	1.41
26	BB	2217	G	C5-C6	5.03	1.47	1.42
1	AA	119	A	N1-C2	5.03	1.38	1.34
1	AA	1369	C	C5'-C4'	5.03	1.57	1.51
4	AD	57	C	C4-C5	5.03	1.47	1.43
26	BB	2071	A	N7-C5	5.03	1.42	1.39
26	BB	2708	G	C2-N3	5.03	1.36	1.32
1	AA	362	G	C2-N3	5.03	1.36	1.32
1	AA	553	A	C8-N7	-5.03	1.28	1.31
1	AA	604	G	C5-C6	5.03	1.47	1.42
1	AA	694	A	C5-C4	-5.03	1.35	1.38
1	AA	909	A	C4'-C3'	5.03	1.58	1.53
1	AA	1376	U	C2'-O2'	5.03	1.48	1.41
1	AA	1477	U	C5-C6	5.03	1.38	1.34
3	AC	53	G	C8-N7	5.03	1.33	1.30
4	AD	28	U	P-O5'	5.03	1.64	1.59
26	BB	435	C	N3-C4	5.03	1.37	1.33
26	BB	610	C	C3'-C2'	-5.03	1.47	1.52
26	BB	664	G	C2-N3	5.03	1.36	1.32
26	BB	806	C	N1-C6	-5.03	1.34	1.37
26	BB	936	A	C5-C6	5.03	1.45	1.41
26	BB	989	G	N3-C4	5.03	1.39	1.35
26	BB	1247	A	C5-C6	5.03	1.45	1.41
26	BB	1658	C	C5'-C4'	-5.03	1.45	1.51
26	BB	2184	A	C4'-C3'	5.03	1.58	1.53
38	BN	62	PRO	N-CD	-5.03	1.40	1.47
2	AB	9	A	C3'-O3'	5.03	1.49	1.42
26	BB	66	C	O3'-P	5.03	1.67	1.61
26	BB	352	A	C3'-C2'	5.03	1.58	1.52
26	BB	488	G	C3'-O3'	-5.03	1.35	1.42
26	BB	1105	U	C4'-C3'	5.03	1.58	1.53
26	BB	1217	U	C4-O4	-5.03	1.19	1.23
26	BB	1817	G	C8-N7	-5.03	1.27	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1969	A	C5-C4	5.03	1.42	1.38
26	BB	2246	G	C5'-C4'	5.03	1.57	1.51
26	BB	2796	U	C2-N3	5.03	1.41	1.37
1	AA	115	G	P-O5'	-5.02	1.54	1.59
1	AA	1091	U	C5'-C4'	5.02	1.57	1.51
26	BB	2754	U	C2-O2	5.02	1.26	1.22
26	BB	2758	A	C5-C4	5.02	1.42	1.38
1	AA	162	A	C5'-C4'	5.02	1.57	1.51
1	AA	269	C	P-O5'	5.02	1.64	1.59
1	AA	551	U	C2-N3	5.02	1.41	1.37
1	AA	660	C	N1-C6	5.02	1.40	1.37
1	AA	714	G	C8-N7	5.02	1.33	1.30
1	AA	826	C	C4-C5	5.02	1.47	1.43
5	AE	141	GLU	CG-CD	5.02	1.59	1.51
26	BB	1362	C	C5'-C4'	5.02	1.57	1.51
26	BB	1382	G	N9-C4	5.02	1.42	1.38
26	BB	1553	A	N1-C2	-5.02	1.29	1.34
26	BB	2019	A	C8-N7	-5.02	1.28	1.31
26	BB	2169	A	C2'-O2'	-5.02	1.35	1.41
26	BB	2304	G	C2'-O2'	-5.02	1.35	1.41
26	BB	2687	U	C5-C6	5.02	1.38	1.34
26	BB	2745	C	C5'-C4'	5.02	1.57	1.51
1	AA	224	U	C3'-C2'	5.02	1.58	1.52
1	AA	362	G	C4'-O4'	-5.02	1.39	1.45
1	AA	426	U	C4-C5	5.02	1.48	1.43
3	AC	19	A	N9-C4	5.02	1.40	1.37
26	BB	1907	G	N9-C4	5.02	1.42	1.38
26	BB	2458	G	N7-C5	5.02	1.42	1.39
1	AA	239	U	C5-C6	5.02	1.38	1.34
1	AA	356	A	C5-C6	-5.02	1.36	1.41
1	AA	962	C	O3'-P	5.02	1.67	1.61
1	AA	1315	U	C5-C6	5.02	1.38	1.34
26	BB	11	C	C5'-C4'	5.02	1.57	1.51
26	BB	450	G	N3-C4	5.02	1.39	1.35
26	BB	1395	A	O3'-P	5.02	1.67	1.61
26	BB	1612	C	N1-C6	-5.02	1.34	1.37
26	BB	1893	C	O3'-P	5.02	1.67	1.61
26	BB	2485	G	P-O5'	5.02	1.64	1.59
26	BB	2675	A	P-O5'	5.02	1.64	1.59
1	AA	161	A	C3'-O3'	5.02	1.49	1.42
26	BB	764	A	N7-C5	-5.02	1.36	1.39
26	BB	776	G	C4'-O4'	-5.02	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1030	C	O3'-P	5.02	1.67	1.61
26	BB	1158	C	C2-O2	-5.02	1.20	1.24
26	BB	1173	U	N3-C4	-5.02	1.33	1.38
26	BB	1475	G	C2-N2	-5.02	1.29	1.34
26	BB	1597	A	C6-N1	-5.02	1.32	1.35
26	BB	1838	C	P-O5'	5.02	1.64	1.59
26	BB	1894	C	C4'-O4'	-5.02	1.39	1.45
26	BB	2398	U	C4-O4	5.02	1.27	1.23
26	BB	2630	G	O4'-C1'	5.02	1.48	1.41
38	BN	49	GLY	N-CA	-5.02	1.38	1.46
1	AA	969	A	N9-C8	5.02	1.41	1.37
1	AA	1428	A	C2'-O2'	5.02	1.48	1.41
26	BB	95	A	C3'-O3'	5.02	1.49	1.42
26	BB	396	G	N1-C2	5.02	1.41	1.37
1	AA	337	G	C2'-C1'	5.01	1.58	1.53
1	AA	588	G	C6-O6	-5.01	1.19	1.24
1	AA	630	A	C2'-C1'	-5.01	1.47	1.53
1	AA	1139	G	C5-C6	5.01	1.47	1.42
1	AA	1325	C	C2-O2	5.01	1.28	1.24
1	AA	1370	G	N9-C4	5.01	1.42	1.38
26	BB	1470	A	N3-C4	5.01	1.37	1.34
26	BB	2191	A	O3'-P	5.01	1.67	1.61
26	BB	2450	A	P-O5'	-5.01	1.54	1.59
26	BB	2527	C	C2-N3	5.01	1.39	1.35
4	AD	1	C	C5-C6	5.01	1.38	1.34
26	BB	404	A	P-O5'	5.01	1.64	1.59
26	BB	696	G	C3'-C2'	5.01	1.58	1.52
26	BB	998	C	C4'-C3'	5.01	1.58	1.53
26	BB	1626	A	N3-C4	5.01	1.37	1.34
1	AA	863	U	N1-C2	5.01	1.43	1.38
1	AA	881	G	C6-N1	5.01	1.43	1.39
3	AC	51	C	C3'-O3'	-5.01	1.35	1.42
26	BB	435	C	O5'-C5'	-5.01	1.34	1.42
26	BB	967	U	C2-N3	5.01	1.41	1.37
26	BB	986	C	C5'-C4'	5.01	1.57	1.51
26	BB	2412	A	C5'-C4'	5.01	1.57	1.51
26	BB	2573	C	C4'-C3'	5.01	1.58	1.53
26	BB	2686	G	N9-C8	5.01	1.41	1.37
26	BB	2854	G	C6-N1	5.01	1.43	1.39
26	BB	2870	C	C2-O2	5.01	1.28	1.24
1	AA	164	G	N7-C5	-5.01	1.36	1.39
1	AA	266	G	N9-C8	-5.01	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	436	C	C5'-C4'	5.01	1.57	1.51
1	AA	539	A	C8-N7	-5.01	1.28	1.31
1	AA	915	A	C6-N1	-5.01	1.32	1.35
1	AA	1230	C	C3'-C2'	5.01	1.58	1.52
4	AD	4	G	C4'-O4'	-5.01	1.39	1.45
26	BB	144	A	O5'-C5'	-5.01	1.34	1.42
26	BB	415	A	O3'-P	-5.01	1.55	1.61
26	BB	503	A	C5'-C4'	5.01	1.57	1.51
26	BB	1222	U	C3'-C2'	5.01	1.58	1.52
26	BB	1645	G	C4'-C3'	5.01	1.58	1.53
26	BB	2285	C	N1-C6	-5.01	1.34	1.37
1	AA	1353	G	N7-C5	-5.01	1.36	1.39
25	BA	3	C	N1-C2	-5.01	1.35	1.40
26	BB	808	G	P-O5'	5.01	1.64	1.59
26	BB	1098	A	N7-C5	5.01	1.42	1.39
26	BB	2687	U	C2'-O2'	-5.01	1.35	1.41
1	AA	143	A	C8-N7	5.01	1.35	1.31
1	AA	333	U	N1-C2	5.01	1.43	1.38
1	AA	1366	C	C3'-C2'	-5.01	1.47	1.52
26	BB	47	C	C2-N3	5.01	1.39	1.35
26	BB	846	U	C2'-O2'	-5.01	1.35	1.41
26	BB	899	A	N9-C4	5.01	1.40	1.37
26	BB	1033	U	N1-C2	5.01	1.43	1.38
26	BB	2621	G	C4'-O4'	-5.01	1.39	1.45
26	BB	2677	G	C2-N3	5.01	1.36	1.32
1	AA	25	C	C2-N3	-5.00	1.31	1.35
1	AA	128	G	C5-C6	5.00	1.47	1.42
1	AA	452	A	P-O5'	5.00	1.64	1.59
1	AA	547	A	C6-N1	5.00	1.39	1.35
1	AA	687	A	C3'-C2'	5.00	1.58	1.52
1	AA	950	U	N1-C6	5.00	1.42	1.38
4	AD	7	G	C4'-O4'	-5.00	1.39	1.45
26	BB	940	G	C6-N1	-5.00	1.36	1.39
26	BB	1071	G	N1-C2	5.00	1.41	1.37
26	BB	1740	G	N3-C4	5.00	1.39	1.35
26	BB	2826	A	C4'-O4'	-5.00	1.39	1.45
1	AA	424	G	C2-N3	5.00	1.36	1.32
1	AA	517	G	C1'-N9	5.00	1.56	1.48
1	AA	626	G	N9-C4	5.00	1.42	1.38
1	AA	630	A	C5'-C4'	5.00	1.57	1.51
1	AA	789	U	C4'-C3'	5.00	1.58	1.53
1	AA	813	U	C4-O4	-5.00	1.19	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	852	G	C3'-O3'	-5.00	1.35	1.42
1	AA	892	A	O5'-C5'	-5.00	1.34	1.42
1	AA	1041	G	N9-C8	5.00	1.41	1.37
25	BA	42	C	C3'-C2'	-5.00	1.47	1.52
26	BB	211	C	P-O5'	5.00	1.64	1.59
26	BB	305	C	C2-O2	-5.00	1.20	1.24
26	BB	510	C	O4'-C1'	5.00	1.48	1.41
26	BB	1377	G	C6-O6	5.00	1.28	1.24
26	BB	1411	U	C4'-O4'	-5.00	1.39	1.45
26	BB	1557	C	C4-C5	-5.00	1.39	1.43
26	BB	2019	A	C6-N6	5.00	1.38	1.33
26	BB	2417	C	O3'-P	5.00	1.67	1.61
26	BB	2570	G	C6-O6	-5.00	1.19	1.24
26	BB	2885	G	N9-C4	-5.00	1.33	1.38
1	AA	140	U	C5-C6	5.00	1.38	1.34
1	AA	761	G	C5-C6	-5.00	1.37	1.42
1	AA	1322	C	C2-N3	5.00	1.39	1.35
26	BB	63	A	C5-C6	-5.00	1.36	1.41
26	BB	76	C	O3'-P	5.00	1.67	1.61
26	BB	561	G	O3'-P	5.00	1.67	1.61
26	BB	1019	U	C3'-C2'	-5.00	1.47	1.52
26	BB	1189	A	N9-C4	5.00	1.40	1.37
26	BB	1409	U	C5-C6	5.00	1.38	1.34
26	BB	1623	G	P-O5'	5.00	1.64	1.59
26	BB	1802	A	C2-N3	5.00	1.38	1.33
26	BB	2185	U	C2-N3	5.00	1.41	1.37
26	BB	2469	A	N1-C2	-5.00	1.29	1.34
26	BB	2502	G	N7-C5	5.00	1.42	1.39
26	BB	2653	U	C4'-O4'	-5.00	1.39	1.45
26	BB	2796	U	P-O5'	5.00	1.64	1.59
26	BB	2801	G	C3'-C2'	-5.00	1.47	1.52

All (27099) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	55	ARG	NE-CZ-NH2	-27.98	106.31	120.30
26	BB	2063	C	N3-C4-C5	-21.69	113.22	121.90
26	BB	2163	A	O4'-C1'-N9	21.36	125.29	108.20
26	BB	337	C	O4'-C1'-N1	21.12	125.10	108.20
1	AA	190	A	C8-N9-C4	-20.93	97.43	105.80
43	BS	91	ARG	NE-CZ-NH2	-20.73	109.94	120.30
46	BV	76	ARG	NE-CZ-NH1	20.54	130.57	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	70	C	N3-C4-C5	-20.16	113.83	121.90
1	AA	1094	G	C8-N9-C4	-20.05	98.38	106.40
26	BB	2782	G	N9-C4-C5	19.95	113.38	105.40
25	BA	2	G	C2-N3-C4	19.58	121.69	111.90
26	BB	2529	G	C8-N9-C4	-19.56	98.58	106.40
26	BB	1545	A	O4'-C1'-N9	19.43	123.74	108.20
15	AO	109	ARG	NE-CZ-NH1	19.29	129.95	120.30
44	BT	13	ARG	NE-CZ-NH1	19.22	129.91	120.30
1	AA	1094	G	N9-C4-C5	19.09	113.03	105.40
26	BB	312	G	C5-N7-C8	-19.06	94.77	104.30
38	BN	123	ARG	NE-CZ-NH2	-18.88	110.86	120.30
1	AA	319	G	N9-C4-C5	18.66	112.86	105.40
1	AA	1071	C	C6-N1-C2	-18.46	112.92	120.30
26	BB	254	G	N3-C4-C5	-18.45	119.38	128.60
26	BB	946	C	O4'-C1'-N1	18.32	122.86	108.20
26	BB	2107	G	C2-N3-C4	18.23	121.01	111.90
26	BB	730	A	C8-N9-C4	-18.21	98.51	105.80
26	BB	1677	A	N1-C2-N3	-18.09	120.25	129.30
26	BB	70	G	C8-N9-C4	-18.09	99.16	106.40
1	AA	10	A	C8-N9-C4	-18.07	98.57	105.80
26	BB	2409	G	C8-N9-C4	-18.06	99.18	106.40
26	BB	2178	C	N3-C4-C5	-17.99	114.70	121.90
1	AA	281	G	C4-C5-N7	-17.92	103.63	110.80
26	BB	2869	G	C8-N9-C4	-17.92	99.23	106.40
26	BB	1753	G	N1-C6-O6	-17.90	109.16	119.90
26	BB	533	G	C4-C5-N7	-17.85	103.66	110.80
26	BB	2353	G	C8-N9-C4	-17.81	99.28	106.40
26	BB	2743	U	O4'-C1'-N1	17.75	122.40	108.20
26	BB	2747	G	C8-N9-C4	-17.70	99.32	106.40
26	BB	2847	U	O4'-C1'-N1	17.68	122.34	108.20
26	BB	141	G	O4'-C1'-N9	17.65	122.32	108.20
29	BE	59	ARG	NE-CZ-NH2	17.59	129.10	120.30
19	AS	14	ARG	NE-CZ-NH2	-17.59	111.51	120.30
26	BB	834	G	C8-N9-C4	-17.57	99.37	106.40
1	AA	765	G	O4'-C1'-N9	17.56	122.25	108.20
26	BB	2115	G	C8-N9-C4	-17.55	99.38	106.40
46	BV	12	ARG	NE-CZ-NH1	17.50	129.05	120.30
58	B7	24	ARG	NE-CZ-NH2	17.39	129.00	120.30
26	BB	2065	C	N1-C2-O2	17.36	129.32	118.90
26	BB	314	C	N3-C4-C5	-17.29	114.98	121.90
26	BB	71	A	O4'-C1'-N9	17.28	122.02	108.20
1	AA	200	G	C6-C5-N7	-17.20	120.08	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1178	G	C8-N9-C4	-17.20	99.52	106.40
26	BB	2178	C	C2-N3-C4	17.19	128.50	119.90
26	BB	1223	G	C2-N3-C4	17.18	120.49	111.90
1	AA	647	C	C6-N1-C2	-17.16	113.44	120.30
4	AD	40	C	O4'-C1'-N1	17.14	121.92	108.20
14	AN	92	ARG	NE-CZ-NH1	17.14	128.87	120.30
26	BB	41	C	O4'-C1'-N1	17.14	121.92	108.20
1	AA	319	G	C8-N9-C4	-17.09	99.56	106.40
1	AA	478	A	O4'-C1'-N9	17.08	121.86	108.20
26	BB	977	G	C8-N9-C4	-17.03	99.59	106.40
1	AA	79	G	C8-N9-C4	-17.01	99.60	106.40
1	AA	54	C	C2-N3-C4	16.99	128.39	119.90
26	BB	1619	G	C8-N9-C4	-16.98	99.61	106.40
26	BB	2048	G	N9-C4-C5	16.98	112.19	105.40
1	AA	829	G	C8-N9-C4	-16.96	99.61	106.40
26	BB	1783	A	C8-N9-C4	-16.96	99.02	105.80
26	BB	1498	C	N1-C2-O2	16.94	129.06	118.90
1	AA	51	A	C8-N9-C4	-16.87	99.05	105.80
26	BB	713	G	C8-N9-C4	-16.87	99.65	106.40
26	BB	1170	C	O4'-C1'-N1	16.84	121.67	108.20
26	BB	319	G	C8-N9-C4	-16.83	99.67	106.40
26	BB	1091	G	C2-N3-C4	16.79	120.30	111.90
55	B4	5	ARG	NE-CZ-NH2	-16.77	111.92	120.30
26	BB	2448	A	C8-N9-C4	-16.76	99.09	105.80
26	BB	1511	G	C5-C6-N1	16.76	119.88	111.50
1	AA	923	A	C8-N9-C4	16.73	112.49	105.80
25	BA	15	A	N1-C2-N3	-16.71	120.95	129.30
26	BB	2592	G	O4'-C1'-N9	16.69	121.55	108.20
26	BB	1875	G	C8-N9-C4	-16.57	99.77	106.40
53	B2	63	ARG	NE-CZ-NH1	16.55	128.58	120.30
26	BB	603	A	C8-N9-C4	-16.50	99.20	105.80
26	BB	989	G	N9-C4-C5	16.50	112.00	105.40
4	AD	4	G	N9-C4-C5	16.44	111.98	105.40
1	AA	931	C	N3-C4-C5	-16.41	115.33	121.90
26	BB	2106	U	C5-C6-N1	-16.38	114.51	122.70
26	BB	323	C	O4'-C1'-N1	16.33	121.27	108.20
26	BB	483	A	N1-C2-N3	-16.33	121.13	129.30
1	AA	46	G	N7-C8-N9	16.32	121.26	113.10
26	BB	1159	U	O4'-C1'-N1	16.31	121.25	108.20
36	BL	116	ARG	NE-CZ-NH2	16.27	128.44	120.30
26	BB	2045	C	O4'-C1'-N1	16.24	121.19	108.20
26	BB	186	G	C2-N3-C4	16.21	120.01	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	AP	28	ARG	NE-CZ-NH2	-16.19	112.20	120.30
26	BB	55	G	C4-C5-N7	-16.19	104.32	110.80
26	BB	1681	G	C4-C5-N7	-16.19	104.32	110.80
26	BB	2822	G	O4'-C1'-N9	16.17	121.13	108.20
1	AA	473	U	O4'-C1'-N1	16.15	121.12	108.20
26	BB	532	A	N1-C2-N3	-16.11	121.24	129.30
3	AC	41	A	C8-N9-C4	-16.11	99.36	105.80
26	BB	2671	G	C8-N9-C4	-16.10	99.96	106.40
26	BB	481	G	O4'-C1'-N9	16.06	121.05	108.20
26	BB	952	G	N9-C4-C5	16.05	111.82	105.40
16	AP	86	ARG	NE-CZ-NH1	16.01	128.31	120.30
1	AA	614	C	O4'-C1'-N1	16.00	121.00	108.20
26	BB	2652	C	C5-C4-N4	-15.99	109.01	120.20
33	BI	116	ARG	NE-CZ-NH1	15.98	128.29	120.30
26	BB	1125	G	C8-N9-C4	-15.91	100.03	106.40
16	AP	86	ARG	NE-CZ-NH2	-15.91	112.35	120.30
26	BB	881	G	N3-C4-C5	-15.91	120.65	128.60
26	BB	1824	G	O4'-C1'-N9	15.90	120.92	108.20
6	AF	71	ARG	NE-CZ-NH2	-15.88	112.36	120.30
1	AA	794	A	C8-N9-C4	-15.88	99.45	105.80
26	BB	904	G	N9-C4-C5	15.87	111.75	105.40
26	BB	2751	G	C8-N9-C4	-15.87	100.05	106.40
26	BB	2782	G	C8-N9-C4	-15.87	100.05	106.40
26	BB	2129	C	O4'-C1'-N1	15.84	120.87	108.20
44	BT	13	ARG	NE-CZ-NH2	-15.82	112.39	120.30
26	BB	2174	C	O4'-C1'-N1	15.81	120.85	108.20
26	BB	487	C	O4'-C1'-N1	15.80	120.84	108.20
1	AA	1511	G	C8-N9-C4	-15.79	100.08	106.40
26	BB	1182	G	C2-N3-C4	15.77	119.79	111.90
26	BB	2465	C	C4-C5-C6	-15.76	109.52	117.40
26	BB	2072	C	N1-C2-O2	15.74	128.34	118.90
25	BA	2	G	N3-C4-C5	-15.74	120.73	128.60
1	AA	1182	G	C8-N9-C4	-15.73	100.11	106.40
26	BB	1168	G	C2-N3-C4	15.73	119.76	111.90
1	AA	193	C	N3-C4-C5	-15.72	115.61	121.90
1	AA	721	G	C4-C5-N7	-15.70	104.52	110.80
7	AG	12	ARG	NE-CZ-NH1	15.66	128.13	120.30
1	AA	1019	A	C8-N9-C4	-15.66	99.54	105.80
1	AA	499	A	O4'-C1'-N9	15.66	120.72	108.20
26	BB	1436	G	N3-C4-C5	-15.66	120.77	128.60
26	BB	2107	G	N3-C4-C5	-15.64	120.78	128.60
26	BB	2275	C	C6-N1-C2	-15.62	114.05	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	836	G	N9-C4-C5	15.62	111.65	105.40
1	AA	1051	C	C6-N1-C2	-15.61	114.06	120.30
26	BB	944	C	C6-N1-C2	-15.60	114.06	120.30
26	BB	2390	U	O4'-C1'-N1	15.59	120.67	108.20
1	AA	946	A	C8-N9-C4	-15.58	99.57	105.80
26	BB	644	A	C8-N9-C4	-15.56	99.58	105.80
26	BB	651	G	C2-N3-C4	15.55	119.68	111.90
16	AP	89	ARG	NE-CZ-NH1	15.55	128.07	120.30
1	AA	510	A	C5-N7-C8	15.54	111.67	103.90
1	AA	443	C	N3-C2-O2	-15.54	111.03	121.90
26	BB	2014	A	N9-C4-C5	15.52	112.01	105.80
26	BB	1505	A	N1-C2-N3	-15.51	121.54	129.30
26	BB	2360	G	N3-C4-C5	-15.51	120.84	128.60
26	BB	2870	C	N3-C4-C5	-15.51	115.70	121.90
42	BR	38	ARG	NE-CZ-NH1	-15.50	112.55	120.30
26	BB	2092	U	C5-C6-N1	-15.50	114.95	122.70
51	B0	7	ARG	NE-CZ-NH2	15.49	128.05	120.30
26	BB	81	G	C4-C5-N7	-15.48	104.61	110.80
26	BB	2609	U	C5-C4-O4	-15.48	116.61	125.90
1	AA	540	G	N3-C4-C5	-15.48	120.86	128.60
1	AA	493	A	O4'-C1'-N9	15.47	120.58	108.20
26	BB	1870	C	N1-C2-O2	15.45	128.17	118.90
26	BB	1758	U	O4'-C1'-N1	15.44	120.55	108.20
26	BB	105	C	O4'-C1'-N1	15.43	120.54	108.20
26	BB	1677	A	C2-N3-C4	15.43	118.31	110.60
26	BB	97	C	N3-C4-C5	-15.42	115.73	121.90
26	BB	1906	G	O4'-C1'-N9	15.42	120.53	108.20
26	BB	2804	U	C5-C6-N1	-15.41	114.99	122.70
1	AA	195	A	N9-C4-C5	15.41	111.96	105.80
26	BB	2269	G	N3-C4-C5	-15.40	120.90	128.60
26	BB	2487	G	C5-C6-O6	-15.38	119.37	128.60
26	BB	304	U	O4'-C1'-N1	15.37	120.50	108.20
26	BB	581	C	O4'-C1'-N1	15.34	120.47	108.20
26	BB	575	A	O4'-C1'-N9	15.34	120.47	108.20
26	BB	94	A	N9-C4-C5	15.33	111.93	105.80
25	BA	45	A	O4'-C1'-N9	15.33	120.46	108.20
21	AU	42	ARG	NE-CZ-NH1	15.30	127.95	120.30
1	AA	923	A	N9-C4-C5	-15.30	99.68	105.80
26	BB	342	A	N1-C2-N3	-15.30	121.65	129.30
26	BB	620	G	O4'-C1'-N9	15.29	120.43	108.20
26	BB	532	A	C2-N3-C4	15.29	118.25	110.60
26	BB	1573	G	C2-N3-C4	15.24	119.52	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	614	A	N1-C6-N6	15.24	127.74	118.60
26	BB	2115	G	N9-C4-C5	15.24	111.50	105.40
26	BB	437	U	N3-C2-O2	-15.23	111.54	122.20
26	BB	1801	A	O4'-C1'-N9	15.23	120.38	108.20
26	BB	1529	G	C8-N9-C4	-15.22	100.31	106.40
26	BB	645	C	N1-C2-O2	15.21	128.03	118.90
26	BB	2841	C	O4'-C1'-N1	15.21	120.37	108.20
1	AA	796	C	C6-N1-C2	-15.20	114.22	120.30
26	BB	205	G	C8-N9-C4	-15.20	100.32	106.40
26	BB	2652	C	N3-C4-N4	15.20	128.64	118.00
26	BB	909	A	O4'-C1'-N9	15.19	120.35	108.20
1	AA	190	A	N9-C4-C5	15.19	111.88	105.80
1	AA	207	C	O4'-C1'-N1	15.18	120.35	108.20
26	BB	584	C	O4'-C1'-N1	15.18	120.34	108.20
1	AA	748	G	N3-C4-N9	15.17	135.10	126.00
26	BB	733	G	N9-C4-C5	15.17	111.47	105.40
26	BB	1317	G	N7-C8-N9	15.15	120.68	113.10
1	AA	1360	A	C2-N3-C4	15.15	118.18	110.60
1	AA	1287	A	O4'-C1'-N9	15.15	120.32	108.20
26	BB	977	G	N7-C8-N9	15.13	120.66	113.10
26	BB	33	C	O4'-C1'-N1	15.12	120.30	108.20
1	AA	500	G	C6-C5-N7	-15.12	121.33	130.40
1	AA	100	G	N1-C6-O6	-15.11	110.83	119.90
26	BB	2597	G	C8-N9-C4	-15.11	100.35	106.40
43	BS	63	ARG	NE-CZ-NH1	15.10	127.85	120.30
26	BB	2806	C	C2-N3-C4	15.10	127.45	119.90
30	BF	162	ARG	NE-CZ-NH1	-15.09	112.75	120.30
1	AA	1151	A	C2-N3-C4	-15.08	103.06	110.60
26	BB	473	G	C8-N9-C4	-15.05	100.38	106.40
4	AD	1	C	C6-N1-C2	-15.04	114.28	120.30
26	BB	1619	G	N9-C4-C5	15.04	111.42	105.40
26	BB	952	G	C8-N9-C4	-15.02	100.39	106.40
26	BB	2187	U	O4'-C1'-N1	15.02	120.21	108.20
26	BB	2164	C	O4'-C1'-N1	15.02	120.21	108.20
1	AA	339	C	O4'-C1'-N1	15.01	120.21	108.20
9	AI	112	ARG	NE-CZ-NH2	-15.01	112.79	120.30
26	BB	1741	C	O4'-C1'-N1	14.98	120.19	108.20
26	BB	573	U	O4'-C1'-N1	14.98	120.18	108.20
1	AA	1482	G	N3-C4-C5	-14.97	121.12	128.60
14	AN	92	ARG	NE-CZ-NH2	-14.97	112.81	120.30
26	BB	2081	U	O4'-C1'-N1	14.97	120.17	108.20
20	AT	64	ARG	NE-CZ-NH2	-14.97	112.82	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	15	A	C2-N3-C4	14.94	118.07	110.60
1	AA	1133	G	C2-N3-C4	14.93	119.37	111.90
26	BB	1510	G	C2-N3-C4	14.93	119.36	111.90
26	BB	1613	G	N3-C4-C5	-14.93	121.14	128.60
26	BB	1170	C	N3-C4-C5	-14.91	115.94	121.90
15	AO	49	ARG	NE-CZ-NH2	-14.90	112.85	120.30
26	BB	678	C	O4'-C1'-N1	14.90	120.12	108.20
41	BQ	15	ARG	NE-CZ-NH1	14.89	127.75	120.30
1	AA	1153	G	N3-C4-C5	-14.87	121.16	128.60
26	BB	2601	C	C6-N1-C2	-14.86	114.35	120.30
26	BB	577	G	N3-C4-C5	-14.86	121.17	128.60
26	BB	1146	C	O4'-C1'-N1	14.85	120.08	108.20
26	BB	1836	C	C2-N3-C4	14.85	127.33	119.90
26	BB	2199	A	O4'-C1'-N9	14.85	120.08	108.20
2	AB	41	C	C6-N1-C2	14.85	126.24	120.30
26	BB	312	G	C4-C5-N7	14.84	116.74	110.80
1	AA	809	G	O4'-C1'-N9	14.83	120.07	108.20
26	BB	7	G	C2-N3-C4	14.82	119.31	111.90
26	BB	823	C	C5-C6-N1	14.82	128.41	121.00
26	BB	1348	C	O4'-C1'-N1	14.81	120.05	108.20
26	BB	1666	G	C5-C6-N1	14.81	118.90	111.50
26	BB	2437	G	C2-N3-C4	14.80	119.30	111.90
1	AA	720	C	N3-C4-C5	-14.79	115.98	121.90
1	AA	737	C	N1-C2-O2	14.79	127.77	118.90
26	BB	1287	A	N9-C4-C5	14.78	111.71	105.80
1	AA	293	G	C8-N9-C4	-14.78	100.49	106.40
26	BB	1232	G	C8-N9-C4	-14.78	100.49	106.40
1	AA	285	C	O4'-C1'-N1	14.78	120.02	108.20
1	AA	1325	C	O4'-C1'-N1	14.78	120.02	108.20
1	AA	3	A	O4'-C1'-N9	14.76	120.01	108.20
16	AP	89	ARG	NE-CZ-NH2	-14.76	112.92	120.30
26	BB	1276	A	C4-C5-C6	-14.76	109.62	117.00
26	BB	2791	G	C5-C6-N1	14.76	118.88	111.50
26	BB	930	G	N9-C4-C5	14.74	111.30	105.40
26	BB	2845	U	O4'-C1'-N1	14.74	119.99	108.20
1	AA	57	G	C2-N3-C4	14.73	119.27	111.90
28	BD	79	ARG	NE-CZ-NH2	-14.71	112.94	120.30
1	AA	204	G	N7-C8-N9	14.71	120.45	113.10
1	AA	293	G	N9-C4-C5	14.71	111.28	105.40
1	AA	1248	A	O4'-C1'-N9	14.70	119.96	108.20
26	BB	1231	U	C3'-C2'-C1'	14.70	113.26	101.50
1	AA	69	G	N9-C4-C5	14.69	111.28	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	85	G	C8-N9-C4	-14.69	100.52	106.40
26	BB	2241	A	C8-N9-C4	-14.69	99.92	105.80
26	BB	2126	A	C8-N9-C4	-14.67	99.93	105.80
26	BB	1988	G	C4-C5-N7	-14.65	104.94	110.80
1	AA	26	A	C4-C5-N7	-14.65	103.38	110.70
26	BB	712	G	O4'-C1'-N9	14.65	119.92	108.20
1	AA	46	G	C8-N9-C4	-14.64	100.54	106.40
26	BB	2472	G	C6-N1-C2	-14.63	116.32	125.10
56	B5	34	ARG	NE-CZ-NH1	14.62	127.61	120.30
3	AC	22	G	C8-N9-C4	-14.62	100.55	106.40
26	BB	764	A	N9-C4-C5	14.62	111.65	105.80
1	AA	263	A	C8-N9-C4	-14.61	99.95	105.80
26	BB	94	A	C4-C5-N7	-14.61	103.40	110.70
1	AA	373	A	N9-C4-C5	-14.61	99.96	105.80
26	BB	904	G	C8-N9-C4	-14.60	100.56	106.40
1	AA	148	G	N3-C4-C5	-14.60	121.30	128.60
26	BB	1252	G	N3-C4-C5	-14.59	121.30	128.60
1	AA	620	C	C6-N1-C2	-14.59	114.46	120.30
26	BB	1235	G	C8-N9-C4	-14.58	100.57	106.40
1	AA	1019	A	N7-C8-N9	14.58	121.09	113.80
1	AA	540	G	C2-N3-C4	14.56	119.18	111.90
1	AA	564	C	N3-C4-C5	-14.56	116.08	121.90
1	AA	539	A	C8-N9-C4	-14.55	99.98	105.80
26	BB	2884	U	O4'-C1'-N1	14.55	119.84	108.20
26	BB	467	G	C4-C5-N7	-14.54	104.98	110.80
26	BB	1418	G	N3-C4-N9	14.54	134.72	126.00
26	BB	2409	G	C2-N3-C4	14.54	119.17	111.90
1	AA	1366	C	N3-C2-O2	-14.54	111.72	121.90
26	BB	312	G	N7-C8-N9	14.52	120.36	113.10
1	AA	1430	A	C2-N3-C4	14.51	117.85	110.60
26	BB	218	A	O4'-C1'-N9	14.51	119.80	108.20
26	BB	1188	U	O4'-C1'-N1	14.50	119.80	108.20
26	BB	2494	G	O4'-C1'-N9	14.50	119.80	108.20
26	BB	1846	G	C2-N3-C4	14.49	119.15	111.90
26	BB	1482	G	C4-C5-N7	-14.48	105.01	110.80
1	AA	207	C	N3-C4-C5	14.48	127.69	121.90
15	AO	49	ARG	NE-CZ-NH1	14.47	127.54	120.30
26	BB	2112	G	N7-C8-N9	14.47	120.34	113.10
1	AA	102	G	N3-C4-C5	-14.47	121.36	128.60
1	AA	690	G	O4'-C1'-N9	14.45	119.76	108.20
26	BB	1459	G	C5-C6-O6	-14.44	119.94	128.60
1	AA	1166	G	C8-N9-C4	-14.44	100.62	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	AP	28	ARG	NE-CZ-NH1	14.43	127.52	120.30
1	AA	1448	C	C2-N3-C4	14.43	127.11	119.90
26	BB	266	G	N7-C8-N9	14.43	120.31	113.10
1	AA	948	C	N3-C4-C5	-14.43	116.13	121.90
25	BA	67	G	C5-C6-O6	-14.43	119.94	128.60
1	AA	1279	G	C8-N9-C4	-14.42	100.63	106.40
56	B5	12	ARG	NE-CZ-NH1	-14.42	113.09	120.30
26	BB	2640	G	C4-C5-N7	-14.41	105.04	110.80
26	BB	1759	A	C2-N3-C4	14.41	117.80	110.60
1	AA	846	G	C8-N9-C4	-14.40	100.64	106.40
26	BB	1371	G	N9-C4-C5	14.40	111.16	105.40
26	BB	940	G	C5-C6-N1	14.40	118.70	111.50
26	BB	1964	G	C5-C6-O6	-14.39	119.96	128.60
26	BB	2375	G	C6-C5-N7	-14.38	121.77	130.40
26	BB	1310	G	C8-N9-C4	-14.37	100.65	106.40
11	AK	12	ARG	NE-CZ-NH1	14.36	127.48	120.30
16	AP	92	ARG	NE-CZ-NH2	-14.36	113.12	120.30
26	BB	1459	G	C2-N3-C4	14.36	119.08	111.90
26	BB	577	G	C8-N9-C4	-14.35	100.66	106.40
26	BB	847	U	C5-C6-N1	-14.35	115.53	122.70
26	BB	2582	G	N9-C4-C5	14.34	111.14	105.40
26	BB	1540	G	C6-N1-C2	-14.34	116.50	125.10
1	AA	577	G	N1-C6-O6	-14.34	111.30	119.90
1	AA	700	G	N3-C4-C5	-14.34	121.43	128.60
3	AC	22	G	N7-C8-N9	14.34	120.27	113.10
1	AA	1266	G	N3-C4-N9	14.33	134.59	126.00
26	BB	1050	A	N7-C8-N9	14.32	120.96	113.80
26	BB	1108	U	O4'-C1'-N1	14.32	119.65	108.20
1	AA	212	G	C8-N9-C4	-14.31	100.68	106.40
1	AA	1355	G	N9-C4-C5	14.31	111.12	105.40
26	BB	176	A	C8-N9-C4	-14.31	100.08	105.80
26	BB	1721	G	C2-N3-C4	14.30	119.05	111.90
26	BB	1780	A	O4'-C1'-N9	14.29	119.63	108.20
1	AA	443	C	N1-C2-O2	14.27	127.46	118.90
9	AI	91	ARG	NE-CZ-NH2	-14.27	113.16	120.30
3	AC	15	G	O4'-C1'-N9	14.27	119.61	108.20
2	AB	70	C	C2-N3-C4	14.26	127.03	119.90
26	BB	1604	C	N3-C4-C5	-14.24	116.20	121.90
26	BB	90	U	C2-N3-C4	-14.24	118.46	127.00
26	BB	837	C	N3-C2-O2	-14.24	111.93	121.90
26	BB	958	U	C5-C4-O4	-14.24	117.36	125.90
26	BB	2409	G	N9-C4-C5	14.24	111.09	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
41	BQ	81	ARG	NE-CZ-NH1	14.23	127.42	120.30
4	AD	65	G	C8-N9-C4	-14.23	100.71	106.40
1	AA	326	G	C2-N3-C4	14.21	119.01	111.90
6	AF	39	ARG	NE-CZ-NH2	-14.21	113.20	120.30
26	BB	866	A	N7-C8-N9	14.20	120.90	113.80
26	BB	2844	G	C8-N9-C4	-14.20	100.72	106.40
26	BB	2385	C	O4'-C1'-N1	14.20	119.56	108.20
26	BB	122	G	C2-N3-C4	14.19	119.00	111.90
26	BB	612	G	C5-C6-O6	-14.19	120.08	128.60
26	BB	1285	A	N9-C4-C5	14.18	111.47	105.80
26	BB	1408	G	N9-C4-C5	14.18	111.07	105.40
26	BB	1510	G	N3-C4-C5	-14.17	121.51	128.60
26	BB	2798	U	N3-C2-O2	-14.17	112.28	122.20
1	AA	89	U	N1-C2-N3	14.17	123.40	114.90
1	AA	227	G	C4-C5-N7	-14.16	105.13	110.80
26	BB	2048	G	C4-C5-N7	-14.16	105.14	110.80
13	AM	68	ARG	NE-CZ-NH2	14.15	127.38	120.30
26	BB	2307	G	C4-C5-N7	-14.15	105.14	110.80
1	AA	464	U	O4'-C1'-N1	14.15	119.52	108.20
9	AI	78	PHE	CB-CG-CD2	-14.14	110.90	120.80
1	AA	526	C	O4'-C1'-N1	14.13	119.50	108.20
26	BB	2640	G	N9-C4-C5	14.13	111.05	105.40
25	BA	115	A	N7-C8-N9	14.12	120.86	113.80
1	AA	173	U	N1-C2-N3	14.11	123.37	114.90
26	BB	1507	C	C4-C5-C6	-14.10	110.35	117.40
1	AA	739	C	C4-C5-C6	-14.10	110.35	117.40
26	BB	2118	U	O4'-C1'-N1	14.10	119.48	108.20
26	BB	1861	G	N7-C8-N9	14.09	120.15	113.10
26	BB	2702	G	C5-N7-C8	-14.08	97.26	104.30
25	BA	71	C	C6-N1-C2	14.08	125.93	120.30
26	BB	2117	A	C5-C6-N1	14.06	124.73	117.70
26	BB	1568	G	C8-N9-C4	-14.06	100.78	106.40
26	BB	1819	A	N1-C6-N6	14.06	127.03	118.60
4	AD	17	C	O4'-C1'-N1	14.05	119.44	108.20
26	BB	620	G	C4-C5-N7	-14.04	105.18	110.80
26	BB	2063	C	C2-N3-C4	14.04	126.92	119.90
26	BB	2860	A	N1-C2-N3	14.04	136.32	129.30
1	AA	582	C	C6-N1-C2	-14.03	114.69	120.30
26	BB	1429	G	N9-C4-C5	14.02	111.01	105.40
25	BA	101	A	N1-C2-N3	-14.02	122.29	129.30
26	BB	873	C	C6-N1-C2	-14.02	114.69	120.30
1	AA	615	G	C2-N3-C4	14.01	118.91	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	540	C	O4'-C1'-N1	14.01	119.40	108.20
1	AA	929	G	O4'-C1'-N9	14.00	119.40	108.20
26	BB	2529	G	C2-N3-C4	14.00	118.90	111.90
1	AA	1173	U	O4'-C1'-N1	13.99	119.39	108.20
26	BB	600	G	C5-C6-O6	-13.99	120.20	128.60
26	BB	817	C	O4'-C1'-N1	13.99	119.39	108.20
1	AA	567	G	C8-N9-C4	-13.99	100.80	106.40
26	BB	2120	G	N3-C4-C5	-13.97	121.61	128.60
1	AA	262	A	N1-C2-N3	-13.97	122.31	129.30
26	BB	989	G	C8-N9-C4	-13.97	100.81	106.40
26	BB	1459	G	C5-C6-N1	13.97	118.48	111.50
26	BB	2487	G	N1-C6-O6	13.97	128.28	119.90
26	BB	2808	G	O4'-C1'-N9	13.96	119.37	108.20
1	AA	173	U	N3-C2-O2	-13.95	112.43	122.20
26	BB	1050	A	C8-N9-C4	-13.95	100.22	105.80
26	BB	2870	C	C2-N3-C4	13.96	126.88	119.90
26	BB	577	G	C2-N3-C4	13.95	118.87	111.90
38	BN	59	ARG	NE-CZ-NH2	13.94	127.27	120.30
1	AA	159	G	N3-C4-C5	-13.94	121.63	128.60
1	AA	26	A	C2-N3-C4	13.94	117.57	110.60
25	BA	96	G	N7-C8-N9	13.94	120.07	113.10
26	BB	1285	A	C8-N9-C4	-13.92	100.23	105.80
26	BB	1888	G	C2-N3-C4	13.91	118.86	111.90
26	BB	122	G	N3-C4-C5	-13.91	121.65	128.60
1	AA	565	U	C5-C6-N1	-13.91	115.75	122.70
26	BB	2888	C	N3-C4-C5	-13.91	116.34	121.90
1	AA	153	C	N3-C4-C5	13.91	127.46	121.90
4	AD	11	A	O4'-C1'-N9	13.90	119.32	108.20
26	BB	1847	A	C8-N9-C4	-13.90	100.24	105.80
26	BB	2362	C	N3-C4-C5	-13.90	116.34	121.90
26	BB	2837	A	C8-N9-C4	-13.90	100.24	105.80
26	BB	1357	C	N1-C2-O2	13.90	127.24	118.90
26	BB	974	G	C2-N3-C4	13.89	118.85	111.90
26	BB	1998	A	C4-C5-N7	-13.89	103.75	110.70
26	BB	2332	C	N3-C4-C5	-13.89	116.34	121.90
26	BB	1002	G	N3-C4-C5	-13.88	121.66	128.60
26	BB	1998	A	N9-C4-C5	13.88	111.35	105.80
26	BB	70	G	N9-C4-C5	13.88	110.95	105.40
1	AA	296	U	O4'-C1'-N1	13.87	119.30	108.20
26	BB	1568	G	N7-C8-N9	13.87	120.03	113.10
2	AB	29	G	C8-N9-C4	-13.86	100.86	106.40
26	BB	31	C	C6-N1-C2	-13.86	114.76	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	368	A	O4'-C1'-N9	13.86	119.29	108.20
5	AE	73	ARG	NE-CZ-NH1	13.86	127.23	120.30
1	AA	737	C	N3-C2-O2	-13.85	112.20	121.90
1	AA	1264	U	C6-N1-C2	-13.85	112.69	121.00
1	AA	1032	G	N3-C4-C5	-13.85	121.68	128.60
4	AD	19	G	N3-C2-N2	-13.85	110.21	119.90
26	BB	899	A	O4'-C1'-N9	13.84	119.27	108.20
26	BB	1168	G	N1-C6-O6	-13.84	111.59	119.90
26	BB	1837	C	N1-C2-O2	13.84	127.21	118.90
1	AA	354	G	C6-N1-C2	-13.84	116.80	125.10
4	AD	71	G	C4-C5-N7	13.84	116.33	110.80
26	BB	1434	A	O4'-C1'-N9	13.83	119.27	108.20
26	BB	1065	U	C6-N1-C2	-13.81	112.71	121.00
26	BB	1973	G	C4-C5-N7	13.81	116.32	110.80
6	AF	126	ARG	NE-CZ-NH2	13.80	127.20	120.30
1	AA	69	G	C4-C5-N7	-13.79	105.28	110.80
1	AA	791	G	C4-C5-N7	-13.79	105.28	110.80
26	BB	2715	C	N3-C4-C5	-13.79	116.38	121.90
1	AA	302	G	O4'-C1'-N9	13.78	119.23	108.20
1	AA	132	C	N3-C4-C5	-13.78	116.39	121.90
26	BB	2391	G	C4-C5-N7	-13.77	105.29	110.80
26	BB	2747	G	N9-C4-C5	13.77	110.91	105.40
26	BB	1929	G	O4'-C1'-N9	13.77	119.22	108.20
26	BB	2407	A	N1-C6-N6	13.77	126.86	118.60
26	BB	2610	C	O4'-C1'-N1	13.77	119.21	108.20
26	BB	134	G	C4-C5-N7	-13.76	105.30	110.80
26	BB	733	G	C8-N9-C4	-13.76	100.89	106.40
26	BB	2360	G	C8-N9-C4	-13.76	100.90	106.40
2	AB	47	U	C5-C6-N1	-13.76	115.82	122.70
26	BB	1348	C	N1-C2-O2	13.75	127.15	118.90
1	AA	268	U	C5-C4-O4	-13.75	117.65	125.90
26	BB	327	G	N9-C4-C5	13.74	110.90	105.40
26	BB	1017	G	C4-C5-N7	13.74	116.30	110.80
8	AH	32	PHE	CB-CG-CD2	-13.74	111.18	120.80
26	BB	616	A	O4'-C1'-N9	13.73	119.18	108.20
1	AA	1400	C	O4'-C1'-N1	13.72	119.18	108.20
26	BB	2702	G	C4-C5-N7	13.72	116.29	110.80
1	AA	1504	G	N3-C4-C5	-13.71	121.74	128.60
10	AJ	69	ARG	NE-CZ-NH2	-13.71	113.44	120.30
26	BB	2610	C	N1-C2-O2	13.70	127.12	118.90
26	BB	1655	A	C4-C5-C6	-13.69	110.16	117.00
26	BB	713	G	N9-C4-C5	13.68	110.87	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	560	C	C5-C6-N1	13.68	127.84	121.00
1	AA	1430	A	N1-C2-N3	-13.68	122.46	129.30
26	BB	969	G	C4-C5-N7	-13.68	105.33	110.80
1	AA	981	U	O4'-C1'-N1	13.67	119.14	108.20
26	BB	1895	C	O4'-C1'-N1	13.66	119.13	108.20
1	AA	1435	G	C4-C5-N7	13.66	116.26	110.80
1	AA	54	C	N3-C4-C5	-13.65	116.44	121.90
26	BB	813	U	O4'-C1'-N1	13.65	119.12	108.20
1	AA	1000	A	O4'-C1'-N9	13.65	119.12	108.20
26	BB	126	A	O4'-C1'-N9	13.64	119.11	108.20
26	BB	1875	G	C2-N3-C4	13.64	118.72	111.90
26	BB	499	U	C5-C4-O4	-13.64	117.72	125.90
26	BB	1062	G	C8-N9-C4	-13.64	100.94	106.40
26	BB	930	G	C8-N9-C4	-13.64	100.94	106.40
43	BS	69	ARG	NE-CZ-NH1	-13.63	113.48	120.30
1	AA	1341	U	O4'-C1'-N1	13.62	119.10	108.20
26	BB	885	C	O4'-C1'-N1	13.62	119.10	108.20
51	B0	23	ARG	NE-CZ-NH1	13.61	127.11	120.30
1	AA	930	C	C5-C4-N4	13.60	129.72	120.20
1	AA	620	C	O4'-C1'-N1	13.60	119.08	108.20
26	BB	1896	G	C8-N9-C4	-13.60	100.96	106.40
26	BB	2851	A	C5-N7-C8	-13.60	97.10	103.90
1	AA	547	A	N9-C4-C5	13.60	111.24	105.80
26	BB	817	C	N1-C2-O2	13.60	127.06	118.90
26	BB	2853	C	O4'-C1'-N1	13.60	119.08	108.20
1	AA	926	G	N3-C4-C5	-13.59	121.81	128.60
1	AA	542	G	O4'-C1'-N9	13.59	119.07	108.20
26	BB	1687	G	C2-N3-C4	13.59	118.69	111.90
26	BB	1992	G	C8-N9-C4	-13.58	100.97	106.40
26	BB	1008	A	O4'-C1'-N9	13.58	119.06	108.20
1	AA	1046	A	N9-C4-C5	13.58	111.23	105.80
26	BB	1437	C	O4'-C1'-N1	13.57	119.06	108.20
26	BB	266	G	C5-N7-C8	-13.57	97.52	104.30
26	BB	589	U	O4'-C1'-N1	13.57	119.06	108.20
26	BB	2027	G	C8-N9-C4	-13.57	100.97	106.40
1	AA	1116	U	C3'-C2'-C1'	13.56	112.35	101.50
26	BB	2597	G	N7-C8-N9	13.56	119.88	113.10
1	AA	510	A	N7-C8-N9	-13.56	107.02	113.80
1	AA	124	C	N3-C4-C5	-13.55	116.48	121.90
26	BB	939	G	O4'-C1'-N9	13.55	119.04	108.20
1	AA	381	C	N3-C4-N4	13.54	127.48	118.00
1	AA	5	U	O4'-C1'-N1	13.54	119.03	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	40	G	C5-N7-C8	-13.53	97.53	104.30
26	BB	1176	U	O4'-C1'-N1	13.53	119.02	108.20
25	BA	79	G	N3-C4-C5	-13.52	121.84	128.60
26	BB	598	U	O4'-C1'-N1	13.50	119.00	108.20
26	BB	2421	G	C8-N9-C4	-13.50	101.00	106.40
12	AL	10	ARG	NE-CZ-NH2	-13.49	113.55	120.30
26	BB	751	A	N7-C8-N9	13.49	120.54	113.80
10	AJ	43	TYR	CB-CG-CD2	-13.48	112.91	121.00
1	AA	1076	U	O4'-C1'-N1	13.47	118.98	108.20
26	BB	1203	U	C5-C6-N1	-13.47	115.96	122.70
1	AA	1192	C	C2-N3-C4	13.47	126.64	119.90
26	BB	1098	A	N9-C4-C5	-13.46	100.41	105.80
26	BB	1811	G	N3-C4-C5	-13.46	121.87	128.60
26	BB	2234	G	C6-C5-N7	-13.46	122.32	130.40
26	BB	786	C	O4'-C1'-N1	13.46	118.97	108.20
26	BB	1008	A	C8-N9-C4	-13.46	100.42	105.80
1	AA	1192	C	C6-N1-C2	-13.46	114.92	120.30
3	AC	57	C	C4-C5-C6	13.45	124.13	117.40
1	AA	1187	G	N9-C4-C5	13.45	110.78	105.40
26	BB	2349	G	N3-C2-N2	13.44	129.31	119.90
26	BB	1652	A	O4'-C1'-N9	13.44	118.95	108.20
26	BB	1168	G	N3-C4-C5	-13.43	121.88	128.60
1	AA	334	C	C6-N1-C2	13.43	125.67	120.30
26	BB	1998	A	N1-C6-N6	13.43	126.66	118.60
1	AA	746	A	N1-C2-N3	-13.42	122.59	129.30
1	AA	352	C	N1-C2-O2	13.42	126.95	118.90
26	BB	1720	U	N1-C2-O2	-13.41	113.41	122.80
26	BB	2675	A	N7-C8-N9	-13.41	107.09	113.80
28	BD	62	ARG	NE-CZ-NH2	-13.41	113.59	120.30
1	AA	547	A	C2-N3-C4	13.41	117.30	110.60
26	BB	1687	G	C5-C6-N1	13.40	118.20	111.50
26	BB	2838	G	O4'-C1'-N9	13.40	118.92	108.20
1	AA	110	C	O4'-C1'-N1	13.40	118.92	108.20
26	BB	1581	G	N7-C8-N9	13.40	119.80	113.10
26	BB	1358	G	C2-N3-C4	13.39	118.59	111.90
1	AA	423	G	C8-N9-C4	-13.38	101.05	106.40
1	AA	48	C	N1-C2-O2	13.38	126.93	118.90
26	BB	2101	A	C8-N9-C4	-13.37	100.45	105.80
1	AA	581	G	C8-N9-C4	-13.37	101.05	106.40
10	AJ	4	ARG	NE-CZ-NH2	-13.36	113.62	120.30
26	BB	1098	A	C8-N9-C4	13.36	111.14	105.80
26	BB	2377	A	O4'-C1'-N9	13.36	118.89	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2835	A	C3'-C2'-C1'	13.36	112.19	101.50
1	AA	204	G	C2-N3-C4	13.36	118.58	111.90
42	BR	112	ARG	NE-CZ-NH1	13.36	126.98	120.30
11	AK	87	ARG	NE-CZ-NH2	-13.36	113.62	120.30
26	BB	1500	G	C8-N9-C4	-13.35	101.06	106.40
26	BB	1732	C	N3-C4-C5	-13.35	116.56	121.90
1	AA	851	G	N9-C4-C5	13.35	110.74	105.40
1	AA	1365	G	C8-N9-C4	-13.33	101.07	106.40
26	BB	1535	A	O4'-C1'-N9	13.32	118.86	108.20
4	AD	23	G	C8-N9-C4	-13.32	101.07	106.40
26	BB	1250	G	N7-C8-N9	13.32	119.76	113.10
26	BB	1645	G	O4'-C1'-N9	13.32	118.85	108.20
1	AA	1470	U	C2-N3-C4	-13.31	119.01	127.00
1	AA	185	U	C5'-C4'-O4'	13.31	125.08	109.10
1	AA	1413	A	N1-C6-N6	13.31	126.59	118.60
26	BB	1074	G	N9-C4-C5	13.31	110.72	105.40
40	BP	64	ARG	NE-CZ-NH1	13.31	126.96	120.30
26	BB	1219	U	O4'-C1'-N1	13.31	118.84	108.20
26	BB	2036	C	N3-C4-C5	-13.30	116.58	121.90
1	AA	494	G	N7-C8-N9	13.30	119.75	113.10
1	AA	1382	C	O4'-C1'-N1	13.29	118.83	108.20
26	BB	2426	A	N1-C6-N6	13.29	126.57	118.60
26	BB	2465	C	N3-C4-C5	13.29	127.22	121.90
1	AA	510	A	C5-C6-N1	13.29	124.34	117.70
1	AA	233	C	N3-C2-O2	-13.28	112.60	121.90
6	AF	41	TYR	CB-CG-CD1	-13.28	113.03	121.00
26	BB	1317	G	C5-N7-C8	-13.27	97.66	104.30
1	AA	147	G	C4-C5-N7	-13.27	105.49	110.80
1	AA	241	G	N3-C4-C5	-13.27	121.97	128.60
1	AA	500	G	C8-N9-C4	-13.27	101.09	106.40
1	AA	69	G	C2-N3-C4	13.27	118.53	111.90
26	BB	1899	A	C8-N9-C4	-13.26	100.50	105.80
1	AA	782	A	N9-C4-C5	13.26	111.10	105.80
1	AA	189	A	C4-C5-N7	13.25	117.32	110.70
26	BB	1403	A	C8-N9-C4	13.25	111.10	105.80
26	BB	2801	G	N9-C4-C5	13.25	110.70	105.40
26	BB	2220	U	O4'-C1'-N1	13.24	118.80	108.20
26	BB	1375	U	O4'-C1'-N1	13.24	118.79	108.20
26	BB	1774	C	C2-N3-C4	13.23	126.52	119.90
26	BB	1287	A	C8-N9-C4	-13.23	100.51	105.80
29	BE	128	ARG	NE-CZ-NH2	13.23	126.91	120.30
25	BA	25	U	C5-C6-N1	-13.22	116.09	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2427	C	O4'-C1'-N1	13.22	118.78	108.20
34	BJ	41	ARG	NE-CZ-NH2	-13.22	113.69	120.30
1	AA	233	C	N3-C4-C5	-13.22	116.61	121.90
1	AA	1112	C	N3-C4-C5	13.21	127.18	121.90
26	BB	2468	A	N1-C6-N6	-13.21	110.67	118.60
26	BB	2888	C	C2-N3-C4	13.21	126.50	119.90
1	AA	1102	A	C8-N9-C4	13.20	111.08	105.80
26	BB	1617	C	N3-C4-C5	-13.20	116.62	121.90
26	BB	1133	A	N1-C6-N6	13.20	126.52	118.60
26	BB	1084	A	C8-N9-C4	-13.19	100.52	105.80
26	BB	2846	G	O4'-C1'-N9	13.18	118.75	108.20
26	BB	1673	G	C8-N9-C4	-13.17	101.13	106.40
26	BB	485	C	O4'-C1'-N1	13.16	118.73	108.20
26	BB	81	G	N9-C4-C5	13.16	110.67	105.40
26	BB	2645	G	C3'-C2'-C1'	13.16	112.03	101.50
26	BB	220	G	N3-C4-C5	-13.16	122.02	128.60
26	BB	663	G	O4'-C1'-N9	13.16	118.73	108.20
26	BB	1891	G	C8-N9-C4	-13.16	101.14	106.40
26	BB	1906	G	C5-C6-N1	13.16	118.08	111.50
26	BB	2360	G	N9-C4-C5	13.16	110.66	105.40
26	BB	467	G	N9-C4-C5	13.15	110.66	105.40
26	BB	2554	U	O4'-C1'-N1	13.15	118.72	108.20
1	AA	1021	A	N9-C4-C5	13.14	111.06	105.80
26	BB	1369	G	C4-C5-N7	13.14	116.06	110.80
26	BB	1481	U	O4'-C1'-N1	13.14	118.72	108.20
1	AA	241	G	C4-C5-N7	-13.13	105.55	110.80
26	BB	1539	U	O4'-C1'-N1	13.13	118.71	108.20
26	BB	2188	U	O4'-C1'-N1	13.13	118.71	108.20
37	BM	98	ARG	NE-CZ-NH1	13.13	126.87	120.30
26	BB	2702	G	C6-C5-N7	-13.13	122.52	130.40
1	AA	1490	U	C5-C6-N1	-13.12	116.14	122.70
1	AA	421	U	N3-C2-O2	-13.12	113.02	122.20
26	BB	859	G	N9-C4-C5	13.11	110.64	105.40
26	BB	2694	G	C8-N9-C4	-13.11	101.16	106.40
26	BB	1550	C	C6-N1-C2	13.11	125.54	120.30
2	AB	12	U	C5-C4-O4	-13.10	118.04	125.90
26	BB	975	A	N1-C6-N6	13.10	126.46	118.60
26	BB	1907	G	N9-C4-C5	13.09	110.64	105.40
26	BB	621	A	C8-N9-C4	-13.09	100.56	105.80
25	BA	94	A	N1-C6-N6	13.09	126.45	118.60
26	BB	1246	A	O4'-C1'-N9	13.09	118.67	108.20
26	BB	2732	G	C5-C6-N1	13.09	118.04	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2437	G	N1-C2-N3	-13.08	116.05	123.90
26	BB	2716	C	O4'-C1'-N1	13.08	118.67	108.20
26	BB	2732	G	C6-N1-C2	-13.08	117.25	125.10
26	BB	1650	A	N9-C4-C5	13.08	111.03	105.80
26	BB	1369	G	C6-C5-N7	-13.07	122.56	130.40
26	BB	2178	C	N3-C4-N4	13.07	127.15	118.00
26	BB	495	G	N3-C4-C5	-13.06	122.07	128.60
26	BB	859	G	C4-C5-N7	-13.05	105.58	110.80
25	BA	111	U	O4'-C1'-N1	13.05	118.64	108.20
26	BB	2388	A	C5-C6-N1	13.05	124.22	117.70
1	AA	860	A	C5-C6-N1	13.04	124.22	117.70
1	AA	1349	A	C5-C6-N1	13.04	124.22	117.70
26	BB	1235	G	N3-C4-C5	-13.04	122.08	128.60
26	BB	387	U	C5-C6-N1	-13.04	116.18	122.70
4	AD	32	G	O4'-C1'-N9	13.04	118.63	108.20
1	AA	26	A	C5-N7-C8	13.03	110.42	103.90
26	BB	989	G	C4-C5-N7	-13.02	105.59	110.80
26	BB	2578	G	N9-C4-C5	-13.02	100.19	105.40
26	BB	469	G	C2-N3-C4	13.02	118.41	111.90
26	BB	2822	G	C3'-C2'-C1'	13.02	111.91	101.50
1	AA	1180	A	C8-N9-C4	-13.02	100.59	105.80
26	BB	1429	G	C8-N9-C4	-13.02	101.19	106.40
3	AC	23	C	O4'-C1'-N1	13.01	118.61	108.20
25	BA	90	C	C2-N3-C4	13.01	126.41	119.90
26	BB	2298	A	C8-N9-C4	-13.01	100.60	105.80
1	AA	316	C	O4'-C1'-N1	13.01	118.61	108.20
8	AH	53	ARG	NE-CZ-NH1	13.01	126.80	120.30
1	AA	228	A	N1-C2-N3	-13.00	122.80	129.30
1	AA	109	A	O4'-C1'-N9	12.99	118.60	108.20
1	AA	807	A	C4-C5-C6	-12.99	110.50	117.00
26	BB	578	G	O4'-C1'-N9	12.99	118.59	108.20
26	BB	1632	A	N1-C2-N3	12.98	135.79	129.30
26	BB	232	G	C8-N9-C4	-12.98	101.21	106.40
1	AA	802	A	O4'-C1'-N9	12.98	118.58	108.20
1	AA	1181	G	C4-C5-N7	-12.97	105.61	110.80
26	BB	908	C	O4'-C1'-N1	12.97	118.58	108.20
26	BB	1132	U	O4'-C1'-N1	12.96	118.57	108.20
26	BB	361	G	N3-C4-N9	12.95	133.77	126.00
26	BB	1935	G	C8-N9-C4	-12.95	101.22	106.40
1	AA	726	C	O4'-C1'-N1	12.95	118.56	108.20
26	BB	1533	C	N3-C4-C5	12.94	127.08	121.90
26	BB	2402	U	C5-C4-O4	-12.94	118.14	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1361	G	O4'-C1'-N9	12.94	118.55	108.20
1	AA	780	A	C8-N9-C4	-12.93	100.63	105.80
1	AA	995	C	O4'-C1'-N1	12.93	118.55	108.20
26	BB	2692	G	C5-N7-C8	-12.93	97.83	104.30
1	AA	999	C	O4'-C1'-N1	12.93	118.54	108.20
26	BB	1568	G	N9-C4-C5	12.93	110.57	105.40
26	BB	2373	G	C8-N9-C4	-12.92	101.23	106.40
1	AA	703	G	N3-C4-C5	-12.91	122.14	128.60
26	BB	1857	G	N3-C4-C5	-12.91	122.14	128.60
26	BB	2043	C	O4'-C1'-N1	12.91	118.53	108.20
1	AA	281	G	N9-C4-C5	12.91	110.56	105.40
26	BB	2063	C	N1-C2-O2	12.91	126.65	118.90
1	AA	82	G	N9-C4-C5	12.91	110.56	105.40
1	AA	1045	C	O4'-C1'-N1	12.91	118.52	108.20
26	BB	1656	C	C6-N1-C2	-12.90	115.14	120.30
26	BB	1891	G	N7-C8-N9	12.90	119.55	113.10
26	BB	2084	C	C2-N3-C4	-12.90	113.45	119.90
1	AA	1224	U	C4-C5-C6	12.90	127.44	119.70
26	BB	320	A	C8-N9-C4	-12.90	100.64	105.80
26	BB	473	G	N7-C8-N9	12.89	119.55	113.10
26	BB	2600	A	N1-C6-N6	-12.89	110.86	118.60
4	AD	65	G	N9-C4-C5	12.89	110.56	105.40
26	BB	602	A	N7-C8-N9	12.88	120.24	113.80
26	BB	2049	G	C4-C5-N7	12.88	115.95	110.80
1	AA	233	C	C6-N1-C2	-12.88	115.15	120.30
1	AA	912	C	O4'-C1'-N1	12.88	118.50	108.20
1	AA	1247	U	O4'-C1'-N1	12.87	118.50	108.20
26	BB	1087	G	N9-C4-C5	12.88	110.55	105.40
26	BB	1180	U	N3-C4-O4	12.88	128.41	119.40
26	BB	1575	C	O4'-C1'-N1	12.86	118.49	108.20
1	AA	318	G	N1-C6-O6	12.86	127.61	119.90
1	AA	1060	U	O4'-C1'-N1	12.86	118.48	108.20
26	BB	649	G	C2-N3-C4	12.86	118.33	111.90
26	BB	2255	G	C8-N9-C4	-12.85	101.26	106.40
26	BB	473	G	N9-C4-C5	12.85	110.54	105.40
26	BB	2035	G	C4-C5-N7	-12.85	105.66	110.80
26	BB	1223	G	N3-C4-C5	-12.84	122.18	128.60
26	BB	1789	A	C2-N3-C4	-12.84	104.18	110.60
26	BB	207	A	C2-N3-C4	12.84	117.02	110.60
26	BB	493	G	C8-N9-C4	-12.84	101.26	106.40
26	BB	2733	A	C5-N7-C8	12.84	110.32	103.90
26	BB	367	G	N7-C8-N9	12.84	119.52	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1131	G	C2-N3-C4	12.84	118.32	111.90
26	BB	1613	G	C2-N3-C4	12.84	118.32	111.90
1	AA	1533	C	O4'-C1'-N1	12.82	118.46	108.20
1	AA	1201	A	C1'-O4'-C4'	-12.81	99.65	109.90
26	BB	233	A	N7-C8-N9	-12.81	107.39	113.80
26	BB	997	G	O4'-C1'-N9	12.81	118.45	108.20
26	BB	438	G	N3-C2-N2	-12.81	110.93	119.90
26	BB	659	G	N3-C4-N9	12.81	133.68	126.00
26	BB	2588	G	N3-C4-C5	-12.80	122.20	128.60
26	BB	2192	U	O4'-C1'-N1	12.80	118.44	108.20
1	AA	195	A	C8-N9-C4	-12.79	100.68	105.80
25	BA	75	G	C8-N9-C4	-12.79	101.28	106.40
26	BB	1286	A	O4'-C1'-N9	12.79	118.43	108.20
1	AA	323	U	C5-C6-N1	-12.79	116.31	122.70
1	AA	859	G	N1-C6-O6	-12.79	112.23	119.90
1	AA	1096	C	O4'-C1'-N1	12.79	118.43	108.20
3	AC	26	U	C5-C6-N1	-12.78	116.31	122.70
26	BB	489	G	C5-C6-N1	12.78	117.89	111.50
1	AA	1344	C	N1-C2-O2	12.78	126.57	118.90
26	BB	2416	C	N1-C2-O2	12.78	126.57	118.90
26	BB	128	C	N3-C4-C5	12.78	127.01	121.90
26	BB	969	G	N9-C4-C5	12.78	110.51	105.40
26	BB	2811	G	C1'-O4'-C4'	12.78	120.12	109.90
1	AA	1178	G	N9-C4-C5	12.77	110.51	105.40
26	BB	1981	A	C8-N9-C4	-12.77	100.69	105.80
26	BB	2441	U	O4'-C1'-N1	12.77	118.42	108.20
1	AA	851	G	C8-N9-C4	-12.77	101.29	106.40
4	AD	7	G	N3-C2-N2	12.77	128.84	119.90
1	AA	319	G	N3-C4-C5	-12.77	122.22	128.60
1	AA	380	G	O4'-C1'-N9	12.77	118.41	108.20
1	AA	1485	U	N3-C4-O4	12.77	128.34	119.40
26	BB	1339	G	C4-C5-N7	-12.76	105.69	110.80
1	AA	1459	G	N9-C1'-C2'	-12.76	97.41	114.00
26	BB	1528	A	O4'-C1'-N9	12.76	118.41	108.20
1	AA	1513	A	N1-C6-N6	-12.76	110.95	118.60
26	BB	1235	G	N9-C4-C5	12.76	110.50	105.40
25	BA	9	G	C5-N7-C8	-12.75	97.92	104.30
26	BB	1008	A	N9-C4-C5	12.75	110.90	105.80
26	BB	1956	U	O4'-C1'-N1	12.75	118.40	108.20
26	BB	2855	C	C2-N3-C4	12.74	126.27	119.90
26	BB	1321	A	O4'-C1'-N9	12.74	118.39	108.20
26	BB	2399	G	N3-C4-C5	-12.74	122.23	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	940	G	N1-C6-O6	-12.73	112.26	119.90
26	BB	393	C	C4-C5-C6	-12.73	111.03	117.40
26	BB	1640	A	N9-C4-C5	12.73	110.89	105.80
26	BB	2372	U	C5-C4-O4	-12.73	118.26	125.90
26	BB	2572	A	O4'-C1'-N9	12.73	118.38	108.20
26	BB	2345	G	C8-N9-C4	-12.72	101.31	106.40
4	AD	74	A	N1-C6-N6	-12.71	110.97	118.60
2	AB	28	C	O4'-C1'-N1	12.71	118.37	108.20
3	AC	22	G	N9-C4-C5	12.71	110.48	105.40
26	BB	2698	U	O4'-C1'-N1	12.71	118.37	108.20
1	AA	388	G	N3-C4-C5	-12.70	122.25	128.60
26	BB	1635	A	C8-N9-C4	-12.70	100.72	105.80
26	BB	415	A	O4'-C1'-N9	12.70	118.36	108.20
1	AA	460	A	N1-C6-N6	-12.70	110.98	118.60
30	BF	85	PHE	CB-CG-CD2	-12.70	111.91	120.80
26	BB	2582	G	C8-N9-C4	-12.70	101.32	106.40
41	BQ	16	ARG	NE-CZ-NH2	12.69	126.64	120.30
1	AA	1031	C	N3-C4-C5	-12.69	116.83	121.90
41	BQ	9	ARG	NE-CZ-NH1	12.68	126.64	120.30
1	AA	500	G	N3-C2-N2	12.67	128.77	119.90
26	BB	731	C	C5-C4-N4	-12.67	111.33	120.20
1	AA	991	U	O4'-C1'-N1	12.67	118.33	108.20
1	AA	494	G	C4-C5-N7	12.66	115.87	110.80
26	BB	2738	A	C8-N9-C4	-12.66	100.73	105.80
1	AA	1153	G	N1-C6-O6	-12.66	112.30	119.90
1	AA	988	G	N7-C8-N9	12.66	119.43	113.10
26	BB	2015	A	N1-C2-N3	-12.66	122.97	129.30
26	BB	1765	U	N3-C4-C5	-12.66	107.01	114.60
26	BB	2388	A	C4-C5-C6	-12.66	110.67	117.00
1	AA	1534	A	N1-C6-N6	12.65	126.19	118.60
2	AB	69	C	O4'-C1'-N1	12.65	118.32	108.20
26	BB	2234	G	C4-C5-N7	12.65	115.86	110.80
26	BB	1293	C	N3-C4-C5	-12.64	116.84	121.90
26	BB	1817	G	N3-C4-N9	12.64	133.59	126.00
26	BB	2042	A	C8-N9-C4	-12.64	100.74	105.80
26	BB	1470	A	O4'-C1'-N9	-12.64	98.09	108.20
26	BB	254	G	C2-N3-C4	12.64	118.22	111.90
26	BB	1337	G	C8-N9-C4	-12.64	101.34	106.40
26	BB	2812	G	N3-C4-C5	-12.64	122.28	128.60
26	BB	2884	U	N3-C2-O2	-12.63	113.36	122.20
31	BG	114	ARG	NE-CZ-NH2	12.63	126.61	120.30
1	AA	728	A	C5-C6-N1	12.63	124.01	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	B3	51	ARG	NE-CZ-NH1	-12.62	113.99	120.30
1	AA	941	G	C5-C6-O6	-12.62	121.03	128.60
26	BB	2693	G	C2-N3-C4	-12.62	105.59	111.90
1	AA	988	G	C8-N9-C4	-12.62	101.35	106.40
26	BB	1790	C	C2-N3-C4	12.62	126.21	119.90
26	BB	246	C	C5'-C4'-O4'	12.62	124.24	109.10
1	AA	715	A	C8-N9-C4	-12.61	100.75	105.80
26	BB	2116	G	C8-N9-C4	-12.61	101.36	106.40
25	BA	102	G	N9-C4-C5	12.61	110.44	105.40
26	BB	967	U	O4'-C1'-N1	12.61	118.29	108.20
1	AA	829	G	N3-C4-C5	-12.61	122.30	128.60
1	AA	344	A	C6-C5-N7	-12.61	123.48	132.30
1	AA	1517	G	N9-C4-C5	12.61	110.44	105.40
26	BB	2281	A	C8-N9-C4	-12.61	100.76	105.80
1	AA	311	C	N3-C4-C5	-12.60	116.86	121.90
16	AP	69	ARG	NE-CZ-NH2	-12.60	114.00	120.30
26	BB	380	G	O4'-C1'-N9	12.60	118.28	108.20
26	BB	70	G	N1-C2-N3	12.60	131.46	123.90
26	BB	1101	U	C5-C4-O4	12.60	133.46	125.90
26	BB	1137	G	C6-N1-C2	-12.60	117.54	125.10
1	AA	1488	G	O4'-C1'-N9	12.59	118.28	108.20
26	BB	818	G	C8-N9-C4	-12.59	101.36	106.40
26	BB	986	C	O4'-C1'-N1	12.59	118.28	108.20
26	BB	1149	G	N3-C4-C5	-12.59	122.30	128.60
26	BB	1010	A	C8-N9-C4	-12.59	100.76	105.80
1	AA	618	C	N1-C2-O2	12.59	126.45	118.90
1	AA	805	C	C6-N1-C2	12.59	125.33	120.30
26	BB	348	A	C5-N7-C8	-12.58	97.61	103.90
26	BB	1026	G	C2-N3-C4	12.57	118.19	111.90
1	AA	1409	C	N1-C2-O2	12.57	126.44	118.90
26	BB	2509	G	C8-N9-C4	-12.57	101.37	106.40
26	BB	2852	G	N3-C4-C5	-12.57	122.32	128.60
26	BB	1570	A	C5-C6-N6	-12.57	113.65	123.70
26	BB	356	G	O4'-C1'-N9	12.56	118.25	108.20
1	AA	1400	C	N1-C2-O2	12.56	126.44	118.90
25	BA	117	G	C3'-C2'-C1'	12.56	111.55	101.50
26	BB	2194	U	N1-C2-N3	12.56	122.43	114.90
1	AA	243	A	N1-C2-N3	-12.55	123.02	129.30
29	BE	169	ARG	NE-CZ-NH1	-12.55	114.02	120.30
26	BB	733	G	C4-C5-N7	-12.55	105.78	110.80
26	BB	1726	C	N3-C4-N4	12.55	126.78	118.00
1	AA	459	A	C4-C5-C6	-12.55	110.73	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	605	G	O4'-C1'-N9	12.54	118.24	108.20
26	BB	1811	G	C2-N3-C4	12.54	118.17	111.90
26	BB	1106	G	C5-C6-N1	12.54	117.77	111.50
1	AA	580	C	O4'-C1'-N1	12.54	118.23	108.20
1	AA	1491	G	O4'-C1'-N9	12.54	118.23	108.20
1	AA	57	G	N3-C4-C5	-12.53	122.33	128.60
1	AA	345	C	N3-C4-C5	-12.53	116.89	121.90
26	BB	510	C	C2-N3-C4	12.53	126.17	119.90
26	BB	696	G	C4-C5-N7	12.53	115.81	110.80
26	BB	100	U	C4-C5-C6	12.52	127.21	119.70
1	AA	965	U	O4'-C1'-N1	12.52	118.22	108.20
18	AR	16	ARG	NE-CZ-NH1	12.52	126.56	120.30
26	BB	164	C	O4'-C1'-N1	12.52	118.21	108.20
26	BB	562	U	O4'-C1'-N1	12.51	118.21	108.20
26	BB	2692	G	C4-C5-N7	12.51	115.81	110.80
3	AC	31	U	O4'-C1'-N1	12.51	118.20	108.20
26	BB	1612	C	O4'-C1'-N1	12.51	118.20	108.20
26	BB	2345	G	N3-C4-C5	-12.51	122.35	128.60
1	AA	1231	G	C8-N9-C4	-12.50	101.40	106.40
26	BB	2511	U	C5-C4-O4	-12.50	118.40	125.90
26	BB	187	G	C4-C5-N7	-12.49	105.80	110.80
4	AD	5	G	N9-C4-C5	12.49	110.39	105.40
26	BB	1505	A	C2-N3-C4	12.49	116.84	110.60
26	BB	1975	G	C4'-C3'-C2'	-12.49	90.11	102.60
1	AA	1094	G	C4-C5-N7	-12.48	105.81	110.80
26	BB	1777	U	N3-C2-O2	-12.48	113.46	122.20
10	AJ	91	ARG	NE-CZ-NH2	12.48	126.54	120.30
26	BB	1547	C	O4'-C1'-N1	12.48	118.18	108.20
1	AA	602	A	O4'-C1'-N9	12.47	118.18	108.20
26	BB	167	A	N1-C2-N3	-12.47	123.06	129.30
26	BB	766	U	N1-C2-O2	-12.47	114.07	122.80
25	BA	9	G	C4-C5-N7	12.47	115.79	110.80
26	BB	1182	G	N1-C6-O6	-12.46	112.42	119.90
26	BB	2484	G	N7-C8-N9	12.46	119.33	113.10
26	BB	1047	G	C8-N9-C4	-12.46	101.42	106.40
1	AA	71	A	N1-C6-N6	-12.45	111.13	118.60
1	AA	421	U	C2-N3-C4	-12.45	119.53	127.00
1	AA	494	G	C5-N7-C8	-12.45	98.08	104.30
26	BB	1694	C	O4'-C1'-N1	12.45	118.16	108.20
26	BB	1739	A	C8-N9-C4	-12.45	100.82	105.80
26	BB	619	G	C8-N9-C4	-12.44	101.42	106.40
3	AC	55	A	C8-N9-C4	-12.44	100.82	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2399	G	N9-C4-C5	12.44	110.38	105.40
26	BB	2040	G	O4'-C1'-N9	12.44	118.15	108.20
26	BB	1870	C	N3-C2-O2	-12.44	113.20	121.90
26	BB	2048	G	C8-N9-C4	-12.44	101.43	106.40
1	AA	577	G	C5-C6-O6	12.43	136.06	128.60
1	AA	1362	A	O4'-C1'-N9	12.43	118.14	108.20
26	BB	1032	A	N1-C6-N6	12.42	126.05	118.60
26	BB	1475	G	C8-N9-C4	-12.42	101.43	106.40
26	BB	2307	G	C5-N7-C8	12.42	110.51	104.30
1	AA	579	A	N1-C6-N6	12.41	126.05	118.60
26	BB	547	A	C2-N3-C4	12.41	116.81	110.60
26	BB	602	A	C8-N9-C4	-12.41	100.83	105.80
26	BB	1875	G	N7-C8-N9	12.41	119.31	113.10
26	BB	1631	G	N9-C4-C5	12.41	110.36	105.40
1	AA	570	G	C6-C5-N7	-12.39	122.96	130.40
1	AA	1338	G	N3-C4-C5	-12.39	122.40	128.60
5	AE	107	ARG	NE-CZ-NH2	-12.39	114.10	120.30
29	BE	179	ARG	NE-CZ-NH1	12.39	126.50	120.30
26	BB	220	G	C4-C5-N7	-12.39	105.84	110.80
26	BB	318	C	O4'-C1'-N1	12.38	118.10	108.20
1	AA	568	G	C8-N9-C4	-12.37	101.45	106.40
1	AA	1210	C	O4'-C1'-N1	12.37	118.10	108.20
26	BB	15	G	O4'-C1'-N9	12.37	118.09	108.20
10	AJ	9	ARG	NE-CZ-NH1	-12.36	114.12	120.30
26	BB	883	G	C5-C6-N1	12.36	117.68	111.50
26	BB	1455	G	C4-C5-N7	12.36	115.74	110.80
1	AA	131	A	N9-C4-C5	12.36	110.74	105.80
26	BB	612	G	C8-N9-C4	-12.35	101.46	106.40
26	BB	2367	G	C2-N3-C4	12.35	118.08	111.90
25	BA	115	A	C5-N7-C8	-12.35	97.72	103.90
26	BB	1649	G	C8-N9-C4	-12.35	101.46	106.40
26	BB	2890	G	N3-C4-C5	-12.35	122.42	128.60
1	AA	768	A	C8-N9-C4	-12.35	100.86	105.80
26	BB	1749	A	C8-N9-C4	-12.35	100.86	105.80
1	AA	171	A	C5-N7-C8	-12.34	97.73	103.90
1	AA	293	G	C4-C5-N7	-12.34	105.86	110.80
26	BB	640	C	O4'-C1'-N1	12.34	118.07	108.20
1	AA	808	C	C6-N1-C2	-12.34	115.36	120.30
25	BA	35	C	C4'-C3'-C2'	-12.34	90.26	102.60
1	AA	1503	A	N9-C4-C5	12.33	110.73	105.80
26	BB	1776	G	N3-C4-C5	-12.33	122.44	128.60
1	AA	860	A	C6-N1-C2	-12.32	111.21	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	4	U	C4-C5-C6	12.32	127.09	119.70
3	AC	16	A	N9-C4-C5	12.32	110.73	105.80
1	AA	735	C	O4'-C1'-N1	12.32	118.06	108.20
26	BB	2707	U	O4'-C1'-N1	12.31	118.05	108.20
25	BA	48	U	C5-C4-O4	-12.30	118.52	125.90
26	BB	707	G	C4-C5-N7	-12.30	105.88	110.80
1	AA	1128	C	O4'-C1'-N1	12.30	118.04	108.20
1	AA	1166	G	N9-C4-C5	12.30	110.32	105.40
1	AA	339	C	C2-N3-C4	12.29	126.05	119.90
15	AO	8	ARG	NE-CZ-NH1	12.30	126.45	120.30
26	BB	85	G	N9-C4-C5	12.29	110.32	105.40
1	AA	373	A	C8-N9-C4	12.29	110.72	105.80
13	AM	48	ARG	NE-CZ-NH1	12.29	126.44	120.30
1	AA	1187	G	C8-N9-C4	-12.29	101.48	106.40
26	BB	2076	U	O4'-C1'-N1	12.29	118.03	108.20
26	BB	1753	G	C5-C6-O6	12.28	135.97	128.60
1	AA	159	G	C4-C5-N7	-12.28	105.89	110.80
26	BB	1087	G	C4-C5-N7	-12.28	105.89	110.80
1	AA	614	C	C4-C5-C6	-12.28	111.26	117.40
24	AX	17	ARG	NE-CZ-NH2	-12.28	114.16	120.30
25	BA	1	U	O4'-C1'-N1	12.28	118.02	108.20
26	BB	327	G	C4-C5-C6	12.28	126.17	118.80
26	BB	1182	G	C5-C6-N1	12.28	117.64	111.50
1	AA	560	A	C4-C5-C6	-12.27	110.86	117.00
26	BB	1918	A	C5-C6-N1	12.27	123.84	117.70
26	BB	787	C	C6-N1-C2	-12.27	115.39	120.30
1	AA	1087	G	N7-C8-N9	12.26	119.23	113.10
26	BB	1631	G	C8-N9-C4	-12.26	101.50	106.40
50	BZ	73	ARG	NE-CZ-NH2	12.26	126.43	120.30
1	AA	159	G	N9-C4-C5	12.26	110.30	105.40
26	BB	2275	C	O4'-C1'-N1	12.26	118.01	108.20
26	BB	1333	G	C8-N9-C4	-12.25	101.50	106.40
26	BB	1756	G	C5-C6-N1	12.25	117.63	111.50
4	AD	30	G	N3-C4-C5	-12.25	122.47	128.60
26	BB	757	G	C8-N9-C4	-12.25	101.50	106.40
1	AA	1181	G	N3-C4-C5	-12.25	122.48	128.60
26	BB	2000	C	C6-N1-C2	-12.25	115.40	120.30
1	AA	59	A	O4'-C1'-N9	12.24	117.99	108.20
26	BB	2101	A	N9-C4-C5	12.24	110.69	105.80
1	AA	796	C	C5-C6-N1	12.23	127.12	121.00
26	BB	185	G	C4-C5-N7	-12.23	105.91	110.80
1	AA	10	A	N9-C4-C5	12.23	110.69	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	203	G	C8-N9-C4	-12.23	101.51	106.40
1	AA	1026	G	C2-N3-C4	12.23	118.02	111.90
26	BB	1344	U	O4'-C1'-N1	12.23	117.98	108.20
1	AA	782	A	C8-N9-C4	-12.22	100.91	105.80
25	BA	54	G	C2-N3-C4	12.22	118.01	111.90
26	BB	593	U	C6-N1-C2	-12.22	113.67	121.00
26	BB	370	G	C5-C6-O6	-12.22	121.27	128.60
26	BB	1131	G	N3-C4-C5	-12.22	122.49	128.60
1	AA	758	C	O4'-C1'-N1	12.21	117.97	108.20
25	BA	25	U	C4-C5-C6	12.21	127.03	119.70
26	BB	140	C	C6-N1-C2	-12.21	115.42	120.30
26	BB	2232	C	N1-C2-O2	12.21	126.22	118.90
26	BB	1433	A	C4-C5-N7	12.21	116.80	110.70
1	AA	642	A	N9-C4-C5	12.20	110.68	105.80
26	BB	276	U	O4'-C1'-N1	12.20	117.96	108.20
26	BB	2771	C	N3-C4-C5	12.20	126.78	121.90
1	AA	57	G	C8-N9-C4	-12.19	101.52	106.40
3	AC	46	C	N3-C4-C5	-12.19	117.02	121.90
1	AA	951	G	N1-C6-O6	-12.19	112.59	119.90
1	AA	1336	C	C6-N1-C2	-12.19	115.42	120.30
16	AP	78	ARG	NE-CZ-NH1	12.18	126.39	120.30
26	BB	2674	G	C2-N3-C4	12.18	117.99	111.90
26	BB	2544	G	C8-N9-C4	-12.18	101.53	106.40
1	AA	849	G	N3-C4-C5	-12.18	122.51	128.60
26	BB	1079	C	N1-C2-O2	12.18	126.21	118.90
26	BB	1505	A	O4'-C1'-N9	12.18	117.94	108.20
26	BB	632	A	O4'-C1'-N9	12.18	117.94	108.20
6	AF	87	ARG	NE-CZ-NH2	-12.18	114.21	120.30
26	BB	1601	G	N1-C6-O6	-12.18	112.59	119.90
26	BB	1047	G	N7-C8-N9	12.17	119.19	113.10
1	AA	658	C	N3-C4-C5	-12.17	117.03	121.90
26	BB	1964	G	C8-N9-C4	-12.17	101.53	106.40
26	BB	2510	C	N3-C2-O2	-12.17	113.38	121.90
26	BB	961	C	N1-C2-O2	12.17	126.20	118.90
26	BB	614	A	C5-C6-N6	-12.16	113.97	123.70
26	BB	1317	G	C4-C5-N7	12.16	115.66	110.80
1	AA	1147	C	C6-N1-C2	-12.15	115.44	120.30
1	AA	1347	G	N7-C8-N9	12.15	119.18	113.10
1	AA	661	G	O4'-C1'-N9	12.15	117.92	108.20
1	AA	606	G	O4'-C1'-N9	12.14	117.92	108.20
26	BB	776	G	N1-C6-O6	-12.14	112.61	119.90
1	AA	91	U	N3-C2-O2	-12.14	113.70	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	686	U	N1-C2-N3	12.14	122.18	114.90
26	BB	295	G	N3-C2-N2	-12.14	111.40	119.90
26	BB	325	G	C8-N9-C4	-12.14	101.55	106.40
1	AA	219	U	O4'-C1'-N1	12.13	117.91	108.20
26	BB	2202	U	O4'-C1'-N1	12.13	117.91	108.20
26	BB	1125	G	N9-C4-C5	12.13	110.25	105.40
26	BB	2042	A	N9-C4-C5	12.13	110.65	105.80
4	AD	19	G	N9-C4-C5	-12.12	100.55	105.40
4	AD	44	A	C2-N3-C4	12.12	116.66	110.60
1	AA	748	G	N3-C4-C5	-12.12	122.54	128.60
1	AA	1510	C	N3-C4-C5	-12.12	117.05	121.90
26	BB	190	A	N9-C4-C5	12.12	110.65	105.80
4	AD	17	C	C3'-C2'-C1'	12.12	111.20	101.50
26	BB	1261	C	C1'-O4'-C4'	-12.12	100.20	109.90
26	BB	159	G	C8-N9-C4	-12.12	101.55	106.40
26	BB	2549	G	C8-N9-C4	-12.12	101.55	106.40
26	BB	2662	A	N1-C6-N6	-12.11	111.33	118.60
1	AA	466	A	C5-C6-N1	12.11	123.76	117.70
25	BA	63	C	N3-C4-C5	-12.11	117.06	121.90
26	BB	2430	A	C5-N7-C8	12.11	109.96	103.90
26	BB	409	G	O4'-C1'-N9	12.11	117.89	108.20
26	BB	1193	G	C2-N3-C4	12.11	117.95	111.90
26	BB	76	C	C4-C5-C6	12.10	123.45	117.40
26	BB	361	G	C6-C5-N7	-12.10	123.14	130.40
26	BB	1230	A	C5-N7-C8	-12.10	97.85	103.90
26	BB	726	G	N9-C4-C5	12.10	110.24	105.40
26	BB	1906	G	N3-C4-N9	12.10	133.26	126.00
26	BB	2734	A	O4'-C1'-N9	12.10	117.88	108.20
1	AA	760	G	C5'-C4'-O4'	12.09	123.61	109.10
10	AJ	43	TYR	CB-CG-CD1	12.09	128.26	121.00
25	BA	113	C	N3-C4-C5	-12.09	117.06	121.90
26	BB	621	A	N7-C8-N9	12.09	119.84	113.80
26	BB	1959	G	O4'-C1'-N9	12.09	117.87	108.20
26	BB	2760	C	C2-N3-C4	12.09	125.94	119.90
1	AA	771	G	C5-C6-N1	12.09	117.54	111.50
26	BB	469	G	C5-C6-N1	12.09	117.54	111.50
26	BB	591	U	C5-C4-O4	-12.09	118.65	125.90
26	BB	1807	G	C8-N9-C4	-12.08	101.57	106.40
1	AA	697	U	O4'-C1'-N1	12.08	117.86	108.20
1	AA	700	G	C2-N3-C4	12.08	117.94	111.90
26	BB	1320	C	O4'-C1'-N1	12.08	117.86	108.20
26	BB	250	G	N3-C4-C5	-12.08	122.56	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	857	G	N3-C4-C5	-12.08	122.56	128.60
26	BB	112	U	O4'-C1'-N1	12.07	117.86	108.20
26	BB	1361	G	N9-C4-C5	12.07	110.23	105.40
26	BB	2510	C	N3-C4-C5	12.07	126.73	121.90
26	BB	2617	U	C4-C5-C6	12.07	126.94	119.70
26	BB	2859	G	N3-C4-C5	-12.07	122.56	128.60
1	AA	1257	A	C5-C6-N6	-12.06	114.05	123.70
26	BB	2682	A	C8-N9-C4	-12.06	100.97	105.80
26	BB	1522	A	C8-N9-C4	-12.06	100.97	105.80
26	BB	751	A	O4'-C1'-N9	12.06	117.85	108.20
26	BB	1535	A	N1-C2-N3	-12.06	123.27	129.30
39	BO	117	PHE	CB-CG-CD2	-12.06	112.36	120.80
26	BB	1489	C	C4-C5-C6	-12.06	111.37	117.40
26	BB	2712	C	N1-C2-O2	12.05	126.13	118.90
1	AA	1104	G	N3-C4-C5	-12.05	122.58	128.60
26	BB	510	C	O4'-C1'-N1	12.05	117.84	108.20
26	BB	816	C	N3-C4-C5	-12.05	117.08	121.90
1	AA	1182	G	N7-C8-N9	12.05	119.12	113.10
1	AA	1241	G	N9-C4-C5	12.05	110.22	105.40
26	BB	438	G	C4-C5-N7	-12.05	105.98	110.80
26	BB	238	C	C6-N1-C2	-12.04	115.48	120.30
26	BB	612	G	C2-N3-C4	12.04	117.92	111.90
26	BB	1250	G	O4'-C1'-N9	12.04	117.83	108.20
1	AA	1201	A	P-O3'-C3'	12.04	134.14	119.70
26	BB	1054	A	N9-C4-C5	12.04	110.61	105.80
1	AA	752	G	N9-C4-C5	12.03	110.21	105.40
26	BB	464	U	C4-C5-C6	12.03	126.92	119.70
1	AA	405	U	C5-C4-O4	12.03	133.12	125.90
1	AA	1316	G	C2-N3-C4	12.02	117.91	111.90
26	BB	357	C	N1-C2-O2	12.02	126.11	118.90
26	BB	2117	A	C4-C5-N7	12.02	116.71	110.70
1	AA	715	A	N9-C4-C5	12.02	110.61	105.80
26	BB	171	U	C4-C5-C6	12.02	126.91	119.70
26	BB	493	G	C5-C6-N1	12.02	117.51	111.50
26	BB	945	A	N1-C2-N3	-12.02	123.29	129.30
26	BB	2574	G	C6-N1-C2	-12.02	117.89	125.10
26	BB	644	A	O4'-C1'-N9	12.01	117.81	108.20
26	BB	1974	C	C2-N3-C4	12.01	125.91	119.90
1	AA	858	G	C4-C5-N7	-12.01	106.00	110.80
1	AA	1476	A	O4'-C1'-N9	12.01	117.81	108.20
26	BB	1157	G	N3-C4-C5	-12.01	122.59	128.60
1	AA	1066	C	O4'-C1'-N1	12.01	117.81	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1356	G	C5-C6-N1	12.01	117.50	111.50
25	BA	69	G	C2-N3-C4	12.01	117.90	111.90
26	BB	2241	A	N9-C4-C5	12.00	110.60	105.80
26	BB	2851	A	C4-C5-N7	12.00	116.70	110.70
26	BB	218	A	C5-C6-N1	12.00	123.70	117.70
26	BB	748	G	O4'-C1'-N9	12.00	117.80	108.20
26	BB	2729	G	N3-C4-C5	-12.00	122.60	128.60
1	AA	1440	U	C5-C4-O4	-11.99	118.70	125.90
1	AA	1153	G	O4'-C1'-N9	11.99	117.79	108.20
1	AA	1204	A	C8-N9-C4	-11.99	101.00	105.80
26	BB	1488	C	C6-N1-C2	-11.99	115.50	120.30
26	BB	1285	A	N1-C2-N3	-11.99	123.31	129.30
26	BB	2733	A	N7-C8-N9	-11.99	107.80	113.80
25	BA	30	C	N3-C4-N4	11.99	126.39	118.00
26	BB	803	U	N3-C2-O2	-11.99	113.81	122.20
26	BB	1817	G	N9-C4-C5	-11.99	100.60	105.40
26	BB	2065	C	N3-C2-O2	-11.99	113.51	121.90
1	AA	188	C	O4'-C1'-N1	11.99	117.79	108.20
28	BD	216	ARG	NE-CZ-NH1	11.99	126.29	120.30
26	BB	2456	C	N3-C4-C5	-11.98	117.11	121.90
1	AA	785	G	C8-N9-C4	-11.98	101.61	106.40
26	BB	1763	G	C8-N9-C4	-11.98	101.61	106.40
26	BB	1408	G	C8-N9-C4	-11.98	101.61	106.40
26	BB	1557	C	O4'-C1'-N1	11.98	117.78	108.20
1	AA	1124	G	C8-N9-C4	-11.98	101.61	106.40
26	BB	2530	A	C5-C6-N1	11.98	123.69	117.70
1	AA	1440	U	N1-C2-N3	11.97	122.08	114.90
26	BB	2639	A	C5-C6-N1	11.97	123.69	117.70
25	BA	6	G	N7-C8-N9	11.97	119.08	113.10
1	AA	963	G	N3-C4-C5	-11.96	122.62	128.60
26	BB	1476	U	C5-C6-N1	-11.96	116.72	122.70
1	AA	429	U	O4'-C1'-N1	11.96	117.77	108.20
26	BB	348	A	N7-C8-N9	11.96	119.78	113.80
26	BB	2588	G	N7-C8-N9	11.96	119.08	113.10
26	BB	2120	G	C2-N3-C4	11.94	117.87	111.90
26	BB	425	G	N7-C8-N9	11.94	119.07	113.10
26	BB	1626	A	C5-N7-C8	-11.94	97.93	103.90
1	AA	1416	G	C8-N9-C4	-11.93	101.63	106.40
1	AA	465	A	N1-C2-N3	-11.93	123.33	129.30
1	AA	909	A	C8-N9-C4	-11.93	101.03	105.80
26	BB	1507	C	O4'-C1'-N1	11.93	117.75	108.20
26	BB	438	G	O4'-C1'-N9	11.93	117.74	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2683	C	C6-N1-C2	-11.93	115.53	120.30
1	AA	1375	A	C8-N9-C4	-11.93	101.03	105.80
1	AA	814	A	N1-C2-N3	11.92	135.26	129.30
1	AA	284	C	O4'-C1'-N1	11.92	117.74	108.20
26	BB	185	G	C5-N7-C8	11.92	110.26	104.30
26	BB	1743	G	N1-C2-N3	11.92	131.05	123.90
1	AA	573	A	N1-C6-N6	11.92	125.75	118.60
2	AB	67	G	C2-N3-C4	11.92	117.86	111.90
26	BB	1095	A	N1-C2-N3	-11.92	123.34	129.30
26	BB	351	C	N3-C4-C5	-11.92	117.13	121.90
26	BB	1824	G	N3-C4-C5	-11.92	122.64	128.60
26	BB	2444	G	O4'-C1'-N9	11.92	117.73	108.20
26	BB	1481	U	N3-C2-O2	-11.91	113.86	122.20
26	BB	2276	G	O4'-C1'-N9	11.91	117.73	108.20
20	AT	76	ARG	NE-CZ-NH2	-11.91	114.35	120.30
26	BB	1426	G	C8-N9-C4	-11.91	101.64	106.40
1	AA	153	C	C5-C4-N4	-11.91	111.86	120.20
26	BB	1216	G	N1-C2-N3	11.90	131.04	123.90
26	BB	1572	A	N1-C6-N6	-11.90	111.46	118.60
1	AA	318	G	C8-N9-C4	-11.89	101.64	106.40
26	BB	1468	U	O4'-C1'-N1	11.89	117.72	108.20
26	BB	624	C	N3-C4-C5	-11.89	117.14	121.90
26	BB	1670	C	N3-C4-C5	-11.89	117.14	121.90
26	BB	667	U	C2-N3-C4	-11.89	119.87	127.00
26	BB	430	A	C5-C6-N1	11.88	123.64	117.70
26	BB	370	G	N1-C6-O6	11.88	127.03	119.90
1	AA	203	G	N7-C8-N9	11.88	119.04	113.10
1	AA	204	G	C5-N7-C8	-11.88	98.36	104.30
1	AA	1472	U	O4'-C1'-N1	11.88	117.70	108.20
26	BB	2625	G	C8-N9-C4	-11.88	101.65	106.40
26	BB	2692	G	N7-C8-N9	11.88	119.04	113.10
1	AA	1453	G	O4'-C1'-N9	11.88	117.70	108.20
26	BB	547	A	N7-C8-N9	-11.88	107.86	113.80
26	BB	1907	G	C8-N9-C4	-11.88	101.65	106.40
26	BB	116	C	O4'-C1'-N1	11.87	117.70	108.20
1	AA	333	U	N3-C2-O2	-11.87	113.89	122.20
26	BB	764	A	C8-N9-C4	-11.87	101.05	105.80
1	AA	1029	U	C6-N1-C2	-11.87	113.88	121.00
1	AA	1224	U	N3-C2-O2	-11.87	113.89	122.20
1	AA	1249	C	C6-N1-C2	-11.87	115.55	120.30
25	BA	70	C	O4'-C1'-N1	11.87	117.69	108.20
26	BB	2255	G	N9-C4-C5	11.87	110.15	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	586	A	C5-N7-C8	-11.87	97.97	103.90
26	BB	2349	G	O4'-C1'-N9	11.86	117.69	108.20
27	BC	164	ARG	NE-CZ-NH2	-11.86	114.37	120.30
1	AA	15	G	N1-C2-N3	-11.85	116.79	123.90
1	AA	1370	G	N3-C2-N2	11.85	128.20	119.90
26	BB	55	G	N1-C6-O6	11.85	127.01	119.90
36	BL	44	TYR	CB-CG-CD1	-11.85	113.89	121.00
1	AA	810	C	C2-N3-C4	11.84	125.82	119.90
3	AC	56	G	O4'-C1'-N9	11.84	117.67	108.20
10	AJ	94	ARG	NE-CZ-NH1	11.84	126.22	120.30
25	BA	75	G	N3-C4-C5	-11.84	122.68	128.60
26	BB	288	U	O4'-C1'-N1	11.84	117.67	108.20
26	BB	1088	A	C8-N9-C4	-11.84	101.06	105.80
24	AX	44	ARG	NE-CZ-NH1	11.83	126.22	120.30
26	BB	924	G	C8-N9-C4	-11.83	101.67	106.40
26	BB	1881	C	N1-C2-O2	11.83	126.00	118.90
26	BB	2793	C	O4'-C1'-N1	11.83	117.66	108.20
26	BB	1318	U	O4'-C1'-N1	11.83	117.66	108.20
26	BB	2063	C	C4-C5-C6	11.83	123.31	117.40
26	BB	1337	G	N9-C4-C5	11.83	110.13	105.40
26	BB	1084	A	N9-C4-C5	11.82	110.53	105.80
1	AA	82	G	C2-N3-C4	11.82	117.81	111.90
1	AA	1154	G	N3-C4-C5	-11.82	122.69	128.60
26	BB	1738	G	N1-C2-N3	-11.82	116.81	123.90
26	BB	2369	A	N9-C4-C5	11.82	110.53	105.80
1	AA	231	U	O4'-C1'-N1	11.82	117.65	108.20
12	AL	37	TYR	CB-CG-CD2	-11.82	113.91	121.00
26	BB	1171	G	N9-C4-C5	11.82	110.13	105.40
26	BB	387	U	N3-C2-O2	-11.82	113.93	122.20
54	B3	16	ARG	NE-CZ-NH1	11.82	126.21	120.30
26	BB	1217	U	O4'-C1'-N1	11.81	117.65	108.20
26	BB	2336	A	C3'-C2'-C1'	-11.81	92.05	101.50
26	BB	2774	C	O4'-C1'-N1	11.81	117.64	108.20
25	BA	89	U	N3-C2-O2	-11.80	113.94	122.20
1	AA	327	A	N1-C6-N6	11.79	125.68	118.60
1	AA	185	U	O4'-C1'-N1	11.79	117.63	108.20
26	BB	1150	C	O4'-C1'-N1	11.79	117.63	108.20
1	AA	1539	C	N3-C4-N4	11.79	126.25	118.00
26	BB	2106	U	C4-C5-C6	11.79	126.77	119.70
1	AA	1360	A	C5'-C4'-O4'	11.79	123.24	109.10
1	AA	328	C	C6-N1-C2	-11.78	115.59	120.30
1	AA	382	A	C8-N9-C4	-11.78	101.09	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	440	C	O4'-C1'-N1	11.78	117.63	108.20
26	BB	2660	A	C2-N3-C4	11.78	116.49	110.60
1	AA	801	U	C5-C6-N1	-11.78	116.81	122.70
1	AA	340	U	N3-C4-O4	11.78	127.64	119.40
1	AA	397	A	N1-C2-N3	-11.78	123.41	129.30
1	AA	699	C	N3-C4-C5	-11.78	117.19	121.90
26	BB	860	U	C5-C6-N1	11.78	128.59	122.70
1	AA	684	U	C5-C4-O4	-11.78	118.83	125.90
26	BB	2131	U	O4'-C1'-N1	11.78	117.62	108.20
26	BB	2646	C	N3-C4-C5	-11.78	117.19	121.90
26	BB	561	G	P-O3'-C3'	11.77	133.83	119.70
1	AA	406	G	N7-C8-N9	11.77	118.98	113.10
1	AA	484	G	C5-C6-O6	-11.77	121.54	128.60
26	BB	1924	C	O4'-C1'-N1	11.77	117.62	108.20
26	BB	1928	A	N9-C4-C5	11.77	110.51	105.80
26	BB	1416	G	C8-N9-C4	-11.77	101.69	106.40
26	BB	952	G	C4-C5-N7	-11.76	106.09	110.80
26	BB	86	G	C8-N9-C4	-11.76	101.70	106.40
26	BB	1603	A	N1-C6-N6	-11.76	111.55	118.60
26	BB	2567	G	C8-N9-C4	-11.76	101.70	106.40
1	AA	144	G	C8-N9-C4	-11.76	101.70	106.40
1	AA	57	G	N9-C4-C5	11.75	110.10	105.40
26	BB	1416	G	N9-C4-C5	11.75	110.10	105.40
1	AA	164	G	C4-C5-N7	-11.75	106.10	110.80
26	BB	2031	A	N9-C4-C5	11.75	110.50	105.80
1	AA	757	U	O4'-C1'-N1	11.75	117.60	108.20
26	BB	1099	G	C8-N9-C4	-11.75	101.70	106.40
26	BB	134	G	C5-C6-O6	-11.75	121.55	128.60
26	BB	2175	C	C5-C4-N4	-11.75	111.98	120.20
26	BB	2299	U	C2-N3-C4	-11.74	119.95	127.00
1	AA	1136	C	C6-N1-C2	-11.74	115.60	120.30
26	BB	86	G	N9-C4-C5	11.74	110.10	105.40
1	AA	187	G	C4'-C3'-C2'	-11.74	90.86	102.60
26	BB	1169	A	C5-N7-C8	11.73	109.77	103.90
26	BB	1333	G	N3-C4-C5	-11.73	122.73	128.60
26	BB	2266	A	O4'-C1'-N9	11.73	117.59	108.20
1	AA	1270	G	C8-N9-C4	-11.73	101.71	106.40
4	AD	41	C	N3-C4-C5	-11.73	117.21	121.90
26	BB	409	G	C4-C5-N7	-11.73	106.11	110.80
26	BB	1129	A	C8-N9-C4	-11.73	101.11	105.80
26	BB	2855	C	N3-C4-C5	-11.73	117.21	121.90
1	AA	410	G	N3-C2-N2	11.72	128.11	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1306	A	C8-N9-C4	-11.72	101.11	105.80
26	BB	1952	A	O4'-C1'-N9	11.72	117.58	108.20
26	BB	92	U	O4'-C1'-N1	11.72	117.57	108.20
1	AA	794	A	N1-C6-N6	-11.71	111.57	118.60
1	AA	1120	C	O4'-C1'-N1	11.71	117.57	108.20
26	BB	12	U	O4'-C1'-N1	11.71	117.57	108.20
26	BB	350	G	C6-C5-N7	11.71	137.43	130.40
26	BB	1299	G	C4-C5-N7	-11.71	106.11	110.80
15	AO	11	ARG	NE-CZ-NH1	11.71	126.16	120.30
26	BB	289	G	C8-N9-C4	-11.71	101.72	106.40
26	BB	1252	G	C2-N3-C4	11.71	117.75	111.90
26	BB	1310	G	N9-C4-C5	11.71	110.08	105.40
26	BB	1475	G	O4'-C1'-N9	11.71	117.57	108.20
26	BB	1810	A	N1-C2-N3	-11.71	123.45	129.30
26	BB	2165	C	O4'-C1'-N1	11.71	117.57	108.20
26	BB	2402	U	O4'-C1'-N1	11.71	117.56	108.20
26	BB	1000	A	N1-C2-N3	-11.71	123.45	129.30
1	AA	46	G	C5-N7-C8	-11.70	98.45	104.30
1	AA	1452	C	O4'-C1'-N1	11.70	117.56	108.20
2	AB	66	C	N1-C2-O2	11.70	125.92	118.90
26	BB	2241	A	C5-C6-N1	11.70	123.55	117.70
1	AA	222	C	C6-N1-C2	-11.70	115.62	120.30
26	BB	348	A	O4'-C1'-N9	11.70	117.56	108.20
26	BB	1048	A	C2-N3-C4	11.70	116.45	110.60
26	BB	1180	U	O4'-C1'-N1	11.70	117.56	108.20
26	BB	1461	C	C5-C4-N4	-11.69	112.02	120.20
26	BB	2738	A	N1-C6-N6	-11.69	111.58	118.60
26	BB	2777	G	N3-C4-C5	-11.69	122.76	128.60
1	AA	134	G	C2-N3-C4	11.69	117.74	111.90
1	AA	433	G	O4'-C1'-N9	11.68	117.55	108.20
26	BB	2486	C	O4'-C1'-N1	11.68	117.55	108.20
1	AA	406	G	C5-N7-C8	-11.68	98.46	104.30
26	BB	1847	A	O4'-C1'-N9	11.68	117.54	108.20
26	BB	853	C	N3-C4-C5	-11.67	117.23	121.90
1	AA	721	G	N9-C4-C5	11.67	110.07	105.40
1	AA	1510	C	C6-N1-C2	-11.67	115.63	120.30
26	BB	931	U	O4'-C1'-N1	11.67	117.54	108.20
26	BB	2657	A	C4-C5-C6	-11.67	111.17	117.00
1	AA	246	A	O4'-C1'-N9	11.67	117.53	108.20
1	AA	384	G	C6-N1-C2	-11.67	118.10	125.10
1	AA	777	A	O4'-C1'-N9	11.67	117.53	108.20
26	BB	819	A	N1-C6-N6	11.67	125.60	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1018	G	C8-N9-C4	-11.66	101.73	106.40
26	BB	218	A	C5-C6-N6	-11.66	114.37	123.70
26	BB	260	G	C5-C6-N1	11.66	117.33	111.50
3	AC	56	G	C8-N9-C4	-11.66	101.74	106.40
26	BB	2035	G	C5-N7-C8	11.66	110.13	104.30
38	BN	2	ARG	NE-CZ-NH2	11.66	126.13	120.30
26	BB	1974	C	N3-C4-C5	-11.65	117.24	121.90
26	BB	150	U	O4'-C1'-N1	11.65	117.52	108.20
26	BB	2469	A	O4'-C1'-N9	11.65	117.52	108.20
3	AC	25	U	O4'-C1'-N1	11.65	117.52	108.20
25	BA	75	G	C6-C5-N7	-11.65	123.41	130.40
26	BB	2410	G	N9-C4-C5	11.65	110.06	105.40
1	AA	381	C	O4'-C1'-N1	11.65	117.52	108.20
26	BB	1157	G	C2-N3-C4	11.65	117.72	111.90
1	AA	776	G	N9-C4-C5	11.64	110.06	105.40
41	BQ	81	ARG	NE-CZ-NH2	-11.64	114.48	120.30
1	AA	1467	C	N1-C2-O2	11.64	125.88	118.90
26	BB	1819	A	N7-C8-N9	11.64	119.62	113.80
26	BB	2351	G	N9-C4-C5	11.63	110.05	105.40
26	BB	2618	G	N3-C4-C5	-11.63	122.78	128.60
26	BB	146	A	N9-C4-C5	11.63	110.45	105.80
1	AA	270	A	C8-N9-C4	-11.63	101.15	105.80
1	AA	1084	G	N1-C6-O6	-11.63	112.92	119.90
26	BB	490	C	N3-C4-C5	-11.62	117.25	121.90
1	AA	347	G	C8-N9-C4	-11.62	101.75	106.40
26	BB	736	C	N3-C4-C5	-11.62	117.25	121.90
26	BB	2747	G	N7-C8-N9	11.62	118.91	113.10
26	BB	1567	G	N7-C8-N9	11.62	118.91	113.10
26	BB	2463	C	C6-N1-C2	11.62	124.95	120.30
1	AA	917	G	C8-N9-C4	-11.62	101.75	106.40
26	BB	931	U	N3-C2-O2	-11.62	114.07	122.20
1	AA	26	A	N7-C8-N9	-11.61	107.99	113.80
1	AA	723	U	O4'-C1'-N1	11.62	117.49	108.20
1	AA	1050	G	C5-C6-O6	11.61	135.57	128.60
26	BB	510	C	N1-C2-O2	11.62	125.87	118.90
26	BB	1366	A	C8-N9-C4	-11.61	101.16	105.80
26	BB	518	G	C5-N7-C8	-11.61	98.50	104.30
26	BB	1681	G	N9-C4-C5	11.61	110.04	105.40
1	AA	3	A	C2-N3-C4	11.61	116.40	110.60
26	BB	1187	G	C3'-C2'-C1'	11.61	110.78	101.50
26	BB	1028	A	C5-C6-N1	-11.60	111.90	117.70
1	AA	462	G	C1'-O4'-C4'	-11.60	100.62	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	774	G	C4-C5-N7	11.60	115.44	110.80
1	AA	1231	G	N7-C8-N9	11.60	118.90	113.10
26	BB	287	G	O4'-C1'-N9	11.60	117.48	108.20
26	BB	683	U	C2-N3-C4	-11.60	120.04	127.00
26	BB	2842	G	N3-C4-N9	11.60	132.96	126.00
1	AA	786	G	O4'-C1'-N9	11.59	117.47	108.20
1	AA	750	C	O4'-C1'-N1	11.59	117.47	108.20
25	BA	88	C	O4'-C1'-N1	11.59	117.47	108.20
26	BB	2351	G	N3-C4-C5	-11.59	122.80	128.60
1	AA	420	U	C5-C6-N1	-11.59	116.91	122.70
26	BB	380	G	N7-C8-N9	11.59	118.89	113.10
26	BB	578	G	N3-C4-C5	-11.59	122.81	128.60
26	BB	2636	C	N3-C4-C5	11.59	126.53	121.90
26	BB	1477	A	N7-C8-N9	11.58	119.59	113.80
1	AA	589	U	C5-C4-O4	-11.58	118.95	125.90
26	BB	1498	C	N3-C2-O2	-11.58	113.79	121.90
26	BB	788	A	C5-C6-N1	-11.58	111.91	117.70
26	BB	969	G	C8-N9-C4	-11.58	101.77	106.40
26	BB	1570	A	O4'-C1'-N9	11.57	117.46	108.20
26	BB	1404	C	C6-N1-C2	-11.57	115.67	120.30
26	BB	2801	G	C8-N9-C4	-11.57	101.77	106.40
26	BB	258	G	N3-C4-C5	-11.57	122.82	128.60
26	BB	668	A	C4-C5-N7	-11.56	104.92	110.70
26	BB	2674	G	N1-C2-N3	-11.56	116.96	123.90
26	BB	2410	G	C8-N9-C4	-11.56	101.78	106.40
26	BB	2842	G	N3-C4-C5	-11.56	122.82	128.60
1	AA	1167	A	C8-N9-C4	-11.55	101.18	105.80
26	BB	65	U	N1-C2-N3	11.55	121.83	114.90
26	BB	615	U	O4'-C1'-N1	11.55	117.44	108.20
1	AA	1329	A	C8-N9-C4	-11.55	101.18	105.80
26	BB	2810	A	C8-N9-C4	-11.55	101.18	105.80
26	BB	327	G	C4-C5-N7	-11.55	106.18	110.80
26	BB	549	G	O4'-C1'-N9	11.55	117.44	108.20
1	AA	1050	G	N1-C6-O6	-11.54	112.97	119.90
1	AA	1448	C	N3-C4-C5	-11.54	117.28	121.90
1	AA	1279	G	N7-C8-N9	11.54	118.87	113.10
1	AA	1087	G	C8-N9-C4	-11.54	101.79	106.40
4	AD	37	U	C5-C4-O4	-11.54	118.98	125.90
26	BB	1088	A	N9-C4-C5	11.54	110.42	105.80
1	AA	838	G	C4-C5-C6	11.53	125.72	118.80
26	BB	2095	A	C8-N9-C4	-11.53	101.19	105.80
26	BB	2325	G	N1-C6-O6	-11.53	112.98	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	655	A	C8-N9-C4	-11.53	101.19	105.80
26	BB	556	A	C8-N9-C4	-11.53	101.19	105.80
1	AA	262	A	C8-N9-C4	-11.52	101.19	105.80
26	BB	7	G	C8-N9-C4	-11.52	101.79	106.40
26	BB	1129	A	N9-C4-C5	11.52	110.41	105.80
26	BB	2884	U	N1-C2-O2	11.52	130.87	122.80
26	BB	1091	G	N3-C4-N9	11.52	132.91	126.00
26	BB	506	G	N3-C4-C5	-11.52	122.84	128.60
26	BB	569	U	C5-C6-N1	-11.52	116.94	122.70
25	BA	13	G	O4'-C1'-N9	11.52	117.41	108.20
1	AA	674	G	C8-N9-C4	-11.51	101.80	106.40
1	AA	1109	C	C6-N1-C2	11.51	124.91	120.30
26	BB	2869	G	N7-C8-N9	11.51	118.86	113.10
39	BO	81	ARG	NE-CZ-NH1	11.51	126.05	120.30
26	BB	619	G	C2-N3-C4	11.51	117.65	111.90
26	BB	2784	U	O4'-C1'-N1	11.51	117.40	108.20
1	AA	873	A	N9-C4-C5	11.50	110.40	105.80
26	BB	2314	A	C4-C5-C6	-11.50	111.25	117.00
3	AC	25	U	C5-C4-O4	-11.50	119.00	125.90
38	BN	126	ARG	NE-CZ-NH1	-11.50	114.55	120.30
1	AA	1108	G	N1-C6-O6	11.50	126.80	119.90
26	BB	271	G	O4'-C1'-N9	11.50	117.40	108.20
26	BB	1430	G	C5-N7-C8	-11.50	98.55	104.30
26	BB	2058	A	C6-N1-C2	11.50	125.50	118.60
1	AA	1109	C	C2-N3-C4	11.49	125.65	119.90
1	AA	641	U	O4'-C1'-N1	11.49	117.39	108.20
26	BB	2399	G	C4-C5-N7	-11.49	106.20	110.80
26	BB	2694	G	N7-C8-N9	11.49	118.85	113.10
17	AQ	64	ARG	NE-CZ-NH2	-11.49	114.56	120.30
26	BB	899	A	C4-C5-C6	11.49	122.74	117.00
1	AA	1260	G	C5-C6-O6	-11.48	121.71	128.60
31	BG	94	ARG	NE-CZ-NH2	-11.48	114.56	120.30
1	AA	683	G	O4'-C1'-N9	11.48	117.38	108.20
1	AA	1435	G	C5-N7-C8	-11.47	98.56	104.30
26	BB	1024	G	C8-N9-C4	-11.47	101.81	106.40
26	BB	2018	G	N3-C4-C5	-11.47	122.86	128.60
26	BB	981	A	C2-N3-C4	11.47	116.33	110.60
1	AA	938	A	N9-C4-C5	11.46	110.39	105.80
26	BB	316	C	O4'-C1'-N1	11.47	117.37	108.20
26	BB	1056	G	N3-C4-C5	-11.47	122.87	128.60
26	BB	1661	G	C5-C6-O6	-11.46	121.72	128.60
1	AA	82	G	C4-C5-N7	-11.46	106.22	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	614	C	C5-C6-N1	11.46	126.73	121.00
1	AA	1417	G	C6-C5-N7	-11.46	123.52	130.40
26	BB	166	U	N3-C2-O2	-11.46	114.18	122.20
26	BB	564	C	N3-C4-C5	11.46	126.48	121.90
26	BB	1548	A	N9-C1'-C2'	-11.46	99.10	114.00
26	BB	2492	U	C5-C4-O4	-11.46	119.02	125.90
26	BB	2759	G	O4'-C1'-N9	11.46	117.37	108.20
26	BB	1617	C	C6-N1-C2	11.46	124.88	120.30
1	AA	1041	G	N3-C4-C5	-11.46	122.87	128.60
1	AA	1431	A	N1-C6-N6	11.46	125.47	118.60
26	BB	946	C	N3-C4-N4	11.46	126.02	118.00
1	AA	590	U	C2-N3-C4	-11.45	120.13	127.00
26	BB	769	U	N3-C2-O2	-11.45	114.18	122.20
1	AA	1440	U	C2-N3-C4	-11.45	120.13	127.00
26	BB	1973	G	C5-N7-C8	-11.45	98.57	104.30
1	AA	434	U	C6-N1-C2	-11.45	114.13	121.00
1	AA	1032	G	C4-C5-C6	11.45	125.67	118.80
26	BB	2266	A	N1-C2-N3	-11.45	123.58	129.30
26	BB	723	C	N1-C2-O2	11.45	125.77	118.90
26	BB	1448	G	C2-N3-C4	11.45	117.62	111.90
1	AA	526	C	N3-C4-C5	-11.44	117.32	121.90
4	AD	4	G	C4-C5-N7	-11.44	106.22	110.80
26	BB	733	G	O4'-C1'-N9	11.44	117.36	108.20
26	BB	764	A	C4-C5-N7	-11.44	104.98	110.70
26	BB	1078	U	O4'-C1'-N1	11.44	117.35	108.20
3	AC	35	G	C8-N9-C4	-11.44	101.82	106.40
26	BB	2325	G	C4-C5-N7	-11.44	106.22	110.80
26	BB	1062	G	N7-C8-N9	11.44	118.82	113.10
26	BB	1123	C	N1-C2-O2	11.44	125.76	118.90
26	BB	1398	C	N3-C4-C5	-11.44	117.33	121.90
1	AA	1245	C	N3-C4-C5	-11.43	117.33	121.90
26	BB	275	C	N3-C4-C5	-11.43	117.33	121.90
26	BB	583	G	C8-N9-C4	-11.43	101.83	106.40
26	BB	530	G	C2-N3-C4	11.43	117.61	111.90
26	BB	1507	C	N3-C4-C5	11.43	126.47	121.90
26	BB	2176	A	C2-N3-C4	11.43	116.31	110.60
26	BB	2588	G	C8-N9-C4	-11.42	101.83	106.40
1	AA	505	G	O4'-C1'-N9	11.42	117.34	108.20
25	BA	43	C	N1-C2-O2	11.42	125.75	118.90
26	BB	52	A	C8-N9-C4	-11.42	101.23	105.80
26	BB	60	G	O4'-C4'-C3'	11.42	115.42	104.00
26	BB	977	G	C5-N7-C8	-11.42	98.59	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1568	G	N3-C4-C5	-11.42	122.89	128.60
26	BB	2319	G	O4'-C1'-N9	11.42	117.33	108.20
1	AA	898	G	C6-C5-N7	-11.41	123.55	130.40
1	AA	1450	U	O4'-C1'-N1	11.41	117.33	108.20
26	BB	358	U	C6-N1-C2	-11.41	114.15	121.00
1	AA	907	A	C8-N9-C4	-11.41	101.24	105.80
1	AA	565	U	C4-C5-C6	11.41	126.55	119.70
26	BB	1635	A	O4'-C1'-N9	11.41	117.33	108.20
26	BB	707	G	N9-C4-C5	11.41	109.96	105.40
26	BB	1921	G	C2-N3-C4	11.41	117.60	111.90
26	BB	2253	G	N3-C4-C5	-11.40	122.90	128.60
25	BA	66	A	N1-C2-N3	-11.40	123.60	129.30
26	BB	2198	A	C6-N1-C2	-11.40	111.76	118.60
26	BB	1857	G	O4'-C1'-N9	11.40	117.32	108.20
1	AA	568	G	N9-C4-C5	11.40	109.96	105.40
28	BD	211	ARG	NE-CZ-NH1	11.40	126.00	120.30
1	AA	719	C	N3-C4-C5	-11.39	117.34	121.90
26	BB	1901	A	C2-N3-C4	11.39	116.30	110.60
1	AA	50	A	O4'-C1'-N9	11.39	117.31	108.20
26	BB	2782	G	C2-N3-C4	11.39	117.60	111.90
26	BB	2016	U	C3'-C2'-C1'	-11.39	92.39	101.50
1	AA	361	G	C2-N3-C4	11.39	117.59	111.90
28	BD	68	ARG	NE-CZ-NH1	11.39	125.99	120.30
1	AA	1539	C	C5-C4-N4	-11.39	112.23	120.20
1	AA	1426	G	O4'-C1'-N9	11.38	117.31	108.20
26	BB	1380	G	C8-N9-C4	-11.38	101.85	106.40
26	BB	2832	U	O4'-C1'-N1	11.38	117.31	108.20
26	BB	1549	A	O4'-C1'-N9	11.38	117.30	108.20
1	AA	220	G	O4'-C1'-N9	11.37	117.30	108.20
1	AA	1525	G	C4-C5-N7	11.37	115.35	110.80
26	BB	1074	G	C8-N9-C4	-11.37	101.85	106.40
26	BB	1733	G	O4'-C1'-N9	11.37	117.30	108.20
26	BB	1831	G	N3-C4-C5	-11.37	122.92	128.60
1	AA	1502	A	O4'-C1'-N9	11.37	117.30	108.20
1	AA	1319	A	C5-N7-C8	-11.37	98.22	103.90
26	BB	232	G	N9-C4-C5	11.37	109.95	105.40
26	BB	1169	A	C4-C5-N7	-11.37	105.02	110.70
26	BB	1407	G	O4'-C1'-N9	11.37	117.30	108.20
26	BB	1989	G	N3-C4-C5	-11.37	122.92	128.60
1	AA	401	C	O4'-C1'-N1	11.36	117.29	108.20
1	AA	1233	G	C2-N3-C4	11.36	117.58	111.90
1	AA	1373	G	C8-N9-C4	-11.36	101.86	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	98	G	C4-C5-N7	-11.36	106.26	110.80
26	BB	2413	G	N3-C2-N2	-11.36	111.95	119.90
14	AN	68	ARG	NE-CZ-NH1	11.36	125.98	120.30
26	BB	1423	G	N9-C4-C5	11.36	109.94	105.40
26	BB	1606	C	N1-C2-O2	11.36	125.71	118.90
1	AA	419	C	N3-C4-C5	-11.36	117.36	121.90
26	BB	234	U	O4'-C1'-N1	11.35	117.28	108.20
26	BB	77	G	C8-N9-C4	-11.35	101.86	106.40
26	BB	312	G	C8-N9-C4	-11.35	101.86	106.40
26	BB	1998	A	C5-N7-C8	11.35	109.58	103.90
26	BB	2057	G	C5-C6-O6	11.35	135.41	128.60
1	AA	1057	G	C8-N9-C4	-11.35	101.86	106.40
26	BB	1813	G	C4-C5-N7	-11.35	106.26	110.80
1	AA	1189	U	C2-N3-C4	-11.34	120.19	127.00
26	BB	2555	U	O4'-C1'-N1	11.34	117.28	108.20
1	AA	231	U	N3-C2-O2	-11.34	114.26	122.20
1	AA	413	G	N7-C8-N9	11.34	118.77	113.10
1	AA	1084	G	C4-C5-N7	-11.34	106.26	110.80
26	BB	22	C	N3-C4-C5	-11.34	117.36	121.90
1	AA	1241	G	C4-C5-N7	-11.34	106.27	110.80
1	AA	1437	A	N1-C6-N6	11.34	125.40	118.60
26	BB	1144	A	N9-C4-C5	11.34	110.33	105.80
1	AA	424	G	C5-C6-N1	11.33	117.17	111.50
1	AA	17	U	O4'-C1'-N1	11.33	117.26	108.20
26	BB	2037	A	N1-C2-N3	-11.33	123.64	129.30
1	AA	1130	A	C5-N7-C8	11.33	109.56	103.90
26	BB	1802	A	C5'-C4'-C3'	-11.33	97.88	116.00
26	BB	2520	C	O4'-C1'-N1	11.33	117.26	108.20
26	BB	2618	G	C8-N9-C4	-11.33	101.87	106.40
26	BB	640	C	C5-C4-N4	-11.32	112.27	120.20
26	BB	1588	G	N3-C4-C5	-11.32	122.94	128.60
26	BB	2231	U	C5-C6-N1	-11.32	117.04	122.70
26	BB	1988	G	C5-N7-C8	11.32	109.96	104.30
26	BB	965	C	O4'-C1'-N1	11.32	117.25	108.20
26	BB	533	G	C5-N7-C8	11.32	109.96	104.30
26	BB	1082	U	O4'-C1'-N1	11.32	117.25	108.20
26	BB	2200	C	O4'-C1'-N1	11.32	117.25	108.20
26	BB	2374	C	N3-C4-C5	11.32	126.43	121.90
1	AA	421	U	C3'-C2'-C1'	11.31	110.55	101.50
1	AA	486	U	N1-C2-O2	-11.31	114.88	122.80
1	AA	945	G	C8-N9-C4	-11.31	101.87	106.40
2	AB	50	G	N7-C8-N9	11.31	118.76	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	548	G	N1-C6-O6	-11.31	113.11	119.90
26	BB	1827	U	O4'-C1'-N1	11.31	117.25	108.20
26	BB	2408	U	O4'-C1'-N1	11.31	117.25	108.20
1	AA	1169	A	C5-C6-N1	11.30	123.35	117.70
26	BB	1646	C	N1-C2-O2	11.30	125.68	118.90
1	AA	147	G	N9-C4-C5	11.30	109.92	105.40
26	BB	254	G	C8-N9-C4	-11.30	101.88	106.40
1	AA	838	G	N1-C6-O6	11.30	126.68	119.90
26	BB	1126	A	C5-C6-N1	11.30	123.35	117.70
26	BB	1807	G	N7-C8-N9	11.30	118.75	113.10
26	BB	1804	C	C6-N1-C2	-11.30	115.78	120.30
1	AA	434	U	N1-C2-N3	11.29	121.68	114.90
26	BB	1055	G	C5-C6-N1	11.30	117.15	111.50
1	AA	1485	U	C5-C4-O4	-11.29	119.12	125.90
9	AI	109	ARG	NE-CZ-NH2	-11.29	114.65	120.30
26	BB	395	U	O4'-C1'-N1	11.29	117.23	108.20
1	AA	172	A	C4-C5-C6	-11.29	111.35	117.00
26	BB	1461	C	C6-N1-C2	-11.29	115.78	120.30
26	BB	1673	G	N1-C6-O6	11.29	126.67	119.90
6	AF	171	ARG	NE-CZ-NH1	11.29	125.94	120.30
26	BB	1026	G	N3-C4-C5	-11.29	122.95	128.60
26	BB	600	G	N1-C6-O6	11.29	126.67	119.90
26	BB	1645	G	N1-C6-O6	-11.29	113.13	119.90
1	AA	547	A	C8-N9-C4	-11.29	101.29	105.80
26	BB	336	C	O4'-C1'-N1	11.29	117.23	108.20
26	BB	1299	G	N3-C4-C5	-11.29	122.96	128.60
4	AD	68	C	N1-C2-O2	11.28	125.67	118.90
1	AA	1360	A	C5-C6-N1	11.28	123.34	117.70
25	BA	68	C	O4'-C1'-N1	11.28	117.22	108.20
26	BB	102	U	N3-C2-O2	-11.28	114.31	122.20
26	BB	2845	U	C2-N3-C4	-11.28	120.23	127.00
26	BB	1552	A	C8-N9-C4	-11.28	101.29	105.80
26	BB	2473	U	O4'-C1'-N1	11.28	117.22	108.20
26	BB	243	U	O4'-C1'-N1	11.27	117.22	108.20
26	BB	707	G	N3-C4-C5	-11.27	122.97	128.60
26	BB	2844	G	N9-C4-C5	11.27	109.91	105.40
26	BB	2464	G	N3-C4-C5	-11.27	122.97	128.60
26	BB	2398	U	C5-C4-O4	-11.27	119.14	125.90
3	AC	22	G	C5-N7-C8	-11.27	98.67	104.30
26	BB	1142	A	N1-C2-N3	-11.27	123.67	129.30
26	BB	1943	U	N3-C2-O2	-11.27	114.31	122.20
26	BB	2751	G	N7-C8-N9	11.27	118.73	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1906	G	C5-N7-C8	-11.26	98.67	104.30
1	AA	264	C	C2-N3-C4	11.26	125.53	119.90
26	BB	2525	G	C5-N7-C8	-11.26	98.67	104.30
26	BB	1880	U	C5-C4-O4	-11.26	119.14	125.90
1	AA	1362	A	C8-N9-C4	-11.26	101.30	105.80
26	BB	781	A	C5-C6-N1	11.26	123.33	117.70
25	BA	69	G	C5-N7-C8	-11.25	98.67	104.30
26	BB	163	C	C5-C4-N4	-11.25	112.32	120.20
26	BB	949	G	N3-C4-C5	-11.25	122.97	128.60
35	BK	133	ARG	NE-CZ-NH2	-11.25	114.67	120.30
1	AA	65	A	C2-N3-C4	11.25	116.22	110.60
1	AA	76	G	C5-C6-O6	-11.25	121.85	128.60
1	AA	475	C	N1-C2-O2	11.25	125.65	118.90
1	AA	907	A	O4'-C1'-N9	11.25	117.20	108.20
26	BB	883	G	C2-N3-C4	11.25	117.53	111.90
26	BB	1724	G	C1'-O4'-C4'	11.25	118.90	109.90
26	BB	2557	G	C4-C5-N7	-11.25	106.30	110.80
26	BB	2730	C	N3-C2-O2	-11.25	114.03	121.90
38	BN	60	ARG	NE-CZ-NH2	-11.25	114.67	120.30
1	AA	509	A	C6-N1-C2	-11.25	111.85	118.60
26	BB	875	G	C6-N1-C2	-11.25	118.35	125.10
26	BB	2089	C	C6-N1-C2	11.25	124.80	120.30
30	BF	21	ARG	NE-CZ-NH2	11.25	125.92	120.30
42	BR	87	ARG	NE-CZ-NH1	11.25	125.92	120.30
26	BB	1600	C	N1-C2-O2	11.24	125.65	118.90
25	BA	75	G	N7-C8-N9	11.24	118.72	113.10
1	AA	728	A	C5-C6-N6	-11.24	114.71	123.70
26	BB	431	U	O4'-C1'-N1	11.24	117.19	108.20
26	BB	2107	G	N1-C6-O6	-11.24	113.16	119.90
1	AA	1504	G	N9-C4-C5	11.23	109.89	105.40
26	BB	319	G	N9-C4-C5	11.23	109.89	105.40
26	BB	908	C	C1'-O4'-C4'	-11.23	100.91	109.90
26	BB	932	U	N1-C2-O2	11.23	130.66	122.80
26	BB	781	A	C8-N9-C4	-11.23	101.31	105.80
26	BB	1155	A	N1-C6-N6	-11.23	111.86	118.60
26	BB	1581	G	C5-N7-C8	-11.23	98.69	104.30
26	BB	423	A	C5-N7-C8	11.23	109.51	103.90
26	BB	1609	A	C3'-C2'-C1'	11.23	110.48	101.50
26	BB	1815	A	C8-N9-C4	-11.23	101.31	105.80
26	BB	2023	C	N3-C2-O2	-11.23	114.04	121.90
1	AA	116	A	N9-C4-C5	11.22	110.29	105.80
1	AA	1181	G	N9-C4-C5	11.22	109.89	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1276	A	N1-C2-N3	-11.22	123.69	129.30
26	BB	1340	U	O4'-C1'-N1	11.22	117.18	108.20
26	BB	167	A	C2-N3-C4	11.22	116.21	110.60
1	AA	212	G	O4'-C1'-N9	11.22	117.18	108.20
1	AA	377	G	C8-N9-C4	-11.22	101.91	106.40
1	AA	721	G	O4'-C1'-C2'	-11.22	94.58	105.80
26	BB	921	C	O4'-C1'-N1	11.22	117.17	108.20
1	AA	848	C	O4'-C1'-N1	11.22	117.17	108.20
1	AA	352	C	O4'-C1'-N1	11.22	117.17	108.20
1	AA	152	A	C5-C6-N1	-11.21	112.09	117.70
1	AA	866	C	C4'-C3'-C2'	-11.21	91.39	102.60
2	AB	36	A	O4'-C4'-C3'	11.21	115.21	104.00
26	BB	1744	A	C3'-C2'-C1'	11.21	110.47	101.50
1	AA	68	G	C2-N3-C4	11.21	117.50	111.90
26	BB	629	G	C5-C6-N1	11.21	117.11	111.50
26	BB	2310	C	N3-C4-C5	-11.21	117.42	121.90
26	BB	1062	G	C5-N7-C8	-11.21	98.70	104.30
26	BB	2654	A	C5-C6-N1	11.21	123.30	117.70
1	AA	1334	G	C2-N3-C4	11.21	117.50	111.90
26	BB	350	G	C4-C5-N7	-11.21	106.32	110.80
1	AA	1462	C	N3-C2-O2	-11.20	114.06	121.90
26	BB	50	U	C5-C6-N1	-11.20	117.10	122.70
26	BB	993	G	C4-C5-N7	-11.20	106.32	110.80
26	BB	1289	C	C6-N1-C2	-11.20	115.82	120.30
26	BB	2790	U	N3-C2-O2	-11.20	114.36	122.20
26	BB	921	C	C5-C6-N1	11.19	126.60	121.00
26	BB	118	A	C8-N9-C4	-11.19	101.32	105.80
1	AA	48	C	N3-C2-O2	-11.19	114.07	121.90
26	BB	1662	U	O4'-C1'-N1	11.19	117.15	108.20
38	BN	78	ARG	NE-CZ-NH2	-11.19	114.71	120.30
26	BB	2778	A	C2-N3-C4	11.18	116.19	110.60
1	AA	69	G	N3-C4-C5	-11.18	123.01	128.60
1	AA	1033	G	N3-C4-C5	-11.18	123.01	128.60
26	BB	1025	G	C8-N9-C4	-11.18	101.93	106.40
26	BB	2209	G	C5-C6-N1	11.18	117.09	111.50
26	BB	1184	U	C3'-C2'-C1'	-11.18	92.56	101.50
1	AA	654	G	O4'-C1'-N9	11.17	117.14	108.20
26	BB	2301	C	C4-C5-C6	11.17	122.99	117.40
1	AA	124	C	N1-C2-O2	11.17	125.60	118.90
26	BB	834	G	N9-C4-C5	11.17	109.87	105.40
1	AA	1538	C	N1-C2-O2	11.16	125.60	118.90
26	BB	1861	G	C2-N3-C4	11.16	117.48	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1092	C	N3-C2-O2	-11.16	114.09	121.90
1	AA	953	G	N1-C2-N3	-11.16	117.21	123.90
1	AA	980	C	C2-N3-C4	11.16	125.48	119.90
26	BB	107	G	C8-N9-C4	11.16	110.86	106.40
26	BB	2035	G	C2-N3-C4	11.16	117.48	111.90
26	BB	2624	G	N7-C8-N9	11.15	118.68	113.10
1	AA	211	G	N3-C4-C5	-11.15	123.02	128.60
1	AA	1185	G	C8-N9-C4	-11.15	101.94	106.40
1	AA	1476	A	C6-N1-C2	-11.15	111.91	118.60
2	AB	74	C	N1-C2-O2	11.15	125.59	118.90
26	BB	1006	C	C4-C5-C6	-11.15	111.82	117.40
26	BB	1207	C	C5-C6-N1	11.15	126.58	121.00
26	BB	973	A	N9-C4-C5	11.15	110.26	105.80
1	AA	77	A	C8-N9-C4	-11.15	101.34	105.80
1	AA	785	G	C4-C5-N7	-11.15	106.34	110.80
26	BB	1323	C	C6-N1-C2	11.15	124.76	120.30
26	BB	1340	U	C4-C5-C6	11.15	126.39	119.70
26	BB	1944	U	O4'-C1'-N1	11.15	117.12	108.20
1	AA	720	C	C2-N3-C4	11.14	125.47	119.90
1	AA	841	C	O4'-C1'-N1	11.14	117.11	108.20
2	AB	61	C	C4'-C3'-C2'	-11.14	91.45	102.60
26	BB	645	C	N3-C2-O2	-11.14	114.10	121.90
26	BB	2256	G	O4'-C1'-N9	11.14	117.11	108.20
1	AA	1433	A	N7-C8-N9	11.14	119.37	113.80
26	BB	2372	U	N3-C4-O4	11.14	127.20	119.40
1	AA	199	A	C5-C6-N1	11.14	123.27	117.70
1	AA	1016	A	O4'-C1'-N9	11.14	117.11	108.20
26	BB	1456	G	C5-N7-C8	-11.14	98.73	104.30
1	AA	1303	C	N3-C4-C5	-11.13	117.45	121.90
25	BA	47	C	O4'-C1'-N1	11.13	117.11	108.20
45	BU	92	ARG	NE-CZ-NH1	11.13	125.87	120.30
1	AA	319	G	C4-C5-N7	-11.13	106.35	110.80
1	AA	564	C	C2-N3-C4	11.13	125.47	119.90
16	AP	91	ARG	NE-CZ-NH1	11.13	125.86	120.30
1	AA	586	C	N1-C2-O2	11.13	125.58	118.90
1	AA	741	G	N3-C4-C5	-11.12	123.04	128.60
26	BB	470	A	C8-N9-C4	-11.12	101.35	105.80
26	BB	1423	G	C2-N3-C4	11.12	117.46	111.90
1	AA	15	G	C2-N3-C4	11.12	117.46	111.90
1	AA	459	A	N1-C2-N3	-11.12	123.74	129.30
26	BB	1546	G	C6-C5-N7	11.12	137.07	130.40
26	BB	2053	G	N7-C8-N9	11.12	118.66	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	358	U	O4'-C1'-N1	11.12	117.09	108.20
26	BB	481	G	O4'-C1'-C2'	-11.11	94.69	105.80
1	AA	1241	G	N1-C6-O6	11.11	126.57	119.90
50	BZ	17	ARG	NE-CZ-NH1	-11.11	114.74	120.30
26	BB	2821	A	O4'-C1'-N9	11.11	117.09	108.20
1	AA	68	G	N3-C4-C5	-11.11	123.05	128.60
1	AA	250	A	C8-N9-C4	-11.11	101.36	105.80
1	AA	695	A	N9-C4-C5	11.11	110.24	105.80
26	BB	2405	G	N7-C8-N9	11.11	118.65	113.10
26	BB	2470	G	C5-C6-N1	11.11	117.05	111.50
1	AA	794	A	N9-C4-C5	11.10	110.24	105.80
1	AA	1181	G	O4'-C1'-N9	11.10	117.08	108.20
26	BB	270	A	N1-C2-N3	-11.10	123.75	129.30
1	AA	545	C	C4-C5-C6	11.10	122.95	117.40
1	AA	1400	C	N3-C2-O2	-11.10	114.13	121.90
26	BB	799	G	C2-N3-C4	11.10	117.45	111.90
26	BB	2107	G	N1-C2-N3	-11.10	117.24	123.90
26	BB	770	G	N1-C6-O6	-11.09	113.24	119.90
26	BB	1896	G	O4'-C1'-N9	-11.09	99.33	108.20
26	BB	1164	C	C5-C4-N4	11.09	127.96	120.20
26	BB	2685	G	C5-N7-C8	-11.09	98.75	104.30
1	AA	998	C	C2-N3-C4	11.09	125.44	119.90
1	AA	1421	G	N3-C4-C5	-11.09	123.06	128.60
1	AA	1479	C	N3-C4-C5	-11.09	117.47	121.90
16	AP	22	TYR	CB-CG-CD1	-11.09	114.35	121.00
26	BB	1567	G	C8-N9-C4	-11.09	101.97	106.40
1	AA	1049	U	O4'-C1'-N1	11.08	117.07	108.20
26	BB	110	G	C6-C5-N7	-11.08	123.75	130.40
26	BB	2332	C	O4'-C1'-N1	11.08	117.07	108.20
26	BB	93	G	O4'-C1'-N9	11.08	117.06	108.20
1	AA	329	A	O4'-C1'-N9	11.08	117.06	108.20
26	BB	2351	G	C5-C6-N1	11.08	117.04	111.50
1	AA	1243	C	N3-C4-C5	-11.08	117.47	121.90
21	AU	12	PHE	CB-CG-CD1	-11.08	113.05	120.80
26	BB	2041	U	O4'-C1'-N1	11.08	117.06	108.20
26	BB	2697	G	C4-C5-N7	-11.08	106.37	110.80
1	AA	1409	C	N3-C2-O2	-11.07	114.15	121.90
1	AA	1071	C	N1-C2-O2	-11.07	112.26	118.90
26	BB	2730	C	N1-C2-O2	11.07	125.54	118.90
26	BB	2470	G	N9-C4-C5	-11.07	100.97	105.40
26	BB	2671	G	N9-C4-C5	11.07	109.83	105.40
27	BC	74	ARG	NE-CZ-NH1	11.07	125.83	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	163	C	N3-C4-N4	11.07	125.75	118.00
26	BB	1124	G	O4'-C1'-N9	11.07	117.05	108.20
26	BB	1138	G	N9-C4-C5	-11.07	100.97	105.40
26	BB	2535	G	C8-N9-C4	-11.07	101.97	106.40
1	AA	674	G	N9-C4-C5	11.06	109.83	105.40
1	AA	1421	G	N3-C4-N9	11.06	132.64	126.00
26	BB	26	G	C4-C5-N7	-11.06	106.37	110.80
12	AL	118	ARG	NE-CZ-NH1	11.06	125.83	120.30
26	BB	1947	C	C5-C6-N1	-11.06	115.47	121.00
1	AA	172	A	C6-C5-N7	11.06	140.04	132.30
1	AA	1067	A	O4'-C1'-N9	11.06	117.05	108.20
26	BB	1829	A	C8-N9-C4	-11.06	101.38	105.80
1	AA	1097	C	C5-C6-N1	-11.05	115.47	121.00
1	AA	1169	A	C2-N3-C4	11.05	116.13	110.60
26	BB	922	C	N3-C4-C5	-11.05	117.48	121.90
26	BB	1108	U	C5-C6-N1	-11.05	117.17	122.70
26	BB	924	G	N9-C4-C5	11.05	109.82	105.40
4	AD	39	A	N1-C2-N3	-11.05	123.77	129.30
1	AA	1304	G	C5-N7-C8	-11.05	98.78	104.30
26	BB	787	C	N3-C2-O2	-11.05	114.17	121.90
1	AA	651	C	N3-C4-C5	-11.04	117.48	121.90
1	AA	869	G	C4-C5-N7	-11.04	106.38	110.80
1	AA	1029	U	O4'-C1'-N1	11.04	117.04	108.20
26	BB	1749	A	N9-C4-C5	11.04	110.22	105.80
1	AA	369	G	O4'-C1'-N9	11.04	117.03	108.20
1	AA	918	A	C8-N9-C4	-11.04	101.39	105.80
2	AB	59	G	C8-N9-C4	-11.04	101.98	106.40
26	BB	21	A	C5-C6-N1	11.04	123.22	117.70
58	B7	36	ARG	NE-CZ-NH1	11.04	125.82	120.30
2	AB	61	C	O4'-C1'-N1	11.04	117.03	108.20
1	AA	1046	A	C2-N3-C4	11.03	116.11	110.60
1	AA	1483	A	O4'-C1'-N9	11.03	117.02	108.20
26	BB	344	A	O4'-C1'-N9	11.03	117.02	108.20
26	BB	1089	A	C8-N9-C4	-11.03	101.39	105.80
26	BB	650	C	N1-C2-O2	11.03	125.52	118.90
26	BB	1954	G	C1'-O4'-C4'	-11.03	101.08	109.90
26	BB	478	A	C5-N7-C8	11.03	109.41	103.90
1	AA	1019	A	C5-N7-C8	-11.02	98.39	103.90
2	AB	73	G	C3'-C2'-C1'	11.02	110.31	101.50
26	BB	322	A	N9-C4-C5	11.01	110.20	105.80
54	B3	39	ARG	NE-CZ-NH1	11.01	125.81	120.30
26	BB	1109	C	C6-N1-C2	-11.01	115.89	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	754	C	N3-C2-O2	-11.01	114.19	121.90
26	BB	925	A	N1-C6-N6	11.01	125.21	118.60
26	BB	1283	G	N1-C6-O6	11.01	126.51	119.90
26	BB	2481	G	O4'-C4'-C3'	11.01	115.01	104.00
26	BB	2002	G	C6-N1-C2	-11.01	118.50	125.10
26	BB	2702	G	N7-C8-N9	11.01	118.60	113.10
25	BA	112	G	C4-C5-N7	-11.01	106.40	110.80
26	BB	2194	U	C2-N3-C4	-11.01	120.40	127.00
1	AA	70	U	C5-C6-N1	-11.00	117.20	122.70
26	BB	882	G	N3-C2-N2	11.00	127.60	119.90
1	AA	539	A	C2-N3-C4	11.00	116.10	110.60
26	BB	1841	U	O4'-C1'-N1	11.00	117.00	108.20
26	BB	1895	C	N3-C4-N4	11.00	125.70	118.00
1	AA	658	C	C4-C5-C6	11.00	122.90	117.40
1	AA	902	G	O4'-C1'-N9	11.00	117.00	108.20
26	BB	215	G	C1'-O4'-C4'	11.00	118.70	109.90
26	BB	669	G	C8-N9-C4	-11.00	102.00	106.40
26	BB	1536	C	P-O3'-C3'	11.00	132.90	119.70
26	BB	1540	G	C5-C6-N1	11.00	117.00	111.50
26	BB	1555	G	C8-N9-C4	-11.00	102.00	106.40
26	BB	2606	C	O4'-C1'-N1	11.00	117.00	108.20
1	AA	1017	U	O4'-C1'-N1	10.99	116.99	108.20
2	AB	67	G	C5-N7-C8	10.99	109.80	104.30
3	AC	29	G	C2-N3-C4	10.99	117.40	111.90
1	AA	241	G	C4-C5-C6	10.99	125.39	118.80
1	AA	1026	G	N3-C4-C5	-10.99	123.11	128.60
1	AA	11	G	N3-C4-N9	10.98	132.59	126.00
26	BB	1197	G	C6-C5-N7	-10.98	123.81	130.40
26	BB	2347	C	O4'-C1'-N1	10.98	116.99	108.20
6	AF	87	ARG	NE-CZ-NH1	10.98	125.79	120.30
26	BB	1002	G	C2-N3-C4	10.98	117.39	111.90
26	BB	949	G	C8-N9-C4	-10.98	102.01	106.40
1	AA	1235	U	O4'-C1'-N1	10.98	116.98	108.20
1	AA	1108	G	N9-C4-C5	10.98	109.79	105.40
26	BB	2576	G	C8-N9-C4	-10.98	102.01	106.40
27	BC	122	ARG	NE-CZ-NH1	10.98	125.79	120.30
1	AA	650	G	N3-C4-C5	-10.97	123.11	128.60
26	BB	1490	A	C5-C6-N1	10.97	123.19	117.70
1	AA	154	U	C2-N3-C4	-10.97	120.42	127.00
26	BB	883	G	N7-C8-N9	10.97	118.58	113.10
26	BB	1879	C	C2-N3-C4	-10.97	114.42	119.90
26	BB	677	A	N1-C6-N6	10.97	125.18	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2820	A	O4'-C1'-N9	10.97	116.97	108.20
1	AA	3	A	N1-C2-N3	-10.96	123.82	129.30
1	AA	320	A	N1-C2-N3	-10.96	123.82	129.30
26	BB	54	G	N7-C8-N9	10.96	118.58	113.10
26	BB	693	A	O4'-C1'-N9	10.96	116.97	108.20
1	AA	233	C	N1-C2-O2	10.96	125.48	118.90
1	AA	654	G	N3-C2-N2	-10.96	112.23	119.90
26	BB	153	U	C4-C5-C6	10.96	126.28	119.70
26	BB	605	G	N3-C4-C5	-10.96	123.12	128.60
1	AA	928	G	C5-C6-O6	10.96	135.17	128.60
26	BB	2376	A	C8-N9-C4	-10.96	101.42	105.80
26	BB	2281	A	N1-C6-N6	-10.95	112.03	118.60
26	BB	2865	U	O4'-C1'-N1	10.95	116.96	108.20
4	AD	7	G	C5-C6-O6	-10.95	122.03	128.60
26	BB	2633	G	O4'-C1'-N9	10.95	116.96	108.20
26	BB	2719	G	C8-N9-C4	-10.95	102.02	106.40
26	BB	2	G	C2-N3-C4	10.95	117.37	111.90
26	BB	1111	A	O4'-C1'-N9	10.95	116.96	108.20
26	BB	1283	G	N9-C4-C5	10.94	109.78	105.40
1	AA	54	C	C5-C6-N1	10.94	126.47	121.00
26	BB	447	A	N9-C4-C5	-10.94	101.42	105.80
26	BB	160	A	C5'-C4'-O4'	10.94	122.23	109.10
1	AA	575	G	C4-C5-N7	-10.94	106.42	110.80
1	AA	1014	A	C4-C5-N7	-10.94	105.23	110.70
26	BB	2290	G	C5-C6-N1	10.94	116.97	111.50
1	AA	159	G	C2-N3-C4	10.93	117.37	111.90
26	BB	264	C	C1'-O4'-C4'	-10.93	101.15	109.90
26	BB	2529	G	N9-C4-C5	10.93	109.77	105.40
26	BB	530	G	C5-C6-N1	10.93	116.97	111.50
26	BB	1418	G	N3-C4-C5	-10.93	123.13	128.60
1	AA	381	C	N3-C2-O2	-10.93	114.25	121.90
26	BB	1531	C	C5-C4-N4	10.93	127.85	120.20
1	AA	703	G	N9-C4-C5	10.93	109.77	105.40
26	BB	2309	A	C8-N9-C4	10.93	110.17	105.80
26	BB	2777	G	C8-N9-C4	-10.93	102.03	106.40
1	AA	384	G	C5-C6-O6	-10.92	122.05	128.60
1	AA	839	C	N1-C2-O2	10.92	125.45	118.90
1	AA	1044	A	C5'-C4'-O4'	10.92	122.21	109.10
9	AI	109	ARG	NE-CZ-NH1	10.92	125.76	120.30
1	AA	396	C	N1-C2-O2	10.92	125.45	118.90
26	BB	1394	U	O4'-C1'-N1	10.92	116.94	108.20
1	AA	760	G	O4'-C1'-N9	10.92	116.93	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1113	C	O4'-C1'-N1	10.92	116.93	108.20
25	BA	66	A	C8-N9-C4	-10.92	101.43	105.80
26	BB	2717	C	C4-C5-C6	-10.92	111.94	117.40
5	AE	221	ARG	NE-CZ-NH2	-10.91	114.84	120.30
1	AA	176	C	C6-N1-C2	-10.91	115.94	120.30
1	AA	443	C	N3-C4-C5	10.91	126.27	121.90
42	BR	52	ARG	NE-CZ-NH1	10.91	125.76	120.30
26	BB	623	C	N1-C2-O2	10.91	125.44	118.90
1	AA	326	G	O4'-C1'-N9	10.91	116.93	108.20
26	BB	1135	C	C4-C5-C6	-10.91	111.95	117.40
26	BB	1172	C	C2-N3-C4	10.91	125.35	119.90
26	BB	2804	U	C2-N3-C4	-10.91	120.46	127.00
25	BA	46	A	O4'-C1'-N9	10.90	116.92	108.20
1	AA	764	C	P-O3'-C3'	10.90	132.78	119.70
1	AA	1057	G	N9-C4-C5	10.90	109.76	105.40
26	BB	725	G	C2-N3-C4	10.90	117.35	111.90
26	BB	232	G	N3-C4-C5	-10.90	123.15	128.60
1	AA	719	C	C5-C4-N4	10.90	127.83	120.20
26	BB	784	G	O4'-C1'-N9	10.90	116.92	108.20
26	BB	2569	G	O4'-C1'-N9	10.90	116.92	108.20
26	BB	7	G	N3-C4-C5	-10.90	123.15	128.60
1	AA	1113	C	C5-C6-N1	10.90	126.45	121.00
1	AA	1473	G	C8-N9-C4	-10.90	102.04	106.40
26	BB	143	C	C6-N1-C2	-10.90	115.94	120.30
1	AA	44	A	C6-C5-N7	-10.89	124.67	132.30
3	AC	17	U	O4'-C1'-N1	10.89	116.91	108.20
26	BB	1235	G	C2-N3-C4	10.89	117.35	111.90
26	BB	2058	A	N1-C6-N6	10.89	125.14	118.60
1	AA	772	U	O4'-C1'-N1	10.89	116.91	108.20
26	BB	1541	C	N1-C2-O2	10.89	125.43	118.90
1	AA	758	C	C5-C6-N1	10.89	126.44	121.00
26	BB	364	C	N3-C4-C5	10.89	126.25	121.90
26	BB	1062	G	C5-C6-O6	-10.89	122.07	128.60
26	BB	2832	U	C4-C5-C6	10.89	126.23	119.70
1	AA	1243	C	C4-C5-C6	10.89	122.84	117.40
1	AA	122	G	O4'-C1'-N9	10.88	116.91	108.20
1	AA	987	G	N9-C4-C5	10.88	109.75	105.40
26	BB	931	U	N1-C2-O2	10.88	130.41	122.80
26	BB	1195	G	N3-C4-C5	-10.88	123.16	128.60
26	BB	1720	U	N3-C2-O2	10.88	129.81	122.20
26	BB	1975	G	C2-N3-C4	10.88	117.34	111.90
1	AA	522	C	N3-C4-C5	-10.88	117.55	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	903	C	N3-C4-N4	10.88	125.61	118.00
2	AB	19	G	N3-C4-C5	-10.87	123.16	128.60
26	BB	1494	A	N1-C2-N3	-10.87	123.86	129.30
26	BB	2759	G	N9-C4-C5	10.87	109.75	105.40
1	AA	1053	G	N3-C4-C5	-10.87	123.16	128.60
26	BB	586	A	N7-C8-N9	10.87	119.24	113.80
26	BB	1161	C	C6-N1-C2	-10.87	115.95	120.30
26	BB	1683	U	O4'-C1'-N1	10.87	116.90	108.20
1	AA	663	A	N7-C8-N9	-10.87	108.37	113.80
1	AA	487	A	C2-N3-C4	10.87	116.03	110.60
26	BB	604	G	C8-N9-C4	-10.86	102.05	106.40
1	AA	567	G	N7-C8-N9	10.86	118.53	113.10
26	BB	1665	A	C5-N7-C8	-10.86	98.47	103.90
26	BB	1361	G	C8-N9-C4	-10.86	102.06	106.40
45	BU	99	ARG	NE-CZ-NH1	10.86	125.73	120.30
26	BB	102	U	N1-C2-N3	10.86	121.42	114.90
1	AA	856	C	C5-C6-N1	-10.86	115.57	121.00
26	BB	305	C	C6-N1-C2	-10.86	115.96	120.30
26	BB	1643	G	N3-C4-C5	-10.86	123.17	128.60
26	BB	748	G	N3-C4-C5	-10.85	123.17	128.60
1	AA	423	G	C6-N1-C2	-10.85	118.59	125.10
1	AA	765	G	C8-N9-C4	-10.85	102.06	106.40
1	AA	1368	A	C8-N9-C4	-10.85	101.46	105.80
26	BB	313	G	C6-C5-N7	-10.85	123.89	130.40
26	BB	1568	G	C2-N3-C4	10.84	117.32	111.90
26	BB	2250	G	C4-C5-N7	-10.84	106.47	110.80
1	AA	748	G	C6-C5-N7	-10.84	123.90	130.40
26	BB	73	A	C5-C6-N1	-10.84	112.28	117.70
26	BB	357	C	C5-C6-N1	-10.84	115.58	121.00
26	BB	704	G	C8-N9-C4	-10.84	102.07	106.40
1	AA	260	G	C5-C6-N1	10.83	116.92	111.50
26	BB	890	C	C2-N3-C4	10.83	125.31	119.90
26	BB	1197	G	C4-C5-N7	10.83	115.13	110.80
26	BB	496	G	C2-N3-C4	10.83	117.31	111.90
26	BB	2095	A	N9-C4-C5	10.83	110.13	105.80
26	BB	939	G	C5-C6-O6	-10.83	122.10	128.60
1	AA	73	C	O4'-C1'-N1	10.82	116.86	108.20
1	AA	281	G	C8-N9-C4	-10.82	102.07	106.40
26	BB	2437	G	N3-C4-C5	-10.82	123.19	128.60
1	AA	74	A	O4'-C1'-N9	10.82	116.86	108.20
1	AA	671	G	C4-C5-N7	-10.82	106.47	110.80
15	AO	55	ARG	NE-CZ-NH1	10.82	125.71	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	507	A	N1-C2-N3	-10.82	123.89	129.30
26	BB	1045	C	N1-C2-O2	10.82	125.39	118.90
26	BB	1652	A	C2-N3-C4	10.82	116.01	110.60
26	BB	810	U	C5-C6-N1	-10.82	117.29	122.70
26	BB	2546	U	C5-C6-N1	-10.82	117.29	122.70
26	BB	1323	C	O4'-C1'-N1	10.81	116.85	108.20
26	BB	1436	G	N9-C4-C5	10.81	109.72	105.40
1	AA	393	A	C8-N9-C4	-10.81	101.47	105.80
26	BB	2106	U	N3-C4-O4	10.81	126.97	119.40
26	BB	836	G	C2-N3-C4	10.81	117.31	111.90
26	BB	1065	U	N3-C2-O2	-10.81	114.63	122.20
26	BB	1631	G	C4-C5-N7	-10.81	106.48	110.80
26	BB	187	G	N9-C4-C5	10.81	109.72	105.40
26	BB	1183	U	O4'-C1'-N1	10.81	116.85	108.20
26	BB	1655	A	N9-C4-C5	-10.81	101.48	105.80
26	BB	2277	G	C5-C6-O6	-10.80	122.12	128.60
26	BB	91	A	O4'-C1'-N9	10.80	116.84	108.20
26	BB	827	U	C6-N1-C2	-10.80	114.52	121.00
26	BB	1013	C	O4'-C1'-N1	10.80	116.84	108.20
1	AA	1432	G	N3-C4-C5	-10.80	123.20	128.60
26	BB	146	A	C4-C5-N7	-10.80	105.30	110.70
26	BB	696	G	C5-C6-N1	10.80	116.90	111.50
26	BB	2376	A	N7-C8-N9	10.80	119.20	113.80
49	BY	38	ARG	NE-CZ-NH2	-10.80	114.90	120.30
1	AA	1530	G	C2-N3-C4	10.79	117.30	111.90
26	BB	640	C	N3-C4-N4	10.79	125.56	118.00
1	AA	217	C	O4'-C1'-N1	10.79	116.83	108.20
1	AA	317	U	N3-C2-O2	-10.79	114.64	122.20
26	BB	1636	U	O4'-C1'-N1	10.79	116.83	108.20
1	AA	241	G	C5-N7-C8	10.79	109.69	104.30
26	BB	1912	A	O4'-C1'-N9	10.79	116.83	108.20
26	BB	2584	U	O4'-C1'-N1	10.79	116.83	108.20
3	AC	39	U	N3-C2-O2	-10.79	114.65	122.20
1	AA	1483	A	N1-C6-N6	-10.78	112.13	118.60
26	BB	1343	G	C5-C6-O6	-10.79	122.13	128.60
1	AA	171	A	N1-C2-N3	-10.78	123.91	129.30
1	AA	212	G	N3-C4-C5	-10.78	123.21	128.60
1	AA	467	U	O4'-C1'-N1	10.78	116.83	108.20
1	AA	686	U	C3'-C2'-C1'	-10.78	92.87	101.50
26	BB	976	G	N7-C8-N9	10.78	118.49	113.10
26	BB	1576	U	O4'-C1'-N1	10.78	116.83	108.20
26	BB	2250	G	N9-C4-C5	10.78	109.71	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	575	G	C8-N9-C4	-10.78	102.09	106.40
26	BB	685	A	C2-N3-C4	10.78	115.99	110.60
26	BB	1519	G	O4'-C1'-N9	10.78	116.82	108.20
26	BB	1868	C	N1-C2-O2	10.78	125.36	118.90
1	AA	297	G	C8-N9-C4	-10.77	102.09	106.40
26	BB	828	U	C2-N3-C4	-10.77	120.54	127.00
26	BB	838	C	O4'-C1'-N1	10.77	116.82	108.20
26	BB	977	G	N1-C6-O6	10.77	126.36	119.90
26	BB	1542	U	C5-C6-N1	-10.77	117.31	122.70
26	BB	1276	A	N3-C4-N9	-10.77	118.78	127.40
26	BB	2624	G	C5-N7-C8	-10.77	98.91	104.30
44	BT	68	ARG	NE-CZ-NH2	10.77	125.69	120.30
1	AA	887	G	N1-C6-O6	-10.77	113.44	119.90
15	AO	98	ARG	NE-CZ-NH1	10.77	125.68	120.30
26	BB	2782	G	N3-C4-N9	-10.77	119.54	126.00
1	AA	227	G	C6-C5-N7	10.77	136.86	130.40
26	BB	751	A	C3'-C2'-C1'	10.77	110.11	101.50
1	AA	615	G	C5-C6-O6	-10.76	122.14	128.60
26	BB	334	C	N3-C4-C5	-10.76	117.59	121.90
26	BB	943	A	N1-C6-N6	-10.76	112.14	118.60
26	BB	2266	A	N1-C6-N6	-10.76	112.14	118.60
3	AC	24	A	N7-C8-N9	-10.76	108.42	113.80
26	BB	2196	C	N3-C4-C5	-10.76	117.60	121.90
1	AA	788	U	C5'-C4'-O4'	10.76	122.01	109.10
1	AA	1485	U	O4'-C1'-N1	10.76	116.81	108.20
1	AA	1183	U	C5-C4-O4	10.76	132.35	125.90
26	BB	1706	C	N1-C2-O2	10.76	125.35	118.90
48	BX	93	ARG	NE-CZ-NH1	10.76	125.68	120.30
25	BA	90	C	N3-C4-C5	-10.75	117.60	121.90
26	BB	1468	U	C5-C6-N1	-10.75	117.32	122.70
26	BB	1837	C	O4'-C1'-N1	10.75	116.80	108.20
26	BB	2244	U	N1-C2-O2	10.75	130.33	122.80
26	BB	1930	G	C8-N9-C4	-10.75	102.10	106.40
1	AA	1227	A	O4'-C1'-N9	10.75	116.80	108.20
26	BB	784	G	C2-N3-C4	10.75	117.27	111.90
1	AA	241	G	C2-N3-C4	10.75	117.27	111.90
13	AM	45	ARG	NE-CZ-NH2	-10.75	114.93	120.30
26	BB	248	G	C5-N7-C8	-10.75	98.93	104.30
26	BB	515	A	C5-C6-N1	-10.75	112.33	117.70
26	BB	567	U	N3-C4-O4	10.75	126.92	119.40
26	BB	960	A	N1-C6-N6	10.75	125.05	118.60
26	BB	1186	G	C8-N9-C4	-10.75	102.10	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1317	G	C8-N9-C4	-10.75	102.10	106.40
1	AA	1241	G	C5-C6-O6	-10.74	122.15	128.60
1	AA	1280	A	C8-N9-C4	-10.74	101.50	105.80
26	BB	134	G	N1-C6-O6	10.74	126.35	119.90
26	BB	1950	G	O4'-C1'-N9	10.74	116.80	108.20
1	AA	881	G	C6-N1-C2	-10.74	118.65	125.10
26	BB	373	U	O4'-C1'-N1	10.74	116.79	108.20
26	BB	803	U	N1-C2-O2	10.74	130.32	122.80
26	BB	1131	G	N3-C4-N9	10.74	132.45	126.00
26	BB	1386	C	N1-C2-O2	10.74	125.35	118.90
26	BB	2229	U	C5-C6-N1	-10.74	117.33	122.70
1	AA	762	U	N3-C2-O2	10.74	129.72	122.20
26	BB	1906	G	N9-C4-C5	-10.74	101.10	105.40
1	AA	1204	A	N1-C2-N3	-10.74	123.93	129.30
1	AA	570	G	N7-C8-N9	10.74	118.47	113.10
26	BB	2360	G	N7-C8-N9	10.74	118.47	113.10
26	BB	2704	C	O4'-C1'-N1	10.73	116.79	108.20
26	BB	2634	A	O4'-C1'-N9	10.73	116.79	108.20
28	BD	176	ARG	NE-CZ-NH2	-10.73	114.93	120.30
26	BB	795	C	N3-C2-O2	-10.73	114.39	121.90
1	AA	89	U	C6-N1-C2	-10.73	114.56	121.00
25	BA	10	G	N9-C4-C5	10.73	109.69	105.40
26	BB	496	G	N1-C2-N3	-10.72	117.47	123.90
26	BB	547	A	C5-N7-C8	10.72	109.26	103.90
1	AA	1231	G	N3-C4-C5	-10.72	123.24	128.60
25	BA	43	C	O4'-C1'-N1	10.72	116.77	108.20
26	BB	315	G	C2-N3-C4	10.72	117.26	111.90
26	BB	1017	G	C6-C5-N7	-10.72	123.97	130.40
26	BB	1290	C	N3-C4-C5	-10.72	117.61	121.90
26	BB	2782	G	C4-C5-N7	-10.72	106.51	110.80
26	BB	2133	G	N1-C6-O6	-10.72	113.47	119.90
26	BB	2243	U	C2-N3-C4	-10.72	120.57	127.00
26	BB	2795	C	N3-C4-C5	-10.72	117.61	121.90
1	AA	9	G	N7-C8-N9	10.71	118.46	113.10
1	AA	35	G	C4-C5-N7	-10.71	106.51	110.80
26	BB	1687	G	N1-C2-N3	-10.71	117.47	123.90
1	AA	240	G	C5-N7-C8	10.71	109.66	104.30
26	BB	1035	U	N3-C4-O4	10.71	126.90	119.40
26	BB	2253	G	N9-C4-C5	10.71	109.68	105.40
1	AA	741	G	C8-N9-C4	-10.70	102.12	106.40
2	AB	25	C	C2-N3-C4	10.71	125.25	119.90
4	AD	67	C	C6-N1-C2	10.71	124.58	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	29	G	N3-C2-N2	10.70	127.39	119.90
26	BB	823	C	C4-C5-C6	-10.71	112.05	117.40
26	BB	1769	U	O4'-C1'-N1	10.70	116.76	108.20
26	BB	55	G	N9-C4-C5	10.70	109.68	105.40
26	BB	250	G	C4-C5-N7	-10.70	106.52	110.80
26	BB	1052	C	C6-N1-C2	-10.70	116.02	120.30
26	BB	2632	A	C6-N1-C2	10.70	125.02	118.60
1	AA	931	C	C2-N3-C4	10.70	125.25	119.90
1	AA	1096	C	C6-N1-C2	-10.70	116.02	120.30
4	AD	37	U	C2-N3-C4	-10.70	120.58	127.00
26	BB	353	C	N3-C4-C5	10.69	126.18	121.90
26	BB	1535	A	C2-N3-C4	10.69	115.95	110.60
26	BB	2862	G	C8-N9-C4	-10.69	102.12	106.40
1	AA	945	G	N7-C8-N9	10.69	118.45	113.10
1	AA	1445	U	N1-C2-O2	10.69	130.28	122.80
26	BB	1395	A	N9-C4-C5	10.69	110.08	105.80
26	BB	663	G	C8-N9-C4	10.69	110.68	106.40
26	BB	1921	G	C5-C6-N1	10.69	116.84	111.50
26	BB	2549	G	N9-C4-C5	10.69	109.67	105.40
26	BB	1777	U	O4'-C1'-N1	10.69	116.75	108.20
26	BB	1927	A	N7-C8-N9	10.69	119.14	113.80
1	AA	635	A	O4'-C1'-N9	10.69	116.75	108.20
1	AA	1229	A	C4-C5-N7	-10.69	105.36	110.70
1	AA	1374	A	N1-C6-N6	-10.68	112.19	118.60
26	BB	101	A	C5-C6-N1	10.68	123.04	117.70
25	BA	97	C	N1-C2-O2	10.68	125.31	118.90
41	BQ	10	ARG	NE-CZ-NH2	10.68	125.64	120.30
26	BB	247	G	N7-C8-N9	10.68	118.44	113.10
26	BB	1946	U	C5-C6-N1	10.68	128.04	122.70
26	BB	2000	C	N3-C4-C5	-10.68	117.63	121.90
26	BB	1495	A	C4-C5-N7	10.68	116.04	110.70
26	BB	1776	G	C4-C5-N7	-10.68	106.53	110.80
26	BB	2096	C	O4'-C1'-N1	10.68	116.74	108.20
26	BB	539	G	C6-N1-C2	-10.67	118.69	125.10
1	AA	1180	A	N7-C8-N9	10.67	119.14	113.80
26	BB	1942	C	N1-C2-O2	10.67	125.30	118.90
26	BB	2719	G	N9-C4-C5	10.67	109.67	105.40
1	AA	486	U	N3-C2-O2	10.67	129.67	122.20
26	BB	27	G	O4'-C1'-N9	10.67	116.74	108.20
26	BB	625	G	C8-N9-C4	-10.67	102.13	106.40
25	BA	6	G	C2-N3-C4	10.67	117.23	111.90
1	AA	1427	C	N1-C2-O2	10.66	125.30	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	216	A	N1-C2-N3	-10.66	123.97	129.30
26	BB	904	G	N3-C4-C5	-10.66	123.27	128.60
26	BB	1750	G	O4'-C1'-N9	10.66	116.73	108.20
26	BB	2888	C	C3'-C2'-C1'	10.66	110.03	101.50
26	BB	24	G	C5-N7-C8	-10.66	98.97	104.30
26	BB	393	C	N3-C4-C5	10.66	126.16	121.90
26	BB	1478	G	N9-C4-C5	10.66	109.67	105.40
1	AA	644	U	C2-N3-C4	-10.66	120.61	127.00
1	AA	1522	U	O4'-C1'-N1	10.66	116.73	108.20
25	BA	102	G	C8-N9-C4	-10.66	102.14	106.40
26	BB	1579	A	C4-C5-N7	-10.66	105.37	110.70
26	BB	2100	G	C6-C5-N7	-10.66	124.00	130.40
1	AA	838	G	N9-C4-C5	10.65	109.66	105.40
26	BB	961	C	C6-N1-C2	10.65	124.56	120.30
1	AA	51	A	P-O3'-C3'	10.65	132.48	119.70
1	AA	853	C	N1-C2-O2	10.65	125.29	118.90
1	AA	1294	G	N1-C2-N3	10.65	130.29	123.90
25	BA	12	C	N3-C4-C5	-10.65	117.64	121.90
26	BB	247	G	C8-N9-C4	-10.65	102.14	106.40
26	BB	1171	G	C5-C6-N1	10.65	116.83	111.50
26	BB	1570	A	N1-C6-N6	10.65	124.99	118.60
1	AA	1470	U	N1-C2-N3	10.65	121.29	114.90
26	BB	982	C	N3-C4-C5	-10.65	117.64	121.90
26	BB	2571	U	P-O3'-C3'	10.65	132.48	119.70
26	BB	2675	A	N9-C4-C5	-10.65	101.54	105.80
1	AA	131	A	C8-N9-C4	-10.65	101.54	105.80
1	AA	225	C	C5-C4-N4	-10.65	112.75	120.20
2	AB	12	U	C2-N3-C4	-10.65	120.61	127.00
4	AD	31	G	O4'-C1'-N9	10.65	116.72	108.20
26	BB	221	A	N9-C4-C5	10.65	110.06	105.80
26	BB	1615	C	O4'-C1'-N1	10.65	116.72	108.20
1	AA	1478	U	C5-C4-O4	10.65	132.29	125.90
26	BB	883	G	C5-N7-C8	-10.65	98.98	104.30
26	BB	464	U	N3-C4-O4	10.64	126.85	119.40
26	BB	755	U	N3-C4-C5	-10.64	108.21	114.60
26	BB	1722	A	C2-N3-C4	10.64	115.92	110.60
26	BB	2264	C	O4'-C1'-N1	10.64	116.72	108.20
1	AA	774	G	N9-C4-C5	-10.64	101.14	105.40
26	BB	2347	C	N3-C4-C5	-10.64	117.64	121.90
26	BB	2091	C	O4'-C1'-N1	10.64	116.71	108.20
26	BB	1832	C	C6-N1-C2	-10.64	116.05	120.30
26	BB	122	G	N3-C4-N9	10.64	132.38	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1875	G	C4'-C3'-C2'	-10.64	91.96	102.60
1	AA	397	A	N9-C4-C5	-10.63	101.55	105.80
1	AA	785	G	N3-C2-N2	-10.63	112.46	119.90
26	BB	1899	A	N9-C4-C5	10.64	110.05	105.80
1	AA	734	G	C8-N9-C4	-10.63	102.15	106.40
26	BB	837	C	N1-C2-O2	10.63	125.28	118.90
30	BF	117	ARG	NE-CZ-NH2	-10.63	114.98	120.30
1	AA	148	G	C2-N3-C4	10.63	117.22	111.90
26	BB	1602	U	C5-C6-N1	-10.63	117.39	122.70
26	BB	2326	C	N3-C4-C5	-10.63	117.65	121.90
1	AA	862	C	N3-C4-C5	-10.62	117.65	121.90
26	BB	1020	A	C2-N3-C4	10.62	115.91	110.60
26	BB	1252	G	N3-C4-N9	10.62	132.38	126.00
26	BB	2048	G	C6-C5-N7	10.62	136.77	130.40
26	BB	2268	A	C5'-C4'-O4'	10.62	121.85	109.10
26	BB	2531	A	O4'-C1'-N9	10.62	116.70	108.20
1	AA	195	A	C4-C5-C6	10.62	122.31	117.00
1	AA	1074	G	C8-N9-C4	-10.62	102.15	106.40
26	BB	518	G	N7-C8-N9	10.62	118.41	113.10
26	BB	1490	A	C4-C5-C6	-10.62	111.69	117.00
26	BB	2223	G	O4'-C4'-C3'	10.62	114.62	104.00
26	BB	2368	C	O4'-C1'-N1	10.62	116.69	108.20
1	AA	1448	C	N3-C4-N4	10.62	125.43	118.00
1	AA	135	C	N3-C4-C5	-10.62	117.65	121.90
26	BB	3	U	N3-C2-O2	-10.62	114.77	122.20
26	BB	2810	A	N9-C4-C5	10.62	110.05	105.80
26	BB	2115	G	N9-C1'-C2'	-10.61	100.20	114.00
1	AA	744	C	N3-C4-C5	-10.61	117.66	121.90
26	BB	282	A	C8-N9-C4	-10.61	101.56	105.80
1	AA	1320	C	O4'-C1'-N1	10.61	116.69	108.20
26	BB	407	G	C8-N9-C4	-10.61	102.16	106.40
54	B3	39	ARG	NE-CZ-NH2	-10.61	115.00	120.30
1	AA	155	A	C4-C5-C6	-10.60	111.70	117.00
1	AA	610	U	C2-N3-C4	-10.60	120.64	127.00
1	AA	981	U	C5-C6-N1	-10.60	117.40	122.70
26	BB	295	G	C8-N9-C4	-10.60	102.16	106.40
26	BB	2729	G	C2-N3-C4	10.60	117.20	111.90
1	AA	381	C	N1-C2-O2	10.60	125.26	118.90
1	AA	1285	A	C8-N9-C4	10.60	110.04	105.80
26	BB	2448	A	N7-C8-N9	10.60	119.10	113.80
1	AA	293	G	N7-C8-N9	10.60	118.40	113.10
26	BB	1186	G	N9-C4-C5	10.60	109.64	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1818	U	C5-C4-O4	-10.60	119.54	125.90
1	AA	1217	C	C3'-C2'-C1'	10.60	109.98	101.50
26	BB	1650	A	C4-C5-N7	-10.60	105.40	110.70
26	BB	2363	G	C6-N1-C2	-10.60	118.74	125.10
26	BB	990	A	N1-C6-N6	10.59	124.96	118.60
3	AC	38	G	C2-N3-C4	-10.59	106.60	111.90
26	BB	2027	G	N9-C4-C5	10.59	109.64	105.40
26	BB	1628	G	C5-N7-C8	10.59	109.59	104.30
1	AA	678	U	C5'-C4'-O4'	10.59	121.81	109.10
1	AA	682	G	C5-N7-C8	-10.59	99.01	104.30
26	BB	495	G	C8-N9-C4	-10.58	102.17	106.40
26	BB	1006	C	N3-C2-O2	-10.58	114.49	121.90
26	BB	1777	U	N1-C2-O2	10.58	130.21	122.80
26	BB	1812	U	C5-C4-O4	10.58	132.25	125.90
26	BB	1849	G	O4'-C1'-N9	10.58	116.67	108.20
4	AD	3	C	O4'-C1'-N1	10.58	116.67	108.20
26	BB	2243	U	N3-C2-O2	-10.58	114.79	122.20
1	AA	1204	A	N7-C8-N9	10.58	119.09	113.80
1	AA	1379	G	N3-C2-N2	-10.58	112.50	119.90
26	BB	21	A	C4-C5-C6	-10.58	111.71	117.00
26	BB	1854	A	N1-C2-N3	-10.58	124.01	129.30
26	BB	2339	C	N3-C4-C5	-10.58	117.67	121.90
26	BB	1091	G	N1-C2-N3	-10.57	117.56	123.90
26	BB	1345	C	N1-C2-O2	10.57	125.24	118.90
1	AA	42	G	C2-N3-C4	10.57	117.19	111.90
4	AD	66	C	N3-C4-N4	10.57	125.40	118.00
26	BB	848	C	C6-N1-C2	-10.57	116.07	120.30
26	BB	1476	U	C4-C5-C6	10.57	126.04	119.70
26	BB	115	C	O4'-C1'-N1	10.57	116.66	108.20
26	BB	1834	U	N1-C2-O2	10.57	130.20	122.80
26	BB	2112	G	C8-N9-C4	-10.57	102.17	106.40
26	BB	843	G	N3-C2-N2	-10.57	112.50	119.90
26	BB	529	A	N1-C6-N6	-10.56	112.26	118.60
25	BA	48	U	N3-C4-O4	10.56	126.79	119.40
26	BB	782	A	O4'-C1'-N9	10.56	116.65	108.20
26	BB	1868	C	N3-C2-O2	-10.56	114.50	121.90
26	BB	2501	C	N3-C4-C5	-10.56	117.67	121.90
1	AA	128	G	C5-C6-O6	-10.56	122.26	128.60
26	BB	1461	C	N3-C2-O2	-10.56	114.51	121.90
26	BB	1940	U	N3-C4-O4	10.56	126.79	119.40
26	BB	2518	A	C1'-O4'-C4'	-10.56	101.45	109.90
1	AA	560	A	C5-C6-N1	10.56	122.98	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	574	A	C2-N3-C4	10.56	115.88	110.60
26	BB	1031	G	C4-C5-N7	-10.56	106.58	110.80
26	BB	1743	G	C4-C5-C6	10.56	125.14	118.80
26	BB	1947	C	C2-N3-C4	-10.56	114.62	119.90
26	BB	2207	C	O4'-C1'-N1	10.56	116.65	108.20
26	BB	2490	G	N3-C2-N2	-10.56	112.51	119.90
1	AA	934	C	O4'-C1'-N1	10.55	116.64	108.20
25	BA	79	G	C4-C5-C6	10.55	125.13	118.80
26	BB	2756	U	C2-N3-C4	-10.55	120.67	127.00
1	AA	189	A	C6-C5-N7	-10.55	124.92	132.30
1	AA	347	G	N9-C4-C5	10.55	109.62	105.40
1	AA	1430	A	O4'-C1'-N9	10.55	116.64	108.20
25	BA	84	G	N3-C4-C5	-10.55	123.33	128.60
26	BB	1451	C	N1-C2-O2	10.55	125.23	118.90
26	BB	731	C	C2-N3-C4	-10.54	114.63	119.90
1	AA	1225	A	C8-N9-C4	-10.54	101.58	105.80
1	AA	1403	C	N1-C2-O2	10.54	125.22	118.90
26	BB	407	G	N9-C4-C5	10.54	109.62	105.40
26	BB	757	G	N7-C8-N9	10.54	118.37	113.10
26	BB	1234	U	O4'-C1'-N1	10.54	116.63	108.20
1	AA	107	G	C8-N9-C4	-10.54	102.19	106.40
1	AA	50	A	C5-N7-C8	-10.54	98.63	103.90
26	BB	712	G	C8-N9-C4	-10.53	102.19	106.40
26	BB	2228	G	C8-N9-C4	-10.54	102.19	106.40
26	BB	1620	G	C5-C6-O6	-10.53	122.28	128.60
26	BB	2723	C	O4'-C1'-N1	10.53	116.62	108.20
21	AU	5	ARG	NE-CZ-NH2	-10.53	115.03	120.30
26	BB	2319	G	C2-N3-C4	10.53	117.17	111.90
1	AA	912	C	C2-N3-C4	-10.53	114.64	119.90
25	BA	36	C	N1-C2-O2	10.53	125.22	118.90
26	BB	954	G	C8-N9-C4	-10.53	102.19	106.40
26	BB	2677	G	O4'-C1'-N9	10.53	116.62	108.20
1	AA	32	A	O4'-C1'-N9	10.52	116.62	108.20
1	AA	1101	A	O4'-C1'-N9	10.52	116.62	108.20
26	BB	1293	C	C4-C5-C6	10.52	122.66	117.40
26	BB	2652	C	O4'-C1'-N1	10.52	116.62	108.20
1	AA	145	G	O4'-C1'-N9	10.52	116.62	108.20
26	BB	2489	U	C3'-C2'-C1'	10.52	109.91	101.50
1	AA	913	A	O4'-C1'-N9	10.52	116.61	108.20
15	AO	53	ARG	NE-CZ-NH2	-10.52	115.04	120.30
26	BB	773	U	C5-C4-O4	-10.52	119.59	125.90
26	BB	2846	G	C6-C5-N7	-10.52	124.09	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	408	A	C8-N9-C4	-10.51	101.59	105.80
1	AA	1169	A	C4-C5-N7	-10.51	105.44	110.70
26	BB	108	G	O4'-C1'-N9	10.51	116.61	108.20
1	AA	861	G	N9-C4-C5	10.51	109.61	105.40
26	BB	2841	C	C6-N1-C2	10.51	124.50	120.30
26	BB	1400	U	O4'-C1'-N1	10.51	116.61	108.20
1	AA	430	A	N1-C2-N3	10.51	134.55	129.30
1	AA	1083	U	C3'-C2'-C1'	10.51	109.90	101.50
26	BB	286	U	O4'-C1'-N1	10.51	116.61	108.20
26	BB	1168	G	O4'-C1'-N9	10.51	116.61	108.20
26	BB	1309	G	C5-C6-O6	-10.51	122.30	128.60
26	BB	1581	G	C8-N9-C4	-10.51	102.20	106.40
26	BB	2553	G	C2-N3-C4	10.51	117.15	111.90
3	AC	29	G	C5-C6-N1	10.50	116.75	111.50
26	BB	2359	C	C5-C6-N1	10.50	126.25	121.00
1	AA	628	G	C8-N9-C4	-10.50	102.20	106.40
26	BB	140	C	C5-C6-N1	10.50	126.25	121.00
26	BB	2646	C	C2-N3-C4	10.50	125.15	119.90
1	AA	129	A	C6-N1-C2	-10.50	112.30	118.60
1	AA	553	A	N1-C6-N6	-10.50	112.30	118.60
1	AA	1089	G	C2-N3-C4	-10.50	106.65	111.90
26	BB	1262	A	C8-N9-C4	-10.50	101.60	105.80
26	BB	1366	A	N9-C4-C5	10.50	110.00	105.80
26	BB	1643	G	O4'-C1'-N9	10.50	116.60	108.20
1	AA	1509	C	O4'-C1'-N1	10.50	116.60	108.20
26	BB	922	C	O4'-C1'-N1	10.50	116.60	108.20
26	BB	1118	C	O4'-C1'-N1	10.50	116.60	108.20
26	BB	1144	A	C8-N9-C4	-10.50	101.60	105.80
26	BB	1223	G	N1-C2-N3	-10.50	117.60	123.90
26	BB	2130	U	N3-C2-O2	-10.50	114.85	122.20
50	BZ	27	ARG	NE-CZ-NH2	-10.50	115.05	120.30
1	AA	721	G	C5-N7-C8	10.49	109.55	104.30
1	AA	1375	A	N7-C8-N9	10.49	119.05	113.80
26	BB	1057	A	N9-C4-C5	-10.49	101.60	105.80
26	BB	1751	U	O4'-C1'-N1	10.49	116.59	108.20
1	AA	558	G	N9-C4-C5	10.49	109.60	105.40
1	AA	1347	G	P-O3'-C3'	10.49	132.29	119.70
26	BB	2607	G	C2-N3-C4	10.49	117.15	111.90
1	AA	1361	G	C8-N9-C4	-10.49	102.20	106.40
26	BB	561	G	O4'-C1'-N9	10.49	116.59	108.20
26	BB	2428	G	N3-C4-C5	-10.49	123.36	128.60
26	BB	2682	A	C2-N3-C4	10.49	115.84	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	865	A	N9-C4-C5	10.48	109.99	105.80
1	AA	1350	A	N9-C4-C5	10.48	109.99	105.80
25	BA	12	C	N3-C4-N4	10.48	125.34	118.00
26	BB	1663	G	C4-C5-N7	-10.48	106.61	110.80
26	BB	1940	U	N3-C4-C5	-10.48	108.31	114.60
26	BB	2053	G	C8-N9-C4	-10.48	102.21	106.40
26	BB	2224	G	C8-N9-C4	-10.48	102.21	106.40
26	BB	1714	U	C4-C5-C6	10.48	125.99	119.70
1	AA	1216	A	N1-C2-N3	10.48	134.54	129.30
26	BB	1475	G	N7-C8-N9	10.48	118.34	113.10
26	BB	1813	G	C3'-C2'-C1'	10.48	109.88	101.50
26	BB	2536	G	C8-N9-C4	-10.48	102.21	106.40
26	BB	755	U	C4-C5-C6	10.47	125.98	119.70
1	AA	396	C	N3-C4-N4	10.47	125.33	118.00
26	BB	2705	A	O4'-C1'-N9	10.47	116.58	108.20
1	AA	9	G	C8-N9-C4	-10.47	102.21	106.40
1	AA	47	C	O4'-C1'-N1	10.47	116.58	108.20
1	AA	384	G	C5-C6-N1	10.47	116.73	111.50
26	BB	836	G	C4-C5-N7	-10.47	106.61	110.80
33	BI	116	ARG	NE-CZ-NH2	-10.47	115.06	120.30
2	AB	38	A	O4'-C1'-N9	10.47	116.58	108.20
1	AA	350	G	O4'-C4'-C3'	10.46	114.47	106.10
26	BB	1532	A	C4-C5-C6	-10.46	111.77	117.00
26	BB	1688	U	N3-C4-O4	10.46	126.73	119.40
26	BB	2685	G	C5-C6-N1	10.47	116.73	111.50
26	BB	2798	U	N1-C2-N3	10.47	121.18	114.90
1	AA	515	G	N1-C6-O6	-10.46	113.62	119.90
3	AC	50	U	N3-C2-O2	-10.46	114.88	122.20
1	AA	1144	G	C3'-C2'-C1'	10.46	109.87	101.50
26	BB	331	C	N3-C2-O2	-10.46	114.58	121.90
1	AA	319	G	N7-C8-N9	10.46	118.33	113.10
26	BB	2450	A	N1-C6-N6	10.46	124.87	118.60
28	BD	247	TRP	CD1-CG-CD2	-10.46	97.93	106.30
1	AA	1266	G	N3-C4-C5	-10.46	123.37	128.60
1	AA	1365	G	N3-C4-C5	-10.46	123.37	128.60
26	BB	2561	U	N3-C2-O2	-10.45	114.89	122.20
2	AB	52	A	C1'-O4'-C4'	10.45	118.26	109.90
4	AD	12	G	N7-C8-N9	10.45	118.33	113.10
26	BB	836	G	C8-N9-C4	-10.45	102.22	106.40
26	BB	1091	G	N9-C4-C5	-10.45	101.22	105.40
26	BB	1239	G	C5'-C4'-O4'	10.45	121.64	109.10
26	BB	1080	A	O4'-C1'-N9	10.45	116.56	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2346	A	N7-C8-N9	10.45	119.02	113.80
4	AD	44	A	O4'-C1'-N9	10.45	116.56	108.20
26	BB	1461	C	C5-C6-N1	10.45	126.22	121.00
25	BA	112	G	N3-C4-C5	-10.44	123.38	128.60
26	BB	82	U	C5-C6-N1	-10.44	117.48	122.70
26	BB	312	G	C6-C5-N7	-10.44	124.14	130.40
26	BB	713	G	C5'-C4'-O4'	10.44	121.63	109.10
26	BB	1127	A	C2-N3-C4	10.44	115.82	110.60
4	AD	70	C	N3-C4-N4	10.44	125.31	118.00
26	BB	273	G	O4'-C1'-N9	10.44	116.55	108.20
26	BB	1456	G	C5-C6-O6	-10.44	122.34	128.60
1	AA	1181	G	C4-C5-C6	10.44	125.06	118.80
26	BB	1596	A	C2-N3-C4	10.44	115.82	110.60
1	AA	1365	G	N9-C4-C5	10.44	109.58	105.40
1	AA	1014	A	N9-C4-C5	10.44	109.97	105.80
1	AA	1422	G	C8-N9-C4	-10.44	102.23	106.40
26	BB	2214	C	O4'-C1'-N1	10.44	116.55	108.20
1	AA	67	C	C3'-C2'-C1'	10.43	109.85	101.50
26	BB	2374	C	C4-C5-C6	-10.43	112.18	117.40
1	AA	116	A	C8-N9-C4	-10.43	101.63	105.80
1	AA	829	G	C2-N3-C4	10.43	117.12	111.90
26	BB	355	U	N3-C4-O4	10.43	126.70	119.40
1	AA	326	G	N1-C2-N3	-10.43	117.64	123.90
1	AA	533	A	C5-C6-N6	-10.43	115.36	123.70
26	BB	1406	U	N3-C2-O2	-10.43	114.90	122.20
1	AA	875	U	O4'-C1'-N1	10.42	116.54	108.20
26	BB	1861	G	C8-N9-C4	-10.42	102.23	106.40
1	AA	410	G	C4'-C3'-C2'	-10.42	92.18	102.60
26	BB	1781	U	O4'-C1'-N1	10.42	116.54	108.20
26	BB	1808	A	N9-C4-C5	-10.42	101.63	105.80
43	BS	57	ARG	NE-CZ-NH2	-10.42	115.09	120.30
1	AA	1504	G	C8-N9-C4	-10.42	102.23	106.40
26	BB	1968	G	C5-C6-N1	10.42	116.71	111.50
26	BB	2023	C	C5-C6-N1	-10.42	115.79	121.00
26	BB	2275	C	C5-C6-N1	10.42	126.21	121.00
26	BB	2616	C	C2-N3-C4	10.42	125.11	119.90
1	AA	107	G	N1-C6-O6	-10.41	113.65	119.90
1	AA	119	A	N1-C2-N3	-10.41	124.09	129.30
26	BB	577	G	C6-N1-C2	-10.41	118.85	125.10
1	AA	404	G	C5-N7-C8	10.41	109.51	104.30
1	AA	502	A	C8-N9-C4	-10.41	101.64	105.80
1	AA	1468	A	N9-C4-C5	10.41	109.97	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1149	G	C2-N3-C4	10.41	117.11	111.90
26	BB	2150	C	N3-C4-C5	-10.41	117.73	121.90
1	AA	506	G	O4'-C1'-N9	10.41	116.53	108.20
12	AL	123	ARG	NE-CZ-NH1	10.41	125.51	120.30
26	BB	1248	G	C6-N1-C2	-10.41	118.85	125.10
26	BB	1850	G	C2-N3-C4	10.41	117.11	111.90
26	BB	1307	A	N9-C4-C5	-10.41	101.64	105.80
26	BB	1579	A	C5-N7-C8	10.41	109.10	103.90
1	AA	683	G	C8-N9-C4	-10.40	102.24	106.40
1	AA	1035	A	C8-N9-C4	-10.40	101.64	105.80
10	AJ	91	ARG	NE-CZ-NH1	-10.40	115.10	120.30
26	BB	642	U	C5-C4-O4	10.40	132.14	125.90
26	BB	1250	G	C8-N9-C4	-10.40	102.24	106.40
26	BB	2084	C	N3-C4-C5	10.40	126.06	121.90
26	BB	2337	G	C6-N1-C2	-10.40	118.86	125.10
26	BB	2604	U	C5-C4-O4	10.40	132.14	125.90
1	AA	4	U	N3-C4-C5	-10.40	108.36	114.60
1	AA	44	A	C4-C5-C6	10.40	122.20	117.00
1	AA	575	G	N3-C4-N9	-10.40	119.76	126.00
1	AA	442	G	N9-C4-C5	10.40	109.56	105.40
1	AA	763	G	N9-C4-C5	10.40	109.56	105.40
1	AA	1138	G	O4'-C1'-N9	10.40	116.52	108.20
26	BB	1906	G	C4-C5-N7	10.40	114.96	110.80
26	BB	2219	U	C2-N3-C4	-10.40	120.76	127.00
1	AA	423	G	C5-C6-N1	10.40	116.70	111.50
26	BB	141	G	N9-C4-C5	10.40	109.56	105.40
26	BB	1844	C	C5-C6-N1	10.40	126.20	121.00
34	BJ	137	ARG	NE-CZ-NH1	10.40	125.50	120.30
1	AA	909	A	N9-C4-C5	10.39	109.96	105.80
1	AA	1316	G	N3-C4-C5	-10.39	123.40	128.60
26	BB	1924	C	C6-N1-C2	-10.39	116.14	120.30
1	AA	402	G	N1-C2-N2	-10.39	106.85	116.20
1	AA	1427	C	N3-C2-O2	-10.39	114.62	121.90
26	BB	2447	G	C8-N9-C4	-10.39	102.24	106.40
1	AA	354	G	N1-C2-N3	10.39	130.13	123.90
26	BB	2643	G	N3-C4-C5	-10.39	123.41	128.60
41	BQ	9	ARG	NE-CZ-NH2	-10.39	115.10	120.30
1	AA	1143	G	C2-N3-C4	10.39	117.09	111.90
1	AA	1051	C	C5-C6-N1	10.39	126.19	121.00
26	BB	1853	A	N9-C4-C5	-10.39	101.64	105.80
26	BB	2290	G	C8-N9-C4	-10.39	102.25	106.40
1	AA	1496	C	N3-C4-C5	10.38	126.05	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	27	C	C1'-O4'-C4'	-10.38	101.59	109.90
26	BB	308	G	C8-N9-C4	-10.38	102.25	106.40
26	BB	1594	U	O4'-C1'-N1	10.38	116.51	108.20
1	AA	1458	G	N7-C8-N9	10.38	118.29	113.10
26	BB	1521	G	C2-N3-C4	10.38	117.09	111.90
26	BB	2351	G	C2-N3-C4	10.38	117.09	111.90
26	BB	1675	C	O4'-C1'-N1	10.38	116.50	108.20
26	BB	2530	A	O4'-C4'-C3'	-10.38	93.62	104.00
26	BB	26	G	N3-C4-C5	-10.37	123.41	128.60
26	BB	185	G	N7-C8-N9	-10.38	107.91	113.10
26	BB	774	G	O4'-C1'-N9	10.38	116.50	108.20
26	BB	1739	A	N7-C8-N9	10.38	118.99	113.80
1	AA	26	A	O4'-C4'-C3'	10.37	114.40	106.10
1	AA	1415	G	C6-N1-C2	-10.37	118.88	125.10
26	BB	496	G	C4-C5-N7	-10.37	106.65	110.80
26	BB	2026	U	O4'-C1'-N1	10.37	116.50	108.20
26	BB	2053	G	C5'-C4'-O4'	10.37	121.54	109.10
26	BB	2690	U	O4'-C1'-N1	10.37	116.50	108.20
2	AB	49	G	C2-N3-C4	10.37	117.08	111.90
26	BB	128	C	C2-N3-C4	-10.37	114.72	119.90
26	BB	2475	C	N3-C2-O2	-10.37	114.64	121.90
26	BB	1675	C	C2-N3-C4	10.36	125.08	119.90
1	AA	558	G	C8-N9-C4	-10.36	102.25	106.40
26	BB	711	G	O4'-C1'-N9	10.36	116.49	108.20
3	AC	57	C	N3-C4-C5	-10.36	117.75	121.90
26	BB	814	C	N3-C4-C5	-10.36	117.75	121.90
26	BB	1721	G	O4'-C1'-N9	10.36	116.49	108.20
1	AA	51	A	N9-C4-C5	10.36	109.94	105.80
26	BB	1853	A	C8-N9-C4	10.36	109.94	105.80
4	AD	71	G	C5-N7-C8	-10.36	99.12	104.30
26	BB	2454	G	N7-C8-N9	10.36	118.28	113.10
1	AA	462	G	O4'-C4'-C3'	10.36	114.38	106.10
1	AA	976	G	C8-N9-C4	-10.36	102.26	106.40
1	AA	1496	C	C4-C5-C6	-10.36	112.22	117.40
26	BB	341	C	N3-C4-C5	-10.36	117.76	121.90
26	BB	731	C	C6-N1-C2	-10.36	116.16	120.30
26	BB	2708	G	N9-C4-C5	10.36	109.54	105.40
26	BB	2715	C	C2-N3-C4	10.36	125.08	119.90
26	BB	2777	G	C2-N3-C4	10.36	117.08	111.90
25	BA	82	U	C5-C6-N1	-10.35	117.52	122.70
26	BB	787	C	C5-C4-N4	-10.35	112.95	120.20
1	AA	800	G	O4'-C1'-N9	-10.35	99.92	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2175	C	O4'-C1'-N1	10.35	116.48	108.20
1	AA	108	G	N7-C8-N9	10.35	118.28	113.10
1	AA	172	A	N1-C2-N3	-10.35	124.13	129.30
26	BB	717	C	N3-C2-O2	-10.35	114.66	121.90
26	BB	2465	C	C5-C6-N1	10.35	126.17	121.00
26	BB	2902	C	O4'-C1'-N1	10.35	116.48	108.20
42	BR	38	ARG	NE-CZ-NH2	10.35	125.47	120.30
1	AA	852	G	N9-C1'-C2'	-10.35	100.55	114.00
26	BB	1091	G	N3-C2-N2	10.35	127.14	119.90
26	BB	2035	G	N3-C4-C5	-10.35	123.43	128.60
1	AA	1433	A	C8-N9-C4	-10.35	101.66	105.80
26	BB	65	U	C6-N1-C2	-10.35	114.79	121.00
26	BB	1195	G	N3-C4-N9	10.35	132.21	126.00
26	BB	1416	G	N3-C4-C5	-10.35	123.43	128.60
1	AA	193	C	C2-N3-C4	10.34	125.07	119.90
1	AA	440	C	C4-C5-C6	-10.34	112.23	117.40
25	BA	115	A	C8-N9-C4	-10.34	101.66	105.80
26	BB	905	A	C5-C6-N1	-10.34	112.53	117.70
26	BB	1371	G	C4-C5-N7	-10.34	106.66	110.80
26	BB	1829	A	O4'-C1'-N9	10.34	116.47	108.20
1	AA	1258	G	C8-N9-C4	-10.34	102.26	106.40
7	AG	183	ARG	NE-CZ-NH2	-10.34	115.13	120.30
26	BB	152	A	O4'-C1'-N9	10.34	116.47	108.20
25	BA	88	C	C5-C4-N4	-10.34	112.96	120.20
1	AA	550	G	O4'-C1'-N9	10.34	116.47	108.20
1	AA	728	A	C4-C5-C6	-10.34	111.83	117.00
25	BA	37	C	C2-N3-C4	10.34	125.07	119.90
1	AA	62	U	O4'-C1'-N1	10.33	116.47	108.20
1	AA	617	G	C5-N7-C8	-10.33	99.13	104.30
26	BB	478	A	N7-C8-N9	-10.33	108.63	113.80
26	BB	582	A	N9-C4-C5	10.33	109.93	105.80
26	BB	2325	G	N3-C4-C5	-10.33	123.43	128.60
26	BB	266	G	C5-C6-O6	-10.33	122.40	128.60
26	BB	412	A	C1'-O4'-C4'	10.33	118.17	109.90
1	AA	1514	G	C5-C6-N1	10.33	116.66	111.50
4	AD	1	C	C5-C6-N1	10.33	126.16	121.00
25	BA	96	G	C8-N9-C4	-10.33	102.27	106.40
26	BB	1117	C	N3-C2-O2	-10.33	114.67	121.90
26	BB	1593	A	O4'-C1'-N9	10.33	116.46	108.20
34	BJ	52	ARG	NE-CZ-NH2	-10.33	115.13	120.30
26	BB	80	G	O4'-C1'-N9	10.33	116.46	108.20
26	BB	1583	A	N1-C6-N6	10.33	124.80	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	630	A	N1-C6-N6	-10.33	112.40	118.60
1	AA	1020	G	O4'-C1'-N9	10.33	116.46	108.20
1	AA	1094	G	N7-C8-N9	10.33	118.26	113.10
26	BB	2702	G	C4'-C3'-C2'	-10.33	92.27	102.60
1	AA	1360	A	C6-C5-N7	10.32	139.53	132.30
3	AC	22	G	C2-N3-C4	10.32	117.06	111.90
26	BB	1424	G	O4'-C1'-N9	10.32	116.46	108.20
26	BB	1572	A	C8-N9-C4	-10.32	101.67	105.80
26	BB	2748	A	C4-C5-N7	-10.32	105.54	110.70
31	BG	124	ARG	NE-CZ-NH2	-10.32	115.14	120.30
26	BB	1673	G	C5-C6-O6	-10.32	122.41	128.60
26	BB	1815	A	N1-C2-N3	-10.32	124.14	129.30
26	BB	1972	G	N3-C4-N9	10.32	132.19	126.00
26	BB	2594	C	O4'-C1'-N1	10.32	116.45	108.20
1	AA	1118	U	N1-C2-O2	-10.32	115.58	122.80
26	BB	606	U	O4'-C1'-N1	10.32	116.45	108.20
26	BB	1328	A	C3'-C2'-C1'	10.32	109.75	101.50
26	BB	2804	U	C4-C5-C6	10.32	125.89	119.70
26	BB	894	U	O4'-C1'-N1	10.31	116.45	108.20
26	BB	1928	A	C4-C5-N7	-10.31	105.54	110.70
26	BB	134	G	N9-C4-C5	10.31	109.53	105.40
26	BB	346	A	N9-C1'-C2'	-10.31	100.59	114.00
1	AA	1517	G	C8-N9-C4	-10.31	102.28	106.40
26	BB	260	G	C2-N3-C4	10.31	117.06	111.90
26	BB	336	C	N1-C2-O2	10.31	125.09	118.90
26	BB	1090	A	C5-C6-N1	10.31	122.86	117.70
26	BB	1646	C	C2-N3-C4	10.31	125.06	119.90
26	BB	1743	G	C6-N1-C2	-10.31	118.91	125.10
26	BB	1767	G	C8-N9-C4	-10.31	102.28	106.40
26	BB	2298	A	C2-N3-C4	10.31	115.75	110.60
1	AA	1122	U	N3-C2-O2	-10.31	114.98	122.20
1	AA	319	G	C2-N3-C4	10.31	117.05	111.90
26	BB	2349	G	N3-C4-N9	10.31	132.18	126.00
1	AA	391	G	C8-N9-C4	-10.30	102.28	106.40
26	BB	1288	G	N1-C2-N2	-10.30	106.93	116.20
26	BB	1299	G	C4-C5-C6	10.30	124.98	118.80
26	BB	2327	A	C8-N9-C4	-10.30	101.68	105.80
26	BB	1882	U	O4'-C1'-N1	10.30	116.44	108.20
26	BB	2326	C	N3-C4-N4	10.30	125.21	118.00
35	BK	66	PHE	CB-CG-CD2	-10.30	113.59	120.80
1	AA	450	G	C8-N9-C4	-10.30	102.28	106.40
26	BB	2840	C	O4'-C1'-N1	10.30	116.44	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	717	U	N3-C2-O2	-10.30	114.99	122.20
26	BB	2308	G	N3-C4-C5	-10.30	123.45	128.60
26	BB	2571	U	O4'-C1'-N1	10.30	116.44	108.20
26	BB	2654	A	C4-C5-C6	-10.30	111.85	117.00
26	BB	2393	U	C1'-O4'-C4'	-10.30	101.66	109.90
1	AA	335	C	O4'-C1'-N1	10.30	116.44	108.20
26	BB	1846	G	N3-C4-C5	-10.30	123.45	128.60
1	AA	560	A	C6-C5-N7	10.29	139.51	132.30
1	AA	1111	A	N1-C2-N3	10.29	134.45	129.30
26	BB	1753	G	C6-N1-C2	-10.29	118.92	125.10
1	AA	903	G	C8-N9-C4	-10.29	102.28	106.40
1	AA	1076	U	N1-C2-O2	10.29	130.00	122.80
26	BB	1973	G	N1-C6-O6	-10.29	113.72	119.90
1	AA	549	C	C5'-C4'-O4'	10.29	121.45	109.10
1	AA	778	G	C4-C5-N7	-10.29	106.68	110.80
1	AA	1452	C	C5'-C4'-O4'	10.29	121.45	109.10
2	AB	70	C	N3-C4-N4	10.29	125.20	118.00
26	BB	91	A	C4-C5-C6	-10.29	111.86	117.00
26	BB	357	C	N3-C2-O2	-10.29	114.70	121.90
26	BB	1215	G	C4-C5-N7	10.29	114.92	110.80
26	BB	1216	G	C6-N1-C2	-10.29	118.93	125.10
26	BB	2721	A	C8-N9-C4	10.29	109.92	105.80
26	BB	636	G	N9-C4-C5	-10.29	101.28	105.40
26	BB	818	G	N7-C8-N9	10.29	118.24	113.10
26	BB	1729	U	O4'-C1'-N1	10.29	116.43	108.20
26	BB	1824	G	N9-C4-C5	10.29	109.52	105.40
26	BB	2438	U	C4-C5-C6	10.29	125.87	119.70
1	AA	871	U	C3'-C2'-C1'	-10.29	93.27	101.50
1	AA	1218	C	C6-N1-C2	-10.29	116.19	120.30
26	BB	1250	G	C5-N7-C8	-10.29	99.16	104.30
26	BB	1314	C	O4'-C1'-N1	10.29	116.43	108.20
26	BB	2510	C	N1-C2-O2	10.29	125.07	118.90
1	AA	1455	G	C2-N3-C4	10.28	117.04	111.90
1	AA	1018	G	N9-C4-C5	10.28	109.51	105.40
4	AD	1	C	N3-C2-O2	-10.28	114.70	121.90
1	AA	11	G	N3-C4-C5	-10.28	123.46	128.60
1	AA	413	G	C6-C5-N7	-10.28	124.23	130.40
46	BV	6	ARG	NE-CZ-NH1	10.28	125.44	120.30
1	AA	810	C	C4-C5-C6	-10.28	112.26	117.40
26	BB	192	C	N1-C2-O2	10.28	125.07	118.90
26	BB	213	A	C8-N9-C4	-10.28	101.69	105.80
1	AA	299	G	C2-N3-C4	10.28	117.04	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1886	U	C5-C6-N1	-10.28	117.56	122.70
25	BA	22	U	C1'-O4'-C4'	-10.27	101.68	109.90
26	BB	871	U	C5-C6-N1	-10.27	117.56	122.70
26	BB	1169	A	N9-C4-C5	10.27	109.91	105.80
26	BB	1711	A	C4-C5-C6	-10.27	111.86	117.00
26	BB	1907	G	C4-C5-N7	-10.27	106.69	110.80
26	BB	123	G	C4-C5-N7	10.27	114.91	110.80
26	BB	367	G	O4'-C1'-N9	10.27	116.42	108.20
26	BB	2654	A	N9-C4-C5	-10.27	101.69	105.80
5	AE	6	ARG	NE-CZ-NH1	-10.27	115.17	120.30
26	BB	1474	U	O4'-C1'-N1	10.27	116.42	108.20
26	BB	1816	C	C5'-C4'-O4'	10.27	121.42	109.10
26	BB	2749	A	C5'-C4'-O4'	10.27	121.42	109.10
26	BB	1997	C	O4'-C1'-N1	10.27	116.41	108.20
26	BB	2835	A	N9-C1'-C2'	10.27	127.34	114.00
1	AA	1243	C	C6-N1-C2	-10.26	116.19	120.30
26	BB	1193	G	N1-C2-N3	-10.26	117.74	123.90
26	BB	2481	G	O4'-C1'-N9	10.26	116.41	108.20
1	AA	839	C	N3-C2-O2	-10.26	114.72	121.90
26	BB	1014	A	N9-C4-C5	10.26	109.90	105.80
26	BB	1390	U	O4'-C1'-N1	10.26	116.41	108.20
26	BB	1668	A	O4'-C1'-N9	10.26	116.41	108.20
26	BB	2259	U	C6-N1-C2	-10.26	114.84	121.00
1	AA	555	U	C2-N3-C4	-10.26	120.85	127.00
26	BB	274	C	C4'-C3'-C2'	-10.26	92.34	102.60
26	BB	1354	A	O4'-C1'-N9	10.26	116.41	108.20
26	BB	1696	G	O4'-C1'-N9	10.26	116.41	108.20
26	BB	2837	A	N7-C8-N9	10.26	118.93	113.80
1	AA	642	A	C8-N9-C4	-10.25	101.70	105.80
1	AA	918	A	N9-C4-C5	10.25	109.90	105.80
3	AC	42	U	O4'-C1'-N1	10.25	116.40	108.20
26	BB	2838	G	C5-C6-O6	10.25	134.75	128.60
39	BO	18	ARG	NE-CZ-NH1	-10.25	115.17	120.30
26	BB	2269	G	N3-C4-N9	10.25	132.15	126.00
26	BB	2402	U	N3-C4-O4	10.25	126.58	119.40
1	AA	79	G	N7-C8-N9	10.25	118.22	113.10
1	AA	1156	G	N1-C6-O6	-10.25	113.75	119.90
1	AA	1445	U	N3-C2-O2	-10.25	115.03	122.20
1	AA	255	G	N3-C2-N2	-10.24	112.73	119.90
1	AA	647	C	C5-C6-N1	10.24	126.12	121.00
1	AA	985	C	N1-C2-O2	10.24	125.05	118.90
2	AB	73	G	C8-N9-C4	-10.24	102.30	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2411	A	C5'-C4'-O4'	10.24	121.39	109.10
25	BA	76	G	C8-N9-C4	-10.24	102.30	106.40
26	BB	544	C	O4'-C1'-N1	10.24	116.39	108.20
26	BB	608	A	O4'-C1'-N9	10.24	116.39	108.20
26	BB	2419	U	N3-C2-O2	-10.24	115.03	122.20
1	AA	79	G	C8-N9-C1'	10.24	140.31	127.00
4	AD	54	G	C2-N3-C4	10.24	117.02	111.90
26	BB	2009	A	N7-C8-N9	10.24	118.92	113.80
26	BB	2657	A	N3-C4-C5	10.24	133.97	126.80
1	AA	91	U	N1-C2-O2	10.23	129.96	122.80
26	BB	757	G	C5-N7-C8	-10.23	99.18	104.30
26	BB	1292	G	C2-N3-C4	10.23	117.02	111.90
26	BB	1344	U	C6-N1-C2	-10.23	114.86	121.00
26	BB	1820	U	C2-N3-C4	-10.23	120.86	127.00
26	BB	2702	G	C8-N9-C4	-10.23	102.31	106.40
1	AA	1257	A	N1-C6-N6	10.23	124.74	118.60
4	AD	6	G	C4-C5-N7	-10.23	106.71	110.80
26	BB	1175	A	C4-C5-C6	10.23	122.12	117.00
26	BB	2363	G	C8-N9-C4	-10.23	102.31	106.40
1	AA	541	G	O4'-C1'-N9	10.23	116.38	108.20
4	AD	22	A	C5'-C4'-O4'	10.23	121.38	109.10
26	BB	2616	C	N3-C4-C5	-10.23	117.81	121.90
26	BB	2771	C	N3-C2-O2	-10.23	114.74	121.90
4	AD	9	G	C5'-C4'-O4'	-10.23	96.83	109.10
26	BB	510	C	N3-C4-C5	-10.23	117.81	121.90
1	AA	705	G	C5-C6-N1	10.22	116.61	111.50
26	BB	507	A	C2-N3-C4	10.22	115.71	110.60
26	BB	814	C	O4'-C1'-N1	10.22	116.38	108.20
1	AA	1106	G	O4'-C1'-N9	10.22	116.38	108.20
26	BB	1250	G	C5-C6-N1	10.22	116.61	111.50
26	BB	2553	G	C8-N9-C4	-10.22	102.31	106.40
26	BB	2014	A	O4'-C1'-N9	10.22	116.38	108.20
1	AA	634	C	O4'-C1'-N1	10.22	116.37	108.20
1	AA	1204	A	C6-N1-C2	10.22	124.73	118.60
4	AD	48	U	C3'-C2'-C1'	-10.22	93.33	101.50
26	BB	625	G	N7-C8-N9	10.22	118.21	113.10
1	AA	117	G	C2-N3-C4	10.22	117.01	111.90
1	AA	1229	A	C5-N7-C8	10.21	109.01	103.90
26	BB	1026	G	N3-C4-N9	10.21	132.13	126.00
1	AA	692	U	C4-C5-C6	10.21	125.83	119.70
1	AA	782	A	C2-N3-C4	10.21	115.70	110.60
2	AB	45	U	C4-C5-C6	10.21	125.83	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	430	A	C5-N7-C8	-10.21	98.79	103.90
26	BB	2365	G	N7-C8-N9	10.21	118.20	113.10
26	BB	1927	A	C5-N7-C8	-10.21	98.80	103.90
26	BB	2578	G	O4'-C1'-N9	10.21	116.37	108.20
1	AA	278	G	N9-C1'-C2'	-10.21	100.73	114.00
1	AA	1001	C	N3-C2-O2	-10.21	114.75	121.90
26	BB	2110	G	C4-C5-C6	-10.21	112.67	118.80
26	BB	2572	A	C8-N9-C4	-10.21	101.72	105.80
26	BB	1699	G	O4'-C1'-N9	10.20	116.36	108.20
1	AA	340	U	C5-C4-O4	-10.20	119.78	125.90
1	AA	1068	G	C5-C6-O6	-10.20	122.48	128.60
26	BB	1051	G	O4'-C1'-N9	10.20	116.36	108.20
26	BB	1276	A	C6-C5-N7	10.20	139.44	132.30
26	BB	1998	A	C5-C6-N6	-10.20	115.54	123.70
37	BM	98	ARG	NE-CZ-NH2	-10.20	115.20	120.30
50	BZ	64	ASP	CB-CG-OD1	-10.20	109.12	118.30
26	BB	1433	A	C5-N7-C8	-10.20	98.80	103.90
12	AL	108	ARG	NE-CZ-NH1	10.20	125.40	120.30
26	BB	731	C	N3-C4-C5	10.20	125.98	121.90
26	BB	1855	U	O4'-C1'-N1	10.20	116.36	108.20
1	AA	1113	C	C6-N1-C2	-10.20	116.22	120.30
26	BB	1935	G	N9-C4-C5	10.20	109.48	105.40
1	AA	738	C	C2-N3-C4	10.19	125.00	119.90
1	AA	818	G	C3'-C2'-C1'	-10.19	93.35	101.50
4	AD	30	G	C2-N3-C4	10.19	117.00	111.90
26	BB	761	A	C2-N3-C4	10.19	115.69	110.60
1	AA	1441	A	C5-N7-C8	10.19	108.99	103.90
1	AA	768	A	N9-C4-C5	10.18	109.87	105.80
26	BB	356	G	C2-N3-C4	10.18	116.99	111.90
26	BB	1817	G	C8-N9-C4	10.18	110.47	106.40
25	BA	75	G	C5-N7-C8	-10.18	99.21	104.30
26	BB	2771	C	N1-C2-O2	10.18	125.01	118.90
1	AA	370	C	C2-N3-C4	-10.18	114.81	119.90
4	AD	22	A	N1-C6-N6	-10.18	112.49	118.60
25	BA	112	G	N9-C4-C5	10.18	109.47	105.40
26	BB	966	G	C8-N9-C4	-10.18	102.33	106.40
1	AA	1212	U	O4'-C1'-N1	10.17	116.34	108.20
4	AD	36	A	N9-C4-C5	10.17	109.87	105.80
26	BB	614	A	N7-C8-N9	-10.17	108.71	113.80
1	AA	1169	A	N1-C6-N6	-10.17	112.50	118.60
26	BB	637	A	C5-N7-C8	-10.17	98.81	103.90
45	BU	99	ARG	NE-CZ-NH2	-10.17	115.22	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	117	G	N1-C6-O6	-10.17	113.80	119.90
1	AA	748	G	C2-N3-C4	10.17	116.98	111.90
1	AA	1249	C	C2-N3-C4	-10.17	114.82	119.90
1	AA	1440	U	N3-C2-O2	-10.17	115.08	122.20
26	BB	1211	C	N1-C2-O2	10.17	125.00	118.90
26	BB	2895	G	N3-C2-N2	-10.17	112.78	119.90
26	BB	2183	A	C8-N9-C4	-10.16	101.73	105.80
26	BB	2657	A	N1-C2-N3	-10.16	124.22	129.30
1	AA	1234	C	N3-C4-N4	10.16	125.11	118.00
18	AR	71	ARG	NE-CZ-NH2	10.16	125.38	120.30
26	BB	511	U	O4'-C1'-N1	10.16	116.33	108.20
26	BB	2228	G	C6-N1-C2	-10.16	119.00	125.10
3	AC	36	U	O4'-C1'-N1	10.16	116.33	108.20
26	BB	249	C	C5-C4-N4	-10.16	113.09	120.20
26	BB	1171	G	C6-N1-C2	-10.16	119.00	125.10
26	BB	2360	G	O4'-C1'-N9	10.16	116.33	108.20
3	AC	47	C	C3'-C2'-C1'	-10.16	93.37	101.50
26	BB	2315	G	C5-C6-O6	-10.16	122.50	128.60
26	BB	2677	G	N1-C6-O6	-10.16	113.81	119.90
26	BB	1620	G	C6-N1-C2	-10.15	119.01	125.10
3	AC	33	A	C2-N3-C4	10.15	115.67	110.60
26	BB	2035	G	N9-C4-C5	10.15	109.46	105.40
7	AG	71	PHE	CB-CG-CD1	-10.15	113.69	120.80
26	BB	1704	C	C1'-O4'-C4'	-10.15	101.78	109.90
26	BB	1845	G	O4'-C1'-N9	10.15	116.32	108.20
26	BB	2136	G	C2-N3-C4	10.15	116.97	111.90
1	AA	374	A	C8-N9-C4	-10.15	101.74	105.80
1	AA	1046	A	C4-C5-N7	-10.15	105.63	110.70
26	BB	1382	G	N3-C4-C5	-10.15	123.53	128.60
1	AA	860	A	N1-C6-N6	-10.14	112.51	118.60
26	BB	1099	G	N7-C8-N9	10.14	118.17	113.10
26	BB	2314	A	C5-C6-N1	10.14	122.77	117.70
1	AA	1463	U	N1-C2-O2	-10.14	115.70	122.80
26	BB	2221	G	C6-C5-N7	-10.14	124.31	130.40
26	BB	2432	A	C4-C5-C6	-10.14	111.93	117.00
26	BB	201	C	C6-N1-C2	-10.14	116.24	120.30
26	BB	659	G	C2-N3-C4	10.14	116.97	111.90
1	AA	103	U	C3'-C2'-C1'	10.14	109.61	101.50
1	AA	503	C	N3-C4-C5	-10.14	117.84	121.90
1	AA	520	A	N9-C4-C5	10.14	109.86	105.80
1	AA	665	A	O4'-C1'-N9	10.14	116.31	108.20
1	AA	899	C	O4'-C1'-N1	10.14	116.31	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	102	G	C4-C5-N7	-10.14	106.75	110.80
26	BB	1950	G	O4'-C4'-C3'	10.14	114.21	106.10
26	BB	2554	U	C5-C6-N1	-10.14	117.63	122.70
1	AA	1381	U	N3-C2-O2	-10.14	115.11	122.20
26	BB	1142	A	C8-N9-C4	-10.14	101.75	105.80
26	BB	603	A	N7-C8-N9	10.13	118.87	113.80
26	BB	1655	A	C5-C6-N1	10.13	122.77	117.70
26	BB	1710	G	C1'-O4'-C4'	-10.14	101.79	109.90
26	BB	2310	C	N3-C4-N4	10.13	125.09	118.00
26	BB	2424	C	C4-C5-C6	-10.13	112.33	117.40
26	BB	889	C	N1-C2-O2	10.13	124.98	118.90
26	BB	1147	A	N7-C8-N9	10.13	118.87	113.80
26	BB	1929	G	C2-N3-C4	10.13	116.97	111.90
26	BB	2014	A	C8-N9-C4	-10.13	101.75	105.80
1	AA	1334	G	C5-C6-O6	-10.13	122.52	128.60
6	AF	126	ARG	NE-CZ-NH1	-10.13	115.24	120.30
26	BB	186	G	N3-C4-C5	-10.13	123.54	128.60
2	AB	67	G	N3-C4-C5	-10.13	123.54	128.60
1	AA	897	C	N1-C2-O2	10.12	124.97	118.90
1	AA	506	G	C8-N9-C4	-10.12	102.35	106.40
26	BB	493	G	C6-N1-C2	-10.12	119.03	125.10
1	AA	507	C	N3-C4-C5	-10.12	117.85	121.90
1	AA	703	G	C8-N9-C4	-10.12	102.35	106.40
1	AA	1176	A	N9-C4-C5	-10.12	101.75	105.80
24	AX	68	ARG	NE-CZ-NH2	-10.12	115.24	120.30
26	BB	153	U	N1-C2-N3	10.12	120.97	114.90
26	BB	1133	A	C4-C5-N7	-10.12	105.64	110.70
26	BB	986	C	C6-N1-C2	-10.12	116.25	120.30
26	BB	1339	G	N9-C4-C5	10.12	109.45	105.40
26	BB	2816	G	N3-C2-N2	-10.12	112.82	119.90
26	BB	2141	G	O4'-C1'-N9	10.12	116.29	108.20
3	AC	23	C	N3-C4-N4	10.11	125.08	118.00
26	BB	1382	G	C2-N3-C4	10.12	116.96	111.90
26	BB	2824	C	C2-N3-C4	10.11	124.96	119.90
1	AA	1044	A	C2-N3-C4	10.11	115.66	110.60
2	AB	5	G	C8-N9-C4	-10.11	102.36	106.40
5	AE	212	TYR	CB-CG-CD1	-10.11	114.93	121.00
26	BB	759	G	N9-C4-C5	10.11	109.44	105.40
26	BB	1011	G	O4'-C1'-N9	10.11	116.29	108.20
1	AA	325	A	O4'-C4'-C3'	10.11	114.18	106.10
1	AA	768	A	O4'-C1'-N9	10.11	116.28	108.20
26	BB	1172	C	N1-C2-N3	-10.11	112.12	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2198	A	P-O3'-C3'	10.11	131.83	119.70
26	BB	2337	G	C6-C5-N7	-10.11	124.34	130.40
26	BB	2510	C	C2-N3-C4	-10.11	114.85	119.90
1	AA	515	G	C2-N3-C4	10.10	116.95	111.90
26	BB	1553	A	O4'-C1'-N9	10.10	116.28	108.20
26	BB	2597	G	N9-C4-C5	10.10	109.44	105.40
1	AA	377	G	C2-N3-C4	10.10	116.95	111.90
26	BB	1988	G	N7-C8-N9	-10.10	108.05	113.10
36	BL	74	TYR	CB-CG-CD1	-10.10	114.94	121.00
1	AA	670	G	N7-C8-N9	-10.10	108.05	113.10
26	BB	1467	U	O4'-C1'-N1	10.10	116.28	108.20
26	BB	2477	U	C3'-C2'-C1'	10.10	109.58	101.50
9	AI	59	TYR	CB-CG-CD2	-10.09	114.94	121.00
26	BB	380	G	C8-N9-C4	-10.09	102.36	106.40
26	BB	1964	G	N7-C8-N9	10.09	118.15	113.10
1	AA	47	C	C4-C5-C6	10.09	122.45	117.40
26	BB	186	G	O4'-C1'-N9	10.09	116.27	108.20
1	AA	310	G	C8-N9-C4	-10.09	102.36	106.40
41	BQ	111	ARG	NE-CZ-NH1	10.09	125.34	120.30
1	AA	221	C	O4'-C1'-N1	10.09	116.27	108.20
1	AA	329	A	C8-N9-C4	-10.09	101.77	105.80
1	AA	930	C	N3-C4-C5	-10.09	117.86	121.90
1	AA	934	C	C2-N3-C4	10.09	124.94	119.90
1	AA	1464	U	C2-N3-C4	-10.09	120.95	127.00
26	BB	2013	A	N9-C4-C5	-10.09	101.77	105.80
26	BB	2162	G	C4-C5-N7	-10.09	106.77	110.80
26	BB	2588	G	N9-C4-C5	10.09	109.44	105.40
1	AA	1537	U	O4'-C1'-C2'	-10.09	95.72	105.80
26	BB	467	G	C8-N9-C4	-10.08	102.37	106.40
1	AA	567	G	C2-N3-C4	10.08	116.94	111.90
26	BB	2295	C	C4'-C3'-C2'	-10.08	92.52	102.60
31	BG	132	ARG	NE-CZ-NH1	-10.08	115.26	120.30
26	BB	489	G	N7-C8-N9	10.08	118.14	113.10
1	AA	1453	G	C1'-O4'-C4'	-10.07	101.84	109.90
25	BA	116	G	O4'-C1'-N9	10.07	116.26	108.20
26	BB	619	G	C5-C6-N1	10.07	116.54	111.50
26	BB	1988	G	C6-C5-N7	10.07	136.44	130.40
26	BB	2534	A	C5-C6-N1	10.07	122.73	117.70
1	AA	1108	G	C2-N3-C4	10.07	116.93	111.90
25	BA	75	G	C4-C5-C6	10.07	124.84	118.80
1	AA	620	C	C5-C6-N1	10.07	126.03	121.00
1	AA	739	C	C5-C6-N1	10.07	126.03	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1063	C	N3-C4-N4	10.07	125.05	118.00
1	AA	724	G	C4-C5-N7	10.07	114.83	110.80
26	BB	1849	G	N9-C4-C5	10.07	109.43	105.40
26	BB	2438	U	O4'-C1'-N1	10.06	116.25	108.20
26	BB	2298	A	N7-C8-N9	10.06	118.83	113.80
1	AA	816	A	C8-N9-C4	-10.06	101.78	105.80
26	BB	1947	C	O4'-C1'-N1	10.06	116.25	108.20
1	AA	6	G	O4'-C1'-N9	10.06	116.25	108.20
1	AA	1306	A	N1-C6-N6	10.06	124.64	118.60
26	BB	1619	G	C4-C5-N7	-10.06	106.78	110.80
26	BB	2561	U	O4'-C1'-N1	10.06	116.25	108.20
26	BB	2770	G	C4-C5-N7	10.06	114.82	110.80
1	AA	191	G	O4'-C1'-N9	10.05	116.24	108.20
19	AS	14	ARG	NE-CZ-NH1	10.06	125.33	120.30
26	BB	2397	G	C2-N3-C4	10.06	116.93	111.90
1	AA	957	U	C1'-O4'-C4'	10.05	117.94	109.90
26	BB	2130	U	C1'-O4'-C4'	-10.05	101.86	109.90
26	BB	2355	G	N3-C4-C5	-10.05	123.57	128.60
1	AA	451	A	N1-C6-N6	10.05	124.63	118.60
1	AA	500	G	C4-C5-C6	10.05	124.83	118.80
26	BB	1927	A	C8-N9-C4	-10.05	101.78	105.80
26	BB	2322	A	N7-C8-N9	10.05	118.83	113.80
26	BB	647	G	N9-C4-C5	10.05	109.42	105.40
1	AA	1542	A	C4-C5-C6	-10.05	111.98	117.00
26	BB	1095	A	C3'-C2'-C1'	10.05	109.54	101.50
26	BB	1903	G	C2-N3-C4	10.05	116.92	111.90
26	BB	541	A	O4'-C1'-N9	-10.05	100.16	108.20
26	BB	1117	C	C2-N3-C4	-10.05	114.88	119.90
26	BB	2023	C	N1-C2-O2	10.05	124.93	118.90
26	BB	2496	C	O4'-C1'-N1	10.05	116.24	108.20
26	BB	2599	G	C6-N1-C2	-10.05	119.07	125.10
1	AA	391	G	N3-C4-C5	-10.04	123.58	128.60
1	AA	714	G	C4-C5-N7	10.04	114.82	110.80
2	AB	35	C	C3'-C2'-C1'	10.04	109.54	101.50
26	BB	2888	C	O4'-C1'-N1	10.04	116.23	108.20
26	BB	30	G	C3'-C2'-C1'	-10.04	93.47	101.50
26	BB	1041	G	O4'-C1'-N9	10.04	116.23	108.20
26	BB	2892	G	C5-C6-O6	-10.04	122.58	128.60
26	BB	267	C	C6-N1-C2	-10.04	116.28	120.30
26	BB	2088	A	N1-C6-N6	-10.04	112.58	118.60
1	AA	513	C	C5-C6-N1	10.04	126.02	121.00
1	AA	124	C	C5'-C4'-O4'	10.03	121.14	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	528	C	N3-C4-C5	-10.03	117.89	121.90
1	AA	1208	C	N3-C4-C5	10.04	125.91	121.90
26	BB	544	C	N1-C2-O2	10.03	124.92	118.90
26	BB	1836	C	N1-C2-O2	10.03	124.92	118.90
26	BB	2569	G	C5-C6-O6	-10.03	122.58	128.60
26	BB	2691	C	O4'-C1'-N1	10.03	116.22	108.20
55	B4	5	ARG	NE-CZ-NH1	10.03	125.32	120.30
1	AA	294	U	C2-N3-C4	-10.03	120.98	127.00
1	AA	1303	C	N3-C4-N4	10.03	125.02	118.00
26	BB	2181	U	O4'-C1'-N1	10.03	116.22	108.20
1	AA	1357	A	O4'-C1'-N9	10.03	116.22	108.20
1	AA	1413	A	N1-C2-N3	-10.03	124.29	129.30
4	AD	30	G	C4-C5-N7	-10.03	106.79	110.80
26	BB	364	C	C4-C5-C6	-10.03	112.39	117.40
26	BB	994	C	O4'-C1'-N1	10.03	116.22	108.20
26	BB	2440	C	O4'-C1'-N1	10.03	116.22	108.20
26	BB	2442	C	N1-C2-O2	10.03	124.92	118.90
26	BB	2890	G	N3-C4-N9	10.03	132.02	126.00
26	BB	372	G	C6-N1-C2	-10.02	119.08	125.10
26	BB	403	U	C6-N1-C2	-10.02	114.99	121.00
26	BB	1477	A	C8-N9-C4	-10.02	101.79	105.80
26	BB	1584	U	C5-C4-O4	-10.02	119.89	125.90
25	BA	81	G	C5-C6-O6	-10.02	122.59	128.60
26	BB	720	U	C5-C6-N1	-10.02	117.69	122.70
26	BB	1573	G	N3-C4-C5	-10.02	123.59	128.60
26	BB	1928	A	C4-C5-C6	10.02	122.01	117.00
1	AA	371	A	O4'-C1'-N9	-10.02	100.19	108.20
26	BB	683	U	N1-C2-N3	10.02	120.91	114.90
26	BB	1846	G	N9-C4-C5	10.02	109.41	105.40
26	BB	2021	C	N1-C2-O2	10.02	124.91	118.90
1	AA	209	U	C5-C6-N1	-10.01	117.69	122.70
26	BB	171	U	N3-C2-O2	-10.01	115.19	122.20
26	BB	1947	C	N3-C2-O2	-10.01	114.89	121.90
26	BB	2108	A	N9-C4-C5	10.01	109.81	105.80
1	AA	147	G	O4'-C1'-N9	10.01	116.21	108.20
1	AA	651	C	C2-N3-C4	10.01	124.90	119.90
1	AA	745	G	C8-N9-C4	-10.01	102.40	106.40
1	AA	1016	A	C8-N9-C4	-10.01	101.80	105.80
26	BB	275	C	C6-N1-C2	-10.01	116.30	120.30
26	BB	1555	G	O4'-C1'-N9	10.01	116.21	108.20
26	BB	1814	G	C6-N1-C2	-10.01	119.09	125.10
26	BB	2052	A	O4'-C1'-N9	10.01	116.21	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	238	A	C5-C6-N1	10.01	122.70	117.70
25	BA	10	G	N3-C4-N9	-10.01	120.00	126.00
26	BB	775	G	C6-N1-C2	-10.01	119.10	125.10
26	BB	988	A	C1'-O4'-C4'	10.01	117.91	109.90
26	BB	1436	G	C4-C5-N7	-10.01	106.80	110.80
26	BB	1891	G	N3-C4-C5	-10.01	123.60	128.60
26	BB	2610	C	N3-C2-O2	-10.01	114.90	121.90
55	B4	27	ARG	NE-CZ-NH2	-10.01	115.30	120.30
1	AA	208	U	O4'-C1'-N1	10.00	116.20	108.20
1	AA	774	G	N3-C2-N2	-10.00	112.90	119.90
1	AA	1300	G	N9-C4-C5	10.00	109.40	105.40
26	BB	1337	G	N7-C8-N9	10.00	118.10	113.10
26	BB	1896	G	C6-C5-N7	-10.00	124.40	130.40
50	BZ	56	ARG	NE-CZ-NH2	10.00	125.30	120.30
26	BB	2792	A	N9-C1'-C2'	-10.00	101.00	112.00
1	AA	235	C	C5-C4-N4	-10.00	113.20	120.20
26	BB	1595	C	C4-C5-C6	10.00	122.40	117.40
26	BB	2205	A	C8-N9-C4	-10.00	101.80	105.80
26	BB	2220	U	N1-C1'-C2'	-10.00	101.00	112.00
26	BB	1380	G	O4'-C1'-N9	10.00	116.20	108.20
26	BB	2618	G	N7-C8-N9	10.00	118.10	113.10
1	AA	350	G	C1'-O4'-C4'	-9.99	101.90	109.90
26	BB	855	G	N3-C2-N2	9.99	126.90	119.90
26	BB	1197	G	O4'-C1'-N9	9.99	116.20	108.20
26	BB	1527	G	C5-C6-O6	9.99	134.60	128.60
26	BB	2253	G	C8-N9-C4	-9.99	102.40	106.40
26	BB	2442	C	O4'-C1'-N1	9.99	116.20	108.20
1	AA	830	G	C5-C6-N1	9.99	116.50	111.50
1	AA	1108	G	N1-C2-N3	-9.99	117.91	123.90
26	BB	1746	A	C8-N9-C4	-9.99	101.80	105.80
26	BB	1970	A	N1-C6-N6	-9.99	112.60	118.60
26	BB	2484	G	N3-C4-C5	-9.99	123.60	128.60
1	AA	352	C	N3-C2-O2	-9.99	114.91	121.90
25	BA	94	A	C4'-C3'-C2'	-9.99	92.61	102.60
1	AA	191	G	C6-C5-N7	-9.99	124.41	130.40
1	AA	984	C	C6-N1-C2	-9.99	116.30	120.30
26	BB	1770	G	C4-C5-C6	9.99	124.80	118.80
1	AA	123	U	C5-C6-N1	-9.99	117.71	122.70
1	AA	655	A	N7-C8-N9	9.99	118.79	113.80
26	BB	674	G	C8-N9-C4	-9.99	102.41	106.40
26	BB	2133	G	C3'-C2'-C1'	9.99	109.49	101.50
1	AA	558	G	C4-C5-N7	-9.98	106.81	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	573	A	C4-C5-N7	9.98	115.69	110.70
26	BB	2190	G	C4-C5-N7	-9.98	106.81	110.80
26	BB	1139	G	C6-N1-C2	-9.98	119.11	125.10
1	AA	527	7MG	P-O3'-C3'	9.98	131.67	119.70
26	BB	1477	A	C3'-C2'-C1'	-9.98	93.52	101.50
26	BB	1616	A	O4'-C1'-N9	9.98	116.18	108.20
26	BB	2597	G	N1-C6-O6	-9.98	113.91	119.90
1	AA	63	C	N3-C4-N4	9.97	124.98	118.00
26	BB	218	A	C4-C5-C6	-9.97	112.01	117.00
26	BB	899	A	N9-C4-C5	9.97	109.79	105.80
26	BB	1896	G	N7-C8-N9	9.97	118.09	113.10
3	AC	46	C	O4'-C1'-N1	9.97	116.18	108.20
26	BB	537	G	C2-N3-C4	9.97	116.89	111.90
26	BB	1099	G	N9-C4-C5	9.97	109.39	105.40
26	BB	2337	G	N1-C2-N3	9.97	129.88	123.90
1	AA	129	A	C5-C6-N1	9.97	122.68	117.70
26	BB	409	G	N9-C4-C5	9.97	109.39	105.40
26	BB	1433	A	N9-C4-C5	-9.97	101.81	105.80
26	BB	1654	A	C5'-C4'-O4'	9.97	121.06	109.10
26	BB	2203	U	O4'-C1'-N1	9.97	116.17	108.20
26	BB	2287	A	P-O3'-C3'	9.97	131.66	119.70
1	AA	185	U	C5-C4-O4	-9.96	119.92	125.90
26	BB	877	A	C8-N9-C4	-9.97	101.81	105.80
1	AA	361	G	C5-C6-N1	9.96	116.48	111.50
26	BB	467	G	C4-C5-C6	9.96	124.78	118.80
26	BB	2439	A	N1-C2-N3	-9.96	124.32	129.30
1	AA	100	G	C5-C6-O6	9.96	134.58	128.60
26	BB	359	G	C5-N7-C8	-9.96	99.32	104.30
26	BB	496	G	N3-C4-C5	-9.96	123.62	128.60
26	BB	560	C	C6-N1-C2	-9.96	116.32	120.30
26	BB	2099	U	N1-C2-O2	-9.96	115.83	122.80
26	BB	2721	A	N7-C8-N9	-9.96	108.82	113.80
1	AA	799	G	C5-C6-O6	-9.95	122.63	128.60
2	AB	33	U	N3-C2-O2	-9.95	115.23	122.20
26	BB	1297	C	C6-N1-C2	9.96	124.28	120.30
26	BB	1323	C	O4'-C4'-C3'	9.95	114.06	106.10
26	BB	1648	U	N3-C4-O4	9.95	126.37	119.40
26	BB	2117	A	C4-C5-C6	-9.96	112.02	117.00
26	BB	2308	G	C4-C5-N7	-9.95	106.82	110.80
1	AA	525	C	N3-C4-C5	-9.95	117.92	121.90
1	AA	339	C	N3-C4-C5	-9.95	117.92	121.90
1	AA	780	A	N9-C4-C5	9.95	109.78	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	69	G	N1-C2-N3	-9.95	117.93	123.90
26	BB	416	U	O4'-C1'-N1	9.95	116.16	108.20
26	BB	1082	U	C5'-C4'-O4'	9.95	121.04	109.10
26	BB	2018	G	C2-N3-C4	9.95	116.88	111.90
1	AA	357	G	N3-C4-C5	-9.95	123.62	128.60
26	BB	1439	A	C5-C6-N6	9.95	131.66	123.70
26	BB	2585	U	N1-C2-O2	9.95	129.76	122.80
1	AA	362	G	C6-N1-C2	-9.95	119.13	125.10
26	BB	539	G	N1-C2-N3	9.95	129.87	123.90
26	BB	731	C	C4-C5-C6	-9.95	112.43	117.40
26	BB	2085	U	O4'-C1'-N1	9.95	116.16	108.20
26	BB	2349	G	N3-C4-C5	-9.95	123.63	128.60
1	AA	127	G	O4'-C1'-N9	9.95	116.16	108.20
1	AA	570	G	C8-N9-C4	-9.95	102.42	106.40
1	AA	581	G	N7-C8-N9	9.95	118.07	113.10
26	BB	973	A	C4-C5-N7	-9.95	105.73	110.70
26	BB	1025	G	O4'-C1'-N9	9.95	116.16	108.20
26	BB	1890	A	C8-N9-C4	-9.94	101.82	105.80
26	BB	2360	G	C2-N3-C4	9.94	116.87	111.90
26	BB	668	A	C6-N1-C2	-9.94	112.63	118.60
26	BB	674	G	N1-C2-N3	-9.94	117.94	123.90
26	BB	1429	G	N3-C4-C5	-9.94	123.63	128.60
26	BB	2243	U	C5-C6-N1	-9.94	117.73	122.70
25	BA	16	G	C8-N9-C4	-9.94	102.42	106.40
26	BB	2627	G	N9-C1'-C2'	-9.94	101.07	112.00
1	AA	641	U	N3-C2-O2	-9.94	115.25	122.20
1	AA	838	G	C8-N9-C4	-9.94	102.43	106.40
1	AA	1021	A	C8-N9-C4	-9.94	101.83	105.80
1	AA	1041	G	C5-C6-O6	-9.94	122.64	128.60
1	AA	1390	U	N1-C2-N3	9.94	120.86	114.90
26	BB	515	A	C4-C5-C6	9.94	121.97	117.00
26	BB	798	G	C8-N9-C4	-9.94	102.43	106.40
26	BB	973	A	O4'-C1'-N9	9.94	116.15	108.20
1	AA	1099	G	N1-C2-N3	-9.93	117.94	123.90
26	BB	325	G	N7-C8-N9	9.93	118.07	113.10
26	BB	1055	G	C6-C5-N7	9.93	136.36	130.40
26	BB	1279	G	O4'-C1'-N9	9.93	116.14	108.20
1	AA	15	G	C5-C6-O6	-9.93	122.64	128.60
1	AA	1537	U	C3'-C2'-C1'	9.93	109.44	101.50
4	AD	68	C	C6-N1-C2	9.93	124.27	120.30
26	BB	1973	G	C6-C5-N7	-9.93	124.44	130.40
26	BB	2152	G	C5-C6-O6	-9.93	122.64	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2751	G	N3-C4-C5	-9.93	123.63	128.60
26	BB	2806	C	O4'-C1'-N1	9.93	116.14	108.20
1	AA	1167	A	N7-C8-N9	9.93	118.76	113.80
1	AA	1278	G	O4'-C1'-N9	9.93	116.14	108.20
1	AA	1487	G	C8-N9-C4	-9.93	102.43	106.40
26	BB	54	G	C8-N9-C4	-9.93	102.43	106.40
26	BB	1568	G	C5-N7-C8	-9.93	99.33	104.30
1	AA	654	G	C6-C5-N7	9.93	136.36	130.40
24	AX	68	ARG	NE-CZ-NH1	9.93	125.26	120.30
26	BB	2277	G	N3-C4-C5	-9.93	123.64	128.60
1	AA	1272	G	C5-C6-O6	-9.92	122.64	128.60
26	BB	22	C	O4'-C1'-N1	9.92	116.14	108.20
1	AA	100	G	C8-N9-C4	-9.92	102.43	106.40
1	AA	128	G	O4'-C1'-N9	9.92	116.14	108.20
26	BB	7	G	N1-C2-N3	-9.92	117.95	123.90
26	BB	948	C	N3-C4-N4	9.92	124.95	118.00
26	BB	1249	U	O4'-C1'-N1	9.92	116.14	108.20
26	BB	1489	C	C5-C6-N1	9.92	125.96	121.00
26	BB	1511	G	C6-N1-C2	-9.92	119.15	125.10
26	BB	1645	G	C6-N1-C2	-9.92	119.15	125.10
26	BB	1701	A	C5-C6-N1	9.92	122.66	117.70
1	AA	836	G	C8-N9-C4	-9.92	102.43	106.40
26	BB	103	A	N7-C8-N9	9.92	118.76	113.80
1	AA	1135	U	C5-C6-N1	-9.92	117.74	122.70
1	AA	421	U	O4'-C1'-N1	9.91	116.13	108.20
1	AA	1361	G	N7-C8-N9	9.91	118.06	113.10
1	AA	1504	G	C6-N1-C2	-9.91	119.15	125.10
1	AA	521	G	N3-C2-N2	-9.91	112.96	119.90
26	BB	271	G	C4-C5-C6	9.91	124.75	118.80
26	BB	548	G	N7-C8-N9	9.91	118.06	113.10
53	B2	49	ARG	NE-CZ-NH2	-9.91	115.34	120.30
1	AA	293	G	C6-N1-C2	9.91	131.05	125.10
1	AA	676	A	C6-N1-C2	-9.91	112.65	118.60
26	BB	1446	C	N1-C2-O2	9.91	124.85	118.90
26	BB	2831	G	C8-N9-C4	-9.91	102.44	106.40
1	AA	374	A	N7-C8-N9	9.91	118.75	113.80
15	AO	60	PHE	CB-CG-CD1	-9.91	113.87	120.80
1	AA	1482	G	N3-C4-N9	9.90	131.94	126.00
26	BB	458	G	N9-C4-C5	9.90	109.36	105.40
26	BB	617	G	C8-N9-C4	-9.90	102.44	106.40
25	BA	71	C	N3-C4-C5	9.90	125.86	121.90
26	BB	19	A	C4'-C3'-C2'	-9.90	92.70	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1332	G	O4'-C1'-N9	9.90	116.12	108.20
26	BB	1696	G	O4'-C4'-C3'	9.90	114.02	106.10
26	BB	1186	G	C4-C5-N7	-9.90	106.84	110.80
26	BB	1201	U	O4'-C1'-N1	9.90	116.12	108.20
26	BB	2006	C	N3-C4-N4	9.90	124.93	118.00
26	BB	1824	G	C4-C5-N7	-9.90	106.84	110.80
1	AA	69	G	C6-C5-N7	9.90	136.34	130.40
1	AA	615	G	C5-C6-N1	9.90	116.45	111.50
1	AA	860	A	N9-C4-C5	9.90	109.76	105.80
26	BB	863	A	C8-N9-C4	-9.90	101.84	105.80
26	BB	222	A	O4'-C1'-N9	9.89	116.12	108.20
26	BB	2136	G	N3-C4-C5	-9.89	123.65	128.60
26	BB	564	C	N3-C2-O2	-9.89	114.97	121.90
26	BB	840	C	N3-C4-C5	-9.89	117.94	121.90
26	BB	1250	G	C6-N1-C2	-9.89	119.17	125.10
26	BB	2726	A	O4'-C1'-N9	9.89	116.11	108.20
1	AA	771	G	C2-N3-C4	9.89	116.84	111.90
1	AA	1300	G	N3-C4-C5	-9.89	123.66	128.60
26	BB	1700	A	N1-C6-N6	9.89	124.53	118.60
50	BZ	56	ARG	NE-CZ-NH1	-9.89	115.36	120.30
26	BB	432	A	C2-N3-C4	9.88	115.54	110.60
26	BB	498	G	O4'-C1'-N9	9.88	116.11	108.20
26	BB	693	A	C2-N3-C4	9.88	115.54	110.60
26	BB	1834	U	N3-C2-O2	-9.88	115.28	122.20
26	BB	1227	G	C5-C6-N1	9.88	116.44	111.50
26	BB	1255	U	N3-C2-O2	-9.88	115.28	122.20
1	AA	102	G	C4-C5-N7	-9.88	106.85	110.80
1	AA	238	A	N1-C6-N6	-9.88	112.67	118.60
1	AA	714	G	N9-C4-C5	-9.88	101.45	105.40
26	BB	1613	G	C4-C5-C6	9.88	124.73	118.80
1	AA	132	C	N1-C1'-C2'	-9.88	101.14	112.00
26	BB	2264	C	N1-C2-O2	9.87	124.83	118.90
26	BB	2494	G	C8-N9-C4	-9.87	102.45	106.40
1	AA	193	C	N1-C1'-C2'	-9.87	101.14	112.00
1	AA	646	G	C5'-C4'-O4'	9.87	120.95	109.10
26	BB	221	A	C8-N9-C4	-9.87	101.85	105.80
26	BB	1576	U	C2-N3-C4	-9.87	121.08	127.00
26	BB	1844	C	C4-C5-C6	-9.87	112.47	117.40
26	BB	2051	A	O4'-C1'-N9	9.87	116.10	108.20
1	AA	1130	A	N1-C6-N6	-9.87	112.68	118.60
26	BB	702	U	C5-C6-N1	-9.87	117.77	122.70
1	AA	262	A	N9-C4-C5	9.87	109.75	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	582	C	O4'-C1'-N1	9.87	116.09	108.20
26	BB	387	U	C5-C4-O4	-9.87	119.98	125.90
26	BB	1948	G	N3-C4-C5	-9.87	123.67	128.60
26	BB	576	U	O4'-C1'-N1	9.87	116.09	108.20
26	BB	683	U	C6-N1-C2	-9.87	115.08	121.00
26	BB	791	C	O4'-C1'-N1	9.86	116.09	108.20
26	BB	827	U	N1-C2-N3	9.86	120.82	114.90
26	BB	1173	U	C6-N1-C2	-9.86	115.08	121.00
1	AA	848	C	C6-N1-C2	-9.86	116.36	120.30
1	AA	848	C	N3-C4-C5	-9.86	117.95	121.90
26	BB	1186	G	O4'-C4'-C3'	9.86	113.99	106.10
26	BB	1228	G	C8-N9-C4	9.86	110.34	106.40
26	BB	2474	U	O4'-C1'-N1	9.86	116.09	108.20
1	AA	26	A	N3-C4-C5	-9.86	119.90	126.80
1	AA	124	C	N3-C4-N4	9.86	124.90	118.00
1	AA	142	G	C5-C6-O6	-9.86	122.68	128.60
25	BA	69	G	C4-C5-N7	9.86	114.74	110.80
1	AA	1476	A	C4-C5-C6	9.86	121.93	117.00
26	BB	257	C	O4'-C1'-N1	9.86	116.09	108.20
26	BB	1200	C	O4'-C1'-N1	9.86	116.09	108.20
26	BB	2040	G	N9-C1'-C2'	-9.86	101.16	112.00
26	BB	2574	G	C5-C6-O6	-9.86	122.68	128.60
1	AA	474	G	C2-N3-C4	9.86	116.83	111.90
26	BB	319	G	N7-C8-N9	9.86	118.03	113.10
1	AA	413	G	C5-N7-C8	-9.86	99.37	104.30
1	AA	980	C	C4-C5-C6	-9.86	112.47	117.40
26	BB	383	C	N1-C2-O2	9.86	124.81	118.90
26	BB	409	G	N3-C4-C5	-9.86	123.67	128.60
26	BB	2285	C	N3-C4-C5	-9.86	117.96	121.90
26	BB	2337	G	N9-C4-C5	-9.86	101.46	105.40
26	BB	1272	A	N1-C2-N3	-9.85	124.37	129.30
26	BB	361	G	N3-C4-C5	-9.85	123.67	128.60
26	BB	1463	C	O4'-C1'-N1	9.85	116.08	108.20
26	BB	1658	C	C6-N1-C2	9.85	124.24	120.30
26	BB	1897	G	N3-C2-N2	-9.85	113.00	119.90
1	AA	979	C	N3-C4-C5	-9.85	117.96	121.90
26	BB	1052	C	C5-C4-N4	-9.85	113.31	120.20
26	BB	2225	A	C5-C6-N1	9.85	122.62	117.70
26	BB	1180	U	C5-C4-O4	-9.85	119.99	125.90
26	BB	2729	G	C4-C5-N7	-9.85	106.86	110.80
26	BB	2015	A	C5-N7-C8	-9.85	98.98	103.90
26	BB	2266	A	C2-N3-C4	9.85	115.52	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2362	C	C5-C6-N1	9.85	125.92	121.00
26	BB	2391	G	O4'-C1'-N9	9.85	116.08	108.20
39	BO	6	ARG	NE-CZ-NH2	-9.85	115.38	120.30
41	BQ	102	ARG	NE-CZ-NH2	-9.85	115.38	120.30
1	AA	121	U	O4'-C1'-N1	9.84	116.07	108.20
1	AA	142	G	C4'-C3'-C2'	-9.84	92.76	102.60
26	BB	76	C	N3-C4-C5	-9.84	117.96	121.90
30	BF	114	ARG	NE-CZ-NH1	9.84	125.22	120.30
1	AA	1093	A	C2-N3-C4	9.84	115.52	110.60
1	AA	1250	A	O4'-C1'-N9	9.84	116.07	108.20
2	AB	73	G	C4'-C3'-C2'	-9.84	92.76	102.60
26	BB	1525	A	O4'-C1'-N9	9.84	116.07	108.20
26	BB	1697	G	N3-C4-C5	-9.84	123.68	128.60
26	BB	1907	G	N3-C4-C5	-9.84	123.68	128.60
26	BB	2631	G	C2-N3-C4	9.84	116.82	111.90
1	AA	82	G	N3-C4-C5	-9.83	123.68	128.60
1	AA	997	U	O4'-C1'-N1	9.83	116.07	108.20
1	AA	1334	G	N3-C4-C5	-9.83	123.68	128.60
1	AA	1338	G	C2-N3-C4	9.83	116.82	111.90
26	BB	456	C	O4'-C1'-N1	9.83	116.07	108.20
26	BB	1265	A	C2-N3-C4	9.83	115.52	110.60
26	BB	2748	A	C2-N3-C4	9.83	115.52	110.60
26	BB	2781	A	N1-C6-N6	-9.83	112.70	118.60
56	B5	12	ARG	NE-CZ-NH2	9.83	125.22	120.30
1	AA	1423	G	C2-N3-C4	9.83	116.81	111.90
26	BB	207	A	N3-C4-C5	-9.83	119.92	126.80
26	BB	1740	G	N3-C4-C5	-9.83	123.69	128.60
26	BB	2632	A	N1-C2-N3	-9.83	124.39	129.30
1	AA	431	A	C8-N9-C4	-9.82	101.87	105.80
26	BB	1477	A	N1-C2-N3	-9.82	124.39	129.30
26	BB	2382	G	N7-C8-N9	9.82	118.01	113.10
26	BB	126	A	C1'-O4'-C4'	-9.82	102.04	109.90
26	BB	1744	A	O4'-C1'-N9	9.82	116.06	108.20
26	BB	2830	C	C5-C6-N1	9.82	125.91	121.00
26	BB	573	U	C4'-C3'-C2'	-9.82	92.78	102.60
26	BB	2362	C	C2-N3-C4	9.82	124.81	119.90
17	AQ	60	ARG	NE-CZ-NH1	9.81	125.21	120.30
26	BB	213	A	N7-C8-N9	9.81	118.71	113.80
26	BB	485	C	C2-N3-C4	9.81	124.81	119.90
1	AA	484	G	N1-C6-O6	9.81	125.79	119.90
26	BB	333	G	C4-C5-N7	-9.81	106.88	110.80
26	BB	361	G	C5-C6-N1	-9.81	106.59	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1552	A	P-O3'-C3'	9.81	131.47	119.70
26	BB	1567	G	O4'-C1'-N9	9.81	116.05	108.20
26	BB	2610	C	N3-C4-C5	-9.81	117.97	121.90
36	BL	35	ARG	NE-CZ-NH2	-9.81	115.39	120.30
1	AA	153	C	C4-C5-C6	-9.81	112.50	117.40
1	AA	547	A	C4-C5-N7	-9.81	105.80	110.70
26	BB	620	G	N1-C6-O6	-9.81	114.02	119.90
1	AA	926	G	C4-C5-N7	-9.81	106.88	110.80
1	AA	1214	C	C6-N1-C2	-9.81	116.38	120.30
26	BB	1719	G	O4'-C1'-N9	9.81	116.05	108.20
26	BB	1816	C	C3'-C2'-C1'	9.81	109.34	101.50
1	AA	703	G	C4-C5-N7	-9.80	106.88	110.80
1	AA	973	G	C5-N7-C8	9.80	109.20	104.30
26	BB	270	A	N7-C8-N9	9.80	118.70	113.80
26	BB	979	A	C8-N9-C4	9.80	109.72	105.80
26	BB	1941	C	O4'-C1'-N1	9.80	116.04	108.20
26	BB	579	G	C5-N7-C8	-9.80	99.40	104.30
26	BB	1123	C	N3-C2-O2	-9.80	115.04	121.90
26	BB	1014	A	C8-N9-C4	-9.80	101.88	105.80
26	BB	2714	G	N7-C8-N9	9.80	118.00	113.10
1	AA	654	G	N3-C4-N9	-9.80	120.12	126.00
26	BB	2625	G	N7-C8-N9	9.80	118.00	113.10
1	AA	653	U	N3-C4-O4	9.80	126.26	119.40
1	AA	1392	G	C1'-O4'-C4'	-9.79	102.06	109.90
26	BB	1031	G	N3-C4-C5	-9.80	123.70	128.60
26	BB	985	C	O4'-C1'-N1	9.79	116.03	108.20
1	AA	773	G	N3-C2-N2	-9.79	113.05	119.90
26	BB	1826	G	C5-C6-N1	9.79	116.40	111.50
26	BB	2225	A	C4-C5-C6	-9.79	112.10	117.00
26	BB	2626	C	N1-C2-O2	9.79	124.78	118.90
26	BB	2865	U	C2-N3-C4	-9.79	121.13	127.00
1	AA	539	A	N7-C8-N9	9.79	118.69	113.80
1	AA	1285	A	N7-C8-N9	-9.79	108.91	113.80
1	AA	1319	A	C4-C5-N7	9.79	115.59	110.70
1	AA	1412	C	C2-N3-C4	-9.79	115.01	119.90
26	BB	90	U	N1-C2-N3	9.79	120.77	114.90
26	BB	1791	A	C5-N7-C8	9.79	108.80	103.90
26	BB	1887	C	C5'-C4'-O4'	9.79	120.85	109.10
26	BB	1357	C	N3-C2-O2	-9.79	115.05	121.90
26	BB	1927	A	O4'-C1'-N9	9.79	116.03	108.20
53	B2	63	ARG	NE-CZ-NH2	-9.79	115.41	120.30
26	BB	1171	G	C4-C5-N7	-9.79	106.89	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	343	U	O4'-C1'-N1	9.78	116.03	108.20
1	AA	744	C	O4'-C1'-N1	9.79	116.03	108.20
1	AA	1282	C	O4'-C1'-N1	9.78	116.03	108.20
2	AB	63	C	O4'-C1'-N1	9.79	116.03	108.20
26	BB	2688	G	C6-N1-C2	-9.78	119.23	125.10
1	AA	292	G	C5-C6-N1	9.78	116.39	111.50
26	BB	254	G	C4-C5-C6	9.78	124.67	118.80
4	AD	19	G	C2-N3-C4	-9.78	107.01	111.90
1	AA	708	C	C2-N3-C4	-9.78	115.01	119.90
26	BB	1083	U	C2-N3-C4	-9.78	121.13	127.00
26	BB	1385	A	C8-N9-C4	-9.78	101.89	105.80
41	BQ	16	ARG	NE-CZ-NH1	-9.78	115.41	120.30
1	AA	88	U	O4'-C1'-N1	9.78	116.02	108.20
1	AA	725	G	C8-N9-C4	-9.78	102.49	106.40
26	BB	1619	G	C6-N1-C2	-9.78	119.23	125.10
1	AA	1080	A	C8-N9-C4	-9.77	101.89	105.80
1	AA	1523	G	C5'-C4'-O4'	9.77	120.83	109.10
25	BA	107	G	C8-N9-C4	-9.77	102.49	106.40
3	AC	50	U	N1-C2-O2	9.77	129.64	122.80
26	BB	283	G	N9-C4-C5	9.77	109.31	105.40
26	BB	1157	G	N3-C4-N9	9.77	131.86	126.00
26	BB	1349	C	O4'-C1'-N1	9.77	116.02	108.20
26	BB	1441	G	O4'-C1'-N9	9.77	116.02	108.20
26	BB	1813	G	N3-C2-N2	9.77	126.74	119.90
26	BB	1861	G	N3-C4-C5	-9.77	123.72	128.60
26	BB	2814	A	O4'-C1'-N9	9.77	116.02	108.20
1	AA	1048	G	N3-C2-N2	-9.77	113.06	119.90
26	BB	770	G	C4-C5-N7	-9.77	106.89	110.80
26	BB	1459	G	C4-C5-C6	-9.77	112.94	118.80
26	BB	2383	G	C8-N9-C4	-9.77	102.49	106.40
26	BB	1539	U	C5-C6-N1	-9.77	117.82	122.70
26	BB	2455	G	N7-C8-N9	9.77	117.98	113.10
28	BD	247	TRP	CE2-CD2-CG	9.77	115.11	107.30
26	BB	2510	C	O4'-C1'-N1	9.77	116.01	108.20
1	AA	200	G	C5-N7-C8	-9.76	99.42	104.30
26	BB	981	A	O4'-C1'-N9	9.76	116.01	108.20
26	BB	1580	A	C5-C6-N1	9.76	122.58	117.70
26	BB	1732	C	N1-C2-O2	9.76	124.76	118.90
26	BB	2376	A	C5-N7-C8	-9.76	99.02	103.90
1	AA	670	G	C8-N9-C4	9.76	110.31	106.40
1	AA	778	G	C2-N3-C4	9.76	116.78	111.90
1	AA	981	U	C4-C5-C6	9.76	125.56	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	454	G	N3-C2-N2	-9.76	113.07	119.90
1	AA	209	U	O4'-C1'-N1	9.76	116.01	108.20
26	BB	8	C	N1-C2-O2	9.76	124.75	118.90
1	AA	739	C	N3-C4-C5	9.76	125.80	121.90
1	AA	1244	G	C5-C6-N1	9.76	116.38	111.50
1	AA	1315	U	O4'-C1'-N1	9.76	116.01	108.20
26	BB	440	C	N1-C2-O2	9.76	124.75	118.90
26	BB	650	C	O4'-C1'-N1	9.76	116.00	108.20
26	BB	1005	C	N3-C4-C5	-9.76	118.00	121.90
26	BB	2218	G	N1-C6-O6	9.76	125.75	119.90
26	BB	2781	A	N7-C8-N9	9.76	118.68	113.80
26	BB	668	A	C5-N7-C8	9.75	108.78	103.90
26	BB	2308	G	N1-C6-O6	-9.75	114.05	119.90
26	BB	2362	C	O4'-C1'-N1	9.75	116.00	108.20
26	BB	2762	C	N1-C2-O2	9.75	124.75	118.90
25	BA	2	G	N3-C4-N9	9.75	131.85	126.00
26	BB	644	A	N7-C8-N9	9.75	118.67	113.80
1	AA	6	G	N3-C2-N2	-9.75	113.08	119.90
1	AA	1316	G	N3-C4-N9	9.75	131.85	126.00
26	BB	271	G	N3-C4-C5	-9.75	123.73	128.60
26	BB	1088	A	C4-C5-N7	-9.75	105.83	110.70
26	BB	1421	G	N3-C4-C5	-9.75	123.73	128.60
26	BB	775	G	N9-C4-C5	9.75	109.30	105.40
26	BB	1617	C	C2-N3-C4	9.75	124.77	119.90
26	BB	647	G	N3-C4-C5	-9.74	123.73	128.60
26	BB	1879	C	C4'-C3'-C2'	-9.74	92.86	102.60
26	BB	1881	C	N3-C2-O2	-9.74	115.08	121.90
1	AA	135	C	N3-C4-N4	9.74	124.82	118.00
26	BB	2290	G	O4'-C1'-N9	9.74	116.00	108.20
26	BB	2396	G	O4'-C1'-N9	9.74	115.99	108.20
26	BB	2662	A	O4'-C1'-N9	9.74	116.00	108.20
4	AD	63	C	N3-C4-C5	-9.74	118.00	121.90
26	BB	321	U	O4'-C1'-N1	9.74	115.99	108.20
26	BB	1942	C	C6-N1-C2	9.74	124.20	120.30
26	BB	2387	U	C5-C4-O4	-9.74	120.06	125.90
26	BB	2456	C	C6-N1-C2	-9.74	116.40	120.30
1	AA	311	C	N3-C2-O2	-9.74	115.08	121.90
26	BB	2430	A	C5'-C4'-O4'	9.74	120.78	109.10
1	AA	917	G	N7-C8-N9	9.74	117.97	113.10
1	AA	1483	A	C5-C6-N1	9.74	122.57	117.70
1	AA	1374	A	O4'-C1'-N9	9.73	115.99	108.20
2	AB	61	C	N1-C2-O2	9.73	124.74	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	19	A	C8-N9-C4	-9.73	101.91	105.80
26	BB	310	A	N1-C6-N6	-9.73	112.76	118.60
26	BB	628	G	N3-C4-C5	9.73	133.47	128.60
26	BB	2487	G	N3-C4-C5	-9.73	123.73	128.60
26	BB	2434	A	C1'-O4'-C4'	-9.73	102.11	109.90
1	AA	861	G	C8-N9-C4	-9.73	102.51	106.40
1	AA	1391	U	N3-C4-C5	-9.73	108.76	114.60
26	BB	220	G	N9-C4-C5	9.73	109.29	105.40
26	BB	2688	G	N3-C4-C5	-9.73	123.73	128.60
1	AA	381	C	N3-C4-C5	-9.73	118.01	121.90
1	AA	575	G	N9-C4-C5	9.73	109.29	105.40
1	AA	1153	G	N3-C4-N9	9.73	131.84	126.00
26	BB	1494	A	N9-C4-C5	9.73	109.69	105.80
1	AA	1432	G	C2-N3-C4	9.72	116.76	111.90
26	BB	490	C	N1-C2-O2	9.72	124.73	118.90
26	BB	1350	C	N3-C4-C5	-9.72	118.01	121.90
26	BB	2532	G	C4-C5-N7	-9.72	106.91	110.80
26	BB	1043	C	O4'-C1'-N1	9.72	115.98	108.20
26	BB	2033	A	N7-C8-N9	9.72	118.66	113.80
1	AA	88	U	C5-C4-O4	-9.72	120.07	125.90
26	BB	1819	A	C5-C6-N6	-9.72	115.92	123.70
26	BB	2211	A	C8-N9-C4	-9.72	101.91	105.80
1	AA	194	C	N1-C2-O2	9.72	124.73	118.90
1	AA	823	C	O4'-C1'-N1	9.72	115.97	108.20
26	BB	620	G	N9-C4-C5	9.72	109.29	105.40
26	BB	974	G	N3-C4-C5	-9.72	123.74	128.60
26	BB	1141	U	N1-C2-N3	9.72	120.73	114.90
1	AA	1208	C	C6-N1-C2	9.71	124.19	120.30
2	AB	4	G	O4'-C4'-C3'	9.72	113.87	106.10
26	BB	291	G	N3-C4-C5	-9.72	123.74	128.60
19	AS	70	ARG	NE-CZ-NH1	9.71	125.16	120.30
26	BB	1362	C	C2-N3-C4	9.71	124.76	119.90
1	AA	285	C	C2-N3-C4	9.71	124.76	119.90
1	AA	816	A	C5-N7-C8	-9.71	99.04	103.90
26	BB	98	G	C8-N9-C4	-9.71	102.52	106.40
1	AA	827	U	C4-C5-C6	9.71	125.53	119.70
8	AH	68	ARG	NE-CZ-NH1	9.71	125.16	120.30
25	BA	78	A	O4'-C1'-N9	9.71	115.97	108.20
26	BB	369	U	C1'-O4'-C4'	-9.71	102.13	109.90
26	BB	1426	G	O4'-C1'-N9	9.71	115.97	108.20
42	BR	98	TYR	CB-CG-CD1	9.71	126.83	121.00
26	BB	752	A	O4'-C1'-N9	9.71	115.97	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2768	U	O4'-C1'-N1	9.71	115.97	108.20
1	AA	479	U	N3-C2-O2	-9.71	115.41	122.20
26	BB	1916	A	C8-N9-C4	-9.71	101.92	105.80
1	AA	1222	G	O4'-C1'-N9	9.70	115.96	108.20
26	BB	258	G	C2-N3-C4	9.70	116.75	111.90
26	BB	1845	G	C8-N9-C4	-9.71	102.52	106.40
1	AA	122	G	C8-N9-C4	-9.70	102.52	106.40
1	AA	669	G	N1-C6-O6	9.70	125.72	119.90
1	AA	1222	G	C4-C5-N7	-9.70	106.92	110.80
1	AA	1386	G	N3-C2-N2	-9.70	113.11	119.90
2	AB	19	G	O4'-C1'-N9	9.70	115.96	108.20
1	AA	1482	G	C2-N3-C4	9.70	116.75	111.90
4	AD	35	C	N3-C4-C5	-9.70	118.02	121.90
1	AA	124	C	N3-C2-O2	-9.70	115.11	121.90
1	AA	190	A	N7-C8-N9	9.70	118.65	113.80
26	BB	857	G	C2-N3-C4	9.70	116.75	111.90
26	BB	1375	U	C5-C4-O4	-9.70	120.08	125.90
26	BB	1565	C	C3'-C2'-C1'	-9.70	93.74	101.50
26	BB	2243	U	C5-C4-O4	-9.70	120.08	125.90
1	AA	540	G	N3-C4-N9	9.70	131.82	126.00
1	AA	883	C	O4'-C1'-N1	9.70	115.96	108.20
1	AA	1179	A	C4-C5-N7	-9.70	105.85	110.70
26	BB	1820	U	N1-C2-N3	9.70	120.72	114.90
26	BB	2482	A	N1-C6-N6	-9.70	112.78	118.60
1	AA	945	G	O4'-C1'-N9	9.69	115.95	108.20
1	AA	1019	A	N9-C4-C5	9.69	109.68	105.80
1	AA	1392	G	C8-N9-C4	-9.69	102.52	106.40
26	BB	2002	G	C5-C6-N1	9.69	116.35	111.50
26	BB	10	A	C6-C5-N7	9.69	139.08	132.30
26	BB	2817	U	O4'-C1'-N1	9.69	115.95	108.20
1	AA	147	G	C6-C5-N7	9.69	136.21	130.40
1	AA	810	C	C5-C6-N1	9.69	125.84	121.00
1	AA	878	A	O4'-C4'-C3'	9.69	113.85	106.10
1	AA	1151	A	N1-C2-N3	9.69	134.15	129.30
26	BB	22	C	C2-N3-C4	9.69	124.75	119.90
26	BB	359	G	C8-N9-C4	-9.69	102.52	106.40
26	BB	1981	A	N1-C6-N6	-9.69	112.79	118.60
26	BB	4	U	C5-C4-O4	-9.69	120.09	125.90
1	AA	1024	G	O4'-C1'-N9	9.69	115.95	108.20
1	AA	1369	C	O4'-C1'-N1	9.69	115.95	108.20
17	AQ	8	ARG	NE-CZ-NH2	-9.69	115.46	120.30
3	AC	16	A	C4-C5-N7	-9.68	105.86	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	36	A	C3'-C2'-C1'	-9.68	93.75	101.50
26	BB	486	C	C5'-C4'-O4'	9.68	120.72	109.10
26	BB	829	A	C8-N9-C4	9.68	109.67	105.80
26	BB	1893	C	O4'-C1'-N1	9.68	115.94	108.20
1	AA	50	A	C4-C5-C6	-9.68	112.16	117.00
1	AA	599	C	C4'-C3'-C2'	-9.68	92.92	102.60
1	AA	1003	G	C2-N3-C4	9.68	116.74	111.90
26	BB	549	G	C2-N3-C4	9.68	116.74	111.90
26	BB	712	G	C2-N3-C4	9.68	116.74	111.90
26	BB	1388	G	O4'-C1'-N9	9.68	115.94	108.20
1	AA	869	G	N3-C4-C5	-9.68	123.76	128.60
1	AA	1044	A	N1-C2-N3	-9.68	124.46	129.30
1	AA	326	G	C8-N9-C4	-9.68	102.53	106.40
25	BA	82	U	C4-C5-C6	9.68	125.50	119.70
26	BB	2719	G	C4-C5-C6	9.68	124.61	118.80
1	AA	292	G	C4-C5-N7	9.67	114.67	110.80
1	AA	881	G	C5-C6-O6	-9.67	122.80	128.60
9	AI	72	ASP	CB-CG-OD1	-9.67	109.60	118.30
25	BA	100	G	C4-C5-N7	-9.67	106.93	110.80
26	BB	573	U	C3'-C2'-C1'	9.67	109.24	101.50
26	BB	1250	G	C5-C6-O6	-9.67	122.80	128.60
26	BB	1465	G	N3-C4-N9	9.67	131.80	126.00
26	BB	2375	G	C4-C5-N7	9.67	114.67	110.80
26	BB	2416	C	N3-C2-O2	-9.67	115.13	121.90
26	BB	2496	C	C5-C6-N1	9.67	125.83	121.00
26	BB	2866	U	O4'-C4'-C3'	9.67	113.83	106.10
26	BB	2879	A	C5-N7-C8	-9.67	99.07	103.90
1	AA	1038	C	C2-N3-C4	9.67	124.73	119.90
26	BB	2010	G	N3-C4-C5	-9.67	123.77	128.60
1	AA	1121	U	N1-C1'-C2'	-9.67	101.37	112.00
1	AA	1355	G	C8-N9-C4	-9.66	102.53	106.40
26	BB	969	G	C3'-C2'-C1'	9.66	109.23	101.50
26	BB	1837	C	N3-C2-O2	-9.66	115.14	121.90
26	BB	1151	A	N7-C8-N9	9.66	118.63	113.80
26	BB	17	G	C8-N9-C4	-9.66	102.54	106.40
26	BB	834	G	N7-C8-N9	9.66	117.93	113.10
26	BB	2046	G	C8-N9-C4	9.66	110.26	106.40
1	AA	1505	G	C6-C5-N7	9.66	136.19	130.40
1	AA	1506	U	C4-C5-C6	9.66	125.50	119.70
26	BB	654	A	N7-C8-N9	9.66	118.63	113.80
1	AA	1525	G	C5-N7-C8	-9.66	99.47	104.30
4	AD	32	G	N3-C2-N2	9.66	126.66	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	BJ	60	ARG	NE-CZ-NH2	9.66	125.13	120.30
26	BB	260	G	N1-C6-O6	-9.65	114.11	119.90
26	BB	1141	U	C6-N1-C2	-9.65	115.21	121.00
26	BB	1727	C	O4'-C1'-N1	9.65	115.92	108.20
26	BB	2266	A	O4'-C1'-C2'	-9.65	96.15	105.80
26	BB	2496	C	N1-C2-O2	9.65	124.69	118.90
3	AC	28	U	C3'-C2'-C1'	9.65	109.22	101.50
25	BA	81	G	C4'-C3'-C2'	-9.65	92.95	102.60
26	BB	1740	G	N3-C4-N9	9.65	131.79	126.00
26	BB	2339	C	O4'-C1'-N1	9.65	115.92	108.20
26	BB	1344	U	N1-C2-N3	9.65	120.69	114.90
26	BB	2370	G	N3-C4-C5	-9.65	123.78	128.60
26	BB	2515	C	N3-C2-O2	-9.65	115.15	121.90
1	AA	1240	U	C5-C6-N1	9.65	127.52	122.70
26	BB	481	G	C5-N7-C8	-9.65	99.48	104.30
26	BB	1854	A	C4-C5-C6	-9.65	112.18	117.00
26	BB	2443	C	C6-N1-C2	-9.65	116.44	120.30
26	BB	2862	G	N7-C8-N9	9.65	117.92	113.10
1	AA	483	C	C5'-C4'-O4'	9.64	120.67	109.10
1	AA	557	G	C8-N9-C4	-9.64	102.54	106.40
1	AA	705	G	N1-C6-O6	-9.64	114.11	119.90
21	AU	71	ASP	CB-CG-OD2	-9.64	109.62	118.30
25	BA	110	C	N1-C2-O2	9.64	124.69	118.90
26	BB	2269	G	C4-C5-C6	9.64	124.59	118.80
1	AA	187	G	O4'-C1'-N9	9.64	115.91	108.20
1	AA	1217	C	O4'-C1'-N1	9.64	115.91	108.20
1	AA	1484	C	N3-C2-O2	-9.64	115.15	121.90
26	BB	778	G	C6-N1-C2	-9.64	119.32	125.10
26	BB	1235	G	C4-C5-N7	-9.64	106.94	110.80
1	AA	427	U	C5-C6-N1	-9.64	117.88	122.70
4	AD	9	G	C2-N3-C4	9.64	116.72	111.90
4	AD	69	C	N1-C2-O2	9.64	124.68	118.90
17	AQ	52	ARG	NE-CZ-NH2	-9.64	115.48	120.30
26	BB	1022	G	C3'-C2'-C1'	-9.64	93.79	101.50
26	BB	1295	C	C2-N3-C4	9.64	124.72	119.90
26	BB	2235	G	C4-C5-N7	-9.64	106.94	110.80
26	BB	1469	A	C4-C5-N7	9.64	115.52	110.70
26	BB	1732	C	C4-C5-C6	9.64	122.22	117.40
29	BE	46	ARG	NE-CZ-NH1	9.64	125.12	120.30
1	AA	1260	G	C5-C6-N1	9.63	116.32	111.50
26	BB	817	C	N3-C2-O2	-9.63	115.16	121.90
26	BB	1920	C	O4'-C4'-C3'	9.64	113.81	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1117	A	C5-C6-N1	9.63	122.52	117.70
14	AN	17	ASP	CB-CG-OD2	-9.63	109.63	118.30
26	BB	2884	U	C5'-C4'-O4'	9.63	120.66	109.10
1	AA	448	A	C3'-C2'-C1'	9.63	109.20	101.50
1	AA	711	G	N3-C4-C5	-9.63	123.78	128.60
26	BB	327	G	C8-N9-C4	-9.63	102.55	106.40
26	BB	1125	G	N7-C8-N9	9.63	117.92	113.10
26	BB	2101	A	N7-C8-N9	9.63	118.61	113.80
26	BB	2772	C	C5-C6-N1	9.63	125.81	121.00
1	AA	987	G	C8-N9-C4	-9.63	102.55	106.40
1	AA	1331	G	C2-N3-C4	9.63	116.71	111.90
26	BB	136	G	N3-C4-C5	-9.63	123.79	128.60
26	BB	254	G	N3-C4-N9	9.63	131.78	126.00
26	BB	934	U	N1-C1'-C2'	-9.63	101.41	112.00
1	AA	592	G	C4-C5-N7	-9.62	106.95	110.80
1	AA	1385	G	C8-N9-C4	-9.63	102.55	106.40
26	BB	1168	G	C5-C6-O6	9.62	134.37	128.60
26	BB	2048	G	C6-N1-C2	-9.62	119.33	125.10
26	BB	216	A	C1'-O4'-C4'	-9.62	102.20	109.90
26	BB	857	G	C4-C5-N7	-9.62	106.95	110.80
26	BB	2644	G	C6-C5-N7	-9.62	124.63	130.40
34	BJ	30	ARG	NE-CZ-NH1	9.62	125.11	120.30
26	BB	2464	G	C2-N3-C4	9.62	116.71	111.90
26	BB	188	G	C5-C6-N1	9.62	116.31	111.50
26	BB	797	G	C6-C5-N7	-9.62	124.63	130.40
26	BB	1358	G	N3-C4-C5	-9.62	123.79	128.60
1	AA	1064	G	N3-C4-C5	-9.62	123.79	128.60
26	BB	1095	A	O4'-C1'-N9	9.62	115.89	108.20
26	BB	1510	G	C4-C5-N7	-9.62	106.95	110.80
26	BB	2442	C	N3-C2-O2	-9.62	115.17	121.90
1	AA	1319	A	N7-C8-N9	9.61	118.61	113.80
26	BB	1753	G	N7-C8-N9	9.61	117.91	113.10
26	BB	2102	G	N1-C2-N3	-9.61	118.13	123.90
1	AA	4	U	O4'-C1'-N1	9.61	115.89	108.20
1	AA	220	G	C4-C5-N7	-9.61	106.96	110.80
26	BB	811	U	C1'-O4'-C4'	-9.61	102.21	109.90
26	BB	1731	G	C8-N9-C4	-9.61	102.56	106.40
26	BB	585	G	O4'-C1'-N9	9.61	115.89	108.20
26	BB	1381	G	C5-C6-O6	-9.61	122.84	128.60
26	BB	2193	G	N3-C4-C5	-9.61	123.80	128.60
26	BB	2484	G	C5-N7-C8	-9.61	99.50	104.30
6	AF	202	PHE	CB-CG-CD2	-9.60	114.08	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	307	C	O4'-C1'-N1	9.60	115.88	108.20
1	AA	765	G	C5-C6-N1	9.60	116.30	111.50
26	BB	695	G	N7-C8-N9	-9.60	108.30	113.10
1	AA	644	U	O4'-C1'-N1	9.60	115.88	108.20
26	BB	1067	A	C5-N7-C8	-9.60	99.10	103.90
58	B7	24	ARG	NE-CZ-NH1	-9.60	115.50	120.30
1	AA	598	U	C5-C4-O4	-9.60	120.14	125.90
26	BB	1619	G	N7-C8-N9	9.60	117.90	113.10
26	BB	323	C	N3-C2-O2	-9.60	115.18	121.90
26	BB	1010	A	N9-C4-C5	9.60	109.64	105.80
26	BB	2527	C	N3-C4-C5	9.60	125.74	121.90
1	AA	307	C	C5-C6-N1	-9.59	116.20	121.00
1	AA	449	G	O4'-C1'-N9	9.59	115.87	108.20
1	AA	1245	C	C4-C5-C6	9.59	122.20	117.40
26	BB	62	U	C5-C4-O4	-9.59	120.15	125.90
26	BB	377	G	N1-C2-N3	-9.59	118.15	123.90
26	BB	990	A	C4'-C3'-C2'	9.59	112.19	102.60
26	BB	1209	U	C1'-O4'-C4'	9.59	117.57	109.90
1	AA	306	A	N1-C6-N6	-9.59	112.85	118.60
1	AA	173	U	C2-N3-C4	-9.59	121.25	127.00
1	AA	1500	A	C8-N9-C4	9.59	109.64	105.80
26	BB	1455	G	C6-C5-N7	-9.59	124.65	130.40
1	AA	1489	G	C5-N7-C8	9.59	109.09	104.30
2	AB	33	U	O4'-C1'-N1	9.59	115.87	108.20
26	BB	179	C	O4'-C1'-N1	9.59	115.87	108.20
26	BB	458	G	C8-N9-C4	-9.59	102.56	106.40
26	BB	615	U	N3-C2-O2	-9.59	115.49	122.20
26	BB	764	A	C3'-C2'-C1'	-9.59	93.83	101.50
26	BB	1489	C	N3-C4-C5	9.59	125.73	121.90
26	BB	2413	G	C2-N3-C4	-9.59	107.11	111.90
26	BB	2120	G	C4-C5-N7	-9.59	106.97	110.80
18	AR	62	ARG	NE-CZ-NH2	-9.58	115.51	120.30
26	BB	409	G	C2-N3-C4	9.58	116.69	111.90
26	BB	1270	C	N1-C2-O2	9.58	124.65	118.90
26	BB	2740	A	C3'-C2'-C1'	-9.58	93.83	101.50
1	AA	718	A	O4'-C1'-N9	9.58	115.86	108.20
3	AC	19	A	C5-C6-N1	-9.58	112.91	117.70
26	BB	145	C	O4'-C1'-N1	9.58	115.86	108.20
26	BB	248	G	N3-C4-N9	9.58	131.75	126.00
26	BB	1321	A	C2-N3-C4	9.58	115.39	110.60
26	BB	2222	C	C5-C4-N4	-9.58	113.49	120.20
1	AA	865	A	C8-N9-C4	-9.58	101.97	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	998	C	N1-C2-O2	9.58	124.65	118.90
1	AA	1306	A	N7-C8-N9	9.58	118.59	113.80
4	AD	1	C	C4-C5-C6	-9.58	112.61	117.40
26	BB	610	C	C6-N1-C2	9.58	124.13	120.30
26	BB	781	A	N7-C8-N9	9.58	118.59	113.80
1	AA	163	C	C6-N1-C2	-9.57	116.47	120.30
1	AA	998	C	N1-C2-N3	-9.57	112.50	119.20
1	AA	1051	C	O4'-C4'-C3'	9.57	113.76	106.10
26	BB	122	G	C5-C6-O6	-9.57	122.86	128.60
26	BB	1215	G	O4'-C1'-N9	9.57	115.86	108.20
26	BB	2359	C	C6-N1-C2	-9.57	116.47	120.30
26	BB	1613	G	C4-C5-N7	-9.57	106.97	110.80
1	AA	728	A	C8-N9-C4	-9.57	101.97	105.80
1	AA	745	G	N9-C4-C5	9.57	109.23	105.40
3	AC	28	U	N3-C4-O4	9.57	126.10	119.40
26	BB	321	U	O4'-C1'-C2'	-9.57	96.23	105.80
1	AA	1091	U	N3-C2-O2	-9.57	115.50	122.20
26	BB	1185	G	N9-C4-C5	9.57	109.23	105.40
26	BB	1207	C	C6-N1-C2	-9.57	116.47	120.30
26	BB	2015	A	C4-C5-N7	9.57	115.48	110.70
26	BB	2138	G	O4'-C1'-N9	9.57	115.86	108.20
26	BB	2486	C	C6-N1-C2	-9.57	116.47	120.30
1	AA	733	G	N9-C4-C5	9.57	109.23	105.40
26	BB	1	G	C8-N9-C4	-9.57	102.57	106.40
1	AA	1154	G	N3-C4-N9	9.57	131.74	126.00
18	AR	14	PHE	CB-CG-CD2	-9.57	114.10	120.80
26	BB	1293	C	O4'-C1'-N1	9.57	115.85	108.20
26	BB	1649	G	N9-C4-C5	9.57	109.23	105.40
26	BB	2758	A	C2-N3-C4	-9.57	105.82	110.60
1	AA	283	U	C5-C6-N1	-9.56	117.92	122.70
1	AA	289	G	C6-N1-C2	-9.56	119.36	125.10
26	BB	1258	U	C5-C6-N1	-9.56	117.92	122.70
26	BB	2043	C	C2-N3-C4	9.56	124.68	119.90
1	AA	362	G	C5-C6-N1	9.56	116.28	111.50
26	BB	1261	C	O4'-C4'-C3'	9.56	113.75	106.10
1	AA	323	U	C4-C5-C6	9.56	125.44	119.70
1	AA	506	G	N7-C8-N9	9.56	117.88	113.10
1	AA	551	U	C5-C6-N1	-9.56	117.92	122.70
26	BB	649	G	N3-C4-C5	-9.56	123.82	128.60
26	BB	2670	A	C4'-C3'-C2'	-9.56	93.04	102.60
1	AA	590	U	O4'-C1'-N1	9.56	115.85	108.20
26	BB	2559	C	O4'-C1'-N1	9.56	115.85	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1055	A	O4'-C1'-N9	9.56	115.85	108.20
26	BB	1517	G	N1-C2-N2	9.56	124.80	116.20
26	BB	1540	G	C5-C6-O6	-9.56	122.86	128.60
26	BB	682	G	O4'-C1'-N9	9.56	115.84	108.20
26	BB	751	A	C5-N7-C8	-9.56	99.12	103.90
1	AA	774	G	N1-C2-N2	9.56	124.80	116.20
2	AB	40	C	C2-N3-C4	-9.56	115.12	119.90
26	BB	2738	A	N9-C4-C5	9.56	109.62	105.80
1	AA	936	C	C5-C4-N4	-9.55	113.51	120.20
1	AA	1470	U	C4-C5-C6	9.55	125.43	119.70
25	BA	49	C	C6-N1-C2	-9.55	116.48	120.30
1	AA	885	G	N3-C4-C5	-9.55	123.83	128.60
26	BB	836	G	N3-C4-C5	-9.55	123.82	128.60
26	BB	1786	A	C5-N7-C8	-9.55	99.12	103.90
26	BB	1896	G	C5-N7-C8	-9.55	99.52	104.30
26	BB	1992	G	N7-C8-N9	9.55	117.88	113.10
1	AA	1257	A	N9-C4-C5	-9.55	101.98	105.80
3	AC	48	C	N1-C2-O2	9.55	124.63	118.90
26	BB	1556	C	N3-C4-N4	9.55	124.68	118.00
3	AC	29	G	O4'-C1'-N9	9.55	115.84	108.20
26	BB	788	A	C6-N1-C2	9.55	124.33	118.60
26	BB	1971	U	C5-C6-N1	-9.55	117.93	122.70
1	AA	597	G	N3-C4-C5	-9.55	123.83	128.60
1	AA	754	C	C6-N1-C2	-9.54	116.48	120.30
2	AB	27	C	N3-C4-C5	-9.54	118.08	121.90
26	BB	205	G	N7-C8-N9	9.54	117.87	113.10
26	BB	238	C	N3-C4-C5	-9.54	118.08	121.90
2	AB	47	U	C4-C5-C6	9.54	125.43	119.70
26	BB	291	G	C2-N3-C4	9.54	116.67	111.90
26	BB	334	C	C2-N3-C4	9.54	124.67	119.90
26	BB	623	C	O4'-C1'-N1	9.54	115.83	108.20
26	BB	2608	G	C1'-O4'-C4'	-9.54	102.27	109.90
1	AA	189	A	N9-C4-C5	-9.54	101.98	105.80
26	BB	1288	G	O4'-C1'-N9	9.54	115.83	108.20
26	BB	2044	C	O4'-C1'-N1	9.54	115.83	108.20
26	BB	2269	G	C2-N3-C4	9.54	116.67	111.90
1	AA	1378	C	N3-C4-C5	-9.54	118.08	121.90
2	AB	3	G	N9-C4-C5	9.54	109.22	105.40
5	AE	136	ARG	NE-CZ-NH2	-9.54	115.53	120.30
1	AA	1133	G	C5-C6-N1	9.54	116.27	111.50
26	BB	985	C	C5-C6-N1	9.54	125.77	121.00
26	BB	1463	C	N1-C2-O2	9.54	124.62	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1656	C	N3-C2-O2	-9.54	115.22	121.90
1	AA	88	U	N1-C1'-C2'	9.53	126.39	114.00
1	AA	901	A	C2-N3-C4	9.54	115.37	110.60
26	BB	110	G	N9-C1'-C2'	-9.54	101.51	112.00
26	BB	221	A	C2-N3-C4	9.54	115.37	110.60
6	AF	142	ARG	NE-CZ-NH2	9.53	125.07	120.30
26	BB	1120	G	C4-C5-N7	9.53	114.61	110.80
26	BB	1726	C	N3-C4-C5	-9.53	118.09	121.90
4	AD	66	C	O4'-C1'-N1	9.53	115.82	108.20
26	BB	1445	G	O4'-C1'-N9	9.53	115.82	108.20
26	BB	1277	G	C8-N9-C4	-9.53	102.59	106.40
26	BB	1687	G	C8-N9-C4	-9.53	102.59	106.40
26	BB	2325	G	N9-C4-C5	9.53	109.21	105.40
25	BA	5	U	O4'-C1'-N1	9.53	115.82	108.20
1	AA	954	G	O4'-C1'-N9	9.53	115.82	108.20
26	BB	838	C	C2-N3-C4	9.53	124.66	119.90
26	BB	1147	A	C8-N9-C4	-9.53	101.99	105.80
26	BB	2120	G	O4'-C1'-N9	9.53	115.82	108.20
26	BB	1475	G	N9-C4-C5	9.52	109.21	105.40
26	BB	2437	G	O4'-C1'-N9	9.52	115.82	108.20
26	BB	2545	G	N9-C4-C5	9.52	109.21	105.40
1	AA	722	G	C1'-O4'-C4'	-9.52	102.28	109.90
26	BB	241	A	C5-N7-C8	-9.52	99.14	103.90
26	BB	1214	A	C8-N9-C4	-9.52	101.99	105.80
1	AA	896	C	O4'-C1'-N1	9.52	115.81	108.20
26	BB	2154	A	N1-C2-N3	9.52	134.06	129.30
1	AA	1439	G	N3-C4-C5	-9.52	123.84	128.60
3	AC	24	A	C4-C5-N7	-9.52	105.94	110.70
26	BB	298	G	C5-N7-C8	-9.52	99.54	104.30
1	AA	941	G	N1-C6-O6	9.51	125.61	119.90
26	BB	1045	C	N3-C4-C5	-9.51	118.09	121.90
1	AA	36	C	C6-N1-C2	9.51	124.10	120.30
1	AA	686	U	N3-C2-O2	-9.51	115.54	122.20
3	AC	28	U	C5-C4-O4	-9.51	120.19	125.90
26	BB	2791	G	C1'-O4'-C4'	-9.51	102.29	109.90
1	AA	1290	G	C5-C6-N1	9.51	116.25	111.50
1	AA	1491	G	C6-N1-C2	-9.51	119.40	125.10
26	BB	1790	C	N3-C4-C5	-9.51	118.10	121.90
1	AA	227	G	N9-C4-C5	9.50	109.20	105.40
1	AA	459	A	N3-C4-C5	9.50	133.45	126.80
26	BB	2086	U	C5-C6-N1	-9.50	117.95	122.70
1	AA	205	A	O4'-C1'-N9	9.50	115.80	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1408	A	C6-C5-N7	9.50	138.95	132.30
1	AA	803	G	C4-C5-N7	9.50	114.60	110.80
26	BB	65	U	C4-C5-C6	9.50	125.40	119.70
26	BB	351	C	C4-C5-C6	9.50	122.15	117.40
26	BB	450	G	N3-C2-N2	9.50	126.55	119.90
26	BB	984	A	N9-C4-C5	9.50	109.60	105.80
26	BB	1658	C	N1-C2-O2	9.50	124.60	118.90
1	AA	264	C	O4'-C1'-N1	9.50	115.80	108.20
2	AB	24	G	C5'-C4'-O4'	9.50	120.50	109.10
26	BB	207	A	N1-C6-N6	-9.50	112.90	118.60
26	BB	548	G	C5-N7-C8	-9.50	99.55	104.30
26	BB	818	G	C5-C6-N1	9.50	116.25	111.50
26	BB	1140	C	C5-C6-N1	9.50	125.75	121.00
1	AA	310	G	N7-C8-N9	9.49	117.85	113.10
1	AA	364	A	N3-C4-C5	9.49	133.45	126.80
1	AA	731	G	N1-C6-O6	9.49	125.60	119.90
1	AA	932	C	O4'-C4'-C3'	9.49	113.70	106.10
18	AR	16	ARG	NE-CZ-NH2	-9.49	115.55	120.30
1	AA	877	G	O4'-C1'-N9	9.49	115.80	108.20
26	BB	474	G	C4-C5-N7	9.49	114.60	110.80
26	BB	1978	A	C8-N9-C4	-9.49	102.00	105.80
26	BB	2477	U	N1-C2-N3	9.49	120.60	114.90
1	AA	1147	C	C5-C6-N1	9.49	125.75	121.00
26	BB	26	G	C4-C5-C6	9.49	124.50	118.80
1	AA	163	C	C5-C6-N1	9.49	125.75	121.00
26	BB	1333	G	N3-C2-N2	-9.49	113.26	119.90
26	BB	2003	A	C4-C5-C6	-9.49	112.25	117.00
26	BB	2353	G	N7-C8-N9	9.49	117.84	113.10
1	AA	557	G	N3-C4-C5	-9.49	123.86	128.60
26	BB	1338	G	N3-C4-C5	-9.49	123.86	128.60
1	AA	902	G	C5-N7-C8	-9.49	99.56	104.30
1	AA	1122	U	O4'-C1'-N1	9.49	115.79	108.20
1	AA	1493	A	C5-N7-C8	-9.49	99.16	103.90
15	AO	109	ARG	NE-CZ-NH2	-9.49	115.56	120.30
26	BB	1736	U	O4'-C1'-N1	9.49	115.79	108.20
26	BB	2025	C	N1-C2-O2	9.49	124.59	118.90
1	AA	65	A	N1-C2-N3	-9.48	124.56	129.30
1	AA	1097	C	C1'-O4'-C4'	9.48	117.49	109.90
1	AA	1134	G	C4-C5-N7	9.48	114.59	110.80
3	AC	19	A	N1-C6-N6	9.48	124.29	118.60
26	BB	2591	C	O4'-C1'-N1	9.48	115.79	108.20
26	BB	4	U	N3-C4-O4	9.48	126.04	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	128	C	C3'-C2'-C1'	9.48	109.09	101.50
26	BB	1638	C	N3-C2-O2	-9.48	115.26	121.90
26	BB	1752	C	O4'-C1'-N1	9.48	115.79	108.20
26	BB	1984	G	C4-C5-N7	-9.48	107.01	110.80
26	BB	814	C	C2-N3-C4	9.48	124.64	119.90
26	BB	1062	G	N3-C4-C5	-9.48	123.86	128.60
26	BB	338	G	N3-C4-C5	-9.48	123.86	128.60
26	BB	529	A	C1'-O4'-C4'	-9.48	102.32	109.90
26	BB	2351	G	C6-N1-C2	-9.48	119.41	125.10
26	BB	2577	A	O4'-C1'-N9	9.48	115.78	108.20
1	AA	672	U	C4-C5-C6	9.47	125.38	119.70
1	AA	894	G	C5-N7-C8	-9.47	99.56	104.30
1	AA	1145	A	N7-C8-N9	9.47	118.54	113.80
25	BA	3	C	N3-C2-O2	-9.47	115.27	121.90
26	BB	1657	U	C4-C5-C6	9.47	125.38	119.70
26	BB	2221	G	C4-C5-N7	9.47	114.59	110.80
26	BB	2283	C	O4'-C1'-N1	9.47	115.78	108.20
26	BB	2649	C	O4'-C1'-N1	9.47	115.78	108.20
26	BB	122	G	C5-N7-C8	9.47	109.04	104.30
26	BB	1370	C	N3-C4-C5	-9.47	118.11	121.90
26	BB	1622	G	N7-C8-N9	9.47	117.84	113.10
26	BB	1448	G	C3'-C2'-C1'	-9.47	93.92	101.50
26	BB	2444	G	C5-C6-N1	9.47	116.23	111.50
26	BB	2491	U	O4'-C1'-N1	9.47	115.78	108.20
26	BB	2364	C	N3-C4-N4	9.47	124.63	118.00
1	AA	754	C	C5-C4-N4	-9.47	113.57	120.20
26	BB	790	U	C5-C6-N1	-9.46	117.97	122.70
26	BB	948	C	O4'-C1'-N1	9.46	115.77	108.20
26	BB	1006	C	N3-C4-C5	9.46	125.69	121.90
26	BB	1084	A	N1-C6-N6	9.46	124.28	118.60
26	BB	2692	G	C8-N9-C4	-9.46	102.61	106.40
1	AA	19	A	C5-N7-C8	9.46	108.63	103.90
1	AA	465	A	C6-N1-C2	9.46	124.28	118.60
1	AA	951	G	C5-C6-N1	9.46	116.23	111.50
26	BB	109	C	N1-C2-O2	9.46	124.58	118.90
26	BB	187	G	C2-N3-C4	9.46	116.63	111.90
26	BB	1346	G	C2-N3-C4	-9.46	107.17	111.90
26	BB	1734	G	C5-C6-O6	-9.46	122.92	128.60
26	BB	132	G	N1-C2-N3	-9.46	118.23	123.90
26	BB	2727	A	C5-N7-C8	-9.46	99.17	103.90
26	BB	171	U	N1-C2-N3	9.45	120.57	114.90
26	BB	619	G	N7-C8-N9	9.45	117.83	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	882	G	N1-C2-N3	-9.45	118.23	123.90
26	BB	2022	U	N3-C2-O2	-9.45	115.58	122.20
26	BB	2049	G	C6-C5-N7	-9.45	124.73	130.40
4	AD	77	A	O4'-C1'-N9	9.45	115.76	108.20
26	BB	518	G	C8-N9-C4	-9.45	102.62	106.40
26	BB	1456	G	N7-C8-N9	9.45	117.83	113.10
26	BB	1540	G	N3-C4-C5	-9.45	123.87	128.60
26	BB	1862	G	C2-N3-C4	9.45	116.63	111.90
26	BB	2780	G	N9-C4-C5	9.45	109.18	105.40
1	AA	1503	A	C1'-O4'-C4'	-9.45	102.34	109.90
1	AA	894	G	C5'-C4'-O4'	9.45	120.44	109.10
1	AA	911	U	P-O3'-C3'	9.45	131.04	119.70
26	BB	2324	U	O4'-C4'-C3'	9.45	113.66	106.10
1	AA	173	U	C4-C5-C6	9.45	125.37	119.70
1	AA	570	G	C4-C5-N7	9.45	114.58	110.80
26	BB	780	G	C4'-C3'-C2'	-9.45	93.15	102.60
26	BB	1311	G	N3-C2-N2	-9.45	113.29	119.90
1	AA	1169	A	N3-C4-C5	-9.44	120.19	126.80
26	BB	298	G	N1-C6-O6	-9.45	114.23	119.90
26	BB	784	G	N3-C4-C5	-9.45	123.88	128.60
1	AA	778	G	N1-C2-N3	-9.44	118.23	123.90
26	BB	1447	C	N3-C4-C5	-9.44	118.12	121.90
25	BA	86	G	C6-N1-C2	-9.44	119.44	125.10
26	BB	2361	G	C5-C6-N1	9.44	116.22	111.50
2	AB	52	A	O4'-C1'-N9	9.44	115.75	108.20
26	BB	291	G	C4-C5-N7	-9.44	107.03	110.80
26	BB	1179	G	C8-N9-C4	-9.44	102.62	106.40
1	AA	771	G	N1-C6-O6	-9.44	114.24	119.90
3	AC	26	U	C6-N1-C2	9.44	126.66	121.00
25	BA	105	G	O4'-C1'-N9	9.44	115.75	108.20
26	BB	1045	C	C5-C6-N1	9.44	125.72	121.00
26	BB	2072	C	N3-C2-O2	-9.44	115.29	121.90
26	BB	25	U	N3-C2-O2	-9.44	115.60	122.20
26	BB	2528	U	N3-C4-O4	9.44	126.00	119.40
1	AA	94	G	P-O3'-C3'	9.43	131.02	119.70
1	AA	733	G	C8-N9-C4	-9.43	102.63	106.40
1	AA	1071	C	C5-C6-N1	9.43	125.72	121.00
26	BB	196	A	C8-N9-C4	-9.43	102.03	105.80
26	BB	421	C	C4-C5-C6	-9.43	112.68	117.40
26	BB	1219	U	C4-C5-C6	9.43	125.36	119.70
26	BB	1587	G	N3-C4-C5	-9.43	123.88	128.60
26	BB	2353	G	N9-C4-C5	9.43	109.17	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2741	A	N9-C4-C5	9.43	109.57	105.80
26	BB	2867	G	N7-C8-N9	-9.43	108.38	113.10
1	AA	604	G	C4'-C3'-C2'	-9.43	93.17	102.60
26	BB	437	U	C2-N3-C4	-9.43	121.34	127.00
1	AA	801	U	O4'-C1'-N1	9.43	115.74	108.20
2	AB	36	A	C4'-C3'-C2'	-9.43	93.17	102.60
26	BB	2463	C	N3-C4-N4	9.43	124.60	118.00
1	AA	1288	A	C2-N3-C4	-9.43	105.89	110.60
25	BA	10	G	C5-C6-O6	9.43	134.26	128.60
30	BF	88	ARG	NE-CZ-NH2	9.43	125.01	120.30
1	AA	111	G	N1-C6-O6	-9.43	114.24	119.90
1	AA	293	G	N1-C2-N3	-9.43	118.24	123.90
1	AA	1392	G	C4'-C3'-C2'	-9.43	93.17	102.60
26	BB	1666	G	C6-N1-C2	-9.43	119.44	125.10
26	BB	1152	C	C2-N3-C4	-9.43	115.19	119.90
26	BB	1189	A	N9-C4-C5	-9.43	102.03	105.80
26	BB	1813	G	N3-C4-C5	-9.43	123.89	128.60
26	BB	2518	A	P-O3'-C3'	9.43	131.01	119.70
26	BB	2860	A	C8-N9-C4	-9.43	102.03	105.80
26	BB	2835	A	N1-C2-N3	-9.43	124.59	129.30
49	BY	40	ARG	NE-CZ-NH2	-9.43	115.59	120.30
1	AA	68	G	N3-C4-N9	9.42	131.65	126.00
2	AB	66	C	O4'-C1'-N1	9.42	115.74	108.20
26	BB	677	A	N9-C4-C5	9.42	109.57	105.80
26	BB	1776	G	C2-N3-C4	9.42	116.61	111.90
26	BB	2263	C	C2-N3-C4	9.42	124.61	119.90
26	BB	271	G	N9-C4-C5	9.42	109.17	105.40
26	BB	704	G	N7-C8-N9	9.42	117.81	113.10
26	BB	1815	A	C2-N3-C4	9.42	115.31	110.60
26	BB	2891	U	N3-C4-C5	-9.42	108.95	114.60
1	AA	87	C	C4-C5-C6	9.42	122.11	117.40
1	AA	838	G	O4'-C1'-N9	9.42	115.74	108.20
1	AA	1366	C	N1-C2-O2	9.42	124.55	118.90
26	BB	510	C	N1-C2-N3	-9.42	112.61	119.20
26	BB	2230	G	C4-C5-N7	-9.42	107.03	110.80
26	BB	2578	G	N3-C4-N9	9.42	131.65	126.00
28	BD	170	TYR	CB-CG-CD1	-9.42	115.35	121.00
1	AA	82	G	C8-N9-C4	-9.41	102.63	106.40
1	AA	604	G	C4-C5-N7	-9.41	107.03	110.80
26	BB	811	U	C5-C6-N1	-9.41	117.99	122.70
26	BB	1507	C	C5-C6-N1	9.41	125.71	121.00
26	BB	2271	G	C4-C5-N7	-9.41	107.03	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2387	U	N3-C4-O4	9.41	125.99	119.40
26	BB	2511	U	N3-C4-O4	9.41	125.99	119.40
26	BB	2811	G	N1-C2-N3	-9.41	118.25	123.90
26	BB	2309	A	N7-C8-N9	-9.41	109.09	113.80
1	AA	758	C	C6-N1-C2	-9.41	116.54	120.30
7	AG	43	ARG	NE-CZ-NH2	-9.41	115.59	120.30
7	AG	134	TYR	CG-CD2-CE2	-9.41	113.77	121.30
26	BB	762	U	P-O3'-C3'	9.41	130.99	119.70
26	BB	2106	U	N1-C2-N3	9.41	120.55	114.90
26	BB	81	G	C8-N9-C4	-9.41	102.64	106.40
26	BB	1516	G	O4'-C1'-N9	9.41	115.73	108.20
1	AA	1112	C	C2-N3-C4	-9.41	115.20	119.90
1	AA	1393	U	C5-C4-O4	-9.41	120.26	125.90
26	BB	671	C	C2-N3-C4	-9.41	115.20	119.90
26	BB	1061	U	O4'-C1'-N1	9.41	115.73	108.20
1	AA	276	G	C2-N3-C4	-9.40	107.20	111.90
4	AD	4	G	C8-N9-C4	-9.40	102.64	106.40
26	BB	1161	C	C5-C6-N1	9.40	125.70	121.00
26	BB	2592	G	N3-C4-C5	-9.40	123.90	128.60
1	AA	572	A	N1-C2-N3	-9.40	124.60	129.30
1	AA	1029	U	N3-C2-O2	-9.40	115.62	122.20
26	BB	989	G	O4'-C1'-N9	9.40	115.72	108.20
26	BB	1513	U	C5-C6-N1	9.40	127.40	122.70
26	BB	2820	A	C2-N3-C4	9.40	115.30	110.60
1	AA	339	C	C6-N1-C2	9.40	124.06	120.30
1	AA	932	C	C1'-O4'-C4'	-9.40	102.38	109.90
1	AA	1133	G	N1-C2-N3	-9.40	118.26	123.90
1	AA	1301	U	C5-C4-O4	-9.40	120.26	125.90
26	BB	1177	G	C5-C6-O6	-9.40	122.96	128.60
25	BA	35	C	N3-C2-O2	-9.40	115.32	121.90
26	BB	787	C	C5-C6-N1	9.40	125.70	121.00
26	BB	1588	G	C6-N1-C2	-9.40	119.46	125.10
26	BB	1595	C	C6-N1-C2	-9.40	116.54	120.30
26	BB	1997	C	N1-C1'-C2'	-9.40	101.66	112.00
26	BB	2801	G	N3-C4-C5	-9.40	123.90	128.60
25	BA	75	G	N9-C4-C5	9.40	109.16	105.40
26	BB	1495	A	N9-C4-C5	-9.40	102.04	105.80
26	BB	2581	G	N9-C4-C5	9.40	109.16	105.40
1	AA	581	G	N9-C4-C5	9.39	109.16	105.40
1	AA	765	G	N7-C8-N9	9.39	117.80	113.10
26	BB	685	A	C8-N9-C4	-9.39	102.04	105.80
26	BB	2568	U	O4'-C1'-N1	9.39	115.72	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2609	U	N3-C4-O4	9.39	125.98	119.40
26	BB	738	G	N3-C2-N2	-9.39	113.33	119.90
1	AA	563	A	C5-C6-N1	9.39	122.39	117.70
1	AA	840	C	C5'-C4'-O4'	9.39	120.37	109.10
26	BB	178	G	O4'-C1'-N9	9.39	115.71	108.20
26	BB	250	G	C8-N9-C4	-9.39	102.64	106.40
26	BB	659	G	C8-N9-C4	9.39	110.16	106.40
26	BB	1209	U	O4'-C4'-C3'	-9.39	94.61	104.00
1	AA	545	C	N3-C4-C5	-9.39	118.14	121.90
1	AA	1441	A	C4-C5-N7	-9.39	106.01	110.70
26	BB	730	A	N9-C4-C5	9.39	109.56	105.80
26	BB	1421	G	C2-N3-C4	9.39	116.59	111.90
26	BB	1983	G	O4'-C1'-N9	9.39	115.71	108.20
26	BB	2617	U	N3-C2-O2	-9.39	115.63	122.20
1	AA	987	G	C4-C5-N7	-9.38	107.05	110.80
2	AB	73	G	N3-C4-C5	-9.38	123.91	128.60
26	BB	564	C	O4'-C1'-N1	9.38	115.71	108.20
26	BB	1280	G	C2-N3-C4	9.39	116.59	111.90
26	BB	1337	G	C4-C5-N7	-9.38	107.05	110.80
26	BB	1696	G	C6-C5-N7	-9.39	124.77	130.40
1	AA	547	A	C5-C6-N1	9.38	122.39	117.70
1	AA	785	G	C6-N1-C2	-9.38	119.47	125.10
1	AA	1322	C	C6-N1-C2	-9.38	116.55	120.30
26	BB	2537	U	N3-C2-O2	-9.38	115.63	122.20
25	BA	114	C	C5-C4-N4	9.38	126.77	120.20
26	BB	2700	A	C2-N3-C4	9.38	115.29	110.60
26	BB	2891	U	N3-C4-O4	9.38	125.97	119.40
1	AA	64	G	O4'-C1'-N9	9.38	115.70	108.20
1	AA	109	A	O4'-C4'-C3'	9.38	113.60	106.10
26	BB	60	G	C8-N9-C4	-9.38	102.65	106.40
26	BB	808	G	N7-C8-N9	9.38	117.79	113.10
26	BB	1539	U	C5'-C4'-O4'	9.38	120.36	109.10
26	BB	2266	A	C3'-C2'-C1'	9.38	109.00	101.50
26	BB	2835	A	C4'-C3'-C2'	-9.38	93.22	102.60
1	AA	1529	G	N3-C4-C5	-9.38	123.91	128.60
25	BA	59	A	C8-N9-C4	-9.38	102.05	105.80
34	BJ	124	ARG	NE-CZ-NH2	-9.38	115.61	120.30
1	AA	289	G	O4'-C1'-N9	9.38	115.70	108.20
1	AA	613	C	O4'-C1'-N1	9.38	115.70	108.20
26	BB	733	G	C3'-C2'-C1'	-9.37	94.00	101.50
26	BB	2156	G	O4'-C1'-N9	9.38	115.70	108.20
26	BB	1850	G	N1-C2-N3	-9.37	118.28	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1688	U	O4'-C1'-N1	9.37	115.70	108.20
26	BB	2298	A	C5-C6-N1	9.37	122.39	117.70
26	BB	2234	G	C5-N7-C8	-9.37	99.61	104.30
26	BB	2573	C	N3-C2-O2	-9.37	115.34	121.90
1	AA	1130	A	N1-C2-N3	-9.37	124.62	129.30
26	BB	207	A	C5'-C4'-O4'	9.37	120.34	109.10
26	BB	949	G	N9-C4-C5	9.37	109.15	105.40
26	BB	2150	C	O4'-C1'-N1	9.37	115.69	108.20
17	AQ	74	ARG	NE-CZ-NH2	-9.37	115.62	120.30
25	BA	89	U	C2-N3-C4	-9.37	121.38	127.00
26	BB	1581	G	N3-C2-N2	9.37	126.46	119.90
26	BB	1943	U	C2-N3-C4	-9.37	121.38	127.00
26	BB	613	A	N7-C8-N9	9.36	118.48	113.80
26	BB	1227	G	C8-N9-C4	9.37	110.15	106.40
1	AA	396	C	O4'-C1'-N1	9.36	115.69	108.20
1	AA	608	A	C4-C5-C6	-9.36	112.32	117.00
26	BB	107	G	C5-C6-O6	-9.36	122.98	128.60
26	BB	1852	U	N1-C2-N3	9.36	120.52	114.90
26	BB	1653	G	C8-N9-C4	-9.36	102.66	106.40
26	BB	1824	G	C8-N9-C4	-9.36	102.66	106.40
1	AA	1325	C	C5-C4-N4	-9.36	113.65	120.20
1	AA	130	A	C8-N9-C4	-9.36	102.06	105.80
1	AA	753	A	O4'-C1'-N9	9.36	115.69	108.20
26	BB	240	C	C6-N1-C2	-9.36	116.56	120.30
26	BB	1378	A	O4'-C1'-N9	9.36	115.69	108.20
26	BB	2590	A	O4'-C1'-N9	9.36	115.69	108.20
26	BB	1646	C	C5-C6-N1	9.36	125.68	121.00
1	AA	285	C	N3-C4-C5	-9.36	118.16	121.90
1	AA	505	G	N3-C2-N2	9.36	126.45	119.90
4	AD	71	G	O4'-C1'-N9	9.36	115.69	108.20
26	BB	499	U	N3-C4-C5	9.36	120.21	114.60
26	BB	1493	C	C5-C6-N1	9.36	125.68	121.00
1	AA	177	G	C6-N1-C2	-9.35	119.49	125.10
1	AA	251	G	O4'-C1'-N9	9.35	115.68	108.20
1	AA	479	U	C2-N3-C4	-9.35	121.39	127.00
26	BB	253	C	N1-C2-O2	9.35	124.51	118.90
26	BB	1830	C	N3-C4-C5	-9.35	118.16	121.90
1	AA	477	C	C5-C4-N4	-9.35	113.65	120.20
1	AA	1001	C	N3-C4-N4	9.35	124.55	118.00
26	BB	114	U	N3-C4-C5	-9.35	108.99	114.60
26	BB	659	G	N3-C4-C5	-9.35	123.92	128.60
26	BB	1439	A	N1-C6-N6	-9.35	112.99	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1664	A	C8-N9-C4	-9.35	102.06	105.80
26	BB	1689	A	N1-C6-N6	-9.35	112.99	118.60
26	BB	2428	G	N9-C4-C5	9.35	109.14	105.40
1	AA	90	C	C6-N1-C2	-9.35	116.56	120.30
1	AA	112	G	N3-C4-C5	-9.35	123.92	128.60
1	AA	765	G	C5-N7-C8	-9.35	99.62	104.30
26	BB	1052	C	N3-C4-C5	9.35	125.64	121.90
1	AA	1416	G	C2-N3-C4	9.35	116.57	111.90
26	BB	1420	A	N1-C2-N3	-9.35	124.63	129.30
26	BB	1846	G	C4-C5-N7	-9.35	107.06	110.80
1	AA	87	C	C5-C6-N1	-9.35	116.33	121.00
1	AA	1352	C	C4-C5-C6	9.35	122.07	117.40
25	BA	67	G	C5-C6-N1	9.35	116.17	111.50
26	BB	484	C	N1-C2-O2	9.35	124.51	118.90
26	BB	731	C	C5-C6-N1	9.35	125.67	121.00
31	BG	91	ARG	NE-CZ-NH2	9.34	124.97	120.30
26	BB	70	G	N7-C8-N9	9.34	117.77	113.10
26	BB	466	A	C8-N9-C4	-9.34	102.06	105.80
1	AA	26	A	O4'-C1'-N9	9.34	115.67	108.20
1	AA	1408	A	N1-C2-N3	-9.34	124.63	129.30
4	AD	70	C	N3-C4-C5	-9.34	118.16	121.90
26	BB	1216	G	N7-C8-N9	-9.34	108.43	113.10
1	AA	850	U	C5-C4-O4	-9.34	120.30	125.90
26	BB	261	G	N9-C4-C5	9.34	109.14	105.40
26	BB	826	U	C5-C6-N1	-9.34	118.03	122.70
26	BB	1788	C	N3-C4-C5	-9.34	118.16	121.90
1	AA	417	G	C5-C6-O6	-9.34	123.00	128.60
1	AA	1538	C	C4-C5-C6	9.34	122.07	117.40
25	BA	92	C	C6-N1-C2	-9.34	116.56	120.30
26	BB	1564	C	O4'-C1'-N1	9.34	115.67	108.20
1	AA	164	G	C8-N9-C4	-9.33	102.67	106.40
1	AA	475	C	C6-N1-C2	9.33	124.03	120.30
25	BA	82	U	N3-C2-O2	-9.33	115.67	122.20
26	BB	21	A	C5-C6-N6	-9.33	116.23	123.70
26	BB	186	G	N1-C2-N3	-9.33	118.30	123.90
26	BB	1948	G	N3-C4-N9	9.33	131.60	126.00
26	BB	2684	U	C6-N1-C2	-9.33	115.40	121.00
26	BB	265	A	C4-C5-N7	9.33	115.37	110.70
26	BB	1311	G	C6-N1-C2	-9.33	119.50	125.10
26	BB	1382	G	N3-C4-N9	9.33	131.60	126.00
26	BB	1664	A	O4'-C1'-C2'	9.33	116.00	107.60
1	AA	195	A	C4-C5-N7	-9.33	106.04	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1258	G	N9-C4-C5	9.33	109.13	105.40
26	BB	376	G	O4'-C1'-N9	9.33	115.66	108.20
26	BB	939	G	C4'-C3'-C2'	-9.33	93.27	102.60
26	BB	1312	U	N3-C4-O4	9.32	125.93	119.40
1	AA	717	U	N1-C2-N3	9.32	120.49	114.90
26	BB	669	G	N9-C4-C5	9.32	109.13	105.40
26	BB	1156	A	N1-C6-N6	9.32	124.19	118.60
26	BB	1534	U	C5-C4-O4	-9.32	120.31	125.90
26	BB	1779	U	N3-C2-O2	-9.32	115.67	122.20
26	BB	2128	G	N7-C8-N9	9.32	117.76	113.10
16	AP	91	ARG	NE-CZ-NH2	-9.32	115.64	120.30
1	AA	753	A	C5'-C4'-O4'	9.32	120.28	109.10
26	BB	1461	C	O4'-C1'-N1	9.32	115.66	108.20
1	AA	1032	G	O4'-C1'-N9	9.32	115.66	108.20
2	AB	61	C	O4'-C4'-C3'	9.32	113.56	106.10
26	BB	273	G	N3-C4-C5	-9.32	123.94	128.60
26	BB	1310	G	N3-C2-N2	-9.32	113.38	119.90
34	BJ	124	ARG	NE-CZ-NH1	9.32	124.96	120.30
26	BB	1854	A	C3'-C2'-C1'	9.32	108.95	101.50
1	AA	31	G	C6-C5-N7	-9.32	124.81	130.40
1	AA	505	G	C5'-C4'-C3'	-9.32	101.09	116.00
1	AA	612	C	N3-C4-C5	-9.32	118.17	121.90
26	BB	679	C	C6-N1-C2	9.32	124.03	120.30
26	BB	2144	G	C8-N9-C4	-9.32	102.67	106.40
26	BB	2708	G	C8-N9-C4	-9.32	102.67	106.40
1	AA	376	G	C5'-C4'-O4'	9.31	120.28	109.10
1	AA	1426	G	C5-C6-O6	9.31	134.19	128.60
26	BB	1486	U	N1-C2-N3	9.31	120.49	114.90
26	BB	1920	C	N1-C2-O2	9.31	124.49	118.90
26	BB	1951	U	C5-C4-O4	-9.31	120.31	125.90
26	BB	1576	U	N1-C1'-C2'	-9.31	101.76	112.00
1	AA	58	C	C5-C6-N1	9.31	125.66	121.00
1	AA	137	U	N3-C4-O4	9.31	125.92	119.40
1	AA	1526	G	C6-N1-C2	-9.31	119.51	125.10
26	BB	671	C	C1'-O4'-C4'	-9.31	102.45	109.90
26	BB	988	A	C2-N3-C4	9.31	115.25	110.60
26	BB	2208	C	C6-N1-C2	-9.31	116.58	120.30
1	AA	786	G	C4-C5-N7	-9.31	107.08	110.80
1	AA	923	A	N3-C4-N9	9.31	134.85	127.40
1	AA	134	G	N1-C2-N3	-9.31	118.32	123.90
1	AA	860	A	C8-N9-C4	-9.31	102.08	105.80
1	AA	1153	G	C8-N9-C4	-9.31	102.68	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	250	G	N9-C4-C5	9.31	109.12	105.40
26	BB	315	G	N3-C4-C5	-9.31	123.95	128.60
26	BB	2215	C	C2-N3-C4	9.31	124.55	119.90
26	BB	2383	G	N9-C4-C5	9.31	109.12	105.40
26	BB	2811	G	C2-N3-C4	9.31	116.55	111.90
1	AA	1135	U	O4'-C1'-N1	9.31	115.64	108.20
1	AA	1250	A	N1-C2-N3	-9.31	124.65	129.30
26	BB	1179	G	N9-C4-C5	9.31	109.12	105.40
25	BA	82	U	C4'-C3'-C2'	-9.30	93.30	102.60
26	BB	1454	C	C4-C5-C6	-9.30	112.75	117.40
26	BB	486	C	O4'-C1'-N1	9.30	115.64	108.20
26	BB	1741	C	C5-C4-N4	-9.30	113.69	120.20
26	BB	2495	G	C8-N9-C4	-9.30	102.68	106.40
1	AA	529	G	C8-N9-C4	9.30	110.12	106.40
26	BB	532	A	O4'-C1'-N9	9.30	115.64	108.20
26	BB	543	G	N3-C2-N2	-9.30	113.39	119.90
1	AA	990	C	N3-C4-N4	9.30	124.51	118.00
26	BB	184	C	O4'-C1'-N1	9.30	115.64	108.20
26	BB	873	C	C5-C6-N1	9.30	125.65	121.00
26	BB	1978	A	N9-C4-C5	9.30	109.52	105.80
26	BB	2013	A	O4'-C1'-N9	9.30	115.64	108.20
26	BB	2758	A	N9-C4-C5	-9.30	102.08	105.80
39	BO	16	ARG	NE-CZ-NH2	-9.30	115.65	120.30
1	AA	170	U	O4'-C1'-N1	9.30	115.64	108.20
26	BB	710	U	N1-C2-N3	9.30	120.48	114.90
26	BB	1793	C	C5-C4-N4	-9.30	113.69	120.20
1	AA	148	G	C4-C5-C6	9.30	124.38	118.80
1	AA	176	C	N3-C4-C5	-9.30	118.18	121.90
1	AA	260	G	C6-N1-C2	-9.29	119.52	125.10
1	AA	1208	C	N1-C2-O2	9.30	124.48	118.90
1	AA	1426	G	N1-C6-O6	-9.29	114.32	119.90
4	AD	71	G	C6-C5-N7	-9.29	124.82	130.40
26	BB	2265	U	C5'-C4'-O4'	9.29	120.25	109.10
26	BB	2648	G	N9-C4-C5	9.29	109.12	105.40
1	AA	128	G	C6-N1-C2	-9.29	119.53	125.10
1	AA	132	C	C2-N3-C4	9.29	124.55	119.90
1	AA	173	U	C6-N1-C2	-9.29	115.42	121.00
26	BB	55	G	C5-C6-O6	-9.29	123.03	128.60
26	BB	885	C	C3'-C2'-C1'	9.29	108.93	101.50
26	BB	1010	A	C5-N7-C8	-9.29	99.25	103.90
26	BB	2126	A	O4'-C1'-N9	9.29	115.63	108.20
26	BB	2492	U	C2-N3-C4	-9.29	121.43	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	495	A	O4'-C1'-N9	9.29	115.63	108.20
1	AA	907	A	N7-C8-N9	9.29	118.44	113.80
26	BB	851	C	O4'-C1'-N1	9.29	115.63	108.20
26	BB	2346	A	C5-N7-C8	-9.29	99.25	103.90
1	AA	998	C	C6-N1-C2	9.29	124.02	120.30
26	BB	1258	U	C4-C5-C6	9.29	125.27	119.70
1	AA	923	A	C2-N3-C4	9.29	115.24	110.60
1	AA	983	A	C8-N9-C4	-9.29	102.09	105.80
1	AA	1134	G	C5-N7-C8	-9.29	99.66	104.30
1	AA	1369	C	P-O3'-C3'	9.29	130.84	119.70
26	BB	2797	U	O4'-C1'-N1	9.29	115.63	108.20
1	AA	92	U	O4'-C1'-N1	9.28	115.63	108.20
1	AA	763	G	C8-N9-C4	-9.28	102.69	106.40
26	BB	948	C	C5-C4-N4	-9.28	113.70	120.20
26	BB	1850	G	C5'-C4'-O4'	9.28	120.24	109.10
26	BB	1983	G	C4-C5-N7	-9.28	107.09	110.80
26	BB	489	G	C4-C5-C6	-9.28	113.23	118.80
26	BB	27	G	C8-N9-C4	-9.28	102.69	106.40
26	BB	1427	A	C6-C5-N7	9.28	138.79	132.30
26	BB	2025	C	N3-C4-C5	9.28	125.61	121.90
26	BB	2284	A	N1-C6-N6	9.28	124.17	118.60
1	AA	55	A	O4'-C1'-N9	9.28	115.62	108.20
26	BB	1056	G	C2-N3-C4	9.28	116.54	111.90
26	BB	95	A	O4'-C1'-N9	-9.28	100.78	108.20
26	BB	906	U	C5-C4-O4	-9.27	120.34	125.90
26	BB	1886	U	C4-C5-C6	9.27	125.26	119.70
1	AA	243	A	C2-N3-C4	9.27	115.23	110.60
2	AB	56	C	N1-C2-O2	9.27	124.46	118.90
26	BB	478	A	N9-C4-C5	9.27	109.51	105.80
26	BB	613	A	C4-C5-C6	-9.27	112.36	117.00
26	BB	811	U	O4'-C1'-N1	9.27	115.61	108.20
30	BF	188	MET	CG-SD-CE	9.27	115.03	100.20
1	AA	65	A	C5-N7-C8	-9.27	99.27	103.90
26	BB	1857	G	C2-N3-C4	9.27	116.53	111.90
28	BD	86	ARG	NE-CZ-NH1	9.27	124.93	120.30
1	AA	782	A	P-O3'-C3'	9.27	130.82	119.70
1	AA	1371	G	C6-C5-N7	-9.27	124.84	130.40
10	AJ	118	ARG	NE-CZ-NH2	9.27	124.93	120.30
26	BB	445	C	C5'-C4'-O4'	9.27	120.22	109.10
26	BB	743	A	C5-C6-N1	9.27	122.33	117.70
26	BB	1920	C	C4'-C3'-C2'	-9.27	93.33	102.60
30	BF	85	PHE	CB-CG-CD1	9.27	127.29	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	6	G	C8-N9-C4	-9.26	102.69	106.40
1	AA	481	G	C2-N3-C4	9.26	116.53	111.90
1	AA	435	A	N1-C2-N3	-9.26	124.67	129.30
1	AA	480	U	C5'-C4'-O4'	9.26	120.21	109.10
26	BB	1943	U	N1-C2-N3	9.26	120.46	114.90
1	AA	1124	G	N7-C8-N9	9.26	117.73	113.10
1	AA	1150	A	N7-C8-N9	9.26	118.43	113.80
1	AA	1392	G	N3-C4-C5	-9.26	123.97	128.60
1	AA	104	G	C6-C5-N7	9.26	135.95	130.40
1	AA	740	U	C4'-C3'-C2'	-9.26	93.34	102.60
25	BA	40	U	O4'-C1'-N1	9.26	115.61	108.20
26	BB	902	C	N3-C4-C5	-9.26	118.20	121.90
26	BB	748	G	N9-C4-C5	9.26	109.10	105.40
26	BB	925	A	C5-C6-N6	-9.26	116.30	123.70
26	BB	2787	C	O4'-C1'-N1	9.26	115.60	108.20
26	BB	60	G	C1'-O4'-C4'	-9.25	102.50	109.90
26	BB	1134	A	O4'-C1'-N9	9.25	115.60	108.20
28	BD	270	ARG	NE-CZ-NH1	-9.25	115.67	120.30
26	BB	1423	G	C4-C5-N7	-9.25	107.10	110.80
26	BB	1471	G	C4-C5-N7	-9.25	107.10	110.80
1	AA	1327	C	N3-C4-C5	-9.25	118.20	121.90
26	BB	863	A	O4'-C1'-N9	9.25	115.60	108.20
26	BB	1391	U	O4'-C1'-N1	9.25	115.60	108.20
26	BB	1396	U	C6-N1-C2	9.25	126.55	121.00
26	BB	2093	G	N3-C4-C5	-9.25	123.97	128.60
26	BB	2331	G	N3-C4-C5	-9.25	123.97	128.60
25	BA	54	G	C5'-C4'-O4'	9.25	120.19	109.10
26	BB	565	C	C6-N1-C2	-9.25	116.60	120.30
26	BB	956	G	N7-C8-N9	9.25	117.72	113.10
26	BB	1021	A	O4'-C1'-N9	9.25	115.60	108.20
26	BB	2821	A	N7-C8-N9	-9.25	109.18	113.80
1	AA	722	G	C4-C5-N7	9.24	114.50	110.80
1	AA	1511	G	N7-C8-N9	9.24	117.72	113.10
26	BB	103	A	C8-N9-C4	-9.24	102.10	105.80
1	AA	1458	G	C8-N9-C4	-9.24	102.70	106.40
26	BB	781	A	C5'-C4'-O4'	9.24	120.19	109.10
26	BB	2722	G	N1-C6-O6	-9.24	114.35	119.90
26	BB	2759	G	C8-N9-C4	-9.24	102.70	106.40
1	AA	895	G	O4'-C1'-N9	9.24	115.59	108.20
25	BA	86	G	C5-C6-N1	9.24	116.12	111.50
26	BB	313	G	N3-C4-C5	-9.24	123.98	128.60
26	BB	560	C	O4'-C1'-N1	9.24	115.59	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1476	U	C1'-O4'-C4'	-9.24	102.51	109.90
26	BB	697	G	C5-C6-O6	9.24	134.14	128.60
1	AA	1158	C	C5-C6-N1	9.24	125.62	121.00
26	BB	26	G	N9-C4-C5	9.24	109.09	105.40
26	BB	2160	C	C6-N1-C2	-9.24	116.61	120.30
25	BA	27	C	O4'-C4'-C3'	9.23	113.49	106.10
26	BB	1813	G	C2-N3-C4	9.23	116.52	111.90
1	AA	1299	A	C4-C5-C6	-9.23	112.38	117.00
26	BB	51	G	N7-C8-N9	9.23	117.72	113.10
26	BB	876	C	C4'-C3'-C2'	-9.23	93.37	102.60
26	BB	1610	A	N1-C6-N6	-9.23	113.06	118.60
26	BB	2021	C	O4'-C1'-N1	9.23	115.59	108.20
26	BB	2338	C	O4'-C1'-N1	9.23	115.59	108.20
1	AA	379	C	O4'-C1'-N1	9.23	115.58	108.20
1	AA	897	C	C6-N1-C2	9.23	123.99	120.30
26	BB	2198	A	C5-N7-C8	9.23	108.52	103.90
1	AA	1388	C	C4-C5-C6	-9.23	112.79	117.40
1	AA	1464	U	N3-C2-O2	-9.23	115.74	122.20
26	BB	972	A	N7-C8-N9	9.23	118.42	113.80
1	AA	528	C	O4'-C1'-N1	9.23	115.58	108.20
1	AA	529	G	N9-C4-C5	-9.23	101.71	105.40
1	AA	669	G	C5-C6-O6	-9.23	123.06	128.60
1	AA	973	G	N7-C8-N9	-9.23	108.49	113.10
1	AA	1134	G	C5-C6-N1	9.23	116.11	111.50
26	BB	520	G	N7-C8-N9	9.23	117.71	113.10
26	BB	1288	G	C6-N1-C2	-9.23	119.56	125.10
1	AA	579	A	C4-C5-C6	9.22	121.61	117.00
1	AA	933	G	O4'-C1'-N9	9.22	115.58	108.20
1	AA	452	A	O4'-C1'-N9	9.22	115.58	108.20
1	AA	830	G	C6-N1-C2	-9.22	119.57	125.10
1	AA	1150	A	C8-N9-C4	-9.22	102.11	105.80
25	BA	41	G	N3-C4-C5	-9.22	123.99	128.60
26	BB	101	A	N1-C2-N3	9.22	133.91	129.30
26	BB	600	G	C4'-C3'-C2'	-9.22	93.38	102.60
26	BB	1054	A	N1-C6-N6	9.22	124.13	118.60
26	BB	2023	C	O4'-C1'-N1	9.22	115.58	108.20
2	AB	4	G	C4'-C3'-C2'	-9.22	93.38	102.60
26	BB	1452	G	C8-N9-C4	-9.22	102.71	106.40
26	BB	1556	C	C5-C4-N4	-9.22	113.75	120.20
26	BB	2548	U	C5-C4-O4	-9.22	120.37	125.90
26	BB	2798	U	C2-N3-C4	-9.22	121.47	127.00
1	AA	1336	C	N3-C2-O2	-9.22	115.45	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1383	C	C4-C5-C6	-9.22	112.79	117.40
1	AA	721	G	N3-C4-C5	-9.22	123.99	128.60
26	BB	418	C	C4-C5-C6	-9.22	112.79	117.40
26	BB	1028	A	C5-C6-N6	9.22	131.07	123.70
26	BB	1543	G	C8-N9-C4	-9.22	102.71	106.40
26	BB	2022	U	O4'-C1'-N1	9.22	115.57	108.20
26	BB	2832	U	C5-C4-O4	9.22	131.43	125.90
1	AA	87	C	N1-C2-O2	9.22	124.43	118.90
2	AB	28	C	N1-C2-O2	9.21	124.43	118.90
26	BB	1474	U	C2-N3-C4	-9.21	121.47	127.00
26	BB	2830	C	C6-N1-C2	-9.21	116.61	120.30
31	BG	124	ARG	NE-CZ-NH1	9.21	124.91	120.30
1	AA	1035	A	N1-C2-N3	-9.21	124.69	129.30
26	BB	227	A	C4-C5-N7	9.21	115.31	110.70
26	BB	824	U	O4'-C1'-N1	9.21	115.57	108.20
26	BB	1277	G	C6-N1-C2	-9.21	119.57	125.10
25	BA	106	G	N9-C4-C5	-9.21	101.72	105.40
26	BB	645	C	C5-C6-N1	9.21	125.61	121.00
26	BB	2006	C	N3-C4-C5	-9.21	118.22	121.90
26	BB	2137	U	C5-C4-O4	-9.21	120.37	125.90
26	BB	2821	A	C8-N9-C4	9.21	109.48	105.80
1	AA	375	U	O4'-C1'-N1	9.21	115.56	108.20
1	AA	906	A	N1-C2-N3	9.21	133.90	129.30
1	AA	1280	A	N9-C4-C5	9.21	109.48	105.80
21	AU	47	ARG	NE-CZ-NH1	9.21	124.90	120.30
25	BA	82	U	N1-C2-O2	9.21	129.25	122.80
26	BB	1101	U	N3-C4-O4	-9.21	112.96	119.40
1	AA	726	C	N3-C4-C5	-9.20	118.22	121.90
26	BB	1188	U	N1-C2-O2	9.20	129.24	122.80
26	BB	1995	U	O4'-C1'-N1	9.20	115.56	108.20
26	BB	1884	G	C8-N9-C4	-9.20	102.72	106.40
1	AA	1	A	C2-N3-C4	9.20	115.20	110.60
1	AA	818	G	C4-C5-C6	9.20	124.32	118.80
1	AA	1051	C	C3'-C2'-C1'	9.20	108.86	101.50
26	BB	337	C	C1'-O4'-C4'	9.20	117.26	109.90
26	BB	1107	G	C5-C6-O6	-9.20	123.08	128.60
26	BB	2337	G	C8-N9-C4	9.20	110.08	106.40
26	BB	699	A	C6-N1-C2	-9.20	113.08	118.60
26	BB	877	A	N7-C8-N9	9.20	118.40	113.80
26	BB	2824	C	N1-C2-O2	9.20	124.42	118.90
1	AA	358	U	O4'-C1'-N1	9.19	115.56	108.20
1	AA	691	G	O4'-C1'-N9	9.19	115.56	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	703	G	C2-N3-C4	9.19	116.50	111.90
26	BB	577	G	N9-C4-C5	9.19	109.08	105.40
26	BB	1811	G	C6-N1-C2	-9.19	119.58	125.10
1	AA	294	U	C4'-C3'-C2'	-9.19	93.41	102.60
1	AA	1110	A	N7-C8-N9	9.19	118.40	113.80
1	AA	1331	G	N1-C6-O6	-9.19	114.39	119.90
26	BB	1093	G	C4-C5-N7	-9.19	107.12	110.80
26	BB	2582	G	C4-C5-C6	9.19	124.32	118.80
26	BB	1999	C	N3-C4-C5	-9.19	118.22	121.90
1	AA	753	A	C5-C6-N1	-9.19	113.11	117.70
3	AC	42	U	N3-C4-C5	-9.19	109.09	114.60
26	BB	831	G	O4'-C1'-N9	9.19	115.55	108.20
26	BB	890	C	N3-C4-C5	-9.19	118.22	121.90
26	BB	1710	G	C4-C5-N7	-9.19	107.12	110.80
26	BB	1721	G	N1-C2-N3	-9.19	118.39	123.90
26	BB	2124	G	N3-C2-N2	-9.19	113.47	119.90
26	BB	2345	G	C6-N1-C2	-9.19	119.59	125.10
26	BB	2870	C	C5-C6-N1	9.19	125.59	121.00
1	AA	69	G	C8-N9-C4	-9.19	102.72	106.40
1	AA	457	G	C6-N1-C2	-9.19	119.59	125.10
1	AA	1385	G	C2-N3-C4	9.19	116.49	111.90
4	AD	47	A	O4'-C1'-N9	9.19	115.55	108.20
26	BB	613	A	O4'-C1'-N9	9.19	115.55	108.20
26	BB	1499	C	C5'-C4'-O4'	9.19	120.12	109.10
26	BB	1679	A	C8-N9-C4	-9.19	102.13	105.80
26	BB	2530	A	C6-N1-C2	-9.19	113.09	118.60
26	BB	726	G	N3-C4-C5	-9.18	124.01	128.60
26	BB	1411	U	C5-C6-N1	-9.18	118.11	122.70
26	BB	1615	C	N3-C2-O2	-9.18	115.47	121.90
26	BB	2079	U	O4'-C1'-N1	9.18	115.55	108.20
26	BB	1918	A	O4'-C1'-N9	9.18	115.54	108.20
1	AA	1234	C	C5-C4-N4	-9.18	113.78	120.20
26	BB	551	G	N3-C2-N2	9.18	126.33	119.90
1	AA	72	A	C5'-C4'-O4'	9.18	120.11	109.10
26	BB	359	G	N7-C8-N9	9.18	117.69	113.10
26	BB	1090	A	C4-C5-N7	9.18	115.29	110.70
2	AB	53	G	C8-N9-C4	-9.17	102.73	106.40
26	BB	568	U	C1'-O4'-C4'	-9.17	102.56	109.90
26	BB	1459	G	C8-N9-C4	-9.17	102.73	106.40
26	BB	1684	G	C5-C6-O6	-9.17	123.09	128.60
26	BB	1686	C	C5-C4-N4	-9.17	113.78	120.20
26	BB	2389	G	N3-C2-N2	-9.17	113.48	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2742	G	C8-N9-C4	-9.17	102.73	106.40
1	AA	531	U	C5-C6-N1	9.17	127.28	122.70
4	AD	40	C	C6-N1-C2	9.17	123.97	120.30
26	BB	29	U	C5-C4-O4	-9.17	120.40	125.90
26	BB	382	A	C5-N7-C8	9.17	108.48	103.90
26	BB	2421	G	N7-C8-N9	9.17	117.68	113.10
1	AA	827	U	N1-C2-N3	9.17	120.40	114.90
26	BB	328	U	C2-N3-C4	-9.17	121.50	127.00
26	BB	695	G	C4'-C3'-C2'	-9.17	93.43	102.60
26	BB	1560	G	O4'-C1'-N9	9.17	115.53	108.20
26	BB	1600	C	O4'-C1'-N1	9.17	115.53	108.20
26	BB	1714	U	C1'-O4'-C4'	-9.17	102.57	109.90
1	AA	29	U	C2-N3-C4	-9.16	121.50	127.00
1	AA	906	A	C5-N7-C8	-9.16	99.32	103.90
1	AA	1380	U	C5-C6-N1	-9.16	118.12	122.70
26	BB	2894	G	C8-N9-C4	-9.16	102.73	106.40
1	AA	282	A	C4'-C3'-C2'	-9.16	93.44	102.60
1	AA	358	U	C2-N3-C4	-9.16	121.50	127.00
1	AA	1304	G	C4-C5-N7	9.16	114.47	110.80
2	AB	50	G	N3-C4-C5	-9.16	124.02	128.60
26	BB	236	C	O4'-C1'-N1	9.16	115.53	108.20
26	BB	427	U	O4'-C1'-N1	9.16	115.53	108.20
26	BB	585	G	C6-N1-C2	-9.16	119.60	125.10
26	BB	2460	U	N3-C4-O4	9.16	125.81	119.40
1	AA	127	G	C5-C6-N1	9.16	116.08	111.50
1	AA	213	G	N3-C4-C5	-9.16	124.02	128.60
1	AA	1418	A	C8-N9-C4	-9.16	102.14	105.80
1	AA	405	U	C4-C5-C6	9.16	125.20	119.70
25	BA	112	G	C6-N1-C2	-9.16	119.60	125.10
26	BB	475	C	C2-N3-C4	9.16	124.48	119.90
26	BB	1276	A	C5-C6-N1	9.16	122.28	117.70
26	BB	1904	G	C6-N1-C2	-9.16	119.60	125.10
26	BB	2397	G	N7-C8-N9	9.16	117.68	113.10
26	BB	2480	C	O4'-C1'-N1	9.16	115.53	108.20
26	BB	2698	U	C4-C5-C6	9.16	125.20	119.70
1	AA	773	G	N9-C1'-C2'	-9.16	101.93	112.00
1	AA	686	U	C2-N3-C4	-9.15	121.51	127.00
1	AA	938	A	C8-N9-C4	-9.15	102.14	105.80
26	BB	503	A	N1-C2-N3	-9.15	124.72	129.30
26	BB	790	U	C4-C5-C6	9.15	125.19	119.70
26	BB	1484	U	C5'-C4'-O4'	9.15	120.08	109.10
1	AA	709	U	C2-N3-C4	-9.15	121.51	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	502	A	C6-C5-N7	9.15	138.71	132.30
26	BB	1461	C	N1-C2-O2	9.15	124.39	118.90
26	BB	575	A	N1-C2-N3	-9.15	124.72	129.30
26	BB	1230	A	C1'-O4'-C4'	9.15	117.22	109.90
26	BB	1478	G	C4-C5-N7	-9.15	107.14	110.80
31	BG	177	ARG	NE-CZ-NH1	9.15	124.88	120.30
1	AA	1255	G	C5-N7-C8	-9.15	99.73	104.30
25	BA	59	A	N7-C8-N9	9.15	118.37	113.80
20	AT	47	ASP	CB-CG-OD1	-9.15	110.07	118.30
26	BB	506	G	C4-C5-N7	-9.15	107.14	110.80
26	BB	1154	G	N3-C4-C5	-9.15	124.03	128.60
3	AC	17	U	C3'-C2'-C1'	9.14	108.82	101.50
26	BB	1168	G	N1-C2-N3	-9.14	118.41	123.90
26	BB	2093	G	C2-N3-C4	9.14	116.47	111.90
26	BB	2379	G	N3-C4-C5	-9.14	124.03	128.60
26	BB	2527	C	C5-C4-N4	-9.14	113.80	120.20
1	AA	293	G	C5-C6-N1	-9.14	106.93	111.50
1	AA	723	U	N3-C4-O4	9.14	125.80	119.40
26	BB	2345	G	N7-C8-N9	9.14	117.67	113.10
26	BB	2531	A	C2-N3-C4	9.14	115.17	110.60
1	AA	1383	C	N1-C2-O2	9.14	124.39	118.90
1	AA	380	G	N9-C4-C5	9.14	109.06	105.40
1	AA	873	A	C8-N9-C4	-9.14	102.14	105.80
1	AA	925	G	N1-C6-O6	-9.14	114.42	119.90
1	AA	1486	G	N7-C8-N9	-9.14	108.53	113.10
7	AG	69	ARG	NE-CZ-NH2	-9.14	115.73	120.30
26	BB	1142	A	P-O3'-C3'	9.14	130.67	119.70
26	BB	1514	G	C6-C5-N7	-9.14	124.92	130.40
26	BB	42	A	P-O3'-C3'	9.14	130.67	119.70
26	BB	2521	C	O4'-C1'-N1	9.14	115.51	108.20
26	BB	2609	U	O4'-C1'-N1	9.14	115.51	108.20
26	BB	2318	G	N3-C2-N2	-9.14	113.50	119.90
4	AD	49	C	N1-C2-O2	9.14	124.38	118.90
26	BB	2198	A	N1-C6-N6	-9.14	113.12	118.60
1	AA	328	C	C5-C6-N1	9.14	125.57	121.00
26	BB	676	A	C5-C6-N1	9.13	122.27	117.70
26	BB	1514	G	C4-C5-C6	9.13	124.28	118.80
19	AS	70	ARG	NE-CZ-NH2	-9.13	115.73	120.30
25	BA	2	G	C4'-C3'-C2'	-9.13	93.47	102.60
26	BB	1931	U	C4'-C3'-C2'	-9.13	93.47	102.60
1	AA	156	C	O4'-C1'-N1	9.13	115.50	108.20
1	AA	1397	C	N1-C2-O2	9.13	124.38	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2058	A	N1-C2-N3	-9.13	124.73	129.30
26	BB	2288	A	C6-C5-N7	9.13	138.69	132.30
26	BB	2376	A	N1-C6-N6	-9.13	113.12	118.60
1	AA	1268	G	C8-N9-C4	-9.13	102.75	106.40
1	AA	302	G	C5-C6-N1	9.13	116.06	111.50
2	AB	30	G	C5-C6-N1	-9.13	106.94	111.50
3	AC	24	A	C5-N7-C8	9.13	108.46	103.90
26	BB	31	C	C5'-C4'-O4'	9.13	120.05	109.10
26	BB	62	U	C5-C6-N1	-9.13	118.14	122.70
26	BB	258	G	C4-C5-C6	9.13	124.28	118.80
26	BB	339	U	C6-N1-C2	-9.13	115.52	121.00
26	BB	618	G	N7-C8-N9	9.13	117.66	113.10
31	BG	173	ASP	CB-CG-OD1	-9.13	110.08	118.30
1	AA	726	C	N3-C4-N4	9.13	124.39	118.00
1	AA	1196	A	C8-N9-C4	9.12	109.45	105.80
4	AD	65	G	N1-C6-O6	-9.12	114.42	119.90
26	BB	110	G	C4-C5-N7	9.13	114.45	110.80
26	BB	1057	A	C6-N1-C2	-9.12	113.13	118.60
26	BB	1520	U	C4-C5-C6	9.12	125.17	119.70
26	BB	1852	U	N3-C2-O2	-9.12	115.81	122.20
1	AA	1239	A	N1-C6-N6	9.12	124.07	118.60
26	BB	132	G	O4'-C1'-N9	9.12	115.50	108.20
26	BB	1102	C	O4'-C1'-N1	9.12	115.50	108.20
26	BB	1350	C	C5-C6-N1	-9.12	116.44	121.00
26	BB	1081	U	N3-C4-C5	-9.12	109.13	114.60
26	BB	1262	A	N9-C4-C5	9.12	109.45	105.80
26	BB	2444	G	C6-N1-C2	-9.12	119.63	125.10
26	BB	2791	G	C6-N1-C2	-9.12	119.63	125.10
26	BB	462	C	N1-C2-O2	9.12	124.37	118.90
1	AA	451	A	C5-C6-N6	-9.12	116.41	123.70
1	AA	904	U	N1-C2-N3	9.12	120.37	114.90
1	AA	1393	U	N3-C4-C5	9.12	120.07	114.60
4	AD	20	G	C3'-C2'-C1'	-9.12	94.20	101.50
1	AA	1079	G	O4'-C1'-N9	9.12	115.49	108.20
26	BB	483	A	C2-N3-C4	9.12	115.16	110.60
26	BB	1451	C	C6-N1-C2	-9.12	116.65	120.30
1	AA	533	A	C4-C5-C6	-9.12	112.44	117.00
1	AA	1165	U	O4'-C1'-N1	9.11	115.49	108.20
2	AB	1	A	N1-C6-N6	-9.12	113.13	118.60
26	BB	1921	G	N1-C6-O6	-9.11	114.43	119.90
26	BB	2012	G	C8-N9-C4	-9.12	102.75	106.40
26	BB	2427	C	C2-N3-C4	-9.12	115.34	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2743	U	C4-C5-C6	9.12	125.17	119.70
1	AA	128	G	C3'-C2'-C1'	-9.11	94.21	101.50
1	AA	366	A	N9-C4-C5	9.11	109.44	105.80
1	AA	568	G	C5-C6-O6	-9.11	123.13	128.60
1	AA	581	G	N3-C4-C5	-9.11	124.04	128.60
26	BB	1972	G	C8-N9-C4	9.11	110.05	106.40
26	BB	1998	A	N3-C4-C5	-9.11	120.42	126.80
26	BB	2427	C	N3-C2-O2	-9.11	115.52	121.90
26	BB	2599	G	O4'-C1'-N9	9.11	115.49	108.20
26	BB	798	G	C5-C6-N1	9.11	116.06	111.50
1	AA	1015	G	C4-C5-N7	9.11	114.44	110.80
1	AA	1068	G	N1-C2-N3	-9.11	118.44	123.90
26	BB	558	U	N1-C1'-C2'	-9.11	101.98	112.00
26	BB	2304	G	C5-C6-N1	9.11	116.06	111.50
26	BB	2804	U	N1-C2-N3	9.11	120.37	114.90
2	AB	45	U	N3-C2-O2	-9.11	115.83	122.20
26	BB	548	G	C5-C6-N1	9.11	116.05	111.50
26	BB	606	U	O4'-C4'-C3'	9.11	113.39	106.10
26	BB	1450	G	C5-C6-N1	9.11	116.05	111.50
26	BB	2104	C	O4'-C1'-N1	9.11	115.48	108.20
1	AA	122	G	N7-C8-N9	9.10	117.65	113.10
1	AA	545	C	C1'-O4'-C4'	9.10	117.18	109.90
1	AA	1254	A	O4'-C1'-N9	9.10	115.48	108.20
25	BA	46	A	C4-C5-C6	-9.10	112.45	117.00
26	BB	1433	A	N1-C2-N3	-9.10	124.75	129.30
26	BB	2586	U	N1-C2-N3	9.10	120.36	114.90
26	BB	2841	C	C3'-C2'-C1'	9.10	108.78	101.50
26	BB	260	G	C8-N9-C4	-9.10	102.76	106.40
26	BB	533	G	N3-C4-C5	-9.10	124.05	128.60
26	BB	2184	A	C4-C5-C6	-9.10	112.45	117.00
26	BB	1109	C	C5-C6-N1	9.10	125.55	121.00
26	BB	1792	G	C5-N7-C8	9.10	108.85	104.30
26	BB	2536	G	C6-C5-N7	-9.10	124.94	130.40
1	AA	740	U	N3-C2-O2	-9.10	115.83	122.20
25	BA	30	C	N3-C4-C5	-9.10	118.26	121.90
26	BB	352	A	N9-C4-C5	9.10	109.44	105.80
26	BB	368	A	N1-C6-N6	9.10	124.06	118.60
26	BB	396	G	N1-C6-O6	9.10	125.36	119.90
26	BB	451	U	N3-C4-O4	-9.10	113.03	119.40
26	BB	1002	G	C6-N1-C2	-9.10	119.64	125.10
1	AA	345	C	C2-N3-C4	9.09	124.45	119.90
1	AA	1067	A	C8-N9-C4	9.09	109.44	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	903	C	C5-C4-N4	-9.09	113.83	120.20
1	AA	350	G	N9-C4-C5	9.09	109.04	105.40
26	BB	924	G	N3-C2-N2	-9.09	113.53	119.90
26	BB	1816	C	O4'-C1'-N1	9.09	115.47	108.20
26	BB	2700	A	N3-C4-C5	-9.09	120.44	126.80
1	AA	447	G	C6-C5-N7	-9.09	124.94	130.40
26	BB	522	A	C2-N3-C4	9.09	115.15	110.60
26	BB	969	G	N3-C4-C5	-9.09	124.06	128.60
26	BB	2732	G	N9-C4-C5	-9.09	101.76	105.40
1	AA	1434	A	N1-C6-N6	9.09	124.05	118.60
3	AC	25	U	N3-C4-O4	9.09	125.76	119.40
14	AN	126	ARG	NE-CZ-NH2	9.09	124.84	120.30
26	BB	101	A	C6-N1-C2	-9.09	113.15	118.60
26	BB	376	G	C1'-O4'-C4'	9.09	117.17	109.90
26	BB	708	G	O4'-C1'-N9	9.09	115.47	108.20
26	BB	1152	C	O4'-C1'-N1	9.09	115.47	108.20
26	BB	1475	G	C5-N7-C8	-9.09	99.75	104.30
26	BB	2413	G	N1-C2-N3	9.09	129.35	123.90
26	BB	2578	G	C5-C6-N1	9.09	116.05	111.50
1	AA	311	C	O4'-C1'-N1	9.09	115.47	108.20
26	BB	249	C	P-O3'-C3'	9.09	130.60	119.70
1	AA	614	C	C5-C4-N4	-9.09	113.84	120.20
26	BB	428	A	C3'-C2'-C1'	9.09	108.77	101.50
26	BB	2107	G	C5-C6-O6	9.09	134.05	128.60
1	AA	205	A	C5-N7-C8	-9.08	99.36	103.90
1	AA	1095	U	C5'-C4'-O4'	9.08	120.00	109.10
26	BB	210	C	O4'-C4'-C3'	9.08	113.37	106.10
26	BB	537	G	N1-C2-N3	-9.08	118.45	123.90
26	BB	407	G	N3-C4-C5	-9.08	124.06	128.60
26	BB	835	C	C5-C4-N4	9.08	126.56	120.20
26	BB	1307	A	O4'-C1'-N9	9.08	115.47	108.20
26	BB	1582	C	C1'-O4'-C4'	-9.08	102.63	109.90
26	BB	2117	A	C5-N7-C8	-9.08	99.36	103.90
26	BB	2409	G	N1-C2-N3	-9.08	118.45	123.90
43	BS	2	ARG	NE-CZ-NH1	-9.08	115.76	120.30
1	AA	89	U	N3-C2-O2	-9.08	115.84	122.20
26	BB	2647	U	O4'-C4'-C3'	9.08	113.36	106.10
26	BB	18	U	O4'-C1'-N1	9.08	115.46	108.20
26	BB	2547	A	C5'-C4'-O4'	9.08	120.00	109.10
1	AA	831	A	C4-C5-C6	-9.08	112.46	117.00
1	AA	1493	A	N9-C4-C5	-9.08	102.17	105.80
7	AG	55	ARG	NE-CZ-NH1	9.08	124.84	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	249	C	N1-C2-O2	9.08	124.35	118.90
1	AA	126	G	C1'-O4'-C4'	-9.08	102.64	109.90
1	AA	853	C	C5-C6-N1	9.08	125.54	121.00
26	BB	1137	G	O4'-C1'-N9	9.08	115.46	108.20
26	BB	1419	A	C1'-O4'-C4'	-9.08	102.64	109.90
26	BB	2470	G	C8-N9-C4	9.08	110.03	106.40
1	AA	138	G	C8-N9-C4	-9.07	102.77	106.40
1	AA	311	C	N1-C2-O2	9.07	124.34	118.90
1	AA	663	A	C2-N3-C4	9.07	115.14	110.60
1	AA	1241	G	C8-N9-C4	-9.07	102.77	106.40
1	AA	1249	C	N3-C2-O2	-9.07	115.55	121.90
26	BB	216	A	O4'-C1'-N9	9.07	115.46	108.20
45	BU	84	ARG	NE-CZ-NH1	-9.07	115.76	120.30
26	BB	541	A	C1'-O4'-C4'	-9.07	102.64	109.90
26	BB	2198	A	N1-C2-N3	9.07	133.84	129.30
26	BB	2626	C	N3-C2-O2	-9.07	115.55	121.90
26	BB	255	A	N1-C2-N3	9.07	133.84	129.30
26	BB	849	A	C2-N3-C4	9.07	115.14	110.60
26	BB	1189	A	C5'-C4'-O4'	9.07	119.98	109.10
26	BB	2653	U	O4'-C1'-N1	9.07	115.45	108.20
26	BB	2708	G	N7-C8-N9	9.07	117.64	113.10
1	AA	204	G	C8-N9-C4	-9.07	102.77	106.40
1	AA	638	U	O4'-C1'-N1	9.07	115.45	108.20
26	BB	233	A	N1-C2-N3	-9.07	124.77	129.30
26	BB	1042	G	C5-N7-C8	9.07	108.83	104.30
26	BB	1283	G	C8-N9-C4	-9.07	102.77	106.40
26	BB	1848	A	C8-N9-C4	-9.07	102.17	105.80
26	BB	2871	U	C6-N1-C2	-9.07	115.56	121.00
1	AA	579	A	C8-N9-C4	-9.06	102.17	105.80
1	AA	1263	C	C4'-C3'-C2'	-9.06	93.53	102.60
2	AB	52	A	N9-C4-C5	-9.06	102.17	105.80
12	AL	129	ARG	NE-CZ-NH1	9.06	124.83	120.30
26	BB	1075	C	C6-N1-C2	-9.06	116.67	120.30
26	BB	1522	A	C5-C6-N6	-9.06	116.45	123.70
26	BB	2530	A	O4'-C1'-N9	9.06	115.45	108.20
26	BB	2685	G	C4-C5-N7	9.06	114.43	110.80
1	AA	536	C	C3'-C2'-C1'	9.06	108.75	101.50
1	AA	816	A	N7-C8-N9	9.06	118.33	113.80
1	AA	964	A	N7-C8-N9	9.06	118.33	113.80
26	BB	111	A	C8-N9-C4	-9.06	102.17	105.80
26	BB	2322	A	N1-C2-N3	-9.06	124.77	129.30
26	BB	2514	U	O4'-C1'-N1	9.06	115.45	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2874	C	O4'-C1'-N1	9.06	115.45	108.20
1	AA	529	G	C6-C5-N7	-9.06	124.97	130.40
3	AC	33	A	O4'-C4'-C3'	9.06	113.35	106.10
1	AA	1355	G	C4-C5-N7	-9.06	107.18	110.80
1	AA	1370	G	C2-N3-C4	9.06	116.43	111.90
26	BB	1654	A	N1-C6-N6	-9.06	113.16	118.60
26	BB	1660	G	C5-N7-C8	-9.06	99.77	104.30
26	BB	1806	C	O4'-C1'-N1	9.06	115.45	108.20
1	AA	930	C	C4-C5-C6	9.06	121.93	117.40
1	AA	1153	G	C6-C5-N7	-9.05	124.97	130.40
26	BB	442	G	C8-N9-C4	-9.06	102.78	106.40
1	AA	796	C	C3'-C2'-C1'	-9.05	94.26	101.50
26	BB	808	G	N3-C4-C5	-9.05	124.07	128.60
26	BB	958	U	N3-C4-O4	9.05	125.74	119.40
26	BB	1483	G	C6-N1-C2	-9.05	119.67	125.10
1	AA	1230	C	O4'-C1'-N1	9.05	115.44	108.20
25	BA	41	G	C6-N1-C2	-9.05	119.67	125.10
26	BB	1066	U	C4-C5-C6	9.05	125.13	119.70
26	BB	1588	G	C2-N3-C4	9.05	116.43	111.90
26	BB	2738	A	N1-C2-N3	-9.05	124.78	129.30
1	AA	253	A	C4'-C3'-C2'	-9.05	93.55	102.60
1	AA	858	G	N9-C4-C5	9.05	109.02	105.40
26	BB	761	A	O4'-C1'-N9	9.05	115.44	108.20
26	BB	1963	U	O4'-C1'-N1	9.05	115.44	108.20
1	AA	184	G	N9-C1'-C2'	-9.04	102.05	112.00
25	BA	83	G	N1-C2-N2	9.05	124.34	116.20
26	BB	2505	G	O4'-C4'-C3'	9.05	113.34	106.10
26	BB	2843	G	N1-C2-N2	9.04	124.34	116.20
1	AA	171	A	C4-C5-C6	-9.04	112.48	117.00
1	AA	652	U	C5-C4-O4	9.04	131.33	125.90
26	BB	1053	C	N1-C2-O2	9.04	124.33	118.90
26	BB	1681	G	C8-N9-C4	-9.04	102.78	106.40
1	AA	1338	G	O4'-C1'-N9	9.04	115.43	108.20
25	BA	73	A	N1-C6-N6	-9.04	113.17	118.60
26	BB	985	C	C6-N1-C2	-9.04	116.68	120.30
26	BB	2040	G	N1-C6-O6	-9.04	114.47	119.90
1	AA	563	A	C1'-O4'-C4'	-9.04	102.67	109.90
1	AA	1292	G	C8-N9-C4	-9.04	102.78	106.40
1	AA	1511	G	C5-C6-O6	-9.04	123.18	128.60
25	BA	114	C	O4'-C1'-N1	9.04	115.43	108.20
26	BB	361	G	C2-N3-C4	9.04	116.42	111.90
26	BB	883	G	C8-N9-C4	-9.04	102.78	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1285	A	C2-N3-C4	9.04	115.12	110.60
26	BB	1454	C	O4'-C1'-N1	9.04	115.43	108.20
26	BB	2091	C	C4'-C3'-C2'	-9.04	93.56	102.60
1	AA	163	C	C5-C4-N4	-9.04	113.87	120.20
1	AA	458	U	C5'-C4'-O4'	9.04	119.94	109.10
1	AA	592	G	N9-C4-C5	9.04	109.02	105.40
1	AA	1245	C	C5-C6-N1	-9.04	116.48	121.00
26	BB	762	U	N3-C2-O2	-9.03	115.88	122.20
26	BB	1416	G	C2-N3-C4	9.03	116.42	111.90
26	BB	2556	C	O4'-C1'-N1	9.03	115.43	108.20
26	BB	2676	C	C5-C6-N1	9.04	125.52	121.00
26	BB	1605	C	O4'-C1'-N1	9.03	115.43	108.20
1	AA	736	C	C3'-C2'-C1'	-9.03	94.28	101.50
26	BB	174	U	C3'-C2'-C1'	-9.03	94.28	101.50
26	BB	179	C	C2-N3-C4	9.03	124.42	119.90
26	BB	612	G	N3-C4-C5	-9.03	124.08	128.60
26	BB	1980	G	C5-C6-O6	-9.03	123.18	128.60
1	AA	56	U	N3-C4-C5	-9.03	109.18	114.60
1	AA	595	A	C5-N7-C8	-9.03	99.39	103.90
1	AA	746	A	O4'-C1'-N9	9.03	115.42	108.20
26	BB	464	U	N3-C4-C5	-9.03	109.18	114.60
26	BB	672	C	N1-C2-O2	9.03	124.32	118.90
26	BB	1056	G	N1-C2-N3	-9.03	118.48	123.90
26	BB	2859	G	C8-N9-C4	-9.03	102.79	106.40
26	BB	716	A	C2-N3-C4	9.03	115.11	110.60
26	BB	926	G	C6-N1-C2	-9.03	119.68	125.10
2	AB	27	C	C6-N1-C2	-9.02	116.69	120.30
26	BB	166	U	O4'-C1'-N1	9.02	115.42	108.20
26	BB	1677	A	C5'-C4'-O4'	9.02	119.93	109.10
26	BB	849	A	N7-C8-N9	-9.02	109.29	113.80
26	BB	920	A	C5-N7-C8	-9.02	99.39	103.90
26	BB	943	A	O4'-C1'-N9	9.02	115.42	108.20
26	BB	1057	A	N1-C2-N3	9.02	133.81	129.30
26	BB	2184	A	C5-C6-N1	9.02	122.21	117.70
1	AA	749	A	O4'-C1'-N9	9.02	115.42	108.20
1	AA	1381	U	N1-C2-N3	9.02	120.31	114.90
26	BB	424	G	C5-C6-N1	9.02	116.01	111.50
26	BB	705	A	C1'-O4'-C4'	-9.02	102.68	109.90
26	BB	902	C	O4'-C4'-C3'	9.02	113.31	106.10
26	BB	1382	G	N1-C2-N3	-9.02	118.49	123.90
1	AA	148	G	N3-C4-N9	9.02	131.41	126.00
1	AA	281	G	C6-C5-N7	9.02	135.81	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	AJ	110	ARG	NE-CZ-NH2	-9.02	115.79	120.30
25	BA	11	C	C6-N1-C2	-9.02	116.69	120.30
26	BB	87	U	N1-C2-N3	9.02	120.31	114.90
26	BB	1286	A	N1-C6-N6	9.02	124.01	118.60
26	BB	2581	G	C4-C5-N7	-9.02	107.19	110.80
26	BB	339	U	N1-C2-N3	9.01	120.31	114.90
26	BB	834	G	N3-C4-C5	-9.01	124.09	128.60
26	BB	1375	U	C4-C5-C6	-9.01	114.29	119.70
26	BB	10	A	N1-C2-N3	-9.01	124.79	129.30
26	BB	770	G	C5-C6-O6	9.01	134.01	128.60
26	BB	2009	A	C6-N1-C2	-9.01	113.19	118.60
1	AA	361	G	N9-C4-C5	9.01	109.00	105.40
1	AA	758	C	N3-C4-C5	-9.01	118.30	121.90
26	BB	1847	A	C2-N3-C4	9.01	115.11	110.60
26	BB	868	U	C5-C4-O4	-9.01	120.49	125.90
26	BB	905	A	C4-C5-C6	9.01	121.50	117.00
26	BB	1810	A	N1-C6-N6	9.01	124.01	118.60
1	AA	601	G	C8-N9-C4	-9.01	102.80	106.40
1	AA	1339	A	C4-C5-N7	-9.01	106.20	110.70
1	AA	669	G	O4'-C1'-N9	9.01	115.41	108.20
1	AA	1186	G	O4'-C1'-N9	9.01	115.41	108.20
26	BB	494	G	N3-C4-C5	-9.01	124.10	128.60
26	BB	1511	G	C5-C6-O6	-9.01	123.19	128.60
26	BB	2438	U	C5-C6-N1	-9.01	118.20	122.70
58	B7	20	ASP	CB-CG-OD1	-9.01	110.19	118.30
26	BB	693	A	N7-C8-N9	9.01	118.30	113.80
56	B5	28	ARG	NE-CZ-NH1	9.01	124.80	120.30
1	AA	50	A	N9-C4-C5	-9.00	102.20	105.80
1	AA	597	G	C8-N9-C4	-9.00	102.80	106.40
1	AA	1124	G	N3-C4-C5	-9.00	124.10	128.60
1	AA	1194	U	N3-C2-O2	-9.00	115.90	122.20
4	AD	32	G	C2-N3-C4	9.00	116.40	111.90
26	BB	2303	G	C5-C6-N1	9.00	116.00	111.50
1	AA	65	A	C5-C6-N1	9.00	122.20	117.70
26	BB	2398	U	N1-C1'-C2'	-9.00	102.10	112.00
1	AA	372	C	N3-C4-C5	-9.00	118.30	121.90
1	AA	1377	A	C8-N9-C4	-9.00	102.20	105.80
26	BB	513	A	O4'-C1'-N9	9.00	115.40	108.20
26	BB	992	C	O4'-C1'-N1	9.00	115.40	108.20
26	BB	1698	A	C3'-C2'-C1'	9.00	108.70	101.50
26	BB	2859	G	C2-N3-C4	9.00	116.40	111.90
26	BB	612	G	N7-C8-N9	9.00	117.60	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	771	G	N3-C4-N9	9.00	131.40	126.00
26	BB	2877	G	O4'-C1'-N9	9.00	115.40	108.20
1	AA	616	G	N3-C4-C5	-8.99	124.10	128.60
26	BB	2453	A	C2-N3-C4	8.99	115.10	110.60
26	BB	47	C	C5'-C4'-O4'	8.99	119.89	109.10
26	BB	328	U	C3'-C2'-C1'	8.99	108.69	101.50
1	AA	210	C	C5-C6-N1	8.99	125.50	121.00
26	BB	1461	C	C4-C5-C6	-8.99	112.91	117.40
26	BB	2126	A	C4-C5-C6	-8.99	112.50	117.00
1	AA	508	U	C5-C6-N1	-8.99	118.21	122.70
26	BB	8	C	O4'-C1'-N1	8.99	115.39	108.20
26	BB	592	A	O4'-C1'-N9	8.99	115.39	108.20
1	AA	100	G	N3-C2-N2	-8.99	113.61	119.90
5	AE	224	ARG	NE-CZ-NH1	8.99	124.79	120.30
26	BB	1711	A	C5-C6-N1	8.99	122.19	117.70
1	AA	598	U	C3'-C2'-C1'	8.99	108.69	101.50
1	AA	1503	A	C4-C5-N7	-8.99	106.21	110.70
26	BB	529	A	O4'-C4'-C3'	8.99	113.29	106.10
26	BB	1822	C	C5-C4-N4	-8.99	113.91	120.20
26	BB	681	G	N1-C6-O6	8.99	125.29	119.90
26	BB	278	A	C5'-C4'-O4'	8.98	119.88	109.10
26	BB	2529	G	N3-C4-C5	-8.98	124.11	128.60
1	AA	1184	G	N9-C4-C5	8.98	108.99	105.40
26	BB	1500	G	N7-C8-N9	8.98	117.59	113.10
1	AA	935	A	C1'-O4'-C4'	8.98	117.09	109.90
26	BB	128	C	N3-C4-N4	-8.98	111.71	118.00
26	BB	1220	G	O4'-C1'-N9	8.98	115.38	108.20
26	BB	1497	U	N3-C4-C5	-8.98	109.21	114.60
26	BB	1999	C	N3-C2-O2	-8.98	115.61	121.90
26	BB	2681	C	N3-C2-O2	-8.98	115.61	121.90
1	AA	48	C	C2-N3-C4	8.98	124.39	119.90
1	AA	328	C	N3-C2-O2	-8.98	115.61	121.90
26	BB	1242	U	N1-C2-N3	8.98	120.29	114.90
26	BB	1362	C	C5-C6-N1	8.98	125.49	121.00
1	AA	715	A	C5-C6-N1	8.98	122.19	117.70
26	BB	2676	C	N3-C4-C5	-8.98	118.31	121.90
26	BB	2308	G	C5-C6-O6	8.97	133.99	128.60
1	AA	716	A	N1-C2-N3	-8.97	124.81	129.30
1	AA	883	C	N1-C2-O2	8.97	124.28	118.90
26	BB	672	C	N3-C4-N4	8.97	124.28	118.00
26	BB	1017	G	N9-C4-C5	-8.97	101.81	105.40
26	BB	1347	A	C8-N9-C4	-8.97	102.21	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1810	A	C5-C6-N6	-8.97	116.52	123.70
1	AA	38	G	O4'-C1'-N9	8.97	115.38	108.20
1	AA	234	C	C5-C4-N4	8.97	126.48	120.20
1	AA	396	C	N3-C2-O2	-8.97	115.62	121.90
1	AA	906	A	N7-C8-N9	8.97	118.28	113.80
2	AB	58	A	C8-N9-C4	-8.97	102.21	105.80
26	BB	1942	C	C3'-C2'-C1'	8.97	108.68	101.50
26	BB	1981	A	C5-C6-N6	8.97	130.88	123.70
26	BB	2072	C	C5-C4-N4	-8.97	113.92	120.20
1	AA	172	A	C6-N1-C2	8.97	123.98	118.60
1	AA	713	G	O4'-C1'-N9	8.97	115.38	108.20
26	BB	613	A	C5-C6-N1	8.97	122.19	117.70
1	AA	1304	G	N9-C1'-C2'	-8.97	102.14	112.00
1	AA	1489	G	N7-C8-N9	-8.97	108.62	113.10
25	BA	114	C	N3-C4-C5	-8.97	118.31	121.90
26	BB	70	G	C4-C5-C6	8.97	124.18	118.80
26	BB	1497	U	O4'-C1'-N1	8.97	115.37	108.20
26	BB	1770	G	C8-N9-C4	-8.97	102.81	106.40
32	BH	31	GLU	OE1-CD-OE2	8.97	134.06	123.30
26	BB	2198	A	C8-N9-C4	-8.97	102.21	105.80
1	AA	318	G	C5-C6-N1	-8.97	107.02	111.50
12	AL	112	ARG	NE-CZ-NH2	8.96	124.78	120.30
26	BB	468	G	C4-C5-N7	-8.96	107.21	110.80
26	BB	2340	A	O4'-C1'-N9	8.97	115.37	108.20
26	BB	2741	A	N1-C6-N6	-8.97	113.22	118.60
26	BB	1054	A	C8-N9-C4	-8.96	102.21	105.80
26	BB	1965	C	C4-C5-C6	-8.96	112.92	117.40
1	AA	419	C	C6-N1-C2	-8.96	116.72	120.30
1	AA	551	U	N1-C2-O2	8.96	129.07	122.80
26	BB	424	G	C8-N9-C4	-8.96	102.81	106.40
26	BB	473	G	C2-N3-C4	8.96	116.38	111.90
26	BB	662	G	O4'-C1'-N9	8.96	115.37	108.20
26	BB	1037	G	C4-C5-N7	8.96	114.39	110.80
26	BB	2056	G	O4'-C1'-N9	8.96	115.37	108.20
26	BB	2363	G	C5-C6-N1	8.96	115.98	111.50
39	BO	10	ARG	NE-CZ-NH2	-8.96	115.82	120.30
26	BB	2270	A	O4'-C1'-N9	8.96	115.37	108.20
1	AA	1507	A	C5-C6-N6	-8.96	116.53	123.70
26	BB	148	U	C5-C6-N1	-8.96	118.22	122.70
26	BB	339	U	C4-C5-C6	8.96	125.08	119.70
26	BB	928	A	O4'-C1'-N9	8.96	115.37	108.20
26	BB	1603	A	C5-N7-C8	-8.96	99.42	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2008	C	N1-C2-O2	8.96	124.28	118.90
26	BB	2448	A	N9-C4-C5	8.96	109.38	105.80
26	BB	2656	U	C5-C6-N1	-8.96	118.22	122.70
26	BB	2775	G	C8-N9-C4	-8.96	102.82	106.40
1	AA	33	A	C8-N9-C4	-8.95	102.22	105.80
1	AA	446	G	C4-C5-N7	-8.96	107.22	110.80
1	AA	1116	U	C4'-C3'-C2'	-8.95	93.65	102.60
26	BB	62	U	N3-C4-O4	8.96	125.67	119.40
26	BB	758	C	C5'-C4'-O4'	8.96	119.85	109.10
26	BB	932	U	N3-C2-O2	-8.96	115.93	122.20
26	BB	1010	A	N7-C8-N9	8.95	118.28	113.80
26	BB	1746	A	N1-C2-N3	-8.96	124.82	129.30
26	BB	2748	A	C6-C5-N7	8.95	138.57	132.30
26	BB	2897	U	C5-C4-O4	-8.96	120.53	125.90
1	AA	54	C	O4'-C1'-N1	8.95	115.36	108.20
1	AA	695	A	C8-N9-C4	-8.95	102.22	105.80
1	AA	810	C	C6-N1-C2	-8.95	116.72	120.30
26	BB	1521	G	N3-C4-N9	8.95	131.37	126.00
1	AA	989	U	C1'-O4'-C4'	-8.95	102.74	109.90
2	AB	52	A	C4-C5-C6	-8.95	112.52	117.00
26	BB	910	A	C8-N9-C4	-8.95	102.22	105.80
26	BB	1763	G	N3-C4-C5	-8.95	124.12	128.60
26	BB	1836	C	N1-C2-N3	-8.95	112.93	119.20
26	BB	1264	A	C6-N1-C2	-8.95	113.23	118.60
26	BB	2472	G	N3-C4-C5	-8.95	124.13	128.60
1	AA	117	G	C8-N9-C4	-8.95	102.82	106.40
1	AA	1371	G	C5-N7-C8	-8.95	99.83	104.30
26	BB	775	G	C4-C5-N7	-8.95	107.22	110.80
26	BB	2042	A	O4'-C1'-N9	8.95	115.36	108.20
1	AA	691	G	C8-N9-C4	-8.95	102.82	106.40
1	AA	1014	A	C5-N7-C8	8.95	108.37	103.90
1	AA	1347	G	C8-N9-C4	-8.94	102.82	106.40
1	AA	1352	C	N1-C1'-C2'	-8.94	102.16	112.00
1	AA	1386	G	N9-C1'-C2'	-8.95	102.16	112.00
26	BB	346	A	C1'-O4'-C4'	8.95	117.06	109.90
26	BB	688	U	C5-C4-O4	-8.94	120.53	125.90
26	BB	816	C	C2-N3-C4	8.95	124.37	119.90
26	BB	918	A	C1'-O4'-C4'	-8.95	102.74	109.90
26	BB	1470	A	C5-N7-C8	8.95	108.37	103.90
26	BB	2081	U	C3'-C2'-C1'	8.95	108.66	101.50
26	BB	2250	G	C6-C5-N7	8.95	135.77	130.40
1	AA	1077	G	C6-C5-N7	-8.94	125.03	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1218	C	O4'-C1'-N1	8.94	115.35	108.20
6	AF	178	ARG	NE-CZ-NH1	-8.94	115.83	120.30
26	BB	32	C	C4'-C3'-C2'	-8.94	93.66	102.60
26	BB	214	G	C1'-O4'-C4'	8.94	117.05	109.90
26	BB	1109	C	C4-C5-C6	-8.94	112.93	117.40
26	BB	1343	G	C6-N1-C2	-8.94	119.73	125.10
26	BB	2712	C	C1'-O4'-C4'	8.94	117.06	109.90
26	BB	1376	C	C4-C5-C6	-8.94	112.93	117.40
1	AA	204	G	N3-C4-C5	-8.94	124.13	128.60
1	AA	710	G	C4'-C3'-C2'	-8.94	93.66	102.60
1	AA	853	C	N3-C2-O2	-8.94	115.64	121.90
26	BB	882	G	C2-N3-C4	8.94	116.37	111.90
26	BB	1715	G	C8-N9-C4	-8.94	102.83	106.40
26	BB	2168	G	N3-C4-C5	-8.94	124.13	128.60
26	BB	417	C	O4'-C1'-N1	8.94	115.35	108.20
26	BB	1453	A	N9-C1'-C2'	-8.94	102.17	112.00
26	BB	1773	A	O4'-C1'-N9	8.94	115.35	108.20
1	AA	706	A	C8-N9-C4	-8.94	102.23	105.80
26	BB	332	A	O4'-C1'-C2'	-8.94	96.86	105.80
26	BB	1734	G	C6-C5-N7	8.94	135.76	130.40
26	BB	2405	G	C8-N9-C4	-8.94	102.83	106.40
26	BB	2811	G	P-O3'-C3'	8.93	130.42	119.70
1	AA	337	G	C5-C6-N1	-8.93	107.03	111.50
3	AC	37	G	N1-C2-N2	8.93	124.24	116.20
26	BB	29	U	N3-C4-O4	8.93	125.65	119.40
26	BB	1313	U	N3-C2-O2	-8.93	115.95	122.20
4	AD	7	G	N1-C6-O6	8.93	125.26	119.90
26	BB	668	A	N9-C4-C5	8.93	109.37	105.80
26	BB	1017	G	C5-N7-C8	-8.93	99.83	104.30
26	BB	1237	A	N9-C4-C5	-8.93	102.23	105.80
26	BB	1421	G	O4'-C1'-N9	8.93	115.34	108.20
26	BB	1940	U	C1'-O4'-C4'	-8.93	102.75	109.90
26	BB	1967	C	P-O3'-C3'	8.93	130.42	119.70
26	BB	1710	G	N9-C4-C5	8.93	108.97	105.40
26	BB	2048	G	N3-C4-N9	-8.93	120.64	126.00
1	AA	417	G	C5-C6-N1	8.93	115.96	111.50
1	AA	951	G	C6-N1-C2	-8.93	119.74	125.10
1	AA	768	A	N7-C8-N9	8.93	118.26	113.80
26	BB	51	G	N1-C6-O6	-8.93	114.54	119.90
26	BB	440	C	N3-C2-O2	-8.93	115.65	121.90
26	BB	522	A	N1-C2-N3	-8.93	124.84	129.30
26	BB	1311	G	N1-C2-N3	8.93	129.26	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1555	G	C5-C6-O6	-8.93	123.24	128.60
26	BB	2100	G	C4-C5-C6	8.93	124.16	118.80
26	BB	2515	C	C2-N3-C4	-8.93	115.44	119.90
1	AA	724	G	N9-C4-C5	-8.92	101.83	105.40
1	AA	1130	A	C2-N3-C4	8.92	115.06	110.60
1	AA	157	U	N1-C2-N3	8.92	120.25	114.90
1	AA	990	C	C5-C4-N4	-8.92	113.95	120.20
1	AA	1413	A	C1'-O4'-C4'	-8.92	102.76	109.90
26	BB	472	A	C5'-C4'-O4'	8.92	119.81	109.10
26	BB	651	G	N3-C4-C5	-8.92	124.14	128.60
26	BB	1005	C	C2-N3-C4	8.92	124.36	119.90
36	BL	96	ARG	NE-CZ-NH1	-8.92	115.84	120.30
26	BB	99	U	C5-C6-N1	-8.92	118.24	122.70
26	BB	272	A	N1-C2-N3	-8.92	124.84	129.30
26	BB	2367	G	N3-C4-C5	-8.92	124.14	128.60
26	BB	882	G	C5-C6-N1	-8.92	107.04	111.50
1	AA	1172	C	N1-C2-O2	8.92	124.25	118.90
1	AA	1260	G	N7-C8-N9	8.92	117.56	113.10
26	BB	167	A	C6-N1-C2	8.92	123.95	118.60
26	BB	726	G	C2-N3-C4	8.92	116.36	111.90
26	BB	2633	G	C4-C5-N7	-8.92	107.23	110.80
39	BO	66	ARG	NE-CZ-NH1	8.92	124.76	120.30
1	AA	88	U	C4'-C3'-C2'	-8.91	93.69	102.60
25	BA	13	G	N1-C6-O6	-8.91	114.55	119.90
1	AA	19	A	N7-C8-N9	-8.91	109.34	113.80
1	AA	292	G	N1-C6-O6	-8.91	114.55	119.90
1	AA	1149	C	C3'-C2'-C1'	8.91	108.63	101.50
26	BB	87	U	O4'-C1'-N1	8.91	115.33	108.20
26	BB	502	A	C4-C5-C6	-8.91	112.54	117.00
1	AA	337	G	C4-C5-N7	-8.91	107.23	110.80
1	AA	1410	A	N1-C6-N6	-8.91	113.25	118.60
26	BB	103	A	O4'-C1'-N9	8.91	115.33	108.20
26	BB	2029	G	C4'-C3'-C2'	-8.91	93.69	102.60
26	BB	1603	A	C4-C5-N7	8.91	115.16	110.70
1	AA	692	U	N3-C4-O4	8.91	125.64	119.40
1	AA	1300	G	C8-N9-C4	-8.91	102.84	106.40
1	AA	301	G	C5-C6-O6	-8.91	123.26	128.60
1	AA	547	A	N1-C6-N6	-8.91	113.25	118.60
26	BB	100	U	C5-C6-N1	-8.91	118.25	122.70
26	BB	670	A	C2-N3-C4	8.91	115.05	110.60
26	BB	1665	A	C8-N9-C4	-8.91	102.24	105.80
26	BB	1767	G	N9-C4-C5	8.91	108.96	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2328	A	N1-C6-N6	-8.91	113.26	118.60
26	BB	2553	G	N3-C4-C5	-8.91	124.15	128.60
1	AA	1312	G	C3'-C2'-C1'	8.90	108.62	101.50
2	AB	26	A	C5-C6-N1	8.90	122.15	117.70
21	AU	62	ARG	NE-CZ-NH2	-8.90	115.85	120.30
26	BB	61	C	O4'-C1'-N1	8.90	115.32	108.20
26	BB	144	A	C6-N1-C2	8.90	123.94	118.60
26	BB	1024	G	N7-C8-N9	8.90	117.55	113.10
26	BB	1187	G	C4-C5-N7	-8.90	107.24	110.80
1	AA	302	G	C5-C6-O6	-8.90	123.26	128.60
26	BB	518	G	C5-C6-O6	-8.90	123.26	128.60
1	AA	1153	G	C5-C6-O6	8.90	133.94	128.60
26	BB	350	G	N1-C6-O6	-8.90	114.56	119.90
26	BB	1270	C	O4'-C4'-C3'	8.90	113.22	106.10
26	BB	1536	C	O4'-C1'-N1	8.90	115.32	108.20
26	BB	2871	U	C2-N3-C4	-8.90	121.66	127.00
2	AB	39	A	O4'-C1'-N9	8.90	115.32	108.20
2	AB	74	C	N3-C2-O2	-8.90	115.67	121.90
26	BB	128	C	C4-C5-C6	-8.90	112.95	117.40
26	BB	2117	A	C3'-C2'-C1'	-8.90	94.38	101.50
1	AA	756	C	N3-C4-C5	-8.90	118.34	121.90
1	AA	1376	U	O4'-C1'-C2'	8.89	115.61	107.60
1	AA	443	C	C5-C4-N4	-8.89	113.97	120.20
1	AA	1430	A	C5-C6-N6	-8.89	116.58	123.70
26	BB	643	A	C4-C5-N7	-8.89	106.25	110.70
26	BB	681	G	C5-C6-O6	-8.89	123.26	128.60
26	BB	1023	U	C5-C6-N1	-8.89	118.25	122.70
26	BB	1577	C	O4'-C1'-N1	8.89	115.31	108.20
26	BB	1964	G	O4'-C1'-C2'	-8.89	96.91	105.80
1	AA	250	A	N9-C4-C5	8.89	109.36	105.80
1	AA	356	A	N1-C6-N6	-8.89	113.27	118.60
26	BB	1703	G	O4'-C1'-N9	8.89	115.31	108.20
1	AA	739	C	N3-C4-N4	-8.89	111.78	118.00
26	BB	1884	G	O4'-C1'-N9	-8.89	101.09	108.20
26	BB	2407	A	C5-C6-N6	-8.89	116.59	123.70
26	BB	2621	G	O4'-C1'-N9	8.89	115.31	108.20
1	AA	725	G	N7-C8-N9	8.88	117.54	113.10
1	AA	814	A	C2-N3-C4	-8.89	106.16	110.60
26	BB	186	G	C8-N9-C4	-8.89	102.85	106.40
1	AA	1471	U	C5-C4-O4	8.88	131.23	125.90
26	BB	589	U	C5'-C4'-O4'	8.88	119.76	109.10
26	BB	1453	A	C1'-O4'-C4'	-8.88	102.79	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2351	G	C8-N9-C4	-8.88	102.85	106.40
28	BD	202	ARG	NE-CZ-NH1	8.88	124.74	120.30
1	AA	14	U	C4-C5-C6	8.88	125.03	119.70
1	AA	515	G	C5-C6-O6	8.88	133.93	128.60
2	AB	18	G	C3'-C2'-C1'	8.88	108.61	101.50
26	BB	483	A	C6-N1-C2	8.88	123.93	118.60
26	BB	886	A	C3'-C2'-C1'	8.88	108.61	101.50
26	BB	1204	A	N1-C2-N3	-8.88	124.86	129.30
26	BB	139	U	O4'-C1'-C2'	-8.88	96.92	105.80
26	BB	669	G	O4'-C4'-C3'	8.88	113.20	106.10
26	BB	1685	C	N3-C4-C5	-8.88	118.35	121.90
26	BB	1980	G	C2-N3-C4	8.88	116.34	111.90
26	BB	2244	U	N3-C2-O2	-8.88	115.98	122.20
26	BB	2618	G	C6-C5-N7	-8.88	125.07	130.40
26	BB	2813	A	O4'-C1'-N9	8.88	115.31	108.20
1	AA	310	G	C5-N7-C8	-8.88	99.86	104.30
1	AA	1310	G	O4'-C1'-N9	8.88	115.30	108.20
1	AA	1448	C	N1-C2-O2	8.88	124.23	118.90
26	BB	90	U	C5-C6-N1	-8.88	118.26	122.70
26	BB	696	G	O4'-C1'-N9	8.88	115.30	108.20
1	AA	493	A	N9-C4-C5	8.88	109.35	105.80
1	AA	753	A	C6-N1-C2	8.88	123.93	118.60
2	AB	11	U	O4'-C1'-N1	8.88	115.30	108.20
26	BB	129	C	N1-C2-O2	8.88	124.23	118.90
26	BB	1226	A	C4-C5-C6	8.88	121.44	117.00
26	BB	2602	A	N9-C1'-C2'	8.88	125.54	114.00
26	BB	1880	U	C5-C6-N1	-8.87	118.26	122.70
1	AA	158	G	N1-C6-O6	8.87	125.22	119.90
1	AA	423	G	N1-C6-O6	-8.87	114.58	119.90
1	AA	452	A	C8-N9-C4	-8.87	102.25	105.80
26	BB	2055	C	C2-N3-C4	-8.87	115.46	119.90
1	AA	352	C	C1'-O4'-C4'	8.87	117.00	109.90
1	AA	1494	G	N3-C2-N2	8.87	126.11	119.90
26	BB	1588	G	N3-C4-N9	8.87	131.32	126.00
26	BB	2263	C	N3-C4-C5	-8.87	118.35	121.90
26	BB	2439	A	C6-N1-C2	8.87	123.92	118.60
26	BB	2455	G	N3-C2-N2	-8.87	113.69	119.90
26	BB	669	G	C4'-C3'-C2'	-8.87	93.73	102.60
26	BB	2439	A	C6-C5-N7	8.87	138.51	132.30
1	AA	1206	G	O4'-C1'-N9	8.87	115.29	108.20
1	AA	1236	A	N1-C2-N3	8.87	133.73	129.30
26	BB	764	A	C5-N7-C8	8.87	108.33	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	777	G	O4'-C1'-N9	8.87	115.30	108.20
26	BB	233	A	C3'-C2'-C1'	8.87	108.59	101.50
26	BB	1259	G	N7-C8-N9	8.87	117.53	113.10
1	AA	648	A	C6-N1-C2	-8.87	113.28	118.60
26	BB	162	U	N1-C2-N3	8.87	120.22	114.90
1	AA	855	U	C5-C6-N1	-8.86	118.27	122.70
1	AA	1323	G	C6-N1-C2	-8.87	119.78	125.10
26	BB	15	G	N1-C6-O6	8.87	125.22	119.90
26	BB	1813	G	C5-N7-C8	8.87	108.73	104.30
26	BB	1861	G	O4'-C1'-N9	8.86	115.29	108.20
1	AA	1284	C	N3-C2-O2	-8.86	115.70	121.90
1	AA	1362	A	C3'-C2'-C1'	8.86	108.59	101.50
1	AA	376	G	C5-C6-O6	-8.86	123.28	128.60
1	AA	742	G	C3'-C2'-C1'	-8.86	94.41	101.50
26	BB	146	A	C1'-O4'-C4'	-8.86	102.81	109.90
26	BB	350	G	C5-C6-N1	8.86	115.93	111.50
26	BB	610	C	O4'-C1'-N1	8.86	115.29	108.20
26	BB	881	G	C4-C5-C6	8.86	124.12	118.80
26	BB	950	G	N3-C4-C5	-8.86	124.17	128.60
26	BB	1197	G	N9-C4-C5	-8.86	101.86	105.40
1	AA	107	G	N9-C4-C5	8.86	108.94	105.40
1	AA	1031	C	C4-C5-C6	8.86	121.83	117.40
1	AA	1455	G	N1-C2-N3	-8.86	118.58	123.90
26	BB	400	G	N3-C2-N2	8.86	126.10	119.90
26	BB	563	A	N1-C6-N6	-8.86	113.28	118.60
26	BB	809	G	C5-C6-N1	8.86	115.93	111.50
26	BB	1928	A	C5-N7-C8	8.86	108.33	103.90
26	BB	1299	G	C5-C6-N1	-8.86	107.07	111.50
26	BB	2292	U	C5-C6-N1	-8.86	118.27	122.70
26	BB	2350	C	N1-C2-O2	8.86	124.22	118.90
1	AA	65	A	C4-C5-C6	-8.86	112.57	117.00
1	AA	212	G	N7-C8-N9	8.86	117.53	113.10
26	BB	186	G	N9-C4-C5	8.86	108.94	105.40
26	BB	545	U	C3'-C2'-C1'	8.86	108.58	101.50
26	BB	766	U	C5-C4-O4	-8.86	120.59	125.90
26	BB	1197	G	N3-C4-N9	8.86	131.31	126.00
26	BB	2032	G	C6-N1-C2	-8.86	119.79	125.10
26	BB	2117	A	C6-N1-C2	-8.86	113.29	118.60
26	BB	2501	C	N1-C2-O2	8.86	124.21	118.90
25	BA	10	G	N1-C6-O6	-8.85	114.59	119.90
26	BB	238	C	C4-C5-C6	8.85	121.83	117.40
26	BB	340	A	N9-C4-C5	-8.85	102.26	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2055	C	C5-C4-N4	-8.85	114.00	120.20
1	AA	204	G	N1-C6-O6	-8.85	114.59	119.90
26	BB	2238	G	C6-C5-N7	-8.85	125.09	130.40
1	AA	1403	C	C2-N3-C4	8.85	124.32	119.90
1	AA	1403	C	C6-N1-C2	8.85	123.84	120.30
26	BB	226	A	C5-C6-N6	-8.85	116.62	123.70
26	BB	649	G	N9-C1'-C2'	-8.85	102.27	112.00
26	BB	1722	A	N3-C4-C5	-8.85	120.61	126.80
26	BB	2092	U	C4-C5-C6	8.85	125.01	119.70
26	BB	2337	G	N3-C4-N9	8.85	131.31	126.00
26	BB	2656	U	O4'-C1'-N1	8.85	115.28	108.20
26	BB	2836	U	O4'-C1'-N1	8.85	115.28	108.20
26	BB	1055	G	C4-C5-N7	-8.85	107.26	110.80
1	AA	648	A	O4'-C1'-N9	8.85	115.28	108.20
1	AA	949	A	N7-C8-N9	-8.85	109.38	113.80
26	BB	1250	G	N3-C2-N2	8.85	126.09	119.90
26	BB	1995	U	N3-C4-O4	8.85	125.59	119.40
1	AA	477	C	N3-C4-N4	8.84	124.19	118.00
1	AA	628	G	O4'-C1'-N9	8.84	115.28	108.20
1	AA	740	U	C5'-C4'-O4'	8.84	119.71	109.10
4	AD	66	C	C5-C4-N4	-8.84	114.01	120.20
26	BB	1170	C	C2-N3-C4	8.84	124.32	119.90
26	BB	1494	A	C6-N1-C2	8.84	123.91	118.60
26	BB	2472	G	C5-C6-N1	8.84	115.92	111.50
1	AA	905	U	O4'-C1'-N1	8.84	115.27	108.20
1	AA	907	A	C5'-C4'-O4'	8.84	119.71	109.10
1	AA	1229	A	N9-C4-C5	8.84	109.34	105.80
2	AB	5	G	N9-C4-C5	8.84	108.94	105.40
3	AC	56	G	C5-C6-O6	-8.84	123.30	128.60
26	BB	1510	G	C5-C6-N1	8.84	115.92	111.50
26	BB	2059	A	N1-C6-N6	-8.84	113.30	118.60
26	BB	2574	G	N1-C2-N3	8.84	129.20	123.90
26	BB	2456	C	C2-N3-C4	8.84	124.32	119.90
1	AA	117	G	O4'-C1'-N9	8.84	115.27	108.20
26	BB	94	A	C5-N7-C8	8.84	108.32	103.90
26	BB	882	G	C6-N1-C2	8.84	130.40	125.10
26	BB	1066	U	N1-C2-N3	8.84	120.20	114.90
26	BB	2657	A	C6-C5-N7	8.84	138.49	132.30
26	BB	1701	A	C4-C5-C6	-8.84	112.58	117.00
1	AA	55	A	N9-C4-C5	8.83	109.33	105.80
25	BA	99	A	N1-C6-N6	-8.83	113.30	118.60
26	BB	1665	A	N7-C8-N9	8.83	118.22	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
35	BK	7	TYR	CB-CG-CD1	8.83	126.30	121.00
1	AA	510	A	C6-C5-N7	8.83	138.48	132.30
1	AA	578	C	C5'-C4'-O4'	8.83	119.70	109.10
1	AA	627	G	N1-C2-N3	-8.83	118.60	123.90
4	AD	27	G	N9-C4-C5	8.83	108.93	105.40
26	BB	1157	G	N7-C8-N9	8.83	117.52	113.10
26	BB	1903	G	N3-C4-C5	-8.83	124.18	128.60
1	AA	364	A	C4-C5-N7	8.83	115.11	110.70
1	AA	1001	C	C5-C4-N4	-8.83	114.02	120.20
26	BB	553	G	O4'-C1'-N9	8.83	115.27	108.20
1	AA	1293	C	N3-C4-N4	-8.83	111.82	118.00
1	AA	1360	A	N1-C2-N3	-8.83	124.89	129.30
26	BB	743	A	C5-C6-N6	-8.83	116.64	123.70
25	BA	79	G	C4-C5-N7	-8.83	107.27	110.80
26	BB	1074	G	N3-C4-C5	-8.83	124.19	128.60
26	BB	1252	G	O4'-C1'-N9	8.83	115.26	108.20
26	BB	1753	G	C8-N9-C4	-8.83	102.87	106.40
26	BB	2515	C	N3-C4-C5	8.83	125.43	121.90
26	BB	2669	G	C5-C6-N1	-8.83	107.08	111.50
1	AA	71	A	C1'-O4'-C4'	8.83	116.96	109.90
1	AA	577	G	N3-C4-C5	-8.83	124.19	128.60
26	BB	86	G	C4-C5-N7	-8.83	107.27	110.80
26	BB	750	A	O4'-C1'-N9	8.83	115.26	108.20
26	BB	875	G	C5-C6-N1	8.83	115.91	111.50
26	BB	1022	G	O4'-C4'-C3'	8.83	113.16	106.10
26	BB	1794	A	C5-C6-N1	8.83	122.11	117.70
25	BA	7	G	C8-N9-C4	-8.82	102.87	106.40
26	BB	1803	A	C8-N9-C4	-8.82	102.27	105.80
26	BB	2296	U	O4'-C1'-N1	8.82	115.26	108.20
1	AA	988	G	C2-N3-C4	-8.82	107.49	111.90
26	BB	951	C	N3-C2-O2	-8.82	115.72	121.90
26	BB	2113	U	C1'-O4'-C4'	-8.82	102.84	109.90
46	BV	77	ARG	NE-CZ-NH1	8.82	124.71	120.30
1	AA	323	U	O4'-C1'-N1	-8.82	101.14	108.20
1	AA	403	C	O4'-C1'-N1	8.82	115.25	108.20
3	AC	48	C	N3-C4-C5	-8.82	118.37	121.90
26	BB	588	U	C2-N3-C4	-8.82	121.71	127.00
39	BO	31	PHE	CB-CG-CD2	-8.82	114.62	120.80
1	AA	945	G	C5-N7-C8	-8.82	99.89	104.30
26	BB	420	C	N3-C4-C5	-8.82	118.37	121.90
26	BB	619	G	N3-C4-C5	-8.82	124.19	128.60
26	BB	1155	A	N1-C2-N3	-8.82	124.89	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	425	G	C5-N7-C8	-8.82	99.89	104.30
26	BB	1079	C	N3-C4-C5	-8.82	118.37	121.90
26	BB	2290	G	N1-C6-O6	-8.82	114.61	119.90
1	AA	718	A	C1'-O4'-C4'	-8.81	102.85	109.90
1	AA	990	C	O4'-C1'-N1	8.81	115.25	108.20
1	AA	1351	U	O4'-C1'-N1	8.81	115.25	108.20
1	AA	1515	G	C4-C5-N7	-8.81	107.28	110.80
26	BB	242	G	P-O3'-C3'	8.81	130.28	119.70
26	BB	856	G	N3-C4-C5	-8.81	124.19	128.60
26	BB	2830	C	C3'-C2'-C1'	-8.81	94.45	101.50
1	AA	818	G	C6-C5-N7	-8.81	125.11	130.40
1	AA	1058	G	C4-C5-N7	-8.81	107.28	110.80
1	AA	1383	C	C5'-C4'-C3'	-8.81	101.90	116.00
25	BA	113	C	C2-N3-C4	8.81	124.31	119.90
26	BB	1103	A	N1-C6-N6	-8.81	113.31	118.60
26	BB	2394	C	C3'-C2'-C1'	8.81	108.55	101.50
2	AB	44	G	C4'-C3'-C2'	-8.81	93.79	102.60
26	BB	665	U	N1-C2-N3	8.81	120.19	114.90
26	BB	1409	U	C4'-C3'-C2'	-8.81	93.79	102.60
26	BB	2839	G	N1-C6-O6	8.81	125.19	119.90
26	BB	2146	C	O4'-C1'-N1	8.81	115.25	108.20
26	BB	2799	A	N9-C4-C5	8.81	109.32	105.80
26	BB	716	A	O4'-C1'-N9	8.81	115.25	108.20
26	BB	1202	G	N1-C6-O6	-8.81	114.61	119.90
26	BB	1795	C	C4'-C3'-C2'	-8.81	93.79	102.60
26	BB	1859	U	C4-C5-C6	8.81	124.98	119.70
1	AA	1056	U	O4'-C1'-N1	8.81	115.25	108.20
26	BB	6	A	C4-C5-C6	8.81	121.40	117.00
26	BB	392	U	C5-C6-N1	-8.81	118.30	122.70
26	BB	1164	C	N1-C2-O2	8.81	124.18	118.90
26	BB	1967	C	O4'-C1'-N1	8.81	115.25	108.20
26	BB	2015	A	N7-C8-N9	8.81	118.20	113.80
26	BB	2707	U	N1-C1'-C2'	-8.81	102.31	112.00
1	AA	610	U	N1-C2-N3	8.80	120.18	114.90
1	AA	743	A	C4-C5-N7	-8.81	106.30	110.70
26	BB	1004	U	C5-C4-O4	-8.81	120.62	125.90
26	BB	515	A	N9-C4-C5	8.80	109.32	105.80
26	BB	2091	C	N1-C2-O2	-8.80	113.62	118.90
1	AA	344	A	C4-C5-N7	8.80	115.10	110.70
1	AA	1515	G	C5-C6-N1	8.80	115.90	111.50
26	BB	1888	G	C8-N9-C4	-8.80	102.88	106.40
4	AD	14	A	N9-C4-C5	8.80	109.32	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1521	C	C4-C5-C6	-8.80	113.00	117.40
26	BB	2528	U	O4'-C1'-N1	8.80	115.24	108.20
1	AA	270	A	C3'-C2'-C1'	-8.80	94.46	101.50
1	AA	1416	G	N1-C2-N2	8.80	124.12	116.20
26	BB	508	A	N1-C2-N3	-8.80	124.90	129.30
26	BB	585	G	N7-C8-N9	-8.80	108.70	113.10
26	BB	1149	G	N3-C4-N9	8.80	131.28	126.00
26	BB	2791	G	C5-N7-C8	-8.80	99.90	104.30
1	AA	106	C	N1-C1'-C2'	-8.80	102.32	112.00
1	AA	601	G	N7-C8-N9	8.80	117.50	113.10
1	AA	852	G	N3-C4-N9	8.79	131.28	126.00
4	AD	14	A	C4-C5-C6	8.79	121.40	117.00
26	BB	394	C	O4'-C1'-N1	8.80	115.24	108.20
26	BB	1079	C	C2-N3-C4	8.79	124.30	119.90
1	AA	344	A	O4'-C1'-N9	8.79	115.23	108.20
26	BB	222	A	C4-C5-C6	8.79	121.40	117.00
26	BB	1127	A	N1-C2-N3	-8.79	124.91	129.30
26	BB	1484	U	N3-C2-O2	-8.79	116.05	122.20
26	BB	2200	C	C5-C4-N4	-8.79	114.05	120.20
26	BB	2463	C	C5-C4-N4	-8.79	114.05	120.20
26	BB	2428	G	P-O3'-C3'	8.79	130.25	119.70
26	BB	2902	C	C3'-C2'-C1'	8.79	108.53	101.50
26	BB	1279	G	C4-C5-N7	-8.79	107.28	110.80
26	BB	1723	G	C4'-C3'-C2'	-8.79	93.81	102.60
1	AA	1327	C	N1-C2-O2	8.79	124.17	118.90
1	AA	1386	G	C5-N7-C8	8.79	108.69	104.30
1	AA	396	C	C5-C4-N4	-8.78	114.05	120.20
26	BB	1781	U	C3'-C2'-C1'	8.78	108.53	101.50
26	BB	2638	G	O4'-C1'-N9	8.79	115.23	108.20
1	AA	834	U	C2-N3-C4	-8.78	121.73	127.00
26	BB	435	C	N3-C2-O2	-8.78	115.75	121.90
26	BB	1106	G	O4'-C1'-N9	8.78	115.23	108.20
26	BB	1491	G	N3-C2-N2	-8.78	113.75	119.90
26	BB	1723	G	N3-C4-C5	-8.78	124.21	128.60
1	AA	354	G	O4'-C1'-N9	8.78	115.22	108.20
1	AA	126	G	C2-N3-C4	8.78	116.29	111.90
1	AA	306	A	O4'-C1'-N9	8.78	115.22	108.20
1	AA	485	U	N3-C2-O2	-8.78	116.06	122.20
1	AA	1023	U	C4-C5-C6	8.78	124.97	119.70
1	AA	1024	G	C6-N1-C2	-8.78	119.83	125.10
1	AA	1476	A	C4-C5-N7	-8.78	106.31	110.70
26	BB	2207	C	C5'-C4'-O4'	8.78	119.64	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	47	C	C1'-O4'-C4'	8.78	116.92	109.90
26	BB	579	G	C3'-C2'-C1'	-8.78	94.48	101.50
26	BB	1351	C	O4'-C1'-N1	8.78	115.22	108.20
26	BB	1700	A	C5-C6-N6	-8.78	116.68	123.70
26	BB	2383	G	C2-N3-C4	8.78	116.29	111.90
1	AA	1260	G	N9-C4-C5	-8.78	101.89	105.40
1	AA	1309	G	N3-C4-C5	-8.78	124.21	128.60
26	BB	1243	C	N1-C2-N3	-8.78	113.06	119.20
26	BB	1300	G	C3'-C2'-C1'	8.78	108.52	101.50
26	BB	1504	A	C4-C5-C6	-8.78	112.61	117.00
46	BV	76	ARG	NE-CZ-NH2	-8.78	115.91	120.30
26	BB	2024	G	O4'-C1'-N9	8.78	115.22	108.20
1	AA	344	A	C4-C5-C6	8.77	121.39	117.00
1	AA	533	A	C5'-C4'-O4'	8.77	119.63	109.10
1	AA	740	U	C5-C6-N1	-8.77	118.31	122.70
1	AA	1404	C	N1-C2-O2	8.77	124.16	118.90
1	AA	1506	U	C5-C6-N1	-8.77	118.31	122.70
26	BB	484	C	N3-C4-C5	8.77	125.41	121.90
26	BB	485	C	N3-C4-C5	-8.77	118.39	121.90
1	AA	617	G	C4-C5-N7	8.77	114.31	110.80
1	AA	1038	C	N3-C4-C5	-8.77	118.39	121.90
26	BB	218	A	C2-N3-C4	8.77	114.99	110.60
26	BB	269	C	O4'-C1'-N1	8.77	115.22	108.20
26	BB	381	G	C8-N9-C4	-8.77	102.89	106.40
26	BB	860	U	C6-N1-C2	-8.77	115.74	121.00
26	BB	1712	U	O4'-C1'-N1	8.77	115.22	108.20
26	BB	2276	G	C1'-O4'-C4'	8.77	116.92	109.90
4	AD	28	U	O4'-C1'-N1	8.77	115.22	108.20
26	BB	1828	G	C8-N9-C4	-8.77	102.89	106.40
26	BB	1951	U	C6-N1-C2	-8.77	115.74	121.00
1	AA	443	C	C2-N3-C4	-8.77	115.52	119.90
1	AA	1094	G	N3-C4-N9	-8.77	120.74	126.00
26	BB	1310	G	C6-N1-C2	-8.77	119.84	125.10
26	BB	22	C	N1-C2-O2	8.77	124.16	118.90
26	BB	128	C	N3-C2-O2	-8.77	115.77	121.90
26	BB	2870	C	C6-N1-C2	-8.77	116.79	120.30
1	AA	432	A	C8-N9-C4	-8.76	102.29	105.80
1	AA	577	G	C5-N7-C8	8.76	108.68	104.30
1	AA	1068	G	C8-N9-C4	-8.76	102.89	106.40
1	AA	371	A	N7-C8-N9	-8.76	109.42	113.80
1	AA	670	G	C5-C6-O6	-8.76	123.34	128.60
26	BB	714	U	N3-C2-O2	-8.76	116.07	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1366	A	O4'-C1'-N9	8.76	115.21	108.20
26	BB	2308	G	C6-N1-C2	-8.76	119.84	125.10
26	BB	2578	G	C4-C5-N7	8.76	114.31	110.80
43	BS	52	ARG	NE-CZ-NH1	8.76	124.68	120.30
1	AA	183	C	C2-N3-C4	-8.76	115.52	119.90
1	AA	238	A	C2-N3-C4	8.76	114.98	110.60
26	BB	2	G	C6-N1-C2	-8.76	119.84	125.10
26	BB	806	C	C4-C5-C6	-8.76	113.02	117.40
1	AA	728	A	O4'-C1'-N9	8.76	115.21	108.20
26	BB	134	G	C8-N9-C4	-8.76	102.90	106.40
26	BB	1168	G	C8-N9-C4	-8.76	102.90	106.40
1	AA	388	G	C4-C5-N7	-8.76	107.30	110.80
1	AA	739	C	O4'-C1'-N1	8.76	115.20	108.20
1	AA	1166	G	C4-C5-N7	-8.76	107.30	110.80
26	BB	2186	G	N7-C8-N9	8.76	117.48	113.10
26	BB	15	G	N3-C2-N2	-8.76	113.77	119.90
26	BB	2617	U	C6-N1-C2	-8.76	115.75	121.00
8	AH	19	ARG	NE-CZ-NH1	-8.75	115.92	120.30
26	BB	490	C	N3-C2-O2	-8.75	115.77	121.90
26	BB	2877	G	C3'-C2'-C1'	8.75	108.50	101.50
1	AA	484	G	P-O3'-C3'	8.75	130.20	119.70
6	AF	178	ARG	NE-CZ-NH2	-8.75	115.92	120.30
26	BB	68	G	C4-C5-C6	-8.75	113.55	118.80
26	BB	85	G	C5-N7-C8	8.75	108.68	104.30
26	BB	625	G	N9-C4-C5	8.75	108.90	105.40
24	AX	66	ARG	NE-CZ-NH2	8.75	124.68	120.30
26	BB	469	G	N7-C8-N9	8.75	117.47	113.10
26	BB	495	G	C6-C5-N7	-8.75	125.15	130.40
26	BB	568	U	O4'-C4'-C3'	8.75	113.10	106.10
26	BB	2329	U	C6-N1-C2	-8.75	115.75	121.00
1	AA	403	C	N3-C4-C5	-8.75	118.40	121.90
1	AA	564	C	N3-C4-N4	8.75	124.12	118.00
1	AA	1169	A	C5-N7-C8	8.75	108.27	103.90
26	BB	132	G	C2-N3-C4	8.75	116.27	111.90
26	BB	148	U	C1'-O4'-C4'	8.75	116.90	109.90
26	BB	813	U	C6-N1-C2	-8.75	115.75	121.00
26	BB	1603	A	O4'-C4'-C3'	8.75	113.10	106.10
26	BB	2047	C	O4'-C1'-N1	8.75	115.20	108.20
26	BB	2121	G	C6-C5-N7	-8.75	125.15	130.40
1	AA	940	C	O4'-C1'-N1	8.74	115.19	108.20
1	AA	1131	G	N1-C2-N3	-8.74	118.65	123.90
26	BB	169	G	N3-C4-C5	-8.74	124.23	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	748	G	C4-C5-N7	-8.74	107.30	110.80
1	AA	1001	C	N1-C2-O2	8.74	124.15	118.90
18	AR	88	ARG	NE-CZ-NH2	-8.74	115.93	120.30
25	BA	12	C	C3'-C2'-C1'	8.74	108.50	101.50
26	BB	68	G	C3'-C2'-C1'	8.74	108.50	101.50
26	BB	1409	U	C3'-C2'-C1'	8.74	108.50	101.50
26	BB	1688	U	C5-C4-O4	-8.74	120.65	125.90
28	BD	97	ASP	CB-CG-OD2	-8.74	110.43	118.30
1	AA	1365	G	C5-C6-O6	-8.74	123.36	128.60
1	AA	1459	G	O4'-C1'-N9	8.74	115.19	108.20
26	BB	228	C	O4'-C1'-N1	8.74	115.19	108.20
26	BB	1420	A	N9-C4-C5	-8.74	102.30	105.80
26	BB	1216	G	N3-C2-N2	-8.74	113.78	119.90
26	BB	1910	G	O4'-C1'-N9	8.74	115.19	108.20
26	BB	2444	G	C8-N9-C4	-8.74	102.90	106.40
26	BB	2717	C	C5-C4-N4	-8.74	114.08	120.20
25	BA	65	U	C5-C4-O4	8.74	131.14	125.90
26	BB	1362	C	C6-N1-C2	-8.74	116.81	120.30
26	BB	2049	G	C6-N1-C2	-8.74	119.86	125.10
26	BB	2593	U	C2-N3-C4	-8.74	121.76	127.00
26	BB	2627	G	N3-C4-N9	8.74	131.24	126.00
26	BB	2808	G	C4-C5-N7	8.74	114.29	110.80
1	AA	741	G	C5-N7-C8	-8.73	99.93	104.30
1	AA	568	G	N3-C4-C5	-8.73	124.23	128.60
1	AA	1168	U	N1-C2-N3	8.73	120.14	114.90
26	BB	495	G	N3-C2-N2	-8.73	113.79	119.90
26	BB	1889	A	C2-N3-C4	8.73	114.97	110.60
26	BB	2294	G	N3-C4-C5	-8.73	124.23	128.60
1	AA	81	A	C3'-C2'-C1'	-8.73	94.51	101.50
1	AA	269	C	N3-C4-N4	-8.73	111.89	118.00
1	AA	2	A	C3'-C2'-C1'	-8.73	94.52	101.50
1	AA	141	G	O4'-C1'-N9	8.73	115.19	108.20
1	AA	466	A	O4'-C1'-N9	8.73	115.19	108.20
1	AA	635	A	N9-C1'-C2'	-8.73	102.39	112.00
12	AL	122	ARG	NE-CZ-NH2	-8.73	115.93	120.30
26	BB	2157	G	O4'-C1'-N9	8.73	115.19	108.20
25	BA	30	C	O4'-C1'-N1	8.73	115.18	108.20
25	BA	44	G	C2-N3-C4	8.73	116.27	111.90
26	BB	1664	A	N9-C4-C5	8.73	109.29	105.80
26	BB	2744	G	C4-C5-N7	-8.73	107.31	110.80
26	BB	2366	A	O4'-C1'-N9	8.73	115.18	108.20
26	BB	171	U	C2-N3-C4	-8.73	121.76	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2891	U	C5-C6-N1	-8.73	118.34	122.70
2	AB	50	G	N9-C4-C5	8.73	108.89	105.40
26	BB	452	G	N3-C4-N9	8.73	131.24	126.00
26	BB	1099	G	N3-C4-C5	-8.73	124.24	128.60
26	BB	1512	C	O4'-C1'-N1	8.73	115.18	108.20
26	BB	1828	G	C6-N1-C2	-8.73	119.86	125.10
1	AA	332	G	N3-C4-N9	-8.72	120.77	126.00
1	AA	398	U	O4'-C1'-N1	8.72	115.18	108.20
1	AA	413	G	C4-C5-N7	8.72	114.29	110.80
1	AA	1160	G	C5-C6-O6	-8.72	123.36	128.60
1	AA	1514	G	C2-N3-C4	8.72	116.26	111.90
26	BB	830	G	C6-C5-N7	-8.72	125.17	130.40
26	BB	1848	A	N9-C4-C5	8.72	109.29	105.80
26	BB	1987	A	C8-N9-C4	-8.72	102.31	105.80
26	BB	2049	G	C8-N9-C4	8.72	109.89	106.40
26	BB	2614	A	N1-C2-N3	-8.72	124.94	129.30
1	AA	450	G	N9-C4-C5	8.72	108.89	105.40
18	AR	63	ARG	NE-CZ-NH1	8.72	124.66	120.30
26	BB	478	A	C4-C5-N7	-8.72	106.34	110.70
26	BB	708	G	C5-C6-O6	8.72	133.83	128.60
26	BB	1139	G	C3'-C2'-C1'	-8.72	94.52	101.50
26	BB	2276	G	C4-C5-N7	-8.72	107.31	110.80
26	BB	2464	G	C5-C6-O6	-8.72	123.37	128.60
26	BB	2586	U	C5'-C4'-O4'	8.72	119.57	109.10
26	BB	2697	G	N9-C4-C5	8.72	108.89	105.40
1	AA	9	G	N9-C4-C5	8.72	108.89	105.40
1	AA	125	U	N3-C2-O2	-8.72	116.10	122.20
1	AA	1228	C	C2-N3-C4	8.72	124.26	119.90
1	AA	1346	A	N1-C6-N6	-8.72	113.37	118.60
2	AB	26	A	C5-C6-N6	-8.72	116.73	123.70
3	AC	48	C	C2-N3-C4	8.72	124.26	119.90
6	AF	17	TRP	CE2-CD2-CG	8.72	114.27	107.30
26	BB	599	A	N9-C1'-C2'	-8.72	102.41	112.00
26	BB	1533	C	C2-N3-C4	-8.72	115.54	119.90
26	BB	1721	G	N3-C4-C5	-8.72	124.24	128.60
26	BB	2033	A	C8-N9-C4	-8.72	102.31	105.80
53	B2	4	ASP	CB-CG-OD2	-8.72	110.45	118.30
1	AA	1178	G	N1-C6-O6	-8.72	114.67	119.90
1	AA	1451	U	O4'-C1'-N1	8.72	115.17	108.20
26	BB	429	A	C8-N9-C4	-8.72	102.31	105.80
1	AA	14	U	C5-C4-O4	8.71	131.13	125.90
26	BB	2014	A	C4-C5-N7	-8.71	106.34	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2352	A	C5-C6-N1	8.71	122.06	117.70
26	BB	2424	C	C5-C6-N1	8.71	125.36	121.00
26	BB	2584	U	N1-C2-O2	-8.71	116.70	122.80
1	AA	475	C	C4'-C3'-C2'	-8.71	93.89	102.60
1	AA	740	U	N1-C2-O2	8.71	128.90	122.80
26	BB	1296	G	N9-C4-C5	8.71	108.89	105.40
1	AA	1006	G	O4'-C1'-N9	8.71	115.17	108.20
1	AA	1257	A	N3-C4-N9	8.71	134.37	127.40
26	BB	1664	A	N1-C2-N3	-8.71	124.94	129.30
26	BB	2685	G	O4'-C4'-C3'	8.71	113.07	106.10
1	AA	187	G	C5-C6-N1	8.71	115.85	111.50
1	AA	1237	C	C5-C6-N1	8.71	125.35	121.00
26	BB	604	G	C4-C5-N7	-8.71	107.32	110.80
26	BB	818	G	C2-N3-C4	8.71	116.25	111.90
26	BB	2168	G	C4-C5-C6	8.71	124.02	118.80
26	BB	2223	G	C4'-C3'-C2'	-8.71	93.89	102.60
26	BB	2801	G	N7-C8-N9	8.71	117.45	113.10
26	BB	2867	G	C5-N7-C8	8.71	108.65	104.30
1	AA	87	C	O4'-C1'-N1	8.71	115.16	108.20
1	AA	412	A	C5'-C4'-O4'	8.71	119.55	109.10
1	AA	820	U	C2-N3-C4	-8.70	121.78	127.00
26	BB	382	A	C4-C5-N7	-8.71	106.35	110.70
1	AA	663	A	N1-C2-N3	-8.70	124.95	129.30
26	BB	278	A	C5-C6-N1	8.70	122.05	117.70
26	BB	2803	G	C6-C5-N7	8.70	135.62	130.40
1	AA	81	A	C8-N9-C4	-8.70	102.32	105.80
1	AA	457	G	N1-C2-N2	-8.70	108.37	116.20
2	AB	61	C	C3'-C2'-C1'	8.70	108.46	101.50
26	BB	248	G	O4'-C1'-N9	8.70	115.16	108.20
26	BB	340	A	N1-C2-N3	-8.70	124.95	129.30
26	BB	766	U	C6-N1-C2	-8.70	115.78	121.00
29	BE	83	ARG	NE-CZ-NH2	8.70	124.65	120.30
1	AA	328	C	N1-C2-O2	8.70	124.12	118.90
1	AA	564	C	N1-C2-O2	8.70	124.12	118.90
26	BB	2380	C	C2-N3-C4	8.70	124.25	119.90
26	BB	1614	A	N7-C8-N9	8.70	118.15	113.80
1	AA	506	G	N9-C4-C5	8.70	108.88	105.40
1	AA	732	C	C2-N3-C4	8.70	124.25	119.90
1	AA	755	G	N3-C4-C5	-8.70	124.25	128.60
1	AA	1015	G	C5-N7-C8	-8.70	99.95	104.30
26	BB	1070	A	N1-C6-N6	-8.70	113.38	118.60
26	BB	2107	G	N3-C4-N9	8.70	131.22	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	320	A	O4'-C1'-N9	8.69	115.16	108.20
5	AE	29	PHE	CB-CG-CD1	-8.70	114.71	120.80
26	BB	2600	A	C8-N9-C4	-8.70	102.32	105.80
25	BA	68	C	N3-C4-N4	8.69	124.09	118.00
1	AA	1169	A	O4'-C1'-N9	8.69	115.16	108.20
26	BB	218	A	P-O3'-C3'	8.69	130.13	119.70
26	BB	1008	A	C4-C5-N7	-8.69	106.35	110.70
26	BB	2424	C	O4'-C1'-N1	8.69	115.15	108.20
1	AA	618	C	C4'-C3'-C2'	-8.69	93.91	102.60
26	BB	1916	A	N7-C8-N9	8.69	118.14	113.80
26	BB	2331	G	N9-C4-C5	8.69	108.88	105.40
1	AA	48	C	N3-C4-C5	-8.69	118.42	121.90
3	AC	45	G	N3-C4-C5	-8.69	124.25	128.60
1	AA	500	G	C5-C6-N1	-8.69	107.16	111.50
26	BB	911	A	C8-N9-C4	-8.69	102.32	105.80
26	BB	1808	A	C4-C5-C6	-8.69	112.66	117.00
26	BB	2322	A	C8-N9-C4	-8.69	102.33	105.80
1	AA	1015	G	N1-C6-O6	-8.69	114.69	119.90
26	BB	1482	G	C1'-O4'-C4'	-8.69	102.95	109.90
25	BA	96	G	C5-N7-C8	-8.69	99.96	104.30
26	BB	331	C	C6-N1-C2	-8.69	116.83	120.30
26	BB	977	G	N9-C4-C5	8.69	108.87	105.40
26	BB	1065	U	N1-C2-N3	8.69	120.11	114.90
26	BB	2000	C	C5-C6-N1	8.69	125.34	121.00
26	BB	2652	C	C3'-C2'-C1'	8.69	108.45	101.50
1	AA	262	A	C2-N3-C4	8.68	114.94	110.60
1	AA	1131	G	C6-C5-N7	8.68	135.61	130.40
26	BB	2762	C	O4'-C1'-N1	8.68	115.15	108.20
1	AA	345	C	N3-C4-N4	8.68	124.08	118.00
1	AA	938	A	O4'-C1'-N9	8.68	115.14	108.20
1	AA	904	U	O4'-C1'-N1	8.68	115.14	108.20
4	AD	13	C	N3-C4-N4	8.68	124.08	118.00
26	BB	347	A	C5-C6-N6	-8.68	116.76	123.70
26	BB	809	G	C5-C6-O6	-8.68	123.39	128.60
26	BB	720	U	C4-C5-C6	8.68	124.91	119.70
26	BB	855	G	N1-C2-N3	-8.68	118.69	123.90
26	BB	847	U	N3-C2-O2	-8.68	116.13	122.20
26	BB	1082	U	C1'-O4'-C4'	8.68	116.84	109.90
26	BB	1571	A	C8-N9-C4	-8.68	102.33	105.80
26	BB	1766	G	C8-N9-C4	-8.68	102.93	106.40
26	BB	2102	G	C5-C6-O6	-8.68	123.39	128.60
26	BB	2604	U	N3-C4-O4	-8.68	113.32	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	AU	24	ASP	CB-CG-OD2	-8.68	110.49	118.30
1	AA	505	G	C2-N3-C4	8.68	116.24	111.90
1	AA	1063	C	C2-N3-C4	8.68	124.24	119.90
1	AA	1079	G	C1'-O4'-C4'	8.68	116.84	109.90
26	BB	1414	C	C5-C6-N1	8.68	125.34	121.00
26	BB	1970	A	N7-C8-N9	-8.68	109.46	113.80
1	AA	1299	A	C5-C6-N1	8.68	122.04	117.70
1	AA	1319	A	O4'-C1'-N9	-8.68	101.26	108.20
26	BB	1398	C	C3'-C2'-C1'	8.68	108.44	101.50
26	BB	1438	U	N3-C4-O4	8.68	125.47	119.40
26	BB	1742	U	C3'-C2'-C1'	8.68	108.44	101.50
26	BB	2315	G	O4'-C1'-N9	8.68	115.14	108.20
26	BB	349	U	C5-C6-N1	-8.67	118.36	122.70
26	BB	975	A	C5-C6-N6	-8.67	116.76	123.70
26	BB	2772	C	C4-C5-C6	-8.67	113.06	117.40
1	AA	281	G	N7-C8-N9	8.67	117.44	113.10
26	BB	775	G	N3-C4-C5	-8.67	124.26	128.60
1	AA	135	C	C2-N3-C4	8.67	124.23	119.90
26	BB	579	G	C2-N3-C4	-8.67	107.56	111.90
26	BB	597	G	C6-C5-N7	8.67	135.60	130.40
26	BB	877	A	C5-N7-C8	-8.67	99.56	103.90
26	BB	1490	A	C5-C6-N6	-8.67	116.77	123.70
1	AA	713	G	N9-C4-C5	8.67	108.87	105.40
1	AA	770	C	N1-C2-O2	8.67	124.10	118.90
1	AA	1192	C	C5-C6-N1	8.67	125.33	121.00
2	AB	13	C	C6-N1-C2	8.67	123.77	120.30
2	AB	50	G	C8-N9-C4	-8.67	102.93	106.40
25	BA	4	C	C5-C6-N1	-8.67	116.67	121.00
26	BB	1333	G	N7-C8-N9	8.67	117.43	113.10
26	BB	1828	G	N7-C8-N9	8.67	117.43	113.10
26	BB	2192	U	C5-C4-O4	-8.67	120.70	125.90
30	BF	114	ARG	NE-CZ-NH2	-8.67	115.97	120.30
1	AA	582	C	C5-C6-N1	8.66	125.33	121.00
4	AD	59	A	N1-C6-N6	8.66	123.80	118.60
25	BA	90	C	N1-C2-O2	8.66	124.10	118.90
1	AA	1070	U	C5'-C4'-C3'	-8.66	102.14	116.00
26	BB	253	C	O4'-C1'-N1	8.66	115.13	108.20
26	BB	1385	A	N7-C8-N9	8.66	118.13	113.80
26	BB	1743	G	N3-C4-C5	-8.66	124.27	128.60
1	AA	1032	G	N9-C4-C5	8.66	108.86	105.40
1	AA	1093	A	N7-C8-N9	8.66	118.13	113.80
1	AA	21	G	N7-C8-N9	-8.66	108.77	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	72	A	C4-C5-C6	-8.66	112.67	117.00
26	BB	93	G	N3-C4-C5	-8.66	124.27	128.60
26	BB	650	C	N3-C2-O2	-8.66	115.84	121.90
26	BB	1762	A	N1-C6-N6	-8.66	113.40	118.60
26	BB	2074	U	C5'-C4'-O4'	8.66	119.49	109.10
26	BB	2345	G	N9-C4-C5	8.66	108.86	105.40
26	BB	2822	G	C6-N1-C2	-8.66	119.91	125.10
1	AA	388	G	C2-N3-C4	8.66	116.23	111.90
1	AA	1030	U	N3-C2-O2	-8.66	116.14	122.20
1	AA	1063	C	C5-C4-N4	-8.66	114.14	120.20
16	AP	2	ARG	NE-CZ-NH1	-8.66	115.97	120.30
31	BG	94	ARG	NE-CZ-NH1	8.66	124.63	120.30
26	BB	868	U	O4'-C1'-N1	8.66	115.12	108.20
26	BB	1377	G	C5-C6-N1	8.66	115.83	111.50
26	BB	2010	G	C5-C6-O6	-8.66	123.41	128.60
26	BB	2865	U	C5-C6-N1	-8.66	118.37	122.70
1	AA	247	G	C5'-C4'-O4'	8.65	119.48	109.10
1	AA	525	C	N1-C2-O2	8.65	124.09	118.90
26	BB	744	U	O4'-C1'-N1	8.65	115.12	108.20
26	BB	1429	G	C2-N3-C4	8.65	116.23	111.90
26	BB	1178	C	O4'-C1'-N1	8.65	115.12	108.20
26	BB	2601	C	N3-C4-C5	-8.65	118.44	121.90
1	AA	704	A	C4-C5-C6	-8.65	112.67	117.00
1	AA	1022	A	C3'-C2'-C1'	8.65	108.42	101.50
26	BB	858	G	C8-N9-C4	-8.65	102.94	106.40
26	BB	1282	U	N3-C2-O2	-8.65	116.14	122.20
26	BB	2248	C	C3'-C2'-C1'	8.65	108.42	101.50
1	AA	102	G	C6-N1-C2	-8.65	119.91	125.10
1	AA	422	C	N1-C2-O2	8.65	124.09	118.90
2	AB	38	A	N7-C8-N9	8.65	118.12	113.80
3	AC	28	U	C5'-C4'-O4'	8.65	119.48	109.10
26	BB	1235	G	C3'-C2'-C1'	8.65	108.42	101.50
26	BB	1242	U	O4'-C1'-N1	8.65	115.12	108.20
1	AA	1321	U	P-O3'-C3'	8.65	130.08	119.70
1	AA	1463	U	O4'-C1'-N1	8.65	115.12	108.20
26	BB	676	A	N1-C6-N6	-8.65	113.41	118.60
26	BB	2258	C	N3-C4-N4	8.65	124.05	118.00
25	BA	64	G	O4'-C1'-N9	8.64	115.12	108.20
26	BB	1815	A	O4'-C1'-N9	8.64	115.12	108.20
1	AA	1245	C	O4'-C1'-N1	8.64	115.11	108.20
26	BB	766	U	N3-C4-C5	8.64	119.79	114.60
26	BB	2074	U	C1'-O4'-C4'	-8.64	102.98	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	589	U	C1'-O4'-C4'	8.64	116.81	109.90
26	BB	1645	G	N3-C4-N9	8.64	131.19	126.00
26	BB	1898	U	C5-C4-O4	8.64	131.09	125.90
26	BB	1823	G	C8-N9-C4	-8.64	102.94	106.40
26	BB	2077	A	N3-C4-C5	-8.64	120.75	126.80
30	BF	158	PHE	CB-CG-CD1	-8.64	114.75	120.80
1	AA	318	G	C6-C5-N7	-8.64	125.22	130.40
1	AA	372	C	C4-C5-C6	8.64	121.72	117.40
1	AA	1258	G	N3-C4-C5	-8.64	124.28	128.60
26	BB	1186	G	N3-C4-C5	-8.64	124.28	128.60
26	BB	1227	G	N7-C8-N9	-8.64	108.78	113.10
26	BB	2017	U	C1'-O4'-C4'	-8.64	102.99	109.90
26	BB	2117	A	O4'-C1'-N9	8.64	115.11	108.20
26	BB	2750	A	N7-C8-N9	8.64	118.12	113.80
26	BB	2171	A	O4'-C1'-N9	8.64	115.11	108.20
26	BB	2643	G	N3-C4-N9	8.64	131.18	126.00
1	AA	1289	A	C5-C6-N1	8.63	122.02	117.70
6	AF	22	PHE	CB-CG-CD1	-8.63	114.76	120.80
19	AS	31	ARG	NE-CZ-NH2	-8.63	115.98	120.30
26	BB	630	G	C5-C6-O6	-8.63	123.42	128.60
26	BB	1278	C	O4'-C1'-N1	8.63	115.11	108.20
26	BB	1353	A	C2-N3-C4	8.63	114.92	110.60
26	BB	1942	C	C2-N3-C4	8.63	124.22	119.90
1	AA	770	C	C6-N1-C2	-8.63	116.85	120.30
1	AA	1011	C	O4'-C1'-N1	8.63	115.11	108.20
1	AA	1266	G	N9-C4-C5	-8.63	101.95	105.40
1	AA	608	A	C5-C6-N1	8.63	122.02	117.70
25	BA	81	G	C5-C6-N1	8.63	115.82	111.50
26	BB	403	U	C5-C6-N1	8.63	127.02	122.70
26	BB	625	G	N3-C2-N2	8.63	125.94	119.90
26	BB	1531	C	N3-C4-C5	-8.63	118.45	121.90
28	BD	62	ARG	NE-CZ-NH1	8.63	124.62	120.30
26	BB	2579	C	O4'-C1'-N1	8.63	115.10	108.20
26	BB	2727	A	C6-C5-N7	-8.63	126.26	132.30
1	AA	849	G	C4-C5-N7	-8.63	107.35	110.80
1	AA	1109	C	N1-C2-N3	-8.63	113.16	119.20
43	BS	54	ARG	NE-CZ-NH2	-8.63	115.98	120.30
26	BB	629	G	N1-C6-O6	-8.63	114.72	119.90
26	BB	1897	G	C6-N1-C2	-8.63	119.92	125.10
1	AA	479	U	N1-C2-N3	8.63	120.08	114.90
1	AA	555	U	N3-C2-O2	-8.63	116.16	122.20
1	AA	924	C	C2-N3-C4	8.62	124.21	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	748	G	C4-C5-C6	8.62	123.97	118.80
1	AA	254	G	C5-C6-O6	-8.62	123.43	128.60
4	AD	58	A	C8-N9-C4	-8.62	102.35	105.80
26	BB	543	G	C8-N9-C4	-8.62	102.95	106.40
26	BB	1812	U	N3-C4-C5	-8.62	109.43	114.60
26	BB	2024	G	C2-N3-C4	8.62	116.21	111.90
26	BB	2878	U	C2-N3-C4	-8.62	121.83	127.00
1	AA	324	G	N3-C4-C5	-8.62	124.29	128.60
1	AA	531	U	C6-N1-C2	-8.62	115.83	121.00
1	AA	1158	C	N1-C2-O2	8.62	124.07	118.90
26	BB	543	G	N1-C2-N2	8.62	123.96	116.20
26	BB	1469	A	N1-C6-N6	-8.62	113.43	118.60
26	BB	1602	U	C5-C4-O4	-8.62	120.73	125.90
30	BF	200	LEU	CB-CG-CD1	8.62	125.65	111.00
26	BB	110	G	O4'-C1'-N9	8.62	115.09	108.20
26	BB	341	C	C3'-C2'-C1'	8.62	108.39	101.50
26	BB	749	A	N7-C8-N9	8.62	118.11	113.80
26	BB	2735	G	C5-C6-N1	8.62	115.81	111.50
26	BB	853	C	C5-C4-N4	8.61	126.23	120.20
26	BB	2752	C	O4'-C1'-N1	8.61	115.09	108.20
26	BB	920	A	N9-C1'-C2'	-8.61	102.53	112.00
26	BB	2066	C	N3-C2-O2	-8.61	115.87	121.90
1	AA	776	G	C8-N9-C4	-8.61	102.96	106.40
6	AF	168	ARG	NE-CZ-NH1	8.61	124.61	120.30
26	BB	70	G	N3-C4-C5	-8.61	124.29	128.60
26	BB	953	G	C6-C5-N7	-8.61	125.23	130.40
26	BB	989	G	C4-C5-C6	8.61	123.97	118.80
26	BB	1473	G	C4-C5-C6	8.61	123.97	118.80
26	BB	2873	A	O5'-P-OP2	-8.61	97.95	105.70
26	BB	2892	G	C5-C6-N1	8.61	115.81	111.50
1	AA	608	A	C6-C5-N7	8.61	138.33	132.30
26	BB	986	C	C4-C5-C6	-8.61	113.09	117.40
1	AA	758	C	P-O3'-C3'	8.61	130.03	119.70
26	BB	470	A	N9-C4-C5	8.61	109.24	105.80
26	BB	997	G	N1-C2-N3	-8.61	118.73	123.90
26	BB	1434	A	C8-N9-C4	-8.61	102.36	105.80
26	BB	1935	G	N7-C8-N9	8.61	117.41	113.10
26	BB	2551	C	C4'-C3'-C2'	-8.61	93.99	102.60
26	BB	2889	C	O4'-C1'-N1	8.61	115.09	108.20
1	AA	359	G	C3'-C2'-C1'	8.61	108.39	101.50
1	AA	1060	U	N3-C2-O2	-8.61	116.18	122.20
1	AA	1319	A	N9-C4-C5	-8.61	102.36	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	89	U	N1-C2-O2	8.61	128.82	122.80
26	BB	1211	C	O4'-C1'-N1	8.61	115.09	108.20
26	BB	1606	C	C1'-O4'-C4'	-8.61	103.02	109.90
26	BB	1759	A	C6-C5-N7	8.61	138.32	132.30
26	BB	2709	G	O4'-C1'-N9	8.61	115.08	108.20
26	BB	2756	U	C2'-C3'-O3'	8.61	128.43	109.50
26	BB	632	A	C5-N7-C8	-8.60	99.60	103.90
26	BB	1016	G	O4'-C1'-N9	8.60	115.08	108.20
26	BB	1219	U	C5'-C4'-O4'	8.60	119.42	109.10
26	BB	1951	U	N1-C2-N3	8.60	120.06	114.90
26	BB	2781	A	C5-N7-C8	-8.60	99.60	103.90
1	AA	292	G	C6-N1-C2	-8.60	119.94	125.10
26	BB	596	U	O4'-C1'-N1	8.60	115.08	108.20
26	BB	1181	U	C5-C6-N1	-8.60	118.40	122.70
26	BB	1327	A	N1-C6-N6	-8.60	113.44	118.60
26	BB	2532	G	C5'-C4'-O4'	8.60	119.42	109.10
56	B5	19	ARG	NE-CZ-NH2	8.60	124.60	120.30
1	AA	255	G	N1-C2-N2	8.60	123.94	116.20
1	AA	1012	A	C6-C5-N7	8.60	138.32	132.30
4	AD	46	G	O4'-C1'-N9	8.60	115.08	108.20
26	BB	1887	C	O4'-C1'-N1	8.60	115.08	108.20
26	BB	1890	A	O4'-C1'-N9	8.60	115.08	108.20
26	BB	2708	G	C4-C5-N7	-8.60	107.36	110.80
1	AA	526	C	C4-C5-C6	8.60	121.70	117.40
26	BB	806	C	C5-C6-N1	8.60	125.30	121.00
1	AA	701	U	N3-C2-O2	-8.60	116.18	122.20
2	AB	38	A	C5'-C4'-O4'	8.60	119.42	109.10
26	BB	987	C	N3-C2-O2	-8.60	115.88	121.90
26	BB	1507	C	N1-C2-O2	8.60	124.06	118.90
26	BB	1670	C	C6-N1-C2	-8.60	116.86	120.30
26	BB	2549	G	C5-C6-N1	8.60	115.80	111.50
26	BB	2839	G	C5'-C4'-O4'	8.60	119.41	109.10
50	BZ	27	ARG	NE-CZ-NH1	8.60	124.60	120.30
1	AA	1359	C	O4'-C1'-N1	8.59	115.07	108.20
3	AC	57	C	N3-C4-N4	8.59	124.02	118.00
26	BB	436	C	O4'-C1'-N1	8.59	115.07	108.20
26	BB	649	G	N1-C2-N2	8.59	123.93	116.20
26	BB	2485	G	C8-N9-C4	-8.59	102.96	106.40
1	AA	507	C	C2-N3-C4	8.59	124.19	119.90
1	AA	963	G	C4-C5-N7	-8.59	107.36	110.80
26	BB	1673	G	N9-C4-C5	8.59	108.83	105.40
26	BB	2043	C	C4'-C3'-C2'	-8.59	94.01	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2117	A	C5-C6-N6	-8.59	116.83	123.70
1	AA	578	C	O4'-C1'-N1	8.59	115.07	108.20
1	AA	1029	U	C2-N3-C4	-8.59	121.85	127.00
1	AA	1105	A	C4'-C3'-C2'	-8.59	94.01	102.60
26	BB	583	G	N3-C4-C5	-8.59	124.31	128.60
26	BB	1343	G	C5-C6-N1	8.59	115.79	111.50
26	BB	1409	U	N1-C1'-C2'	-8.59	102.55	112.00
3	AC	26	U	C5-C4-O4	8.59	131.05	125.90
1	AA	189	A	C5-N7-C8	-8.58	99.61	103.90
1	AA	455	G	C6-N1-C2	-8.58	119.95	125.10
1	AA	734	G	N9-C4-C5	8.58	108.83	105.40
26	BB	265	A	C5'-C4'-O4'	8.58	119.40	109.10
1	AA	508	U	C4-C5-C6	8.58	124.85	119.70
1	AA	686	U	O4'-C1'-N1	8.58	115.07	108.20
1	AA	1459	G	N9-C4-C5	8.58	108.83	105.40
26	BB	231	A	N1-C6-N6	-8.58	113.45	118.60
26	BB	1151	A	C4'-C3'-C2'	-8.58	94.02	102.60
26	BB	1588	G	C4'-C3'-C2'	-8.58	94.02	102.60
1	AA	238	A	N3-C4-C5	-8.58	120.79	126.80
1	AA	1021	A	N1-C2-N3	8.58	133.59	129.30
1	AA	1138	G	N3-C2-N2	8.58	125.91	119.90
3	AC	39	U	N1-C2-O2	8.58	128.81	122.80
26	BB	2262	U	O4'-C1'-N1	8.58	115.06	108.20
26	BB	332	A	O4'-C1'-N9	8.58	115.06	108.20
26	BB	1021	A	C8-N9-C4	-8.58	102.37	105.80
26	BB	2415	G	N1-C2-N3	-8.58	118.75	123.90
43	BS	91	ARG	NH1-CZ-NH2	8.58	128.84	119.40
1	AA	145	G	N3-C4-C5	-8.58	124.31	128.60
1	AA	273	U	O4'-C1'-N1	8.58	115.06	108.20
26	BB	1242	U	C5-C4-O4	8.58	131.05	125.90
26	BB	2379	G	C6-N1-C2	-8.58	119.95	125.10
26	BB	1704	C	N1-C2-O2	8.58	124.05	118.90
1	AA	1267	C	C4-C5-C6	-8.57	113.11	117.40
1	AA	645	G	N9-C4-C5	-8.57	101.97	105.40
1	AA	1068	G	C2-N3-C4	8.57	116.19	111.90
1	AA	1153	G	C2-N3-C4	8.57	116.19	111.90
4	AD	42	C	C2-N3-C4	8.57	124.19	119.90
26	BB	413	C	N3-C2-O2	-8.57	115.90	121.90
26	BB	728	G	O4'-C1'-N9	8.57	115.06	108.20
26	BB	1013	C	P-O3'-C3'	8.57	129.99	119.70
26	BB	1092	C	O4'-C1'-N1	8.57	115.06	108.20
26	BB	1866	A	N1-C2-N3	-8.57	125.01	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2029	G	N1-C6-O6	8.57	125.04	119.90
26	BB	2317	A	C6-N1-C2	8.57	123.75	118.60
26	BB	2742	G	N7-C8-N9	8.57	117.39	113.10
1	AA	810	C	N1-C2-O2	8.57	124.04	118.90
1	AA	1524	C	O4'-C4'-C3'	8.57	112.96	106.10
4	AD	29	C	C5-C6-N1	8.57	125.29	121.00
26	BB	1410	G	O4'-C1'-N9	8.57	115.06	108.20
26	BB	2344	U	N3-C2-O2	-8.57	116.20	122.20
26	BB	2379	G	C8-N9-C4	-8.57	102.97	106.40
56	B5	35	ARG	NE-CZ-NH2	8.57	124.59	120.30
1	AA	182	A	C3'-C2'-C1'	-8.57	94.64	101.50
1	AA	886	G	C2-N3-C4	8.57	116.19	111.90
1	AA	1200	C	O4'-C1'-N1	8.57	115.06	108.20
1	AA	1514	G	N3-C4-N9	8.57	131.14	126.00
26	BB	130	C	N3-C4-C5	-8.57	118.47	121.90
26	BB	2781	A	P-O3'-C3'	8.57	129.99	119.70
26	BB	2891	U	O4'-C1'-N1	8.57	115.06	108.20
1	AA	512	U	C1'-O4'-C4'	8.57	116.75	109.90
6	AF	183	TYR	CB-CG-CD1	-8.57	115.86	121.00
25	BA	26	C	O4'-C1'-N1	8.57	115.05	108.20
26	BB	940	G	N7-C8-N9	8.57	117.38	113.10
26	BB	1702	G	C8-N9-C4	-8.57	102.97	106.40
26	BB	2477	U	N3-C2-O2	-8.57	116.20	122.20
26	BB	2284	A	C5-C6-N1	-8.57	113.42	117.70
26	BB	1062	G	C6-N1-C2	-8.56	119.96	125.10
26	BB	1951	U	C2-N3-C4	-8.56	121.86	127.00
26	BB	2248	C	O4'-C1'-N1	8.56	115.05	108.20
26	BB	2384	U	N1-C2-N3	8.56	120.04	114.90
25	BA	108	A	C8-N9-C4	-8.56	102.38	105.80
26	BB	826	U	C5-C4-O4	-8.56	120.76	125.90
36	BL	99	ARG	NE-CZ-NH1	-8.56	116.02	120.30
1	AA	556	C	P-O3'-C3'	8.56	129.97	119.70
1	AA	581	G	C5-C6-O6	8.56	133.74	128.60
1	AA	846	G	N7-C8-N9	8.56	117.38	113.10
26	BB	59	U	C5-C6-N1	-8.56	118.42	122.70
26	BB	2487	G	C2-N3-C4	8.56	116.18	111.90
26	BB	1811	G	N3-C4-N9	8.56	131.14	126.00
26	BB	2535	G	N7-C8-N9	8.56	117.38	113.10
48	BX	82	TYR	CB-CG-CD2	-8.56	115.86	121.00
1	AA	1441	A	C4'-C3'-C2'	-8.56	94.04	102.60
26	BB	668	A	C6-C5-N7	8.56	138.29	132.30
26	BB	2375	G	O4'-C1'-N9	8.56	115.05	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1178	G	N3-C4-N9	-8.56	120.87	126.00
1	AA	1267	C	N1-C2-O2	8.56	124.03	118.90
2	AB	1	A	C4'-C3'-C2'	-8.56	94.04	102.60
4	AD	74	A	C3'-C2'-C1'	8.56	108.35	101.50
26	BB	792	A	N1-C6-N6	-8.56	113.47	118.60
26	BB	865	C	C4-C5-C6	8.56	121.68	117.40
26	BB	1218	G	C8-N9-C4	-8.56	102.98	106.40
26	BB	1658	C	O4'-C1'-N1	8.56	115.05	108.20
26	BB	2223	G	C1'-O4'-C4'	-8.56	103.05	109.90
26	BB	2341	G	C8-N9-C4	8.56	109.82	106.40
26	BB	2182	U	N3-C2-O2	-8.56	116.21	122.20
1	AA	292	G	C5-N7-C8	-8.55	100.02	104.30
1	AA	699	C	C2-N3-C4	8.55	124.18	119.90
25	BA	35	C	N1-C2-O2	8.55	124.03	118.90
26	BB	708	G	C5-C6-N1	-8.55	107.22	111.50
26	BB	1094	U	P-O3'-C3'	8.55	129.97	119.70
26	BB	1136	G	N3-C4-C5	-8.55	124.32	128.60
26	BB	2801	G	C4-C5-N7	-8.55	107.38	110.80
26	BB	2852	G	C2-N3-C4	8.55	116.18	111.90
27	BC	71	ARG	NE-CZ-NH2	-8.55	116.02	120.30
34	BJ	152	ARG	NE-CZ-NH2	-8.55	116.02	120.30
1	AA	1041	G	C2-N3-C4	8.55	116.17	111.90
26	BB	325	G	O4'-C1'-N9	8.55	115.04	108.20
26	BB	868	U	C6-N1-C2	-8.55	115.87	121.00
1	AA	1486	G	N3-C4-N9	8.55	131.13	126.00
3	AC	29	G	N1-C6-O6	-8.55	114.77	119.90
26	BB	770	G	N9-C4-C5	8.55	108.82	105.40
26	BB	361	G	O4'-C1'-N9	8.55	115.04	108.20
26	BB	412	A	C4-C5-C6	-8.55	112.72	117.00
26	BB	847	U	C5-C4-O4	-8.55	120.77	125.90
26	BB	922	C	C2-N3-C4	8.55	124.17	119.90
1	AA	1026	G	N1-C2-N3	-8.55	118.77	123.90
1	AA	1388	C	C5-C6-N1	8.55	125.27	121.00
26	BB	637	A	C2-N3-C4	8.55	114.87	110.60
1	AA	1435	G	C6-C5-N7	-8.55	125.27	130.40
3	AC	41	A	N9-C4-C5	8.55	109.22	105.80
26	BB	266	G	C4'-C3'-C2'	-8.55	94.05	102.60
26	BB	666	A	N1-C2-N3	-8.55	125.03	129.30
26	BB	799	G	C8-N9-C4	-8.55	102.98	106.40
26	BB	1212	G	C3'-C2'-C1'	-8.55	94.66	101.50
26	BB	1613	G	N9-C4-C5	8.55	108.82	105.40
26	BB	2082	A	C5-C6-N1	8.55	121.97	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2586	U	O4'-C1'-N1	8.55	115.04	108.20
33	BI	29	PHE	CB-CG-CD2	-8.55	114.82	120.80
26	BB	1126	A	C3'-C2'-C1'	8.54	108.34	101.50
26	BB	1223	G	C8-N9-C4	-8.54	102.98	106.40
26	BB	2225	A	O4'-C1'-N9	8.54	115.04	108.20
1	AA	1003	G	C6-N1-C2	-8.54	119.97	125.10
1	AA	1206	G	N3-C2-N2	8.54	125.88	119.90
1	AA	1517	G	C4-C5-N7	-8.54	107.38	110.80
26	BB	1655	A	C8-N9-C4	8.54	109.22	105.80
26	BB	1990	C	C3'-C2'-C1'	8.54	108.33	101.50
26	BB	2872	A	N9-C4-C5	8.54	109.22	105.80
1	AA	139	A	N1-C2-N3	8.54	133.57	129.30
1	AA	791	G	C6-C5-N7	8.54	135.52	130.40
1	AA	1286	U	C6-N1-C2	-8.54	115.88	121.00
26	BB	2439	A	O4'-C1'-N9	8.54	115.03	108.20
1	AA	835	U	C2-N3-C4	8.54	132.12	127.00
1	AA	1369	C	C4-C5-C6	-8.54	113.13	117.40
3	AC	47	C	N1-C2-O2	8.54	124.02	118.90
26	BB	576	U	P-O3'-C3'	8.54	129.95	119.70
26	BB	594	U	O4'-C1'-N1	8.54	115.03	108.20
26	BB	1429	G	C5-C6-O6	-8.54	123.48	128.60
26	BB	1813	G	N9-C4-C5	8.54	108.81	105.40
26	BB	2252	G	C3'-C2'-C1'	8.54	108.33	101.50
26	BB	2369	A	C4-C5-N7	-8.54	106.43	110.70
1	AA	1396	A	N1-C6-N6	-8.54	113.48	118.60
26	BB	229	C	N3-C4-N4	8.53	123.97	118.00
26	BB	990	A	C5-C6-N6	-8.53	116.87	123.70
26	BB	1167	C	C2-N3-C4	8.54	124.17	119.90
26	BB	2381	A	N1-C2-N3	-8.54	125.03	129.30
26	BB	1947	C	C4'-C3'-C2'	-8.53	94.07	102.60
1	AA	130	A	N7-C8-N9	8.53	118.07	113.80
1	AA	177	G	O4'-C1'-N9	8.53	115.03	108.20
1	AA	649	A	C3'-C2'-C1'	-8.53	94.67	101.50
1	AA	1455	G	O4'-C1'-N9	8.53	115.03	108.20
2	AB	52	A	C5-N7-C8	-8.53	99.63	103.90
2	AB	65	C	C1'-O4'-C4'	-8.53	103.07	109.90
26	BB	1398	C	C4'-C3'-C2'	-8.53	94.07	102.60
26	BB	2603	G	O4'-C1'-N9	8.53	115.03	108.20
26	BB	582	A	O4'-C1'-N9	8.53	115.02	108.20
1	AA	545	C	C3'-C2'-C1'	8.53	108.32	101.50
1	AA	993	G	N3-C4-C5	-8.53	124.34	128.60
26	BB	68	G	C4-C5-N7	8.53	114.21	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	163	C	N3-C4-N4	8.53	123.97	118.00
26	BB	696	G	N1-C6-O6	-8.53	114.78	119.90
26	BB	2240	U	O4'-C1'-N1	8.53	115.02	108.20
26	BB	2255	G	C5-C6-O6	-8.53	123.48	128.60
26	BB	2792	A	C8-N9-C4	8.53	109.21	105.80
1	AA	610	U	C5-C4-O4	-8.53	120.78	125.90
1	AA	1249	C	N3-C4-C5	8.53	125.31	121.90
1	AA	684	U	N3-C4-O4	8.52	125.37	119.40
2	AB	24	G	C2-N3-C4	8.52	116.16	111.90
26	BB	1255	U	C1'-O4'-C4'	-8.52	103.08	109.90
1	AA	1304	G	N1-C6-O6	-8.52	114.79	119.90
26	BB	2219	U	N1-C2-N3	8.52	120.01	114.90
26	BB	2369	A	C8-N9-C4	-8.52	102.39	105.80
26	BB	2434	A	C8-N9-C4	-8.52	102.39	105.80
52	B1	15	ARG	NE-CZ-NH1	-8.52	116.04	120.30
1	AA	1391	U	O4'-C1'-N1	8.52	115.02	108.20
1	AA	239	U	O4'-C1'-N1	8.52	115.02	108.20
1	AA	713	G	C4-C5-N7	-8.52	107.39	110.80
1	AA	1271	A	C5-N7-C8	8.52	108.16	103.90
1	AA	1433	A	C5-N7-C8	-8.52	99.64	103.90
1	AA	1513	A	O4'-C1'-N9	8.52	115.02	108.20
26	BB	672	C	N3-C2-O2	-8.52	115.94	121.90
26	BB	1029	A	O4'-C4'-C3'	8.52	112.92	106.10
26	BB	1812	U	C4-C5-C6	8.52	124.81	119.70
26	BB	2269	G	C8-N9-C4	-8.52	102.99	106.40
26	BB	230	G	C5'-C4'-O4'	8.52	119.32	109.10
26	BB	314	C	N3-C4-N4	8.52	123.96	118.00
26	BB	520	G	C5-N7-C8	-8.52	100.04	104.30
26	BB	937	C	C6-N1-C2	-8.52	116.89	120.30
26	BB	1024	G	O4'-C1'-N9	8.52	115.01	108.20
26	BB	1296	G	C8-N9-C4	-8.52	102.99	106.40
26	BB	2184	A	C6-N1-C2	-8.52	113.49	118.60
26	BB	2631	G	N3-C4-C5	-8.52	124.34	128.60
26	BB	2684	U	O4'-C1'-N1	8.52	115.01	108.20
26	BB	320	A	C3'-C2'-C1'	8.51	108.31	101.50
26	BB	2455	G	C8-N9-C4	-8.51	103.00	106.40
1	AA	1078	U	N3-C2-O2	-8.51	116.24	122.20
26	BB	523	C	O4'-C1'-N1	8.51	115.01	108.20
26	BB	1828	G	N3-C4-C5	-8.51	124.34	128.60
26	BB	1844	C	C6-N1-C2	-8.51	116.89	120.30
26	BB	2320	U	N3-C2-O2	-8.51	116.24	122.20
26	BB	2536	G	N7-C8-N9	8.51	117.36	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2729	G	N3-C2-N2	8.51	125.86	119.90
31	BG	166	ARG	NE-CZ-NH1	8.51	124.56	120.30
1	AA	301	G	O4'-C1'-N9	8.51	115.01	108.20
1	AA	776	G	N3-C2-N2	8.51	125.86	119.90
1	AA	925	G	C5-N7-C8	8.51	108.56	104.30
26	BB	2409	G	N7-C8-N9	8.51	117.36	113.10
1	AA	1246	A	C4-C5-N7	-8.51	106.45	110.70
26	BB	67	U	C5-C6-N1	8.51	126.95	122.70
26	BB	296	U	N3-C2-O2	-8.51	116.24	122.20
1	AA	574	A	N1-C6-N6	8.51	123.70	118.60
1	AA	690	G	C1'-O4'-C4'	8.51	116.71	109.90
4	AD	67	C	N3-C4-C5	-8.51	118.50	121.90
26	BB	1132	U	N3-C4-C5	-8.51	109.50	114.60
26	BB	1671	U	N3-C4-C5	-8.51	109.50	114.60
26	BB	1818	U	C5'-C4'-O4'	8.51	119.31	109.10
1	AA	1530	G	N3-C4-C5	-8.51	124.35	128.60
26	BB	205	G	N9-C4-C5	8.51	108.80	105.40
26	BB	254	G	C6-C5-N7	-8.51	125.30	130.40
26	BB	630	G	N9-C4-C5	8.51	108.80	105.40
26	BB	727	A	C6-N1-C2	8.51	123.70	118.60
26	BB	856	G	C5-C6-O6	-8.51	123.50	128.60
26	BB	858	G	C6-C5-N7	-8.51	125.30	130.40
26	BB	1258	U	N3-C2-O2	-8.51	116.25	122.20
26	BB	1721	G	N3-C4-N9	8.51	131.10	126.00
26	BB	1843	C	O4'-C1'-N1	8.51	115.00	108.20
26	BB	2109	U	N3-C4-C5	-8.51	109.50	114.60
26	BB	2816	G	N3-C4-C5	-8.51	124.35	128.60
26	BB	604	G	C4-C5-C6	8.50	123.90	118.80
26	BB	731	C	N3-C2-O2	-8.50	115.95	121.90
26	BB	758	C	N1-C2-O2	8.50	124.00	118.90
1	AA	1003	G	C5-C6-N1	8.50	115.75	111.50
1	AA	1404	C	C6-N1-C2	8.50	123.70	120.30
26	BB	107	G	N9-C4-C5	-8.50	102.00	105.40
26	BB	188	G	C5-C6-O6	-8.50	123.50	128.60
26	BB	313	G	N3-C4-N9	8.50	131.10	126.00
26	BB	673	C	O4'-C1'-N1	8.50	115.00	108.20
26	BB	861	A	N1-C6-N6	-8.50	113.50	118.60
26	BB	1404	C	C3'-C2'-C1'	8.50	108.30	101.50
1	AA	322	C	C2-N3-C4	8.50	124.15	119.90
1	AA	838	G	C4-C5-N7	-8.50	107.40	110.80
1	AA	859	G	C5'-C4'-O4'	8.50	119.30	109.10
2	AB	74	C	O4'-C1'-N1	8.50	115.00	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	57	A	P-O3'-C3'	8.50	129.90	119.70
26	BB	290	U	N1-C2-O2	-8.50	116.85	122.80
26	BB	551	G	N9-C4-C5	8.50	108.80	105.40
26	BB	869	G	N3-C2-N2	-8.50	113.95	119.90
26	BB	1529	G	N9-C4-C5	8.50	108.80	105.40
26	BB	2698	U	C5-C6-N1	-8.50	118.45	122.70
26	BB	2812	G	N9-C4-C5	8.50	108.80	105.40
1	AA	1539	C	O4'-C4'-C3'	8.50	112.90	106.10
26	BB	960	A	C5'-C4'-O4'	8.50	119.30	109.10
26	BB	2025	C	C4-C5-C6	-8.50	113.15	117.40
1	AA	1376	U	C1'-O4'-C4'	-8.50	103.10	109.90
2	AB	47	U	P-O3'-C3'	8.50	129.90	119.70
26	BB	2063	C	N3-C2-O2	-8.50	115.95	121.90
26	BB	2573	C	O4'-C1'-N1	8.50	115.00	108.20
1	AA	1213	A	C6-N1-C2	8.49	123.70	118.60
26	BB	86	G	N3-C4-C5	-8.49	124.35	128.60
26	BB	844	A	N3-C4-N9	8.49	134.19	127.40
26	BB	1479	G	C4-C5-N7	8.49	114.20	110.80
4	AD	50	G	C4-C5-N7	8.49	114.20	110.80
26	BB	1041	G	C6-N1-C2	-8.49	120.00	125.10
26	BB	2270	A	O4'-C4'-C3'	8.49	112.89	106.10
26	BB	2379	G	C2-N3-C4	8.49	116.15	111.90
26	BB	2751	G	O4'-C1'-N9	8.49	115.00	108.20
1	AA	330	C	C3'-C2'-C1'	8.49	108.29	101.50
26	BB	1310	G	N3-C4-C5	-8.49	124.35	128.60
26	BB	2794	C	O4'-C1'-N1	8.49	114.99	108.20
12	AL	118	ARG	NE-CZ-NH2	-8.49	116.06	120.30
26	BB	986	C	C5-C4-N4	-8.49	114.26	120.20
26	BB	2115	G	N7-C8-N9	8.49	117.34	113.10
3	AC	52	U	C1'-O4'-C4'	-8.49	103.11	109.90
26	BB	111	A	N7-C8-N9	8.49	118.04	113.80
26	BB	838	C	C5-C6-N1	8.49	125.24	121.00
1	AA	1278	G	C6-C5-N7	-8.49	125.31	130.40
26	BB	1135	C	N3-C4-C5	8.49	125.30	121.90
26	BB	1196	C	N3-C4-C5	-8.49	118.50	121.90
26	BB	2322	A	C5-N7-C8	-8.49	99.66	103.90
26	BB	2570	G	P-O3'-C3'	8.49	129.88	119.70
1	AA	570	G	N3-C4-N9	8.48	131.09	126.00
1	AA	214	C	C5'-C4'-O4'	8.48	119.28	109.10
1	AA	695	A	C5-N7-C8	8.48	108.14	103.90
26	BB	1413	A	C5-N7-C8	-8.48	99.66	103.90
26	BB	2473	U	P-O3'-C3'	8.48	129.88	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1316	G	P-O3'-C3'	8.48	129.88	119.70
26	BB	248	G	C4-C5-N7	8.48	114.19	110.80
26	BB	400	G	P-O3'-C3'	8.48	129.88	119.70
26	BB	425	G	C8-N9-C4	-8.48	103.01	106.40
26	BB	1655	A	O4'-C1'-N9	8.48	114.99	108.20
26	BB	1989	G	C5-C6-O6	8.48	133.69	128.60
26	BB	2582	G	N3-C4-C5	-8.48	124.36	128.60
42	BR	79	VAL	CA-CB-CG2	8.48	123.62	110.90
1	AA	1250	A	C2-N3-C4	8.48	114.84	110.60
26	BB	2324	U	O4'-C1'-N1	8.48	114.99	108.20
1	AA	333	U	C6-N1-C2	-8.48	115.91	121.00
1	AA	421	U	N1-C2-N3	8.48	119.99	114.90
1	AA	636	U	O4'-C1'-N1	8.48	114.98	108.20
26	BB	163	C	O4'-C1'-N1	8.48	114.98	108.20
26	BB	430	A	N1-C2-N3	-8.48	125.06	129.30
26	BB	1810	A	C2-N3-C4	8.48	114.84	110.60
1	AA	374	A	C5-N7-C8	-8.48	99.66	103.90
3	AC	23	C	C5-C4-N4	-8.48	114.26	120.20
26	BB	132	G	N7-C8-N9	8.48	117.34	113.10
26	BB	769	U	N3-C4-O4	-8.48	113.47	119.40
26	BB	2232	C	N3-C4-C5	-8.48	118.51	121.90
26	BB	2307	G	N3-C4-C5	-8.48	124.36	128.60
1	AA	65	A	C4-C5-N7	8.48	114.94	110.70
26	BB	2203	U	C5-C6-N1	-8.48	118.46	122.70
26	BB	2775	G	N7-C8-N9	8.48	117.34	113.10
1	AA	246	A	N9-C4-C5	8.47	109.19	105.80
1	AA	353	A	C5'-C4'-O4'	8.47	119.27	109.10
1	AA	887	G	C5-C6-O6	8.47	133.69	128.60
26	BB	2138	G	N1-C2-N2	8.47	123.83	116.20
1	AA	642	A	C2-N3-C4	8.47	114.84	110.60
26	BB	27	G	N9-C4-C5	8.47	108.79	105.40
26	BB	1851	U	C4-C5-C6	8.47	124.78	119.70
26	BB	1972	G	N9-C4-C5	-8.47	102.01	105.40
26	BB	2066	C	C3'-C2'-C1'	-8.47	94.72	101.50
1	AA	557	G	C6-N1-C2	-8.47	120.02	125.10
4	AD	52	C	C6-N1-C2	-8.47	116.91	120.30
26	BB	345	A	N9-C1'-C2'	-8.47	102.68	112.00
4	AD	54	G	N1-C2-N3	-8.47	118.82	123.90
26	BB	474	G	C5-C6-O6	-8.47	123.52	128.60
26	BB	994	C	N1-C2-O2	8.47	123.98	118.90
1	AA	98	A	C5-C6-N1	8.47	121.93	117.70
1	AA	128	G	P-O3'-C3'	8.47	129.86	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	819	A	O4'-C1'-N9	8.47	114.97	108.20
26	BB	1007	C	N3-C4-N4	8.47	123.93	118.00
26	BB	1659	G	C5-N7-C8	-8.47	100.06	104.30
26	BB	1220	G	N3-C4-C5	-8.47	124.37	128.60
26	BB	1808	A	C2-N3-C4	-8.47	106.37	110.60
26	BB	2254	C	C6-N1-C2	8.47	123.69	120.30
26	BB	120	U	C6-N1-C2	-8.47	115.92	121.00
26	BB	230	G	C2-N3-C4	8.47	116.13	111.90
26	BB	2613	U	C2-N3-C4	-8.47	121.92	127.00
26	BB	1091	G	C5-C6-O6	-8.46	123.52	128.60
26	BB	1313	U	C2-N3-C4	-8.46	121.92	127.00
1	AA	1340	A	C6-N1-C2	8.46	123.68	118.60
26	BB	77	G	N7-C8-N9	8.46	117.33	113.10
1	AA	171	A	C4-C5-N7	8.46	114.93	110.70
5	AE	90	PHE	CB-CG-CD1	-8.46	114.88	120.80
26	BB	495	G	C4-C5-C6	8.46	123.88	118.80
26	BB	859	G	C4-C5-C6	8.46	123.88	118.80
1	AA	1279	G	O4'-C4'-C3'	8.46	112.87	106.10
1	AA	1294	G	C6-N1-C2	-8.46	120.02	125.10
26	BB	163	C	C1'-O4'-C4'	8.46	116.67	109.90
26	BB	2087	G	C5-C6-N1	8.46	115.73	111.50
26	BB	2146	C	C2-N3-C4	8.46	124.13	119.90
1	AA	700	G	C5-C6-N1	8.46	115.73	111.50
1	AA	741	G	C6-C5-N7	-8.46	125.33	130.40
26	BB	217	A	P-O3'-C3'	8.46	129.85	119.70
26	BB	354	A	N1-C6-N6	-8.46	113.53	118.60
26	BB	1564	C	C5-C6-N1	8.46	125.23	121.00
26	BB	2574	G	C4-C5-N7	-8.46	107.42	110.80
29	BE	128	ARG	NH1-CZ-NH2	-8.46	110.10	119.40
1	AA	100	G	N3-C4-C5	-8.46	124.37	128.60
1	AA	259	G	O4'-C1'-N9	8.46	114.96	108.20
1	AA	1008	U	C5-C4-O4	-8.46	120.83	125.90
26	BB	2701	U	N3-C4-O4	8.46	125.32	119.40
1	AA	466	A	C6-N1-C2	-8.45	113.53	118.60
26	BB	909	A	C2-N3-C4	8.45	114.83	110.60
1	AA	310	G	C5-C6-O6	-8.45	123.53	128.60
26	BB	2032	G	C5-C6-O6	-8.45	123.53	128.60
26	BB	553	G	N3-C4-C5	-8.45	124.37	128.60
26	BB	2317	A	C5-C6-N1	-8.45	113.47	117.70
1	AA	596	A	N1-C6-N6	8.45	123.67	118.60
1	AA	1462	C	N1-C2-O2	8.45	123.97	118.90
26	BB	2183	A	N7-C8-N9	8.45	118.03	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1163	A	N1-C6-N6	8.45	123.67	118.60
1	AA	1305	G	C4-C5-N7	-8.45	107.42	110.80
26	BB	678	C	C5-C6-N1	8.45	125.22	121.00
26	BB	902	C	C1'-O4'-C4'	-8.45	103.14	109.90
26	BB	1076	C	C6-N1-C2	8.45	123.68	120.30
26	BB	2043	C	O4'-C1'-C2'	-8.45	97.35	105.80
26	BB	2703	C	C5-C6-N1	-8.45	116.78	121.00
1	AA	35	G	C6-C5-N7	8.45	135.47	130.40
1	AA	146	G	O4'-C1'-N9	8.45	114.96	108.20
1	AA	448	A	C8-N9-C4	-8.45	102.42	105.80
1	AA	702	A	N1-C6-N6	8.45	123.67	118.60
4	AD	19	G	O4'-C4'-C3'	8.45	112.86	106.10
25	BA	104	A	C8-N9-C4	-8.45	102.42	105.80
26	BB	2068	U	C5'-C4'-O4'	8.45	119.24	109.10
1	AA	366	A	N1-C2-N3	-8.44	125.08	129.30
1	AA	555	U	N3-C4-C5	8.44	119.67	114.60
26	BB	302	C	O4'-C1'-N1	8.44	114.95	108.20
26	BB	377	G	C8-N9-C4	-8.45	103.02	106.40
26	BB	858	G	C5-C6-N1	-8.45	107.28	111.50
26	BB	1714	U	C5-C6-N1	-8.44	118.48	122.70
26	BB	2615	U	O4'-C1'-N1	8.45	114.96	108.20
1	AA	403	C	N3-C4-N4	8.44	123.91	118.00
26	BB	976	G	N3-C4-C5	-8.44	124.38	128.60
1	AA	741	G	N9-C4-C5	8.44	108.78	105.40
1	AA	1034	G	N1-C6-O6	-8.44	114.83	119.90
26	BB	488	G	O4'-C1'-N9	8.44	114.95	108.20
26	BB	940	G	N3-C2-N2	-8.44	113.99	119.90
26	BB	962	G	C5-N7-C8	-8.44	100.08	104.30
1	AA	1240	U	N1-C2-O2	8.44	128.71	122.80
26	BB	876	C	C1'-O4'-C4'	-8.44	103.15	109.90
1	AA	941	G	N7-C8-N9	8.44	117.32	113.10
2	AB	14	A	C8-N9-C4	-8.44	102.42	105.80
1	AA	1339	A	C5-N7-C8	8.44	108.12	103.90
2	AB	65	C	O4'-C1'-N1	8.44	114.95	108.20
26	BB	900	A	P-O3'-C3'	8.44	129.83	119.70
26	BB	1573	G	C5-N7-C8	8.44	108.52	104.30
26	BB	2537	U	C1'-O4'-C4'	8.44	116.65	109.90
26	BB	1614	A	C1'-O4'-C4'	-8.44	103.15	109.90
26	BB	2412	A	C2-N3-C4	8.44	114.82	110.60
1	AA	1151	A	C5-C6-N1	-8.44	113.48	117.70
26	BB	1630	A	O4'-C1'-N9	8.44	114.95	108.20
26	BB	2148	G	N7-C8-N9	8.44	117.32	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2697	G	N3-C4-C5	-8.44	124.38	128.60
1	AA	14	U	N3-C4-C5	-8.43	109.54	114.60
1	AA	241	G	N3-C4-N9	8.43	131.06	126.00
1	AA	597	G	N9-C4-C5	8.43	108.77	105.40
26	BB	63	A	C5-N7-C8	-8.43	99.68	103.90
1	AA	164	G	N9-C4-C5	8.43	108.77	105.40
1	AA	482	A	O4'-C1'-N9	8.43	114.94	108.20
24	AX	70	TYR	CB-CG-CD2	-8.43	115.94	121.00
26	BB	968	C	O4'-C1'-N1	8.43	114.94	108.20
25	BA	53	A	O4'-C1'-N9	8.43	114.94	108.20
26	BB	1662	U	C4-C5-C6	8.43	124.76	119.70
26	BB	2472	G	C8-N9-C4	-8.43	103.03	106.40
38	BN	78	ARG	NE-CZ-NH1	8.43	124.52	120.30
26	BB	1022	G	C1'-O4'-C4'	-8.43	103.16	109.90
26	BB	2672	U	O4'-C1'-N1	8.43	114.94	108.20
1	AA	137	U	N1-C2-O2	-8.43	116.90	122.80
1	AA	309	A	C5-N7-C8	-8.43	99.69	103.90
4	AD	15	G	N7-C8-N9	-8.43	108.89	113.10
26	BB	2582	G	C4-C5-N7	-8.43	107.43	110.80
1	AA	606	G	C6-N1-C2	-8.43	120.05	125.10
1	AA	814	A	N1-C6-N6	-8.43	113.54	118.60
26	BB	909	A	N9-C1'-C2'	-8.43	102.73	112.00
26	BB	220	G	C8-N9-C4	-8.43	103.03	106.40
26	BB	382	A	N7-C8-N9	-8.43	109.59	113.80
26	BB	1232	G	N9-C4-C5	8.43	108.77	105.40
26	BB	1293	C	N1-C2-O2	8.43	123.96	118.90
26	BB	1350	C	O4'-C1'-N1	8.43	114.94	108.20
26	BB	2056	G	N1-C2-N3	8.43	128.96	123.90
26	BB	2309	A	N1-C6-N6	-8.43	113.55	118.60
1	AA	732	C	C6-N1-C2	8.42	123.67	120.30
1	AA	891	U	C5-C6-N1	-8.42	118.49	122.70
1	AA	980	C	O4'-C4'-C3'	8.42	112.84	106.10
26	BB	1	G	N9-C4-C5	8.42	108.77	105.40
26	BB	1578	U	N1-C2-O2	8.42	128.70	122.80
26	BB	195	A	N9-C4-C5	-8.42	102.43	105.80
26	BB	705	A	N1-C6-N6	-8.42	113.55	118.60
26	BB	2410	G	C5-C6-O6	-8.42	123.55	128.60
26	BB	2572	A	C4-C5-N7	-8.42	106.49	110.70
26	BB	2881	U	C5-C4-O4	-8.42	120.85	125.90
1	AA	231	U	C3'-C2'-C1'	8.42	108.24	101.50
1	AA	509	A	N9-C4-C5	8.42	109.17	105.80
1	AA	982	U	C5'-C4'-O4'	8.42	119.20	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1187	G	O4'-C1'-N9	8.42	114.94	108.20
25	BA	21	G	C5-C6-N1	8.42	115.71	111.50
26	BB	1350	C	N3-C4-N4	8.42	123.89	118.00
26	BB	2269	G	C6-C5-N7	-8.42	125.35	130.40
26	BB	2370	G	C6-N1-C2	-8.42	120.05	125.10
26	BB	305	C	C5-C4-N4	-8.42	114.31	120.20
26	BB	319	G	O4'-C1'-N9	8.42	114.94	108.20
1	AA	276	G	C4-C5-N7	8.42	114.17	110.80
26	BB	430	A	C2-N3-C4	8.42	114.81	110.60
26	BB	1998	A	C4-C5-C6	8.42	121.21	117.00
1	AA	595	A	N7-C8-N9	8.42	118.01	113.80
1	AA	1046	A	N1-C6-N6	8.42	123.65	118.60
26	BB	1170	C	C5-C4-N4	8.41	126.09	120.20
26	BB	1288	G	N1-C2-N3	8.41	128.95	123.90
26	BB	1453	A	C2-N3-C4	8.41	114.81	110.60
26	BB	1632	A	C6-N1-C2	-8.41	113.55	118.60
1	AA	258	G	N7-C8-N9	8.41	117.31	113.10
26	BB	1048	A	N1-C2-N3	-8.41	125.09	129.30
26	BB	2206	C	N1-C2-O2	8.41	123.95	118.90
26	BB	2776	A	C2-N3-C4	8.41	114.81	110.60
1	AA	495	A	N1-C6-N6	-8.41	113.56	118.60
1	AA	622	A	N9-C1'-C2'	-8.41	102.75	112.00
1	AA	1244	G	C2-N3-C4	8.41	116.11	111.90
26	BB	2490	G	N9-C1'-C2'	8.41	124.93	114.00
26	BB	138	U	N1-C1'-C2'	-8.41	102.75	112.00
26	BB	265	A	N9-C4-C5	-8.41	102.44	105.80
26	BB	392	U	N1-C2-N3	8.41	119.95	114.90
1	AA	1040	U	N1-C2-N3	8.41	119.94	114.90
1	AA	1117	A	O4'-C1'-N9	8.41	114.93	108.20
6	AF	28	PHE	CB-CG-CD2	-8.41	114.92	120.80
1	AA	754	C	N1-C2-O2	8.41	123.94	118.90
26	BB	65	U	O4'-C1'-N1	8.41	114.92	108.20
26	BB	238	C	O4'-C1'-N1	8.41	114.92	108.20
26	BB	1504	A	C5-C6-N1	8.41	121.90	117.70
26	BB	1536	C	C6-N1-C2	-8.41	116.94	120.30
26	BB	2314	A	C5-C6-N6	-8.41	116.97	123.70
1	AA	1026	G	C6-N1-C2	8.40	130.14	125.10
1	AA	1459	G	C4-C5-N7	-8.40	107.44	110.80
26	BB	1087	G	C4-C5-C6	8.40	123.84	118.80
26	BB	2252	G	C4-C5-N7	-8.40	107.44	110.80
1	AA	62	U	C5-C6-N1	-8.40	118.50	122.70
1	AA	836	G	N9-C4-C5	8.40	108.76	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	846	G	N3-C4-N9	-8.40	120.96	126.00
4	AD	23	G	N7-C8-N9	8.40	117.30	113.10
36	BL	74	TYR	CB-CG-CD2	8.40	126.04	121.00
4	AD	27	G	C4-C5-N7	-8.40	107.44	110.80
26	BB	862	G	C5-C6-N1	8.40	115.70	111.50
26	BB	2128	G	C8-N9-C4	-8.40	103.04	106.40
26	BB	2655	G	O4'-C1'-C2'	-8.40	97.40	105.80
26	BB	533	G	C4-C5-C6	8.40	123.84	118.80
1	AA	36	C	N1-C2-O2	8.40	123.94	118.90
1	AA	356	A	C4-C5-C6	8.40	121.20	117.00
1	AA	519	C	C5'-C4'-O4'	8.40	119.18	109.10
26	BB	275	C	C4-C5-C6	8.40	121.60	117.40
26	BB	1632	A	C2-N3-C4	-8.40	106.40	110.60
26	BB	1987	A	C2-N3-C4	8.40	114.80	110.60
6	AF	200	TRP	CD1-NE1-CE2	8.40	116.56	109.00
26	BB	81	G	N3-C4-C5	-8.40	124.40	128.60
26	BB	318	C	C5-C4-N4	-8.40	114.32	120.20
26	BB	946	C	C5-C4-N4	-8.40	114.32	120.20
26	BB	974	G	N1-C2-N3	-8.40	118.86	123.90
26	BB	1445	G	N3-C4-N9	8.40	131.04	126.00
26	BB	1717	A	N1-C6-N6	8.40	123.64	118.60
1	AA	240	G	C4-C5-N7	-8.39	107.44	110.80
1	AA	1349	A	C4-C5-C6	-8.39	112.80	117.00
1	AA	213	G	N1-C6-O6	-8.39	114.86	119.90
1	AA	278	G	N3-C2-N2	-8.39	114.02	119.90
1	AA	1231	G	N3-C4-N9	8.39	131.04	126.00
4	AD	31	G	C5-C6-N1	8.39	115.70	111.50
26	BB	489	G	N1-C2-N2	-8.39	108.65	116.20
26	BB	510	C	C4-C5-C6	8.39	121.60	117.40
26	BB	876	C	N3-C4-N4	8.39	123.88	118.00
26	BB	1089	A	N9-C4-C5	8.39	109.16	105.80
26	BB	1194	A	C6-C5-N7	8.39	138.18	132.30
26	BB	1702	G	N9-C4-C5	8.39	108.76	105.40
26	BB	1848	A	C2-N3-C4	8.39	114.80	110.60
26	BB	2180	U	O4'-C1'-N1	8.39	114.92	108.20
26	BB	1455	G	C5-N7-C8	-8.39	100.10	104.30
1	AA	604	G	N1-C6-O6	8.39	124.93	119.90
26	BB	879	G	C4-C5-N7	8.39	114.16	110.80
26	BB	1296	G	N3-C4-C5	-8.39	124.41	128.60
26	BB	2770	G	C5-N7-C8	-8.39	100.10	104.30
26	BB	848	C	O4'-C1'-N1	8.39	114.91	108.20
26	BB	2370	G	C5-C6-N1	8.39	115.69	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2544	G	C6-C5-N7	-8.39	125.37	130.40
1	AA	382	A	N1-C2-N3	-8.39	125.11	129.30
1	AA	588	G	N7-C8-N9	8.39	117.29	113.10
26	BB	2723	C	C2-N3-C4	-8.39	115.71	119.90
1	AA	1485	U	C6-N1-C2	-8.39	115.97	121.00
26	BB	2118	U	N3-C2-O2	-8.39	116.33	122.20
45	BU	25	ARG	NE-CZ-NH1	8.39	124.49	120.30
26	BB	731	C	C3'-C2'-C1'	8.39	108.21	101.50
26	BB	1350	C	C1'-O4'-C4'	8.39	116.61	109.90
26	BB	1547	C	C4-C5-C6	-8.39	113.21	117.40
26	BB	1703	G	C6-N1-C2	-8.39	120.07	125.10
26	BB	2057	G	N1-C6-O6	-8.38	114.87	119.90
26	BB	2665	A	O4'-C1'-N9	8.38	114.91	108.20
1	AA	310	G	N3-C4-C5	-8.38	124.41	128.60
2	AB	29	G	C5-N7-C8	-8.38	100.11	104.30
13	AM	7	ARG	NE-CZ-NH2	-8.38	116.11	120.30
26	BB	270	A	C5-N7-C8	-8.38	99.71	103.90
26	BB	271	G	C8-N9-C1'	8.38	137.90	127.00
26	BB	918	A	C2-N3-C4	8.38	114.79	110.60
26	BB	2023	C	C4-C5-C6	8.38	121.59	117.40
1	AA	458	U	C4-C5-C6	8.38	124.73	119.70
1	AA	1069	C	N3-C2-O2	-8.38	116.03	121.90
5	AE	90	PHE	CB-CG-CD2	8.38	126.67	120.80
26	BB	60	G	N9-C4-C5	8.38	108.75	105.40
26	BB	83	A	C8-N9-C4	-8.38	102.45	105.80
26	BB	578	G	N3-C4-N9	8.38	131.03	126.00
26	BB	1977	A	N1-C2-N3	-8.38	125.11	129.30
26	BB	1928	A	C1'-O4'-C4'	-8.38	103.20	109.90
26	BB	1985	C	C5-C4-N4	-8.38	114.33	120.20
26	BB	2211	A	N1-C2-N3	-8.38	125.11	129.30
26	BB	2265	U	C5-C4-O4	8.38	130.93	125.90
26	BB	2649	C	C5-C4-N4	8.38	126.07	120.20
1	AA	715	A	C5-C6-N6	-8.38	117.00	123.70
1	AA	1107	C	N3-C4-N4	8.38	123.86	118.00
1	AA	1113	C	C4-C5-C6	-8.38	113.21	117.40
26	BB	864	G	N7-C8-N9	8.38	117.29	113.10
26	BB	960	A	C5-C6-N6	-8.38	117.00	123.70
26	BB	1035	U	C5-C4-O4	-8.38	120.87	125.90
1	AA	779	C	C6-N1-C2	-8.38	116.95	120.30
1	AA	894	G	N7-C8-N9	8.38	117.29	113.10
8	AH	137	ARG	NE-CZ-NH2	-8.38	116.11	120.30
26	BB	1246	A	N9-C4-C5	8.38	109.15	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1493	C	N3-C4-C5	-8.38	118.55	121.90
1	AA	631	C	C5-C6-N1	-8.38	116.81	121.00
1	AA	636	U	N3-C2-O2	-8.38	116.34	122.20
1	AA	855	U	C4'-C3'-C2'	-8.37	94.23	102.60
1	AA	1246	A	O4'-C1'-N9	8.38	114.90	108.20
26	BB	1952	A	N9-C1'-C2'	-8.38	102.79	112.00
26	BB	1990	C	O4'-C1'-N1	8.38	114.90	108.20
26	BB	2045	C	N1-C1'-C2'	-8.37	102.79	112.00
26	BB	2032	G	N3-C4-C5	-8.37	124.41	128.60
1	AA	79	G	C5-C6-O6	-8.37	123.58	128.60
1	AA	1139	G	C4-C5-N7	-8.37	107.45	110.80
26	BB	1956	U	C5-C6-N1	-8.37	118.51	122.70
26	BB	2687	U	O4'-C1'-N1	8.37	114.90	108.20
1	AA	1356	G	C5-C6-O6	-8.37	123.58	128.60
26	BB	153	U	N3-C4-C5	-8.37	109.58	114.60
26	BB	915	C	C4'-C3'-C2'	-8.37	94.23	102.60
26	BB	964	C	P-O3'-C3'	8.37	129.75	119.70
26	BB	2259	U	O4'-C1'-N1	8.37	114.90	108.20
1	AA	564	C	O4'-C1'-N1	8.37	114.90	108.20
26	BB	2398	U	N3-C4-O4	8.37	125.26	119.40
26	BB	348	A	C5-C6-N1	8.37	121.88	117.70
26	BB	976	G	C2-N3-C4	8.37	116.08	111.90
26	BB	2695	U	O4'-C1'-N1	8.37	114.89	108.20
26	BB	2794	C	C5-C4-N4	-8.37	114.34	120.20
1	AA	1316	G	N1-C6-O6	-8.37	114.88	119.90
1	AA	267	C	N1-C1'-C2'	-8.36	102.80	112.00
1	AA	518	C	C5-C6-N1	-8.36	116.82	121.00
1	AA	1444	U	C5-C4-O4	8.36	130.92	125.90
26	BB	82	U	C6-N1-C2	8.37	126.02	121.00
26	BB	2218	G	C5-C6-O6	-8.37	123.58	128.60
26	BB	647	G	C2-N3-C4	8.36	116.08	111.90
26	BB	811	U	N1-C1'-C2'	-8.36	102.80	112.00
26	BB	1652	A	N1-C2-N3	-8.36	125.12	129.30
26	BB	1706	C	O4'-C1'-N1	8.36	114.89	108.20
26	BB	2216	G	C8-N9-C4	-8.36	103.06	106.40
26	BB	2710	C	O4'-C4'-C3'	8.36	112.79	106.10
26	BB	1020	A	O4'-C1'-N9	8.36	114.89	108.20
26	BB	1167	C	N3-C4-C5	-8.36	118.56	121.90
26	BB	2747	G	C5-N7-C8	-8.36	100.12	104.30
1	AA	273	U	P-O3'-C3'	8.36	129.73	119.70
1	AA	470	C	N3-C4-C5	-8.36	118.56	121.90
1	AA	692	U	C5-C6-N1	-8.36	118.52	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	AU	47	ARG	NE-CZ-NH2	-8.36	116.12	120.30
26	BB	628	G	C8-N9-C4	-8.36	103.06	106.40
26	BB	904	G	C2-N3-C4	8.36	116.08	111.90
26	BB	1277	G	N7-C8-N9	8.36	117.28	113.10
26	BB	1412	U	O4'-C1'-N1	8.36	114.89	108.20
26	BB	2468	A	C4-C5-C6	-8.36	112.82	117.00
26	BB	1820	U	C5-C4-O4	-8.36	120.89	125.90
1	AA	53	A	C5'-C4'-O4'	8.35	119.12	109.10
2	AB	42	G	C2-N3-C4	8.35	116.08	111.90
26	BB	1970	A	C5-N7-C8	8.35	108.08	103.90
1	AA	80	A	C8-N9-C4	-8.35	102.46	105.80
1	AA	525	C	C2-N3-C4	8.35	124.08	119.90
2	AB	75	C	C4-C5-C6	8.35	121.58	117.40
26	BB	254	G	N9-C4-C5	8.35	108.74	105.40
26	BB	691	C	O4'-C1'-N1	8.35	114.88	108.20
26	BB	853	C	C2-N3-C4	8.35	124.08	119.90
26	BB	1291	C	C5-C6-N1	8.35	125.18	121.00
26	BB	1856	U	C5'-C4'-O4'	8.35	119.12	109.10
25	BA	82	U	C3'-C2'-C1'	8.35	108.18	101.50
26	BB	391	A	C8-N9-C4	-8.35	102.46	105.80
26	BB	536	G	C8-N9-C4	-8.35	103.06	106.40
26	BB	1292	G	C1'-O4'-C4'	-8.35	103.22	109.90
26	BB	1585	C	C5'-C4'-O4'	8.35	119.12	109.10
26	BB	1601	G	C5-C6-O6	8.35	133.61	128.60
26	BB	1604	C	C6-N1-C2	-8.35	116.96	120.30
26	BB	1682	G	C5-C6-O6	-8.35	123.59	128.60
46	BV	6	ARG	NE-CZ-NH2	-8.35	116.12	120.30
1	AA	106	C	O4'-C1'-N1	8.35	114.88	108.20
1	AA	839	C	O4'-C1'-N1	8.35	114.88	108.20
1	AA	1173	U	N3-C2-O2	-8.35	116.36	122.20
26	BB	428	A	C5-N7-C8	-8.35	99.72	103.90
26	BB	1088	A	N7-C8-N9	8.35	117.97	113.80
1	AA	885	G	C4-C5-C6	8.35	123.81	118.80
26	BB	275	C	C5-C4-N4	8.35	126.04	120.20
26	BB	2261	C	N3-C4-C5	8.35	125.24	121.90
26	BB	2886	A	O4'-C1'-N9	8.35	114.88	108.20
1	AA	107	G	C5-C6-N1	8.35	115.67	111.50
1	AA	245	U	C6-N1-C2	-8.35	115.99	121.00
1	AA	377	G	N9-C4-C5	8.35	108.74	105.40
2	AB	42	G	N3-C2-N2	8.35	125.74	119.90
26	BB	2904	U	O4'-C1'-N1	8.35	114.88	108.20
1	AA	1243	C	N3-C4-N4	8.35	123.84	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1438	G	C2-N3-C4	8.35	116.07	111.90
26	BB	34	U	N3-C4-C5	-8.35	109.59	114.60
26	BB	371	A	C8-N9-C4	8.35	109.14	105.80
26	BB	135	U	N3-C4-C5	8.35	119.61	114.60
26	BB	251	A	N9-C4-C5	-8.35	102.46	105.80
26	BB	1182	G	N1-C2-N3	-8.35	118.89	123.90
26	BB	2285	C	C5-C6-N1	8.35	125.17	121.00
26	BB	333	G	C8-N9-C4	-8.35	103.06	106.40
26	BB	412	A	N1-C6-N6	-8.35	113.59	118.60
26	BB	2348	U	N3-C2-O2	-8.35	116.36	122.20
1	AA	11	G	C6-N1-C2	-8.34	120.09	125.10
1	AA	918	A	N7-C8-N9	8.34	117.97	113.80
1	AA	282	A	C3'-C2'-C1'	8.34	108.17	101.50
1	AA	381	C	C5-C4-N4	-8.34	114.36	120.20
26	BB	258	G	C6-C5-N7	-8.34	125.39	130.40
26	BB	1296	G	C5'-C4'-O4'	8.34	119.11	109.10
1	AA	616	G	N3-C4-N9	8.34	131.00	126.00
1	AA	654	G	N3-C4-C5	8.34	132.77	128.60
1	AA	1379	G	C2-N3-C4	-8.34	107.73	111.90
1	AA	1480	A	C6-N1-C2	8.34	123.61	118.60
26	BB	2516	A	C5-C6-N6	-8.34	117.03	123.70
26	BB	2838	G	C5-C6-N1	-8.34	107.33	111.50
1	AA	637	C	C5-C4-N4	-8.34	114.36	120.20
1	AA	1175	G	C6-C5-N7	-8.34	125.40	130.40
26	BB	433	C	C5'-C4'-O4'	8.34	119.11	109.10
26	BB	469	G	C4-C5-N7	-8.34	107.46	110.80
26	BB	953	G	C4-C5-N7	8.34	114.14	110.80
26	BB	1723	G	O4'-C4'-C3'	8.34	112.77	106.10
26	BB	1479	G	C5-C6-N1	8.34	115.67	111.50
26	BB	927	A	C4-C5-N7	-8.34	106.53	110.70
1	AA	352	C	O4'-C1'-C2'	-8.34	97.46	105.80
26	BB	1300	G	C4-C5-N7	8.34	114.14	110.80
26	BB	1792	G	C2-N3-C4	8.34	116.07	111.90
26	BB	2772	C	O4'-C1'-N1	8.34	114.87	108.20
26	BB	1396	U	N1-C2-O2	8.34	128.63	122.80
26	BB	1531	C	O4'-C1'-N1	8.34	114.87	108.20
26	BB	1905	C	O4'-C1'-N1	8.34	114.87	108.20
1	AA	439	U	N3-C2-O2	-8.33	116.37	122.20
26	BB	252	G	C5-C6-N1	8.33	115.67	111.50
26	BB	1018	U	O4'-C1'-N1	8.33	114.87	108.20
26	BB	1169	A	C4-C5-C6	8.33	121.17	117.00
26	BB	1184	U	C2-N3-C4	-8.33	122.00	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1631	G	N7-C8-N9	8.33	117.27	113.10
26	BB	2702	G	N1-C6-O6	-8.33	114.90	119.90
1	AA	1377	A	C4'-C3'-C2'	-8.33	94.27	102.60
26	BB	1085	A	N7-C8-N9	-8.33	109.64	113.80
26	BB	2140	G	O4'-C4'-C3'	8.33	112.77	106.10
1	AA	320	A	N9-C1'-C2'	-8.33	102.84	112.00
1	AA	494	G	C8-N9-C4	-8.33	103.07	106.40
1	AA	1114	C	N1-C2-O2	8.33	123.90	118.90
26	BB	123	G	N9-C1'-C2'	-8.33	102.84	112.00
1	AA	1033	G	C5-C6-O6	-8.33	123.60	128.60
1	AA	1318	A	O4'-C1'-N9	8.33	114.86	108.20
26	BB	77	G	C2-N3-C4	8.33	116.06	111.90
26	BB	828	U	C5-C4-O4	-8.33	120.90	125.90
26	BB	1636	U	C2-N3-C4	-8.33	122.00	127.00
26	BB	2022	U	C2-N3-C4	-8.33	122.00	127.00
26	BB	2623	G	N7-C8-N9	-8.33	108.94	113.10
1	AA	517	G	C5-N7-C8	8.33	108.46	104.30
26	BB	840	C	N3-C4-N4	8.33	123.83	118.00
26	BB	194	G	C6-N1-C2	-8.33	120.10	125.10
26	BB	436	C	N3-C4-N4	8.33	123.83	118.00
26	BB	1779	U	C1'-O4'-C4'	-8.33	103.24	109.90
26	BB	2032	G	C4'-C3'-C2'	-8.33	94.27	102.60
26	BB	2578	G	C2-N3-C4	8.33	116.06	111.90
1	AA	636	U	C5-C6-N1	-8.32	118.54	122.70
1	AA	1077	G	C1'-O4'-C4'	-8.32	103.24	109.90
1	AA	1459	G	C5-C6-O6	-8.32	123.61	128.60
26	BB	342	A	C6-N1-C2	8.32	123.59	118.60
1	AA	859	G	C5-C6-O6	8.32	133.59	128.60
26	BB	75	G	C4'-C3'-C2'	-8.32	94.28	102.60
26	BB	1822	C	O4'-C1'-N1	8.32	114.86	108.20
26	BB	2137	U	C2-N3-C4	-8.32	122.01	127.00
26	BB	2356	U	O4'-C1'-N1	8.32	114.86	108.20
26	BB	2781	A	C5-C6-N1	8.32	121.86	117.70
26	BB	2545	G	C8-N9-C4	-8.32	103.07	106.40
26	BB	2835	A	N7-C8-N9	8.32	117.96	113.80
1	AA	106	C	C2-N3-C4	8.32	124.06	119.90
1	AA	723	U	C5-C4-O4	-8.32	120.91	125.90
26	BB	584	C	C5-C4-N4	-8.32	114.38	120.20
26	BB	2046	G	C2-N3-C4	8.32	116.06	111.90
26	BB	2361	G	O4'-C1'-N9	8.32	114.86	108.20
26	BB	620	G	C5-N7-C8	8.32	108.46	104.30
26	BB	1661	G	O4'-C1'-N9	8.32	114.86	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1688	U	P-O3'-C3'	8.32	129.68	119.70
1	AA	157	U	N3-C2-O2	-8.32	116.38	122.20
1	AA	280	C	N3-C2-O2	-8.32	116.08	121.90
1	AA	658	C	O4'-C1'-N1	8.32	114.86	108.20
1	AA	881	G	N3-C4-C5	-8.32	124.44	128.60
1	AA	1023	U	N3-C2-O2	-8.32	116.38	122.20
1	AA	1246	A	C5-N7-C8	8.32	108.06	103.90
1	AA	91	U	C5'-C4'-O4'	8.31	119.08	109.10
1	AA	1104	G	C4-C5-C6	8.31	123.79	118.80
26	BB	313	G	C3'-C2'-C1'	8.31	108.15	101.50
26	BB	373	U	C5-C4-O4	-8.31	120.91	125.90
26	BB	883	G	C4-C5-N7	8.31	114.12	110.80
26	BB	1759	A	N1-C6-N6	-8.31	113.61	118.60
26	BB	2749	A	O4'-C1'-C2'	-8.31	97.48	105.80
32	BH	54	ARG	NE-CZ-NH1	8.31	124.46	120.30
26	BB	2100	G	N3-C4-C5	-8.31	124.44	128.60
26	BB	2775	G	N3-C4-C5	-8.31	124.44	128.60
26	BB	2857	G	C2-N3-C4	8.31	116.06	111.90
1	AA	1470	U	N3-C2-O2	-8.31	116.38	122.20
1	AA	1483	A	C4-C5-C6	-8.31	112.84	117.00
2	AB	27	C	C5'-C4'-O4'	8.31	119.07	109.10
12	AL	63	TYR	CB-CG-CD1	-8.31	116.01	121.00
26	BB	962	G	C4-C5-N7	8.31	114.12	110.80
26	BB	1147	A	O4'-C1'-N9	8.31	114.85	108.20
26	BB	1148	U	N1-C2-N3	8.31	119.89	114.90
26	BB	1309	G	N1-C6-O6	8.31	124.89	119.90
26	BB	1165	A	O4'-C1'-N9	8.31	114.85	108.20
26	BB	1235	G	C8-N9-C1'	8.31	137.80	127.00
26	BB	1992	G	N9-C4-C5	8.31	108.72	105.40
1	AA	173	U	P-O3'-C3'	8.31	129.67	119.70
1	AA	413	G	N9-C4-C5	-8.31	102.08	105.40
1	AA	849	G	C8-N9-C4	-8.31	103.08	106.40
26	BB	1103	A	N1-C2-N3	-8.31	125.15	129.30
26	BB	1801	A	N1-C6-N6	-8.31	113.61	118.60
1	AA	468	A	C5'-C4'-O4'	8.30	119.07	109.10
1	AA	803	G	N9-C4-C5	-8.30	102.08	105.40
1	AA	881	G	C5-C6-N1	8.30	115.65	111.50
1	AA	930	C	O4'-C1'-N1	8.30	114.84	108.20
4	AD	7	G	N1-C2-N3	-8.31	118.92	123.90
26	BB	2204	G	C4-C5-N7	-8.31	107.48	110.80
26	BB	2636	C	O4'-C1'-N1	8.31	114.84	108.20
1	AA	469	C	C2-N3-C4	8.30	124.05	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	9	G	O4'-C1'-N9	8.30	114.84	108.20
26	BB	370	G	C3'-C2'-C1'	8.30	108.14	101.50
26	BB	1221	C	O4'-C1'-N1	8.30	114.84	108.20
26	BB	1514	G	N7-C8-N9	8.30	117.25	113.10
26	BB	1886	U	N3-C4-C5	-8.30	109.62	114.60
26	BB	2247	A	O4'-C1'-N9	8.30	114.84	108.20
1	AA	142	G	C3'-C2'-C1'	8.30	108.14	101.50
1	AA	682	G	N3-C4-C5	-8.30	124.45	128.60
4	AD	60	A	N7-C8-N9	-8.30	109.65	113.80
25	BA	71	C	O4'-C1'-N1	8.30	114.84	108.20
26	BB	2603	G	N9-C4-C5	8.30	108.72	105.40
26	BB	1243	C	O4'-C1'-N1	8.30	114.84	108.20
26	BB	2042	A	C2-N3-C4	8.30	114.75	110.60
26	BB	2639	A	C6-N1-C2	-8.30	113.62	118.60
1	AA	548	G	O4'-C1'-N9	8.30	114.84	108.20
1	AA	1025	U	O4'-C4'-C3'	8.30	112.74	106.10
1	AA	1408	A	C5'-C4'-O4'	8.30	119.06	109.10
26	BB	804	A	P-O3'-C3'	8.30	129.66	119.70
1	AA	131	A	C4'-C3'-C2'	-8.30	94.30	102.60
1	AA	191	G	C8-N9-C4	-8.30	103.08	106.40
1	AA	680	C	O4'-C1'-N1	8.29	114.84	108.20
1	AA	838	G	N3-C2-N2	-8.29	114.09	119.90
1	AA	1426	G	P-O3'-C3'	8.29	129.65	119.70
26	BB	2277	G	C2-N3-C4	8.29	116.05	111.90
26	BB	2277	G	N1-C6-O6	8.30	124.88	119.90
1	AA	776	G	C2-N3-C4	8.29	116.05	111.90
4	AD	41	C	C4-C5-C6	8.29	121.55	117.40
26	BB	1434	A	N7-C8-N9	8.29	117.95	113.80
26	BB	2558	C	N3-C2-O2	-8.29	116.09	121.90
1	AA	1075	U	O4'-C1'-N1	8.29	114.83	108.20
1	AA	1214	C	C1'-O4'-C4'	-8.29	103.27	109.90
25	BA	14	U	C5-C6-N1	-8.29	118.56	122.70
26	BB	595	C	C5-C6-N1	8.29	125.15	121.00
26	BB	1615	C	N1-C2-O2	8.29	123.88	118.90
26	BB	2087	G	C3'-C2'-C1'	8.29	108.13	101.50
26	BB	2729	G	C8-N9-C4	-8.29	103.08	106.40
26	BB	2365	G	C5-N7-C8	-8.29	100.15	104.30
1	AA	133	U	O4'-C1'-N1	8.29	114.83	108.20
4	AD	35	C	C2-N3-C4	8.29	124.04	119.90
26	BB	823	C	O4'-C1'-N1	8.29	114.83	108.20
26	BB	1815	A	C5-N7-C8	-8.29	99.75	103.90
26	BB	2143	C	O4'-C1'-N1	8.29	114.83	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2253	G	C4-C5-N7	-8.29	107.48	110.80
1	AA	882	C	N3-C4-C5	-8.29	118.58	121.90
26	BB	378	C	C4-C5-C6	-8.29	113.26	117.40
26	BB	557	C	O4'-C1'-N1	8.29	114.83	108.20
26	BB	615	U	N1-C2-N3	8.29	119.87	114.90
26	BB	1018	U	N3-C2-O2	-8.29	116.40	122.20
26	BB	1891	G	C2-N3-C4	8.29	116.05	111.90
26	BB	1973	G	C6-N1-C2	-8.29	120.13	125.10
41	BQ	97	PHE	CB-CG-CD1	-8.29	115.00	120.80
7	AG	28	ASP	CB-CG-OD1	-8.29	110.84	118.30
1	AA	965	U	C5-C4-O4	-8.28	120.93	125.90
2	AB	73	G	O4'-C1'-N9	8.29	114.83	108.20
10	AJ	3	ARG	NE-CZ-NH2	8.29	124.44	120.30
26	BB	940	G	C6-N1-C2	-8.28	120.13	125.10
26	BB	2325	G	C5-C6-O6	8.29	133.57	128.60
1	AA	1074	G	C2-N3-C4	8.28	116.04	111.90
26	BB	146	A	C6-C5-N7	8.28	138.10	132.30
26	BB	1831	G	C4-C5-C6	8.28	123.77	118.80
26	BB	2327	A	N7-C8-N9	8.28	117.94	113.80
26	BB	2873	A	P-O3'-C3'	8.28	129.64	119.70
29	BE	89	GLU	OE1-CD-OE2	8.28	133.24	123.30
1	AA	1195	C	C5'-C4'-O4'	8.28	119.03	109.10
1	AA	1220	G	C8-N9-C4	-8.28	103.09	106.40
1	AA	1389	C	N3-C4-C5	-8.28	118.59	121.90
4	AD	19	G	N1-C2-N3	8.28	128.87	123.90
26	BB	68	G	C5-N7-C8	-8.28	100.16	104.30
26	BB	156	A	C5'-C4'-C3'	-8.28	102.75	116.00
26	BB	1162	G	N3-C2-N2	-8.28	114.10	119.90
26	BB	2529	G	N1-C6-O6	-8.28	114.93	119.90
26	BB	2794	C	N3-C4-C5	8.28	125.21	121.90
26	BB	2808	G	C5-N7-C8	-8.28	100.16	104.30
26	BB	2809	A	P-O3'-C3'	8.28	129.63	119.70
26	BB	2016	U	C1'-O4'-C4'	-8.28	103.28	109.90
1	AA	122	G	C5-N7-C8	-8.28	100.16	104.30
1	AA	979	C	N3-C4-N4	8.28	123.79	118.00
1	AA	1390	U	C5-C4-O4	8.28	130.87	125.90
2	AB	18	G	N3-C4-N9	8.28	130.97	126.00
26	BB	307	G	N1-C6-O6	-8.28	114.93	119.90
3	AC	52	U	O4'-C1'-N1	8.28	114.82	108.20
25	BA	3	C	C5-C6-N1	8.28	125.14	121.00
26	BB	564	C	C2-N3-C4	-8.28	115.76	119.90
26	BB	1139	G	C2-N3-C4	8.28	116.04	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2617	U	C1'-O4'-C4'	-8.28	103.28	109.90
26	BB	1206	G	O4'-C4'-C3'	8.28	112.72	106.10
26	BB	1456	G	C8-N9-C4	-8.28	103.09	106.40
26	BB	1774	C	C6-N1-C2	8.28	123.61	120.30
26	BB	1898	U	N1-C2-N3	8.28	119.87	114.90
26	BB	2541	A	C5-C6-N6	-8.28	117.08	123.70
26	BB	2617	U	N3-C4-C5	-8.28	109.63	114.60
1	AA	91	U	C1'-O4'-C4'	8.27	116.52	109.90
1	AA	265	G	N1-C6-O6	-8.27	114.94	119.90
1	AA	541	G	N3-C2-N2	8.27	125.69	119.90
1	AA	728	A	C2-N3-C4	8.27	114.74	110.60
1	AA	983	A	N1-C2-N3	-8.27	125.16	129.30
1	AA	1013	G	N9-C4-C5	8.27	108.71	105.40
1	AA	1191	A	C4-C5-C6	-8.27	112.86	117.00
26	BB	490	C	O4'-C1'-N1	8.27	114.82	108.20
26	BB	539	G	C5-C6-N1	8.27	115.64	111.50
26	BB	658	U	C6-N1-C2	-8.27	116.04	121.00
26	BB	1250	G	N1-C2-N2	-8.27	108.75	116.20
26	BB	1417	C	O4'-C1'-N1	8.27	114.82	108.20
26	BB	1436	G	C4-C5-C6	8.27	123.76	118.80
26	BB	1650	A	C8-N9-C4	-8.27	102.49	105.80
26	BB	2388	A	C2-N3-C4	8.27	114.74	110.60
26	BB	2567	G	C2-N3-C4	8.27	116.04	111.90
26	BB	1591	A	N7-C8-N9	8.27	117.94	113.80
26	BB	2820	A	C3'-C2'-C1'	8.27	108.12	101.50
38	BN	123	ARG	NE-CZ-NH1	8.27	124.44	120.30
1	AA	402	G	C6-N1-C2	-8.27	120.14	125.10
1	AA	1321	U	C5-C4-O4	8.27	130.86	125.90
1	AA	1397	C	C4'-C3'-C2'	-8.27	94.33	102.60
26	BB	2399	G	C2-N3-C4	8.27	116.03	111.90
26	BB	2732	G	C1'-O4'-C4'	-8.27	103.28	109.90
1	AA	1419	G	C4-C5-N7	-8.27	107.49	110.80
3	AC	41	A	C4-C5-C6	8.27	121.13	117.00
1	AA	932	C	N3-C4-C5	8.27	125.21	121.90
1	AA	444	G	N9-C4-C5	-8.27	102.09	105.40
1	AA	893	C	N1-C2-O2	8.27	123.86	118.90
1	AA	1343	G	O4'-C1'-N9	8.27	114.81	108.20
5	AE	20	ARG	NE-CZ-NH1	8.27	124.43	120.30
26	BB	496	G	N9-C4-C5	8.27	108.71	105.40
26	BB	1386	C	C5-C4-N4	-8.27	114.41	120.20
26	BB	1898	U	N3-C4-O4	-8.27	113.61	119.40
26	BB	2376	A	C4-C5-N7	8.27	114.83	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2719	G	C4-C5-N7	-8.27	107.49	110.80
26	BB	2667	C	C5-C4-N4	8.27	125.99	120.20
1	AA	552	U	N1-C2-N3	8.26	119.86	114.90
1	AA	1336	C	N3-C4-N4	8.26	123.78	118.00
3	AC	20	G	C5'-C4'-O4'	8.26	119.02	109.10
26	BB	455	C	C4-C5-C6	-8.26	113.27	117.40
26	BB	749	A	C5-N7-C8	-8.26	99.77	103.90
26	BB	1929	G	N3-C4-C5	-8.26	124.47	128.60
26	BB	2096	C	N1-C2-O2	8.26	123.86	118.90
26	BB	2867	G	C2-N3-C4	8.26	116.03	111.90
1	AA	770	C	N3-C2-O2	-8.26	116.12	121.90
1	AA	1057	G	O4'-C1'-N9	8.26	114.81	108.20
1	AA	1057	G	N3-C2-N2	-8.26	114.12	119.90
25	BA	21	G	N3-C4-C5	-8.26	124.47	128.60
26	BB	1259	G	C8-N9-C4	-8.26	103.10	106.40
26	BB	2800	A	O4'-C1'-N9	8.26	114.81	108.20
26	BB	2822	G	C4'-C3'-C2'	-8.26	94.34	102.60
26	BB	1041	G	C6-C5-N7	-8.26	125.44	130.40
26	BB	1270	C	C4-C5-C6	-8.26	113.27	117.40
26	BB	1317	G	N3-C2-N2	-8.26	114.12	119.90
26	BB	1585	C	C6-N1-C2	-8.26	117.00	120.30
26	BB	1765	U	C4-C5-C6	8.26	124.66	119.70
26	BB	2016	U	O4'-C1'-N1	8.26	114.81	108.20
26	BB	2242	G	O4'-C1'-N9	-8.26	101.59	108.20
1	AA	653	U	C4-C5-C6	8.26	124.65	119.70
1	AA	1084	G	N9-C4-C5	8.26	108.70	105.40
26	BB	1109	C	N3-C2-O2	-8.26	116.12	121.90
26	BB	1722	A	N3-C4-N9	8.26	134.00	127.40
26	BB	2869	G	C4-C5-N7	8.26	114.10	110.80
1	AA	391	G	C6-C5-N7	-8.26	125.45	130.40
1	AA	790	A	P-O3'-C3'	8.26	129.61	119.70
1	AA	1331	G	N3-C4-C5	-8.26	124.47	128.60
26	BB	847	U	C6-N1-C2	8.26	125.95	121.00
26	BB	936	A	C2-N3-C4	8.26	114.73	110.60
26	BB	1507	C	N3-C2-O2	-8.26	116.12	121.90
26	BB	1878	G	N1-C2-N3	-8.26	118.95	123.90
26	BB	2216	G	N3-C4-C5	-8.26	124.47	128.60
26	BB	2471	A	C8-N9-C4	-8.25	102.50	105.80
1	AA	58	C	C4-C5-C6	-8.25	113.27	117.40
1	AA	100	G	C6-N1-C2	-8.25	120.15	125.10
1	AA	451	A	C2-N3-C4	-8.25	106.47	110.60
1	AA	557	G	N3-C2-N2	-8.25	114.12	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	128	C	C4'-C3'-C2'	-8.25	94.35	102.60
26	BB	2270	A	C4'-C3'-C2'	-8.25	94.35	102.60
37	BM	31	ARG	NE-CZ-NH1	8.25	124.43	120.30
1	AA	743	A	O4'-C1'-N9	8.25	114.80	108.20
26	BB	582	A	C6-N1-C2	-8.25	113.65	118.60
26	BB	2164	C	C6-N1-C2	-8.25	117.00	120.30
26	BB	2558	C	C5-C4-N4	-8.25	114.42	120.20
26	BB	1651	G	N3-C4-N9	8.25	130.95	126.00
1	AA	243	A	P-O3'-C3'	8.25	129.60	119.70
26	BB	1184	U	N3-C2-O2	-8.25	116.43	122.20
1	AA	41	G	N9-C4-C5	8.25	108.70	105.40
1	AA	774	G	N3-C4-N9	8.25	130.95	126.00
1	AA	1399	C	O4'-C1'-N1	8.25	114.80	108.20
11	AK	113	ARG	NE-CZ-NH1	8.25	124.42	120.30
26	BB	256	A	C5-C6-N1	8.25	121.82	117.70
26	BB	526	A	N1-C2-N3	8.25	133.42	129.30
26	BB	2312	U	C2'-C3'-O3'	8.25	127.64	109.50
26	BB	2851	A	N7-C8-N9	8.25	117.92	113.80
26	BB	856	G	C8-N9-C4	-8.24	103.10	106.40
26	BB	2630	G	C4-C5-N7	8.24	114.10	110.80
1	AA	162	A	N9-C4-C5	8.24	109.10	105.80
1	AA	770	C	C1'-O4'-C4'	-8.24	103.31	109.90
1	AA	1368	A	C4-C5-N7	-8.24	106.58	110.70
3	AC	37	G	N3-C2-N2	-8.24	114.13	119.90
26	BB	915	C	O4'-C1'-N1	8.24	114.80	108.20
26	BB	2331	G	C2-N3-C4	8.24	116.02	111.90
26	BB	908	C	N3-C4-C5	-8.24	118.60	121.90
26	BB	2748	A	C5'-C4'-O4'	8.24	118.99	109.10
1	AA	51	A	C3'-C2'-C1'	8.24	108.09	101.50
1	AA	827	U	C5-C6-N1	-8.24	118.58	122.70
1	AA	1497	G	N3-C4-C5	-8.24	124.48	128.60
3	AC	51	C	C6-N1-C2	-8.24	117.00	120.30
26	BB	313	G	N3-C2-N2	-8.24	114.13	119.90
26	BB	437	U	N1-C2-N3	8.24	119.84	114.90
26	BB	1024	G	C6-N1-C2	-8.24	120.16	125.10
26	BB	1292	G	C5-C6-O6	-8.24	123.66	128.60
26	BB	493	G	O4'-C1'-N9	8.24	114.79	108.20
26	BB	2469	A	N9-C1'-C2'	-8.24	102.94	112.00
1	AA	1181	G	N3-C2-N2	-8.24	114.14	119.90
1	AA	1480	A	O4'-C1'-N9	8.24	114.79	108.20
26	BB	438	G	C5-C6-O6	8.24	133.54	128.60
26	BB	1820	U	N3-C2-O2	-8.24	116.43	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1860	G	N9-C4-C5	-8.24	102.11	105.40
26	BB	2544	G	C5-N7-C8	-8.24	100.18	104.30
1	AA	1104	G	C2-N3-C4	8.23	116.02	111.90
1	AA	338	A	O4'-C1'-N9	8.23	114.79	108.20
1	AA	1257	A	C2-N3-C4	8.23	114.72	110.60
26	BB	507	A	O4'-C4'-C3'	8.23	112.69	106.10
26	BB	404	A	N1-C2-N3	8.23	133.42	129.30
26	BB	797	G	N3-C4-C5	-8.23	124.48	128.60
26	BB	2617	U	C4'-C3'-C2'	-8.23	94.37	102.60
1	AA	502	A	O4'-C1'-N9	8.23	114.78	108.20
26	BB	467	G	N3-C4-C5	-8.23	124.48	128.60
26	BB	2184	A	N1-C6-N6	-8.23	113.66	118.60
37	BM	100	PHE	CB-CG-CD1	-8.23	115.04	120.80
1	AA	1299	A	N9-C4-C5	-8.23	102.51	105.80
1	AA	347	G	C4'-C3'-C2'	-8.23	94.37	102.60
1	AA	653	U	C5-C6-N1	-8.23	118.59	122.70
1	AA	1109	C	C5-C6-N1	-8.23	116.89	121.00
1	AA	1266	G	N1-C6-O6	-8.23	114.96	119.90
26	BB	1846	G	C4'-C3'-C2'	-8.23	94.37	102.60
1	AA	406	G	C4-C5-N7	8.23	114.09	110.80
1	AA	513	C	O4'-C1'-N1	8.23	114.78	108.20
1	AA	1272	G	N3-C4-C5	-8.23	124.49	128.60
2	AB	41	C	C5-C6-N1	-8.23	116.89	121.00
26	BB	668	A	N1-C2-N3	8.23	133.41	129.30
26	BB	671	C	N3-C2-O2	-8.23	116.14	121.90
26	BB	2245	U	O4'-C1'-N1	8.23	114.78	108.20
26	BB	2395	C	C6-N1-C2	-8.23	117.01	120.30
26	BB	2846	G	C4-C5-C6	8.23	123.74	118.80
26	BB	2890	G	C2-N3-C4	8.23	116.01	111.90
1	AA	386	C	N3-C4-N4	8.22	123.76	118.00
1	AA	1165	U	C5-C6-N1	-8.22	118.59	122.70
1	AA	1231	G	N3-C2-N2	8.22	125.66	119.90
26	BB	2429	G	N3-C2-N2	-8.22	114.14	119.90
1	AA	417	G	N3-C4-C5	-8.22	124.49	128.60
1	AA	1207	2MG	P-O3'-C3'	8.22	129.57	119.70
26	BB	33	C	N3-C4-C5	-8.22	118.61	121.90
26	BB	685	A	C5-C6-N1	8.22	121.81	117.70
26	BB	638	G	C5-N7-C8	-8.22	100.19	104.30
26	BB	670	A	N9-C4-C5	8.22	109.09	105.80
26	BB	1318	U	N3-C2-O2	8.22	127.96	122.20
26	BB	1491	G	C6-C5-N7	-8.22	125.47	130.40
26	BB	1866	A	C2-N3-C4	8.22	114.71	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	63	C	N3-C4-C5	-8.22	118.61	121.90
1	AA	645	G	C4-C5-N7	8.22	114.09	110.80
26	BB	2317	A	C6-C5-N7	-8.22	126.54	132.30
1	AA	557	G	N9-C4-C5	8.22	108.69	105.40
1	AA	712	A	O4'-C1'-N9	8.22	114.78	108.20
1	AA	1055	A	C4'-C3'-C2'	-8.22	94.38	102.60
14	AN	85	VAL	CG1-CB-CG2	-8.22	97.75	110.90
26	BB	617	G	C5-C6-O6	-8.22	123.67	128.60
26	BB	2232	C	C2-N3-C4	8.22	124.01	119.90
26	BB	2657	A	N3-C4-N9	-8.22	120.82	127.40
1	AA	23	C	C2-N3-C4	-8.22	115.79	119.90
1	AA	81	A	C5-C6-N1	8.22	121.81	117.70
1	AA	171	A	C2-N3-C4	8.22	114.71	110.60
1	AA	1080	A	C5-C6-N1	-8.22	113.59	117.70
1	AA	1124	G	N9-C4-C5	8.22	108.69	105.40
1	AA	1253	G	C5-C6-N1	8.22	115.61	111.50
1	AA	1432	G	C8-N9-C4	-8.22	103.11	106.40
26	BB	1090	A	C4-C5-C6	-8.22	112.89	117.00
26	BB	1543	G	N7-C8-N9	8.22	117.21	113.10
26	BB	2382	G	N3-C4-C5	-8.22	124.49	128.60
26	BB	911	A	C3'-C2'-C1'	-8.22	94.93	101.50
26	BB	997	G	N9-C1'-C2'	-8.22	102.96	112.00
26	BB	1408	G	C4-C5-N7	-8.22	107.51	110.80
34	BJ	45	ARG	NE-CZ-NH1	8.22	124.41	120.30
1	AA	643	C	N1-C2-O2	8.21	123.83	118.90
1	AA	808	C	O4'-C4'-C3'	8.22	112.67	106.10
26	BB	613	A	C5-N7-C8	-8.22	99.79	103.90
1	AA	717	U	C5-C6-N1	-8.21	118.59	122.70
26	BB	403	U	C2-N1-C1'	8.21	127.56	117.70
26	BB	2161	C	N3-C2-O2	-8.22	116.15	121.90
26	BB	633	A	C4-C5-N7	8.21	114.81	110.70
26	BB	2673	G	C5-C6-N1	8.21	115.61	111.50
26	BB	2792	A	P-O3'-C3'	8.21	129.56	119.70
1	AA	39	G	O4'-C4'-C3'	-8.21	95.79	104.00
26	BB	1527	G	N1-C2-N2	8.21	123.59	116.20
4	AD	12	G	C5-N7-C8	-8.21	100.19	104.30
26	BB	240	C	N3-C4-C5	-8.21	118.61	121.90
26	BB	924	G	C5'-C4'-O4'	8.21	118.96	109.10
26	BB	1276	A	C8-N9-C4	-8.21	102.52	105.80
25	BA	10	G	O4'-C1'-N9	8.21	114.77	108.20
26	BB	1	G	N7-C8-N9	8.21	117.21	113.10
26	BB	992	C	N3-C4-C5	-8.21	118.61	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2365	G	N3-C4-C5	-8.21	124.49	128.60
26	BB	713	G	C5-C6-O6	-8.21	123.67	128.60
26	BB	2573	C	N1-C2-O2	8.21	123.83	118.90
35	BK	7	TYR	CB-CG-CD2	-8.21	116.07	121.00
1	AA	354	G	C3'-C2'-C1'	-8.21	94.93	101.50
1	AA	279	A	P-O3'-C3'	8.21	129.55	119.70
1	AA	1022	A	C4'-C3'-C2'	-8.21	94.39	102.60
1	AA	1416	G	N7-C8-N9	8.21	117.20	113.10
1	AA	1435	G	N7-C8-N9	8.21	117.20	113.10
4	AD	32	G	C5-C6-N1	8.21	115.60	111.50
26	BB	1298	C	N3-C4-C5	-8.21	118.62	121.90
26	BB	1478	G	N9-C1'-C2'	-8.21	102.97	112.00
26	BB	1666	G	N7-C8-N9	8.21	117.20	113.10
26	BB	2694	G	C5-C6-O6	-8.21	123.67	128.60
26	BB	1858	A	N1-C6-N6	8.21	123.52	118.60
1	AA	320	A	N1-C6-N6	-8.21	113.68	118.60
1	AA	467	U	N3-C2-O2	-8.21	116.46	122.20
25	BA	88	C	C6-N1-C2	8.21	123.58	120.30
1	AA	1529	G	O4'-C1'-N9	8.20	114.76	108.20
26	BB	1051	G	C5-C6-N1	-8.21	107.40	111.50
26	BB	1226	A	C6-C5-N7	-8.21	126.56	132.30
26	BB	2453	A	C4-C5-C6	-8.21	112.90	117.00
26	BB	1449	G	C4-C5-N7	-8.20	107.52	110.80
26	BB	1478	G	C4-C5-C6	8.21	123.72	118.80
26	BB	1517	G	N3-C2-N2	-8.21	114.16	119.90
26	BB	1622	G	O4'-C1'-N9	8.21	114.77	108.20
26	BB	2770	G	O4'-C1'-N9	-8.20	101.64	108.20
28	BD	170	TYR	CB-CG-CD2	8.20	125.92	121.00
1	AA	509	A	N1-C2-N3	8.20	133.40	129.30
1	AA	987	G	O4'-C1'-N9	8.20	114.76	108.20
1	AA	1500	A	N9-C4-C5	-8.20	102.52	105.80
4	AD	36	A	C6-N1-C2	-8.20	113.68	118.60
26	BB	473	G	C5-N7-C8	-8.20	100.20	104.30
26	BB	2141	G	C5-C6-N1	-8.20	107.40	111.50
1	AA	310	G	C2-N3-C4	8.20	116.00	111.90
26	BB	780	G	N1-C6-O6	-8.20	114.98	119.90
1	AA	474	G	N1-C6-O6	-8.20	114.98	119.90
1	AA	529	G	N7-C8-N9	-8.20	109.00	113.10
2	AB	44	G	N1-C2-N3	-8.20	118.98	123.90
26	BB	806	C	N3-C4-C5	8.20	125.18	121.90
26	BB	2429	G	N1-C2-N3	8.20	128.82	123.90
26	BB	2798	U	C4-C5-C6	8.20	124.62	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	177	G	C3'-C2'-C1'	8.20	108.06	101.50
1	AA	593	U	O4'-C1'-N1	8.20	114.76	108.20
4	AD	49	C	C3'-C2'-C1'	8.20	108.06	101.50
1	AA	509	A	C5-C6-N1	8.20	121.80	117.70
26	BB	1306	C	O4'-C1'-N1	8.20	114.76	108.20
3	AC	22	G	N1-C2-N3	-8.19	118.98	123.90
25	BA	20	G	C2-N3-C4	8.19	116.00	111.90
25	BA	32	U	C6-N1-C2	-8.20	116.08	121.00
26	BB	625	G	N3-C4-C5	-8.19	124.50	128.60
26	BB	2086	U	C4-C5-C6	8.20	124.62	119.70
26	BB	2542	A	N7-C8-N9	-8.19	109.70	113.80
26	BB	2666	C	O4'-C1'-N1	8.20	114.76	108.20
26	BB	2787	C	N3-C4-N4	8.19	123.74	118.00
1	AA	9	G	C4-C5-N7	-8.19	107.52	110.80
26	BB	471	A	C4'-C3'-C2'	-8.19	94.41	102.60
26	BB	808	G	N3-C4-N9	8.19	130.91	126.00
26	BB	2536	G	C5-N7-C8	-8.19	100.20	104.30
26	BB	2373	G	N3-C4-C5	-8.19	124.50	128.60
42	BR	102	ARG	NE-CZ-NH1	8.19	124.39	120.30
1	AA	288	A	N3-C4-C5	-8.19	121.07	126.80
26	BB	1358	G	N3-C4-N9	8.19	130.91	126.00
1	AA	218	U	O4'-C1'-N1	8.19	114.75	108.20
1	AA	633	G	C5-N7-C8	-8.19	100.21	104.30
1	AA	657	U	C4-C5-C6	8.19	124.61	119.70
1	AA	799	G	N7-C8-N9	8.19	117.19	113.10
1	AA	1020	G	C2-N3-C4	8.19	116.00	111.90
26	BB	128	C	N1-C2-O2	8.19	123.81	118.90
26	BB	998	C	C4-C5-C6	-8.19	113.31	117.40
26	BB	1391	U	C5'-C4'-O4'	8.19	118.93	109.10
26	BB	1504	A	C4-C5-N7	8.19	114.79	110.70
26	BB	2293	G	C8-N9-C4	-8.19	103.12	106.40
29	BE	103	ASP	CB-CG-OD2	8.19	125.67	118.30
1	AA	226	G	O4'-C1'-N9	8.19	114.75	108.20
4	AD	62	C	N3-C4-N4	8.19	123.73	118.00
25	BA	110	C	N3-C4-C5	-8.19	118.63	121.90
26	BB	875	G	N7-C8-N9	8.19	117.19	113.10
26	BB	1525	A	C6-N1-C2	-8.19	113.69	118.60
26	BB	1620	G	N9-C4-C5	-8.19	102.13	105.40
26	BB	1671	U	N3-C2-O2	-8.19	116.47	122.20
26	BB	1980	G	C5'-C4'-O4'	8.19	118.92	109.10
26	BB	1606	C	N3-C2-O2	-8.18	116.17	121.90
1	AA	193	C	N3-C4-N4	8.18	123.73	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	AM	9	ARG	NE-CZ-NH2	-8.18	116.21	120.30
26	BB	169	G	C8-N9-C4	-8.18	103.13	106.40
26	BB	182	A	N9-C1'-C2'	-8.18	103.00	112.00
26	BB	435	C	N1-C1'-C2'	-8.18	103.00	112.00
26	BB	2011	U	O4'-C1'-N1	8.18	114.75	108.20
26	BB	2264	C	N1-C1'-C2'	-8.18	103.00	112.00
1	AA	247	G	C6-N1-C2	-8.18	120.19	125.10
1	AA	1538	C	C2-N3-C4	8.18	123.99	119.90
4	AD	12	G	C8-N9-C4	-8.18	103.13	106.40
26	BB	318	C	N3-C4-N4	8.18	123.73	118.00
26	BB	409	G	C8-N9-C4	-8.18	103.13	106.40
26	BB	2218	G	C2-N3-C4	8.18	115.99	111.90
26	BB	2360	G	C4-C5-N7	-8.18	107.53	110.80
26	BB	2570	G	C5'-C4'-O4'	8.18	118.92	109.10
26	BB	2704	C	C6-N1-C2	-8.18	117.03	120.30
1	AA	746	A	C2-N3-C4	8.18	114.69	110.60
1	AA	1419	G	N3-C2-N2	-8.18	114.18	119.90
1	AA	1504	G	C2-N3-C4	8.18	115.99	111.90
26	BB	371	A	N1-C2-N3	8.18	133.39	129.30
26	BB	648	G	C5-C6-O6	-8.18	123.69	128.60
26	BB	912	C	O4'-C1'-N1	8.18	114.74	108.20
26	BB	1370	C	O5'-P-OP1	-8.18	98.34	105.70
26	BB	1991	U	C1'-O4'-C4'	8.18	116.44	109.90
26	BB	2208	C	C5-C6-N1	8.18	125.09	121.00
1	AA	1334	G	N1-C6-O6	8.18	124.81	119.90
26	BB	1178	C	N1-C1'-C2'	-8.18	103.00	112.00
26	BB	2848	G	C8-N9-C4	-8.18	103.13	106.40
1	AA	665	A	C5-N7-C8	-8.18	99.81	103.90
1	AA	1279	G	N9-C4-C5	8.18	108.67	105.40
26	BB	241	A	N1-C2-N3	-8.18	125.21	129.30
26	BB	1450	G	C8-N9-C4	-8.18	103.13	106.40
26	BB	1751	U	C5-C6-N1	-8.18	118.61	122.70
1	AA	481	G	N3-C2-N2	8.17	125.62	119.90
1	AA	539	A	C5-C6-N1	8.17	121.79	117.70
26	BB	1517	G	N1-C6-O6	-8.17	115.00	119.90
26	BB	141	G	C8-N9-C4	-8.17	103.13	106.40
26	BB	142	A	C6-N1-C2	8.17	123.50	118.60
26	BB	223	A	C4-C5-C6	8.17	121.09	117.00
26	BB	325	G	N9-C1'-C2'	-8.17	103.01	112.00
26	BB	369	U	C2-N3-C4	-8.17	122.10	127.00
26	BB	519	U	O4'-C1'-N1	8.17	114.74	108.20
26	BB	635	C	N3-C4-C5	-8.17	118.63	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1087	G	C8-N9-C4	-8.17	103.13	106.40
26	BB	2175	C	N3-C4-N4	8.17	123.72	118.00
26	BB	2583	G	O4'-C1'-N9	8.17	114.74	108.20
26	BB	2134	A	C5-N7-C8	8.17	107.99	103.90
26	BB	2788	C	C6-N1-C2	8.17	123.57	120.30
1	AA	143	A	N1-C2-N3	-8.17	125.22	129.30
1	AA	633	G	N7-C8-N9	8.17	117.19	113.10
1	AA	1496	C	O4'-C1'-N1	8.17	114.74	108.20
26	BB	420	C	N1-C2-O2	8.17	123.80	118.90
26	BB	2543	G	N7-C8-N9	8.17	117.19	113.10
1	AA	1504	G	C4-C5-C6	8.17	123.70	118.80
26	BB	1219	U	N3-C2-O2	-8.17	116.48	122.20
26	BB	1317	G	O4'-C1'-N9	8.17	114.73	108.20
26	BB	2206	C	O4'-C1'-N1	8.17	114.73	108.20
1	AA	385	C	C1'-O4'-C4'	8.17	116.43	109.90
1	AA	1520	C	C5-C6-N1	-8.17	116.92	121.00
26	BB	975	A	C2-N3-C4	-8.17	106.52	110.60
26	BB	2374	C	N3-C4-N4	-8.17	112.28	118.00
2	AB	36	A	N1-C2-N3	8.17	133.38	129.30
26	BB	231	A	P-O3'-C3'	8.17	129.50	119.70
26	BB	458	G	N3-C4-C5	-8.17	124.52	128.60
26	BB	1456	G	C5'-C4'-C3'	-8.17	102.93	116.00
1	AA	77	A	N7-C8-N9	8.16	117.88	113.80
1	AA	204	G	C1'-O4'-C4'	-8.16	103.37	109.90
1	AA	644	U	N3-C2-O2	-8.16	116.48	122.20
26	BB	104	A	C5-C6-N1	8.16	121.78	117.70
26	BB	953	G	C6-N1-C2	-8.16	120.20	125.10
26	BB	1948	G	C2-N3-C4	8.16	115.98	111.90
6	AF	125	ARG	NE-CZ-NH1	8.16	124.38	120.30
25	BA	13	G	C5-C6-N1	8.16	115.58	111.50
26	BB	438	G	C5-C6-N1	-8.16	107.42	111.50
26	BB	1446	C	C4'-C3'-C2'	-8.16	94.44	102.60
26	BB	1461	C	N3-C4-N4	8.16	123.71	118.00
26	BB	1801	A	O4'-C1'-C2'	-8.16	97.64	105.80
26	BB	1846	G	N3-C2-N2	8.16	125.61	119.90
26	BB	2403	C	N3-C2-O2	-8.16	116.19	121.90
1	AA	649	A	C5-C6-N1	8.16	121.78	117.70
1	AA	755	G	C2-N3-C4	8.16	115.98	111.90
26	BB	1368	G	C2-N3-C4	8.16	115.98	111.90
1	AA	869	G	N1-C6-O6	-8.16	115.00	119.90
1	AA	1160	G	C5-C6-N1	8.16	115.58	111.50
26	BB	409	G	C5-C6-O6	-8.16	123.70	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	619	G	N1-C2-N3	-8.16	119.00	123.90
26	BB	1591	A	C8-N9-C4	-8.16	102.54	105.80
26	BB	1854	A	C2-N3-C4	8.16	114.68	110.60
26	BB	1950	G	C1'-O4'-C4'	-8.16	103.37	109.90
26	BB	1881	C	N3-C4-C5	-8.16	118.64	121.90
1	AA	131	A	C1'-O4'-C4'	-8.16	103.38	109.90
1	AA	869	G	C5'-C4'-C3'	-8.16	102.95	116.00
1	AA	1333	A	C2-N3-C4	8.16	114.68	110.60
26	BB	337	C	C3'-C2'-C1'	-8.16	94.97	101.50
26	BB	537	G	C8-N9-C4	-8.16	103.14	106.40
26	BB	1418	G	N9-C4-C5	-8.16	102.14	105.40
26	BB	2727	A	N7-C8-N9	8.16	117.88	113.80
26	BB	844	A	C8-N9-C4	8.16	109.06	105.80
26	BB	886	A	O4'-C4'-C3'	8.16	112.62	106.10
26	BB	1420	A	P-O3'-C3'	8.16	129.49	119.70
26	BB	2015	A	C6-N1-C2	8.16	123.50	118.60
26	BB	1714	U	N1-C1'-C2'	-8.16	103.03	112.00
1	AA	1482	G	N1-C6-O6	-8.15	115.01	119.90
26	BB	481	G	N1-C2-N2	8.15	123.54	116.20
26	BB	1659	G	C4-C5-N7	8.15	114.06	110.80
26	BB	1848	A	N1-C2-N3	-8.15	125.22	129.30
26	BB	2237	G	C2-N3-C4	-8.15	107.82	111.90
26	BB	2236	U	N3-C4-O4	8.15	125.11	119.40
26	BB	2795	C	C2-N3-C4	8.15	123.98	119.90
37	BM	120	PRO	N-CA-CB	8.15	113.09	103.30
1	AA	25	C	N3-C4-N4	8.15	123.70	118.00
1	AA	277	C	N3-C2-O2	-8.15	116.19	121.90
1	AA	580	C	C6-N1-C2	8.15	123.56	120.30
26	BB	106	C	O4'-C1'-N1	8.15	114.72	108.20
26	BB	583	G	N9-C4-C5	8.15	108.66	105.40
26	BB	1122	G	C2-N3-C4	8.15	115.98	111.90
26	BB	2011	U	N1-C2-N3	8.15	119.79	114.90
26	BB	2810	A	N9-C1'-C2'	-8.15	103.03	112.00
26	BB	2488	G	N3-C4-N9	8.15	130.89	126.00
26	BB	2719	G	N3-C4-C5	-8.15	124.53	128.60
1	AA	353	A	C1'-O4'-C4'	8.15	116.42	109.90
26	BB	65	U	C2-N3-C4	-8.15	122.11	127.00
26	BB	921	C	C6-N1-C2	-8.15	117.04	120.30
1	AA	531	U	P-O3'-C3'	8.15	129.48	119.70
1	AA	1109	C	C4'-C3'-C2'	-8.15	94.45	102.60
1	AA	1133	G	C6-C5-N7	8.15	135.29	130.40
3	AC	32	U	N3-C2-O2	-8.15	116.50	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2565	A	C3'-C2'-C1'	8.15	108.02	101.50
3	AC	45	G	C5-N7-C8	8.15	108.37	104.30
26	BB	726	G	C8-N9-C4	-8.15	103.14	106.40
26	BB	829	A	C5-C6-N1	8.15	121.77	117.70
26	BB	1235	G	N3-C2-N2	8.15	125.60	119.90
26	BB	1269	A	C4-C5-N7	8.15	114.77	110.70
26	BB	1627	G	C8-N9-C4	-8.15	103.14	106.40
26	BB	1643	G	N3-C4-N9	8.15	130.89	126.00
26	BB	1867	G	N1-C6-O6	-8.15	115.01	119.90
26	BB	2536	G	C1'-O4'-C4'	-8.15	103.38	109.90
1	AA	773	G	C8-N9-C4	-8.14	103.14	106.40
1	AA	149	A	N9-C1'-C2'	-8.14	103.04	112.00
1	AA	895	G	C3'-C2'-C1'	-8.14	94.98	101.50
1	AA	1371	G	O4'-C1'-N9	8.14	114.72	108.20
1	AA	1485	U	N1-C2-N3	8.14	119.79	114.90
26	BB	543	G	C2-N3-C4	8.14	115.97	111.90
26	BB	2126	A	N7-C8-N9	8.14	117.87	113.80
4	AD	61	U	C2-N3-C4	-8.14	122.11	127.00
26	BB	2546	U	C4-C5-C6	8.14	124.59	119.70
26	BB	2887	A	C8-N9-C4	-8.14	102.54	105.80
26	BB	2897	U	C3'-C2'-C1'	8.14	108.02	101.50
1	AA	229	U	N3-C4-O4	8.14	125.10	119.40
1	AA	1501	C	C2-N3-C4	-8.14	115.83	119.90
26	BB	465	G	C1'-O4'-C4'	8.14	116.41	109.90
26	BB	1210	G	C8-N9-C4	-8.14	103.14	106.40
3	AC	31	U	N1-C1'-C2'	-8.14	103.05	112.00
26	BB	221	A	C4-C5-N7	-8.14	106.63	110.70
26	BB	1649	G	C4-C5-N7	-8.14	107.54	110.80
26	BB	1698	A	C4-C5-C6	-8.14	112.93	117.00
26	BB	2244	U	O4'-C1'-N1	8.14	114.71	108.20
26	BB	2523	G	N3-C4-N9	8.14	130.88	126.00
26	BB	936	A	C4-C5-N7	-8.14	106.63	110.70
26	BB	821	A	C4'-C3'-C2'	-8.14	94.46	102.60
26	BB	1371	G	C4-C5-C6	8.14	123.68	118.80
26	BB	2317	A	C1'-O4'-C4'	-8.14	103.39	109.90
1	AA	1357	A	C6-N1-C2	8.14	123.48	118.60
4	AD	31	G	C8-N9-C4	-8.14	103.14	106.40
8	AH	137	ARG	NE-CZ-NH1	8.14	124.37	120.30
26	BB	421	C	C5-C6-N1	8.14	125.07	121.00
26	BB	637	A	C4-C5-N7	8.14	114.77	110.70
26	BB	1719	G	C5'-C4'-O4'	8.14	118.86	109.10
1	AA	424	G	C2-N3-C4	8.13	115.97	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1023	U	N3-C4-O4	8.13	125.09	119.40
1	AA	1254	A	N9-C4-C5	8.13	109.05	105.80
26	BB	1243	C	C2-N3-C4	8.13	123.97	119.90
1	AA	729	A	O4'-C1'-N9	8.13	114.71	108.20
1	AA	1185	G	N1-C6-O6	-8.13	115.02	119.90
26	BB	879	G	C6-C5-N7	-8.13	125.52	130.40
1	AA	604	G	N1-C2-N3	8.13	128.78	123.90
25	BA	54	G	N3-C4-C5	-8.13	124.53	128.60
26	BB	803	U	C5-C4-O4	-8.13	121.02	125.90
26	BB	1131	G	O4'-C1'-N9	8.13	114.70	108.20
26	BB	1365	A	C5-C6-N1	8.13	121.77	117.70
26	BB	2029	G	C3'-C2'-C1'	8.13	108.00	101.50
26	BB	2231	U	C4-C5-C6	8.13	124.58	119.70
26	BB	2276	G	C2-N3-C4	8.13	115.97	111.90
26	BB	2812	G	C2-N3-C4	8.13	115.97	111.90
1	AA	834	U	N1-C2-O2	-8.13	117.11	122.80
1	AA	1404	C	C2-N3-C4	8.13	123.96	119.90
26	BB	769	U	N1-C2-O2	8.13	128.49	122.80
26	BB	1172	C	C3'-C2'-C1'	-8.13	95.00	101.50
26	BB	1412	U	C5-C4-O4	8.13	130.78	125.90
31	BG	79	ARG	NE-CZ-NH2	8.13	124.36	120.30
26	BB	1666	G	C5-C6-O6	-8.13	123.72	128.60
1	AA	187	G	C2-N3-C4	8.13	115.96	111.90
1	AA	573	A	O4'-C1'-N9	-8.13	101.70	108.20
1	AA	1040	U	C5-C4-O4	-8.13	121.02	125.90
1	AA	1067	A	N7-C8-N9	-8.13	109.74	113.80
2	AB	66	C	C2-N3-C4	8.13	123.96	119.90
1	AA	1421	G	C6-C5-N7	-8.12	125.53	130.40
26	BB	404	A	N9-C4-C5	-8.12	102.55	105.80
26	BB	1216	G	C5-N7-C8	8.13	108.36	104.30
26	BB	797	G	C1'-O4'-C4'	8.12	116.40	109.90
26	BB	2238	G	C2-N3-C4	8.12	115.96	111.90
26	BB	2333	A	C8-N9-C4	-8.12	102.55	105.80
1	AA	786	G	N3-C4-C5	-8.12	124.54	128.60
1	AA	885	G	C3'-C2'-C1'	-8.12	95.00	101.50
1	AA	1226	C	O4'-C1'-N1	8.12	114.70	108.20
26	BB	651	G	N3-C4-N9	8.12	130.87	126.00
26	BB	1901	A	N1-C2-N3	-8.12	125.24	129.30
1	AA	1461	G	C5-C6-N1	8.12	115.56	111.50
4	AD	60	A	C5'-C4'-O4'	8.12	118.84	109.10
26	BB	932	U	C3'-C2'-C1'	8.12	108.00	101.50
26	BB	1437	C	C5-C6-N1	8.12	125.06	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2063	C	C5'-C4'-O4'	8.12	118.85	109.10
26	BB	2336	A	C5-C6-N1	8.12	121.76	117.70
26	BB	2879	A	N9-C4-C5	-8.12	102.55	105.80
1	AA	222	C	N3-C4-N4	8.12	123.68	118.00
26	BB	1324	G	O4'-C1'-N9	8.12	114.70	108.20
1	AA	700	G	C5-C6-O6	-8.12	123.73	128.60
1	AA	984	C	O4'-C1'-N1	8.12	114.69	108.20
1	AA	1082	A	N1-C6-N6	8.12	123.47	118.60
26	BB	649	G	C5-C6-N1	8.12	115.56	111.50
1	AA	1415	G	C8-N9-C4	-8.12	103.15	106.40
26	BB	702	U	C2-N3-C4	-8.12	122.13	127.00
26	BB	2186	G	C2-N3-C4	8.12	115.96	111.90
47	BW	93	ARG	NE-CZ-NH2	8.12	124.36	120.30
1	AA	289	G	O4'-C4'-C3'	8.12	112.59	106.10
1	AA	547	A	C6-C5-N7	8.12	137.98	132.30
1	AA	1125	U	O4'-C1'-N1	8.11	114.69	108.20
1	AA	1231	G	C6-C5-N7	-8.11	125.53	130.40
5	AE	15	PHE	CB-CG-CD2	-8.11	115.12	120.80
26	BB	555	G	C5-C6-O6	8.12	133.47	128.60
26	BB	1819	A	O4'-C1'-N9	8.12	114.69	108.20
26	BB	2166	U	C1'-O4'-C4'	-8.11	103.41	109.90
26	BB	2236	U	C5-C4-O4	-8.12	121.03	125.90
26	BB	2846	G	N3-C4-N9	8.11	130.87	126.00
26	BB	2888	C	C5-C4-N4	8.12	125.88	120.20
1	AA	774	G	C6-C5-N7	-8.11	125.53	130.40
1	AA	807	A	N3-C4-C5	8.11	132.48	126.80
1	AA	1321	U	C2-N3-C4	-8.11	122.13	127.00
1	AA	1461	G	C6-N1-C2	-8.11	120.23	125.10
26	BB	1817	G	C4-N9-C1'	-8.11	115.95	126.50
26	BB	2426	A	O4'-C1'-N9	8.11	114.69	108.20
26	BB	2678	C	C1'-O4'-C4'	8.11	116.39	109.90
26	BB	1246	A	C3'-C2'-C1'	8.11	107.99	101.50
26	BB	2111	U	C5-C6-N1	-8.11	118.64	122.70
26	BB	2797	U	C5'-C4'-O4'	8.11	118.83	109.10
26	BB	2848	G	P-O3'-C3'	8.11	129.43	119.70
1	AA	276	G	N3-C2-N2	-8.11	114.22	119.90
1	AA	554	A	O4'-C1'-N9	8.11	114.69	108.20
26	BB	815	C	N3-C2-O2	-8.11	116.22	121.90
26	BB	1380	G	N9-C4-C5	8.11	108.64	105.40
1	AA	1193	G	N9-C4-C5	8.11	108.64	105.40
1	AA	1361	G	C5-N7-C8	-8.11	100.25	104.30
26	BB	2128	G	C5-C6-O6	-8.11	123.73	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	363	A	C2-N3-C4	8.11	114.65	110.60
4	AD	7	G	C2-N3-C4	8.11	115.95	111.90
26	BB	73	A	N1-C6-N6	8.11	123.46	118.60
1	AA	1121	U	O4'-C1'-N1	8.11	114.68	108.20
26	BB	291	G	C3'-C2'-C1'	-8.11	95.02	101.50
26	BB	922	C	N3-C4-N4	8.11	123.67	118.00
26	BB	1383	A	C1'-O4'-C4'	-8.11	103.42	109.90
1	AA	517	G	C4-C5-N7	-8.10	107.56	110.80
1	AA	1453	G	C5-C6-N1	-8.10	107.45	111.50
26	BB	1647	U	C5-C6-N1	-8.10	118.65	122.70
1	AA	300	A	C4-C5-N7	-8.10	106.65	110.70
1	AA	600	A	C4'-C3'-C2'	-8.10	94.50	102.60
26	BB	167	A	N7-C8-N9	8.10	117.85	113.80
26	BB	810	U	C4'-C3'-C2'	-8.10	94.50	102.60
26	BB	1216	G	N1-C6-O6	-8.10	115.04	119.90
26	BB	1759	A	C4-C5-N7	-8.10	106.65	110.70
26	BB	2863	C	O4'-C1'-N1	8.10	114.68	108.20
1	AA	12	U	O4'-C1'-N1	8.10	114.68	108.20
1	AA	210	C	C4-C5-C6	-8.10	113.35	117.40
1	AA	670	G	N1-C6-O6	8.10	124.76	119.90
26	BB	2614	A	O4'-C1'-N9	8.10	114.68	108.20
1	AA	1004	A	C5'-C4'-O4'	8.10	118.82	109.10
1	AA	1515	G	C6-N1-C2	-8.10	120.24	125.10
26	BB	308	G	N7-C8-N9	8.10	117.15	113.10
26	BB	1986	C	N1-C2-O2	8.10	123.76	118.90
26	BB	2570	G	C5-N7-C8	-8.10	100.25	104.30
26	BB	2663	G	P-O3'-C3'	8.10	129.42	119.70
1	AA	388	G	N3-C4-N9	8.10	130.86	126.00
1	AA	540	G	N1-C2-N3	-8.10	119.04	123.90
1	AA	746	A	N1-C6-N6	-8.10	113.74	118.60
14	AN	10	ARG	NE-CZ-NH2	8.10	124.35	120.30
26	BB	1740	G	C4-C5-N7	8.10	114.04	110.80
26	BB	2347	C	C1'-O4'-C4'	8.10	116.38	109.90
1	AA	1048	G	N1-C2-N2	8.09	123.48	116.20
1	AA	1399	C	N3-C4-C5	-8.09	118.66	121.90
2	AB	58	A	P-O3'-C3'	8.09	129.41	119.70
3	AC	47	C	C4'-C3'-C2'	8.09	110.69	102.60
25	BA	10	G	C4-C5-N7	-8.09	107.56	110.80
25	BA	35	C	O4'-C1'-N1	8.09	114.67	108.20
26	BB	1555	G	N7-C8-N9	8.09	117.15	113.10
26	BB	2221	G	O4'-C1'-N9	8.09	114.67	108.20
26	BB	2189	U	O4'-C1'-N1	8.09	114.67	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	277	C	N1-C2-O2	8.09	123.75	118.90
1	AA	1195	C	O4'-C1'-N1	8.09	114.67	108.20
26	BB	139	U	O4'-C1'-N1	8.09	114.67	108.20
26	BB	267	C	C5-C6-N1	8.09	125.05	121.00
26	BB	1017	G	C2-N3-C4	-8.09	107.86	111.90
26	BB	1651	G	C1'-O4'-C4'	-8.09	103.43	109.90
26	BB	1623	G	C4-C5-N7	-8.09	107.56	110.80
26	BB	2171	A	N1-C6-N6	8.09	123.45	118.60
26	BB	2549	G	C4-C5-N7	-8.09	107.56	110.80
1	AA	703	G	C4-C5-C6	8.09	123.65	118.80
1	AA	944	G	O4'-C1'-N9	8.09	114.67	108.20
26	BB	1497	U	C2-N1-C1'	8.09	127.41	117.70
26	BB	2324	U	C5'-C4'-O4'	-8.09	99.39	109.10
2	AB	21	A	O4'-C1'-N9	8.09	114.67	108.20
3	AC	16	A	C6-C5-N7	8.09	137.96	132.30
26	BB	107	G	N3-C4-N9	8.09	130.85	126.00
26	BB	887	U	N3-C4-O4	8.09	125.06	119.40
26	BB	1796	U	N1-C2-N3	8.09	119.75	114.90
26	BB	2579	C	C5-C6-N1	-8.09	116.96	121.00
26	BB	155	A	C5-C6-N1	8.09	121.74	117.70
26	BB	768	G	C8-N9-C4	-8.09	103.17	106.40
26	BB	1374	G	C6-N1-C2	-8.09	120.25	125.10
26	BB	1384	A	C8-N9-C4	-8.09	102.57	105.80
1	AA	134	G	N7-C8-N9	8.08	117.14	113.10
1	AA	1244	G	N1-C6-O6	-8.08	115.05	119.90
2	AB	10	G	O4'-C1'-C2'	8.08	114.88	107.60
26	BB	399	U	C1'-O4'-C4'	-8.08	103.43	109.90
1	AA	1171	A	C5-N7-C8	8.08	107.94	103.90
1	AA	1293	C	C4-C5-C6	-8.08	113.36	117.40
2	AB	43	G	N3-C4-N9	8.08	130.85	126.00
26	BB	1106	G	C5-C6-O6	-8.08	123.75	128.60
26	BB	2453	A	N1-C2-N3	-8.08	125.26	129.30
26	BB	2843	G	N3-C2-N2	-8.08	114.24	119.90
1	AA	1412	C	C4'-C3'-C2'	-8.08	94.52	102.60
26	BB	2407	A	C6-N1-C2	8.08	123.45	118.60
26	BB	62	U	O4'-C1'-N1	8.08	114.66	108.20
26	BB	1370	C	C2-N3-C4	8.08	123.94	119.90
26	BB	1813	G	O4'-C4'-C3'	8.08	112.56	106.10
26	BB	2744	G	C2-N3-C4	-8.08	107.86	111.90
1	AA	1014	A	N7-C8-N9	-8.08	109.76	113.80
1	AA	1321	U	C1'-O4'-C4'	8.08	116.36	109.90
26	BB	783	A	O4'-C1'-N9	-8.08	101.74	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	41	C	N1-C1'-C2'	-8.08	103.12	112.00
26	BB	100	U	N3-C2-O2	-8.08	116.55	122.20
26	BB	413	C	N1-C2-O2	8.08	123.75	118.90
26	BB	1591	A	C5'-C4'-O4'	8.08	118.79	109.10
26	BB	2744	G	N1-C2-N3	8.08	128.75	123.90
1	AA	404	G	C4'-C3'-C2'	-8.07	94.53	102.60
26	BB	2359	C	C4-C5-C6	-8.07	113.36	117.40
26	BB	2871	U	C5-C4-O4	-8.07	121.06	125.90
1	AA	515	G	N1-C2-N3	-8.07	119.06	123.90
1	AA	1103	C	O4'-C1'-N1	8.07	114.66	108.20
1	AA	1158	C	N3-C2-O2	-8.07	116.25	121.90
26	BB	155	A	C8-N9-C4	8.07	109.03	105.80
1	AA	1166	G	C4-C5-C6	8.07	123.64	118.80
1	AA	1302	C	N3-C4-C5	-8.07	118.67	121.90
1	AA	1492	A	C6-C5-N7	8.07	137.95	132.30
2	AB	19	G	C5-N7-C8	8.07	108.34	104.30
26	BB	279	A	N9-C4-C5	-8.07	102.57	105.80
26	BB	417	C	C3'-C2'-C1'	8.07	107.96	101.50
26	BB	646	U	O4'-C1'-N1	8.07	114.66	108.20
26	BB	872	U	C2-N3-C4	-8.07	122.16	127.00
1	AA	1161	C	C5'-C4'-O4'	8.07	118.78	109.10
1	AA	1171	A	N7-C8-N9	-8.07	109.77	113.80
26	BB	68	G	N9-C4-C5	-8.07	102.17	105.40
26	BB	358	U	N3-C2-O2	-8.07	116.55	122.20
26	BB	502	A	C5-C6-N1	8.07	121.73	117.70
26	BB	907	G	N9-C4-C5	-8.07	102.17	105.40
26	BB	1578	U	N3-C2-O2	-8.07	116.55	122.20
26	BB	2349	G	C8-N9-C4	8.07	109.63	106.40
1	AA	714	G	N3-C4-N9	8.07	130.84	126.00
1	AA	1131	G	N1-C2-N2	8.07	123.46	116.20
1	AA	1358	U	N1-C2-N3	8.07	119.74	114.90
2	AB	43	G	C6-N1-C2	-8.07	120.26	125.10
26	BB	859	G	N3-C4-C5	-8.07	124.56	128.60
26	BB	1049	C	C2-N3-C4	8.07	123.94	119.90
26	BB	1358	G	C4'-C3'-C2'	-8.07	94.53	102.60
26	BB	1598	A	C5'-C4'-O4'	8.07	118.78	109.10
26	BB	1920	C	O4'-C1'-N1	8.07	114.66	108.20
1	AA	248	C	P-O3'-C3'	8.07	129.38	119.70
1	AA	637	C	C3'-C2'-C1'	-8.07	95.05	101.50
1	AA	1274	A	N1-C6-N6	8.07	123.44	118.60
25	BA	27	C	N3-C4-C5	-8.07	118.67	121.90
26	BB	248	G	N7-C8-N9	8.07	117.13	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	580	U	C5'-C4'-O4'	8.07	118.78	109.10
26	BB	2346	A	O4'-C1'-N9	8.07	114.66	108.20
26	BB	1785	A	C8-N9-C4	-8.07	102.57	105.80
26	BB	2551	C	O4'-C1'-N1	8.07	114.65	108.20
26	BB	2561	U	N3-C4-O4	8.07	125.05	119.40
26	BB	2850	A	N1-C6-N6	8.07	123.44	118.60
26	BB	2878	U	N1-C2-N3	8.07	119.74	114.90
31	BG	9	ASP	CB-CG-OD2	8.07	125.56	118.30
1	AA	300	A	C5-N7-C8	8.06	107.93	103.90
1	AA	765	G	C6-N1-C2	-8.06	120.26	125.10
26	BB	355	U	C2-N3-C4	8.06	131.84	127.00
26	BB	367	G	N3-C2-N2	-8.06	114.26	119.90
26	BB	981	A	P-O3'-C3'	8.06	129.38	119.70
26	BB	1152	C	C6-N1-C2	-8.06	117.07	120.30
26	BB	2035	G	N7-C8-N9	-8.06	109.07	113.10
26	BB	2047	C	C3'-C2'-C1'	8.06	107.95	101.50
26	BB	2534	A	C4-C5-C6	-8.06	112.97	117.00
26	BB	2868	A	C4'-C3'-C2'	-8.06	94.54	102.60
1	AA	28	A	O4'-C1'-N9	8.06	114.65	108.20
1	AA	372	C	C5-C6-N1	-8.06	116.97	121.00
1	AA	882	C	O4'-C1'-N1	8.06	114.65	108.20
1	AA	1181	G	C8-N9-C4	-8.06	103.17	106.40
26	BB	1340	U	P-O3'-C3'	8.06	129.38	119.70
26	BB	1774	C	N3-C4-C5	-8.06	118.68	121.90
39	BO	38	ARG	NE-CZ-NH1	8.06	124.33	120.30
1	AA	821	G	N3-C4-N9	8.06	130.84	126.00
25	BA	94	A	C6-N1-C2	8.06	123.44	118.60
26	BB	60	G	O5'-P-OP2	-8.06	98.45	105.70
26	BB	687	C	N3-C4-C5	8.06	125.12	121.90
26	BB	2437	G	N3-C4-N9	8.06	130.84	126.00
26	BB	575	A	C2-N3-C4	8.06	114.63	110.60
26	BB	1054	A	C4-C5-N7	-8.06	106.67	110.70
26	BB	1397	U	N3-C2-O2	-8.06	116.56	122.20
26	BB	1952	A	C2-N3-C4	-8.06	106.57	110.60
26	BB	1574	C	N3-C2-O2	-8.06	116.26	121.90
26	BB	2682	A	C5'-C4'-C3'	-8.06	103.11	116.00
42	BR	112	ARG	NE-CZ-NH2	-8.06	116.27	120.30
1	AA	26	A	C6-C5-N7	8.06	137.94	132.30
26	BB	2250	G	C5-C6-N1	8.06	115.53	111.50
26	BB	2471	A	N1-C6-N6	-8.06	113.77	118.60
1	AA	194	C	N3-C2-O2	-8.05	116.26	121.90
1	AA	388	G	C5-N7-C8	8.05	108.33	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	520	A	C5-N7-C8	8.05	107.93	103.90
1	AA	727	G	O4'-C1'-N9	8.05	114.64	108.20
1	AA	978	A	C5'-C4'-O4'	8.05	118.77	109.10
1	AA	1369	C	N1-C1'-C2'	-8.05	103.14	112.00
4	AD	45	A	C2-N3-C4	8.05	114.63	110.60
26	BB	1219	U	C5-C6-N1	-8.05	118.67	122.70
26	BB	2410	G	C5'-C4'-O4'	8.05	118.77	109.10
1	AA	937	A	P-O3'-C3'	8.05	129.36	119.70
1	AA	1179	A	O4'-C1'-N9	8.05	114.64	108.20
26	BB	86	G	C2-N3-C4	8.05	115.93	111.90
26	BB	223	A	C1'-O4'-C4'	-8.05	103.46	109.90
43	BS	31	TYR	CB-CG-CD2	-8.05	116.17	121.00
2	AB	3	G	C8-N9-C4	-8.05	103.18	106.40
26	BB	1745	A	N7-C8-N9	-8.05	109.78	113.80
26	BB	2125	G	O4'-C1'-C2'	-8.05	97.75	105.80
26	BB	2189	U	C5-C6-N1	-8.05	118.67	122.70
26	BB	2474	U	C5-C4-O4	-8.05	121.07	125.90
1	AA	493	A	C3'-C2'-C1'	8.05	107.94	101.50
2	AB	68	C	C6-N1-C2	-8.05	117.08	120.30
4	AD	7	G	O4'-C1'-N9	8.05	114.64	108.20
26	BB	516	C	C6-N1-C2	-8.05	117.08	120.30
26	BB	529	A	C5-C6-N6	8.05	130.14	123.70
26	BB	1041	G	C5-C6-O6	-8.05	123.77	128.60
26	BB	1171	G	O4'-C1'-N9	8.05	114.64	108.20
26	BB	2430	A	N1-C6-N6	-8.05	113.77	118.60
26	BB	2540	C	C5-C6-N1	8.05	125.03	121.00
1	AA	228	A	C4-C5-C6	-8.04	112.98	117.00
1	AA	410	G	C5-C6-O6	-8.04	123.77	128.60
1	AA	945	G	C6-C5-N7	-8.04	125.57	130.40
26	BB	355	U	O4'-C1'-N1	8.04	114.64	108.20
26	BB	672	C	O4'-C1'-N1	8.04	114.64	108.20
26	BB	1156	A	C5-C6-N6	-8.04	117.27	123.70
26	BB	1321	A	O5'-P-OP2	-8.04	98.46	105.70
26	BB	2177	C	O4'-C1'-N1	8.04	114.64	108.20
26	BB	2693	G	C4'-C3'-C2'	-8.04	94.56	102.60
1	AA	888	G	N1-C2-N2	-8.04	108.96	116.20
1	AA	1044	A	C1'-O4'-C4'	8.04	116.33	109.90
26	BB	1900	A	O4'-C1'-N9	8.04	114.63	108.20
26	BB	2459	A	O4'-C4'-C3'	8.04	112.53	106.10
1	AA	138	G	C5-C6-O6	-8.04	123.78	128.60
1	AA	933	G	C8-N9-C4	-8.04	103.18	106.40
26	BB	1855	U	N3-C2-O2	-8.04	116.57	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2009	A	N1-C2-N3	8.04	133.32	129.30
26	BB	2692	G	C6-N1-C2	-8.04	120.28	125.10
1	AA	532	A	C6-C5-N7	8.04	137.93	132.30
1	AA	724	G	C6-C5-N7	-8.04	125.58	130.40
26	BB	733	G	C5-C6-O6	-8.04	123.78	128.60
26	BB	1056	G	N3-C2-N2	8.04	125.53	119.90
1	AA	491	G	C8-N9-C4	-8.04	103.19	106.40
1	AA	639	G	N1-C6-O6	8.04	124.72	119.90
1	AA	1532	U	C5-C4-O4	-8.04	121.08	125.90
26	BB	301	G	C8-N9-C4	-8.04	103.19	106.40
26	BB	718	A	O4'-C1'-N9	8.04	114.63	108.20
26	BB	1888	G	N3-C4-C5	-8.04	124.58	128.60
26	BB	2357	G	O4'-C1'-N9	8.04	114.63	108.20
1	AA	407	U	O4'-C1'-N1	8.04	114.63	108.20
1	AA	502	A	C5-C6-N1	8.04	121.72	117.70
1	AA	616	G	C6-N1-C2	-8.04	120.28	125.10
1	AA	891	U	O4'-C1'-N1	8.04	114.63	108.20
1	AA	1367	C	N3-C2-O2	-8.04	116.28	121.90
17	AQ	58	ARG	NE-CZ-NH2	-8.04	116.28	120.30
26	BB	1088	A	C3'-C2'-C1'	8.04	107.93	101.50
26	BB	283	G	C4-C5-N7	-8.03	107.59	110.80
26	BB	755	U	O4'-C1'-N1	8.03	114.63	108.20
26	BB	1512	C	O4'-C4'-C3'	-8.04	95.97	104.00
26	BB	1846	G	C5-N7-C8	8.03	108.32	104.30
26	BB	1849	G	C4-C5-N7	-8.03	107.59	110.80
1	AA	936	C	C4-C5-C6	-8.03	113.38	117.40
1	AA	1109	C	N1-C2-O2	8.03	123.72	118.90
7	AG	52	VAL	CA-CB-CG2	8.03	122.95	110.90
26	BB	658	U	N3-C2-O2	-8.03	116.58	122.20
26	BB	737	C	C5-C4-N4	-8.03	114.58	120.20
26	BB	737	C	O4'-C1'-N1	8.03	114.62	108.20
26	BB	1765	U	C2-N3-C4	8.03	131.82	127.00
26	BB	2115	G	N3-C4-C5	-8.03	124.58	128.60
26	BB	2636	C	C6-N1-C2	8.03	123.51	120.30
1	AA	1156	G	C3'-C2'-C1'	-8.03	95.08	101.50
1	AA	1505	G	N1-C2-N3	-8.03	119.08	123.90
26	BB	151	C	C2-N3-C4	-8.03	115.89	119.90
1	AA	725	G	O4'-C1'-N9	8.03	114.62	108.20
25	BA	44	G	C1'-O4'-C4'	-8.03	103.48	109.90
26	BB	913	U	O4'-C1'-N1	8.03	114.62	108.20
1	AA	195	A	C5'-C4'-O4'	8.03	118.73	109.10
1	AA	299	G	C4-C5-N7	-8.03	107.59	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	856	G	C6-C5-N7	-8.03	125.58	130.40
1	AA	842	U	N3-C4-O4	8.03	125.02	119.40
26	BB	1382	G	O4'-C1'-N9	8.03	114.62	108.20
26	BB	1977	A	C4-C5-C6	-8.03	112.99	117.00
26	BB	2306	C	N3-C2-O2	-8.03	116.28	121.90
26	BB	2526	G	O4'-C1'-N9	-8.03	101.78	108.20
26	BB	2718	G	C8-N9-C4	-8.03	103.19	106.40
1	AA	475	C	O4'-C4'-C3'	8.02	112.52	106.10
1	AA	1120	C	N1-C2-O2	8.02	123.71	118.90
1	AA	1187	G	C5-C6-N1	8.02	115.51	111.50
1	AA	1253	G	N1-C6-O6	-8.02	115.09	119.90
2	AB	35	C	C6-N1-C2	-8.02	117.09	120.30
26	BB	947	A	O4'-C1'-N9	8.02	114.62	108.20
26	BB	1737	G	N3-C4-N9	-8.02	121.19	126.00
1	AA	452	A	N7-C8-N9	8.02	117.81	113.80
1	AA	959	A	O4'-C1'-N9	8.02	114.62	108.20
1	AA	1235	U	N1-C2-O2	-8.02	117.19	122.80
1	AA	1438	G	N1-C2-N3	-8.02	119.09	123.90
26	BB	733	G	C6-C5-N7	8.02	135.21	130.40
57	B6	44	ARG	NE-CZ-NH2	8.02	124.31	120.30
25	BA	77	U	O4'-C1'-N1	8.02	114.62	108.20
26	BB	322	A	C8-N9-C4	-8.02	102.59	105.80
26	BB	1126	A	C4-C5-C6	-8.02	112.99	117.00
26	BB	2064	C	O4'-C1'-N1	8.02	114.62	108.20
1	AA	191	G	C4'-C3'-C2'	-8.02	94.58	102.60
26	BB	1950	G	C3'-C2'-C1'	8.02	107.92	101.50
1	AA	552	U	N3-C2-O2	-8.02	116.59	122.20
1	AA	829	G	C4'-C3'-C2'	-8.02	94.58	102.60
1	AA	960	U	N1-C2-N3	8.02	119.71	114.90
2	AB	23	A	N1-C6-N6	8.02	123.41	118.60
1	AA	1327	C	N3-C4-N4	8.02	123.61	118.00
25	BA	23	G	C8-N9-C4	-8.02	103.19	106.40
25	BA	79	G	N9-C4-C5	8.02	108.61	105.40
26	BB	184	C	C4'-C3'-C2'	-8.02	94.58	102.60
26	BB	376	G	N9-C1'-C2'	-8.02	103.18	112.00
26	BB	849	A	N1-C6-N6	-8.02	113.79	118.60
26	BB	942	G	C5-C6-N1	8.02	115.51	111.50
26	BB	1081	U	C4-C5-C6	8.02	124.51	119.70
26	BB	1341	G	C5-C6-N1	8.02	115.51	111.50
26	BB	1677	A	C6-N1-C2	8.02	123.41	118.60
26	BB	2473	U	C3'-C2'-C1'	8.02	107.92	101.50
26	BB	2731	G	C4-C5-N7	-8.02	107.59	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	BO	91	TYR	CG-CD2-CE2	8.02	127.72	121.30
1	AA	142	G	C1'-O4'-C4'	-8.02	103.49	109.90
25	BA	63	C	N1-C2-O2	-8.02	114.09	118.90
26	BB	71	A	N1-C2-N3	-8.02	125.29	129.30
26	BB	151	C	N3-C4-C5	8.02	125.11	121.90
26	BB	706	A	C2-N3-C4	8.02	114.61	110.60
26	BB	881	G	C2-N3-C4	8.02	115.91	111.90
26	BB	1311	G	C6-C5-N7	-8.02	125.59	130.40
26	BB	1807	G	O4'-C1'-N9	8.02	114.61	108.20
26	BB	2482	A	O4'-C1'-N9	-8.02	101.79	108.20
26	BB	2611	C	N3-C4-C5	-8.02	118.69	121.90
26	BB	2751	G	C2-N3-C4	8.02	115.91	111.90
26	BB	1073	A	C6-C5-N7	8.01	137.91	132.30
1	AA	940	C	N3-C2-O2	-8.01	116.29	121.90
6	AF	178	ARG	NH1-CZ-NH2	8.01	128.22	119.40
26	BB	1202	G	O4'-C1'-N9	8.01	114.61	108.20
26	BB	1930	G	N9-C4-C5	8.01	108.61	105.40
26	BB	2198	A	O4'-C1'-N9	8.01	114.61	108.20
26	BB	2619	C	C6-N1-C2	-8.01	117.09	120.30
1	AA	979	C	C3'-C2'-C1'	8.01	107.91	101.50
26	BB	2757	A	O4'-C1'-N9	8.01	114.61	108.20
26	BB	2790	U	C2-N3-C4	-8.01	122.19	127.00
1	AA	1202	U	C5'-C4'-O4'	8.01	118.71	109.10
2	AB	62	U	N3-C4-O4	8.01	125.01	119.40
1	AA	305	G	C6-N1-C2	-8.01	120.30	125.10
1	AA	445	G	O4'-C1'-N9	8.01	114.61	108.20
4	AD	20	G	C8-N9-C4	-8.01	103.20	106.40
26	BB	527	C	C5-C4-N4	-8.01	114.59	120.20
4	AD	23	G	N3-C4-C5	-8.01	124.60	128.60
26	BB	1755	A	N1-C2-N3	-8.01	125.30	129.30
26	BB	1985	C	C2-N3-C4	8.01	123.90	119.90
26	BB	2300	C	N3-C4-N4	8.01	123.61	118.00
26	BB	2834	G	C5-C6-O6	8.01	133.41	128.60
1	AA	260	G	C5-C6-O6	-8.00	123.80	128.60
1	AA	299	G	C1'-O4'-C4'	-8.00	103.50	109.90
26	BB	698	C	N1-C2-O2	8.00	123.70	118.90
26	BB	2837	A	C4'-C3'-C2'	-8.00	94.60	102.60
1	AA	1330	U	C5-C6-N1	-8.00	118.70	122.70
1	AA	1530	G	C3'-C2'-C1'	8.00	107.90	101.50
26	BB	1136	G	C8-N9-C4	-8.00	103.20	106.40
26	BB	1799	G	C5'-C4'-O4'	-8.00	99.50	109.10
26	BB	2549	G	C5-C6-O6	-8.00	123.80	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	57	G	N1-C2-N3	-8.00	119.10	123.90
1	AA	704	A	C6-C5-N7	8.00	137.90	132.30
1	AA	1480	A	C8-N9-C4	-8.00	102.60	105.80
2	AB	29	G	O4'-C1'-N9	8.00	114.60	108.20
26	BB	615	U	C1'-O4'-C4'	8.00	116.30	109.90
26	BB	2526	G	N1-C2-N3	-8.00	119.10	123.90
54	B3	30	ASP	CB-CG-OD1	-8.00	111.10	118.30
1	AA	939	G	C5'-C4'-O4'	8.00	118.70	109.10
1	AA	1336	C	C5-C4-N4	-8.00	114.60	120.20
1	AA	1461	G	C8-N9-C4	-8.00	103.20	106.40
1	AA	1464	U	N1-C2-N3	8.00	119.70	114.90
4	AD	30	G	C5-C6-N1	8.00	115.50	111.50
25	BA	85	G	C2-N3-C4	8.00	115.90	111.90
26	BB	397	U	N1-C2-N3	8.00	119.70	114.90
26	BB	2293	G	C6-N1-C2	-8.00	120.30	125.10
26	BB	2628	C	C5-C6-N1	8.00	125.00	121.00
2	AB	28	C	C2-N3-C4	8.00	123.90	119.90
26	BB	19	A	C3'-C2'-C1'	8.00	107.90	101.50
26	BB	1560	G	C5'-C4'-O4'	8.00	118.69	109.10
10	AJ	134	VAL	CA-CB-CG1	8.00	122.89	110.90
26	BB	2048	G	C5-C6-O6	-8.00	123.80	128.60
1	AA	26	A	C8-N9-C4	7.99	109.00	105.80
1	AA	40	C	O4'-C1'-N1	7.99	114.59	108.20
1	AA	303	A	C5-C6-N1	7.99	121.70	117.70
1	AA	636	U	C5-C4-O4	-7.99	121.10	125.90
1	AA	683	G	C5-C6-N1	7.99	115.50	111.50
4	AD	15	G	C5-N7-C8	7.99	108.30	104.30
9	AI	113	ARG	NE-CZ-NH2	-7.99	116.30	120.30
26	BB	104	A	N1-C6-N6	-7.99	113.80	118.60
26	BB	654	A	C4-C5-C6	-7.99	113.00	117.00
26	BB	1283	G	O4'-C1'-N9	7.99	114.59	108.20
26	BB	1396	U	C5-C6-N1	-7.99	118.70	122.70
26	BB	158	U	C5-C6-N1	7.99	126.70	122.70
1	AA	98	A	C4-C5-C6	-7.99	113.00	117.00
1	AA	338	A	N7-C8-N9	7.99	117.80	113.80
1	AA	930	C	N3-C4-N4	-7.99	112.41	118.00
1	AA	1463	U	N3-C4-O4	7.99	124.99	119.40
26	BB	1439	A	N7-C8-N9	7.99	117.80	113.80
26	BB	1453	A	O4'-C1'-C2'	7.99	114.79	107.60
26	BB	1700	A	C4-C5-N7	-7.99	106.70	110.70
1	AA	350	G	N1-C6-O6	7.99	124.69	119.90
1	AA	553	A	N3-C4-C5	-7.99	121.21	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	806	C	N3-C4-C5	-7.99	118.70	121.90
25	BA	13	G	C2-N3-C4	7.99	115.89	111.90
26	BB	190	A	C8-N9-C4	-7.99	102.60	105.80
26	BB	931	U	C5-C4-O4	-7.99	121.11	125.90
26	BB	1197	G	N3-C2-N2	-7.99	114.31	119.90
26	BB	1446	C	C6-N1-C2	7.99	123.50	120.30
26	BB	1159	U	C2-N3-C4	-7.99	122.21	127.00
1	AA	1486	G	N3-C4-C5	-7.99	124.61	128.60
1	AA	1536	C	N3-C4-N4	-7.99	112.41	118.00
26	BB	469	G	C6-C5-N7	7.99	135.19	130.40
26	BB	493	G	N3-C4-C5	-7.99	124.61	128.60
26	BB	647	G	C8-N9-C4	-7.99	103.21	106.40
26	BB	1451	C	C4'-C3'-C2'	7.99	110.59	102.60
26	BB	1931	U	O4'-C1'-N1	7.99	114.59	108.20
26	BB	2388	A	C5'-C4'-O4'	7.99	118.68	109.10
26	BB	2452	C	N1-C2-O2	7.99	123.69	118.90
1	AA	233	C	C4-C5-C6	7.98	121.39	117.40
1	AA	317	U	C2-N3-C4	-7.98	122.21	127.00
1	AA	968	A	C8-N9-C4	-7.98	102.61	105.80
26	BB	170	U	N1-C2-O2	7.98	128.39	122.80
1	AA	805	C	P-O3'-C3'	7.98	129.28	119.70
26	BB	430	A	C4-C5-C6	-7.98	113.01	117.00
26	BB	998	C	C5-C4-N4	-7.98	114.61	120.20
26	BB	1564	C	C6-N1-C2	-7.98	117.11	120.30
26	BB	2391	G	N9-C4-C5	7.98	108.59	105.40
1	AA	281	G	C3'-C2'-C1'	7.98	107.89	101.50
1	AA	452	A	C6-C5-N7	7.98	137.89	132.30
3	AC	43	U	C5-C4-O4	-7.98	121.11	125.90
26	BB	1659	G	O4'-C1'-N9	7.98	114.58	108.20
26	BB	1807	G	C5-N7-C8	-7.98	100.31	104.30
26	BB	2592	G	C4'-C3'-C2'	-7.98	94.62	102.60
1	AA	99	C	N3-C4-N4	7.98	123.58	118.00
1	AA	196	A	C5-C6-N1	7.98	121.69	117.70
4	AD	74	A	O4'-C1'-N9	7.98	114.58	108.20
8	AH	127	TYR	CB-CG-CD1	-7.98	116.21	121.00
26	BB	874	G	N7-C8-N9	-7.98	109.11	113.10
26	BB	1365	A	N1-C2-N3	-7.98	125.31	129.30
26	BB	2116	G	N9-C4-C5	7.98	108.59	105.40
26	BB	707	G	C4-C5-C6	7.98	123.59	118.80
26	BB	1209	U	C3'-C2'-C1'	-7.98	95.12	101.50
26	BB	1300	G	N9-C4-C5	-7.98	102.21	105.40
26	BB	2751	G	C5-C6-N1	7.98	115.49	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	380	G	C8-N9-C4	-7.97	103.21	106.40
26	BB	156	A	N9-C4-C5	7.97	108.99	105.80
26	BB	255	A	C6-N1-C2	-7.97	113.81	118.60
26	BB	637	A	O4'-C1'-N9	7.97	114.58	108.20
26	BB	913	U	C5-C4-O4	-7.97	121.12	125.90
26	BB	2394	C	O4'-C1'-N1	7.97	114.58	108.20
26	BB	2418	A	C4-C5-N7	-7.97	106.71	110.70
1	AA	901	A	N3-C4-C5	-7.97	121.22	126.80
26	BB	15	G	C4-C5-N7	-7.97	107.61	110.80
26	BB	1071	G	C2-N3-C4	7.97	115.89	111.90
26	BB	1500	G	N3-C2-N2	-7.97	114.32	119.90
26	BB	1746	A	C6-N1-C2	7.97	123.38	118.60
26	BB	2383	G	C4-C5-N7	-7.97	107.61	110.80
1	AA	145	G	N1-C6-O6	-7.97	115.12	119.90
1	AA	587	G	C8-N9-C4	-7.97	103.21	106.40
1	AA	1392	G	O4'-C4'-C3'	7.97	112.48	106.10
26	BB	1743	G	N9-C4-C5	7.97	108.59	105.40
1	AA	204	G	C5-C6-N1	7.97	115.48	111.50
1	AA	469	C	O4'-C1'-N1	7.97	114.58	108.20
1	AA	1103	C	N1-C2-O2	7.97	123.68	118.90
1	AA	1401	G	C5-C6-N1	7.97	115.48	111.50
1	AA	1453	G	N9-C1'-C2'	-7.97	103.23	112.00
3	AC	42	U	O4'-C1'-C2'	-7.97	97.83	105.80
25	BA	36	C	O4'-C4'-C3'	-7.97	96.03	104.00
25	BA	116	G	N3-C2-N2	-7.97	114.32	119.90
26	BB	10	A	O4'-C1'-N9	7.97	114.58	108.20
26	BB	339	U	N3-C2-O2	-7.97	116.62	122.20
26	BB	412	A	C5-C6-N1	7.97	121.69	117.70
26	BB	891	G	N9-C1'-C2'	-7.97	103.23	112.00
26	BB	1322	A	C5'-C4'-O4'	7.97	118.66	109.10
26	BB	1449	G	O4'-C1'-N9	7.97	114.58	108.20
26	BB	2087	G	C8-N9-C4	-7.97	103.21	106.40
26	BB	2340	A	N9-C1'-C2'	-7.97	103.23	112.00
1	AA	6	G	N1-C2-N2	7.97	123.37	116.20
26	BB	263	G	C8-N9-C4	-7.97	103.21	106.40
26	BB	591	U	O4'-C1'-N1	7.97	114.57	108.20
26	BB	1952	A	N3-C4-C5	7.97	132.38	126.80
1	AA	291	U	O4'-C1'-N1	7.97	114.57	108.20
1	AA	901	A	N1-C2-N3	-7.97	125.32	129.30
1	AA	1026	G	N7-C8-N9	7.97	117.08	113.10
1	AA	1198	G	O4'-C1'-N9	7.97	114.57	108.20
26	BB	487	C	C2-N3-C4	7.97	123.88	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	605	G	C2-N3-C4	7.97	115.88	111.90
26	BB	713	G	C4-C5-N7	-7.97	107.61	110.80
26	BB	1348	C	N1-C2-N3	-7.97	113.62	119.20
26	BB	1774	C	N1-C2-N3	-7.97	113.62	119.20
26	BB	1897	G	N3-C4-C5	-7.97	124.62	128.60
26	BB	2455	G	C5-C6-N1	7.97	115.48	111.50
4	AD	49	C	O4'-C1'-N1	7.96	114.57	108.20
25	BA	101	A	C5-C6-N1	7.96	121.68	117.70
26	BB	670	A	C3'-C2'-C1'	-7.96	95.13	101.50
26	BB	1707	G	N3-C4-C5	-7.96	124.62	128.60
26	BB	2106	U	C2-N3-C4	-7.96	122.22	127.00
26	BB	2385	C	N1-C2-O2	7.96	123.68	118.90
26	BB	434	U	N3-C2-O2	-7.96	116.63	122.20
26	BB	875	G	C3'-C2'-C1'	-7.96	95.13	101.50
26	BB	915	C	N1-C2-O2	7.96	123.68	118.90
1	AA	76	G	C5-N7-C8	-7.96	100.32	104.30
1	AA	1254	A	N1-C2-N3	-7.96	125.32	129.30
1	AA	1260	G	O4'-C1'-N9	7.96	114.57	108.20
2	AB	43	G	N1-C2-N3	7.96	128.68	123.90
7	AG	134	TYR	CB-CG-CD2	-7.96	116.22	121.00
25	BA	26	C	N3-C4-C5	-7.96	118.72	121.90
25	BA	75	G	C5'-C4'-C3'	7.96	128.74	116.00
25	BA	120	U	O4'-C1'-N1	7.96	114.57	108.20
26	BB	787	C	C4'-C3'-C2'	-7.96	94.64	102.60
26	BB	1231	U	O4'-C1'-N1	7.96	114.57	108.20
26	BB	1301	A	C5-N7-C8	7.96	107.88	103.90
26	BB	1473	G	C6-C5-N7	-7.96	125.62	130.40
26	BB	2886	A	C5-C6-N1	-7.96	113.72	117.70
1	AA	575	G	C6-C5-N7	7.96	135.18	130.40
26	BB	378	C	C5-C6-N1	7.96	124.98	121.00
1	AA	1246	A	N1-C6-N6	-7.96	113.83	118.60
4	AD	10	G	N9-C4-C5	7.96	108.58	105.40
26	BB	119	A	O4'-C1'-N9	7.96	114.57	108.20
26	BB	481	G	N7-C8-N9	7.96	117.08	113.10
26	BB	514	A	C8-N9-C4	7.96	108.98	105.80
1	AA	23	C	N3-C4-C5	7.96	125.08	121.90
1	AA	1080	A	C2-N3-C4	7.96	114.58	110.60
26	BB	1291	C	C6-N1-C2	-7.96	117.12	120.30
26	BB	1522	A	N9-C4-C5	7.96	108.98	105.80
26	BB	2475	C	C6-N1-C2	-7.96	117.12	120.30
26	BB	973	A	N3-C4-C5	-7.96	121.23	126.80
26	BB	1929	G	N3-C4-N9	7.96	130.77	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2054	A	C5-C6-N1	7.96	121.68	117.70
1	AA	42	G	N1-C2-N3	-7.95	119.13	123.90
1	AA	517	G	C6-C5-N7	7.95	135.17	130.40
1	AA	1051	C	N3-C2-O2	-7.95	116.33	121.90
26	BB	1541	C	C5'-C4'-C3'	-7.95	103.27	116.00
26	BB	2603	G	C8-N9-C4	-7.95	103.22	106.40
26	BB	372	G	O4'-C1'-N9	7.95	114.56	108.20
26	BB	2750	A	C5-N7-C8	-7.95	99.92	103.90
1	AA	395	C	N3-C2-O2	-7.95	116.33	121.90
26	BB	469	G	N3-C4-C5	-7.95	124.62	128.60
26	BB	708	G	C8-N9-C4	-7.95	103.22	106.40
26	BB	781	A	C6-N1-C2	-7.95	113.83	118.60
26	BB	1459	G	C4-C5-N7	7.95	113.98	110.80
26	BB	1711	A	C5'-C4'-C3'	-7.95	103.28	116.00
40	BP	67	PHE	CB-CG-CD2	-7.95	115.23	120.80
26	BB	933	A	C4-C5-N7	7.95	114.67	110.70
26	BB	1164	C	N3-C4-N4	-7.95	112.44	118.00
26	BB	2001	C	O4'-C1'-N1	7.95	114.56	108.20
26	BB	2100	G	C8-N9-C4	-7.95	103.22	106.40
26	BB	2311	A	N1-C6-N6	-7.95	113.83	118.60
26	BB	2325	G	C5-N7-C8	7.95	108.27	104.30
26	BB	2708	G	C4-C5-C6	7.95	123.57	118.80
26	BB	217	A	N9-C4-C5	7.95	108.98	105.80
26	BB	1133	A	C2-N3-C4	-7.95	106.63	110.60
26	BB	1387	A	N9-C4-C5	7.95	108.98	105.80
26	BB	2262	U	N3-C2-O2	-7.95	116.64	122.20
26	BB	2410	G	N3-C4-N9	-7.95	121.23	126.00
1	AA	7	A	C4-C5-C6	-7.95	113.03	117.00
1	AA	1012	A	N9-C1'-C2'	-7.95	103.26	112.00
26	BB	329	G	N3-C2-N2	-7.95	114.34	119.90
26	BB	382	A	N1-C6-N6	-7.95	113.83	118.60
26	BB	918	A	N9-C1'-C2'	-7.95	103.26	112.00
26	BB	1494	A	C2-N3-C4	7.95	114.57	110.60
1	AA	992	U	C5-C6-N1	-7.94	118.73	122.70
26	BB	1260	A	N9-C1'-C2'	-7.94	103.26	112.00
26	BB	1350	C	C4-C5-C6	7.94	121.37	117.40
26	BB	1569	A	O4'-C1'-N9	7.94	114.56	108.20
26	BB	2275	C	N1-C2-N3	7.94	124.76	119.20
26	BB	1277	G	C5-C6-N1	7.94	115.47	111.50
26	BB	1489	C	C3'-C2'-C1'	-7.94	95.15	101.50
26	BB	2764	A	C4-C5-C6	7.94	120.97	117.00
26	BB	2844	G	N7-C8-N9	7.94	117.07	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	30	G	N3-C2-N2	-7.94	114.34	119.90
26	BB	260	G	C1'-O4'-C4'	-7.94	103.55	109.90
26	BB	320	A	N7-C8-N9	7.94	117.77	113.80
26	BB	2144	G	C5-C6-O6	-7.94	123.83	128.60
26	BB	2648	G	C8-N9-C4	-7.94	103.22	106.40
49	BY	13	ARG	NE-CZ-NH1	7.94	124.27	120.30
26	BB	535	G	C5-C6-O6	-7.94	123.84	128.60
26	BB	559	G	N7-C8-N9	7.94	117.07	113.10
26	BB	826	U	C4-C5-C6	7.94	124.46	119.70
26	BB	991	C	O4'-C1'-N1	7.94	114.55	108.20
26	BB	1404	C	N3-C2-O2	-7.94	116.34	121.90
26	BB	1867	G	C5-C6-O6	7.94	133.36	128.60
32	BH	45	ALA	CB-CA-C	7.94	122.01	110.10
1	AA	1395	C	N3-C4-N4	7.94	123.56	118.00
26	BB	412	A	O4'-C1'-N9	7.94	114.55	108.20
26	BB	603	A	N9-C4-C5	7.94	108.97	105.80
26	BB	913	U	N3-C4-O4	7.94	124.96	119.40
26	BB	1242	U	N3-C2-O2	-7.94	116.64	122.20
26	BB	1820	U	O4'-C1'-N1	7.94	114.55	108.20
26	BB	1996	C	N1-C2-O2	7.94	123.66	118.90
26	BB	2117	A	C2-N3-C4	7.94	114.57	110.60
26	BB	2118	U	C1'-O4'-C4'	-7.94	103.55	109.90
26	BB	2576	G	C6-N1-C2	-7.94	120.34	125.10
26	BB	2625	G	N3-C4-C5	-7.94	124.63	128.60
1	AA	1108	G	N3-C4-N9	-7.94	121.24	126.00
26	BB	997	G	C2-N3-C4	7.94	115.87	111.90
26	BB	2218	G	N3-C4-C5	-7.94	124.63	128.60
1	AA	269	C	N3-C2-O2	-7.93	116.35	121.90
1	AA	737	C	O4'-C1'-N1	7.93	114.55	108.20
4	AD	7	G	O4'-C4'-C3'	7.93	112.45	106.10
26	BB	750	A	C3'-C2'-C1'	7.93	107.85	101.50
26	BB	974	G	N3-C4-N9	7.93	130.76	126.00
26	BB	1314	C	C5-C4-N4	-7.93	114.65	120.20
26	BB	1625	C	C5-C4-N4	-7.93	114.64	120.20
1	AA	815	A	C5-C6-N1	7.93	121.67	117.70
26	BB	504	A	C8-N9-C4	-7.93	102.63	105.80
26	BB	1174	U	N3-C4-C5	-7.93	109.84	114.60
45	BU	88	ARG	NE-CZ-NH2	7.93	124.27	120.30
1	AA	1081	A	C3'-C2'-C1'	-7.93	95.16	101.50
26	BB	1163	G	O4'-C1'-N9	7.93	114.55	108.20
26	BB	2138	G	N3-C2-N2	-7.93	114.35	119.90
26	BB	2361	G	C2-N3-C4	7.93	115.87	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2442	C	C3'-C2'-C1'	7.93	107.84	101.50
26	BB	2544	G	N3-C4-C5	-7.93	124.64	128.60
1	AA	408	A	N9-C4-C5	7.93	108.97	105.80
1	AA	709	U	N3-C2-O2	-7.93	116.65	122.20
1	AA	873	A	C2-N3-C4	7.93	114.56	110.60
1	AA	1003	G	N3-C2-N2	-7.93	114.35	119.90
1	AA	1278	G	C3'-C2'-C1'	7.93	107.84	101.50
25	BA	34	A	N1-C2-N3	7.93	133.26	129.30
26	BB	717	C	N3-C4-C5	-7.93	118.73	121.90
26	BB	1694	C	C6-N1-C2	7.93	123.47	120.30
26	BB	1961	C	C5'-C4'-O4'	7.93	118.62	109.10
26	BB	2736	A	C4-C5-C6	-7.93	113.03	117.00
2	AB	40	C	N1-C2-N3	7.93	124.75	119.20
26	BB	2264	C	N3-C2-O2	-7.93	116.35	121.90
26	BB	2642	G	C6-N1-C2	-7.93	120.34	125.10
1	AA	119	A	C8-N9-C4	-7.93	102.63	105.80
1	AA	1486	G	C5-N7-C8	7.93	108.26	104.30
25	BA	19	C	C6-N1-C2	-7.93	117.13	120.30
26	BB	334	C	C5-C4-N4	7.93	125.75	120.20
26	BB	813	U	N3-C4-C5	-7.93	109.84	114.60
26	BB	1222	U	O4'-C1'-N1	7.93	114.54	108.20
26	BB	1532	A	C5-N7-C8	-7.93	99.94	103.90
26	BB	1584	U	O4'-C1'-N1	7.93	114.54	108.20
26	BB	1793	C	C4'-C3'-C2'	-7.93	94.67	102.60
1	AA	586	C	N3-C2-O2	-7.92	116.35	121.90
4	AD	46	G	N9-C1'-C2'	-7.92	103.28	112.00
26	BB	241	A	P-O3'-C3'	7.92	129.21	119.70
26	BB	370	G	C2-N3-C4	7.92	115.86	111.90
26	BB	1693	U	N3-C4-O4	7.92	124.95	119.40
26	BB	2226	C	O4'-C1'-N1	7.92	114.54	108.20
1	AA	1390	U	N3-C4-O4	-7.92	113.85	119.40
26	BB	804	A	C2-N3-C4	7.92	114.56	110.60
1	AA	1236	A	N9-C1'-C2'	-7.92	103.29	112.00
4	AD	74	A	N9-C4-C5	-7.92	102.63	105.80
21	AU	7	ARG	NE-CZ-NH2	7.92	124.26	120.30
25	BA	106	G	N3-C4-N9	7.92	130.75	126.00
26	BB	1444	G	C5-C6-O6	7.92	133.35	128.60
26	BB	2744	G	C8-N9-C4	-7.92	103.23	106.40
1	AA	616	G	C1'-O4'-C4'	-7.92	103.56	109.90
1	AA	796	C	N3-C4-C5	-7.92	118.73	121.90
26	BB	787	C	C3'-C2'-C1'	7.92	107.84	101.50
26	BB	1142	A	C6-N1-C2	7.92	123.35	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1186	G	N3-C2-N2	7.92	125.44	119.90
26	BB	2641	G	O4'-C1'-N9	7.92	114.54	108.20
1	AA	1032	G	C4-C5-N7	-7.92	107.63	110.80
1	AA	1065	U	N1-C1'-C2'	7.92	124.29	114.00
1	AA	1093	A	N3-C4-C5	-7.92	121.26	126.80
26	BB	295	G	C6-N1-C2	-7.92	120.35	125.10
26	BB	1210	G	N3-C2-N2	7.92	125.44	119.90
26	BB	2019	A	C2'-C3'-O3'	7.92	126.92	109.50
26	BB	2446	G	C8-N9-C4	-7.92	103.23	106.40
26	BB	2861	U	C2-N3-C4	-7.92	122.25	127.00
1	AA	697	U	C5'-C4'-O4'	7.92	118.60	109.10
1	AA	1144	G	C4'-C3'-C2'	-7.92	94.68	102.60
26	BB	227	A	N9-C4-C5	-7.92	102.63	105.80
26	BB	1131	G	N7-C8-N9	7.92	117.06	113.10
1	AA	900	A	N7-C8-N9	7.92	117.76	113.80
3	AC	46	C	C2-N3-C4	7.92	123.86	119.90
1	AA	566	G	N3-C4-C5	-7.91	124.64	128.60
1	AA	1375	A	N1-C6-N6	-7.91	113.85	118.60
25	BA	117	G	N3-C2-N2	-7.91	114.36	119.90
26	BB	595	C	C6-N1-C2	-7.91	117.13	120.30
26	BB	1486	U	C4-C5-C6	7.91	124.45	119.70
26	BB	2372	U	O4'-C1'-N1	7.91	114.53	108.20
26	BB	2477	U	C6-N1-C2	-7.91	116.25	121.00
33	BI	91	PHE	CB-CG-CD1	-7.91	115.26	120.80
26	BB	2067	G	O4'-C4'-C3'	7.91	112.43	106.10
26	BB	2873	A	O4'-C1'-N9	7.91	114.53	108.20
1	AA	154	U	C5-C6-N1	-7.91	118.74	122.70
1	AA	688	G	C5-C6-O6	-7.91	123.85	128.60
1	AA	934	C	N3-C2-O2	7.91	127.44	121.90
26	BB	695	G	C2-N3-C4	7.91	115.86	111.90
26	BB	1254	A	N9-C4-C5	-7.91	102.64	105.80
26	BB	2410	G	N3-C2-N2	7.91	125.44	119.90
26	BB	2534	A	N9-C4-C5	-7.91	102.64	105.80
26	BB	2602	A	N7-C8-N9	7.91	117.75	113.80
1	AA	649	A	N1-C6-N6	-7.91	113.86	118.60
26	BB	1284	A	C6-C5-N7	-7.91	126.77	132.30
26	BB	1387	A	C8-N9-C4	-7.91	102.64	105.80
26	BB	1923	U	O4'-C1'-N1	7.91	114.53	108.20
26	BB	2799	A	C4-C5-C6	7.91	120.95	117.00
26	BB	2814	A	C6-C5-N7	7.91	137.84	132.30
1	AA	1534	A	C4-C5-C6	7.91	120.95	117.00
26	BB	235	U	O4'-C1'-N1	7.91	114.53	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	BD	68	ARG	NH1-CZ-NH2	-7.91	110.70	119.40
1	AA	199	A	C6-N1-C2	-7.91	113.86	118.60
1	AA	581	G	O4'-C1'-N9	-7.91	101.88	108.20
1	AA	1198	G	N9-C4-C5	7.91	108.56	105.40
1	AA	1266	G	C5-C6-N1	7.91	115.45	111.50
1	AA	1410	A	O4'-C1'-N9	7.91	114.52	108.20
25	BA	56	G	N3-C4-C5	-7.91	124.65	128.60
25	BA	116	G	C8-N9-C4	-7.91	103.24	106.40
26	BB	47	C	N3-C4-N4	7.91	123.53	118.00
26	BB	998	C	N3-C4-N4	7.91	123.53	118.00
26	BB	2133	G	C5-C6-N1	7.91	115.45	111.50
26	BB	2415	G	C2-N3-C4	7.91	115.85	111.90
26	BB	2660	A	C8-N9-C4	-7.91	102.64	105.80
26	BB	2778	A	O4'-C1'-N9	7.91	114.53	108.20
47	BW	6	ARG	NE-CZ-NH1	7.91	124.25	120.30
26	BB	628	G	N3-C4-N9	-7.90	121.26	126.00
26	BB	971	G	C4-C5-C6	7.90	123.54	118.80
26	BB	1606	C	C4'-C3'-C2'	-7.90	94.70	102.60
26	BB	2831	G	O4'-C1'-N9	7.90	114.52	108.20
1	AA	504	C	C2-N3-C4	-7.90	115.95	119.90
1	AA	626	G	C3'-C2'-C1'	7.90	107.82	101.50
1	AA	743	A	C5'-C4'-O4'	7.90	118.58	109.10
1	AA	1444	U	O4'-C1'-N1	7.90	114.52	108.20
25	BA	84	G	C8-N9-C4	-7.90	103.24	106.40
26	BB	1436	G	O4'-C1'-N9	7.90	114.52	108.20
1	AA	329	A	N9-C4-C5	7.90	108.96	105.80
1	AA	585	G	N3-C4-C5	-7.90	124.65	128.60
26	BB	472	A	N1-C2-N3	-7.90	125.35	129.30
26	BB	593	U	C5-C6-N1	7.90	126.65	122.70
26	BB	740	C	N3-C4-C5	7.90	125.06	121.90
26	BB	2500	U	C5-C6-N1	-7.90	118.75	122.70
26	BB	2760	C	N1-C2-N3	-7.90	113.67	119.20
2	AB	45	U	O4'-C1'-N1	7.90	114.52	108.20
26	BB	1042	G	C4'-C3'-C2'	-7.90	94.70	102.60
26	BB	1382	G	C8-N9-C4	-7.90	103.24	106.40
1	AA	449	G	N3-C2-N2	7.90	125.43	119.90
4	AD	67	C	C2-N3-C4	7.90	123.85	119.90
25	BA	71	C	N1-C2-O2	7.90	123.64	118.90
26	BB	116	C	C3'-C2'-C1'	7.90	107.82	101.50
26	BB	465	G	C5'-C4'-O4'	7.90	118.58	109.10
26	BB	1253	A	C8-N9-C4	-7.90	102.64	105.80
26	BB	2321	U	N1-C2-N3	7.90	119.64	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2839	G	N3-C2-N2	7.90	125.43	119.90
34	BJ	75	PHE	CB-CG-CD2	-7.90	115.27	120.80
1	AA	1020	G	C5-N7-C8	-7.90	100.35	104.30
1	AA	1508	A	C1'-O4'-C4'	-7.90	103.58	109.90
26	BB	142	A	C3'-C2'-C1'	7.90	107.82	101.50
26	BB	972	A	C8-N9-C4	-7.90	102.64	105.80
26	BB	1341	G	C3'-C2'-C1'	-7.90	95.18	101.50
26	BB	2296	U	C6-N1-C2	-7.90	116.26	121.00
1	AA	228	A	C2-N3-C4	7.89	114.55	110.60
1	AA	569	C	C5-C6-N1	-7.89	117.05	121.00
1	AA	792	A	N1-C2-N3	-7.89	125.35	129.30
26	BB	2426	A	C3'-C2'-C1'	-7.89	95.18	101.50
26	BB	2601	C	N3-C4-N4	7.89	123.53	118.00
26	BB	2644	G	C1'-O4'-C4'	-7.89	103.58	109.90
1	AA	203	G	C5-N7-C8	-7.89	100.35	104.30
1	AA	1072	G	N3-C4-C5	-7.89	124.65	128.60
1	AA	1106	G	C6-C5-N7	7.89	135.13	130.40
26	BB	117	G	C4-C5-N7	7.89	113.96	110.80
26	BB	2017	U	O4'-C1'-N1	7.89	114.51	108.20
26	BB	2098	U	O4'-C1'-N1	7.89	114.51	108.20
26	BB	2635	A	N1-C6-N6	-7.89	113.86	118.60
36	BL	95	ARG	NE-CZ-NH2	-7.89	116.35	120.30
49	BY	68	PHE	CB-CG-CD2	-7.89	115.28	120.80
26	BB	30	G	C5'-C4'-O4'	7.89	118.57	109.10
26	BB	1447	C	N3-C2-O2	-7.89	116.38	121.90
28	BD	203	VAL	CA-CB-CG1	7.89	122.74	110.90
1	AA	611	C	N3-C4-C5	7.89	125.06	121.90
26	BB	363	G	C8-N9-C4	-7.89	103.24	106.40
26	BB	555	G	C3'-C2'-C1'	7.89	107.81	101.50
26	BB	949	G	C4-C5-C6	7.89	123.53	118.80
26	BB	1033	U	O4'-C1'-C2'	-7.89	97.91	105.80
26	BB	1155	A	O4'-C1'-N9	-7.89	101.89	108.20
26	BB	1634	A	O4'-C1'-N9	-7.89	101.89	108.20
26	BB	1747	U	O4'-C1'-N1	7.89	114.51	108.20
26	BB	2278	A	C2-N3-C4	7.89	114.54	110.60
26	BB	2359	C	N3-C4-C5	7.89	125.06	121.90
1	AA	1198	G	C8-N9-C4	-7.89	103.25	106.40
25	BA	105	G	N1-C2-N3	-7.89	119.17	123.90
26	BB	1128	G	C3'-C2'-C1'	-7.89	95.19	101.50
26	BB	2216	G	C6-N1-C2	-7.89	120.37	125.10
26	BB	2724	U	N1-C2-N3	7.89	119.63	114.90
1	AA	412	A	O4'-C1'-N9	7.89	114.51	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1047	G	C5-N7-C8	-7.89	100.36	104.30
1	AA	1187	G	C6-N1-C2	-7.89	120.37	125.10
26	BB	662	G	C2-N3-C4	7.89	115.84	111.90
26	BB	761	A	N3-C4-C5	-7.89	121.28	126.80
26	BB	912	C	C2-N3-C4	7.89	123.84	119.90
26	BB	964	C	C1'-O4'-C4'	-7.89	103.59	109.90
26	BB	2054	A	N3-C4-C5	7.89	132.32	126.80
26	BB	2081	U	C4'-C3'-C2'	-7.89	94.71	102.60
1	AA	75	G	C5-C6-N1	-7.88	107.56	111.50
26	BB	1285	A	C5-C6-N1	7.88	121.64	117.70
26	BB	1410	G	O4'-C4'-C3'	7.88	112.41	106.10
26	BB	1473	G	C8-N9-C4	-7.88	103.25	106.40
26	BB	2288	A	C8-N9-C4	-7.88	102.65	105.80
26	BB	2596	U	N1-C2-N3	7.88	119.63	114.90
26	BB	538	A	N1-C6-N6	-7.88	113.87	118.60
26	BB	560	C	C4'-C3'-C2'	-7.88	94.72	102.60
26	BB	878	A	C4'-C3'-C2'	-7.88	94.72	102.60
26	BB	980	A	N1-C2-N3	7.88	133.24	129.30
1	AA	172	A	N7-C8-N9	-7.88	109.86	113.80
1	AA	476	U	N3-C4-C5	-7.88	109.87	114.60
1	AA	681	A	C4-C5-N7	7.88	114.64	110.70
1	AA	865	A	C1'-O4'-C4'	-7.88	103.59	109.90
1	AA	547	A	C3'-C2'-C1'	7.88	107.80	101.50
1	AA	589	U	C4'-C3'-C2'	-7.88	94.72	102.60
1	AA	151	A	O4'-C1'-N9	7.88	114.50	108.20
1	AA	464	U	C5'-C4'-O4'	7.88	118.56	109.10
1	AA	539	A	N1-C6-N6	-7.88	113.87	118.60
1	AA	906	A	C4-C5-N7	7.88	114.64	110.70
1	AA	1012	A	C5-C6-N1	7.88	121.64	117.70
22	AV	40	PHE	CB-CG-CD1	7.88	126.31	120.80
26	BB	1436	G	C2-N3-C4	7.88	115.84	111.90
26	BB	1493	C	C2-N3-C4	7.88	123.84	119.90
26	BB	2403	C	N1-C2-O2	7.88	123.63	118.90
1	AA	317	U	P-O3'-C3'	7.88	129.15	119.70
26	BB	1428	C	O3'-P-O5'	-7.88	89.03	104.00
1	AA	1281	C	N1-C2-O2	7.87	123.62	118.90
1	AA	1283	U	C3'-C2'-C1'	7.87	107.80	101.50
1	AA	1357	A	C8-N9-C4	-7.87	102.65	105.80
25	BA	9	G	N7-C8-N9	7.87	117.04	113.10
25	BA	91	C	O4'-C1'-N1	7.87	114.50	108.20
26	BB	1416	G	P-O3'-C3'	7.87	129.15	119.70
26	BB	1843	C	C4-C5-C6	7.87	121.34	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2708	G	O4'-C1'-N9	7.87	114.50	108.20
1	AA	536	C	C4-C5-C6	-7.87	113.46	117.40
16	AP	69	ARG	NE-CZ-NH1	7.87	124.23	120.30
26	BB	2158	A	N3-C4-C5	7.87	132.31	126.80
26	BB	2869	G	C5-C6-O6	-7.87	123.88	128.60
1	AA	475	C	C3'-C2'-C1'	7.87	107.80	101.50
25	BA	71	C	C1'-O4'-C4'	7.87	116.20	109.90
26	BB	520	G	N1-C2-N3	7.87	128.62	123.90
26	BB	743	A	C6-N1-C2	-7.87	113.88	118.60
1	AA	987	G	N3-C4-N9	-7.87	121.28	126.00
1	AA	1026	G	C5-C6-N1	-7.87	107.57	111.50
1	AA	1375	A	N1-C2-N3	7.87	133.24	129.30
26	BB	122	G	N1-C6-O6	7.87	124.62	119.90
26	BB	781	A	N1-C6-N6	-7.87	113.88	118.60
26	BB	1666	G	C4-C5-C6	-7.87	114.08	118.80
26	BB	1905	C	C2-N3-C4	-7.87	115.97	119.90
26	BB	2877	G	C4'-C3'-C2'	-7.87	94.73	102.60
1	AA	1111	A	N1-C6-N6	-7.87	113.88	118.60
4	AD	11	A	N1-C2-N3	-7.87	125.37	129.30
26	BB	781	A	O4'-C1'-N9	7.87	114.49	108.20
26	BB	2584	U	N1-C1'-C2'	-7.87	103.35	112.00
1	AA	227	G	C5-C6-O6	-7.87	123.88	128.60
1	AA	382	A	C2-N3-C4	7.87	114.53	110.60
1	AA	622	A	N7-C8-N9	7.87	117.73	113.80
26	BB	971	G	N3-C4-C5	-7.87	124.67	128.60
1	AA	480	U	N1-C2-N3	7.86	119.62	114.90
26	BB	736	C	C6-N1-C2	-7.86	117.16	120.30
26	BB	1028	A	C5-N7-C8	-7.86	99.97	103.90
26	BB	1838	C	C6-N1-C2	-7.86	117.15	120.30
26	BB	1987	A	C4-C5-C6	7.86	120.93	117.00
26	BB	2705	A	C8-N9-C4	-7.86	102.66	105.80
1	AA	1346	A	O4'-C1'-N9	7.86	114.49	108.20
26	BB	1245	G	C8-N9-C4	7.86	109.55	106.40
26	BB	2502	G	C6-N1-C2	-7.86	120.38	125.10
26	BB	698	C	N3-C2-O2	-7.86	116.40	121.90
26	BB	1644	C	O4'-C1'-N1	7.86	114.49	108.20
26	BB	2770	G	N1-C6-O6	-7.86	115.18	119.90
1	AA	695	A	C4-C5-N7	-7.86	106.77	110.70
26	BB	1154	G	C2-N3-C4	7.86	115.83	111.90
26	BB	2287	A	C4-C5-N7	-7.86	106.77	110.70
26	BB	2305	U	O4'-C1'-N1	7.86	114.49	108.20
1	AA	4	U	C5-C6-N1	-7.86	118.77	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	158	G	C8-N9-C4	-7.86	103.26	106.40
1	AA	229	U	C5-C4-O4	-7.86	121.19	125.90
1	AA	876	C	N3-C2-O2	-7.86	116.40	121.90
1	AA	1390	U	C2-N3-C4	-7.86	122.29	127.00
1	AA	1506	U	N3-C4-O4	7.86	124.90	119.40
25	BA	3	C	C5-C4-N4	-7.86	114.70	120.20
26	BB	212	G	O4'-C1'-N9	7.86	114.49	108.20
26	BB	915	C	C3'-C2'-C1'	7.86	107.79	101.50
26	BB	1171	G	N3-C4-N9	-7.86	121.28	126.00
26	BB	2325	G	C8-N9-C4	-7.86	103.26	106.40
1	AA	140	U	O4'-C1'-N1	7.86	114.48	108.20
1	AA	1015	G	C5-C6-N1	7.86	115.43	111.50
1	AA	1357	A	N9-C4-C5	7.86	108.94	105.80
26	BB	93	G	C6-C5-N7	-7.86	125.69	130.40
26	BB	429	A	N7-C8-N9	7.86	117.73	113.80
26	BB	2395	C	N3-C4-N4	7.86	123.50	118.00
1	AA	104	G	C4-C5-C6	-7.85	114.09	118.80
1	AA	573	A	N9-C4-C5	-7.85	102.66	105.80
1	AA	637	C	N1-C2-O2	7.85	123.61	118.90
1	AA	1161	C	C3'-C2'-C1'	7.85	107.78	101.50
26	BB	470	A	O4'-C1'-N9	7.85	114.48	108.20
26	BB	2232	C	N3-C4-N4	7.85	123.50	118.00
26	BB	2894	G	N3-C2-N2	-7.85	114.40	119.90
45	BU	95	ARG	NE-CZ-NH2	-7.85	116.37	120.30
1	AA	791	G	C5-N7-C8	7.85	108.23	104.30
1	AA	1352	C	C5-C6-N1	-7.85	117.07	121.00
26	BB	2048	G	C5-C6-N1	7.85	115.43	111.50
26	BB	2860	A	C6-N1-C2	-7.85	113.89	118.60
1	AA	863	U	N1-C2-N3	7.85	119.61	114.90
1	AA	1057	G	N3-C4-C5	-7.85	124.67	128.60
25	BA	14	U	C4-C5-C6	7.85	124.41	119.70
26	BB	1739	A	C2-N3-C4	7.85	114.53	110.60
26	BB	1833	C	C3'-C2'-C1'	-7.85	95.22	101.50
26	BB	1901	A	C8-N9-C4	-7.85	102.66	105.80
26	BB	2901	C	C4'-C3'-C2'	-7.85	94.75	102.60
1	AA	1221	G	C5-C6-N1	7.85	115.42	111.50
26	BB	858	G	C4-C5-C6	7.85	123.51	118.80
1	AA	254	G	N1-C2-N2	-7.85	109.14	116.20
1	AA	650	G	N3-C4-N9	7.85	130.71	126.00
1	AA	662	U	N1-C1'-C2'	-7.85	103.37	112.00
1	AA	1313	U	C5'-C4'-O4'	7.85	118.52	109.10
2	AB	41	C	N1-C2-N3	-7.85	113.71	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	846	U	O4'-C1'-N1	7.85	114.48	108.20
26	BB	2190	G	O4'-C1'-N9	7.85	114.48	108.20
26	BB	2240	U	N1-C2-N3	7.85	119.61	114.90
1	AA	808	C	N3-C4-C5	-7.85	118.76	121.90
1	AA	1464	U	C5-C4-O4	-7.84	121.19	125.90
25	BA	24	G	N3-C2-N2	7.84	125.39	119.90
26	BB	750	A	N1-C6-N6	7.84	123.31	118.60
1	AA	108	G	C5-N7-C8	-7.84	100.38	104.30
1	AA	827	U	C2-N3-C4	-7.84	122.30	127.00
26	BB	85	G	C2-N3-C4	7.84	115.82	111.90
26	BB	919	U	O4'-C1'-N1	7.84	114.47	108.20
26	BB	1758	U	N3-C4-C5	-7.84	109.90	114.60
26	BB	2062	A	O4'-C1'-N9	7.84	114.47	108.20
26	BB	2316	G	N1-C2-N2	-7.84	109.14	116.20
26	BB	2718	G	O4'-C1'-N9	7.84	114.47	108.20
26	BB	2786	U	C4'-C3'-C2'	-7.84	94.76	102.60
1	AA	297	G	N7-C8-N9	7.84	117.02	113.10
1	AA	735	C	N1-C1'-C2'	-7.84	103.38	112.00
4	AD	75	C	O4'-C1'-N1	-7.84	101.93	108.20
26	BB	1041	G	C5-N7-C8	-7.84	100.38	104.30
26	BB	1338	G	C5'-C4'-O4'	7.84	118.51	109.10
26	BB	2112	G	C5-N7-C8	-7.84	100.38	104.30
27	BC	122	ARG	NE-CZ-NH2	-7.84	116.38	120.30
1	AA	584	G	N3-C2-N2	-7.84	114.41	119.90
4	AD	57	C	O4'-C1'-N1	7.84	114.47	108.20
26	BB	1075	C	N3-C4-C5	-7.84	118.77	121.90
1	AA	154	U	N3-C4-C5	7.83	119.30	114.60
1	AA	603	U	N3-C4-C5	-7.83	109.90	114.60
26	BB	414	C	N1-C2-O2	7.83	123.60	118.90
26	BB	530	G	N3-C4-C5	-7.83	124.68	128.60
1	AA	41	G	O4'-C1'-N9	7.83	114.47	108.20
1	AA	819	A	C5-N7-C8	-7.83	99.98	103.90
1	AA	1159	U	C3'-C2'-C1'	7.83	107.77	101.50
1	AA	1259	C	O4'-C1'-N1	7.83	114.47	108.20
14	AN	90	PRO	N-CA-CB	7.83	112.70	103.30
26	BB	705	A	O4'-C1'-N9	7.83	114.47	108.20
26	BB	1227	G	C5'-C4'-O4'	7.83	118.50	109.10
26	BB	1230	A	C4-C5-N7	7.83	114.62	110.70
26	BB	2024	G	C4-C5-N7	-7.83	107.67	110.80
39	BO	81	ARG	NE-CZ-NH2	-7.83	116.38	120.30
1	AA	298	A	N1-C6-N6	-7.83	113.90	118.60
1	AA	1193	G	C6-N1-C2	-7.83	120.40	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1459	G	C8-N9-C4	-7.83	103.27	106.40
4	AD	12	G	N9-C1'-C2'	-7.83	103.39	112.00
25	BA	39	A	O4'-C4'-C3'	7.83	112.36	106.10
25	BA	60	C	N3-C4-N4	-7.83	112.52	118.00
26	BB	167	A	C8-N9-C4	-7.83	102.67	105.80
26	BB	2261	C	C5-C4-N4	-7.83	114.72	120.20
35	BK	133	ARG	CD-NE-CZ	7.83	134.56	123.60
1	AA	553	A	C4-C5-N7	-7.83	106.78	110.70
1	AA	839	C	C3'-C2'-C1'	-7.83	95.24	101.50
5	AE	207	ARG	NE-CZ-NH1	-7.83	116.39	120.30
1	AA	101	A	C5-C6-N6	7.83	129.96	123.70
25	BA	36	C	N3-C2-O2	-7.83	116.42	121.90
25	BA	50	A	C8-N9-C4	7.83	108.93	105.80
26	BB	7	G	N9-C4-C5	7.83	108.53	105.40
26	BB	711	G	N1-C6-O6	-7.83	115.20	119.90
26	BB	1684	G	C6-N1-C2	-7.83	120.40	125.10
26	BB	1775	U	C1'-O4'-C4'	-7.83	103.64	109.90
26	BB	1995	U	C5-C4-O4	-7.83	121.20	125.90
1	AA	88	U	C3'-C2'-C1'	7.83	107.76	101.50
26	BB	66	C	N3-C4-C5	-7.83	118.77	121.90
26	BB	332	A	C5'-C4'-O4'	7.83	118.49	109.10
26	BB	1428	C	C6-N1-C2	7.83	123.43	120.30
26	BB	1793	C	O4'-C1'-N1	7.83	114.46	108.20
1	AA	802	A	C2-N3-C4	7.83	114.51	110.60
1	AA	1146	A	C3'-C2'-C1'	-7.83	95.24	101.50
1	AA	1237	C	C4-C5-C6	-7.83	113.49	117.40
26	BB	50	U	O4'-C1'-N1	7.83	114.46	108.20
26	BB	82	U	O4'-C1'-N1	7.83	114.46	108.20
26	BB	1934	C	C2-N3-C4	7.83	123.81	119.90
1	AA	733	G	C4-C5-N7	-7.82	107.67	110.80
1	AA	1121	U	C2-N3-C4	-7.82	122.31	127.00
26	BB	273	G	C5-C6-O6	-7.82	123.91	128.60
26	BB	428	A	O4'-C4'-C3'	7.82	112.36	106.10
26	BB	1641	A	N9-C4-C5	7.82	108.93	105.80
1	AA	685	G	C4'-C3'-C2'	-7.82	94.78	102.60
1	AA	1260	G	C5-N7-C8	-7.82	100.39	104.30
1	AA	1461	G	C4-C5-N7	-7.82	107.67	110.80
26	BB	1014	A	C4-C5-N7	-7.82	106.79	110.70
26	BB	1435	G	N3-C4-N9	7.82	130.69	126.00
26	BB	1645	G	C3'-C2'-C1'	7.82	107.76	101.50
26	BB	1898	U	N3-C2-O2	-7.82	116.72	122.20
26	BB	2538	C	C6-N1-C2	7.82	123.43	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	148	G	O4'-C1'-N9	7.82	114.46	108.20
1	AA	308	C	O4'-C1'-N1	7.82	114.46	108.20
1	AA	492	C	N3-C2-O2	-7.82	116.42	121.90
4	AD	22	A	C3'-C2'-C1'	7.82	107.76	101.50
26	BB	242	G	C5-C6-N1	7.82	115.41	111.50
26	BB	840	C	N1-C2-O2	7.82	123.59	118.90
26	BB	923	G	C4-C5-N7	-7.82	107.67	110.80
26	BB	1249	U	C1'-O4'-C4'	-7.82	103.64	109.90
26	BB	1567	G	O4'-C4'-C3'	7.82	112.36	106.10
26	BB	1928	A	C8-N9-C4	-7.82	102.67	105.80
26	BB	2169	A	O4'-C1'-N9	7.82	114.46	108.20
26	BB	2265	U	N3-C4-C5	-7.82	109.91	114.60
26	BB	2803	G	C4-C5-N7	-7.82	107.67	110.80
26	BB	2896	C	C5'-C4'-O4'	7.82	118.48	109.10
26	BB	262	A	C6-N1-C2	-7.82	113.91	118.60
26	BB	883	G	C6-N1-C2	-7.82	120.41	125.10
26	BB	2049	G	N9-C4-C5	-7.82	102.27	105.40
26	BB	1451	C	C5-C6-N1	7.82	124.91	121.00
26	BB	1642	G	N7-C8-N9	-7.82	109.19	113.10
26	BB	2113	U	O4'-C1'-N1	7.82	114.45	108.20
26	BB	2892	G	O4'-C1'-N9	7.82	114.45	108.20
1	AA	167	A	N1-C6-N6	7.82	123.29	118.60
1	AA	180	U	O4'-C4'-C3'	7.82	112.35	106.10
1	AA	416	G	C6-C5-N7	-7.82	125.71	130.40
1	AA	578	C	P-O3'-C3'	7.82	129.08	119.70
26	BB	176	A	C5-C6-N6	-7.82	117.45	123.70
26	BB	306	U	N3-C2-O2	-7.82	116.73	122.20
26	BB	469	G	C5'-C4'-O4'	7.82	118.48	109.10
26	BB	851	C	C6-N1-C2	-7.82	117.17	120.30
26	BB	2293	G	N3-C4-C5	-7.82	124.69	128.60
26	BB	2867	G	O4'-C1'-N9	7.82	114.45	108.20
1	AA	242	G	C5-C6-N1	7.81	115.41	111.50
1	AA	506	G	C5-N7-C8	-7.81	100.39	104.30
4	AD	54	G	N1-C2-N2	7.81	123.23	116.20
26	BB	803	U	O4'-C1'-N1	7.81	114.45	108.20
26	BB	1080	A	C3'-C2'-C1'	7.81	107.75	101.50
26	BB	2259	U	C5-C6-N1	7.81	126.61	122.70
26	BB	2421	G	C5-C6-O6	-7.81	123.91	128.60
26	BB	2727	A	C4-C5-N7	7.81	114.61	110.70
1	AA	351	G	N7-C8-N9	7.81	117.01	113.10
26	BB	494	G	C5-N7-C8	7.81	108.20	104.30
1	AA	1	A	N1-C6-N6	-7.81	113.91	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	243	A	C6-N1-C2	7.81	123.29	118.60
1	AA	359	G	C5-N7-C8	-7.81	100.40	104.30
1	AA	430	A	N9-C4-C5	-7.81	102.68	105.80
1	AA	1185	G	C5-C6-O6	7.81	133.29	128.60
3	AC	46	C	C5-C4-N4	7.81	125.67	120.20
25	BA	95	U	N3-C4-C5	-7.81	109.91	114.60
26	BB	420	C	O4'-C1'-N1	7.81	114.45	108.20
26	BB	856	G	N1-C6-O6	7.81	124.59	119.90
26	BB	2663	G	N1-C6-O6	-7.81	115.21	119.90
26	BB	2666	C	N3-C4-C5	-7.81	118.78	121.90
26	BB	2667	C	O4'-C1'-N1	7.81	114.45	108.20
42	BR	97	TYR	CB-CG-CD2	-7.81	116.31	121.00
1	AA	366	A	C2-N3-C4	7.81	114.50	110.60
1	AA	776	G	N1-C6-O6	7.81	124.58	119.90
1	AA	778	G	N9-C4-C5	7.81	108.52	105.40
1	AA	868	C	O4'-C1'-N1	7.81	114.45	108.20
1	AA	1263	C	C6-N1-C2	-7.81	117.18	120.30
1	AA	1492	A	C5-C6-N6	-7.81	117.45	123.70
2	AB	2	G	N9-C4-C5	-7.81	102.28	105.40
4	AD	65	G	C4-C5-N7	-7.81	107.68	110.80
26	BB	379	G	N1-C2-N3	-7.81	119.22	123.90
26	BB	1552	A	C4-C5-C6	7.81	120.90	117.00
26	BB	1619	G	N3-C2-N2	-7.81	114.43	119.90
26	BB	2153	C	N3-C4-N4	7.81	123.47	118.00
26	BB	2581	G	N3-C4-C5	-7.81	124.70	128.60
1	AA	656	G	C4'-C3'-C2'	-7.81	94.79	102.60
1	AA	748	G	N9-C4-C5	-7.81	102.28	105.40
1	AA	1534	A	N3-C4-N9	7.81	133.65	127.40
2	AB	61	C	C5-C4-N4	-7.81	114.74	120.20
25	BA	61	G	O4'-C1'-N9	7.81	114.44	108.20
26	BB	309	A	O4'-C4'-C3'	7.81	112.34	106.10
26	BB	323	C	N1-C2-O2	7.81	123.58	118.90
26	BB	584	C	N1-C2-O2	7.81	123.58	118.90
26	BB	1790	C	O4'-C1'-N1	7.81	114.44	108.20
1	AA	87	C	N3-C2-O2	-7.80	116.44	121.90
1	AA	161	A	O4'-C1'-N9	7.80	114.44	108.20
1	AA	342	C	C6-N1-C2	-7.80	117.18	120.30
1	AA	505	G	N1-C2-N3	-7.80	119.22	123.90
26	BB	2674	G	N1-C2-N2	7.80	123.22	116.20
26	BB	1062	G	C5-C6-N1	7.80	115.40	111.50
26	BB	1276	A	N9-C4-C5	7.80	108.92	105.80
1	AA	435	A	N1-C6-N6	7.80	123.28	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	505	G	C8-N9-C4	-7.80	103.28	106.40
1	AA	1071	C	N1-C2-N3	7.80	124.66	119.20
2	AB	66	C	C5-C4-N4	-7.80	114.74	120.20
17	AQ	58	ARG	NE-CZ-NH1	7.80	124.20	120.30
26	BB	1858	A	C5-C6-N6	-7.80	117.46	123.70
26	BB	1933	G	C5-C6-N1	7.80	115.40	111.50
26	BB	2648	G	O4'-C1'-N9	7.80	114.44	108.20
1	AA	21	G	N3-C4-C5	-7.80	124.70	128.60
15	AO	55	ARG	NH1-CZ-NH2	7.80	127.98	119.40
26	BB	307	G	C6-N1-C2	-7.80	120.42	125.10
26	BB	340	A	C2-N3-C4	7.80	114.50	110.60
26	BB	898	C	O4'-C1'-N1	7.80	114.44	108.20
26	BB	1934	C	N1-C2-O2	7.80	123.58	118.90
4	AD	61	U	N1-C2-N3	7.80	119.58	114.90
26	BB	221	A	C5-C6-N1	7.80	121.60	117.70
26	BB	1223	G	N9-C4-C5	7.80	108.52	105.40
1	AA	1367	C	N3-C4-C5	-7.80	118.78	121.90
1	AA	1373	G	N9-C4-C5	7.80	108.52	105.40
25	BA	76	G	N3-C2-N2	7.80	125.36	119.90
26	BB	1016	G	C5-N7-C8	-7.80	100.40	104.30
26	BB	1049	C	N3-C4-C5	-7.80	118.78	121.90
26	BB	2345	G	C5-C6-N1	7.80	115.40	111.50
26	BB	2660	A	N1-C2-N3	-7.80	125.40	129.30
1	AA	748	G	C6-N1-C2	-7.79	120.42	125.10
1	AA	1272	G	N3-C2-N2	-7.79	114.44	119.90
26	BB	69	C	C6-N1-C2	-7.79	117.18	120.30
4	AD	23	G	C1'-O4'-C4'	-7.79	103.67	109.90
23	AW	59	ARG	NE-CZ-NH1	7.79	124.20	120.30
26	BB	759	G	C8-N9-C4	-7.79	103.28	106.40
26	BB	1678	A	N1-C6-N6	-7.79	113.92	118.60
26	BB	2424	C	C6-N1-C2	-7.79	117.18	120.30
32	BH	49	LEU	CB-CG-CD1	7.79	124.25	111.00
1	AA	178	C	C3'-C2'-C1'	7.79	107.73	101.50
1	AA	230	G	C5-N7-C8	-7.79	100.41	104.30
1	AA	927	G	N1-C6-O6	-7.79	115.22	119.90
1	AA	1012	A	C5-C6-N6	-7.79	117.47	123.70
1	AA	1023	U	O4'-C1'-N1	7.79	114.43	108.20
1	AA	1460	C	O4'-C1'-N1	7.79	114.43	108.20
26	BB	951	C	C6-N1-C2	-7.79	117.18	120.30
26	BB	1826	G	N9-C4-C5	-7.79	102.28	105.40
26	BB	2243	U	N3-C4-O4	7.79	124.85	119.40
26	BB	2348	U	O4'-C1'-N1	7.79	114.43	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2688	G	C8-N9-C4	-7.79	103.28	106.40
1	AA	766	A	C4'-C3'-C2'	-7.79	94.81	102.60
1	AA	960	U	N3-C2-O2	-7.79	116.75	122.20
4	AD	36	A	O4'-C1'-N9	7.79	114.43	108.20
26	BB	458	G	C2-N3-C4	7.79	115.80	111.90
26	BB	1308	A	N9-C4-C5	7.79	108.92	105.80
1	AA	931	C	C4-C5-C6	7.79	121.29	117.40
26	BB	534	U	O4'-C1'-N1	7.79	114.43	108.20
26	BB	677	A	C5-C6-N6	-7.79	117.47	123.70
26	BB	902	C	O4'-C1'-N1	7.79	114.43	108.20
26	BB	1291	C	C2-N3-C4	7.79	123.79	119.90
26	BB	1736	U	C5-C6-N1	-7.79	118.81	122.70
26	BB	1933	G	C6-N1-C2	-7.79	120.43	125.10
26	BB	2120	G	N3-C4-N9	7.79	130.67	126.00
26	BB	2495	G	N7-C8-N9	7.79	116.99	113.10
1	AA	799	G	C8-N9-C4	-7.79	103.28	106.40
1	AA	1255	G	C6-C5-N7	-7.79	125.73	130.40
1	AA	1517	G	N1-C2-N2	7.79	123.21	116.20
2	AB	73	G	N9-C4-C5	7.79	108.52	105.40
26	BB	781	A	N9-C4-C5	7.79	108.92	105.80
26	BB	2362	C	N1-C2-O2	7.79	123.57	118.90
1	AA	183	C	C6-N1-C2	-7.79	117.19	120.30
1	AA	245	U	C5-C6-N1	7.79	126.59	122.70
1	AA	1132	C	O4'-C1'-N1	7.79	114.43	108.20
25	BA	105	G	C2-N3-C4	7.79	115.79	111.90
1	AA	221	C	N3-C4-C5	-7.78	118.79	121.90
26	BB	495	G	N9-C4-C5	7.78	108.51	105.40
26	BB	496	G	N3-C2-N2	7.78	125.35	119.90
26	BB	520	G	C5'-C4'-O4'	7.78	118.44	109.10
4	AD	11	A	C8-N9-C4	-7.78	102.69	105.80
13	AM	89	ARG	NE-CZ-NH1	7.78	124.19	120.30
26	BB	688	U	C2-N3-C4	-7.78	122.33	127.00
26	BB	2407	A	N1-C2-N3	-7.78	125.41	129.30
26	BB	2900	A	C1'-O4'-C4'	-7.78	103.67	109.90
1	AA	619	U	C3'-C2'-C1'	-7.78	95.28	101.50
1	AA	1235	U	N1-C2-N3	7.78	119.57	114.90
1	AA	1263	C	C3'-C2'-C1'	7.78	107.72	101.50
14	AN	34	THR	CA-CB-CG2	7.78	123.29	112.40
26	BB	80	G	C5-C6-O6	-7.78	123.93	128.60
26	BB	998	C	C5-C6-N1	7.78	124.89	121.00
26	BB	1728	C	C6-N1-C1'	-7.78	111.46	120.80
26	BB	2349	G	N1-C2-N2	-7.78	109.20	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	134	G	N3-C4-C5	-7.78	124.71	128.60
26	BB	751	A	C8-N9-C4	-7.78	102.69	105.80
26	BB	1579	A	N9-C4-C5	7.78	108.91	105.80
26	BB	1952	A	N9-C4-C5	-7.78	102.69	105.80
26	BB	767	U	O4'-C1'-N1	7.78	114.42	108.20
26	BB	924	G	C4-C5-N7	-7.78	107.69	110.80
26	BB	1516	G	C2-N3-C4	7.78	115.79	111.90
26	BB	1844	C	C1'-O4'-C4'	7.78	116.12	109.90
26	BB	2130	U	C4-C5-C6	7.78	124.37	119.70
26	BB	2450	A	N9-C4-C5	-7.78	102.69	105.80
26	BB	2558	C	N3-C4-C5	7.78	125.01	121.90
45	BU	18	ARG	NE-CZ-NH1	7.78	124.19	120.30
1	AA	1020	G	N1-C2-N3	-7.78	119.23	123.90
1	AA	1046	A	C8-N9-C4	-7.78	102.69	105.80
1	AA	1322	C	C5-C6-N1	7.78	124.89	121.00
25	BA	106	G	C5'-C4'-O4'	7.78	118.43	109.10
26	BB	1993	U	N3-C2-O2	-7.78	116.76	122.20
18	AR	73	ASP	CB-CG-OD1	-7.77	111.30	118.30
25	BA	16	G	N3-C4-C5	-7.77	124.71	128.60
26	BB	167	A	C5-N7-C8	-7.77	100.01	103.90
26	BB	428	A	O4'-C1'-N9	7.77	114.42	108.20
1	AA	47	C	C3'-C2'-C1'	7.77	107.72	101.50
1	AA	407	U	N1-C2-N3	7.77	119.56	114.90
1	AA	468	A	C4-C5-N7	-7.77	106.81	110.70
1	AA	771	G	O4'-C1'-N9	7.77	114.42	108.20
26	BB	2353	G	N3-C4-N9	-7.77	121.34	126.00
26	BB	2411	A	C8-N9-C4	7.77	108.91	105.80
26	BB	2499	C	N1-C2-O2	7.77	123.56	118.90
1	AA	1417	G	C4-C5-C6	7.77	123.46	118.80
26	BB	183	C	C3'-C2'-C1'	-7.77	95.28	101.50
26	BB	443	A	C6-N1-C2	7.77	123.26	118.60
26	BB	843	G	N1-C2-N2	7.77	123.19	116.20
26	BB	2756	U	N3-C2-O2	-7.77	116.76	122.20
1	AA	606	G	C8-N9-C4	-7.77	103.29	106.40
26	BB	85	G	N9-C1'-C2'	-7.77	103.45	112.00
26	BB	1187	G	C4'-C3'-C2'	-7.77	94.83	102.60
26	BB	1547	C	C5-C6-N1	7.77	124.89	121.00
26	BB	1602	U	O4'-C4'-C3'	7.77	112.31	106.10
26	BB	1685	C	C2-N3-C4	7.77	123.78	119.90
26	BB	1770	G	C5-N7-C8	-7.77	100.42	104.30
26	BB	2070	A	N7-C8-N9	7.77	117.69	113.80
1	AA	80	A	C3'-C2'-C1'	7.77	107.71	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	623	C	N1-C2-O2	7.77	123.56	118.90
1	AA	1302	C	N3-C2-O2	-7.77	116.46	121.90
9	AI	92	THR	CA-CB-CG2	7.77	123.28	112.40
26	BB	240	C	C1'-O4'-C4'	7.77	116.11	109.90
26	BB	324	A	C3'-C2'-C1'	-7.77	95.29	101.50
26	BB	699	A	C4-C5-N7	7.77	114.58	110.70
26	BB	856	G	N9-C4-C5	7.77	108.51	105.40
1	AA	702	A	C5-C6-N6	-7.77	117.49	123.70
26	BB	91	A	C3'-C2'-C1'	7.77	107.71	101.50
26	BB	866	A	C5-N7-C8	-7.77	100.02	103.90
26	BB	2126	A	C2'-C3'-O3'	7.77	126.59	109.50
12	AL	11	ARG	NE-CZ-NH2	-7.76	116.42	120.30
26	BB	751	A	N9-C4-C5	-7.76	102.69	105.80
26	BB	1675	C	N1-C2-N3	-7.76	113.77	119.20
26	BB	2091	C	C6-N1-C2	7.76	123.41	120.30
26	BB	2250	G	C8-N9-C4	-7.76	103.29	106.40
26	BB	2341	G	C5-C6-N1	7.76	115.38	111.50
26	BB	2682	A	N9-C4-C5	7.76	108.91	105.80
18	AR	79	ARG	NE-CZ-NH2	7.76	124.18	120.30
26	BB	1355	G	C5-C6-O6	-7.76	123.94	128.60
26	BB	1710	G	O4'-C1'-C2'	7.76	114.59	107.60
1	AA	279	A	C5-N7-C8	7.76	107.78	103.90
1	AA	1229	A	O4'-C1'-N9	7.76	114.41	108.20
26	BB	199	A	N9-C4-C5	-7.76	102.69	105.80
26	BB	666	A	N9-C4-C5	-7.76	102.70	105.80
26	BB	1059	G	C4-C5-N7	-7.76	107.69	110.80
26	BB	1560	G	N7-C8-N9	7.76	116.98	113.10
26	BB	2490	G	C4-C5-C6	7.76	123.46	118.80
26	BB	2771	C	C2-N3-C4	-7.76	116.02	119.90
1	AA	545	C	O4'-C1'-C2'	-7.76	98.04	105.80
1	AA	935	A	C3'-C2'-C1'	7.76	107.71	101.50
1	AA	1437	A	C6-N1-C2	7.76	123.25	118.60
1	AA	1450	U	N3-C4-C5	-7.76	109.94	114.60
1	AA	1480	A	N7-C8-N9	7.76	117.68	113.80
26	BB	712	G	N3-C4-C5	-7.76	124.72	128.60
26	BB	1360	G	N1-C2-N3	7.76	128.56	123.90
26	BB	1725	U	N3-C4-O4	7.76	124.83	119.40
1	AA	1458	G	N9-C4-C5	7.76	108.50	105.40
26	BB	1243	C	N1-C2-O2	7.76	123.56	118.90
1	AA	1223	C	O4'-C1'-N1	-7.76	102.00	108.20
26	BB	1138	G	N3-C2-N2	-7.76	114.47	119.90
26	BB	1770	G	N7-C8-N9	7.76	116.98	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2798	U	O4'-C1'-N1	7.76	114.41	108.20
1	AA	111	G	C4'-C3'-C2'	-7.75	94.84	102.60
26	BB	713	G	C5-C6-N1	7.75	115.38	111.50
1	AA	876	C	C2-N1-C1'	-7.75	110.27	118.80
1	AA	1029	U	N1-C2-N3	7.75	119.55	114.90
1	AA	1392	G	N9-C4-C5	7.75	108.50	105.40
1	AA	1507	A	P-O3'-C3'	7.75	129.00	119.70
25	BA	31	C	N3-C4-C5	-7.75	118.80	121.90
26	BB	1353	A	C5'-C4'-O4'	7.75	118.40	109.10
26	BB	1456	G	O4'-C1'-N9	7.75	114.40	108.20
26	BB	1632	A	C8-N9-C4	-7.75	102.70	105.80
4	AD	12	G	O4'-C1'-N9	7.75	114.40	108.20
26	BB	363	G	C4-C5-C6	7.75	123.45	118.80
26	BB	1556	C	C2-N3-C4	7.75	123.78	119.90
26	BB	1778	U	C5-C6-N1	-7.75	118.82	122.70
26	BB	2141	G	N1-C6-O6	7.75	124.55	119.90
26	BB	2186	G	C8-N9-C4	-7.75	103.30	106.40
26	BB	2628	C	C5'-C4'-O4'	7.75	118.40	109.10
1	AA	176	C	P-O5'-C5'	7.75	133.30	120.90
26	BB	1990	C	C2-N3-C4	-7.75	116.03	119.90
26	BB	2867	G	C5-C6-N1	7.75	115.38	111.50
26	BB	1122	G	N9-C4-C5	7.75	108.50	105.40
26	BB	1316	U	O4'-C1'-N1	7.75	114.40	108.20
26	BB	1536	C	N3-C4-N4	7.75	123.42	118.00
26	BB	1680	U	C6-N1-C2	-7.75	116.35	121.00
26	BB	2698	U	P-O3'-C3'	7.75	129.00	119.70
26	BB	224	U	O4'-C1'-N1	7.75	114.40	108.20
1	AA	855	U	C3'-C2'-C1'	7.75	107.70	101.50
1	AA	870	U	N3-C2-O2	-7.75	116.78	122.20
1	AA	902	G	N3-C2-N2	7.74	125.32	119.90
26	BB	80	G	N1-C2-N3	-7.74	119.25	123.90
26	BB	104	A	O4'-C1'-N9	7.74	114.39	108.20
26	BB	2423	U	N1-C2-O2	-7.74	117.38	122.80
26	BB	2635	A	C8-N9-C4	-7.74	102.70	105.80
1	AA	1046	A	N1-C2-N3	-7.74	125.43	129.30
3	AC	16	A	C5-C6-N1	7.74	121.57	117.70
26	BB	1961	C	C2-N3-C4	7.74	123.77	119.90
26	BB	2547	A	C5-C6-N1	7.74	121.57	117.70
1	AA	95	C	C5'-C4'-O4'	7.74	118.39	109.10
4	AD	60	A	O4'-C1'-N9	7.74	114.39	108.20
25	BA	105	G	C1'-O4'-C4'	-7.74	103.71	109.90
26	BB	389	G	C5-C6-O6	-7.74	123.95	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	518	G	C2-N3-C4	7.74	115.77	111.90
26	BB	785	G	N7-C8-N9	7.74	116.97	113.10
26	BB	1379	U	C2-N3-C4	-7.74	122.36	127.00
26	BB	2119	A	N9-C4-C5	7.74	108.90	105.80
1	AA	525	C	C5'-C4'-O4'	7.74	118.39	109.10
1	AA	535	A	C5-C6-N6	-7.74	117.51	123.70
26	BB	626	A	C5-C6-N6	-7.74	117.51	123.70
26	BB	1289	C	N1-C2-O2	7.74	123.54	118.90
26	BB	1648	U	C2-N3-C4	7.74	131.64	127.00
26	BB	2075	U	C5-C4-O4	-7.74	121.26	125.90
26	BB	2373	G	N9-C4-C5	7.74	108.50	105.40
26	BB	2562	U	N3-C4-O4	7.74	124.82	119.40
1	AA	748	G	C4-C5-N7	7.74	113.89	110.80
1	AA	940	C	N1-C2-O2	7.74	123.54	118.90
26	BB	916	G	N1-C6-O6	-7.74	115.26	119.90
26	BB	1852	U	C2-N3-C4	-7.74	122.36	127.00
26	BB	1718	G	C8-N9-C4	-7.74	103.31	106.40
26	BB	2758	A	C4'-C3'-C2'	-7.74	94.86	102.60
26	BB	2803	G	C5-C6-N1	7.74	115.37	111.50
1	AA	849	G	C4-C5-C6	7.73	123.44	118.80
1	AA	1524	C	O4'-C1'-N1	7.73	114.39	108.20
26	BB	2	G	C3'-C2'-C1'	7.73	107.69	101.50
26	BB	939	G	N1-C6-O6	7.73	124.54	119.90
26	BB	1130	U	C5-C6-N1	-7.73	118.83	122.70
26	BB	1753	G	N3-C4-C5	-7.73	124.73	128.60
26	BB	2015	A	C6-C5-N7	-7.73	126.89	132.30
26	BB	2308	G	C4-C5-C6	7.73	123.44	118.80
1	AA	1282	C	C3'-C2'-C1'	-7.73	95.31	101.50
26	BB	424	G	C6-N1-C2	-7.73	120.46	125.10
26	BB	1661	G	N3-C4-C5	-7.73	124.73	128.60
26	BB	2682	A	N1-C6-N6	7.73	123.24	118.60
26	BB	2823	A	C2-N3-C4	7.73	114.47	110.60
1	AA	506	G	C2-N3-C4	7.73	115.77	111.90
1	AA	914	A	C2-N3-C4	7.73	114.47	110.60
1	AA	1491	G	C5-C6-O6	-7.73	123.96	128.60
2	AB	14	A	N7-C8-N9	7.73	117.67	113.80
26	BB	919	U	N3-C4-O4	7.73	124.81	119.40
26	BB	1538	G	N3-C4-N9	7.73	130.64	126.00
26	BB	2718	G	C5'-C4'-O4'	7.73	118.38	109.10
1	AA	44	A	N3-C4-N9	7.73	133.58	127.40
26	BB	526	A	C6-N1-C2	-7.73	113.96	118.60
26	BB	2439	A	C4-C5-C6	-7.73	113.14	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	14	U	O4'-C1'-N1	7.73	114.38	108.20
25	BA	71	C	C2-N3-C4	-7.73	116.04	119.90
26	BB	1662	U	C5-C6-N1	-7.73	118.84	122.70
26	BB	2633	G	C8-N9-C4	-7.73	103.31	106.40
26	BB	2655	G	N3-C4-N9	7.73	130.64	126.00
50	BZ	71	ARG	NE-CZ-NH1	7.73	124.16	120.30
1	AA	27	G	N7-C8-N9	-7.73	109.24	113.10
1	AA	164	G	C5-N7-C8	7.73	108.16	104.30
1	AA	449	G	C5-N7-C8	-7.73	100.44	104.30
1	AA	1077	G	C4-C5-C6	7.73	123.44	118.80
26	BB	572	A	O4'-C1'-N9	7.73	114.38	108.20
26	BB	1289	C	N3-C2-O2	-7.73	116.49	121.90
26	BB	2362	C	N3-C4-N4	7.73	123.41	118.00
1	AA	210	C	C6-N1-C2	-7.72	117.21	120.30
1	AA	963	G	O4'-C1'-N9	7.72	114.38	108.20
1	AA	1052	U	C2-N3-C4	-7.72	122.36	127.00
1	AA	1441	A	C3'-C2'-C1'	7.72	107.68	101.50
25	BA	58	A	N7-C8-N9	7.72	117.66	113.80
26	BB	278	A	C4-C5-C6	-7.72	113.14	117.00
26	BB	1818	U	C2-N3-C4	-7.72	122.36	127.00
26	BB	1831	G	C5-C6-O6	-7.72	123.97	128.60
26	BB	1984	G	C3'-C2'-C1'	-7.72	95.32	101.50
1	AA	298	A	N1-C2-N3	-7.72	125.44	129.30
1	AA	790	A	N1-C2-N3	-7.72	125.44	129.30
1	AA	1158	C	C6-N1-C2	-7.72	117.21	120.30
1	AA	1524	C	C4-C5-C6	-7.72	113.54	117.40
2	AB	47	U	O4'-C1'-N1	7.72	114.38	108.20
26	BB	130	C	N1-C2-O2	7.72	123.53	118.90
26	BB	846	U	N3-C2-O2	-7.72	116.80	122.20
26	BB	2211	A	C6-N1-C2	7.72	123.23	118.60
26	BB	2512	C	C6-N1-C2	-7.72	117.21	120.30
26	BB	2547	A	C4-C5-C6	-7.72	113.14	117.00
26	BB	63	A	N7-C8-N9	7.72	117.66	113.80
26	BB	514	A	N9-C4-C5	-7.72	102.71	105.80
26	BB	2289	G	N7-C8-N9	7.72	116.96	113.10
1	AA	293	G	N3-C4-N9	-7.72	121.37	126.00
1	AA	332	G	N9-C4-C5	7.72	108.49	105.40
25	BA	12	C	C2-N3-C4	7.72	123.76	119.90
25	BA	41	G	C5-C6-O6	-7.72	123.97	128.60
26	BB	818	G	C5-N7-C8	-7.72	100.44	104.30
26	BB	1365	A	N1-C6-N6	-7.72	113.97	118.60
26	BB	2357	G	C5-C6-N1	7.72	115.36	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	829	G	N9-C4-C5	7.72	108.49	105.40
26	BB	808	G	C2-N3-C4	7.72	115.76	111.90
26	BB	1614	A	C8-N9-C4	-7.72	102.71	105.80
26	BB	245	G	N7-C8-N9	7.72	116.96	113.10
26	BB	1661	G	N1-C6-O6	7.72	124.53	119.90
1	AA	1300	G	C4-C5-C6	7.71	123.43	118.80
1	AA	1505	G	C2-N3-C4	7.71	115.76	111.90
26	BB	1421	G	N3-C4-N9	7.71	130.63	126.00
26	BB	2045	C	C5-C6-N1	7.71	124.86	121.00
26	BB	2300	C	C6-N1-C2	7.71	123.39	120.30
1	AA	407	U	C5-C4-O4	-7.71	121.27	125.90
1	AA	440	C	C5-C4-N4	-7.71	114.80	120.20
1	AA	613	C	N3-C4-C5	-7.71	118.81	121.90
1	AA	623	C	C1'-O4'-C4'	7.71	116.07	109.90
26	BB	381	G	N9-C4-C5	7.71	108.48	105.40
26	BB	461	C	N3-C4-C5	7.71	124.98	121.90
26	BB	597	G	C5-C6-O6	-7.71	123.97	128.60
26	BB	917	A	C6-C5-N7	7.71	137.70	132.30
26	BB	1107	G	O4'-C1'-C2'	-7.71	98.09	105.80
26	BB	1627	G	C6-N1-C2	-7.71	120.47	125.10
26	BB	1901	A	N1-C6-N6	-7.71	113.97	118.60
47	BW	12	VAL	CG1-CB-CG2	-7.71	98.56	110.90
1	AA	339	C	N1-C1'-C2'	-7.71	103.52	112.00
25	BA	100	G	C5-N7-C8	7.71	108.16	104.30
26	BB	277	G	C8-N9-C4	-7.71	103.31	106.40
26	BB	935	C	C6-N1-C2	-7.71	117.22	120.30
26	BB	1895	C	N3-C4-C5	-7.71	118.82	121.90
1	AA	459	A	N9-C1'-C2'	-7.71	103.52	112.00
1	AA	1540	U	C2-N3-C4	-7.71	122.37	127.00
26	BB	354	A	C5-C6-N1	7.71	121.55	117.70
26	BB	445	C	N1-C2-O2	-7.71	114.28	118.90
26	BB	651	G	N1-C2-N2	7.71	123.14	116.20
26	BB	1067	A	N7-C8-N9	7.71	117.65	113.80
26	BB	1510	G	N3-C4-N9	7.71	130.62	126.00
26	BB	1826	G	C4-C5-N7	7.71	113.88	110.80
26	BB	2105	U	C5-C4-O4	-7.71	121.28	125.90
26	BB	2624	G	C8-N9-C4	-7.71	103.32	106.40
1	AA	1500	A	C5-C6-N1	7.71	121.55	117.70
25	BA	46	A	N1-C6-N6	-7.71	113.98	118.60
26	BB	436	C	C4'-C3'-C2'	-7.71	94.89	102.60
26	BB	2142	A	N7-C8-N9	-7.71	109.95	113.80
26	BB	2425	A	C4-C5-N7	7.71	114.55	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	542	C	C2-N3-C4	7.70	123.75	119.90
26	BB	934	U	C2-N3-C4	-7.70	122.38	127.00
26	BB	1409	U	N3-C4-O4	7.70	124.79	119.40
26	BB	2471	A	O4'-C1'-N9	7.70	114.36	108.20
26	BB	2782	G	N1-C2-N2	7.70	123.13	116.20
26	BB	1893	C	N3-C4-N4	7.70	123.39	118.00
26	BB	2329	U	C5-C6-N1	7.70	126.55	122.70
1	AA	1144	G	C5-N7-C8	7.70	108.15	104.30
1	AA	1220	G	C5'-C4'-O4'	-7.70	99.86	109.10
25	BA	31	C	O4'-C1'-N1	7.70	114.36	108.20
26	BB	1878	G	N7-C8-N9	7.70	116.95	113.10
26	BB	2519	U	C2-N3-C4	-7.70	122.38	127.00
26	BB	2620	C	O4'-C1'-N1	7.70	114.36	108.20
1	AA	265	G	C5-C6-O6	7.70	133.22	128.60
1	AA	1145	A	C5-C6-N1	7.70	121.55	117.70
1	AA	1217	C	N1-C2-O2	7.70	123.52	118.90
1	AA	1260	G	C4-C5-C6	-7.70	114.18	118.80
1	AA	1362	A	N9-C4-C5	7.70	108.88	105.80
26	BB	60	G	C4-C5-N7	-7.70	107.72	110.80
26	BB	494	G	C2-N3-C4	7.70	115.75	111.90
26	BB	610	C	N1-C2-O2	7.70	123.52	118.90
26	BB	1563	U	O4'-C1'-N1	7.70	114.36	108.20
26	BB	1766	G	N7-C8-N9	7.70	116.95	113.10
26	BB	2146	C	N1-C2-O2	7.70	123.52	118.90
26	BB	2618	G	C4-C5-C6	7.70	123.42	118.80
26	BB	217	A	C4'-C3'-C2'	-7.70	94.90	102.60
26	BB	386	G	C1'-O4'-C4'	7.70	116.06	109.90
26	BB	675	A	C4-C5-C6	7.70	120.85	117.00
1	AA	26	A	N9-C4-C5	7.70	108.88	105.80
1	AA	324	G	O4'-C1'-N9	7.70	114.36	108.20
1	AA	573	A	C5-C6-N6	-7.70	117.54	123.70
1	AA	1539	C	N1-C2-O2	7.70	123.52	118.90
26	BB	55	G	O4'-C4'-C3'	7.70	112.26	106.10
26	BB	475	C	C5-C6-N1	7.70	124.85	121.00
26	BB	537	G	N9-C4-C5	7.70	108.48	105.40
26	BB	590	A	C5'-C4'-O4'	7.70	118.33	109.10
26	BB	1119	U	O4'-C1'-N1	7.70	114.36	108.20
26	BB	1379	U	O4'-C1'-N1	7.70	114.36	108.20
26	BB	1628	G	N3-C4-C5	-7.70	124.75	128.60
25	BA	112	G	C5-C6-N1	7.69	115.35	111.50
1	AA	760	G	C1'-O4'-C4'	7.69	116.05	109.90
26	BB	586	A	C4-C5-N7	7.69	114.55	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	648	G	N7-C8-N9	7.69	116.95	113.10
26	BB	818	G	P-O3'-C3'	7.69	128.93	119.70
26	BB	1043	C	N1-C1'-C2'	-7.69	103.54	112.00
26	BB	1280	G	N9-C1'-C2'	-7.69	103.54	112.00
26	BB	1341	G	C4'-C3'-C2'	7.69	110.29	102.60
26	BB	1414	C	C6-N1-C2	-7.69	117.22	120.30
26	BB	1959	G	C5-C6-O6	-7.69	123.98	128.60
26	BB	1963	U	N3-C4-C5	-7.69	109.98	114.60
26	BB	2516	A	C4-C5-C6	-7.69	113.15	117.00
1	AA	694	A	C5-C6-N6	-7.69	117.55	123.70
1	AA	1224	U	N1-C2-N3	7.69	119.52	114.90
12	AL	102	PHE	CB-CG-CD2	-7.69	115.42	120.80
25	BA	108	A	C5-N7-C8	7.69	107.75	103.90
26	BB	1836	C	O4'-C1'-N1	7.69	114.35	108.20
1	AA	1258	G	C4-C5-N7	-7.69	107.72	110.80
26	BB	691	C	C5-C4-N4	-7.69	114.82	120.20
26	BB	864	G	N3-C4-C5	-7.69	124.76	128.60
26	BB	1509	A	C1'-O4'-C4'	-7.69	103.75	109.90
26	BB	2536	G	O4'-C4'-C3'	7.69	112.25	106.10
1	AA	1	A	C3'-C2'-C1'	7.69	107.65	101.50
26	BB	1132	U	N3-C4-O4	7.69	124.78	119.40
26	BB	2212	A	C6-N1-C2	-7.69	113.99	118.60
26	BB	2458	G	N7-C8-N9	7.69	116.94	113.10
26	BB	2786	U	C4-C5-C6	7.69	124.31	119.70
1	AA	661	G	C5-C6-O6	7.68	133.21	128.60
1	AA	687	A	N1-C6-N6	-7.68	113.99	118.60
1	AA	778	G	P-O3'-C3'	7.68	128.92	119.70
1	AA	1507	A	C8-N9-C4	-7.68	102.73	105.80
5	AE	207	ARG	NE-CZ-NH2	7.68	124.14	120.30
26	BB	2044	C	N1-C2-N3	-7.68	113.82	119.20
1	AA	361	G	C8-N9-C4	-7.68	103.33	106.40
1	AA	685	G	C5-C6-O6	-7.68	123.99	128.60
1	AA	906	A	C2-N3-C4	-7.68	106.76	110.60
26	BB	117	G	C6-C5-N7	-7.68	125.79	130.40
26	BB	553	G	O4'-C4'-C3'	7.68	112.25	106.10
26	BB	1726	C	C5'-C4'-O4'	7.68	118.32	109.10
26	BB	1743	G	C6-C5-N7	-7.68	125.79	130.40
26	BB	2290	G	C6-N1-C2	-7.68	120.49	125.10
26	BB	2628	C	O4'-C1'-N1	7.68	114.35	108.20
26	BB	2685	G	C2-N3-C4	7.68	115.74	111.90
26	BB	2869	G	C5-N7-C8	-7.68	100.46	104.30
44	BT	47	VAL	CA-CB-CG2	7.68	122.42	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	431	A	C6-C5-N7	7.68	137.68	132.30
1	AA	566	G	C2-N3-C4	7.68	115.74	111.90
1	AA	919	A	O4'-C1'-N9	7.68	114.34	108.20
1	AA	1040	U	N3-C4-O4	7.68	124.78	119.40
1	AA	1066	C	N3-C4-C5	-7.68	118.83	121.90
1	AA	1111	A	C6-N1-C2	-7.68	113.99	118.60
1	AA	1194	U	C5'-C4'-O4'	7.68	118.32	109.10
26	BB	208	C	C1'-O4'-C4'	7.68	116.04	109.90
26	BB	1979	U	N3-C2-O2	-7.68	116.83	122.20
26	BB	2383	G	N1-C6-O6	-7.68	115.29	119.90
1	AA	295	C	N3-C4-C5	7.68	124.97	121.90
1	AA	306	A	C4-C5-N7	-7.68	106.86	110.70
26	BB	1595	C	O4'-C1'-N1	7.68	114.34	108.20
52	B1	30	ARG	NE-CZ-NH2	-7.68	116.46	120.30
1	AA	83	C	C5'-C4'-O4'	7.68	118.31	109.10
1	AA	590	U	N1-C2-N3	7.68	119.51	114.90
26	BB	606	U	N3-C2-O2	-7.68	116.83	122.20
26	BB	719	C	C5-C6-N1	7.68	124.84	121.00
26	BB	1392	A	C2-N3-C4	7.68	114.44	110.60
26	BB	2323	G	C8-N9-C4	-7.68	103.33	106.40
1	AA	192	A	O4'-C1'-N9	7.67	114.34	108.20
1	AA	292	G	P-O3'-C3'	7.67	128.91	119.70
1	AA	344	A	N7-C8-N9	-7.67	109.96	113.80
1	AA	513	C	C4-C5-C6	-7.67	113.56	117.40
1	AA	728	A	N7-C8-N9	7.67	117.64	113.80
1	AA	782	A	N9-C1'-C2'	-7.67	103.56	112.00
1	AA	875	U	C5'-C4'-C3'	-7.67	103.72	116.00
6	AF	167	TYR	CB-CG-CD2	7.67	125.61	121.00
26	BB	822	G	N1-C6-O6	-7.67	115.30	119.90
26	BB	1622	G	C2-N3-C4	7.67	115.74	111.90
26	BB	2217	G	C6-C5-N7	-7.67	125.80	130.40
26	BB	2258	C	N3-C4-C5	-7.67	118.83	121.90
26	BB	2741	A	C6-C5-N7	7.67	137.67	132.30
28	BD	79	ARG	NE-CZ-NH1	7.67	124.14	120.30
26	BB	882	G	N3-C4-C5	-7.67	124.76	128.60
26	BB	2243	U	N1-C2-N3	7.67	119.50	114.90
1	AA	57	G	C4-C5-C6	7.67	123.40	118.80
1	AA	699	C	C6-N1-C2	-7.67	117.23	120.30
1	AA	797	C	O4'-C1'-N1	7.67	114.34	108.20
26	BB	64	A	N7-C8-N9	7.67	117.64	113.80
26	BB	268	C	O4'-C1'-N1	7.67	114.34	108.20
26	BB	568	U	N1-C2-N3	7.67	119.50	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2261	C	N1-C2-O2	7.67	123.50	118.90
26	BB	2488	G	N3-C4-C5	-7.67	124.76	128.60
26	BB	2500	U	O4'-C1'-N1	7.67	114.34	108.20
26	BB	2733	A	C4'-C3'-C2'	-7.67	94.93	102.60
26	BB	123	G	C5-N7-C8	-7.67	100.47	104.30
26	BB	253	C	C5'-C4'-O4'	7.67	118.30	109.10
26	BB	2490	G	N9-C4-C5	7.67	108.47	105.40
1	AA	74	A	C6-N1-C2	-7.67	114.00	118.60
1	AA	699	C	C5-C6-N1	7.67	124.83	121.00
1	AA	1476	A	C5-C6-N6	-7.67	117.56	123.70
26	BB	956	G	C5-N7-C8	-7.67	100.47	104.30
26	BB	2001	C	C4-C5-C6	7.67	121.23	117.40
26	BB	2017	U	N3-C4-O4	7.67	124.77	119.40
1	AA	1106	G	O4'-C4'-C3'	7.67	112.23	106.10
1	AA	1337	G	C6-C5-N7	7.67	135.00	130.40
1	AA	1383	C	N3-C2-O2	-7.67	116.53	121.90
26	BB	841	G	C5'-C4'-C3'	-7.67	103.73	116.00
26	BB	1266	G	P-O3'-C3'	7.67	128.90	119.70
26	BB	1595	C	N1-C2-N3	7.67	124.57	119.20
26	BB	1648	U	C5-C4-O4	-7.67	121.30	125.90
26	BB	1731	G	N9-C4-C5	7.67	108.47	105.40
26	BB	1845	G	N9-C4-C5	7.67	108.47	105.40
26	BB	2547	A	C5-C6-N6	-7.67	117.57	123.70
26	BB	2843	G	N1-C2-N3	-7.67	119.30	123.90
1	AA	595	A	N1-C6-N6	-7.67	114.00	118.60
26	BB	518	G	O4'-C1'-N9	7.67	114.33	108.20
26	BB	2177	C	N3-C2-O2	-7.67	116.53	121.90
26	BB	2801	G	C4-C5-C6	7.67	123.40	118.80
1	AA	258	G	O4'-C1'-N9	7.66	114.33	108.20
1	AA	478	A	C8-N9-C4	-7.66	102.73	105.80
1	AA	511	C	O4'-C1'-N1	7.66	114.33	108.20
26	BB	1093	G	P-O3'-C3'	7.66	128.90	119.70
26	BB	2102	G	N1-C6-O6	7.66	124.50	119.90
1	AA	462	G	C5-C6-O6	-7.66	124.00	128.60
17	AQ	64	ARG	NH1-CZ-NH2	7.66	127.83	119.40
1	AA	24	U	C5-C4-O4	-7.66	121.30	125.90
1	AA	572	A	N7-C8-N9	-7.66	109.97	113.80
10	AJ	4	ARG	NE-CZ-NH1	7.66	124.13	120.30
26	BB	1873	G	C5-N7-C8	7.66	108.13	104.30
26	BB	1984	G	C5-N7-C8	7.66	108.13	104.30
26	BB	2716	C	C3'-C2'-C1'	7.66	107.63	101.50
1	AA	159	G	C4-C5-C6	7.66	123.40	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	442	G	C2-N3-C4	7.66	115.73	111.90
1	AA	1026	G	N3-C4-N9	7.66	130.59	126.00
4	AD	32	G	N7-C8-N9	7.66	116.93	113.10
25	BA	44	G	N1-C6-O6	-7.66	115.31	119.90
26	BB	698	C	C6-N1-C2	7.66	123.36	120.30
26	BB	2179	C	O4'-C1'-N1	7.66	114.33	108.20
26	BB	2204	G	N1-C2-N3	-7.66	119.31	123.90
26	BB	2328	A	C5-C6-N1	7.66	121.53	117.70
26	BB	2371	G	N1-C2-N3	-7.66	119.30	123.90
26	BB	2641	G	C2-N3-C4	7.66	115.73	111.90
1	AA	9	G	N9-C1'-C2'	-7.66	103.58	112.00
10	AJ	17	PHE	CB-CG-CD2	-7.66	115.44	120.80
25	BA	102	G	C3'-C2'-C1'	7.66	107.62	101.50
26	BB	1035	U	C4'-C3'-C2'	-7.66	94.94	102.60
26	BB	1400	U	N3-C4-C5	-7.66	110.01	114.60
26	BB	1555	G	C5-N7-C8	-7.66	100.47	104.30
26	BB	2816	G	N1-C6-O6	-7.66	115.31	119.90
1	AA	354	G	C8-N9-C4	-7.66	103.34	106.40
1	AA	487	A	O4'-C1'-N9	7.66	114.32	108.20
25	BA	35	C	C2-N3-C4	-7.66	116.07	119.90
26	BB	537	G	C4-C5-N7	-7.66	107.74	110.80
26	BB	1831	G	N3-C4-N9	7.66	130.59	126.00
26	BB	2056	G	N3-C4-C5	-7.66	124.77	128.60
26	BB	2665	A	C8-N9-C4	-7.66	102.74	105.80
1	AA	168	G	O4'-C1'-N9	7.65	114.32	108.20
1	AA	1322	C	C5'-C4'-O4'	-7.65	99.92	109.10
26	BB	141	G	C2-N3-C4	7.65	115.73	111.90
26	BB	297	G	N3-C4-C5	-7.65	124.77	128.60
1	AA	211	G	C2-N3-C4	7.65	115.73	111.90
1	AA	740	U	O4'-C1'-N1	7.65	114.32	108.20
20	AT	76	ARG	NE-CZ-NH1	7.65	124.13	120.30
26	BB	41	C	N1-C2-O2	7.65	123.49	118.90
26	BB	66	C	N3-C4-N4	7.65	123.36	118.00
26	BB	1405	U	O4'-C1'-N1	7.65	114.32	108.20
1	AA	1517	G	C1'-O4'-C4'	-7.65	103.78	109.90
26	BB	192	C	C2-N3-C4	7.65	123.73	119.90
26	BB	221	A	O4'-C1'-N9	7.65	114.32	108.20
26	BB	407	G	C5'-C4'-C3'	7.65	128.24	116.00
26	BB	864	G	C6-C5-N7	-7.65	125.81	130.40
26	BB	1366	A	C2-N3-C4	7.65	114.42	110.60
26	BB	1434	A	C5-N7-C8	-7.65	100.08	103.90
28	BD	181	ARG	NE-CZ-NH1	7.65	124.12	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
40	BP	29	VAL	CA-CB-CG1	7.65	122.38	110.90
26	BB	319	G	N3-C4-N9	-7.65	121.41	126.00
26	BB	2209	G	N7-C8-N9	7.65	116.92	113.10
26	BB	2279	G	N1-C6-O6	-7.65	115.31	119.90
1	AA	305	G	C5-C6-O6	-7.65	124.01	128.60
1	AA	771	G	C5-N7-C8	7.65	108.12	104.30
12	AL	79	ARG	NE-CZ-NH1	7.65	124.12	120.30
26	BB	46	G	C5-C6-O6	-7.65	124.01	128.60
26	BB	1986	C	C6-N1-C2	7.65	123.36	120.30
26	BB	2413	G	N1-C6-O6	7.65	124.49	119.90
26	BB	99	U	O4'-C1'-N1	7.65	114.32	108.20
26	BB	418	C	O4'-C1'-N1	7.65	114.32	108.20
26	BB	638	G	N7-C8-N9	7.65	116.92	113.10
26	BB	2622	U	C5-C4-O4	-7.65	121.31	125.90
1	AA	207	C	C5-C4-N4	-7.64	114.85	120.20
1	AA	510	A	C5-C6-N6	-7.64	117.58	123.70
1	AA	1018	G	N1-C6-O6	-7.64	115.31	119.90
26	BB	832	U	C5'-C4'-O4'	7.64	118.27	109.10
26	BB	2227	A	C4-C5-N7	7.64	114.52	110.70
1	AA	340	U	C1'-O4'-C4'	-7.64	103.79	109.90
1	AA	949	A	N1-C6-N6	-7.64	114.02	118.60
2	AB	75	C	O4'-C1'-N1	7.64	114.31	108.20
8	AH	44	ARG	NE-CZ-NH1	7.64	124.12	120.30
26	BB	1080	A	C4-C5-C6	-7.64	113.18	117.00
26	BB	2099	U	O4'-C1'-N1	7.64	114.31	108.20
1	AA	528	C	N3-C4-N4	7.64	123.35	118.00
1	AA	1276	G	N3-C4-C5	-7.64	124.78	128.60
1	AA	1451	U	C1'-O4'-C4'	-7.64	103.79	109.90
2	AB	75	C	C3'-C2'-C1'	7.64	107.61	101.50
26	BB	1122	G	C4-C5-N7	-7.64	107.74	110.80
26	BB	2255	G	N1-C6-O6	7.64	124.48	119.90
38	BN	47	ARG	NE-CZ-NH2	7.64	124.12	120.30
54	B3	51	ARG	NE-CZ-NH2	7.64	124.12	120.30
1	AA	158	G	C4-C5-N7	-7.64	107.74	110.80
1	AA	160	A	O4'-C4'-C3'	7.64	112.21	106.10
26	BB	196	A	C3'-C2'-C1'	-7.64	95.39	101.50
26	BB	821	A	C2-N3-C4	7.64	114.42	110.60
26	BB	1490	A	N1-C2-N3	-7.64	125.48	129.30
26	BB	1677	A	N3-C4-C5	-7.64	121.45	126.80
26	BB	2165	C	O4'-C1'-C2'	-7.64	98.16	105.80
26	BB	677	A	C5'-C4'-C3'	-7.64	103.78	116.00
1	AA	733	G	P-O3'-C3'	7.64	128.86	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1410	A	C8-N9-C4	7.64	108.85	105.80
26	BB	272	A	C5-N7-C8	7.64	107.72	103.90
26	BB	909	A	C4-C5-C6	-7.64	113.18	117.00
26	BB	1059	G	C5-N7-C8	7.64	108.12	104.30
26	BB	1427	A	C4-C5-C6	-7.64	113.18	117.00
26	BB	1998	A	O4'-C1'-N9	7.64	114.31	108.20
26	BB	2037	A	N1-C6-N6	7.64	123.18	118.60
1	AA	360	G	C1'-O4'-C4'	-7.63	103.79	109.90
1	AA	576	C	N1-C2-O2	7.63	123.48	118.90
1	AA	591	U	N1-C2-N3	7.63	119.48	114.90
1	AA	1321	U	O4'-C1'-N1	7.63	114.31	108.20
26	BB	47	C	O4'-C4'-C3'	-7.63	96.37	104.00
26	BB	1583	A	C5-C6-N1	-7.63	113.88	117.70
26	BB	1958	C	N3-C4-C5	-7.63	118.85	121.90
26	BB	2455	G	N1-C6-O6	-7.63	115.32	119.90
26	BB	2557	G	C5-N7-C8	7.63	108.12	104.30
36	BL	16	TYR	CB-CG-CD1	7.63	125.58	121.00
48	BX	65	VAL	CA-CB-CG1	7.63	122.35	110.90
1	AA	138	G	N1-C6-O6	7.63	124.48	119.90
1	AA	963	G	N1-C6-O6	7.63	124.48	119.90
3	AC	42	U	N3-C4-O4	7.63	124.74	119.40
26	BB	248	G	C6-C5-N7	-7.63	125.82	130.40
26	BB	1094	U	C6-N1-C1'	-7.63	110.52	121.20
26	BB	2525	G	N7-C8-N9	7.63	116.92	113.10
1	AA	1041	G	C5'-C4'-C3'	7.63	128.21	116.00
26	BB	1875	G	N9-C4-C5	7.63	108.45	105.40
1	AA	335	C	C6-N1-C2	-7.63	117.25	120.30
1	AA	596	A	C5-C6-N6	-7.63	117.60	123.70
1	AA	774	G	O4'-C1'-N9	7.63	114.30	108.20
1	AA	1046	A	C4'-C3'-C2'	-7.63	94.97	102.60
1	AA	1085	U	C1'-O4'-C4'	-7.63	103.80	109.90
1	AA	1360	A	C4-C5-C6	-7.63	113.19	117.00
1	AA	1534	A	C6-C5-N7	-7.63	126.96	132.30
26	BB	16	C	C3'-C2'-C1'	7.63	107.60	101.50
26	BB	379	G	N3-C4-C5	7.63	132.41	128.60
26	BB	388	G	O4'-C1'-N9	7.63	114.30	108.20
26	BB	2365	G	C8-N9-C4	-7.63	103.35	106.40
26	BB	2637	U	O4'-C1'-N1	7.63	114.30	108.20
26	BB	2846	G	N3-C4-C5	-7.63	124.78	128.60
1	AA	41	G	C8-N9-C4	-7.63	103.35	106.40
1	AA	191	G	C5-N7-C8	-7.63	100.49	104.30
1	AA	533	A	N1-C6-N6	7.63	123.18	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	816	A	N1-C6-N6	7.63	123.17	118.60
1	AA	1299	A	C4-C5-N7	7.63	114.51	110.70
25	BA	3	C	C4-C5-C6	-7.63	113.59	117.40
26	BB	66	C	C2-N3-C4	7.63	123.71	119.90
26	BB	1338	G	C4-C5-C6	7.63	123.38	118.80
26	BB	1564	C	N3-C4-N4	7.63	123.34	118.00
1	AA	882	C	C5-C6-N1	-7.62	117.19	121.00
3	AC	30	U	C5-C4-O4	-7.62	121.33	125.90
26	BB	100	U	O4'-C1'-N1	7.62	114.30	108.20
1	AA	849	G	N9-C4-C5	7.62	108.45	105.40
8	AH	47	PHE	CB-CG-CD2	-7.62	115.46	120.80
26	BB	1534	U	N3-C2-O2	-7.62	116.86	122.20
26	BB	2321	U	N3-C4-O4	-7.62	114.06	119.40
1	AA	755	G	C4-C5-C6	7.62	123.37	118.80
1	AA	845	A	C8-N9-C4	-7.62	102.75	105.80
4	AD	29	C	C4-C5-C6	-7.62	113.59	117.40
20	AT	6	THR	CA-CB-CG2	7.62	123.07	112.40
26	BB	547	A	N3-C4-C5	-7.62	121.47	126.80
26	BB	957	C	N3-C4-C5	-7.62	118.85	121.90
26	BB	1901	A	O4'-C1'-N9	7.62	114.30	108.20
26	BB	1996	C	C5-C6-N1	7.62	124.81	121.00
26	BB	2463	C	N1-C2-N3	-7.62	113.86	119.20
1	AA	334	C	N1-C2-N3	-7.62	113.87	119.20
26	BB	855	G	C4'-C3'-C2'	-7.62	94.98	102.60
26	BB	1583	A	O4'-C4'-C3'	7.62	112.20	106.10
26	BB	1695	G	N3-C2-N2	-7.62	114.57	119.90
26	BB	2515	C	N3-C4-N4	-7.62	112.67	118.00
1	AA	262	A	C4-C5-N7	-7.62	106.89	110.70
26	BB	420	C	C5-C4-N4	7.62	125.53	120.20
26	BB	524	G	N9-C4-C5	-7.62	102.35	105.40
26	BB	1070	A	P-O3'-C3'	7.62	128.84	119.70
26	BB	1540	G	C2-N3-C4	7.62	115.71	111.90
1	AA	1228	C	C5-C4-N4	7.62	125.53	120.20
10	AJ	2	ARG	NE-CZ-NH1	7.62	124.11	120.30
26	BB	1127	A	O4'-C4'-C3'	7.62	112.19	106.10
26	BB	1705	A	C5-C6-N1	7.62	121.51	117.70
26	BB	1780	A	C3'-C2'-C1'	7.62	107.59	101.50
26	BB	2407	A	C2-N3-C4	7.62	114.41	110.60
1	AA	692	U	N3-C4-C5	-7.62	110.03	114.60
26	BB	322	A	N3-C4-N9	-7.62	121.31	127.40
26	BB	474	G	N3-C2-N2	-7.62	114.57	119.90
26	BB	1459	G	C6-N1-C2	-7.62	120.53	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2211	A	C1'-O4'-C4'	7.62	115.99	109.90
26	BB	2541	A	C5-C6-N1	7.62	121.51	117.70
47	BW	21	ARG	NE-CZ-NH1	7.62	124.11	120.30
1	AA	631	C	P-O3'-C3'	7.61	128.84	119.70
1	AA	982	U	N3-C2-O2	-7.61	116.87	122.20
1	AA	1254	A	C4-C5-N7	-7.61	106.89	110.70
1	AA	1266	G	C2-N3-C4	7.61	115.71	111.90
26	BB	19	A	C5-C6-N1	7.61	121.51	117.70
26	BB	90	U	O4'-C1'-N1	7.61	114.29	108.20
26	BB	1004	U	N1-C2-N3	7.61	119.47	114.90
26	BB	1098	A	N3-C4-N9	7.61	133.49	127.40
26	BB	1622	G	C8-N9-C4	-7.61	103.36	106.40
26	BB	1834	U	C5-C6-N1	-7.61	118.89	122.70
26	BB	2032	G	C4-C5-N7	-7.61	107.75	110.80
1	AA	80	A	N1-C6-N6	7.61	123.17	118.60
1	AA	110	C	N1-C2-O2	7.61	123.47	118.90
1	AA	1156	G	C5-C6-O6	7.61	133.17	128.60
1	AA	1238	A	C3'-C2'-C1'	7.61	107.59	101.50
22	AV	40	PHE	CB-CG-CD2	-7.61	115.47	120.80
26	BB	26	G	C5-N7-C8	7.61	108.11	104.30
26	BB	648	G	N1-C6-O6	7.61	124.47	119.90
1	AA	21	G	C5'-C4'-O4'	7.61	118.23	109.10
1	AA	409	U	O4'-C1'-N1	7.61	114.29	108.20
1	AA	1097	C	C5'-C4'-O4'	7.61	118.23	109.10
1	AA	1244	G	N3-C4-C5	-7.61	124.79	128.60
26	BB	2505	G	C4'-C3'-C2'	-7.61	94.99	102.60
1	AA	371	A	C4-C5-C6	-7.61	113.19	117.00
4	AD	40	C	N1-C2-O2	7.61	123.47	118.90
26	BB	2458	G	C5-N7-C8	-7.61	100.50	104.30
1	AA	1349	A	C1'-O4'-C4'	-7.61	103.81	109.90
26	BB	466	A	N7-C8-N9	7.61	117.60	113.80
26	BB	574	A	O4'-C1'-N9	7.61	114.29	108.20
26	BB	2067	G	C5-C6-N1	7.61	115.30	111.50
26	BB	2408	U	C5-C6-N1	-7.61	118.90	122.70
26	BB	2698	U	C2-N3-C4	-7.61	122.44	127.00
1	AA	773	G	C6-C5-N7	-7.61	125.84	130.40
3	AC	57	C	C5-C6-N1	-7.61	117.20	121.00
26	BB	626	A	C6-N1-C2	-7.61	114.04	118.60
1	AA	731	G	C4-C5-C6	7.60	123.36	118.80
1	AA	978	A	O4'-C1'-N9	7.60	114.28	108.20
4	AD	11	A	N9-C4-C5	7.60	108.84	105.80
25	BA	28	C	C1'-O4'-C4'	-7.60	103.82	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2161	C	O4'-C1'-N1	7.60	114.28	108.20
1	AA	293	G	C4-C5-C6	7.60	123.36	118.80
1	AA	495	A	C5-C6-N6	7.60	129.78	123.70
1	AA	567	G	N3-C4-C5	-7.60	124.80	128.60
1	AA	716	A	C6-N1-C2	7.60	123.16	118.60
1	AA	1214	C	P-O3'-C3'	7.60	128.82	119.70
25	BA	49	C	C5-C4-N4	7.60	125.52	120.20
26	BB	356	G	C6-C5-N7	7.60	134.96	130.40
26	BB	612	G	N1-C6-O6	7.60	124.46	119.90
26	BB	1058	U	C5'-C4'-O4'	7.60	118.22	109.10
26	BB	1425	G	C8-N9-C4	-7.60	103.36	106.40
26	BB	1696	G	N3-C2-N2	-7.60	114.58	119.90
26	BB	1772	A	O4'-C1'-N9	7.60	114.28	108.20
26	BB	2561	U	C4'-C3'-C2'	-7.60	95.00	102.60
4	AD	17	C	N1-C2-O2	7.60	123.46	118.90
26	BB	659	G	N9-C4-C5	-7.60	102.36	105.40
26	BB	1151	A	C8-N9-C4	-7.60	102.76	105.80
1	AA	365	U	O3'-P-O5'	-7.60	89.56	104.00
26	BB	35	G	C3'-C2'-C1'	7.60	107.58	101.50
26	BB	180	G	C1'-O4'-C4'	-7.60	103.82	109.90
26	BB	508	A	C6-N1-C2	7.60	123.16	118.60
26	BB	850	U	C3'-C2'-C1'	7.60	107.58	101.50
26	BB	2361	G	N3-C4-C5	-7.60	124.80	128.60
1	AA	906	A	O4'-C1'-N9	7.60	114.28	108.20
12	AL	129	ARG	NE-CZ-NH2	-7.60	116.50	120.30
26	BB	359	G	N3-C4-C5	-7.60	124.80	128.60
26	BB	741	U	C4-C5-C6	7.60	124.26	119.70
26	BB	1430	G	C6-C5-N7	-7.60	125.84	130.40
26	BB	1906	G	C2-N3-C4	7.60	115.70	111.90
26	BB	2529	G	C5-C6-N1	7.60	115.30	111.50
26	BB	408	G	N3-C2-N2	7.60	125.22	119.90
1	AA	103	U	C4'-C3'-C2'	-7.59	95.00	102.60
1	AA	500	G	C4-C5-N7	7.59	113.84	110.80
1	AA	683	G	N9-C4-C5	7.59	108.44	105.40
2	AB	38	A	C5-N7-C8	-7.59	100.10	103.90
25	BA	35	C	C1'-O4'-C4'	-7.59	103.82	109.90
26	BB	162	U	C6-N1-C2	-7.59	116.44	121.00
26	BB	707	G	C8-N9-C4	-7.59	103.36	106.40
26	BB	864	G	C5-N7-C8	-7.59	100.50	104.30
26	BB	882	G	C5-C6-O6	7.59	133.16	128.60
26	BB	889	C	N3-C4-C5	-7.59	118.86	121.90
26	BB	977	G	N1-C2-N2	7.59	123.03	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1494	A	N3-C4-C5	-7.59	121.48	126.80
26	BB	1806	C	C2-N3-C4	7.59	123.70	119.90
26	BB	1983	G	C5-N7-C8	7.59	108.10	104.30
26	BB	2290	G	C5-N7-C8	-7.59	100.50	104.30
1	AA	162	A	O4'-C1'-N9	7.59	114.28	108.20
26	BB	593	U	N1-C2-N3	7.59	119.46	114.90
26	BB	2385	C	C5-C4-N4	-7.59	114.89	120.20
1	AA	989	U	C4-C5-C6	7.59	124.25	119.70
1	AA	1439	G	N3-C4-N9	7.59	130.56	126.00
1	AA	1523	G	C8-N9-C4	-7.59	103.36	106.40
2	AB	26	A	C5-N7-C8	-7.59	100.10	103.90
22	AV	2	ARG	NE-CZ-NH2	7.59	124.10	120.30
26	BB	129	C	C2-N3-C4	7.59	123.70	119.90
26	BB	1568	G	C5'-C4'-O4'	7.59	118.21	109.10
26	BB	2606	C	N3-C4-N4	7.59	123.31	118.00
1	AA	173	U	C5'-C4'-C3'	-7.59	103.86	116.00
1	AA	305	G	C6-C5-N7	7.59	134.95	130.40
1	AA	926	G	C2-N3-C4	7.59	115.69	111.90
1	AA	1163	A	C6-C5-N7	-7.59	126.99	132.30
1	AA	1360	A	C3'-C2'-C1'	-7.59	95.43	101.50
26	BB	583	G	N3-C2-N2	-7.59	114.59	119.90
26	BB	1689	A	P-O3'-C3'	7.59	128.81	119.70
26	BB	1742	U	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	2196	C	C2-N3-C4	7.59	123.69	119.90
26	BB	2359	C	C2-N3-C4	-7.59	116.11	119.90
26	BB	2409	G	N3-C2-N2	7.59	125.21	119.90
26	BB	2428	G	O4'-C1'-N9	7.59	114.27	108.20
28	BD	202	ARG	NE-CZ-NH2	-7.59	116.50	120.30
2	AB	24	G	N3-C4-C5	-7.59	124.81	128.60
26	BB	290	U	N3-C2-O2	7.59	127.51	122.20
26	BB	457	A	N9-C4-C5	7.59	108.83	105.80
26	BB	865	C	N3-C4-C5	-7.59	118.86	121.90
53	B2	4	ASP	CB-CG-OD1	7.59	125.13	118.30
1	AA	36	C	C3'-C2'-C1'	7.59	107.57	101.50
1	AA	211	G	N3-C4-N9	7.59	130.55	126.00
2	AB	70	C	O4'-C1'-N1	7.59	114.27	108.20
26	BB	1029	A	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	1413	A	C4-C5-N7	7.59	114.49	110.70
26	BB	1923	U	C5-C4-O4	-7.59	121.35	125.90
1	AA	954	G	N1-C6-O6	7.58	124.45	119.90
1	AA	1363	A	C1'-O4'-C4'	-7.58	103.83	109.90
1	AA	1385	G	C1'-O4'-C4'	-7.58	103.83	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	8	C	C2-N3-C4	7.58	123.69	119.90
26	BB	864	G	P-O3'-C3'	7.58	128.80	119.70
26	BB	2262	U	C2-N3-C4	-7.58	122.45	127.00
26	BB	2355	G	C3'-C2'-C1'	-7.58	95.43	101.50
26	BB	2814	A	C8-N9-C4	-7.58	102.77	105.80
1	AA	342	C	O4'-C1'-N1	7.58	114.27	108.20
1	AA	936	C	C5-C6-N1	7.58	124.79	121.00
25	BA	73	A	C5'-C4'-O4'	7.58	118.20	109.10
26	BB	181	A	N9-C4-C5	-7.58	102.77	105.80
26	BB	473	G	N3-C4-C5	-7.58	124.81	128.60
26	BB	1490	A	C4-C5-N7	7.58	114.49	110.70
26	BB	2273	A	N1-C2-N3	-7.58	125.51	129.30
26	BB	2281	A	C5-C6-N6	7.58	129.77	123.70
2	AB	26	A	N7-C8-N9	7.58	117.59	113.80
26	BB	479	A	C8-N9-C4	-7.58	102.77	105.80
26	BB	1110	G	C5-N7-C8	-7.58	100.51	104.30
26	BB	1387	A	C4-C5-N7	-7.58	106.91	110.70
26	BB	2647	U	C4'-C3'-C2'	-7.58	95.02	102.60
1	AA	1337	G	C5-C6-N1	7.58	115.29	111.50
25	BA	98	G	C5-N7-C8	7.58	108.09	104.30
26	BB	932	U	C5-C6-N1	7.58	126.49	122.70
26	BB	2274	A	N1-C2-N3	-7.58	125.51	129.30
1	AA	280	C	N3-C4-C5	7.58	124.93	121.90
1	AA	543	U	C2-N3-C4	-7.58	122.45	127.00
26	BB	71	A	C3'-C2'-C1'	7.58	107.56	101.50
26	BB	574	A	N1-C2-N3	-7.58	125.51	129.30
26	BB	2110	G	C5-C6-N1	7.58	115.29	111.50
26	BB	2384	U	N3-C2-O2	-7.58	116.90	122.20
26	BB	2478	A	C5-C6-N1	7.58	121.49	117.70
1	AA	1064	G	N3-C4-N9	7.58	130.55	126.00
26	BB	837	C	C6-N1-C2	-7.58	117.27	120.30
26	BB	1087	G	C5-C6-N1	-7.58	107.71	111.50
1	AA	94	G	C5-C6-N1	7.58	115.29	111.50
1	AA	900	A	N9-C4-C5	-7.58	102.77	105.80
1	AA	1131	G	C4-C5-C6	-7.58	114.25	118.80
1	AA	1341	U	C4'-C3'-C2'	-7.58	95.02	102.60
26	BB	68	G	N9-C1'-C2'	-7.58	103.67	112.00
26	BB	512	G	N7-C8-N9	7.58	116.89	113.10
26	BB	877	A	N9-C4-C5	7.58	108.83	105.80
26	BB	1704	C	N3-C2-O2	-7.58	116.60	121.90
26	BB	1934	C	O4'-C1'-N1	7.58	114.26	108.20
26	BB	2544	G	N7-C8-N9	7.58	116.89	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	117	G	C5-C6-O6	7.57	133.14	128.60
1	AA	397	A	C4-C5-N7	7.57	114.49	110.70
1	AA	558	G	N7-C8-N9	7.57	116.89	113.10
1	AA	774	G	C8-N9-C4	7.57	109.43	106.40
1	AA	928	G	N1-C6-O6	-7.57	115.36	119.90
1	AA	1515	G	C5'-C4'-O4'	7.57	118.19	109.10
26	BB	480	A	C3'-C2'-C1'	7.57	107.56	101.50
26	BB	497	A	N7-C8-N9	7.57	117.59	113.80
26	BB	787	C	C2-N3-C4	-7.57	116.11	119.90
26	BB	875	G	C5-C6-O6	-7.57	124.06	128.60
26	BB	1408	G	N3-C4-N9	-7.57	121.46	126.00
26	BB	2834	G	P-O3'-C3'	7.57	128.79	119.70
26	BB	1168	G	N9-C1'-C2'	-7.57	103.67	112.00
26	BB	2288	A	C4-C5-N7	-7.57	106.91	110.70
26	BB	2635	A	C5-C6-N1	7.57	121.49	117.70
1	AA	548	G	O4'-C4'-C3'	-7.57	96.43	104.00
1	AA	593	U	C4'-C3'-C2'	-7.57	95.03	102.60
25	BA	61	G	C3'-C2'-C1'	-7.57	95.44	101.50
26	BB	99	U	C5-C4-O4	7.57	130.44	125.90
26	BB	735	A	N7-C8-N9	7.57	117.58	113.80
26	BB	1148	U	C4-C5-C6	7.57	124.24	119.70
26	BB	2237	G	N1-C2-N3	7.57	128.44	123.90
26	BB	2308	G	C8-N9-C4	-7.57	103.37	106.40
26	BB	2758	A	C1'-O4'-C4'	-7.57	103.84	109.90
1	AA	231	U	C2-N3-C4	-7.57	122.46	127.00
1	AA	603	U	N3-C4-O4	7.57	124.70	119.40
1	AA	805	C	C4'-C3'-C2'	-7.57	95.03	102.60
26	BB	95	A	N3-C4-C5	-7.57	121.50	126.80
26	BB	1261	C	C4'-C3'-C2'	-7.57	95.03	102.60
26	BB	2224	G	C6-N1-C2	-7.57	120.56	125.10
26	BB	2426	A	C2-N3-C4	-7.57	106.81	110.60
26	BB	2432	A	C4'-C3'-C2'	-7.57	95.03	102.60
26	BB	2770	G	P-O3'-C3'	7.57	128.78	119.70
1	AA	680	C	N3-C4-N4	7.57	123.30	118.00
26	BB	85	G	C4-C5-N7	-7.57	107.77	110.80
26	BB	146	A	C6-N1-C2	-7.57	114.06	118.60
26	BB	449	A	O4'-C1'-N9	7.57	114.25	108.20
26	BB	779	U	O4'-C1'-N1	7.57	114.25	108.20
26	BB	1199	U	N3-C2-O2	-7.57	116.90	122.20
26	BB	1480	C	C5-C4-N4	-7.57	114.90	120.20
26	BB	1486	U	N3-C2-O2	-7.57	116.90	122.20
26	BB	2304	G	C4-C5-N7	7.57	113.83	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1075	U	C3'-C2'-C1'	7.57	107.55	101.50
26	BB	330	A	O4'-C1'-N9	7.57	114.25	108.20
26	BB	583	G	C2-N3-C4	7.57	115.68	111.90
26	BB	588	U	N1-C2-N3	7.57	119.44	114.90
26	BB	783	A	N9-C4-C5	-7.57	102.77	105.80
26	BB	784	G	O3'-P-O5'	-7.57	89.62	104.00
26	BB	1756	G	P-O3'-C3'	7.57	128.78	119.70
26	BB	2511	U	C2-N3-C4	-7.57	122.46	127.00
26	BB	2803	G	O4'-C1'-N9	7.57	114.25	108.20
1	AA	752	G	C4-C5-N7	-7.56	107.77	110.80
26	BB	1186	G	C1'-O4'-C4'	-7.56	103.85	109.90
26	BB	1503	A	O4'-C1'-N9	7.56	114.25	108.20
26	BB	1808	A	C5-C6-N6	-7.56	117.65	123.70
26	BB	2250	G	C1'-O4'-C4'	-7.56	103.85	109.90
26	BB	2532	G	N3-C4-C5	-7.56	124.82	128.60
1	AA	442	G	N1-C2-N3	-7.56	119.36	123.90
1	AA	572	A	C6-C5-N7	7.56	137.59	132.30
1	AA	740	U	C3'-C2'-C1'	7.56	107.55	101.50
2	AB	26	A	C6-N1-C2	-7.56	114.06	118.60
26	BB	246	C	C6-N1-C2	7.56	123.33	120.30
26	BB	924	G	N1-C2-N2	7.56	123.01	116.20
26	BB	1275	A	O4'-C1'-N9	7.56	114.25	108.20
26	BB	1359	A	O4'-C1'-N9	7.56	114.25	108.20
26	BB	2771	C	C5'-C4'-O4'	7.56	118.18	109.10
54	B3	47	TYR	CB-CG-CD1	7.56	125.54	121.00
1	AA	12	U	P-O3'-C3'	7.56	128.77	119.70
1	AA	1190	G	C8-N9-C4	-7.56	103.38	106.40
26	BB	2632	A	N1-C6-N6	7.56	123.14	118.60
26	BB	2693	G	N3-C4-C5	7.56	132.38	128.60
1	AA	238	A	C4'-C3'-C2'	-7.56	95.04	102.60
1	AA	1460	C	C5-C4-N4	7.56	125.49	120.20
2	AB	9	A	C3'-C2'-C1'	7.56	107.55	101.50
3	AC	41	A	C6-C5-N7	-7.56	127.01	132.30
7	AG	49	ASP	CB-CG-OD1	-7.56	111.50	118.30
12	AL	94	ARG	NE-CZ-NH2	-7.56	116.52	120.30
26	BB	58	G	C5-C6-O6	-7.56	124.06	128.60
26	BB	174	U	O4'-C1'-C2'	7.56	114.40	107.60
26	BB	788	A	O4'-C1'-N9	7.56	114.25	108.20
26	BB	2439	A	C3'-C2'-C1'	7.56	107.55	101.50
1	AA	311	C	C5-C6-N1	7.56	124.78	121.00
1	AA	681	A	C5-N7-C8	-7.56	100.12	103.90
4	AD	71	G	N9-C4-C5	-7.56	102.38	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1046	A	C4-C5-N7	7.56	114.48	110.70
26	BB	1348	C	C2-N3-C4	7.56	123.68	119.90
26	BB	1534	U	C2-N3-C4	-7.56	122.47	127.00
26	BB	1680	U	C4-C5-C6	7.56	124.23	119.70
26	BB	2223	G	C4-C5-N7	-7.56	107.78	110.80
1	AA	1368	A	N9-C4-C5	7.56	108.82	105.80
1	AA	1163	A	C4-C5-C6	7.55	120.78	117.00
26	BB	1901	A	N3-C4-C5	-7.55	121.51	126.80
1	AA	1106	G	C1'-O4'-C4'	-7.55	103.86	109.90
1	AA	1330	U	C4'-C3'-C2'	-7.55	95.05	102.60
26	BB	549	G	C5-C6-O6	-7.55	124.07	128.60
26	BB	1310	G	N7-C8-N9	7.55	116.88	113.10
26	BB	2652	C	C4'-C3'-C2'	-7.55	95.05	102.60
1	AA	67	C	N3-C4-C5	7.55	124.92	121.90
1	AA	742	G	N9-C4-C5	7.55	108.42	105.40
18	AR	14	PHE	CB-CG-CD1	7.55	126.09	120.80
26	BB	422	A	C5-N7-C8	7.55	107.68	103.90
26	BB	967	U	C2-N3-C4	-7.55	122.47	127.00
26	BB	1702	G	C4'-C3'-C2'	-7.55	95.05	102.60
26	BB	1715	G	N9-C4-C5	7.55	108.42	105.40
1	AA	316	C	N1-C1'-C2'	-7.55	103.70	112.00
1	AA	1413	A	C5-C6-N6	-7.55	117.66	123.70
42	BR	19	PHE	CB-CG-CD2	-7.55	115.52	120.80
1	AA	615	G	N3-C4-C5	-7.55	124.83	128.60
1	AA	1524	C	N3-C4-N4	7.55	123.28	118.00
26	BB	1802	A	C4'-C3'-C2'	-7.55	95.05	102.60
1	AA	217	C	N1-C2-O2	7.55	123.43	118.90
1	AA	1041	G	N3-C4-N9	7.55	130.53	126.00
25	BA	21	G	C6-N1-C2	-7.55	120.57	125.10
26	BB	184	C	O4'-C4'-C3'	7.55	112.14	106.10
26	BB	1943	U	O4'-C1'-N1	7.55	114.24	108.20
26	BB	2397	G	C5-C6-O6	-7.55	124.07	128.60
26	BB	2690	U	C3'-C2'-C1'	-7.55	95.46	101.50
1	AA	149	A	C6-N1-C2	7.54	123.13	118.60
1	AA	266	G	N3-C4-N9	7.54	130.53	126.00
1	AA	1321	U	N3-C4-O4	-7.54	114.12	119.40
4	AD	36	A	C8-N9-C4	-7.54	102.78	105.80
26	BB	1398	C	O4'-C4'-C3'	7.54	112.14	106.10
26	BB	2058	A	N9-C4-C5	7.54	108.82	105.80
26	BB	2469	A	C2-N3-C4	-7.54	106.83	110.60
1	AA	1036	A	C5-N7-C8	-7.54	100.13	103.90
26	BB	157	C	N3-C2-O2	-7.54	116.62	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	348	A	C4-C5-C6	-7.54	113.23	117.00
26	BB	361	G	N1-C2-N3	-7.54	119.37	123.90
26	BB	578	G	C2-N3-C4	7.54	115.67	111.90
26	BB	790	U	O4'-C1'-N1	7.54	114.23	108.20
26	BB	1941	C	N3-C4-C5	-7.54	118.88	121.90
26	BB	2062	A	N1-C6-N6	7.54	123.13	118.60
26	BB	2371	G	N3-C2-N2	7.54	125.18	119.90
26	BB	2712	C	C4-C5-C6	-7.54	113.63	117.40
26	BB	2721	A	C5-N7-C8	7.54	107.67	103.90
26	BB	2834	G	C1'-O4'-C4'	-7.54	103.86	109.90
1	AA	143	A	C2-N3-C4	7.54	114.37	110.60
1	AA	251	G	C6-N1-C2	-7.54	120.58	125.10
1	AA	487	A	N3-C4-C5	-7.54	121.52	126.80
1	AA	606	G	C5-C6-N1	7.54	115.27	111.50
1	AA	936	C	N3-C4-N4	7.54	123.28	118.00
1	AA	939	G	N3-C2-N2	-7.54	114.62	119.90
26	BB	160	A	C6-C5-N7	-7.54	127.02	132.30
26	BB	396	G	O4'-C4'-C3'	7.54	112.13	106.10
26	BB	687	C	O4'-C1'-N1	7.54	114.23	108.20
26	BB	993	G	C4'-C3'-C2'	-7.54	95.06	102.60
26	BB	1460	U	N1-C1'-C2'	7.54	123.80	114.00
26	BB	1645	G	N9-C1'-C2'	-7.54	103.70	112.00
26	BB	2409	G	N3-C4-C5	-7.54	124.83	128.60
1	AA	42	G	C5-C6-N1	7.54	115.27	111.50
1	AA	520	A	C4'-C3'-C2'	-7.54	95.06	102.60
2	AB	70	C	N1-C2-O2	7.54	123.42	118.90
26	BB	1746	A	N9-C4-C5	7.54	108.82	105.80
26	BB	1770	G	N9-C4-C5	7.54	108.42	105.40
26	BB	2607	G	N1-C2-N3	-7.54	119.38	123.90
26	BB	1225	G	C2'-C3'-O3'	7.54	126.08	109.50
26	BB	1406	U	N1-C2-O2	7.54	128.08	122.80
26	BB	2045	C	C2-N3-C4	7.54	123.67	119.90
26	BB	2166	U	C5-C6-N1	-7.54	118.93	122.70
26	BB	2310	C	C2-N3-C4	7.54	123.67	119.90
26	BB	2539	C	C4-C5-C6	-7.54	113.63	117.40
34	BJ	30	ARG	NE-CZ-NH2	-7.54	116.53	120.30
54	B3	16	ARG	NE-CZ-NH2	-7.54	116.53	120.30
1	AA	1386	G	O4'-C1'-N9	7.54	114.23	108.20
26	BB	1054	A	C2-N3-C4	7.54	114.37	110.60
26	BB	1824	G	C5-N7-C8	7.54	108.07	104.30
26	BB	2562	U	N3-C2-O2	-7.54	116.92	122.20
1	AA	108	G	C8-N9-C4	-7.54	103.39	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	892	A	C3'-C2'-C1'	-7.54	95.47	101.50
1	AA	974	A	N1-C6-N6	-7.54	114.08	118.60
4	AD	15	G	C4'-C3'-C2'	7.54	110.14	102.60
26	BB	853	C	N1-C2-N3	-7.54	113.92	119.20
26	BB	905	A	C6-N1-C2	7.54	123.12	118.60
26	BB	1140	C	N3-C4-N4	7.54	123.28	118.00
26	BB	2366	A	C5-N7-C8	-7.54	100.13	103.90
1	AA	318	G	N9-C4-C5	7.53	108.41	105.40
1	AA	588	G	C8-N9-C4	-7.53	103.39	106.40
26	BB	64	A	C8-N9-C4	-7.53	102.79	105.80
26	BB	303	G	N1-C2-N2	7.53	122.98	116.20
26	BB	2198	A	C4-C5-N7	-7.53	106.93	110.70
26	BB	2374	C	N3-C2-O2	-7.53	116.63	121.90
1	AA	25	C	C5-C4-N4	-7.53	114.93	120.20
1	AA	274	A	C2-N3-C4	7.53	114.37	110.60
26	BB	230	G	N3-C4-C5	-7.53	124.83	128.60
26	BB	615	U	C4-C5-C6	7.53	124.22	119.70
26	BB	1832	C	N3-C4-C5	-7.53	118.89	121.90
47	BW	8	ASP	CB-CG-OD1	-7.53	111.52	118.30
1	AA	758	C	C2-N3-C4	7.53	123.67	119.90
2	AB	2	G	N3-C4-N9	7.53	130.52	126.00
26	BB	271	G	C4-N9-C1'	-7.53	116.71	126.50
26	BB	717	C	C6-N1-C2	-7.53	117.29	120.30
1	AA	937	A	C5-N7-C8	7.53	107.66	103.90
1	AA	303	A	N9-C4-C5	7.53	108.81	105.80
1	AA	665	A	C1'-O4'-C4'	7.53	115.92	109.90
1	AA	1459	G	N3-C4-C5	-7.53	124.84	128.60
26	BB	20	C	O4'-C1'-N1	7.53	114.22	108.20
26	BB	1555	G	C4-C5-N7	7.53	113.81	110.80
26	BB	1679	A	N9-C4-C5	7.53	108.81	105.80
26	BB	1925	C	C1'-O4'-C4'	7.53	115.92	109.90
26	BB	2092	U	C2-N3-C4	-7.53	122.48	127.00
26	BB	2524	G	C5-C6-O6	-7.53	124.08	128.60
1	AA	435	A	C2-N3-C4	7.53	114.36	110.60
4	AD	36	A	C5-C6-N1	7.53	121.46	117.70
4	AD	72	C	N3-C2-O2	-7.53	116.63	121.90
13	AM	49	PHE	CB-CG-CD2	7.53	126.07	120.80
26	BB	1647	U	N1-C1'-C2'	7.53	123.78	114.00
26	BB	2668	G	N3-C4-C5	-7.53	124.84	128.60
26	BB	1685	C	C1'-O4'-C4'	-7.52	103.88	109.90
26	BB	2133	G	N3-C2-N2	7.52	125.17	119.90
26	BB	2172	U	O4'-C1'-N1	7.52	114.22	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2289	G	C5'-C4'-O4'	7.52	118.13	109.10
1	AA	101	A	N7-C8-N9	7.52	117.56	113.80
1	AA	487	A	N1-C2-N3	-7.52	125.54	129.30
1	AA	585	G	C6-N1-C2	-7.52	120.59	125.10
1	AA	950	U	C5-C4-O4	-7.52	121.39	125.90
26	BB	865	C	N3-C4-N4	7.52	123.27	118.00
26	BB	1984	G	N3-C4-C5	-7.52	124.84	128.60
26	BB	2579	C	N3-C4-N4	7.52	123.27	118.00
1	AA	342	C	C5-C6-N1	7.52	124.76	121.00
2	AB	21	A	C4'-C3'-C2'	-7.52	95.08	102.60
3	AC	40	G	N7-C8-N9	7.52	116.86	113.10
26	BB	250	G	N7-C8-N9	7.52	116.86	113.10
26	BB	2754	U	C3'-C2'-C1'	7.52	107.52	101.50
1	AA	971	G	C2-N3-C4	7.52	115.66	111.90
25	BA	73	A	C8-N9-C4	-7.52	102.79	105.80
26	BB	489	G	N3-C2-N2	7.52	125.16	119.90
26	BB	693	A	C4-C5-C6	-7.52	113.24	117.00
26	BB	1715	G	P-O3'-C3'	7.52	128.72	119.70
26	BB	2150	C	N1-C1'-C2'	-7.52	103.73	112.00
1	AA	1275	A	N1-C2-N3	-7.52	125.54	129.30
4	AD	73	A	N7-C8-N9	7.52	117.56	113.80
26	BB	663	G	N1-C2-N3	-7.52	119.39	123.90
26	BB	664	G	O4'-C1'-N9	7.52	114.22	108.20
26	BB	2323	G	C4-C5-C6	7.52	123.31	118.80
26	BB	2444	G	N1-C6-O6	-7.52	115.39	119.90
26	BB	2744	G	N3-C2-N2	-7.52	114.64	119.90
1	AA	134	G	C5'-C4'-O4'	7.52	118.12	109.10
1	AA	380	G	C4-C5-C6	7.52	123.31	118.80
1	AA	1062	U	P-O3'-C3'	7.52	128.72	119.70
1	AA	1404	C	O4'-C1'-N1	7.52	114.21	108.20
26	BB	85	G	N3-C4-C5	-7.52	124.84	128.60
1	AA	34	C	C6-N1-C2	-7.51	117.29	120.30
26	BB	159	G	N7-C8-N9	7.51	116.86	113.10
26	BB	894	U	C2-N3-C4	-7.51	122.49	127.00
26	BB	1584	U	N3-C2-O2	-7.51	116.94	122.20
26	BB	2066	C	O4'-C1'-C2'	7.51	114.36	107.60
26	BB	2077	A	C2-N3-C4	7.51	114.36	110.60
26	BB	2193	G	N3-C4-N9	7.51	130.51	126.00
54	B3	47	TYR	CB-CG-CD2	-7.51	116.49	121.00
1	AA	235	C	O4'-C1'-N1	7.51	114.21	108.20
1	AA	256	U	N1-C1'-C2'	-7.51	103.74	112.00
1	AA	368	U	N1-C2-O2	7.51	128.06	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	26	C	N1-C2-O2	7.51	123.41	118.90
26	BB	279	A	O4'-C4'-C3'	7.51	112.11	106.10
26	BB	2000	C	O4'-C1'-N1	7.51	114.21	108.20
26	BB	2669	G	N7-C8-N9	7.51	116.86	113.10
42	BR	20	ARG	NE-CZ-NH1	7.51	124.06	120.30
1	AA	101	A	N1-C6-N6	-7.51	114.09	118.60
1	AA	1322	C	N3-C4-C5	-7.51	118.89	121.90
4	AD	36	A	C4-C5-N7	-7.51	106.94	110.70
8	AH	19	ARG	NE-CZ-NH2	7.51	124.06	120.30
26	BB	98	G	N7-C8-N9	7.51	116.86	113.10
26	BB	930	G	C4-C5-N7	-7.51	107.80	110.80
26	BB	1704	C	C6-N1-C2	-7.51	117.30	120.30
26	BB	2529	G	C6-N1-C2	-7.51	120.59	125.10
26	BB	2662	A	C5-C6-N6	7.51	129.71	123.70
26	BB	2876	G	N9-C4-C5	7.51	108.41	105.40
1	AA	131	A	N1-C6-N6	7.51	123.11	118.60
1	AA	180	U	O4'-C1'-N1	7.51	114.21	108.20
1	AA	566	G	C5-C6-O6	-7.51	124.09	128.60
2	AB	40	C	O4'-C1'-N1	7.51	114.21	108.20
26	BB	226	A	C5-C6-N1	7.51	121.45	117.70
26	BB	1128	G	N3-C4-C5	-7.51	124.84	128.60
26	BB	1138	G	C5'-C4'-O4'	7.51	118.11	109.10
26	BB	2080	A	N1-C6-N6	-7.51	114.09	118.60
26	BB	2331	G	C4-C5-N7	-7.51	107.80	110.80
26	BB	2649	C	N1-C2-N3	7.51	124.46	119.20
26	BB	2726	A	C4-C5-C6	7.51	120.75	117.00
1	AA	168	G	N9-C1'-C2'	-7.51	103.74	112.00
1	AA	176	C	N3-C4-N4	7.51	123.25	118.00
1	AA	271	C	C5-C6-N1	-7.51	117.25	121.00
26	BB	1099	G	C5-N7-C8	-7.51	100.55	104.30
26	BB	1202	G	C4-C5-C6	-7.51	114.30	118.80
26	BB	1422	G	C5-N7-C8	-7.51	100.55	104.30
26	BB	1620	G	C8-N9-C4	7.51	109.40	106.40
26	BB	1778	U	N3-C4-O4	7.51	124.66	119.40
26	BB	2027	G	N7-C8-N9	7.51	116.85	113.10
5	AE	95	TRP	CB-CG-CD2	7.50	136.36	126.60
10	AJ	95	ARG	NE-CZ-NH1	7.50	124.05	120.30
26	BB	579	G	N1-C6-O6	-7.50	115.40	119.90
26	BB	1906	G	C6-N1-C2	-7.50	120.60	125.10
26	BB	2267	A	C6-C5-N7	7.50	137.55	132.30
1	AA	372	C	C1'-O4'-C4'	-7.50	103.90	109.90
1	AA	836	G	N3-C4-C5	-7.50	124.85	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	791	C	N3-C4-C5	-7.50	118.90	121.90
26	BB	1469	A	C5-N7-C8	-7.50	100.15	103.90
26	BB	2036	C	C6-N1-C2	-7.50	117.30	120.30
1	AA	758	C	C1'-O4'-C4'	7.50	115.90	109.90
1	AA	1203	C	O4'-C1'-N1	7.50	114.20	108.20
22	AV	1	PRO	CA-N-CD	-7.50	101.00	111.50
26	BB	2242	G	N9-C4-C5	-7.50	102.40	105.40
26	BB	2300	C	C5-C4-N4	-7.50	114.95	120.20
26	BB	215	G	O4'-C1'-C2'	-7.50	98.30	105.80
26	BB	386	G	N3-C4-C5	-7.50	124.85	128.60
1	AA	412	A	N9-C4-C5	7.50	108.80	105.80
1	AA	533	A	C6-C5-N7	7.50	137.55	132.30
1	AA	740	U	N3-C4-C5	-7.50	110.10	114.60
3	AC	47	C	N3-C4-C5	-7.50	118.90	121.90
26	BB	253	C	N3-C2-O2	-7.50	116.65	121.90
26	BB	701	G	O4'-C1'-N9	7.50	114.20	108.20
26	BB	784	G	N1-C6-O6	-7.50	115.40	119.90
26	BB	1763	G	C8-N9-C1'	7.50	136.75	127.00
26	BB	2423	U	C2-N3-C4	-7.50	122.50	127.00
1	AA	256	U	C2-N3-C4	-7.50	122.50	127.00
1	AA	1083	U	N1-C2-O2	7.50	128.05	122.80
26	BB	236	C	C3'-C2'-C1'	7.50	107.50	101.50
26	BB	2143	C	C4-C5-C6	-7.50	113.65	117.40
26	BB	2807	U	N3-C2-O2	-7.50	116.95	122.20
4	AD	65	G	N3-C4-C5	-7.50	124.85	128.60
26	BB	349	U	C4-C5-C6	7.50	124.20	119.70
26	BB	423	A	N7-C8-N9	-7.50	110.05	113.80
26	BB	1743	G	C1'-O4'-C4'	-7.50	103.90	109.90
26	BB	1816	C	C6-N1-C2	7.50	123.30	120.30
26	BB	1980	G	C5-C6-N1	7.50	115.25	111.50
26	BB	2070	A	C4-C5-C6	-7.50	113.25	117.00
26	BB	2731	G	C5'-C4'-O4'	7.50	118.09	109.10
26	BB	2867	G	N1-C2-N3	-7.50	119.40	123.90
1	AA	529	G	C5-C6-O6	7.49	133.10	128.60
1	AA	1047	G	C4-C5-N7	7.49	113.80	110.80
26	BB	1182	G	N3-C4-C5	-7.49	124.85	128.60
26	BB	2316	G	N3-C4-N9	7.49	130.50	126.00
1	AA	1449	C	C5-C4-N4	7.49	125.44	120.20
3	AC	28	U	C4-C5-C6	7.49	124.19	119.70
26	BB	96	C	C4'-C3'-C2'	-7.49	95.11	102.60
26	BB	2321	U	C6-N1-C2	-7.49	116.50	121.00
26	BB	2516	A	N1-C2-N3	-7.49	125.55	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	223	A	O5'-P-OP2	-7.49	98.96	105.70
1	AA	1012	A	C4-C5-C6	-7.49	113.25	117.00
1	AA	1108	G	C4-C5-N7	-7.49	107.80	110.80
26	BB	176	A	N7-C8-N9	7.49	117.55	113.80
26	BB	815	C	N1-C2-O2	7.49	123.39	118.90
26	BB	2606	C	C5-C4-N4	-7.49	114.96	120.20
1	AA	266	G	O5'-C5'-C4'	-7.49	97.47	111.70
1	AA	583	A	O4'-C4'-C3'	7.49	112.09	106.10
1	AA	717	U	C4-C5-C6	7.49	124.19	119.70
1	AA	780	A	C5-N7-C8	-7.49	100.16	103.90
1	AA	1317	C	C4'-C3'-C2'	-7.49	95.11	102.60
1	AA	1322	C	C2-N1-C1'	7.49	127.04	118.80
1	AA	1386	G	N1-C2-N2	7.49	122.94	116.20
1	AA	1476	A	N1-C6-N6	7.49	123.09	118.60
4	AD	45	A	C5-C6-N1	7.49	121.44	117.70
26	BB	530	G	C8-N9-C4	-7.49	103.41	106.40
26	BB	1363	C	N3-C4-C5	7.49	124.89	121.90
26	BB	1525	A	C5-C6-N1	7.49	121.44	117.70
26	BB	2003	A	O4'-C1'-N9	7.49	114.19	108.20
28	BD	42	ARG	NE-CZ-NH1	-7.49	116.56	120.30
1	AA	963	G	C5-C6-O6	-7.49	124.11	128.60
1	AA	1117	A	C5-N7-C8	-7.49	100.16	103.90
26	BB	87	U	N1-C1'-C2'	-7.49	103.76	112.00
26	BB	670	A	N7-C8-N9	7.49	117.54	113.80
26	BB	805	G	O4'-C1'-N9	7.49	114.19	108.20
26	BB	2237	G	N1-C2-N2	-7.49	109.46	116.20
26	BB	2421	G	N9-C4-C5	7.49	108.39	105.40
1	AA	340	U	C5-C6-N1	-7.49	118.96	122.70
1	AA	780	A	N7-C8-N9	7.49	117.54	113.80
26	BB	967	U	C5-C6-N1	-7.49	118.96	122.70
26	BB	1503	A	N9-C4-C5	7.49	108.79	105.80
26	BB	1527	G	C6-C5-N7	-7.49	125.91	130.40
26	BB	2099	U	C4-C5-C6	7.49	124.19	119.70
26	BB	2245	U	N1-C2-N3	7.49	119.39	114.90
26	BB	2866	U	C1'-O4'-C4'	-7.49	103.91	109.90
25	BA	9	G	C6-C5-N7	-7.48	125.91	130.40
26	BB	491	G	N7-C8-N9	-7.48	109.36	113.10
26	BB	624	C	C2-N3-C4	7.48	123.64	119.90
1	AA	1021	A	C4-C5-N7	-7.48	106.96	110.70
1	AA	1399	C	O4'-C1'-C2'	-7.48	98.32	105.80
2	AB	36	A	O4'-C1'-N9	7.48	114.19	108.20
25	BA	43	C	P-O3'-C3'	7.48	128.68	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	165	A	C4'-C3'-C2'	7.48	110.08	102.60
26	BB	397	U	C3'-C2'-C1'	7.48	107.48	101.50
26	BB	528	A	C1'-O4'-C4'	-7.48	103.91	109.90
26	BB	676	A	C2-N3-C4	7.48	114.34	110.60
26	BB	1487	U	C2-N3-C4	-7.48	122.51	127.00
26	BB	1842	G	C8-N9-C4	-7.48	103.41	106.40
26	BB	1985	C	N3-C4-N4	7.48	123.24	118.00
26	BB	2538	C	O4'-C1'-N1	7.48	114.19	108.20
1	AA	466	A	C4'-C3'-C2'	-7.48	95.12	102.60
1	AA	996	A	O4'-C1'-N9	7.48	114.19	108.20
26	BB	857	G	N3-C4-N9	7.48	130.49	126.00
26	BB	971	G	C5-C6-N1	-7.48	107.76	111.50
26	BB	2539	C	C2-N3-C4	7.48	123.64	119.90
26	BB	1520	U	N1-C2-N3	7.48	119.39	114.90
26	BB	1524	G	N3-C4-N9	7.48	130.49	126.00
26	BB	2471	A	C4-C5-C6	-7.48	113.26	117.00
1	AA	47	C	C5-C6-N1	-7.48	117.26	121.00
1	AA	76	G	N1-C6-O6	7.48	124.39	119.90
1	AA	573	A	C2-N3-C4	-7.48	106.86	110.60
1	AA	1033	G	N1-C6-O6	7.48	124.39	119.90
1	AA	1511	G	N9-C4-C5	7.48	108.39	105.40
1	AA	1531	A	N1-C2-N3	-7.48	125.56	129.30
6	AF	130	ARG	NE-CZ-NH2	7.48	124.04	120.30
24	AX	32	ARG	NE-CZ-NH1	7.48	124.04	120.30
26	BB	1409	U	O4'-C1'-N1	7.48	114.18	108.20
26	BB	2780	G	N1-C6-O6	-7.48	115.41	119.90
1	AA	494	G	C6-C5-N7	-7.48	125.92	130.40
1	AA	708	C	N3-C4-C5	7.48	124.89	121.90
7	AG	3	TYR	CB-CG-CD2	-7.48	116.51	121.00
25	BA	35	C	N3-C4-C5	7.48	124.89	121.90
25	BA	50	A	C4'-C3'-C2'	-7.48	95.12	102.60
26	BB	1386	C	N3-C4-N4	7.48	123.23	118.00
26	BB	2166	U	C4'-C3'-C2'	-7.48	95.12	102.60
1	AA	1006	G	C5'-C4'-O4'	7.47	118.07	109.10
1	AA	1439	G	C5-C6-O6	-7.47	124.11	128.60
2	AB	28	C	N3-C4-C5	-7.47	118.91	121.90
26	BB	350	G	N9-C4-C5	7.47	108.39	105.40
26	BB	674	G	O4'-C1'-N9	7.47	114.18	108.20
26	BB	777	G	C8-N9-C4	-7.47	103.41	106.40
26	BB	1188	U	N3-C2-O2	-7.47	116.97	122.20
26	BB	2617	U	N1-C1'-C2'	-7.47	103.78	112.00
26	BB	2816	G	C4-C5-C6	7.47	123.28	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	11	G	N9-C1'-C2'	-7.47	103.78	112.00
1	AA	80	A	N7-C8-N9	7.47	117.54	113.80
1	AA	481	G	C5-C6-O6	-7.47	124.12	128.60
1	AA	542	G	N3-C4-C5	-7.47	124.86	128.60
1	AA	548	G	C6-C5-N7	-7.47	125.92	130.40
1	AA	597	G	C4-C5-C6	7.47	123.28	118.80
1	AA	1145	A	C8-N9-C4	-7.47	102.81	105.80
1	AA	1319	A	C3'-C2'-C1'	-7.47	95.52	101.50
1	AA	1385	G	N3-C4-C5	-7.47	124.86	128.60
7	AG	43	ARG	CD-NE-CZ	7.47	134.06	123.60
26	BB	111	A	C5-N7-C8	-7.47	100.16	103.90
26	BB	1055	G	C5-C6-O6	-7.47	124.12	128.60
26	BB	1113	U	C2-N3-C4	-7.47	122.52	127.00
26	BB	1297	C	N1-C2-O2	7.47	123.38	118.90
26	BB	1634	A	N1-C2-N3	-7.47	125.56	129.30
26	BB	1786	A	N7-C8-N9	7.47	117.54	113.80
26	BB	1856	U	O4'-C1'-N1	7.47	114.18	108.20
1	AA	1418	A	N9-C4-C5	7.47	108.79	105.80
26	BB	1067	A	C4-C5-C6	-7.47	113.26	117.00
26	BB	1086	A	C6-N1-C2	7.47	123.08	118.60
26	BB	2391	G	N3-C4-C5	-7.47	124.86	128.60
1	AA	457	G	N3-C4-C5	-7.47	124.86	128.60
1	AA	1174	G	O4'-C1'-N9	7.47	114.18	108.20
26	BB	604	G	N1-C6-O6	7.47	124.38	119.90
1	AA	270	A	N9-C4-C5	7.47	108.79	105.80
1	AA	881	G	C2-N3-C4	7.47	115.63	111.90
26	BB	464	U	O4'-C1'-N1	7.47	114.17	108.20
26	BB	1415	U	C5-C4-O4	-7.47	121.42	125.90
1	AA	626	G	N7-C8-N9	7.47	116.83	113.10
1	AA	962	C	C4'-C3'-C2'	-7.47	95.13	102.60
1	AA	1053	G	C5-C6-O6	-7.47	124.12	128.60
1	AA	1514	G	N3-C4-C5	-7.47	124.87	128.60
3	AC	23	C	C2-N3-C4	7.47	123.63	119.90
26	BB	406	G	N3-C2-N2	-7.47	114.67	119.90
26	BB	892	A	C2-N3-C4	7.47	114.33	110.60
26	BB	1490	A	P-O3'-C3'	7.47	128.66	119.70
26	BB	1885	A	O4'-C1'-N9	7.47	114.17	108.20
26	BB	2341	G	C5'-C4'-O4'	7.47	118.06	109.10
1	AA	132	C	O4'-C1'-N1	7.46	114.17	108.20
1	AA	405	U	N1-C2-O2	7.46	128.03	122.80
1	AA	994	A	N7-C8-N9	-7.46	110.07	113.80
1	AA	1300	G	C5-N7-C8	-7.46	100.57	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	46	G	N9-C4-C5	7.46	108.39	105.40
26	BB	1122	G	C6-C5-N7	7.46	134.88	130.40
26	BB	1261	C	C3'-C2'-C1'	7.46	107.47	101.50
26	BB	1281	G	C3'-C2'-C1'	7.46	107.47	101.50
26	BB	1740	G	C5-C6-O6	-7.46	124.12	128.60
26	BB	1973	G	C5-C6-N1	7.46	115.23	111.50
26	BB	2136	G	N3-C4-N9	7.46	130.48	126.00
26	BB	2576	G	O4'-C1'-N9	7.46	114.17	108.20
1	AA	203	G	N9-C4-C5	7.46	108.39	105.40
26	BB	2377	A	C4-C5-C6	7.46	120.73	117.00
26	BB	2777	G	N1-C6-O6	-7.46	115.42	119.90
1	AA	117	G	C6-N1-C2	-7.46	120.62	125.10
1	AA	1068	G	N1-C6-O6	7.46	124.38	119.90
1	AA	1368	A	N7-C8-N9	7.46	117.53	113.80
25	BA	6	G	O4'-C1'-N9	7.46	114.17	108.20
26	BB	505	A	C2-N3-C4	-7.46	106.87	110.60
26	BB	2648	G	C5-N7-C8	-7.46	100.57	104.30
1	AA	57	G	C4-C5-N7	-7.46	107.82	110.80
1	AA	149	A	O4'-C1'-N9	7.46	114.17	108.20
1	AA	353	A	N1-C6-N6	-7.46	114.12	118.60
25	BA	41	G	C8-N9-C4	-7.46	103.42	106.40
26	BB	1117	C	C5-C4-N4	-7.46	114.98	120.20
27	BC	53	ARG	NE-CZ-NH2	7.46	124.03	120.30
1	AA	678	U	C1'-O4'-C4'	7.46	115.87	109.90
1	AA	1053	G	C2-N3-C4	7.46	115.63	111.90
26	BB	730	A	C4'-C3'-C2'	7.46	110.06	102.60
26	BB	911	A	N9-C4-C5	7.46	108.78	105.80
26	BB	1221	C	N3-C4-C5	-7.46	118.92	121.90
26	BB	1302	A	C8-N9-C4	-7.46	102.82	105.80
26	BB	1448	G	N1-C2-N3	-7.46	119.42	123.90
26	BB	2582	G	O4'-C4'-C3'	7.46	112.07	106.10
27	BC	111	PHE	CB-CG-CD1	-7.46	115.58	120.80
1	AA	49	U	O4'-C1'-N1	7.46	114.16	108.20
1	AA	570	G	C5-C6-O6	-7.46	124.13	128.60
1	AA	1492	A	C5-C6-N1	7.46	121.43	117.70
26	BB	21	A	C4-C5-N7	7.46	114.43	110.70
26	BB	1665	A	N1-C2-N3	-7.46	125.57	129.30
26	BB	1686	C	N1-C2-O2	-7.46	114.43	118.90
26	BB	2128	G	N1-C6-O6	7.46	124.37	119.90
1	AA	53	A	N1-C2-N3	-7.46	125.57	129.30
1	AA	288	A	C4-C5-N7	-7.46	106.97	110.70
26	BB	369	U	N3-C2-O2	-7.46	116.98	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1112	G	N9-C1'-C2'	-7.46	103.80	112.00
26	BB	1836	C	C5'-C4'-O4'	7.46	118.05	109.10
26	BB	1867	G	N9-C4-C5	7.46	108.38	105.40
26	BB	2735	G	C3'-C2'-C1'	-7.46	95.54	101.50
1	AA	606	G	N9-C4-C5	7.45	108.38	105.40
1	AA	1106	G	N1-C6-O6	-7.45	115.43	119.90
26	BB	1454	C	N1-C2-O2	7.45	123.37	118.90
26	BB	2309	A	N3-C4-C5	7.45	132.02	126.80
26	BB	2732	G	N3-C4-N9	7.45	130.47	126.00
1	AA	1486	G	C8-N9-C4	7.45	109.38	106.40
26	BB	273	G	C2-N3-C4	7.45	115.63	111.90
26	BB	548	G	C4-C5-C6	-7.45	114.33	118.80
1	AA	569	C	C4-C5-C6	7.45	121.12	117.40
1	AA	1227	A	C8-N9-C4	-7.45	102.82	105.80
26	BB	152	A	C5'-C4'-O4'	7.45	118.04	109.10
26	BB	669	G	N3-C2-N2	-7.45	114.69	119.90
26	BB	710	U	C6-N1-C2	-7.45	116.53	121.00
26	BB	900	A	C5'-C4'-C3'	-7.45	104.08	116.00
26	BB	1119	U	N1-C1'-C2'	-7.45	103.80	112.00
26	BB	1470	A	N1-C6-N6	7.45	123.07	118.60
26	BB	2134	A	O4'-C1'-N9	7.45	114.16	108.20
26	BB	2481	G	C8-N9-C4	-7.45	103.42	106.40
26	BB	2515	C	C4'-C3'-C2'	-7.45	95.15	102.60
33	BI	123	ARG	NE-CZ-NH1	7.45	124.03	120.30
1	AA	504	C	N1-C2-N3	7.45	124.41	119.20
1	AA	881	G	O4'-C1'-N9	7.45	114.16	108.20
19	AS	21	VAL	CA-CB-CG2	7.45	122.07	110.90
25	BA	15	A	O4'-C1'-N9	7.45	114.16	108.20
26	BB	82	U	C4-C5-C6	7.45	124.17	119.70
26	BB	210	C	C4'-C3'-C2'	-7.45	95.15	102.60
26	BB	2326	C	C2-N3-C4	7.45	123.62	119.90
1	AA	684	U	N1-C1'-C2'	-7.45	103.81	112.00
2	AB	45	U	N1-C2-N3	7.45	119.37	114.90
25	BA	109	A	C2-N3-C4	7.45	114.32	110.60
26	BB	38	A	O4'-C1'-N9	7.45	114.16	108.20
26	BB	467	G	C8-N9-C1'	7.45	136.68	127.00
26	BB	1215	G	C3'-C2'-C1'	-7.45	95.54	101.50
1	AA	64	G	C5-C6-N1	7.45	115.22	111.50
1	AA	947	G	N1-C2-N3	-7.45	119.43	123.90
26	BB	114	U	C2'-C3'-O3'	7.45	125.88	109.50
26	BB	894	U	C5-C6-N1	-7.45	118.98	122.70
26	BB	1846	G	C8-N9-C4	-7.45	103.42	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2458	G	N3-C4-N9	7.45	130.47	126.00
26	BB	2464	G	C5-C6-N1	7.45	115.22	111.50
26	BB	2682	A	N7-C8-N9	7.45	117.52	113.80
39	BO	55	ARG	NE-CZ-NH2	7.45	124.02	120.30
26	BB	1386	C	C6-N1-C2	7.44	123.28	120.30
26	BB	2587	A	C1'-O4'-C4'	-7.44	103.94	109.90
1	AA	174	A	C5-N7-C8	-7.44	100.18	103.90
1	AA	306	A	C5-C6-N1	7.44	121.42	117.70
1	AA	334	C	N1-C2-O2	7.44	123.37	118.90
1	AA	655	A	N9-C4-C5	7.44	108.78	105.80
1	AA	660	C	O4'-C1'-N1	7.44	114.16	108.20
26	BB	149	A	C8-N9-C4	-7.44	102.82	105.80
26	BB	869	G	C6-C5-N7	-7.44	125.93	130.40
26	BB	1021	A	C3'-C2'-C1'	7.44	107.45	101.50
26	BB	1047	G	C2-N3-C4	-7.44	108.18	111.90
26	BB	1293	C	P-O3'-C3'	7.44	128.63	119.70
26	BB	2029	G	O4'-C1'-N9	7.44	114.15	108.20
26	BB	2277	G	N3-C4-N9	7.44	130.47	126.00
26	BB	2814	A	N1-C6-N6	-7.44	114.13	118.60
26	BB	1010	A	C2-N3-C4	7.44	114.32	110.60
26	BB	1324	G	N7-C8-N9	-7.44	109.38	113.10
26	BB	1684	G	C5-C6-N1	7.44	115.22	111.50
26	BB	2628	C	C6-N1-C2	-7.44	117.32	120.30
1	AA	1242	G	N9-C4-C5	7.44	108.38	105.40
26	BB	584	C	N3-C4-N4	7.44	123.21	118.00
26	BB	990	A	P-O3'-C3'	7.44	128.63	119.70
26	BB	2662	A	C5'-C4'-O4'	7.44	118.03	109.10
1	AA	178	C	C4-C5-C6	-7.44	113.68	117.40
26	BB	361	G	C5-C6-O6	7.44	133.06	128.60
26	BB	438	G	N1-C2-N3	7.44	128.36	123.90
26	BB	2078	C	C1'-O4'-C4'	-7.44	103.95	109.90
26	BB	2178	C	N1-C2-O2	7.44	123.36	118.90
26	BB	2298	A	N1-C6-N6	-7.44	114.14	118.60
26	BB	1207	C	C2-N3-C4	7.44	123.62	119.90
26	BB	2845	U	N1-C2-N3	7.44	119.36	114.90
1	AA	68	G	N1-C2-N3	-7.43	119.44	123.90
1	AA	1075	U	C1'-O4'-C4'	7.43	115.85	109.90
26	BB	1921	G	C4-C5-N7	7.43	113.77	110.80
26	BB	2553	G	N7-C8-N9	7.43	116.82	113.10
1	AA	464	U	N1-C2-O2	7.43	128.00	122.80
2	AB	30	G	N7-C8-N9	7.43	116.82	113.10
26	BB	462	C	N3-C4-C5	7.43	124.87	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	881	G	C8-N9-C4	-7.43	103.43	106.40
26	BB	1732	C	N3-C4-N4	7.43	123.20	118.00
26	BB	2157	G	C2-N3-C4	7.43	115.62	111.90
26	BB	2412	A	N3-C4-C5	-7.43	121.60	126.80
37	BM	120	PRO	CA-N-CD	-7.43	101.09	111.50
56	B5	5	PHE	CB-CG-CD1	-7.43	115.60	120.80
26	BB	1942	C	N1-C2-N3	-7.43	114.00	119.20
1	AA	698	G	C4-C5-C6	7.43	123.26	118.80
1	AA	1333	A	C8-N9-C4	-7.43	102.83	105.80
26	BB	1605	C	C4'-C3'-C2'	-7.43	95.17	102.60
26	BB	1859	U	C5-C6-N1	-7.43	118.98	122.70
26	BB	2005	A	O4'-C1'-N9	7.43	114.14	108.20
26	BB	2522	U	C5-C4-O4	-7.43	121.44	125.90
26	BB	1004	U	C6-N1-C2	-7.43	116.54	121.00
26	BB	2546	U	N3-C2-O2	-7.43	117.00	122.20
1	AA	545	C	C5-C6-N1	-7.43	117.29	121.00
4	AD	14	A	C4-C5-N7	-7.43	106.99	110.70
6	AF	17	TRP	CD1-CG-CD2	-7.43	100.36	106.30
25	BA	113	C	C5-C4-N4	7.43	125.40	120.20
26	BB	577	G	C5-C6-N1	7.43	115.21	111.50
26	BB	765	C	O4'-C1'-N1	7.43	114.14	108.20
26	BB	1084	A	C1'-O4'-C4'	-7.43	103.96	109.90
26	BB	1804	C	C5-C6-N1	7.43	124.71	121.00
26	BB	2066	C	C5'-C4'-O4'	7.43	118.01	109.10
26	BB	2298	A	N3-C4-C5	-7.43	121.60	126.80
26	BB	2328	A	O4'-C1'-N9	7.43	114.14	108.20
1	AA	308	C	C5'-C4'-O4'	-7.42	100.19	109.10
1	AA	313	A	C5'-C4'-O4'	7.42	118.01	109.10
1	AA	1276	G	C2-N3-C4	7.42	115.61	111.90
2	AB	29	G	N7-C8-N9	7.42	116.81	113.10
26	BB	1224	U	P-O3'-C3'	7.42	128.61	119.70
26	BB	1613	G	C3'-C2'-C1'	-7.42	95.56	101.50
26	BB	1658	C	N3-C4-C5	7.42	124.87	121.90
26	BB	1944	U	C2-N3-C4	7.42	131.46	127.00
26	BB	2357	G	C1'-O4'-C4'	-7.42	103.96	109.90
26	BB	2597	G	C5-C6-O6	7.42	133.06	128.60
26	BB	2613	U	N1-C2-O2	-7.42	117.60	122.80
1	AA	1537	U	C6-N1-C2	-7.42	116.55	121.00
26	BB	379	G	C6-C5-N7	7.42	134.85	130.40
26	BB	2141	G	C5'-C4'-O4'	7.42	118.01	109.10
26	BB	2687	U	P-O3'-C3'	7.42	128.61	119.70
26	BB	2733	A	C5'-C4'-C3'	-7.42	104.12	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	42	G	O4'-C1'-N9	7.42	114.14	108.20
1	AA	1258	G	C1'-O4'-C4'	-7.42	103.96	109.90
2	AB	68	C	N3-C2-O2	-7.42	116.70	121.90
26	BB	182	A	O4'-C1'-N9	7.42	114.14	108.20
26	BB	266	G	C5-C6-N1	7.42	115.21	111.50
26	BB	1430	G	N7-C8-N9	7.42	116.81	113.10
26	BB	2401	U	P-O3'-C3'	7.42	128.61	119.70
26	BB	2412	A	N1-C2-N3	-7.42	125.59	129.30
1	AA	1070	U	C5'-C4'-O4'	7.42	118.00	109.10
26	BB	295	G	N7-C8-N9	7.42	116.81	113.10
26	BB	1017	G	O4'-C1'-N9	7.42	114.14	108.20
26	BB	1540	G	N9-C1'-C2'	-7.42	103.84	112.00
1	AA	548	G	N1-C6-O6	7.42	124.35	119.90
2	AB	43	G	N3-C4-C5	-7.42	124.89	128.60
25	BA	87	U	C4-C5-C6	7.42	124.15	119.70
25	BA	102	G	N3-C4-C5	-7.42	124.89	128.60
26	BB	1018	U	C5-C4-O4	-7.42	121.45	125.90
26	BB	1249	U	C2-N3-C4	-7.42	122.55	127.00
26	BB	1473	G	N1-C2-N2	-7.42	109.52	116.20
26	BB	1687	G	N3-C4-C5	-7.42	124.89	128.60
26	BB	2540	C	O4'-C1'-N1	7.42	114.13	108.20
26	BB	2627	G	N1-C2-N3	7.42	128.35	123.90
1	AA	190	A	N3-C4-C5	-7.42	121.61	126.80
1	AA	374	A	C5'-C4'-O4'	7.42	118.00	109.10
1	AA	418	C	O4'-C1'-N1	7.42	114.13	108.20
1	AA	571	U	C2-N3-C4	-7.42	122.55	127.00
1	AA	622	A	C6-N1-C2	7.42	123.05	118.60
1	AA	1247	U	C4'-C3'-C2'	-7.42	95.18	102.60
1	AA	1445	U	C5-C6-N1	7.42	126.41	122.70
26	BB	1488	C	N3-C2-O2	-7.42	116.71	121.90
26	BB	1612	C	C3'-C2'-C1'	-7.42	95.57	101.50
26	BB	2003	A	C4-C5-N7	7.42	114.41	110.70
26	BB	2374	C	C2-N3-C4	-7.42	116.19	119.90
26	BB	2429	G	N9-C4-C5	7.42	108.37	105.40
1	AA	767	A	N9-C4-C5	7.42	108.77	105.80
1	AA	803	G	C5'-C4'-O4'	7.42	118.00	109.10
1	AA	1078	U	C3'-C2'-C1'	7.42	107.43	101.50
4	AD	2	G	C8-N9-C4	-7.42	103.43	106.40
26	BB	536	G	C4'-C3'-C2'	-7.42	95.19	102.60
26	BB	2122	U	C3'-C2'-C1'	7.42	107.43	101.50
26	BB	144	A	N9-C4-C5	7.41	108.77	105.80
26	BB	353	C	N1-C2-O2	7.41	123.35	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	518	G	C5-C6-N1	7.41	115.21	111.50
26	BB	1190	G	C1'-O4'-C4'	-7.41	103.97	109.90
26	BB	1436	G	N1-C6-O6	7.41	124.35	119.90
26	BB	2576	G	C1'-O4'-C4'	-7.41	103.97	109.90
1	AA	542	G	N7-C8-N9	7.41	116.81	113.10
26	BB	2484	G	C6-N1-C2	7.41	129.55	125.10
1	AA	253	A	C8-N9-C4	-7.41	102.84	105.80
1	AA	589	U	C1'-O4'-C4'	-7.41	103.97	109.90
1	AA	646	G	N3-C2-N2	7.41	125.09	119.90
1	AA	1249	C	N1-C2-N3	7.41	124.39	119.20
1	AA	1497	G	C4-C5-C6	7.41	123.25	118.80
15	AO	53	ARG	NE-CZ-NH1	7.41	124.01	120.30
26	BB	502	A	C5'-C4'-C3'	-7.41	104.14	116.00
26	BB	674	G	N3-C2-N2	7.41	125.09	119.90
1	AA	70	U	C5'-C4'-C3'	-7.41	104.14	116.00
1	AA	1279	G	C5-C6-O6	7.41	133.05	128.60
1	AA	1497	G	N1-C2-N3	-7.41	119.45	123.90
24	AX	44	ARG	NH1-CZ-NH2	-7.41	111.25	119.40
26	BB	146	A	C5-C6-N1	7.41	121.40	117.70
26	BB	413	C	O4'-C1'-N1	7.41	114.13	108.20
26	BB	1403	A	N7-C8-N9	-7.41	110.10	113.80
26	BB	1465	G	N9-C4-C5	-7.41	102.44	105.40
26	BB	1211	C	N3-C2-O2	-7.41	116.72	121.90
26	BB	1892	C	O4'-C1'-N1	7.41	114.13	108.20
26	BB	1897	G	C6-C5-N7	-7.41	125.96	130.40
1	AA	382	A	C3'-C2'-C1'	-7.41	95.58	101.50
1	AA	396	C	C4-C5-C6	7.41	121.10	117.40
1	AA	412	A	C8-N9-C4	-7.41	102.84	105.80
1	AA	926	G	N3-C4-N9	7.41	130.44	126.00
1	AA	926	G	N3-C2-N2	7.41	125.08	119.90
1	AA	1105	A	C8-N9-C4	-7.41	102.84	105.80
1	AA	1108	G	C5-C6-O6	-7.41	124.16	128.60
26	BB	2126	A	N3-C4-C5	7.41	131.98	126.80
26	BB	2633	G	N3-C4-C5	-7.41	124.90	128.60
26	BB	2776	A	C6-N1-C2	-7.41	114.16	118.60
1	AA	808	C	C5-C6-N1	7.40	124.70	121.00
1	AA	1169	A	C6-C5-N7	7.40	137.48	132.30
26	BB	708	G	C6-N1-C2	7.40	129.54	125.10
26	BB	1339	G	N3-C4-C5	-7.40	124.90	128.60
26	BB	2256	G	C4-C5-C6	7.40	123.24	118.80
1	AA	63	C	C6-N1-C2	-7.40	117.34	120.30
1	AA	925	G	C2-N3-C4	7.40	115.60	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	713	G	C6-C5-N7	7.40	134.84	130.40
26	BB	766	U	N1-C2-N3	7.40	119.34	114.90
26	BB	1628	G	N7-C8-N9	-7.40	109.40	113.10
26	BB	2059	A	C3'-C2'-C1'	7.40	107.42	101.50
26	BB	2083	G	C8-N9-C4	-7.40	103.44	106.40
26	BB	2791	G	C5-C6-O6	-7.40	124.16	128.60
1	AA	1014	A	C2'-C3'-O3'	7.40	125.78	109.50
1	AA	1376	U	O4'-C1'-N1	-7.40	102.28	108.20
26	BB	346	A	O4'-C4'-C3'	-7.40	96.60	104.00
26	BB	583	G	N7-C8-N9	7.40	116.80	113.10
26	BB	1241	A	C3'-C2'-C1'	7.40	107.42	101.50
26	BB	1510	G	C5-C6-O6	-7.40	124.16	128.60
26	BB	1590	A	N1-C6-N6	7.40	123.04	118.60
26	BB	1879	C	N3-C4-C5	7.40	124.86	121.90
26	BB	2482	A	C8-N9-C4	-7.40	102.84	105.80
26	BB	2829	A	N1-C6-N6	7.40	123.04	118.60
1	AA	4	U	C5'-C4'-O4'	7.40	117.98	109.10
26	BB	1928	A	C5-C6-N1	-7.40	114.00	117.70
26	BB	2042	A	C5-N7-C8	7.40	107.60	103.90
26	BB	2090	A	C8-N9-C4	-7.40	102.84	105.80
1	AA	555	U	C5-C4-O4	-7.40	121.46	125.90
1	AA	676	A	N1-C6-N6	-7.40	114.16	118.60
1	AA	776	G	N1-C2-N3	-7.40	119.46	123.90
2	AB	14	A	C5-N7-C8	-7.40	100.20	103.90
25	BA	97	C	C2-N3-C4	7.40	123.60	119.90
26	BB	25	U	C5-C4-O4	-7.40	121.46	125.90
26	BB	220	G	C4-C5-C6	7.40	123.24	118.80
26	BB	400	G	N1-C2-N2	-7.40	109.54	116.20
26	BB	947	A	N9-C4-C5	7.40	108.76	105.80
26	BB	1976	U	N3-C2-O2	-7.40	117.02	122.20
26	BB	2645	G	C8-N9-C4	-7.40	103.44	106.40
26	BB	2790	U	N1-C2-N3	7.40	119.34	114.90
1	AA	627	G	N1-C2-N2	7.40	122.86	116.20
4	AD	62	C	N1-C2-O2	7.40	123.34	118.90
25	BA	48	U	C4'-C3'-C2'	-7.40	95.20	102.60
26	BB	2886	A	C4-C5-N7	-7.40	107.00	110.70
1	AA	515	G	C8-N9-C4	-7.39	103.44	106.40
1	AA	1237	C	N1-C2-O2	7.39	123.34	118.90
4	AD	46	G	C5'-C4'-C3'	-7.39	104.17	116.00
26	BB	333	G	C6-N1-C2	-7.39	120.66	125.10
26	BB	1812	U	C5-C6-N1	-7.39	119.00	122.70
26	BB	2525	G	C4-C5-N7	7.39	113.76	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2824	C	N3-C4-C5	-7.39	118.94	121.90
26	BB	2825	G	C4-C5-C6	7.39	123.24	118.80
26	BB	2898	U	P-O5'-C5'	7.39	132.73	120.90
1	AA	444	G	C4-C5-N7	7.39	113.76	110.80
1	AA	510	A	C6-N1-C2	-7.39	114.17	118.60
4	AD	40	C	C2-N3-C4	7.39	123.60	119.90
4	AD	43	G	C4-C5-N7	-7.39	107.84	110.80
26	BB	29	U	O4'-C1'-N1	7.39	114.11	108.20
26	BB	44	A	N3-C4-C5	-7.39	121.62	126.80
26	BB	493	G	N1-C6-O6	-7.39	115.46	119.90
26	BB	1349	C	C5-C6-N1	7.39	124.70	121.00
1	AA	18	C	C5'-C4'-O4'	7.39	117.97	109.10
26	BB	156	A	C8-N9-C4	-7.39	102.84	105.80
26	BB	1604	C	N3-C4-N4	7.39	123.17	118.00
1	AA	127	G	C2-N3-C4	7.39	115.59	111.90
1	AA	530	G	C4-C5-C6	7.39	123.23	118.80
2	AB	56	C	O4'-C1'-N1	7.39	114.11	108.20
26	BB	413	C	C5-C6-N1	-7.39	117.31	121.00
26	BB	699	A	C5-N7-C8	-7.39	100.20	103.90
26	BB	1744	A	N7-C8-N9	-7.39	110.11	113.80
26	BB	1779	U	N1-C2-O2	7.39	127.97	122.80
1	AA	207	C	N1-C2-O2	7.39	123.33	118.90
1	AA	421	U	C5-C4-O4	-7.39	121.47	125.90
1	AA	504	C	C6-N1-C2	-7.39	117.34	120.30
26	BB	2822	G	O4'-C4'-C3'	7.39	112.01	106.10
1	AA	402	G	N1-C2-N3	7.39	128.33	123.90
1	AA	631	C	N3-C4-C5	7.39	124.85	121.90
1	AA	768	A	N3-C4-N9	-7.39	121.49	127.40
1	AA	931	C	N1-C2-O2	7.39	123.33	118.90
26	BB	515	A	C4-C5-N7	-7.39	107.01	110.70
26	BB	629	G	N3-C4-C5	-7.39	124.91	128.60
26	BB	694	U	N3-C4-C5	-7.39	110.17	114.60
26	BB	839	U	P-O3'-C3'	7.39	128.56	119.70
26	BB	1239	G	N9-C4-C5	7.39	108.36	105.40
26	BB	1478	G	C1'-O4'-C4'	-7.39	103.99	109.90
26	BB	1540	G	C8-N9-C4	-7.39	103.45	106.40
26	BB	1875	G	N3-C4-C5	-7.39	124.91	128.60
1	AA	340	U	C4-C5-C6	7.38	124.13	119.70
1	AA	1034	G	C5'-C4'-O4'	7.38	117.96	109.10
26	BB	1297	C	C5'-C4'-O4'	7.38	117.96	109.10
26	BB	1452	G	N3-C4-C5	-7.38	124.91	128.60
26	BB	1542	U	C4-C5-C6	7.38	124.13	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1640	A	C4-C5-N7	-7.38	107.01	110.70
26	BB	2790	U	O4'-C1'-N1	-7.38	102.29	108.20
49	BY	68	PHE	CB-CG-CD1	7.38	125.97	120.80
1	AA	1027	C	C1'-O4'-C4'	-7.38	103.99	109.90
4	AD	35	C	C1'-O4'-C4'	-7.38	103.99	109.90
26	BB	258	G	N3-C4-N9	7.38	130.43	126.00
1	AA	1193	G	C4-C5-N7	-7.38	107.85	110.80
1	AA	1222	G	C5-C6-N1	7.38	115.19	111.50
8	AH	53	ARG	NH1-CZ-NH2	-7.38	111.28	119.40
26	BB	777	G	N7-C8-N9	7.38	116.79	113.10
26	BB	2615	U	C4'-C3'-C2'	-7.38	95.22	102.60
3	AC	16	A	N3-C4-N9	-7.38	121.50	127.40
26	BB	489	G	C2-N3-C4	7.38	115.59	111.90
26	BB	570	G	C3'-C2'-C1'	7.38	107.40	101.50
54	B3	12	ARG	NE-CZ-NH1	7.38	123.99	120.30
1	AA	1168	U	O4'-C1'-N1	7.38	114.10	108.20
1	AA	1489	G	C6-N1-C2	-7.38	120.67	125.10
25	BA	41	G	C3'-C2'-C1'	7.38	107.40	101.50
26	BB	370	G	N3-C4-C5	-7.38	124.91	128.60
26	BB	704	G	O4'-C1'-N9	-7.38	102.30	108.20
26	BB	1264	A	C2-N3-C4	7.38	114.29	110.60
26	BB	1459	G	N3-C4-C5	-7.38	124.91	128.60
26	BB	1482	G	O4'-C1'-N9	7.38	114.10	108.20
1	AA	897	C	C5'-C4'-O4'	7.38	117.95	109.10
1	AA	1228	C	C4-C5-C6	-7.38	113.71	117.40
26	BB	1089	A	C5-C6-N6	-7.38	117.80	123.70
26	BB	1648	U	C5-C6-N1	-7.38	119.01	122.70
26	BB	2256	G	N1-C6-O6	7.38	124.33	119.90
26	BB	2851	A	C6-C5-N7	-7.38	127.14	132.30
1	AA	961	U	C5'-C4'-O4'	7.38	117.95	109.10
26	BB	71	A	C2-N3-C4	7.38	114.29	110.60
26	BB	768	G	C5-C6-O6	-7.38	124.17	128.60
26	BB	1186	G	C2-N3-C4	7.38	115.59	111.90
26	BB	2336	A	C6-C5-N7	7.38	137.46	132.30
56	B5	34	ARG	NE-CZ-NH2	-7.38	116.61	120.30
1	AA	577	G	N7-C8-N9	-7.37	109.41	113.10
1	AA	874	G	C4-C5-N7	-7.37	107.85	110.80
1	AA	897	C	C2-N3-C4	7.37	123.59	119.90
1	AA	1446	A	O4'-C1'-N9	7.37	114.10	108.20
25	BA	65	U	N1-C2-N3	7.37	119.32	114.90
26	BB	10	A	C4-C5-C6	-7.37	113.31	117.00
26	BB	81	G	C5-N7-C8	7.37	107.99	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	187	G	N3-C4-C5	-7.37	124.91	128.60
26	BB	512	G	C5-N7-C8	-7.37	100.61	104.30
26	BB	2683	C	N3-C2-O2	-7.37	116.74	121.90
1	AA	31	G	O4'-C1'-N9	7.37	114.10	108.20
1	AA	220	G	C1'-O4'-C4'	7.37	115.80	109.90
1	AA	698	G	C5-N7-C8	7.37	107.98	104.30
1	AA	858	G	C1'-O4'-C4'	7.37	115.80	109.90
26	BB	1696	G	C4'-C3'-C2'	-7.37	95.23	102.60
26	BB	2815	C	O4'-C1'-N1	7.37	114.10	108.20
26	BB	2854	G	N1-C6-O6	-7.37	115.48	119.90
1	AA	449	G	N7-C8-N9	7.37	116.78	113.10
26	BB	102	U	N3-C4-O4	7.37	124.56	119.40
1	AA	224	U	C2-N3-C4	-7.37	122.58	127.00
1	AA	533	A	C5-C6-N1	7.37	121.39	117.70
1	AA	1131	G	C5-C6-N1	7.37	115.18	111.50
1	AA	1236	A	O4'-C1'-N9	7.37	114.09	108.20
1	AA	1484	C	C6-N1-C2	7.37	123.25	120.30
26	BB	620	G	C5-C6-N1	7.37	115.18	111.50
26	BB	878	A	C5-N7-C8	-7.37	100.22	103.90
26	BB	1027	A	N9-C4-C5	7.37	108.75	105.80
26	BB	1612	C	C2-N3-C4	-7.37	116.22	119.90
26	BB	1895	C	N1-C2-O2	7.37	123.32	118.90
26	BB	2086	U	N3-C4-C5	-7.37	110.18	114.60
26	BB	2182	U	C3'-C2'-C1'	-7.37	95.61	101.50
26	BB	2277	G	O4'-C1'-N9	7.37	114.09	108.20
26	BB	2688	G	C4-C5-C6	7.37	123.22	118.80
38	BN	47	ARG	NE-CZ-NH1	-7.37	116.62	120.30
3	AC	47	C	N3-C4-N4	7.37	123.16	118.00
26	BB	2194	U	C6-N1-C2	-7.37	116.58	121.00
26	BB	2383	G	C5-C6-O6	7.37	133.02	128.60
1	AA	394	G	C5-N7-C8	-7.37	100.62	104.30
1	AA	547	A	C6-N1-C2	-7.37	114.18	118.60
1	AA	986	U	C1'-O4'-C4'	7.37	115.79	109.90
26	BB	1386	C	N3-C2-O2	-7.37	116.75	121.90
26	BB	1420	A	O4'-C1'-N9	7.37	114.09	108.20
26	BB	2639	A	C8-N9-C4	-7.37	102.85	105.80
1	AA	743	A	C5-N7-C8	7.36	107.58	103.90
1	AA	856	C	N3-C4-C5	7.36	124.84	121.90
1	AA	1419	G	O4'-C1'-N9	7.36	114.09	108.20
1	AA	1525	G	O4'-C1'-N9	7.36	114.09	108.20
26	BB	1017	G	C5'-C4'-C3'	-7.36	104.22	116.00
26	BB	1354	A	C5'-C4'-O4'	7.36	117.94	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1573	G	N1-C2-N3	-7.36	119.48	123.90
26	BB	1729	U	N3-C2-O2	-7.36	117.05	122.20
26	BB	1947	C	N1-C2-N3	7.36	124.36	119.20
26	BB	58	G	C5'-C4'-O4'	7.36	117.93	109.10
26	BB	2415	G	C8-N9-C4	-7.36	103.45	106.40
4	AD	40	C	N1-C2-N3	-7.36	114.05	119.20
26	BB	870	U	N3-C2-O2	-7.36	117.05	122.20
26	BB	1031	G	N7-C8-N9	7.36	116.78	113.10
26	BB	2224	G	O4'-C1'-N9	7.36	114.09	108.20
50	BZ	49	ARG	NE-CZ-NH2	7.36	123.98	120.30
1	AA	713	G	N1-C2-N3	-7.36	119.48	123.90
26	BB	1585	C	O4'-C1'-N1	7.36	114.09	108.20
1	AA	191	G	N3-C4-C5	-7.36	124.92	128.60
1	AA	456	A	N9-C4-C5	7.36	108.74	105.80
3	AC	24	A	N9-C4-C5	7.36	108.74	105.80
26	BB	350	G	N3-C4-N9	-7.36	121.58	126.00
26	BB	452	G	N1-C6-O6	-7.36	115.49	119.90
26	BB	489	G	N9-C4-C5	-7.36	102.46	105.40
26	BB	1003	G	N3-C4-N9	-7.36	121.59	126.00
26	BB	1543	G	O4'-C1'-N9	7.36	114.09	108.20
26	BB	2416	C	C2-N3-C4	7.36	123.58	119.90
26	BB	2458	G	N3-C4-C5	-7.36	124.92	128.60
1	AA	10	A	C5-C6-N6	-7.36	117.82	123.70
1	AA	621	A	C4-C5-C6	7.36	120.68	117.00
1	AA	915	A	O4'-C1'-N9	7.36	114.08	108.20
4	AD	30	G	N9-C4-C5	7.36	108.34	105.40
26	BB	17	G	N3-C4-C5	-7.36	124.92	128.60
26	BB	291	G	N9-C4-C5	7.36	108.34	105.40
26	BB	1277	G	C5-C6-O6	-7.36	124.19	128.60
26	BB	1363	C	C2-N3-C4	-7.36	116.22	119.90
26	BB	2792	A	N7-C8-N9	-7.36	110.12	113.80
1	AA	846	G	C4'-C3'-C2'	-7.35	95.25	102.60
25	BA	42	C	N1-C2-O2	7.35	123.31	118.90
26	BB	884	U	C3'-C2'-C1'	7.35	107.38	101.50
26	BB	1085	A	O4'-C4'-C3'	7.35	111.98	106.10
26	BB	1481	U	P-O3'-C3'	7.35	128.52	119.70
26	BB	1505	A	C8-N9-C4	-7.35	102.86	105.80
26	BB	1720	U	C5-C4-O4	7.35	130.31	125.90
26	BB	2814	A	C4-C5-C6	-7.35	113.32	117.00
1	AA	361	G	N1-C6-O6	-7.35	115.49	119.90
1	AA	565	U	O4'-C1'-N1	7.35	114.08	108.20
1	AA	979	C	C2-N3-C4	7.35	123.58	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1146	A	N1-C2-N3	-7.35	125.62	129.30
1	AA	1217	C	C1'-O4'-C4'	7.35	115.78	109.90
26	BB	1297	C	N1-C2-N3	-7.35	114.05	119.20
26	BB	1500	G	C1'-O4'-C4'	7.35	115.78	109.90
26	BB	2517	C	O4'-C1'-N1	7.35	114.08	108.20
26	BB	2735	G	C8-N9-C4	-7.35	103.46	106.40
1	AA	230	G	N1-C6-O6	7.35	124.31	119.90
1	AA	358	U	N1-C2-N3	7.35	119.31	114.90
26	BB	1194	A	N3-C4-N9	-7.35	121.52	127.40
1	AA	116	A	C5-C6-N6	-7.35	117.82	123.70
1	AA	267	C	N1-C2-O2	7.35	123.31	118.90
1	AA	410	G	O4'-C1'-N9	7.35	114.08	108.20
1	AA	1193	G	C8-N9-C4	-7.35	103.46	106.40
26	BB	692	C	C4'-C3'-C2'	-7.35	95.25	102.60
26	BB	877	A	C4'-C3'-C2'	-7.35	95.25	102.60
26	BB	910	A	N9-C4-C5	7.35	108.74	105.80
26	BB	1757	A	C2-N3-C4	7.35	114.28	110.60
26	BB	2054	A	N3-C4-N9	-7.35	121.52	127.40
30	BF	23	PHE	CB-CG-CD2	-7.35	115.66	120.80
1	AA	685	G	C8-N9-C4	-7.35	103.46	106.40
1	AA	1383	C	N3-C4-N4	7.35	123.14	118.00
4	AD	57	C	N3-C4-C5	-7.35	118.96	121.90
19	AS	28	ARG	NE-CZ-NH2	7.35	123.97	120.30
26	BB	125	A	O4'-C1'-N9	7.35	114.08	108.20
26	BB	711	G	C6-C5-N7	7.35	134.81	130.40
26	BB	793	A	N7-C8-N9	7.35	117.47	113.80
26	BB	1018	U	N3-C4-C5	7.35	119.01	114.60
26	BB	1438	U	C5-C4-O4	-7.35	121.49	125.90
26	BB	1728	C	N1-C2-O2	7.35	123.31	118.90
26	BB	2123	G	N7-C8-N9	7.35	116.77	113.10
1	AA	310	G	N9-C4-C5	7.35	108.34	105.40
26	BB	849	A	C5-N7-C8	7.35	107.57	103.90
26	BB	1828	G	C1'-O4'-C4'	-7.35	104.02	109.90
26	BB	2242	G	C6-C5-N7	-7.35	125.99	130.40
1	AA	187	G	C5-N7-C8	-7.34	100.63	104.30
1	AA	558	G	C5-C6-N1	7.34	115.17	111.50
1	AA	777	A	N1-C6-N6	7.34	123.01	118.60
1	AA	890	G	N9-C4-C5	-7.34	102.46	105.40
1	AA	1272	G	P-O3'-C3'	7.34	128.51	119.70
1	AA	1417	G	C5'-C4'-O4'	7.34	117.91	109.10
1	AA	1522	U	C6-N1-C2	7.34	125.41	121.00
26	BB	3	U	C2-N3-C4	-7.34	122.59	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	997	G	C5'-C4'-O4'	7.34	117.91	109.10
26	BB	1056	G	N9-C4-C5	7.34	108.34	105.40
26	BB	1988	G	N3-C4-C5	-7.34	124.93	128.60
26	BB	2063	C	C5-C4-N4	7.34	125.34	120.20
26	BB	2310	C	N1-C2-O2	7.34	123.31	118.90
26	BB	2464	G	C4-C5-N7	-7.34	107.86	110.80
26	BB	2489	U	C5-C6-N1	7.34	126.37	122.70
26	BB	2692	G	C5-C6-O6	-7.34	124.19	128.60
26	BB	2843	G	O4'-C1'-N9	7.34	114.08	108.20
26	BB	2850	A	C6-N1-C2	-7.34	114.19	118.60
33	BI	19	VAL	CG1-CB-CG2	-7.34	99.15	110.90
1	AA	430	A	C2-N3-C4	-7.34	106.93	110.60
26	BB	674	G	C2-N3-C4	7.34	115.57	111.90
26	BB	1002	G	O4'-C1'-N9	7.34	114.08	108.20
26	BB	2792	A	C5-N7-C8	7.34	107.57	103.90
31	BG	21	TYR	CB-CG-CD1	7.34	125.41	121.00
34	BJ	137	ARG	NE-CZ-NH2	-7.34	116.63	120.30
1	AA	754	C	N3-C4-N4	7.34	123.14	118.00
25	BA	2	G	N3-C2-N2	7.34	125.04	119.90
25	BA	43	C	N1-C2-N3	-7.34	114.06	119.20
26	BB	437	U	C4-C5-C6	7.34	124.11	119.70
26	BB	582	A	C8-N9-C4	-7.34	102.86	105.80
26	BB	1697	G	N3-C4-N9	7.34	130.41	126.00
1	AA	39	G	C4-C5-N7	-7.34	107.86	110.80
1	AA	757	U	P-O3'-C3'	7.34	128.51	119.70
1	AA	1084	G	C5-C6-N1	7.34	115.17	111.50
26	BB	220	G	C4'-C3'-C2'	-7.34	95.26	102.60
26	BB	510	C	C6-N1-C2	7.34	123.24	120.30
26	BB	829	A	O4'-C1'-N9	7.34	114.07	108.20
26	BB	1830	C	C2-N3-C4	7.34	123.57	119.90
26	BB	2447	G	C2-N3-C4	7.34	115.57	111.90
2	AB	21	A	C3'-C2'-C1'	7.34	107.37	101.50
26	BB	175	G	N7-C8-N9	7.34	116.77	113.10
26	BB	252	G	C2-N3-C4	7.34	115.57	111.90
26	BB	1574	C	N1-C2-O2	7.34	123.30	118.90
26	BB	1622	G	C5'-C4'-C3'	7.34	127.74	116.00
26	BB	2623	G	C3'-C2'-C1'	-7.34	95.63	101.50
1	AA	417	G	C3'-C2'-C1'	-7.34	95.63	101.50
1	AA	572	A	C4-C5-C6	-7.34	113.33	117.00
2	AB	9	A	C6-C5-N7	7.34	137.44	132.30
2	AB	36	A	C5'-C4'-C3'	-7.34	104.26	116.00
26	BB	1101	U	C5-C6-N1	-7.34	119.03	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1372	U	C4-C5-C6	-7.34	115.30	119.70
26	BB	1635	A	C5'-C4'-O4'	7.34	117.90	109.10
26	BB	2228	G	N1-C2-N3	7.34	128.30	123.90
26	BB	2745	C	C3'-C2'-C1'	7.34	107.37	101.50
56	B5	3	ARG	NE-CZ-NH1	-7.34	116.63	120.30
1	AA	239	U	P-O3'-C3'	7.33	128.50	119.70
1	AA	314	C	C4'-C3'-C2'	-7.33	95.27	102.60
1	AA	422	C	P-O3'-C3'	7.33	128.50	119.70
1	AA	778	G	N3-C2-N2	7.33	125.03	119.90
26	BB	612	G	C5-C6-N1	7.33	115.17	111.50
26	BB	630	G	C8-N9-C4	-7.33	103.47	106.40
1	AA	213	G	O4'-C1'-N9	-7.33	102.33	108.20
26	BB	1783	A	N7-C8-N9	7.33	117.47	113.80
26	BB	2102	G	C5-N7-C8	7.33	107.97	104.30
26	BB	2123	G	C5-N7-C8	-7.33	100.63	104.30
26	BB	2637	U	P-O3'-C3'	7.33	128.50	119.70
26	BB	2735	G	O4'-C1'-N9	7.33	114.07	108.20
1	AA	124	C	C5'-C4'-C3'	-7.33	104.27	116.00
1	AA	191	G	C2-N3-C4	7.33	115.56	111.90
1	AA	252	U	C4'-C3'-C2'	-7.33	95.27	102.60
1	AA	986	U	C6-N1-C2	-7.33	116.60	121.00
1	AA	1403	C	C1'-O4'-C4'	-7.33	104.03	109.90
3	AC	33	A	O4'-C1'-N9	-7.33	102.33	108.20
26	BB	32	C	N3-C4-N4	7.33	123.13	118.00
26	BB	1609	A	O4'-C4'-C3'	7.33	111.97	106.10
26	BB	1824	G	C4-C5-C6	7.33	123.20	118.80
26	BB	2120	G	C4-C5-C6	7.33	123.20	118.80
26	BB	2673	G	N9-C4-C5	-7.33	102.47	105.40
1	AA	652	U	O4'-C1'-N1	7.33	114.06	108.20
26	BB	768	G	N1-C2-N3	-7.33	119.50	123.90
26	BB	1068	G	C2-N3-C4	7.33	115.56	111.90
26	BB	1173	U	N3-C4-C5	-7.33	110.20	114.60
26	BB	1265	A	C8-N9-C4	-7.33	102.87	105.80
1	AA	341	C	C2-N3-C4	7.33	123.56	119.90
1	AA	406	G	C5-C6-O6	-7.33	124.20	128.60
4	AD	18	U	C5'-C4'-O4'	-7.33	100.31	109.10
14	AN	126	ARG	NH1-CZ-NH2	-7.33	111.34	119.40
26	BB	313	G	C4-C5-C6	7.33	123.20	118.80
26	BB	628	G	C2-N3-C4	-7.33	108.23	111.90
26	BB	1462	C	C3'-C2'-C1'	-7.33	95.64	101.50
26	BB	2025	C	O4'-C1'-N1	7.33	114.06	108.20
26	BB	2128	G	C5-N7-C8	-7.33	100.64	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2678	C	C2-N3-C4	7.33	123.56	119.90
26	BB	2697	G	C8-N9-C4	-7.33	103.47	106.40
31	BG	6	TYR	CB-CG-CD1	-7.33	116.60	121.00
1	AA	1233	G	N3-C4-C5	-7.33	124.94	128.60
26	BB	703	U	N1-C1'-C2'	-7.33	103.94	112.00
26	BB	791	C	N1-C1'-C2'	7.33	123.53	114.00
26	BB	1414	C	C4-C5-C6	-7.33	113.74	117.40
26	BB	1803	A	N7-C8-N9	7.33	117.46	113.80
26	BB	1859	U	C2-N3-C4	-7.33	122.60	127.00
26	BB	2430	A	N7-C8-N9	-7.33	110.14	113.80
26	BB	2463	C	N1-C1'-C2'	-7.33	103.94	112.00
2	AB	9	A	C5-C6-N1	7.33	121.36	117.70
26	BB	51	G	P-O3'-C3'	7.33	128.49	119.70
26	BB	100	U	N3-C4-C5	-7.33	110.20	114.60
26	BB	285	G	C5-C6-O6	-7.33	124.20	128.60
26	BB	542	C	N3-C4-C5	-7.33	118.97	121.90
26	BB	920	A	O4'-C1'-N9	7.33	114.06	108.20
26	BB	1088	A	O4'-C1'-N9	7.33	114.06	108.20
26	BB	1177	G	N3-C2-N2	-7.33	114.77	119.90
26	BB	1519	G	C6-N1-C2	-7.33	120.70	125.10
26	BB	2364	C	O4'-C1'-N1	7.33	114.06	108.20
39	BO	125	PRO	O-C-N	7.33	134.42	122.70
1	AA	549	C	C6-N1-C2	-7.32	117.37	120.30
1	AA	827	U	N3-C2-O2	-7.32	117.07	122.20
4	AD	68	C	O4'-C1'-N1	7.32	114.06	108.20
26	BB	111	A	N1-C2-N3	-7.32	125.64	129.30
26	BB	361	G	N9-C4-C5	-7.32	102.47	105.40
26	BB	1884	G	P-O3'-C3'	7.32	128.49	119.70
26	BB	2043	C	C5'-C4'-C3'	-7.32	104.28	116.00
26	BB	1172	C	C1'-O4'-C4'	-7.32	104.04	109.90
26	BB	1647	U	C5-C4-O4	7.32	130.29	125.90
1	AA	707	U	O4'-C1'-N1	7.32	114.06	108.20
1	AA	1106	G	C5-C6-N1	7.32	115.16	111.50
26	BB	309	A	C5'-C4'-O4'	7.32	117.88	109.10
26	BB	2231	U	N1-C2-N3	7.32	119.29	114.90
26	BB	2343	U	N3-C4-O4	7.32	124.52	119.40
26	BB	2434	A	C3'-C2'-C1'	7.32	107.36	101.50
26	BB	2713	U	N3-C4-O4	7.32	124.53	119.40
1	AA	502	A	N7-C8-N9	7.32	117.46	113.80
1	AA	763	G	O4'-C1'-C2'	7.32	114.19	107.60
26	BB	91	A	O4'-C4'-C3'	7.32	111.96	106.10
26	BB	375	G	O4'-C1'-N9	7.32	114.06	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2356	U	N1-C1'-C2'	-7.32	103.95	112.00
1	AA	1005	A	C6-C5-N7	7.32	137.42	132.30
1	AA	1180	A	N9-C4-C5	7.32	108.73	105.80
1	AA	1290	G	C4-C5-C6	-7.32	114.41	118.80
25	BA	92	C	C5-C4-N4	-7.32	115.08	120.20
26	BB	189	G	N3-C2-N2	7.32	125.02	119.90
26	BB	1688	U	C5-C6-N1	-7.32	119.04	122.70
26	BB	1978	A	C6-N1-C2	-7.32	114.21	118.60
26	BB	1994	C	N3-C4-C5	7.32	124.83	121.90
26	BB	2820	A	C4'-C3'-C2'	-7.32	95.28	102.60
1	AA	686	U	C6-N1-C2	-7.32	116.61	121.00
1	AA	1031	C	C2-N3-C4	7.32	123.56	119.90
25	BA	101	A	C5'-C4'-O4'	7.32	117.88	109.10
26	BB	311	A	C4-C5-C6	-7.32	113.34	117.00
26	BB	1024	G	C5-C6-N1	7.32	115.16	111.50
1	AA	373	A	N3-C4-N9	7.31	133.25	127.40
1	AA	380	G	C6-C5-N7	-7.31	126.01	130.40
1	AA	491	G	O4'-C4'-C3'	7.31	111.95	106.10
26	BB	2332	C	C2-N3-C4	7.31	123.56	119.90
26	BB	2835	A	C5-N7-C8	-7.31	100.24	103.90
26	BB	622	G	C5'-C4'-O4'	7.31	117.88	109.10
26	BB	726	G	O4'-C1'-C2'	7.31	114.18	107.60
26	BB	846	U	C5'-C4'-O4'	7.31	117.88	109.10
26	BB	1071	G	N1-C6-O6	-7.31	115.51	119.90
26	BB	2389	G	N1-C6-O6	-7.31	115.51	119.90
1	AA	618	C	N1-C2-N3	-7.31	114.08	119.20
1	AA	1110	A	C8-N9-C4	-7.31	102.88	105.80
1	AA	1476	A	N3-C4-C5	-7.31	121.68	126.80
1	AA	1479	C	C2-N3-C4	7.31	123.56	119.90
26	BB	1526	C	C4-C5-C6	-7.31	113.75	117.40
26	BB	2758	A	N1-C2-N3	7.31	132.96	129.30
1	AA	161	A	C5-N7-C8	-7.31	100.25	103.90
1	AA	1453	G	C5'-C4'-C3'	-7.31	104.31	116.00
26	BB	222	A	N9-C4-C5	7.31	108.72	105.80
26	BB	1057	A	C5-C6-N1	7.31	121.36	117.70
26	BB	2242	G	C5'-C4'-O4'	7.31	117.87	109.10
1	AA	953	G	N9-C4-C5	-7.31	102.48	105.40
1	AA	1151	A	N1-C6-N6	7.31	122.98	118.60
1	AA	1350	A	C2'-C3'-O3'	7.31	125.58	109.50
26	BB	350	G	C8-N9-C4	-7.31	103.48	106.40
26	BB	1462	C	N3-C4-C5	7.31	124.82	121.90
26	BB	2344	U	C4'-C3'-C2'	-7.31	95.29	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	440	C	N1-C2-N3	-7.31	114.09	119.20
1	AA	963	G	C4-C5-C6	7.31	123.18	118.80
1	AA	1343	G	C6-C5-N7	-7.31	126.02	130.40
26	BB	2054	A	C5-N7-C8	-7.31	100.25	103.90
12	AL	5	TYR	CB-CG-CD1	-7.30	116.62	121.00
26	BB	122	G	N7-C8-N9	-7.30	109.45	113.10
26	BB	223	A	O4'-C1'-N9	7.30	114.04	108.20
26	BB	702	U	N1-C2-N3	7.30	119.28	114.90
26	BB	760	G	C5-C6-O6	-7.30	124.22	128.60
26	BB	840	C	C2-N3-C4	7.30	123.55	119.90
26	BB	1103	A	N9-C4-C5	-7.30	102.88	105.80
26	BB	1337	G	N3-C4-C5	-7.30	124.95	128.60
26	BB	1999	C	N1-C2-O2	7.30	123.28	118.90
26	BB	2190	G	N9-C4-C5	7.30	108.32	105.40
1	AA	336	A	C4-C5-N7	-7.30	107.05	110.70
1	AA	1278	G	N3-C4-C5	-7.30	124.95	128.60
26	BB	604	G	O4'-C1'-N9	7.30	114.04	108.20
26	BB	2298	A	C6-N1-C2	-7.30	114.22	118.60
1	AA	466	A	N1-C2-N3	7.30	132.95	129.30
26	BB	421	C	O5'-P-OP2	-7.30	99.13	105.70
26	BB	1368	G	N3-C4-C5	-7.30	124.95	128.60
26	BB	1433	A	C6-N1-C2	7.30	122.98	118.60
26	BB	1649	G	N3-C2-N2	-7.30	114.79	119.90
26	BB	2352	A	N9-C4-C5	7.30	108.72	105.80
1	AA	97	G	C4-C5-N7	-7.30	107.88	110.80
1	AA	276	G	P-O3'-C3'	7.30	128.46	119.70
1	AA	1162	C	N1-C2-O2	7.30	123.28	118.90
2	AB	56	C	C5-C6-N1	-7.30	117.35	121.00
4	AD	22	A	C5-C6-N6	7.30	129.54	123.70
26	BB	1364	G	C3'-C2'-C1'	-7.30	95.66	101.50
26	BB	1888	G	N1-C2-N3	-7.30	119.52	123.90
1	AA	4	U	O4'-C4'-C3'	-7.30	96.70	104.00
1	AA	61	G	N3-C4-N9	-7.30	121.62	126.00
26	BB	422	A	C4-C5-N7	-7.30	107.05	110.70
26	BB	436	C	C2-N3-C4	7.30	123.55	119.90
26	BB	1623	G	N9-C4-C5	7.30	108.32	105.40
26	BB	2554	U	C3'-C2'-C1'	7.30	107.34	101.50
1	AA	54	C	C4-C5-C6	-7.30	113.75	117.40
1	AA	199	A	C5-C6-N6	-7.30	117.86	123.70
1	AA	779	C	N3-C4-N4	7.30	123.11	118.00
1	AA	1149	C	O4'-C1'-N1	7.30	114.04	108.20
26	BB	838	C	N3-C4-C5	-7.30	118.98	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1092	C	N1-C2-O2	7.30	123.28	118.90
26	BB	2320	U	C5-C6-N1	-7.30	119.05	122.70
26	BB	2357	G	N7-C8-N9	7.30	116.75	113.10
1	AA	464	U	N3-C2-O2	-7.29	117.09	122.20
1	AA	618	C	C2-N3-C4	7.29	123.55	119.90
1	AA	622	A	C1'-O4'-C4'	7.29	115.73	109.90
1	AA	1041	G	C8-N9-C4	-7.29	103.48	106.40
26	BB	564	C	N1-C2-O2	7.29	123.28	118.90
26	BB	977	G	C5-C6-O6	-7.29	124.22	128.60
26	BB	1678	A	N9-C4-C5	7.29	108.72	105.80
26	BB	2257	U	O4'-C1'-N1	7.29	114.03	108.20
26	BB	2403	C	N3-C4-C5	-7.29	118.98	121.90
26	BB	2866	U	C6-N1-C2	-7.29	116.62	121.00
1	AA	43	C	N1-C2-O2	7.29	123.27	118.90
1	AA	536	C	O4'-C4'-C3'	7.29	111.93	106.10
1	AA	1098	C	C6-N1-C2	-7.29	117.38	120.30
25	BA	83	G	N1-C2-N3	-7.29	119.53	123.90
26	BB	254	G	O4'-C1'-N9	7.29	114.03	108.20
26	BB	2200	C	N3-C4-N4	7.29	123.10	118.00
1	AA	567	G	O4'-C1'-N9	7.29	114.03	108.20
1	AA	1106	G	C8-N9-C4	-7.29	103.48	106.40
26	BB	934	U	O4'-C1'-N1	7.29	114.03	108.20
1	AA	681	A	C6-C5-N7	-7.29	127.20	132.30
1	AA	861	G	N3-C4-N9	-7.29	121.63	126.00
26	BB	1025	G	N3-C4-N9	-7.29	121.63	126.00
26	BB	1534	U	N1-C2-N3	7.29	119.27	114.90
28	BD	193	GLU	OE1-CD-OE2	7.29	132.05	123.30
1	AA	1047	G	O4'-C1'-N9	7.29	114.03	108.20
1	AA	126	G	N3-C4-N9	7.29	130.37	126.00
1	AA	356	A	C6-N1-C2	-7.29	114.23	118.60
1	AA	895	G	N3-C4-C5	-7.29	124.96	128.60
1	AA	1192	C	C4-C5-C6	-7.29	113.76	117.40
1	AA	1415	G	C5-C6-N1	7.29	115.14	111.50
26	BB	716	A	O4'-C4'-C3'	7.29	111.93	106.10
26	BB	793	A	C5-N7-C8	-7.29	100.26	103.90
26	BB	1031	G	C8-N9-C4	-7.29	103.49	106.40
1	AA	99	C	P-O3'-C3'	7.28	128.44	119.70
1	AA	375	U	C6-N1-C2	-7.28	116.63	121.00
1	AA	746	A	C6-N1-C2	7.28	122.97	118.60
2	AB	15	A	O4'-C1'-N9	7.28	114.03	108.20
26	BB	444	C	C5'-C4'-O4'	7.28	117.84	109.10
26	BB	706	A	N7-C8-N9	-7.28	110.16	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	927	A	C5'-C4'-O4'	7.28	117.84	109.10
26	BB	1793	C	N3-C4-N4	7.28	123.10	118.00
26	BB	2126	A	N3-C4-N9	-7.28	121.57	127.40
26	BB	2441	U	C5'-C4'-O4'	7.28	117.84	109.10
26	BB	2823	A	C3'-C2'-C1'	7.28	107.33	101.50
1	AA	622	A	N1-C2-N3	-7.28	125.66	129.30
1	AA	710	G	N3-C2-N2	-7.28	114.80	119.90
1	AA	1500	A	C6-N1-C2	-7.28	114.23	118.60
26	BB	1177	G	N7-C8-N9	7.28	116.74	113.10
26	BB	2857	G	N1-C2-N2	7.28	122.75	116.20
26	BB	2893	A	C6-N1-C2	-7.28	114.23	118.60
1	AA	1347	G	N3-C4-C5	-7.28	124.96	128.60
1	AA	1494	G	C8-N9-C4	-7.28	103.49	106.40
25	BA	25	U	P-O3'-C3'	7.28	128.44	119.70
25	BA	34	A	C5-N7-C8	7.28	107.54	103.90
26	BB	279	A	N7-C8-N9	-7.28	110.16	113.80
26	BB	928	A	C4-C5-N7	-7.28	107.06	110.70
26	BB	1681	G	C5-N7-C8	7.28	107.94	104.30
26	BB	2468	A	C1'-O4'-C4'	-7.28	104.08	109.90
26	BB	2641	G	N1-C2-N3	-7.28	119.53	123.90
26	BB	2857	G	N1-C6-O6	-7.28	115.53	119.90
26	BB	202	U	C5'-C4'-O4'	7.28	117.83	109.10
26	BB	843	G	C3'-C2'-C1'	-7.28	95.68	101.50
26	BB	1898	U	C6-N1-C2	-7.28	116.63	121.00
1	AA	620	C	N3-C2-O2	-7.28	116.81	121.90
26	BB	321	U	N1-C1'-C2'	7.28	123.46	114.00
26	BB	355	U	C5-C4-O4	-7.28	121.53	125.90
26	BB	532	A	C3'-C2'-C1'	-7.28	95.68	101.50
26	BB	1140	C	C6-N1-C2	-7.28	117.39	120.30
26	BB	1322	A	C4-C5-N7	7.28	114.34	110.70
26	BB	1344	U	C5-C4-O4	-7.28	121.53	125.90
1	AA	1033	G	N7-C8-N9	-7.28	109.46	113.10
1	AA	1343	G	C3'-C2'-C1'	7.28	107.32	101.50
1	AA	1490	U	C4-C5-C6	7.28	124.07	119.70
26	BB	1511	G	C4-C5-C6	-7.28	114.44	118.80
26	BB	1620	G	C5-C6-N1	7.28	115.14	111.50
26	BB	2011	U	N1-C1'-C2'	-7.28	104.00	112.00
26	BB	451	U	N3-C4-C5	7.27	118.97	114.60
26	BB	1356	G	C5'-C4'-O4'	7.27	117.83	109.10
26	BB	1903	G	N9-C4-C5	7.27	108.31	105.40
26	BB	977	G	N3-C2-N2	-7.27	114.81	119.90
26	BB	1182	G	C6-C5-N7	7.27	134.76	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1756	G	C5-N7-C8	-7.27	100.66	104.30
26	BB	2838	G	C4-C5-N7	-7.27	107.89	110.80
1	AA	51	A	N7-C8-N9	7.27	117.44	113.80
1	AA	58	C	C3'-C2'-C1'	-7.27	95.68	101.50
1	AA	385	C	C3'-C2'-C1'	7.27	107.32	101.50
3	AC	26	U	C3'-C2'-C1'	7.27	107.32	101.50
26	BB	331	C	N1-C2-O2	7.27	123.26	118.90
26	BB	453	A	C4-C5-N7	-7.27	107.06	110.70
26	BB	1273	U	C5'-C4'-O4'	7.27	117.83	109.10
30	BF	183	PHE	CB-CG-CD1	-7.27	115.71	120.80
1	AA	450	G	C5'-C4'-O4'	7.27	117.82	109.10
18	AR	76	ARG	NE-CZ-NH2	-7.27	116.67	120.30
26	BB	273	G	N3-C4-N9	7.27	130.36	126.00
26	BB	428	A	N7-C8-N9	7.27	117.44	113.80
26	BB	756	A	N1-C2-N3	-7.27	125.67	129.30
26	BB	1071	G	N3-C4-C5	-7.27	124.97	128.60
26	BB	1805	A	O4'-C1'-N9	7.27	114.02	108.20
26	BB	2241	A	C2-N3-C4	7.27	114.23	110.60
26	BB	2491	U	N3-C2-O2	-7.27	117.11	122.20
26	BB	2516	A	C5-C6-N1	7.27	121.33	117.70
26	BB	2748	A	C5-N7-C8	7.27	107.53	103.90
1	AA	584	G	C2-N3-C4	-7.27	108.27	111.90
1	AA	1039	G	C4-C5-C6	7.27	123.16	118.80
26	BB	1074	G	O4'-C1'-N9	7.27	114.01	108.20
26	BB	1565	C	N1-C2-O2	7.27	123.26	118.90
26	BB	2347	C	N1-C2-O2	7.27	123.26	118.90
26	BB	2725	A	N1-C2-N3	-7.27	125.67	129.30
1	AA	158	G	C5'-C4'-O4'	7.27	117.82	109.10
1	AA	197	A	N9-C4-C5	7.27	108.71	105.80
1	AA	852	G	C8-N9-C4	7.27	109.31	106.40
1	AA	1065	U	P-O3'-C3'	7.27	128.42	119.70
26	BB	194	G	O4'-C1'-N9	7.27	114.01	108.20
26	BB	611	C	O4'-C1'-N1	7.27	114.01	108.20
26	BB	2118	U	N1-C2-O2	7.27	127.89	122.80
1	AA	953	G	C1'-O4'-C4'	-7.26	104.09	109.90
1	AA	1025	U	C1'-O4'-C4'	-7.26	104.09	109.90
6	AF	17	TRP	CB-CG-CD2	7.26	136.04	126.60
26	BB	171	U	C6-N1-C2	-7.26	116.64	121.00
26	BB	264	C	N1-C1'-C2'	-7.26	104.01	112.00
26	BB	317	G	N1-C2-N3	-7.26	119.54	123.90
26	BB	455	C	C5-C6-N1	7.26	124.63	121.00
26	BB	877	A	N1-C2-N3	-7.26	125.67	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	918	A	C4-C5-N7	-7.26	107.07	110.70
3	AC	29	G	N1-C2-N3	-7.26	119.54	123.90
1	AA	103	U	O4'-C1'-N1	7.26	114.01	108.20
1	AA	617	G	O4'-C1'-N9	7.26	114.01	108.20
1	AA	1074	G	N7-C8-N9	7.26	116.73	113.10
26	BB	450	G	N7-C8-N9	7.26	116.73	113.10
26	BB	864	G	N3-C4-N9	7.26	130.36	126.00
26	BB	1287	A	C4-C5-N7	-7.26	107.07	110.70
26	BB	1374	G	O4'-C1'-N9	7.26	114.01	108.20
26	BB	1511	G	N3-C2-N2	-7.26	114.82	119.90
26	BB	1570	A	C5-C6-N1	7.26	121.33	117.70
26	BB	2120	G	C1'-O4'-C4'	7.26	115.71	109.90
1	AA	383	A	P-O3'-C3'	7.26	128.41	119.70
1	AA	526	C	C5'-C4'-C3'	7.26	127.62	116.00
1	AA	1178	G	C5-C6-O6	7.26	132.96	128.60
1	AA	1196	A	N7-C8-N9	-7.26	110.17	113.80
2	AB	13	C	C4-C5-C6	-7.26	113.77	117.40
26	BB	17	G	N7-C8-N9	7.26	116.73	113.10
26	BB	45	G	C5-N7-C8	7.26	107.93	104.30
26	BB	179	C	P-O3'-C3'	-7.26	110.99	119.70
26	BB	261	G	N3-C2-N2	7.26	124.98	119.90
26	BB	1425	G	N1-C2-N3	-7.26	119.54	123.90
26	BB	1964	G	C2-N3-C4	7.26	115.53	111.90
26	BB	2845	U	N3-C4-C5	7.26	118.96	114.60
1	AA	598	U	N3-C4-O4	7.26	124.48	119.40
26	BB	818	G	C4-C5-N7	7.26	113.70	110.80
1	AA	372	C	C2-N3-C4	7.26	123.53	119.90
1	AA	1194	U	C6-N1-C2	-7.26	116.65	121.00
26	BB	1952	A	C4-C5-C6	-7.26	113.37	117.00
26	BB	2186	G	N3-C4-C5	-7.26	124.97	128.60
26	BB	2629	U	C5-C4-O4	-7.26	121.55	125.90
26	BB	2727	A	N1-C6-N6	7.26	122.95	118.60
1	AA	426	U	N1-C2-N3	7.25	119.25	114.90
1	AA	602	A	C1'-O4'-C4'	7.25	115.70	109.90
26	BB	365	U	O4'-C1'-N1	7.25	114.00	108.20
26	BB	1583	A	O4'-C1'-N9	7.25	114.00	108.20
1	AA	710	G	C2-N3-C4	7.25	115.53	111.90
1	AA	730	G	C8-N9-C4	-7.25	103.50	106.40
26	BB	649	G	N3-C2-N2	-7.25	114.82	119.90
26	BB	766	U	C2-N3-C4	-7.25	122.65	127.00
26	BB	1445	G	N1-C2-N3	-7.25	119.55	123.90
26	BB	2831	G	C5'-C4'-O4'	7.25	117.80	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	21	G	C2-N3-C4	7.25	115.53	111.90
26	BB	339	U	C1'-O4'-C4'	-7.25	104.10	109.90
26	BB	1184	U	N1-C2-N3	7.25	119.25	114.90
26	BB	1896	G	C4-C5-N7	7.25	113.70	110.80
26	BB	2059	A	O4'-C1'-C2'	-7.25	98.55	105.80
26	BB	2382	G	C5-N7-C8	-7.25	100.67	104.30
1	AA	10	A	N7-C8-N9	7.25	117.42	113.80
1	AA	470	C	C3'-C2'-C1'	7.25	107.30	101.50
1	AA	620	C	C5'-C4'-O4'	7.25	117.80	109.10
1	AA	1064	G	C4-C5-C6	7.25	123.15	118.80
26	BB	619	G	C1'-O4'-C4'	7.25	115.70	109.90
26	BB	1516	G	N3-C4-C5	-7.25	124.97	128.60
26	BB	1821	A	N1-C6-N6	-7.25	114.25	118.60
26	BB	2048	G	N7-C8-N9	7.25	116.72	113.10
26	BB	2447	G	C1'-O4'-C4'	7.25	115.70	109.90
1	AA	511	C	C1'-O4'-C4'	-7.25	104.10	109.90
1	AA	871	U	C1'-O4'-C4'	-7.25	104.10	109.90
1	AA	1230	C	C1'-O4'-C4'	7.25	115.70	109.90
1	AA	1296	C	C4'-C3'-C2'	7.25	109.85	102.60
25	BA	37	C	N3-C4-C5	-7.25	119.00	121.90
26	BB	172	A	C3'-C2'-C1'	-7.25	95.70	101.50
26	BB	1726	C	C5-C4-N4	-7.25	115.13	120.20
26	BB	2427	C	N3-C4-C5	7.25	124.80	121.90
26	BB	2685	G	C5'-C4'-O4'	7.25	117.80	109.10
26	BB	2826	A	C5-N7-C8	-7.25	100.28	103.90
1	AA	321	A	C1'-O4'-C4'	-7.25	104.10	109.90
6	AF	180	ASP	CB-CG-OD2	-7.25	111.78	118.30
26	BB	816	C	C6-N1-C2	-7.25	117.40	120.30
26	BB	891	G	C4'-C3'-C2'	-7.25	95.35	102.60
26	BB	1829	A	N1-C2-N3	7.25	132.92	129.30
26	BB	1895	C	C5-C4-N4	-7.25	115.13	120.20
15	AO	7	VAL	CA-CB-CG2	7.25	121.77	110.90
26	BB	1300	G	P-O3'-C3'	7.25	128.40	119.70
26	BB	2873	A	N1-C2-N3	7.25	132.92	129.30
1	AA	463	U	C1'-O4'-C4'	-7.24	104.11	109.90
1	AA	1385	G	N1-C2-N2	7.24	122.72	116.20
8	AH	32	PHE	CB-CG-CD1	7.24	125.87	120.80
25	BA	118	C	O4'-C1'-N1	7.24	113.99	108.20
26	BB	876	C	C2-N3-C4	7.24	123.52	119.90
26	BB	1586	A	C1'-O4'-C4'	-7.24	104.11	109.90
1	AA	885	G	N1-C6-O6	7.24	124.25	119.90
1	AA	1155	A	C8-N9-C4	-7.24	102.90	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	53	G	C5'-C4'-O4'	7.24	117.79	109.10
26	BB	1704	C	C5-C6-N1	7.24	124.62	121.00
26	BB	2049	G	C5-N7-C8	-7.24	100.68	104.30
26	BB	2167	U	N3-C4-O4	7.24	124.47	119.40
26	BB	2219	U	N3-C4-O4	-7.24	114.33	119.40
1	AA	240	G	C4-C5-C6	7.24	123.14	118.80
1	AA	471	U	C4'-C3'-C2'	-7.24	95.36	102.60
1	AA	1131	G	C2-N3-C4	7.24	115.52	111.90
1	AA	1382	C	N3-C4-C5	-7.24	119.00	121.90
1	AA	1515	G	O4'-C1'-N9	7.24	113.99	108.20
26	BB	361	G	C4-C5-C6	7.24	123.14	118.80
26	BB	506	G	N3-C4-N9	7.24	130.34	126.00
26	BB	712	G	C4-C5-N7	-7.24	107.90	110.80
26	BB	734	A	C3'-C2'-C1'	7.24	107.29	101.50
1	AA	109	A	C8-N9-C4	-7.24	102.91	105.80
1	AA	308	C	N3-C2-O2	-7.24	116.83	121.90
1	AA	1326	U	O4'-C1'-N1	7.24	113.99	108.20
1	AA	1368	A	C5'-C4'-O4'	7.24	117.79	109.10
1	AA	1457	G	C5-C6-O6	-7.24	124.26	128.60
1	AA	1534	A	C5-C6-N6	-7.24	117.91	123.70
25	BA	109	A	O4'-C1'-N9	7.24	113.99	108.20
26	BB	940	G	N3-C4-C5	-7.24	124.98	128.60
26	BB	1324	G	C5-N7-C8	7.24	107.92	104.30
26	BB	1395	A	O4'-C1'-C2'	-7.24	98.56	105.80
26	BB	1595	C	N1-C2-O2	-7.24	114.56	118.90
26	BB	1055	G	O4'-C1'-N9	7.24	113.99	108.20
26	BB	1702	G	N3-C4-C5	-7.24	124.98	128.60
26	BB	2126	A	C5'-C4'-O4'	7.24	117.78	109.10
1	AA	2	A	C4-C5-N7	-7.24	107.08	110.70
1	AA	1071	C	C4'-C3'-C2'	-7.24	95.36	102.60
1	AA	1349	A	C5'-C4'-C3'	-7.24	104.42	116.00
26	BB	260	G	N3-C4-C5	-7.24	124.98	128.60
26	BB	710	U	O4'-C1'-N1	7.24	113.99	108.20
26	BB	1551	A	N9-C4-C5	-7.24	102.91	105.80
26	BB	2057	G	C5'-C4'-C3'	-7.24	104.42	116.00
26	BB	2328	A	C4-C5-C6	-7.24	113.38	117.00
26	BB	2459	A	C8-N9-C4	-7.24	102.91	105.80
26	BB	2647	U	C1'-O4'-C4'	-7.24	104.11	109.90
4	AD	46	G	C4-C5-N7	-7.23	107.91	110.80
4	AD	74	A	C6-C5-N7	7.23	137.36	132.30
26	BB	131	A	C4'-C3'-C2'	-7.23	95.37	102.60
26	BB	907	G	N3-C2-N2	7.23	124.96	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2121	G	C4-C5-C6	7.23	123.14	118.80
26	BB	2675	A	N1-C2-N3	-7.23	125.68	129.30
1	AA	1007	U	N3-C4-O4	7.23	124.46	119.40
26	BB	283	G	C4-C5-C6	7.23	123.14	118.80
26	BB	1225	G	O4'-C1'-N9	7.23	113.99	108.20
26	BB	1252	G	N3-C2-N2	7.23	124.96	119.90
26	BB	1599	U	N3-C4-O4	7.23	124.46	119.40
26	BB	1619	G	C5-C6-N1	7.23	115.12	111.50
26	BB	2033	A	N1-C6-N6	7.23	122.94	118.60
30	BF	79	ARG	NE-CZ-NH1	7.23	123.92	120.30
1	AA	1200	C	C4-C5-C6	7.23	121.02	117.40
25	BA	119	A	O4'-C1'-C2'	7.23	114.11	107.60
26	BB	25	U	C5-C6-N1	-7.23	119.08	122.70
6	AF	200	TRP	CG-CD1-NE1	-7.23	102.87	110.10
26	BB	505	A	C6-N1-C2	7.23	122.94	118.60
26	BB	962	G	C1'-O4'-C4'	7.23	115.68	109.90
26	BB	1584	U	C5-C6-N1	-7.23	119.09	122.70
26	BB	1591	A	N1-C6-N6	7.23	122.94	118.60
1	AA	566	G	O4'-C1'-N9	7.23	113.98	108.20
1	AA	571	U	N3-C2-O2	-7.23	117.14	122.20
1	AA	714	G	P-O3'-C3'	7.23	128.37	119.70
1	AA	908	A	C6-C5-N7	7.23	137.36	132.30
1	AA	1259	C	N3-C4-C5	7.23	124.79	121.90
26	BB	244	A	N9-C4-C5	7.23	108.69	105.80
26	BB	369	U	C3'-C2'-C1'	7.23	107.28	101.50
26	BB	902	C	C2-N3-C4	7.23	123.51	119.90
26	BB	1036	G	N3-C2-N2	-7.23	114.84	119.90
26	BB	1120	G	O4'-C4'-C3'	7.23	111.88	106.10
26	BB	1444	G	N1-C2-N2	7.23	122.70	116.20
26	BB	1843	C	N1-C2-O2	-7.23	114.56	118.90
26	BB	2180	U	C5-C6-N1	-7.23	119.09	122.70
26	BB	2380	C	C5-C6-N1	7.23	124.61	121.00
26	BB	2628	C	O4'-C1'-C2'	-7.23	98.57	105.80
26	BB	2648	G	C5-C6-N1	-7.23	107.89	111.50
26	BB	2882	A	N7-C8-N9	7.23	117.41	113.80
1	AA	129	A	O4'-C1'-N9	7.23	113.98	108.20
26	BB	1702	G	N1-C6-O6	-7.23	115.56	119.90
1	AA	264	C	N1-C2-N3	-7.22	114.14	119.20
1	AA	726	C	N1-C1'-C2'	-7.22	104.05	112.00
2	AB	10	G	C5-N7-C8	7.22	107.91	104.30
10	AJ	108	ARG	NE-CZ-NH1	7.22	123.91	120.30
26	BB	185	G	C5-C6-O6	-7.22	124.27	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1508	A	O4'-C1'-N9	7.22	113.98	108.20
26	BB	1570	A	C6-C5-N7	7.22	137.36	132.30
26	BB	1638	C	N1-C2-O2	7.22	123.23	118.90
26	BB	1828	G	C5-C6-O6	-7.22	124.27	128.60
26	BB	2060	A	C4-C5-N7	7.22	114.31	110.70
26	BB	2096	C	N3-C2-O2	-7.22	116.84	121.90
26	BB	2113	U	C5-C4-O4	-7.22	121.56	125.90
26	BB	2307	G	C4-C5-C6	7.22	123.14	118.80
21	AU	60	ARG	NE-CZ-NH1	7.22	123.91	120.30
26	BB	117	G	N3-C4-N9	7.22	130.33	126.00
26	BB	262	A	C5-C6-N1	7.22	121.31	117.70
26	BB	1157	G	O4'-C4'-C3'	7.22	111.88	106.10
26	BB	1964	G	N1-C6-O6	7.22	124.23	119.90
26	BB	2838	G	O4'-C1'-C2'	-7.22	98.58	105.80
34	BJ	157	VAL	CG1-CB-CG2	-7.22	99.34	110.90
1	AA	1300	G	C1'-O4'-C4'	7.22	115.68	109.90
2	AB	50	G	C4-C5-C6	7.22	123.13	118.80
26	BB	1416	G	N7-C8-N9	7.22	116.71	113.10
26	BB	1482	G	N9-C4-C5	7.22	108.29	105.40
26	BB	2114	A	C6-N1-C2	-7.22	114.27	118.60
26	BB	2115	G	N3-C4-N9	-7.22	121.67	126.00
26	BB	2245	U	N3-C2-O2	-7.22	117.15	122.20
1	AA	158	G	N3-C4-C5	-7.22	124.99	128.60
1	AA	1024	G	C5-C6-N1	7.22	115.11	111.50
26	BB	2555	U	N1-C2-N3	7.22	119.23	114.90
26	BB	2599	G	C5-C6-O6	-7.22	124.27	128.60
26	BB	2744	G	N9-C4-C5	7.22	108.29	105.40
1	AA	99	C	N3-C4-C5	-7.22	119.01	121.90
1	AA	911	U	O4'-C1'-N1	7.22	113.97	108.20
9	AI	70	VAL	CG1-CB-CG2	-7.22	99.35	110.90
26	BB	585	G	C3'-C2'-C1'	7.22	107.27	101.50
26	BB	947	A	O4'-C4'-C3'	7.22	111.87	106.10
26	BB	1093	G	C5'-C4'-O4'	7.22	117.76	109.10
26	BB	2614	A	P-O3'-C3'	7.22	128.36	119.70
1	AA	225	C	N3-C4-N4	7.22	123.05	118.00
1	AA	696	A	N1-C2-N3	-7.22	125.69	129.30
1	AA	1363	A	N9-C1'-C2'	7.22	123.38	114.00
4	AD	3	C	N1-C1'-C2'	-7.22	104.06	112.00
26	BB	305	C	N3-C4-N4	7.22	123.05	118.00
26	BB	1231	U	C2-N3-C4	-7.22	122.67	127.00
26	BB	1506	U	C3'-C2'-C1'	7.22	107.27	101.50
26	BB	1551	A	N1-C2-N3	-7.22	125.69	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1690	A	N9-C1'-C2'	-7.22	104.06	112.00
26	BB	1931	U	C4-C5-C6	-7.22	115.37	119.70
26	BB	2288	A	N1-C2-N3	-7.22	125.69	129.30
26	BB	2377	A	C5-N7-C8	-7.22	100.29	103.90
1	AA	303	A	C5'-C4'-O4'	7.21	117.76	109.10
6	AF	39	ARG	NE-CZ-NH1	7.21	123.91	120.30
17	AQ	74	ARG	NE-CZ-NH1	7.21	123.91	120.30
25	BA	78	A	C8-N9-C4	-7.21	102.91	105.80
26	BB	696	G	N9-C4-C5	-7.21	102.51	105.40
26	BB	1904	G	C6-C5-N7	-7.21	126.07	130.40
26	BB	2124	G	C4-N9-C1'	-7.21	117.12	126.50
26	BB	636	G	C5'-C4'-O4'	7.21	117.76	109.10
26	BB	2825	G	O4'-C1'-N9	7.21	113.97	108.20
1	AA	208	U	C1'-O4'-C4'	7.21	115.67	109.90
1	AA	443	C	C4-C5-C6	-7.21	113.79	117.40
1	AA	801	U	C4-C5-C6	7.21	124.03	119.70
1	AA	806	C	C2-N3-C4	7.21	123.51	119.90
1	AA	865	A	O4'-C1'-N9	7.21	113.97	108.20
1	AA	939	G	N3-C4-C5	-7.21	125.00	128.60
1	AA	992	U	C1'-O4'-C4'	-7.21	104.13	109.90
26	BB	82	U	C2-N3-C4	-7.21	122.67	127.00
26	BB	657	U	C5'-C4'-O4'	7.21	117.75	109.10
26	BB	902	C	C5-C4-N4	7.21	125.25	120.20
26	BB	2361	G	N3-C4-N9	7.21	130.33	126.00
26	BB	2615	U	C4-C5-C6	7.21	124.03	119.70
26	BB	2649	C	N1-C1'-C2'	-7.21	104.07	112.00
26	BB	2811	G	N1-C2-N2	7.21	122.69	116.20
1	AA	1083	U	N3-C2-O2	-7.21	117.15	122.20
1	AA	300	A	N9-C4-C5	7.21	108.68	105.80
1	AA	798	U	O4'-C1'-N1	7.21	113.97	108.20
1	AA	1347	G	C5-N7-C8	-7.21	100.70	104.30
2	AB	19	G	N7-C8-N9	-7.21	109.50	113.10
3	AC	55	A	C3'-C2'-C1'	7.21	107.27	101.50
26	BB	733	G	N3-C4-C5	-7.21	125.00	128.60
26	BB	1486	U	C6-N1-C2	-7.21	116.67	121.00
26	BB	1791	A	N9-C4-C5	7.21	108.68	105.80
26	BB	1812	U	P-O3'-C3'	7.21	128.35	119.70
26	BB	2518	A	N9-C4-C5	-7.21	102.92	105.80
26	BB	2546	U	P-O3'-C3'	7.21	128.35	119.70
26	BB	2569	G	N1-C2-N3	-7.21	119.58	123.90
1	AA	526	C	C4'-C3'-C2'	-7.21	95.39	102.60
1	AA	539	A	C5-N7-C8	-7.21	100.30	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	726	C	C4'-C3'-C2'	-7.21	95.39	102.60
1	AA	1490	U	O4'-C1'-N1	7.21	113.97	108.20
1	AA	1505	G	C5-C6-N1	7.21	115.10	111.50
10	AJ	137	ARG	NE-CZ-NH1	-7.21	116.70	120.30
25	BA	66	A	N1-C6-N6	7.21	122.92	118.60
26	BB	381	G	C2-N3-C4	7.21	115.50	111.90
26	BB	899	A	C6-C5-N7	-7.21	127.26	132.30
26	BB	1131	G	C8-N9-C4	-7.21	103.52	106.40
26	BB	2285	C	C2-N3-C4	7.21	123.50	119.90
26	BB	2377	A	C8-N9-C4	-7.21	102.92	105.80
26	BB	2806	C	N1-C2-O2	7.21	123.22	118.90
1	AA	862	C	N1-C2-O2	7.21	123.22	118.90
1	AA	882	C	C2-N3-C4	7.21	123.50	119.90
26	BB	393	C	C5-C6-N1	7.21	124.60	121.00
26	BB	1975	G	N1-C2-N3	-7.21	119.58	123.90
26	BB	2460	U	C5'-C4'-C3'	-7.21	104.47	116.00
42	BR	58	PHE	CB-CG-CD1	-7.21	115.76	120.80
1	AA	44	A	N3-C4-C5	-7.20	121.76	126.80
1	AA	405	U	N3-C4-C5	-7.20	110.28	114.60
1	AA	440	C	C2-N3-C4	7.20	123.50	119.90
1	AA	932	C	C5-C4-N4	-7.20	115.16	120.20
26	BB	271	G	C6-C5-N7	-7.20	126.08	130.40
26	BB	561	G	C3'-C2'-C1'	7.20	107.26	101.50
26	BB	1644	C	C5-C4-N4	-7.20	115.16	120.20
26	BB	2397	G	O4'-C1'-N9	7.20	113.96	108.20
26	BB	2657	A	C5-N7-C8	7.20	107.50	103.90
26	BB	2811	G	C5-C6-N1	-7.20	107.90	111.50
1	AA	821	G	C5-C6-O6	-7.20	124.28	128.60
1	AA	1485	U	N3-C2-O2	-7.20	117.16	122.20
26	BB	360	U	C2-N3-C4	-7.20	122.68	127.00
26	BB	1862	G	C8-N9-C4	-7.20	103.52	106.40
1	AA	1004	A	C8-N9-C4	7.20	108.68	105.80
1	AA	1446	A	C3'-C2'-C1'	7.20	107.26	101.50
1	AA	1496	C	C5-C4-N4	-7.20	115.16	120.20
4	AD	63	C	C5'-C4'-O4'	7.20	117.74	109.10
26	BB	15	G	C5-C6-O6	-7.20	124.28	128.60
26	BB	1663	G	C5'-C4'-C3'	-7.20	104.48	116.00
26	BB	1762	A	C4-C5-C6	7.20	120.60	117.00
26	BB	2029	G	C5-C6-O6	-7.20	124.28	128.60
26	BB	2631	G	N3-C4-N9	7.20	130.32	126.00
1	AA	470	C	O4'-C1'-N1	7.20	113.96	108.20
1	AA	497	G	P-O3'-C3'	7.20	128.34	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1092	C	C2-N3-C4	-7.20	116.30	119.90
26	BB	2183	A	N1-C6-N6	-7.20	114.28	118.60
1	AA	781	A	O4'-C1'-N9	7.20	113.96	108.20
25	BA	88	C	C3'-C2'-C1'	-7.20	95.74	101.50
26	BB	131	A	C3'-C2'-C1'	7.20	107.26	101.50
26	BB	1985	C	C4-C5-C6	-7.20	113.80	117.40
1	AA	542	G	C6-N1-C2	-7.20	120.78	125.10
1	AA	1175	G	C5-C6-N1	-7.20	107.90	111.50
1	AA	1191	A	N7-C8-N9	7.20	117.40	113.80
1	AA	1316	G	C5-C6-N1	7.20	115.10	111.50
26	BB	70	G	C6-N1-C2	-7.20	120.78	125.10
26	BB	249	C	N3-C4-N4	7.20	123.04	118.00
26	BB	900	A	C5-C6-N1	7.20	121.30	117.70
26	BB	1018	U	C3'-C2'-C1'	7.20	107.26	101.50
26	BB	1215	G	N9-C4-C5	-7.20	102.52	105.40
26	BB	1984	G	C8-N9-C4	7.20	109.28	106.40
26	BB	2259	U	N1-C2-O2	-7.20	117.76	122.80
26	BB	2611	C	C6-N1-C2	-7.20	117.42	120.30
26	BB	2669	G	C6-C5-N7	-7.20	126.08	130.40
1	AA	399	G	C8-N9-C4	7.19	109.28	106.40
1	AA	541	G	C8-N9-C4	-7.19	103.52	106.40
4	AD	6	G	N9-C4-C5	7.19	108.28	105.40
26	BB	536	G	C4-C5-N7	-7.19	107.92	110.80
26	BB	830	G	C4-C5-C6	7.19	123.11	118.80
1	AA	385	C	O4'-C1'-C2'	-7.19	98.61	105.80
1	AA	1367	C	C6-N1-C2	-7.19	117.42	120.30
1	AA	1428	A	C4-C5-C6	-7.19	113.41	117.00
25	BA	7	G	N7-C8-N9	7.19	116.69	113.10
25	BA	79	G	C5-N7-C8	7.19	107.89	104.30
26	BB	30	G	N1-C2-N2	7.19	122.67	116.20
26	BB	160	A	C4-C5-N7	7.19	114.30	110.70
26	BB	437	U	C1'-O4'-C4'	-7.19	104.15	109.90
26	BB	551	G	C8-N9-C4	-7.19	103.52	106.40
26	BB	1646	C	N3-C4-C5	-7.19	119.02	121.90
1	AA	761	G	C6-C5-N7	-7.19	126.09	130.40
1	AA	1141	C	C1'-O4'-C4'	-7.19	104.15	109.90
1	AA	1267	C	C5-C6-N1	7.19	124.59	121.00
26	BB	141	G	C3'-C2'-C1'	7.19	107.25	101.50
26	BB	474	G	C6-C5-N7	-7.19	126.09	130.40
26	BB	881	G	P-O5'-C5'	7.19	132.40	120.90
26	BB	1450	G	N3-C2-N2	7.19	124.93	119.90
26	BB	2825	G	C8-N9-C4	-7.19	103.52	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1012	A	O4'-C1'-N9	7.19	113.95	108.20
4	AD	63	C	C1'-O4'-C4'	7.19	115.65	109.90
26	BB	940	G	C5-N7-C8	-7.19	100.71	104.30
26	BB	973	A	C2-N3-C4	7.19	114.19	110.60
26	BB	1619	G	N3-C4-N9	-7.19	121.69	126.00
26	BB	1707	G	N1-C6-O6	-7.19	115.59	119.90
26	BB	2397	G	C5-C6-N1	7.19	115.09	111.50
26	BB	2472	G	C5-C6-O6	-7.19	124.29	128.60
26	BB	2708	G	C4'-C3'-C2'	-7.19	95.41	102.60
5	AE	122	ASP	CB-CG-OD1	-7.19	111.83	118.30
25	BA	112	G	C8-N9-C4	-7.19	103.53	106.40
26	BB	864	G	C6-N1-C2	-7.19	120.79	125.10
26	BB	2366	A	N9-C1'-C2'	-7.19	104.09	112.00
1	AA	294	U	C3'-C2'-C1'	7.18	107.25	101.50
2	AB	76	A	C6-C5-N7	-7.18	127.27	132.30
26	BB	1079	C	N3-C2-O2	-7.18	116.87	121.90
26	BB	2009	A	C8-N9-C4	-7.18	102.93	105.80
26	BB	2208	C	N3-C2-O2	-7.18	116.87	121.90
26	BB	2459	A	C6-C5-N7	7.18	137.33	132.30
1	AA	125	U	N1-C2-N3	7.18	119.21	114.90
3	AC	16	A	C8-N9-C4	-7.18	102.93	105.80
26	BB	252	G	C5-C6-O6	-7.18	124.29	128.60
26	BB	383	C	N3-C2-O2	-7.18	116.87	121.90
26	BB	1071	G	N7-C8-N9	-7.18	109.51	113.10
26	BB	1410	G	C8-N9-C4	7.18	109.27	106.40
26	BB	1645	G	N3-C4-C5	-7.18	125.01	128.60
26	BB	2403	C	O4'-C1'-N1	7.18	113.94	108.20
26	BB	2841	C	C4-C5-C6	-7.18	113.81	117.40
1	AA	224	U	O4'-C1'-N1	7.18	113.94	108.20
26	BB	1002	G	C4-C5-C6	7.18	123.11	118.80
26	BB	1110	G	C2-N3-C4	-7.18	108.31	111.90
26	BB	2152	G	N1-C6-O6	7.18	124.21	119.90
1	AA	456	A	C8-N9-C4	-7.18	102.93	105.80
1	AA	915	A	N9-C4-C5	7.18	108.67	105.80
26	BB	733	G	C2-N3-C4	7.18	115.49	111.90
26	BB	2301	C	N3-C4-C5	-7.18	119.03	121.90
54	B3	37	HIS	CG-CD2-NE2	-7.18	95.56	109.20
1	AA	1102	A	C5-C6-N1	7.18	121.29	117.70
1	AA	1480	A	C4'-C3'-C2'	-7.18	95.42	102.60
2	AB	73	G	C4-C5-N7	-7.18	107.93	110.80
26	BB	70	G	N1-C2-N2	-7.18	109.74	116.20
26	BB	400	G	N3-C4-N9	7.18	130.31	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1051	G	C5-N7-C8	-7.18	100.71	104.30
26	BB	1707	G	C5-C6-N1	7.18	115.09	111.50
26	BB	1715	G	N7-C8-N9	7.18	116.69	113.10
26	BB	2761	A	C4'-C3'-C2'	-7.18	95.42	102.60
1	AA	426	U	N3-C2-O2	-7.18	117.18	122.20
1	AA	606	G	N1-C2-N3	7.18	128.21	123.90
1	AA	700	G	N9-C4-C5	7.18	108.27	105.40
1	AA	1173	U	N1-C2-O2	7.18	127.82	122.80
26	BB	144	A	N1-C2-N3	-7.18	125.71	129.30
26	BB	558	U	N3-C4-C5	-7.18	110.29	114.60
26	BB	1083	U	C6-N1-C2	-7.18	116.69	121.00
26	BB	1906	G	C3'-C2'-C1'	7.18	107.24	101.50
26	BB	2163	A	N9-C1'-C2'	-7.18	104.11	112.00
1	AA	200	G	N3-C4-C5	-7.17	125.01	128.60
26	BB	28	A	C4-C5-N7	-7.17	107.11	110.70
26	BB	316	C	N1-C2-O2	7.17	123.20	118.90
26	BB	485	C	C6-N1-C1'	-7.17	112.19	120.80
26	BB	817	C	N3-C4-N4	7.17	123.02	118.00
26	BB	1097	U	C5-C4-O4	-7.17	121.59	125.90
26	BB	1217	U	N3-C4-O4	7.17	124.42	119.40
26	BB	1453	A	N3-C4-N9	7.17	133.14	127.40
26	BB	1599	U	C4-C5-C6	7.17	124.00	119.70
26	BB	2041	U	C5-C6-N1	7.17	126.29	122.70
26	BB	2719	G	C5-C6-N1	-7.17	107.91	111.50
42	BR	50	ARG	NE-CZ-NH1	-7.17	116.71	120.30
1	AA	903	G	N7-C8-N9	7.17	116.69	113.10
1	AA	954	G	C5-C6-N1	-7.17	107.91	111.50
25	BA	110	C	C2-N3-C4	7.17	123.49	119.90
26	BB	1295	C	O4'-C1'-N1	7.17	113.94	108.20
26	BB	2357	G	C8-N9-C4	-7.17	103.53	106.40
26	BB	2414	G	C4-C5-N7	7.17	113.67	110.80
1	AA	41	G	C5-C6-O6	-7.17	124.30	128.60
1	AA	743	A	N9-C4-C5	7.17	108.67	105.80
1	AA	1486	G	O4'-C1'-N9	7.17	113.94	108.20
20	AT	26	ARG	NE-CZ-NH2	-7.17	116.71	120.30
25	BA	64	G	C8-N9-C4	-7.17	103.53	106.40
26	BB	430	A	N7-C8-N9	7.17	117.39	113.80
26	BB	649	G	O4'-C1'-N9	7.17	113.94	108.20
26	BB	1600	C	C5-C6-N1	7.17	124.59	121.00
26	BB	1664	A	C1'-O4'-C4'	-7.17	104.16	109.90
1	AA	36	C	N3-C4-C5	-7.17	119.03	121.90
1	AA	143	A	C5'-C4'-O4'	7.17	117.70	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	192	A	C5-C6-N6	-7.17	117.96	123.70
4	AD	26	C	N3-C4-N4	7.17	123.02	118.00
26	BB	2119	A	O4'-C1'-C2'	-7.17	98.63	105.80
1	AA	426	U	C2-N3-C4	-7.17	122.70	127.00
2	AB	22	G	C2-N3-C4	7.17	115.48	111.90
26	BB	585	G	O4'-C4'-C3'	7.17	111.83	106.10
26	BB	1782	U	C6-N1-C2	-7.17	116.70	121.00
26	BB	1829	A	N9-C4-C5	7.17	108.67	105.80
26	BB	2453	A	N9-C4-C5	-7.17	102.93	105.80
26	BB	2454	G	N3-C4-C5	-7.17	125.02	128.60
26	BB	2715	C	N3-C4-N4	7.17	123.02	118.00
1	AA	1153	G	C6-N1-C2	-7.17	120.80	125.10
1	AA	1368	A	C5-C6-N6	-7.17	117.97	123.70
1	AA	1475	G	C8-N9-C4	7.17	109.27	106.40
2	AB	59	G	O4'-C1'-N9	7.17	113.93	108.20
26	BB	267	C	N3-C4-C5	-7.17	119.03	121.90
26	BB	1067	A	C2-N3-C4	7.17	114.18	110.60
26	BB	1799	G	O4'-C4'-C3'	7.17	111.83	106.10
26	BB	1963	U	C4-C5-C6	7.17	124.00	119.70
26	BB	2235	G	C4'-C3'-C2'	-7.17	95.43	102.60
26	BB	2370	G	P-O3'-C3'	7.17	128.30	119.70
26	BB	2565	A	P-O3'-C3'	7.17	128.30	119.70
26	BB	2688	G	N9-C4-C5	7.17	108.27	105.40
1	AA	346	G	C5-C6-O6	7.17	132.90	128.60
1	AA	993	G	C2-N3-C4	7.17	115.48	111.90
2	AB	7	G	O4'-C1'-N9	7.17	113.93	108.20
26	BB	270	A	C1'-O4'-C4'	7.17	115.63	109.90
26	BB	1010	A	C3'-C2'-C1'	-7.17	95.77	101.50
1	AA	337	G	N1-C6-O6	7.16	124.20	119.90
2	AB	31	U	O4'-C1'-N1	7.16	113.93	108.20
26	BB	1207	C	O4'-C1'-N1	7.16	113.93	108.20
26	BB	1634	A	O4'-C4'-C3'	7.16	111.83	106.10
26	BB	1743	G	C8-N9-C4	-7.16	103.53	106.40
26	BB	1831	G	N1-C6-O6	7.16	124.20	119.90
26	BB	2304	G	O4'-C1'-C2'	7.16	114.05	107.60
26	BB	2432	A	C5-C6-N6	-7.16	117.97	123.70
26	BB	2702	G	C1'-O4'-C4'	-7.16	104.17	109.90
1	AA	10	A	N1-C6-N6	7.16	122.90	118.60
1	AA	206	C	C4'-C3'-C2'	-7.16	95.44	102.60
3	AC	21	U	C1'-O4'-C4'	-7.16	104.17	109.90
26	BB	555	G	C5-N7-C8	-7.16	100.72	104.30
26	BB	599	A	C8-N9-C4	-7.16	102.94	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1624	U	C5-C6-N1	-7.16	119.12	122.70
26	BB	2891	U	C4-C5-C6	7.16	124.00	119.70
1	AA	953	G	C4-C5-N7	7.16	113.66	110.80
1	AA	1089	G	O4'-C1'-N9	7.16	113.93	108.20
4	AD	28	U	C5'-C4'-O4'	7.16	117.69	109.10
26	BB	677	A	N9-C1'-C2'	-7.16	104.12	112.00
26	BB	816	C	C5-C6-N1	7.16	124.58	121.00
26	BB	945	A	C2-N3-C4	7.16	114.18	110.60
26	BB	2059	A	C1'-O4'-C4'	7.16	115.63	109.90
26	BB	2072	C	C1'-O4'-C4'	-7.16	104.17	109.90
26	BB	2696	U	C2-N3-C4	-7.16	122.70	127.00
26	BB	2854	G	C5-C6-O6	7.16	132.90	128.60
1	AA	794	A	C5-C6-N6	7.16	129.43	123.70
26	BB	2021	C	C3'-C2'-C1'	7.16	107.23	101.50
26	BB	2039	U	N1-C2-N3	-7.16	110.60	114.90
26	BB	2125	G	C3'-C2'-C1'	7.16	107.23	101.50
26	BB	2879	A	N7-C8-N9	7.16	117.38	113.80
55	B4	39	ASP	CB-CG-OD1	7.16	124.74	118.30
1	AA	405	U	N3-C2-O2	-7.16	117.19	122.20
1	AA	1515	G	C5-N7-C8	7.16	107.88	104.30
26	BB	1954	G	O4'-C4'-C3'	7.16	111.83	106.10
26	BB	2476	A	N1-C6-N6	-7.16	114.31	118.60
1	AA	168	G	C5'-C4'-O4'	7.16	117.69	109.10
1	AA	762	U	N1-C2-O2	-7.16	117.79	122.80
25	BA	66	A	C5-C6-N6	-7.16	117.98	123.70
26	BB	1846	G	C6-N1-C2	-7.16	120.81	125.10
26	BB	1931	U	N3-C4-C5	7.16	118.89	114.60
1	AA	354	G	C5-C6-N1	7.15	115.08	111.50
26	BB	553	G	C4'-C3'-C2'	-7.15	95.45	102.60
26	BB	799	G	N9-C4-C5	7.15	108.26	105.40
26	BB	876	C	C5-C4-N4	-7.15	115.19	120.20
26	BB	1087	G	O4'-C4'-C3'	7.15	111.82	106.10
26	BB	1818	U	N1-C2-O2	-7.15	117.79	122.80
26	BB	2095	A	C5'-C4'-O4'	7.15	117.69	109.10
1	AA	782	A	N1-C2-N3	-7.15	125.72	129.30
4	AD	19	G	C6-C5-N7	-7.15	126.11	130.40
26	BB	1465	G	C4'-C3'-C2'	-7.15	95.45	102.60
26	BB	2816	G	C5-N7-C8	7.15	107.88	104.30
1	AA	536	C	C6-N1-C2	-7.15	117.44	120.30
4	AD	63	C	O4'-C1'-N1	7.15	113.92	108.20
26	BB	597	G	C4-C5-N7	-7.15	107.94	110.80
26	BB	1016	G	C2-N3-C4	7.15	115.47	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2155	U	O4'-C1'-N1	7.15	113.92	108.20
26	BB	77	G	N9-C4-C5	7.15	108.26	105.40
26	BB	718	A	N1-C6-N6	7.15	122.89	118.60
26	BB	1293	C	N3-C2-O2	-7.15	116.90	121.90
26	BB	2623	G	C2-N3-C4	7.15	115.47	111.90
32	BH	57	TYR	CB-CG-CD2	-7.15	116.71	121.00
1	AA	109	A	C3'-C2'-C1'	7.15	107.22	101.50
1	AA	392	C	C5'-C4'-O4'	7.15	117.68	109.10
1	AA	974	A	P-O3'-C3'	7.15	128.28	119.70
1	AA	1214	C	N3-C4-C5	-7.15	119.04	121.90
26	BB	361	G	C4-C5-N7	7.15	113.66	110.80
26	BB	381	G	N3-C4-C5	-7.15	125.03	128.60
26	BB	460	A	N7-C8-N9	-7.15	110.23	113.80
26	BB	535	G	N1-C6-O6	7.15	124.19	119.90
26	BB	686	U	C2-N1-C1'	7.15	126.28	117.70
26	BB	784	G	C8-N9-C4	-7.15	103.54	106.40
26	BB	1464	G	N9-C1'-C2'	-7.15	104.14	112.00
1	AA	1217	C	O4'-C1'-C2'	-7.15	98.65	105.80
26	BB	119	A	N1-C6-N6	-7.15	114.31	118.60
1	AA	637	C	O4'-C1'-N1	7.14	113.92	108.20
25	BA	31	C	C2-N3-C4	7.14	123.47	119.90
26	BB	407	G	C2-N3-C4	7.14	115.47	111.90
26	BB	2292	U	C6-N1-C2	7.14	125.29	121.00
26	BB	2678	C	N3-C4-N4	7.14	123.00	118.00
1	AA	159	G	N9-C1'-C2'	-7.14	104.14	112.00
1	AA	1240	U	C1'-O4'-C4'	-7.14	104.19	109.90
1	AA	1401	G	O4'-C1'-N9	7.14	113.91	108.20
26	BB	833	A	C4-C5-N7	-7.14	107.13	110.70
26	BB	848	C	C4'-C3'-C2'	-7.14	95.46	102.60
26	BB	879	G	C5-C6-O6	-7.14	124.31	128.60
26	BB	1254	A	C4-C5-N7	7.14	114.27	110.70
26	BB	1646	C	C4-C5-C6	-7.14	113.83	117.40
26	BB	2857	G	N1-C2-N3	-7.14	119.61	123.90
1	AA	262	A	C6-C5-N7	7.14	137.30	132.30
1	AA	268	U	N3-C4-O4	7.14	124.40	119.40
26	BB	453	A	C8-N9-C4	-7.14	102.94	105.80
32	BH	78	VAL	CA-CB-CG2	7.14	121.61	110.90
1	AA	143	A	C1'-O4'-C4'	7.14	115.61	109.90
1	AA	276	G	C6-C5-N7	-7.14	126.12	130.40
4	AD	19	G	C4-C5-N7	7.14	113.66	110.80
26	BB	1303	G	N1-C6-O6	7.14	124.18	119.90
26	BB	1443	U	C4-C5-C6	7.14	123.98	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1710	G	N3-C2-N2	-7.14	114.90	119.90
26	BB	1828	G	N9-C4-C5	7.14	108.26	105.40
26	BB	1899	A	O4'-C1'-N9	7.14	113.91	108.20
26	BB	2055	C	N3-C4-C5	7.14	124.76	121.90
26	BB	2308	G	C1'-O4'-C4'	7.14	115.61	109.90
26	BB	6	A	C5-C6-N6	7.14	129.41	123.70
26	BB	371	A	C2-N3-C4	-7.14	107.03	110.60
26	BB	1656	C	N1-C2-O2	7.14	123.18	118.90
26	BB	2308	G	O4'-C1'-N9	7.14	113.91	108.20
1	AA	194	C	C1'-O4'-C4'	7.14	115.61	109.90
2	AB	22	G	O4'-C1'-N9	7.14	113.91	108.20
25	BA	24	G	O4'-C1'-N9	-7.14	102.49	108.20
26	BB	295	G	C5'-C4'-O4'	7.14	117.66	109.10
26	BB	367	G	N1-C2-N3	7.14	128.18	123.90
26	BB	476	G	C8-N9-C4	-7.14	103.55	106.40
26	BB	559	G	C2-N3-C4	7.14	115.47	111.90
26	BB	1559	U	N3-C2-O2	-7.14	117.20	122.20
26	BB	2205	A	N7-C8-N9	7.14	117.37	113.80
26	BB	2404	U	N1-C2-N3	7.14	119.18	114.90
26	BB	2810	A	N1-C6-N6	-7.14	114.32	118.60
1	AA	562	U	C2-N3-C4	-7.13	122.72	127.00
1	AA	1441	A	N9-C4-C5	7.13	108.65	105.80
26	BB	587	C	C1'-O4'-C4'	7.13	115.61	109.90
26	BB	672	C	C5-C4-N4	-7.13	115.21	120.20
26	BB	1607	C	O4'-C1'-N1	7.13	113.91	108.20
26	BB	2151	U	C5-C6-N1	-7.13	119.13	122.70
49	BY	40	ARG	NE-CZ-NH1	7.13	123.87	120.30
1	AA	207	C	C4-C5-C6	-7.13	113.83	117.40
1	AA	359	G	N7-C8-N9	7.13	116.67	113.10
1	AA	1258	G	C6-N1-C2	-7.13	120.82	125.10
4	AD	28	U	C2-N3-C4	-7.13	122.72	127.00
26	BB	1093	G	N9-C4-C5	7.13	108.25	105.40
26	BB	1339	G	N1-C6-O6	-7.13	115.62	119.90
26	BB	1660	G	C6-N1-C2	-7.13	120.82	125.10
26	BB	362	A	C5-C6-N1	7.13	121.27	117.70
26	BB	699	A	C5-C6-N1	7.13	121.27	117.70
26	BB	1101	U	O4'-C1'-N1	7.13	113.91	108.20
26	BB	1339	G	C6-C5-N7	7.13	134.68	130.40
26	BB	1953	A	C2-N3-C4	7.13	114.17	110.60
1	AA	99	C	C6-N1-C2	-7.13	117.45	120.30
1	AA	671	G	C5-N7-C8	7.13	107.86	104.30
1	AA	1076	U	N3-C2-O2	-7.13	117.21	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	3	C	O4'-C1'-N1	7.13	113.90	108.20
25	BA	30	C	C5-C4-N4	-7.13	115.21	120.20
26	BB	1791	A	C4-C5-N7	-7.13	107.14	110.70
26	BB	1849	G	C4-C5-C6	7.13	123.08	118.80
26	BB	2054	A	C4-C5-C6	-7.13	113.44	117.00
1	AA	369	G	N3-C4-C5	-7.13	125.04	128.60
2	AB	18	G	N9-C4-C5	-7.13	102.55	105.40
4	AD	32	G	C1'-O4'-C4'	7.13	115.60	109.90
4	AD	64	G	N1-C2-N3	-7.13	119.62	123.90
25	BA	90	C	N1-C2-N3	-7.13	114.21	119.20
26	BB	331	C	C5-C6-N1	7.13	124.56	121.00
26	BB	432	A	O4'-C1'-N9	7.13	113.90	108.20
26	BB	693	A	P-O3'-C3'	7.13	128.25	119.70
26	BB	1395	A	C8-N9-C4	-7.13	102.95	105.80
26	BB	1740	G	C5-C6-N1	7.13	115.06	111.50
26	BB	1845	G	N7-C8-N9	7.13	116.66	113.10
26	BB	2681	C	N1-C2-O2	7.13	123.18	118.90
1	AA	1005	A	C5-C6-N1	7.13	121.26	117.70
26	BB	90	U	N3-C2-O2	-7.13	117.21	122.20
26	BB	695	G	N1-C2-N2	7.13	122.61	116.20
26	BB	1483	G	N7-C8-N9	7.13	116.66	113.10
1	AA	211	G	C4'-C3'-C2'	-7.12	95.47	102.60
1	AA	1477	U	C1'-O4'-C4'	7.12	115.60	109.90
4	AD	72	C	N1-C2-O2	7.12	123.17	118.90
25	BA	109	A	N9-C4-C5	7.12	108.65	105.80
26	BB	63	A	C5'-C4'-O4'	7.12	117.65	109.10
26	BB	1868	C	C6-N1-C2	7.12	123.15	120.30
1	AA	335	C	C3'-C2'-C1'	-7.12	95.80	101.50
1	AA	681	A	C8-N9-C4	-7.12	102.95	105.80
2	AB	58	A	N7-C8-N9	7.12	117.36	113.80
7	AG	114	ARG	NE-CZ-NH1	7.12	123.86	120.30
26	BB	378	C	C5-C4-N4	-7.12	115.21	120.20
26	BB	581	C	N1-C1'-C2'	-7.12	104.16	112.00
26	BB	661	A	C5-C6-N6	-7.12	118.00	123.70
26	BB	1355	G	C5-C6-N1	7.12	115.06	111.50
26	BB	1615	C	C3'-C2'-C1'	-7.12	95.80	101.50
26	BB	1909	C	N3-C2-O2	-7.12	116.91	121.90
1	AA	240	G	N7-C8-N9	-7.12	109.54	113.10
1	AA	309	A	O4'-C1'-N9	7.12	113.90	108.20
1	AA	317	U	N1-C2-N3	7.12	119.17	114.90
1	AA	327	A	C8-N9-C4	-7.12	102.95	105.80
1	AA	705	G	C6-N1-C2	-7.12	120.83	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1517	G	C2-N3-C4	7.12	115.46	111.90
26	BB	73	A	C6-N1-C2	7.12	122.87	118.60
26	BB	155	A	C4-C5-C6	-7.12	113.44	117.00
26	BB	387	U	N3-C4-O4	7.12	124.39	119.40
26	BB	665	U	C6-N1-C2	-7.12	116.73	121.00
26	BB	814	C	C4-C5-C6	7.12	120.96	117.40
26	BB	1124	G	C6-N1-C2	-7.12	120.83	125.10
26	BB	1280	G	N3-C4-C5	-7.12	125.04	128.60
26	BB	1920	C	C5-C6-N1	7.12	124.56	121.00
26	BB	2212	A	O4'-C1'-N9	7.12	113.90	108.20
1	AA	725	G	N9-C4-C5	7.12	108.25	105.40
1	AA	1348	U	O4'-C4'-C3'	7.12	111.80	106.10
7	AG	96	ARG	NE-CZ-NH2	7.12	123.86	120.30
26	BB	1396	U	N3-C4-C5	7.12	118.87	114.60
26	BB	1586	A	O4'-C1'-C2'	7.12	114.01	107.60
26	BB	1780	A	C4-C5-C6	-7.12	113.44	117.00
26	BB	2616	C	C4-C5-C6	7.12	120.96	117.40
30	BF	69	ARG	NE-CZ-NH2	-7.12	116.74	120.30
1	AA	905	U	N1-C2-N3	7.12	119.17	114.90
1	AA	1040	U	O4'-C1'-N1	7.12	113.89	108.20
1	AA	1130	A	N7-C8-N9	-7.12	110.24	113.80
1	AA	1263	C	N3-C2-O2	-7.12	116.92	121.90
1	AA	1290	G	O4'-C1'-N9	7.12	113.89	108.20
26	BB	462	C	O4'-C1'-N1	7.12	113.89	108.20
26	BB	467	G	C5-N7-C8	7.12	107.86	104.30
26	BB	782	A	C5-N7-C8	7.12	107.46	103.90
26	BB	1817	G	C2-N3-C4	7.12	115.46	111.90
26	BB	2309	A	C4-C5-C6	-7.12	113.44	117.00
1	AA	44	A	N1-C6-N6	7.12	122.87	118.60
1	AA	657	U	C5-C6-N1	-7.12	119.14	122.70
26	BB	1550	C	O4'-C1'-N1	7.12	113.89	108.20
26	BB	2685	G	C1'-O4'-C4'	-7.12	104.21	109.90
1	AA	513	C	C3'-C2'-C1'	7.12	107.19	101.50
1	AA	1125	U	O4'-C4'-C3'	7.12	111.79	106.10
26	BB	40	U	O4'-C1'-N1	7.12	113.89	108.20
26	BB	334	C	C6-N1-C2	-7.12	117.45	120.30
26	BB	693	A	N1-C2-N3	-7.12	125.74	129.30
26	BB	773	U	N3-C4-O4	7.12	124.38	119.40
26	BB	911	A	C4-C5-C6	-7.12	113.44	117.00
26	BB	1109	C	N1-C2-O2	7.12	123.17	118.90
26	BB	1475	G	N3-C4-C5	-7.12	125.04	128.60
26	BB	2271	G	P-O3'-C3'	7.12	128.24	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	BD	270	ARG	NE-CZ-NH2	7.12	123.86	120.30
1	AA	205	A	C4-C5-N7	7.11	114.26	110.70
1	AA	431	A	C4-C5-C6	-7.11	113.44	117.00
1	AA	856	C	O4'-C1'-N1	7.11	113.89	108.20
1	AA	1366	C	C5-C6-N1	-7.11	117.44	121.00
4	AD	13	C	C5-C4-N4	-7.11	115.22	120.20
4	AD	76	C	C5-C4-N4	-7.11	115.22	120.20
26	BB	43	G	C6-C5-N7	-7.11	126.13	130.40
26	BB	174	U	C1'-O4'-C4'	-7.11	104.21	109.90
26	BB	444	C	C3'-C2'-C1'	-7.11	95.81	101.50
26	BB	1546	G	C4-C5-C6	-7.11	114.53	118.80
26	BB	1819	A	C8-N9-C4	-7.11	102.95	105.80
26	BB	1889	A	N3-C4-C5	-7.11	121.82	126.80
26	BB	2110	G	N1-C2-N3	-7.11	119.63	123.90
26	BB	2228	G	C5'-C4'-O4'	7.11	117.64	109.10
3	AC	45	G	N3-C4-N9	7.11	130.27	126.00
1	AA	661	G	C8-N9-C4	-7.11	103.56	106.40
25	BA	17	C	O4'-C1'-N1	7.11	113.89	108.20
26	BB	482	A	C5-C6-N6	-7.11	118.01	123.70
26	BB	1146	C	N1-C1'-C2'	-7.11	104.18	112.00
26	BB	2558	C	C2-N3-C4	-7.11	116.34	119.90
26	BB	2837	A	C5-N7-C8	-7.11	100.34	103.90
1	AA	1177	G	N1-C2-N3	-7.11	119.64	123.90
1	AA	1392	G	C6-C5-N7	-7.11	126.14	130.40
4	AD	2	G	C6-N1-C2	7.11	129.36	125.10
25	BA	54	G	N3-C4-N9	7.11	130.26	126.00
26	BB	90	U	N3-C4-C5	7.11	118.86	114.60
26	BB	1014	A	O4'-C1'-N9	7.11	113.89	108.20
26	BB	2138	G	N7-C8-N9	7.11	116.65	113.10
26	BB	2336	A	C4-C5-C6	-7.11	113.45	117.00
1	AA	1188	A	C2-N3-C4	7.11	114.15	110.60
1	AA	1265	C	C5-C4-N4	7.11	125.17	120.20
1	AA	1499	A	C8-N9-C4	-7.11	102.96	105.80
26	BB	599	A	C2-N3-C4	7.11	114.15	110.60
26	BB	1027	A	C8-N9-C4	-7.11	102.96	105.80
26	BB	1293	C	N3-C4-N4	7.11	122.97	118.00
26	BB	2321	U	C2-N3-C4	-7.11	122.74	127.00
26	BB	2602	A	C2-N3-C4	-7.11	107.05	110.60
26	BB	2643	G	O4'-C1'-N9	-7.11	102.52	108.20
26	BB	2690	U	C2-N3-C4	-7.11	122.74	127.00
25	BA	49	C	C5-C6-N1	7.10	124.55	121.00
26	BB	689	A	C2'-C3'-O3'	7.10	125.13	109.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2045	C	C4-C5-C6	-7.10	113.85	117.40
26	BB	2382	G	C2-N3-C4	7.10	115.45	111.90
1	AA	26	A	N1-C2-N3	-7.10	125.75	129.30
1	AA	559	A	C5-N7-C8	7.10	107.45	103.90
1	AA	1391	U	C6-N1-C2	-7.10	116.74	121.00
26	BB	1144	A	C3'-C2'-C1'	-7.10	95.82	101.50
26	BB	1607	C	O4'-C4'-C3'	7.10	111.78	106.10
26	BB	1713	A	C5-N7-C8	-7.10	100.35	103.90
26	BB	1876	A	N1-C2-N3	-7.10	125.75	129.30
1	AA	182	A	C5-C6-N1	-7.10	114.15	117.70
1	AA	741	G	C8-N9-C1'	7.10	136.23	127.00
1	AA	1064	G	C6-C5-N7	-7.10	126.14	130.40
26	BB	334	C	O4'-C1'-N1	7.10	113.88	108.20
26	BB	426	C	C5'-C4'-O4'	7.10	117.62	109.10
26	BB	608	A	O3'-P-O5'	-7.10	90.51	104.00
26	BB	2624	G	C6-C5-N7	-7.10	126.14	130.40
1	AA	76	G	C4'-C3'-C2'	-7.10	95.50	102.60
1	AA	457	G	C5-C6-N1	7.10	115.05	111.50
1	AA	734	G	C2-N3-C4	7.10	115.45	111.90
1	AA	1185	G	N3-C4-C5	-7.10	125.05	128.60
1	AA	1228	C	N3-C2-O2	7.10	126.87	121.90
1	AA	1521	C	O4'-C1'-N1	7.10	113.88	108.20
26	BB	678	C	C5'-C4'-O4'	7.10	117.62	109.10
26	BB	778	G	N3-C4-C5	-7.10	125.05	128.60
26	BB	1632	A	N9-C4-C5	7.10	108.64	105.80
26	BB	1761	C	O4'-C1'-N1	7.10	113.88	108.20
26	BB	1822	C	N3-C4-N4	7.10	122.97	118.00
37	BM	70	ARG	CD-NE-CZ	7.10	133.54	123.60
1	AA	688	G	C6-N1-C2	-7.10	120.84	125.10
1	AA	721	G	C1'-O4'-C4'	7.10	115.58	109.90
1	AA	806	C	N1-C2-O2	7.10	123.16	118.90
1	AA	1335	U	P-O3'-C3'	7.10	128.22	119.70
1	AA	1378	C	C2-N3-C4	7.10	123.45	119.90
24	AX	12	ASP	CB-CG-OD2	-7.10	111.91	118.30
26	BB	519	U	N1-C2-N3	7.10	119.16	114.90
26	BB	765	C	C2-N3-C4	7.10	123.45	119.90
1	AA	196	A	C6-N1-C2	-7.10	114.34	118.60
1	AA	500	G	N3-C4-C5	-7.10	125.05	128.60
1	AA	1078	U	O4'-C1'-N1	7.10	113.88	108.20
26	BB	1075	C	C5-C4-N4	7.10	125.17	120.20
26	BB	1110	G	N7-C8-N9	7.10	116.65	113.10
26	BB	1778	U	O4'-C1'-N1	7.10	113.88	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2021	C	P-O3'-C3'	7.10	128.22	119.70
26	BB	2377	A	N9-C4-C5	7.10	108.64	105.80
1	AA	835	U	N1-C2-N3	-7.09	110.64	114.90
5	AE	107	ARG	NE-CZ-NH1	7.09	123.85	120.30
26	BB	1104	C	C4-C5-C6	7.09	120.95	117.40
26	BB	2027	G	C6-N1-C2	7.09	129.36	125.10
26	BB	2323	G	C5-C6-N1	-7.09	107.95	111.50
26	BB	2386	A	C4-C5-C6	-7.09	113.45	117.00
26	BB	2600	A	C1'-O4'-C4'	-7.09	104.22	109.90
30	BF	93	SER	N-CA-CB	-7.09	99.86	110.50
25	BA	44	G	C3'-C2'-C1'	-7.09	95.83	101.50
26	BB	804	A	C5-C6-N1	7.09	121.25	117.70
26	BB	1113	U	N1-C2-N3	7.09	119.16	114.90
26	BB	1572	A	C5-C6-N6	7.09	129.38	123.70
26	BB	2594	C	N1-C2-O2	7.09	123.16	118.90
1	AA	976	G	N9-C4-C5	7.09	108.24	105.40
25	BA	8	C	N3-C4-C5	-7.09	119.06	121.90
26	BB	207	A	C4-C5-C6	7.09	120.55	117.00
26	BB	455	C	O3'-P-O5'	7.09	117.47	104.00
26	BB	477	A	C4-C5-C6	-7.09	113.45	117.00
26	BB	830	G	N3-C2-N2	7.09	124.86	119.90
26	BB	969	G	C4'-C3'-C2'	-7.09	95.51	102.60
26	BB	1101	U	C4-C5-C6	7.09	123.95	119.70
26	BB	1370	C	N1-C1'-C2'	-7.09	104.20	112.00
26	BB	1444	G	C4-C5-C6	7.09	123.06	118.80
26	BB	1447	C	C4-C5-C6	7.09	120.95	117.40
26	BB	1733	G	P-O3'-C3'	7.09	128.21	119.70
26	BB	1853	A	N3-C4-N9	7.09	133.07	127.40
26	BB	2425	A	C2'-C3'-O3'	7.09	125.10	109.50
50	BZ	10	ARG	NE-CZ-NH1	-7.09	116.75	120.30
1	AA	498	A	C6-N1-C2	-7.09	114.35	118.60
1	AA	498	A	C5-C6-N1	7.09	121.24	117.70
1	AA	647	C	N3-C4-C5	-7.09	119.06	121.90
1	AA	776	G	C4-C5-N7	-7.09	107.96	110.80
1	AA	1140	C	C6-N1-C2	-7.09	117.47	120.30
1	AA	1455	G	N3-C4-C5	-7.09	125.06	128.60
3	AC	40	G	N9-C4-C5	7.09	108.24	105.40
21	AU	9	PHE	CB-CG-CD2	-7.09	115.84	120.80
26	BB	888	C	P-O3'-C3'	7.09	128.21	119.70
26	BB	1076	C	N1-C1'-C2'	-7.09	104.20	112.00
26	BB	1909	C	C6-N1-C2	-7.09	117.46	120.30
26	BB	2049	G	O4'-C4'-C3'	7.09	111.77	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2250	G	N3-C4-N9	-7.09	121.75	126.00
1	AA	344	A	N9-C4-C5	-7.09	102.97	105.80
1	AA	1367	C	O4'-C1'-N1	7.09	113.87	108.20
9	AI	38	ARG	NE-CZ-NH1	-7.09	116.76	120.30
26	BB	772	C	N1-C2-O2	7.09	123.15	118.90
26	BB	2347	C	C6-N1-C2	-7.09	117.47	120.30
26	BB	2500	U	C2-N3-C4	-7.09	122.75	127.00
1	AA	417	G	C2-N3-C4	7.09	115.44	111.90
1	AA	1391	U	C4-C5-C6	7.09	123.95	119.70
25	BA	6	G	C1'-O4'-C4'	7.09	115.57	109.90
25	BA	47	C	C1'-O4'-C4'	-7.09	104.23	109.90
26	BB	453	A	P-O3'-C3'	7.09	128.20	119.70
26	BB	503	A	O4'-C1'-C2'	7.09	113.98	107.60
26	BB	690	G	C3'-C2'-C1'	-7.09	95.83	101.50
26	BB	787	C	N3-C4-N4	7.09	122.96	118.00
26	BB	1493	C	N1-C2-O2	7.09	123.15	118.90
26	BB	1649	G	C5'-C4'-O4'	7.09	117.60	109.10
1	AA	480	U	C5'-C4'-C3'	-7.08	104.67	116.00
1	AA	1470	U	C6-N1-C2	-7.08	116.75	121.00
25	BA	13	G	N7-C8-N9	7.08	116.64	113.10
26	BB	645	C	O4'-C1'-N1	7.08	113.87	108.20
26	BB	936	A	C5-N7-C8	7.08	107.44	103.90
26	BB	1210	G	P-O3'-C3'	7.08	128.20	119.70
1	AA	677	U	C5-C6-N1	-7.08	119.16	122.70
1	AA	1152	A	C6-N1-C2	-7.08	114.35	118.60
1	AA	1291	U	O4'-C1'-N1	7.08	113.87	108.20
1	AA	1447	A	C4-C5-C6	-7.08	113.46	117.00
26	BB	428	A	C8-N9-C4	-7.08	102.97	105.80
26	BB	1143	A	N1-C6-N6	7.08	122.85	118.60
26	BB	1252	G	C4-C5-N7	-7.08	107.97	110.80
26	BB	1314	C	O4'-C1'-C2'	-7.08	98.72	105.80
26	BB	1713	A	N7-C8-N9	7.08	117.34	113.80
26	BB	1762	A	C5-C6-N6	7.08	129.37	123.70
26	BB	2287	A	N9-C4-C5	7.08	108.63	105.80
26	BB	2703	C	C3'-C2'-C1'	7.08	107.17	101.50
30	BF	88	ARG	NH1-CZ-NH2	-7.08	111.61	119.40
33	BI	108	VAL	CG1-CB-CG2	-7.08	99.57	110.90
33	BI	123	ARG	NE-CZ-NH2	-7.08	116.76	120.30
1	AA	1018	G	N3-C4-N9	-7.08	121.75	126.00
4	AD	29	C	N1-C1'-C2'	-7.08	104.21	112.00
25	BA	73	A	C2-N3-C4	7.08	114.14	110.60
26	BB	612	G	P-O3'-C3'	7.08	128.20	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	827	U	O4'-C1'-N1	7.08	113.86	108.20
26	BB	1692	U	N3-C2-O2	-7.08	117.24	122.20
26	BB	2114	A	N1-C2-N3	7.08	132.84	129.30
26	BB	2243	U	C4-C5-C6	7.08	123.95	119.70
40	BP	69	ARG	NE-CZ-NH1	7.08	123.84	120.30
1	AA	1361	G	C6-N1-C2	-7.08	120.85	125.10
2	AB	69	C	C5-C4-N4	-7.08	115.24	120.20
26	BB	605	G	C6-N1-C2	-7.08	120.85	125.10
26	BB	2838	G	C1'-O4'-C4'	7.08	115.56	109.90
26	BB	2883	A	C4-C5-C6	-7.08	113.46	117.00
1	AA	433	G	N3-C4-N9	-7.08	121.75	126.00
1	AA	663	A	C8-N9-C4	7.08	108.63	105.80
1	AA	741	G	N7-C8-N9	7.08	116.64	113.10
1	AA	1224	U	C3'-C2'-C1'	7.08	107.16	101.50
1	AA	1438	G	C5-C6-N1	7.08	115.04	111.50
4	AD	43	G	C5-C6-O6	7.08	132.85	128.60
25	BA	119	A	C1'-O4'-C4'	-7.08	104.24	109.90
26	BB	789	A	N7-C8-N9	-7.08	110.26	113.80
26	BB	1760	C	P-O3'-C3'	7.08	128.19	119.70
26	BB	2427	C	C4-C5-C6	-7.08	113.86	117.40
26	BB	2619	C	O4'-C1'-N1	7.08	113.86	108.20
26	BB	2826	A	N1-C6-N6	7.08	122.85	118.60
26	BB	2862	G	N3-C4-C5	-7.08	125.06	128.60
1	AA	94	G	C2-N3-C4	7.08	115.44	111.90
1	AA	1071	C	C2-N3-C4	-7.08	116.36	119.90
1	AA	1156	G	C5-N7-C8	7.08	107.84	104.30
26	BB	919	U	N1-C2-N3	7.08	119.15	114.90
26	BB	1277	G	N3-C2-N2	-7.08	114.95	119.90
26	BB	1893	C	C5-C4-N4	-7.08	115.25	120.20
26	BB	1987	A	N3-C4-C5	-7.08	121.85	126.80
26	BB	2115	G	C4-C5-N7	-7.08	107.97	110.80
1	AA	195	A	C5-C6-N1	-7.08	114.16	117.70
1	AA	222	C	O4'-C1'-N1	7.08	113.86	108.20
1	AA	1324	A	C8-N9-C4	-7.08	102.97	105.80
26	BB	330	A	N1-C2-N3	-7.08	125.76	129.30
26	BB	631	A	N1-C2-N3	7.08	132.84	129.30
26	BB	765	C	N1-C2-O2	7.08	123.14	118.90
26	BB	881	G	N9-C4-C5	7.08	108.23	105.40
26	BB	1921	G	N9-C4-C5	-7.08	102.57	105.40
26	BB	2014	A	C2-N3-C4	7.08	114.14	110.60
26	BB	2394	C	N3-C2-O2	-7.08	116.95	121.90
26	BB	2719	G	N3-C2-N2	-7.08	114.95	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	510	A	C4-C5-N7	-7.07	107.16	110.70
1	AA	1337	G	N1-C6-O6	-7.07	115.66	119.90
26	BB	413	C	C4-C5-C6	7.07	120.94	117.40
26	BB	654	A	C5-N7-C8	-7.07	100.36	103.90
26	BB	763	G	N1-C2-N3	-7.07	119.66	123.90
26	BB	889	C	N3-C2-O2	-7.07	116.95	121.90
26	BB	1842	G	O4'-C1'-N9	7.07	113.86	108.20
26	BB	2183	A	C5-N7-C8	-7.07	100.36	103.90
26	BB	2816	G	C5-C6-O6	7.07	132.84	128.60
26	BB	2852	G	N9-C4-C5	7.07	108.23	105.40
1	AA	1220	G	N7-C8-N9	7.07	116.64	113.10
26	BB	291	G	O4'-C1'-N9	7.07	113.86	108.20
26	BB	1449	G	C8-N9-C4	-7.07	103.57	106.40
26	BB	1483	G	C8-N9-C4	-7.07	103.57	106.40
26	BB	1968	G	N9-C1'-C2'	-7.07	104.22	112.00
26	BB	2419	U	N1-C2-O2	7.07	127.75	122.80
1	AA	513	C	C6-N1-C2	-7.07	117.47	120.30
1	AA	991	U	N3-C4-C5	7.07	118.84	114.60
1	AA	1038	C	C5-C6-N1	7.07	124.53	121.00
1	AA	1366	C	N3-C4-C5	-7.07	119.07	121.90
3	AC	36	U	C5'-C4'-C3'	-7.07	104.69	116.00
26	BB	196	A	N7-C8-N9	7.07	117.33	113.80
26	BB	1341	G	N1-C6-O6	-7.07	115.66	119.90
26	BB	1854	A	C5-C6-N1	7.07	121.24	117.70
26	BB	1887	C	C6-N1-C2	7.07	123.13	120.30
4	AD	7	G	C3'-C2'-C1'	7.07	107.16	101.50
26	BB	258	G	O4'-C1'-N9	7.07	113.86	108.20
26	BB	1614	A	C5'-C4'-O4'	-7.07	100.62	109.10
26	BB	2278	A	N9-C1'-C2'	-7.07	104.22	112.00
26	BB	2665	A	N7-C8-N9	7.07	117.33	113.80
1	AA	120	A	C5'-C4'-O4'	7.07	117.58	109.10
1	AA	345	C	N1-C2-O2	7.07	123.14	118.90
1	AA	1004	A	P-O3'-C3'	7.07	128.18	119.70
1	AA	1183	U	N3-C4-C5	-7.07	110.36	114.60
1	AA	1235	U	C2-N3-C4	-7.07	122.76	127.00
1	AA	1339	A	N1-C6-N6	-7.07	114.36	118.60
25	BA	60	C	O4'-C1'-N1	7.07	113.85	108.20
26	BB	579	G	C6-C5-N7	-7.07	126.16	130.40
26	BB	2250	G	O4'-C1'-C2'	7.07	113.96	107.60
26	BB	2309	A	N9-C4-C5	-7.07	102.97	105.80
26	BB	2760	C	N1-C1'-C2'	-7.07	104.22	112.00
26	BB	2901	C	C1'-O4'-C4'	-7.07	104.25	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	56	U	C6-N1-C2	-7.07	116.76	121.00
26	BB	997	G	N7-C8-N9	-7.07	109.57	113.10
26	BB	1892	C	P-O3'-C3'	7.07	128.18	119.70
26	BB	2688	G	C4-C5-N7	-7.07	107.97	110.80
26	BB	2859	G	C6-C5-N7	-7.07	126.16	130.40
1	AA	1069	C	N1-C2-O2	7.06	123.14	118.90
26	BB	798	G	C6-N1-C2	-7.06	120.86	125.10
26	BB	854	C	C6-N1-C2	-7.06	117.47	120.30
26	BB	1974	C	C4'-C3'-C2'	-7.06	95.54	102.60
26	BB	2203	U	C2-N3-C4	-7.06	122.76	127.00
1	AA	959	A	C3'-C2'-C1'	7.06	107.15	101.50
1	AA	1148	U	O4'-C1'-N1	7.06	113.85	108.20
1	AA	1408	A	C4-C5-C6	-7.06	113.47	117.00
1	AA	1492	A	C4-C5-C6	-7.06	113.47	117.00
25	BA	7	G	C4-C5-N7	7.06	113.62	110.80
26	BB	375	G	N1-C6-O6	7.06	124.14	119.90
26	BB	727	A	N1-C2-N3	-7.06	125.77	129.30
26	BB	1000	A	C2-N3-C4	7.06	114.13	110.60
26	BB	1607	C	N1-C1'-C2'	-7.06	104.23	112.00
26	BB	2029	G	C8-N9-C4	-7.06	103.58	106.40
26	BB	2042	A	C4-C5-N7	-7.06	107.17	110.70
26	BB	2224	G	N1-C2-N3	7.06	128.14	123.90
26	BB	2469	A	C5'-C4'-O4'	7.06	117.58	109.10
26	BB	2699	C	C6-N1-C2	-7.06	117.47	120.30
11	AK	9	MET	CA-CB-CG	-7.06	101.30	113.30
26	BB	74	A	N9-C1'-C2'	7.06	123.18	114.00
26	BB	348	A	C8-N9-C4	-7.06	102.98	105.80
26	BB	2377	A	N7-C8-N9	7.06	117.33	113.80
26	BB	2454	G	C2-N3-C4	7.06	115.43	111.90
26	BB	2506	U	C3'-C2'-C1'	7.06	107.15	101.50
26	BB	2705	A	N7-C8-N9	7.06	117.33	113.80
26	BB	2829	A	C4-C5-N7	-7.06	107.17	110.70
1	AA	397	A	C2-N3-C4	7.06	114.13	110.60
1	AA	1222	G	C2-N3-C4	7.06	115.43	111.90
1	AA	1297	G	C5-C6-N1	7.06	115.03	111.50
26	BB	633	A	C1'-O4'-C4'	7.06	115.55	109.90
26	BB	1047	G	C5-N7-C8	-7.06	100.77	104.30
26	BB	1230	A	C6-C5-N7	-7.06	127.36	132.30
26	BB	1807	G	N3-C2-N2	7.06	124.84	119.90
1	AA	336	A	C5-N7-C8	7.06	107.43	103.90
1	AA	991	U	C5-C4-O4	-7.06	121.67	125.90
1	AA	1260	G	N1-C2-N2	-7.06	109.85	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	88	C	C4-C5-C6	-7.06	113.87	117.40
26	BB	1192	G	N3-C2-N2	-7.06	114.96	119.90
26	BB	1908	C	C2-N3-C4	7.06	123.43	119.90
26	BB	1968	G	N7-C8-N9	7.06	116.63	113.10
26	BB	2560	A	C8-N9-C4	-7.06	102.98	105.80
26	BB	2744	G	C4-C5-C6	7.06	123.03	118.80
26	BB	2814	A	N7-C8-N9	7.06	117.33	113.80
1	AA	49	U	C5-C6-N1	7.06	126.23	122.70
1	AA	455	G	O4'-C1'-N9	7.06	113.84	108.20
4	AD	24	C	O4'-C1'-N1	7.06	113.84	108.20
25	BA	94	A	C5-C6-N1	-7.06	114.17	117.70
26	BB	1251	C	C6-N1-C2	-7.06	117.48	120.30
26	BB	1400	U	C4-C5-C6	7.06	123.93	119.70
26	BB	2555	U	C5-C6-N1	-7.06	119.17	122.70
1	AA	1454	G	N1-C2-N3	-7.05	119.67	123.90
3	AC	52	U	O4'-C4'-C3'	7.05	111.74	106.10
26	BB	47	C	C5-C6-N1	-7.05	117.47	121.00
26	BB	562	U	C5-C4-O4	-7.05	121.67	125.90
26	BB	704	G	C1'-O4'-C4'	-7.05	104.26	109.90
26	BB	1784	A	P-O3'-C3'	7.05	128.16	119.70
26	BB	2516	A	C2-N3-C4	7.05	114.13	110.60
26	BB	2778	A	N3-C4-N9	7.05	133.04	127.40
33	BI	25	TYR	CG-CD1-CE1	-7.05	115.66	121.30
1	AA	242	G	N1-C6-O6	-7.05	115.67	119.90
26	BB	1151	A	C5'-C4'-O4'	7.05	117.56	109.10
26	BB	1388	G	N3-C4-C5	-7.05	125.07	128.60
26	BB	1975	G	C1'-O4'-C4'	-7.05	104.26	109.90
26	BB	2655	G	O4'-C1'-N9	7.05	113.84	108.20
1	AA	568	G	C4-C5-N7	-7.05	107.98	110.80
26	BB	573	U	C2-N3-C4	-7.05	122.77	127.00
26	BB	1175	A	C4-C5-N7	-7.05	107.17	110.70
26	BB	2211	A	N7-C8-N9	7.05	117.33	113.80
33	BI	29	PHE	CB-CG-CD1	7.05	125.74	120.80
1	AA	698	G	C2-N3-C4	-7.05	108.38	111.90
1	AA	1001	C	C1'-O4'-C4'	-7.05	104.26	109.90
1	AA	1387	G	C5-C6-O6	-7.05	124.37	128.60
1	AA	1508	A	C5'-C4'-O4'	7.05	117.56	109.10
20	AT	61	ARG	NE-CZ-NH2	7.05	123.83	120.30
26	BB	189	G	O4'-C1'-N9	7.05	113.84	108.20
26	BB	626	A	O4'-C1'-N9	7.05	113.84	108.20
26	BB	1036	G	C5-C6-O6	-7.05	124.37	128.60
26	BB	2112	G	N3-C4-C5	-7.05	125.08	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2536	G	N3-C2-N2	-7.05	114.97	119.90
26	BB	2579	C	N3-C4-C5	-7.05	119.08	121.90
26	BB	2598	A	C6-C5-N7	-7.05	127.36	132.30
26	BB	2867	G	N3-C4-C5	-7.05	125.08	128.60
26	BB	1629	U	N3-C2-O2	-7.05	117.27	122.20
26	BB	2179	C	N1-C2-O2	7.05	123.13	118.90
1	AA	13	U	C5-C4-O4	-7.05	121.67	125.90
1	AA	419	C	C5-C4-N4	7.05	125.13	120.20
1	AA	1024	G	C4'-C3'-C2'	-7.05	95.55	102.60
1	AA	1401	G	C6-N1-C2	-7.05	120.87	125.10
2	AB	45	U	C5-C6-N1	-7.05	119.18	122.70
26	BB	1745	A	C5-N7-C8	7.05	107.42	103.90
1	AA	136	C	N3-C4-C5	-7.04	119.08	121.90
1	AA	974	A	N3-C4-N9	-7.04	121.76	127.40
3	AC	19	A	C6-N1-C2	7.04	122.83	118.60
26	BB	1378	A	C8-N9-C4	-7.04	102.98	105.80
26	BB	1936	A	C1'-O4'-C4'	7.04	115.54	109.90
26	BB	2651	C	N3-C2-O2	-7.04	116.97	121.90
1	AA	669	G	N1-C2-N3	-7.04	119.67	123.90
4	AD	24	C	N3-C4-C5	7.04	124.72	121.90
26	BB	198	C	N3-C2-O2	-7.04	116.97	121.90
26	BB	1185	G	C4-C5-N7	-7.04	107.98	110.80
26	BB	1513	U	N1-C2-O2	-7.04	117.87	122.80
26	BB	1770	G	C6-C5-N7	-7.04	126.17	130.40
26	BB	2388	A	N9-C4-C5	-7.04	102.98	105.80
26	BB	2716	C	C2-N3-C4	-7.04	116.38	119.90
26	BB	2751	G	C5-C6-O6	-7.04	124.37	128.60
46	BV	12	ARG	NE-CZ-NH2	-7.04	116.78	120.30
26	BB	569	U	N1-C2-N3	-7.04	110.67	114.90
26	BB	577	G	N1-C6-O6	-7.04	115.68	119.90
26	BB	1258	U	N1-C2-N3	7.04	119.12	114.90
26	BB	1494	A	C8-N9-C4	-7.04	102.98	105.80
26	BB	1608	A	C8-N9-C4	-7.04	102.98	105.80
26	BB	1696	G	N3-C4-C5	-7.04	125.08	128.60
26	BB	2015	A	C8-N9-C4	-7.04	102.98	105.80
26	BB	2479	U	O3'-P-O5'	-7.04	90.62	104.00
1	AA	485	U	C4'-C3'-C2'	-7.04	95.56	102.60
1	AA	818	G	C5'-C4'-C3'	-7.04	104.74	116.00
26	BB	913	U	P-O3'-C3'	7.04	128.15	119.70
26	BB	1301	A	C5-C6-N6	7.04	129.33	123.70
26	BB	1740	G	C6-N1-C2	-7.04	120.88	125.10
1	AA	101	A	C8-N9-C4	-7.04	102.98	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	233	C	C5-C4-N4	7.04	125.13	120.20
1	AA	305	G	O4'-C1'-N9	7.04	113.83	108.20
1	AA	621	A	N7-C8-N9	-7.04	110.28	113.80
2	AB	38	A	C3'-C2'-C1'	-7.04	95.87	101.50
26	BB	450	G	O4'-C1'-N9	7.04	113.83	108.20
26	BB	611	C	P-O3'-C3'	7.04	128.15	119.70
26	BB	1693	U	O4'-C1'-N1	7.04	113.83	108.20
26	BB	1786	A	O4'-C1'-C2'	-7.04	98.76	105.80
1	AA	1410	A	C3'-C2'-C1'	7.04	107.13	101.50
3	AC	44	U	C2-N1-C1'	7.04	126.14	117.70
26	BB	917	A	O4'-C1'-N9	7.04	113.83	108.20
26	BB	1528	A	C8-N9-C4	7.04	108.61	105.80
26	BB	420	C	C2-N3-C4	7.04	123.42	119.90
26	BB	488	G	C8-N9-C4	-7.04	103.59	106.40
26	BB	651	G	N7-C8-N9	7.04	116.62	113.10
26	BB	705	A	C5-N7-C8	-7.04	100.38	103.90
26	BB	1509	A	N1-C2-N3	-7.04	125.78	129.30
26	BB	1518	C	C3'-C2'-C1'	-7.04	95.87	101.50
26	BB	1624	U	C6-N1-C2	7.04	125.22	121.00
26	BB	1631	G	N3-C4-C5	-7.04	125.08	128.60
26	BB	1944	U	P-O3'-C3'	7.04	128.14	119.70
26	BB	2824	C	C6-N1-C2	-7.04	117.49	120.30
1	AA	719	C	O4'-C1'-N1	7.03	113.83	108.20
1	AA	1159	U	C1'-O4'-C4'	-7.03	104.27	109.90
1	AA	1370	G	C5-C6-N1	7.03	115.02	111.50
1	AA	1503	A	P-O3'-C3'	7.03	128.14	119.70
14	AN	126	ARG	NE-CZ-NH1	7.03	123.82	120.30
26	BB	497	A	C5-N7-C8	-7.03	100.38	103.90
26	BB	1144	A	C2-N3-C4	7.03	114.12	110.60
26	BB	1356	G	C2-N3-C4	-7.03	108.38	111.90
26	BB	1585	C	C4'-C3'-C2'	-7.03	95.57	102.60
26	BB	2080	A	N9-C4-C5	-7.03	102.99	105.80
26	BB	2276	G	C5'-C4'-C3'	-7.03	104.75	116.00
1	AA	508	U	N1-C2-O2	-7.03	117.88	122.80
2	AB	52	A	O4'-C1'-C2'	-7.03	98.77	105.80
26	BB	2011	U	C6-N1-C2	-7.03	116.78	121.00
1	AA	192	A	N3-C4-C5	-7.03	121.88	126.80
1	AA	1036	A	N7-C8-N9	7.03	117.31	113.80
1	AA	1297	G	N3-C2-N2	-7.03	114.98	119.90
26	BB	165	A	C8-N9-C4	-7.03	102.99	105.80
26	BB	1753	G	N1-C2-N3	7.03	128.12	123.90
26	BB	1777	U	N3-C4-C5	-7.03	110.38	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1786	A	C8-N9-C4	-7.03	102.99	105.80
26	BB	1820	U	P-O3'-C3'	7.03	128.14	119.70
26	BB	1829	A	C3'-C2'-C1'	-7.03	95.88	101.50
52	B1	37	ARG	NE-CZ-NH2	-7.03	116.78	120.30
1	AA	183	C	C4'-C3'-C2'	-7.03	95.57	102.60
1	AA	1178	G	C8-N9-C1'	7.03	136.14	127.00
26	BB	585	G	C4'-C3'-C2'	-7.03	95.57	102.60
26	BB	707	G	O4'-C4'-C3'	7.03	111.72	106.10
26	BB	2484	G	N3-C4-N9	7.03	130.22	126.00
26	BB	2744	G	C6-N1-C2	-7.03	120.88	125.10
1	AA	311	C	C1'-O4'-C4'	7.03	115.52	109.90
26	BB	238	C	N1-C2-N3	7.03	124.12	119.20
26	BB	425	G	N1-C6-O6	7.03	124.12	119.90
26	BB	1302	A	O4'-C1'-C2'	-7.03	98.77	105.80
26	BB	1875	G	C5-N7-C8	-7.03	100.79	104.30
26	BB	2230	G	N9-C4-C5	7.03	108.21	105.40
26	BB	2241	A	O4'-C1'-N9	7.03	113.82	108.20
26	BB	2280	G	C6-N1-C2	-7.03	120.88	125.10
26	BB	2747	G	C5'-C4'-O4'	7.03	117.53	109.10
26	BB	2887	A	C2-N3-C4	7.03	114.11	110.60
42	BR	73	PHE	CB-CG-CD1	-7.03	115.88	120.80
1	AA	280	C	C1'-O4'-C4'	-7.03	104.28	109.90
1	AA	413	G	N3-C4-N9	7.03	130.22	126.00
1	AA	745	G	N9-C1'-C2'	-7.03	104.27	112.00
1	AA	1377	A	P-O3'-C3'	7.03	128.13	119.70
3	AC	30	U	N1-C2-O2	7.03	127.72	122.80
26	BB	248	G	N9-C4-C5	-7.03	102.59	105.40
26	BB	1589	U	C1'-O4'-C4'	-7.03	104.28	109.90
26	BB	1651	G	N9-C4-C5	-7.03	102.59	105.40
26	BB	1836	C	N3-C4-C5	-7.03	119.09	121.90
1	AA	227	G	O4'-C1'-N9	7.02	113.82	108.20
1	AA	423	G	N3-C4-C5	-7.02	125.09	128.60
1	AA	1468	A	C5-N7-C8	7.02	107.41	103.90
3	AC	35	G	C2-N3-C4	7.02	115.41	111.90
26	BB	1435	G	N3-C4-C5	-7.02	125.09	128.60
26	BB	1586	A	C3'-C2'-C1'	-7.02	95.88	101.50
26	BB	1754	A	N1-C6-N6	-7.02	114.39	118.60
26	BB	2470	G	N1-C6-O6	-7.02	115.69	119.90
1	AA	1	A	O4'-C1'-N9	7.02	113.82	108.20
1	AA	1457	G	C6-C5-N7	-7.02	126.19	130.40
1	AA	1491	G	N1-C2-N3	7.02	128.11	123.90
26	BB	1284	A	O4'-C1'-N9	7.02	113.82	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1412	U	C5'-C4'-O4'	7.02	117.53	109.10
26	BB	1692	U	C4'-C3'-C2'	-7.02	95.58	102.60
27	BC	102	ASP	CB-CG-OD2	-7.02	111.98	118.30
1	AA	770	C	O4'-C4'-C3'	7.02	111.72	106.10
1	AA	908	A	C4-C5-C6	-7.02	113.49	117.00
1	AA	1383	C	O4'-C1'-N1	7.02	113.82	108.20
26	BB	1964	G	N3-C4-C5	-7.02	125.09	128.60
26	BB	1978	A	O4'-C1'-N9	7.02	113.82	108.20
1	AA	35	G	N3-C4-C5	-7.02	125.09	128.60
1	AA	59	A	N1-C2-N3	7.02	132.81	129.30
1	AA	530	G	C6-C5-N7	-7.02	126.19	130.40
1	AA	567	G	C6-N1-C2	-7.02	120.89	125.10
1	AA	577	G	C4-C5-N7	-7.02	107.99	110.80
2	AB	50	G	C5-N7-C8	-7.02	100.79	104.30
6	AF	231	ARG	NE-CZ-NH2	-7.02	116.79	120.30
17	AQ	12	ARG	NE-CZ-NH1	7.02	123.81	120.30
26	BB	664	G	C5-N7-C8	-7.02	100.79	104.30
26	BB	944	C	C5-C4-N4	-7.02	115.29	120.20
26	BB	1033	U	C4'-C3'-C2'	-7.02	95.58	102.60
26	BB	1878	G	N9-C4-C5	-7.02	102.59	105.40
26	BB	2144	G	P-O3'-C3'	7.02	128.12	119.70
26	BB	2461	A	C3'-C2'-C1'	7.02	107.11	101.50
26	BB	2767	C	N1-C2-O2	7.02	123.11	118.90
40	BP	80	PHE	CB-CG-CD1	-7.02	115.89	120.80
1	AA	26	A	C3'-C2'-C1'	7.02	107.11	101.50
1	AA	445	G	C6-N1-C2	-7.02	120.89	125.10
2	AB	25	C	N3-C4-C5	-7.02	119.09	121.90
7	AG	103	ARG	NE-CZ-NH2	-7.02	116.79	120.30
26	BB	388	G	N1-C2-N3	-7.02	119.69	123.90
26	BB	712	G	N7-C8-N9	7.02	116.61	113.10
26	BB	954	G	C5-C6-N1	7.02	115.01	111.50
26	BB	1281	G	N7-C8-N9	7.02	116.61	113.10
26	BB	1792	G	C4-C5-N7	-7.02	107.99	110.80
26	BB	2141	G	C2-N3-C4	-7.02	108.39	111.90
1	AA	278	G	C4'-C3'-C2'	-7.02	95.58	102.60
1	AA	1542	A	C3'-C2'-C1'	-7.02	95.89	101.50
26	BB	160	A	C5-N7-C8	-7.02	100.39	103.90
26	BB	324	A	C4-C5-N7	-7.02	107.19	110.70
26	BB	775	G	O4'-C4'-C3'	7.02	111.71	106.10
26	BB	2020	A	C4-C5-N7	7.02	114.21	110.70
26	BB	2702	G	O4'-C4'-C3'	7.02	111.71	106.10
35	BK	66	PHE	CB-CG-CD1	7.02	125.71	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1088	G	C5-C6-N1	7.01	115.01	111.50
12	AL	102	PHE	CB-CG-CD1	7.01	125.71	120.80
25	BA	50	A	C3'-C2'-C1'	7.01	107.11	101.50
26	BB	844	A	N3-C4-C5	-7.01	121.89	126.80
26	BB	924	G	C4-C5-C6	7.01	123.01	118.80
26	BB	1079	C	C4'-C3'-C2'	-7.01	95.58	102.60
26	BB	1135	C	C5'-C4'-O4'	7.01	117.52	109.10
26	BB	1637	A	N1-C6-N6	7.01	122.81	118.60
26	BB	2902	C	C4'-C3'-C2'	-7.01	95.58	102.60
1	AA	267	C	O4'-C1'-N1	7.01	113.81	108.20
26	BB	25	U	N1-C2-O2	7.01	127.71	122.80
26	BB	176	A	N1-C2-N3	7.01	132.81	129.30
26	BB	962	G	C6-C5-N7	-7.01	126.19	130.40
26	BB	2295	C	C5'-C4'-C3'	-7.01	104.78	116.00
1	AA	435	A	C5-C6-N6	-7.01	118.09	123.70
26	BB	391	A	N7-C8-N9	7.01	117.31	113.80
26	BB	419	U	O4'-C1'-N1	7.01	113.81	108.20
26	BB	654	A	C6-C5-N7	7.01	137.21	132.30
26	BB	1256	G	P-O3'-C3'	7.01	128.11	119.70
26	BB	1495	A	C5-N7-C8	-7.01	100.39	103.90
26	BB	1581	G	N1-C2-N2	-7.01	109.89	116.20
26	BB	1604	C	C4-C5-C6	7.01	120.91	117.40
26	BB	1964	G	C5-C6-N1	7.01	115.01	111.50
26	BB	2892	G	C2-N3-C4	7.01	115.41	111.90
1	AA	517	G	N9-C1'-C2'	-7.01	104.29	112.00
1	AA	898	G	O4'-C1'-N9	7.01	113.81	108.20
4	AD	34	U	O4'-C1'-N1	7.01	113.81	108.20
26	BB	322	A	C5-C6-N1	-7.01	114.19	117.70
26	BB	1338	G	N1-C6-O6	-7.01	115.69	119.90
26	BB	2066	C	N1-C1'-C2'	-7.01	104.29	112.00
26	BB	2167	U	C5-C6-N1	-7.01	119.20	122.70
26	BB	2231	U	N3-C4-O4	7.01	124.31	119.40
26	BB	2349	G	C5'-C4'-O4'	7.01	117.51	109.10
26	BB	2823	A	N3-C4-C5	-7.01	121.89	126.80
1	AA	984	C	C5'-C4'-O4'	7.01	117.51	109.10
25	BA	106	G	C4-N9-C1'	-7.01	117.39	126.50
26	BB	2492	U	N1-C2-N3	7.01	119.11	114.90
1	AA	446	G	N1-C6-O6	-7.01	115.70	119.90
1	AA	1341	U	C5'-C4'-O4'	7.01	117.51	109.10
1	AA	1467	C	O4'-C1'-N1	7.01	113.80	108.20
26	BB	144	A	C5'-C4'-O4'	7.01	117.51	109.10
26	BB	952	G	N3-C4-C5	-7.01	125.10	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1511	G	N9-C4-C5	-7.01	102.60	105.40
26	BB	1635	A	N7-C8-N9	7.01	117.30	113.80
26	BB	1824	G	C2-N3-C4	7.01	115.40	111.90
26	BB	2084	C	C1'-O4'-C4'	-7.01	104.30	109.90
26	BB	2121	G	C5-C6-O6	7.01	132.80	128.60
26	BB	2421	G	O4'-C4'-C3'	7.01	111.70	106.10
26	BB	2482	A	C5-C6-N6	7.01	129.31	123.70
1	AA	194	C	C5-C6-N1	-7.00	117.50	121.00
26	BB	1947	C	C5-C4-N4	-7.00	115.30	120.20
26	BB	2085	U	C3'-C2'-C1'	-7.00	95.90	101.50
1	AA	187	G	N7-C8-N9	7.00	116.60	113.10
1	AA	289	G	N1-C6-O6	-7.00	115.70	119.90
1	AA	1077	G	O4'-C4'-C3'	7.00	111.70	106.10
1	AA	1182	G	N9-C4-C5	7.00	108.20	105.40
1	AA	1208	C	C1'-O4'-C4'	-7.00	104.30	109.90
4	AD	77	A	C4-C5-C6	7.00	120.50	117.00
9	AI	89	VAL	CA-CB-CG1	7.00	121.41	110.90
26	BB	97	C	C2-N3-C4	7.00	123.40	119.90
26	BB	1326	U	O4'-C1'-N1	7.00	113.80	108.20
26	BB	1740	G	C6-C5-N7	-7.00	126.20	130.40
26	BB	1921	G	N1-C2-N3	-7.00	119.70	123.90
26	BB	2513	A	P-O3'-C3'	7.00	128.10	119.70
26	BB	2799	A	C8-N9-C4	-7.00	103.00	105.80
1	AA	189	A	N3-C4-N9	7.00	133.00	127.40
1	AA	433	G	N9-C1'-C2'	-7.00	104.30	112.00
1	AA	530	G	C8-N9-C4	-7.00	103.60	106.40
1	AA	588	G	N9-C1'-C2'	-7.00	104.30	112.00
1	AA	610	U	C6-N1-C2	-7.00	116.80	121.00
1	AA	654	G	N1-C2-N2	7.00	122.50	116.20
1	AA	952	U	O4'-C1'-N1	7.00	113.80	108.20
1	AA	1030	U	O4'-C1'-N1	7.00	113.80	108.20
1	AA	1225	A	N7-C8-N9	7.00	117.30	113.80
1	AA	1231	G	C1'-O4'-C4'	-7.00	104.30	109.90
26	BB	553	G	C8-N9-C4	-7.00	103.60	106.40
26	BB	671	C	C3'-C2'-C1'	-7.00	95.90	101.50
26	BB	1072	C	O4'-C1'-N1	7.00	113.80	108.20
26	BB	1518	C	O4'-C1'-N1	7.00	113.80	108.20
26	BB	2071	A	C6-N1-C2	-7.00	114.40	118.60
26	BB	2289	G	C8-N9-C4	-7.00	103.60	106.40
26	BB	2429	G	C6-N1-C2	-7.00	120.90	125.10
26	BB	2436	G	O4'-C1'-N9	7.00	113.80	108.20
1	AA	1302	C	P-O3'-C3'	7.00	128.10	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	308	G	C1'-O4'-C4'	7.00	115.50	109.90
26	BB	1095	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	1286	A	C5-C6-N6	-7.00	118.10	123.70
26	BB	2198	A	C5-C6-N1	7.00	121.20	117.70
26	BB	2284	A	C4-C5-C6	7.00	120.50	117.00
26	BB	2673	G	N3-C4-N9	7.00	130.20	126.00
1	AA	247	G	C4-C5-N7	-7.00	108.00	110.80
1	AA	1097	C	C5-C4-N4	-7.00	115.30	120.20
1	AA	1185	G	N9-C4-C5	7.00	108.20	105.40
1	AA	1188	A	C6-N1-C2	-7.00	114.40	118.60
26	BB	144	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	863	A	N1-C6-N6	7.00	122.80	118.60
26	BB	1529	G	C3'-C2'-C1'	7.00	107.10	101.50
26	BB	1864	U	O4'-C1'-N1	7.00	113.80	108.20
26	BB	2349	G	C4-C5-C6	7.00	123.00	118.80
26	BB	2542	A	C5-C6-N1	7.00	121.20	117.70
1	AA	420	U	C4-C5-C6	7.00	123.90	119.70
1	AA	714	G	O5'-P-OP2	-7.00	99.40	105.70
1	AA	794	A	C4-C5-N7	-7.00	107.20	110.70
1	AA	1221	G	N1-C6-O6	-7.00	115.70	119.90
1	AA	1295	U	C4-C5-C6	-7.00	115.50	119.70
1	AA	1324	A	N1-C2-N3	-7.00	125.80	129.30
17	AQ	60	ARG	NE-CZ-NH2	-7.00	116.80	120.30
26	BB	972	A	N1-C2-N3	-7.00	125.80	129.30
26	BB	1265	A	C5-C6-N1	7.00	121.20	117.70
26	BB	1553	A	N1-C6-N6	7.00	122.80	118.60
26	BB	1608	A	N9-C4-C5	7.00	108.60	105.80
26	BB	2613	U	N1-C2-N3	7.00	119.10	114.90
1	AA	1383	C	C2-N3-C4	7.00	123.40	119.90
26	BB	1985	C	N1-C2-O2	7.00	123.10	118.90
1	AA	51	A	C5'-C4'-O4'	6.99	117.49	109.10
1	AA	646	G	N1-C2-N2	-6.99	109.91	116.20
1	AA	1390	U	O4'-C1'-N1	6.99	113.79	108.20
7	AG	25	ARG	NE-CZ-NH2	-6.99	116.80	120.30
26	BB	499	U	C5'-C4'-O4'	6.99	117.49	109.10
26	BB	816	C	O4'-C1'-N1	6.99	113.80	108.20
26	BB	837	C	C1'-O4'-C4'	-6.99	104.31	109.90
26	BB	2368	C	C4-C5-C6	-6.99	113.90	117.40
26	BB	2555	U	C4-C5-C6	6.99	123.90	119.70
26	BB	2640	G	C2-N3-C4	6.99	115.40	111.90
1	AA	480	U	C4'-C3'-C2'	-6.99	95.61	102.60
26	BB	479	A	N7-C8-N9	6.99	117.30	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	960	A	N9-C4-C5	-6.99	103.00	105.80
26	BB	1753	G	C5'-C4'-C3'	-6.99	104.81	116.00
1	AA	350	G	C4'-C3'-C2'	-6.99	95.61	102.60
1	AA	1172	C	O4'-C1'-N1	6.99	113.79	108.20
1	AA	1323	G	C5-C6-N1	6.99	115.00	111.50
4	AD	34	U	N3-C2-O2	-6.99	117.31	122.20
4	AD	40	C	N1-C1'-C2'	-6.99	104.31	112.00
25	BA	104	A	N1-C6-N6	-6.99	114.41	118.60
26	BB	130	C	C6-N1-C2	-6.99	117.50	120.30
26	BB	482	A	N9-C4-C5	-6.99	103.00	105.80
26	BB	618	G	C5'-C4'-O4'	6.99	117.49	109.10
26	BB	1553	A	C5'-C4'-O4'	6.99	117.49	109.10
26	BB	1595	C	N3-C4-C5	-6.99	119.10	121.90
26	BB	1797	G	C3'-C2'-C1'	6.99	107.09	101.50
26	BB	2088	A	C4'-C3'-C2'	-6.99	95.61	102.60
26	BB	2347	C	N3-C2-O2	-6.99	117.01	121.90
26	BB	2520	C	C6-N1-C2	-6.99	117.50	120.30
26	BB	2562	U	C4-C5-C6	6.99	123.89	119.70
1	AA	876	C	N1-C2-O2	6.99	123.09	118.90
1	AA	1008	U	C5-C6-N1	-6.99	119.21	122.70
1	AA	1368	A	N1-C2-N3	6.99	132.79	129.30
2	AB	44	G	C2-N3-C4	6.99	115.39	111.90
4	AD	4	G	N3-C4-C5	-6.99	125.11	128.60
26	BB	599	A	C1'-O4'-C4'	-6.99	104.31	109.90
26	BB	639	U	C6-N1-C2	-6.99	116.81	121.00
26	BB	1136	G	N9-C1'-C2'	-6.99	104.31	112.00
26	BB	2343	U	P-O3'-C3'	6.99	128.09	119.70
1	AA	1468	A	C4-C5-N7	-6.99	107.21	110.70
26	BB	264	C	N1-C2-O2	6.99	123.09	118.90
26	BB	358	U	C5-C6-N1	6.99	126.19	122.70
26	BB	2392	A	C5'-C4'-O4'	6.99	117.48	109.10
1	AA	67	C	C6-N1-C2	-6.99	117.51	120.30
1	AA	320	A	N9-C4-C5	6.99	108.59	105.80
1	AA	981	U	N3-C4-O4	6.99	124.29	119.40
1	AA	1103	C	N3-C2-O2	-6.99	117.01	121.90
1	AA	1488	G	N1-C6-O6	-6.99	115.71	119.90
26	BB	170	U	N3-C2-O2	-6.99	117.31	122.20
26	BB	548	G	C4-C5-N7	6.99	113.59	110.80
26	BB	795	C	O4'-C1'-N1	6.99	113.79	108.20
26	BB	1260	A	C4-C5-N7	6.99	114.19	110.70
26	BB	2349	G	C6-C5-N7	-6.99	126.21	130.40
1	AA	200	G	C4-C5-C6	6.98	122.99	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	948	C	C5'-C4'-C3'	-6.98	104.83	116.00
1	AA	1278	G	N3-C4-N9	6.98	130.19	126.00
4	AD	54	G	N7-C8-N9	-6.98	109.61	113.10
26	BB	989	G	N3-C4-C5	-6.98	125.11	128.60
26	BB	1426	G	N3-C4-N9	-6.98	121.81	126.00
26	BB	1478	G	C8-N9-C4	-6.98	103.61	106.40
26	BB	2142	A	C8-N9-C4	6.98	108.59	105.80
26	BB	2751	G	N3-C4-N9	6.98	130.19	126.00
26	BB	2802	G	C6-N1-C2	-6.98	120.91	125.10
1	AA	87	C	C2-N1-C1'	-6.98	111.12	118.80
1	AA	517	G	O4'-C1'-N9	6.98	113.79	108.20
1	AA	553	A	O4'-C1'-N9	6.98	113.79	108.20
1	AA	556	C	N3-C2-O2	-6.98	117.01	121.90
1	AA	629	A	O5'-P-OP2	-6.98	99.42	105.70
1	AA	790	A	C6-C5-N7	6.98	137.19	132.30
26	BB	1055	G	C5'-C4'-O4'	6.98	117.48	109.10
26	BB	1230	A	C5'-C4'-O4'	6.98	117.48	109.10
26	BB	1343	G	P-O3'-C3'	6.98	128.08	119.70
26	BB	1387	A	N3-C4-C5	-6.98	121.91	126.80
26	BB	1687	G	N1-C6-O6	-6.98	115.71	119.90
26	BB	2453	A	C8-N9-C4	6.98	108.59	105.80
1	AA	292	G	C8-N9-C4	-6.98	103.61	106.40
1	AA	481	G	N3-C4-C5	-6.98	125.11	128.60
1	AA	874	G	C5'-C4'-O4'	6.98	117.48	109.10
25	BA	90	C	P-O3'-C3'	6.98	128.08	119.70
26	BB	630	G	O4'-C1'-N9	6.98	113.78	108.20
26	BB	1736	U	C4-C5-C6	6.98	123.89	119.70
26	BB	1925	C	C2-N3-C4	6.98	123.39	119.90
26	BB	2416	C	O4'-C1'-N1	6.98	113.78	108.20
1	AA	408	A	C4'-C3'-C2'	-6.98	95.62	102.60
1	AA	507	C	N1-C2-O2	6.98	123.09	118.90
26	BB	159	G	N1-C6-O6	-6.98	115.71	119.90
26	BB	932	U	C2-N1-C1'	6.98	126.08	117.70
1	AA	75	G	C5-N7-C8	-6.98	100.81	104.30
1	AA	1255	G	C8-N9-C4	-6.98	103.61	106.40
1	AA	1485	U	N1-C1'-C2'	-6.98	104.32	112.00
4	AD	58	A	N1-C6-N6	-6.98	114.41	118.60
4	AD	76	C	C1'-O4'-C4'	-6.98	104.32	109.90
25	BA	68	C	C5-C4-N4	-6.98	115.32	120.20
26	BB	805	G	N1-C2-N2	6.98	122.48	116.20
26	BB	1687	G	C4-C5-N7	6.98	113.59	110.80
1	AA	204	G	N1-C2-N3	-6.98	119.71	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	783	A	C5-N7-C8	6.98	107.39	103.90
26	BB	976	G	C8-N9-C4	-6.98	103.61	106.40
26	BB	1117	C	O4'-C1'-N1	6.98	113.78	108.20
26	BB	1711	A	C8-N9-C4	-6.98	103.01	105.80
26	BB	1885	A	C6-N1-C2	6.98	122.79	118.60
26	BB	2693	G	C6-C5-N7	-6.98	126.21	130.40
1	AA	189	A	P-O3'-C3'	6.97	128.07	119.70
1	AA	338	A	C5-N7-C8	-6.97	100.41	103.90
4	AD	23	G	N9-C4-C5	6.97	108.19	105.40
4	AD	48	U	C1'-O4'-C4'	-6.97	104.32	109.90
26	BB	347	A	N9-C4-C5	-6.97	103.01	105.80
26	BB	1258	U	C2-N3-C4	-6.97	122.81	127.00
26	BB	1502	A	C6-N1-C2	6.97	122.78	118.60
26	BB	2162	G	C5-C6-O6	-6.97	124.42	128.60
26	BB	2196	C	N1-C1'-C2'	-6.97	104.33	112.00
1	AA	110	C	C5'-C4'-O4'	6.97	117.47	109.10
1	AA	767	A	C1'-O4'-C4'	-6.97	104.32	109.90
1	AA	1193	G	N3-C4-N9	-6.97	121.82	126.00
1	AA	1224	U	C5-C6-N1	-6.97	119.21	122.70
2	AB	52	A	C4-C5-N7	6.97	114.19	110.70
4	AD	49	C	N3-C2-O2	-6.97	117.02	121.90
9	AI	122	ASP	CB-CG-OD2	-6.97	112.03	118.30
26	BB	508	A	C8-N9-C4	6.97	108.59	105.80
26	BB	787	C	N1-C2-N3	6.97	124.08	119.20
26	BB	1633	G	N3-C2-N2	-6.97	115.02	119.90
26	BB	1783	A	C2-N3-C4	6.97	114.09	110.60
26	BB	1861	G	N1-C2-N2	6.97	122.47	116.20
26	BB	2002	G	C5-C6-O6	-6.97	124.42	128.60
26	BB	2043	C	C3'-C2'-C1'	6.97	107.08	101.50
26	BB	2246	G	N3-C4-N9	6.97	130.18	126.00
26	BB	2413	G	O5'-C5'-C4'	-6.97	98.45	111.70
26	BB	1314	C	C6-N1-C2	-6.97	117.51	120.30
26	BB	1546	G	C4-C5-N7	-6.97	108.01	110.80
26	BB	1784	A	C4'-C3'-C2'	6.97	109.57	102.60
26	BB	2592	G	C6-C5-N7	-6.97	126.22	130.40
26	BB	2647	U	N3-C2-O2	-6.97	117.32	122.20
1	AA	1104	G	N1-C6-O6	6.97	124.08	119.90
1	AA	1201	A	C2'-C3'-O3'	6.97	124.85	113.70
1	AA	1245	C	P-O3'-C3'	6.97	128.06	119.70
26	BB	356	G	C5-C6-N1	6.97	114.98	111.50
26	BB	451	U	C6-N1-C2	-6.97	116.82	121.00
26	BB	1051	G	C6-N1-C2	6.97	129.28	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2803	G	C5'-C4'-O4'	6.97	117.46	109.10
26	BB	760	G	C8-N9-C4	-6.97	103.61	106.40
26	BB	2511	U	C4'-C3'-C2'	-6.97	95.63	102.60
26	BB	2824	C	O4'-C1'-N1	6.97	113.78	108.20
1	AA	187	G	C3'-C2'-C1'	6.97	107.07	101.50
1	AA	494	G	N3-C4-N9	6.97	130.18	126.00
25	BA	52	A	N1-C2-N3	-6.97	125.82	129.30
26	BB	596	U	N3-C2-O2	-6.97	117.32	122.20
26	BB	1360	G	C3'-C2'-C1'	-6.97	95.93	101.50
26	BB	2271	G	N7-C8-N9	6.97	116.58	113.10
1	AA	123	U	O4'-C1'-N1	6.96	113.77	108.20
1	AA	253	A	C1'-O4'-C4'	-6.96	104.33	109.90
1	AA	476	U	N1-C1'-C2'	-6.96	104.34	112.00
1	AA	603	U	O4'-C1'-N1	6.96	113.77	108.20
1	AA	771	G	N7-C8-N9	-6.96	109.62	113.10
1	AA	794	A	N7-C8-N9	6.96	117.28	113.80
1	AA	1408	A	O4'-C1'-N9	6.96	113.77	108.20
21	AU	50	TYR	CB-CG-CD1	6.96	125.18	121.00
25	BA	110	C	N3-C2-O2	-6.96	117.03	121.90
26	BB	638	G	C6-C5-N7	-6.96	126.22	130.40
26	BB	796	C	N1-C1'-C2'	-6.96	104.34	112.00
26	BB	964	C	C5-C6-N1	6.96	124.48	121.00
26	BB	1077	A	C2-N3-C4	6.96	114.08	110.60
26	BB	1627	G	N9-C4-C5	6.96	108.19	105.40
26	BB	1982	U	C2-N3-C4	-6.96	122.82	127.00
26	BB	2858	C	O4'-C4'-C3'	6.96	111.67	106.10
1	AA	968	A	O4'-C1'-N9	6.96	113.77	108.20
2	AB	27	C	C2-N3-C4	6.96	123.38	119.90
26	BB	2345	G	C5-N7-C8	-6.96	100.82	104.30
26	BB	2370	G	C3'-C2'-C1'	-6.96	95.93	101.50
56	B5	5	PHE	CB-CG-CD2	6.96	125.67	120.80
1	AA	285	C	N3-C4-N4	6.96	122.87	118.00
1	AA	941	G	C5'-C4'-C3'	-6.96	104.86	116.00
1	AA	1444	U	C5'-C4'-O4'	6.96	117.45	109.10
26	BB	484	C	C3'-C2'-C1'	6.96	107.07	101.50
26	BB	492	A	O4'-C4'-C3'	6.96	111.67	106.10
26	BB	1252	G	C3'-C2'-C1'	6.96	107.07	101.50
26	BB	1425	G	C2-N3-C4	6.96	115.38	111.90
26	BB	2697	G	C2-N3-C4	6.96	115.38	111.90
1	AA	1085	U	O4'-C4'-C3'	6.96	111.67	106.10
26	BB	514	A	P-O3'-C3'	6.96	128.05	119.70
26	BB	1276	A	N3-C4-C5	6.96	131.67	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1646	C	N3-C2-O2	-6.96	117.03	121.90
26	BB	2074	U	N1-C2-O2	6.96	127.67	122.80
26	BB	2674	G	C3'-C2'-C1'	-6.96	95.93	101.50
26	BB	2718	G	C6-C5-N7	-6.96	126.22	130.40
42	BR	52	ARG	NE-CZ-NH2	-6.96	116.82	120.30
3	AC	14	G	N3-C4-C5	-6.96	125.12	128.60
26	BB	757	G	N9-C1'-C2'	-6.96	104.35	112.00
26	BB	1475	G	O3'-P-O5'	-6.96	90.78	104.00
26	BB	1620	G	N3-C2-N2	-6.96	115.03	119.90
26	BB	1699	G	N3-C2-N2	-6.96	115.03	119.90
26	BB	1889	A	N1-C2-N3	-6.96	125.82	129.30
26	BB	2245	U	C6-N1-C2	-6.96	116.83	121.00
26	BB	2694	G	C6-N1-C2	-6.96	120.92	125.10
1	AA	120	A	C5-C6-N6	6.96	129.26	123.70
1	AA	198	G	C1'-O4'-C4'	-6.96	104.33	109.90
1	AA	391	G	N7-C8-N9	6.96	116.58	113.10
1	AA	913	A	C5-N7-C8	-6.96	100.42	103.90
1	AA	1340	A	N1-C2-N3	-6.96	125.82	129.30
1	AA	1522	U	C5-C6-N1	-6.96	119.22	122.70
25	BA	105	G	N1-C2-N2	6.96	122.46	116.20
26	BB	113	U	O4'-C1'-N1	6.96	113.77	108.20
26	BB	356	G	P-O3'-C3'	6.96	128.05	119.70
26	BB	618	G	C8-N9-C4	-6.96	103.62	106.40
26	BB	820	A	C5-N7-C8	6.96	107.38	103.90
26	BB	1639	C	N1-C2-O2	-6.96	114.73	118.90
26	BB	1823	G	N3-C4-C5	-6.96	125.12	128.60
26	BB	2640	G	N3-C4-C5	-6.96	125.12	128.60
26	BB	2869	G	C5'-C4'-O4'	6.96	117.45	109.10
1	AA	427	U	C4-C5-C6	6.96	123.87	119.70
1	AA	1381	U	C5-C6-N1	-6.96	119.22	122.70
26	BB	2789	C	N1-C2-O2	6.96	123.07	118.90
1	AA	853	C	N3-C4-C5	-6.95	119.12	121.90
1	AA	1018	G	O4'-C1'-N9	6.95	113.76	108.20
1	AA	1387	G	N1-C6-O6	6.95	124.07	119.90
2	AB	56	C	N3-C2-O2	-6.95	117.03	121.90
26	BB	733	G	C8-N9-C1'	6.95	136.04	127.00
26	BB	1382	G	C6-N1-C2	6.95	129.27	125.10
26	BB	1861	G	C5-N7-C8	-6.95	100.82	104.30
26	BB	2020	A	P-O3'-C3'	6.95	128.04	119.70
26	BB	2831	G	C5-C6-O6	-6.95	124.43	128.60
26	BB	2890	G	C8-N9-C4	6.95	109.18	106.40
1	AA	258	G	C8-N9-C4	-6.95	103.62	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	496	A	N7-C8-N9	6.95	117.28	113.80
1	AA	543	U	O4'-C1'-C2'	6.95	113.86	107.60
2	AB	52	A	C5-C6-N1	6.95	121.18	117.70
5	AE	115	ASP	CB-CG-OD1	-6.95	112.04	118.30
26	BB	984	A	C8-N9-C4	-6.95	103.02	105.80
26	BB	1296	G	C4-C5-C6	6.95	122.97	118.80
26	BB	2170	A	N7-C8-N9	6.95	117.28	113.80
26	BB	2570	G	N7-C8-N9	6.95	116.58	113.10
26	BB	2848	G	N7-C8-N9	6.95	116.58	113.10
1	AA	122	G	C6-C5-N7	-6.95	126.23	130.40
1	AA	152	A	C6-N1-C2	6.95	122.77	118.60
1	AA	1182	G	C5-N7-C8	-6.95	100.83	104.30
1	AA	1306	A	N9-C4-C5	6.95	108.58	105.80
26	BB	668	A	C5-C6-N6	-6.95	118.14	123.70
26	BB	874	G	N1-C6-O6	-6.95	115.73	119.90
1	AA	698	G	C6-C5-N7	-6.95	126.23	130.40
26	BB	941	A	O4'-C1'-N9	6.95	113.76	108.20
1	AA	1458	G	C2-N3-C4	6.95	115.37	111.90
26	BB	126	A	C8-N9-C4	-6.95	103.02	105.80
26	BB	976	G	N1-C2-N2	6.95	122.45	116.20
26	BB	1057	A	C4-C5-N7	6.95	114.17	110.70
26	BB	1393	A	N9-C4-C5	6.95	108.58	105.80
26	BB	1407	G	C5-N7-C8	6.95	107.77	104.30
26	BB	1663	G	C5-C6-O6	-6.95	124.43	128.60
26	BB	1765	U	P-O3'-C3'	6.95	128.03	119.70
26	BB	1776	G	C5-N7-C8	6.95	107.77	104.30
26	BB	2762	C	N3-C2-O2	-6.95	117.04	121.90
1	AA	350	G	C3'-C2'-C1'	6.94	107.06	101.50
1	AA	1169	A	N9-C4-C5	6.94	108.58	105.80
10	AJ	84	TYR	CB-CG-CD1	6.94	125.17	121.00
26	BB	113	U	N3-C4-C5	-6.94	110.43	114.60
26	BB	277	G	C5-C6-O6	-6.94	124.43	128.60
26	BB	1054	A	C4-C5-C6	6.94	120.47	117.00
26	BB	1423	G	C8-N9-C1'	6.94	136.03	127.00
26	BB	2349	G	C2-N3-C4	6.94	115.37	111.90
26	BB	2802	G	C5'-C4'-O4'	6.94	117.43	109.10
26	BB	2823	A	C5'-C4'-O4'	6.94	117.43	109.10
1	AA	1	A	C5'-C4'-O4'	6.94	117.43	109.10
1	AA	225	C	N1-C1'-C2'	-6.94	104.36	112.00
1	AA	973	G	P-O3'-C3'	6.94	128.03	119.70
1	AA	1052	U	N3-C2-O2	-6.94	117.34	122.20
1	AA	1253	G	C6-N1-C2	-6.94	120.93	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	AL	69	GLY	C-N-CA	6.94	136.88	122.30
26	BB	768	G	N7-C8-N9	6.94	116.57	113.10
26	BB	926	G	N3-C4-N9	6.94	130.16	126.00
26	BB	940	G	O4'-C1'-C2'	6.94	113.85	107.60
26	BB	1478	G	N3-C4-C5	-6.94	125.13	128.60
26	BB	1497	U	P-O3'-C3'	6.94	128.03	119.70
26	BB	2328	A	N1-C2-N3	-6.94	125.83	129.30
1	AA	187	G	N1-C2-N2	6.94	122.45	116.20
1	AA	1283	U	C5-C4-O4	-6.94	121.73	125.90
1	AA	1350	A	C8-N9-C4	-6.94	103.02	105.80
2	AB	30	G	O4'-C1'-N9	6.94	113.75	108.20
26	BB	432	A	C5'-C4'-O4'	6.94	117.43	109.10
26	BB	742	A	C2-N3-C4	6.94	114.07	110.60
26	BB	1212	G	C6-C5-N7	-6.94	126.24	130.40
26	BB	2005	A	N1-C6-N6	-6.94	114.44	118.60
26	BB	2176	A	C5-C6-N1	6.94	121.17	117.70
55	B4	38	PHE	CB-CG-CD2	-6.94	115.94	120.80
26	BB	2081	U	P-O3'-C3'	6.94	128.03	119.70
56	B5	33	ARG	NE-CZ-NH2	6.94	123.77	120.30
1	AA	14	U	C5-C6-N1	-6.94	119.23	122.70
1	AA	328	C	P-O3'-C3'	6.94	128.03	119.70
1	AA	358	U	C5-C6-N1	-6.94	119.23	122.70
1	AA	869	G	N9-C4-C5	6.94	108.17	105.40
1	AA	1221	G	C1'-O4'-C4'	6.94	115.45	109.90
1	AA	1448	C	C4'-C3'-C2'	-6.94	95.66	102.60
26	BB	218	A	O4'-C1'-C2'	-6.94	98.86	105.80
26	BB	838	C	C4'-C3'-C2'	-6.94	95.66	102.60
26	BB	856	G	O4'-C1'-N9	6.94	113.75	108.20
26	BB	918	A	O4'-C1'-C2'	6.94	113.84	107.60
26	BB	1513	U	C6-N1-C2	-6.94	116.84	121.00
26	BB	1715	G	N3-C2-N2	6.94	124.76	119.90
1	AA	67	C	O4'-C1'-N1	6.94	113.75	108.20
1	AA	280	C	N1-C2-O2	6.94	123.06	118.90
1	AA	303	A	C5-C6-N6	-6.94	118.15	123.70
1	AA	834	U	N1-C2-N3	6.94	119.06	114.90
26	BB	614	A	C5-N7-C8	6.94	107.37	103.90
26	BB	921	C	N1-C1'-C2'	-6.94	104.37	112.00
26	BB	1686	C	N3-C4-C5	6.94	124.67	121.90
26	BB	1857	G	C4-C5-N7	-6.94	108.03	110.80
26	BB	2216	G	N1-C6-O6	-6.94	115.74	119.90
26	BB	2486	C	C5'-C4'-O4'	6.94	117.42	109.10
26	BB	2543	G	C8-N9-C4	-6.94	103.63	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	278	G	N3-C4-C5	-6.93	125.13	128.60
1	AA	339	C	C1'-O4'-C4'	-6.93	104.35	109.90
3	AC	13	A	C5'-C4'-O4'	-6.93	100.78	109.10
12	AL	79	ARG	NE-CZ-NH2	-6.93	116.83	120.30
26	BB	306	U	N3-C4-C5	-6.93	110.44	114.60
26	BB	1438	U	C2-N3-C4	-6.93	122.84	127.00
26	BB	2741	A	C4-C5-C6	-6.93	113.53	117.00
1	AA	86	G	O4'-C1'-N9	6.93	113.75	108.20
1	AA	406	G	N3-C4-N9	6.93	130.16	126.00
1	AA	566	G	N3-C2-N2	6.93	124.75	119.90
1	AA	964	A	C5'-C4'-O4'	6.93	117.42	109.10
1	AA	1340	A	C5-C6-N6	6.93	129.25	123.70
1	AA	1410	A	P-O3'-C3'	6.93	128.02	119.70
3	AC	33	A	N9-C4-C5	6.93	108.57	105.80
26	BB	494	G	N7-C8-N9	-6.93	109.63	113.10
26	BB	1121	C	C6-N1-C2	-6.93	117.53	120.30
26	BB	1969	A	O4'-C1'-N9	-6.93	102.66	108.20
26	BB	2002	G	O4'-C1'-N9	6.93	113.75	108.20
26	BB	2230	G	O5'-P-OP2	-6.93	99.46	105.70
1	AA	50	A	C4-C5-N7	6.93	114.17	110.70
1	AA	51	A	C5-C6-N1	6.93	121.17	117.70
1	AA	505	G	N9-C4-C5	6.93	108.17	105.40
1	AA	568	G	C5-C6-N1	6.93	114.97	111.50
1	AA	1511	G	N3-C2-N2	6.93	124.75	119.90
26	BB	361	G	C6-N1-C2	6.93	129.26	125.10
26	BB	1157	G	C3'-C2'-C1'	6.93	107.04	101.50
43	BS	50	ARG	NE-CZ-NH2	-6.93	116.84	120.30
1	AA	31	G	N1-C2-N3	-6.93	119.74	123.90
1	AA	914	A	C5-C6-N1	6.93	121.16	117.70
26	BB	2291	U	N3-C4-C5	-6.93	110.44	114.60
1	AA	1179	A	C5-N7-C8	6.93	107.36	103.90
1	AA	1328	C	O4'-C1'-N1	6.93	113.74	108.20
1	AA	1392	G	O4'-C1'-N9	6.93	113.74	108.20
26	BB	178	G	C6-N1-C2	-6.93	120.94	125.10
26	BB	282	A	N1-C2-N3	-6.93	125.84	129.30
26	BB	761	A	C5-C6-N1	6.93	121.16	117.70
26	BB	1133	A	C4'-C3'-C2'	6.93	109.53	102.60
26	BB	1215	G	C1'-O4'-C4'	6.93	115.44	109.90
26	BB	1751	U	C6-N1-C2	6.93	125.16	121.00
26	BB	2542	A	C1'-O4'-C4'	-6.93	104.36	109.90
1	AA	24	U	C1'-O4'-C4'	6.92	115.44	109.90
1	AA	736	C	N3-C4-C5	6.92	124.67	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1165	U	C6-N1-C2	6.92	125.16	121.00
1	AA	1176	A	O4'-C1'-N9	6.92	113.74	108.20
1	AA	1413	A	C6-N1-C2	6.92	122.75	118.60
26	BB	247	G	N3-C2-N2	6.92	124.75	119.90
26	BB	868	U	N3-C4-O4	6.92	124.25	119.40
26	BB	1034	G	N9-C1'-C2'	-6.92	104.38	112.00
26	BB	1295	C	C5'-C4'-C3'	-6.92	104.92	116.00
26	BB	1619	G	C8-N9-C1'	6.92	136.00	127.00
40	BP	45	ARG	NE-CZ-NH1	-6.92	116.84	120.30
1	AA	1309	G	C8-N9-C4	-6.92	103.63	106.40
26	BB	854	C	N3-C4-N4	6.92	122.85	118.00
26	BB	2285	C	N3-C4-N4	6.92	122.85	118.00
1	AA	57	G	C3'-C2'-C1'	-6.92	95.96	101.50
1	AA	649	A	P-O3'-C3'	6.92	128.01	119.70
1	AA	909	A	N1-C6-N6	6.92	122.75	118.60
26	BB	1908	C	C5-C6-N1	6.92	124.46	121.00
26	BB	2012	G	N3-C4-C5	-6.92	125.14	128.60
1	AA	338	A	C5'-C4'-O4'	6.92	117.40	109.10
1	AA	376	G	C8-N9-C4	-6.92	103.63	106.40
1	AA	396	C	C5-C6-N1	-6.92	117.54	121.00
1	AA	598	U	C5-C6-N1	-6.92	119.24	122.70
1	AA	1360	A	C4-C5-N7	-6.92	107.24	110.70
3	AC	21	U	N3-C4-C5	-6.92	110.45	114.60
26	BB	296	U	N1-C2-N3	6.92	119.05	114.90
26	BB	766	U	O4'-C1'-N1	6.92	113.73	108.20
26	BB	2703	C	C6-N1-C2	6.92	123.07	120.30
1	AA	1130	A	C4-C5-N7	-6.92	107.24	110.70
1	AA	1217	C	N3-C4-N4	6.92	122.84	118.00
1	AA	1284	C	C6-N1-C2	-6.92	117.53	120.30
1	AA	1303	C	C4-C5-C6	6.92	120.86	117.40
25	BA	100	G	C5-C6-O6	6.92	132.75	128.60
26	BB	261	G	C4-C5-N7	-6.92	108.03	110.80
26	BB	449	A	C1'-O4'-C4'	6.92	115.43	109.90
26	BB	1002	G	C8-N9-C4	-6.92	103.63	106.40
1	AA	859	G	N3-C4-C5	6.92	132.06	128.60
1	AA	1104	G	C5-N7-C8	6.92	107.76	104.30
1	AA	1249	C	C6-N1-C1'	6.92	129.10	120.80
12	AL	5	TYR	CB-CG-CD2	6.92	125.15	121.00
15	AO	13	ARG	NE-CZ-NH2	-6.92	116.84	120.30
26	BB	149	A	N7-C8-N9	6.92	117.26	113.80
26	BB	1268	A	C5-C6-N1	6.92	121.16	117.70
26	BB	1496	A	C8-N9-C4	6.92	108.57	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1803	A	C4'-C3'-C2'	-6.92	95.69	102.60
26	BB	2508	G	N1-C2-N2	-6.92	109.98	116.20
1	AA	21	G	N3-C4-N9	6.91	130.15	126.00
1	AA	665	A	N7-C8-N9	6.91	117.26	113.80
1	AA	700	G	N3-C4-N9	6.91	130.15	126.00
1	AA	841	C	C5-C6-N1	6.91	124.46	121.00
1	AA	1053	G	C8-N9-C1'	6.91	135.99	127.00
12	AL	89	TYR	CB-CG-CD1	6.91	125.15	121.00
26	BB	169	G	N7-C8-N9	6.91	116.56	113.10
26	BB	640	C	N3-C2-O2	6.91	126.74	121.90
26	BB	710	U	N3-C2-O2	-6.91	117.36	122.20
26	BB	1006	C	C5'-C4'-O4'	6.91	117.40	109.10
26	BB	1565	C	N3-C2-O2	-6.91	117.06	121.90
26	BB	1744	A	C5-N7-C8	6.91	107.36	103.90
26	BB	1815	A	N7-C8-N9	6.91	117.26	113.80
26	BB	2295	C	C5-C6-N1	-6.91	117.54	121.00
26	BB	2438	U	N3-C4-C5	-6.91	110.45	114.60
26	BB	2519	U	C4'-C3'-C2'	-6.91	95.69	102.60
3	AC	55	A	N9-C4-C5	6.91	108.56	105.80
26	BB	1624	U	N3-C4-O4	6.91	124.24	119.40
26	BB	2426	A	O4'-C1'-C2'	-6.91	98.89	105.80
1	AA	53	A	C1'-O4'-C4'	-6.91	104.37	109.90
1	AA	485	U	C6-N1-C2	-6.91	116.85	121.00
25	BA	15	A	C3'-C2'-C1'	6.91	107.03	101.50
25	BA	53	A	N1-C6-N6	-6.91	114.45	118.60
26	BB	397	U	C2-N3-C4	-6.91	122.85	127.00
26	BB	569	U	C4-C5-C6	6.91	123.85	119.70
26	BB	1374	G	C4-C5-C6	-6.91	114.65	118.80
26	BB	1894	C	C6-N1-C2	-6.91	117.54	120.30
26	BB	2048	G	O4'-C1'-N9	-6.91	102.67	108.20
26	BB	2148	G	C4-C5-N7	6.91	113.56	110.80
26	BB	2558	C	N1-C2-O2	6.91	123.05	118.90
26	BB	2663	G	C5-C6-N1	6.91	114.95	111.50
26	BB	2782	G	N7-C8-N9	6.91	116.56	113.10
26	BB	2864	G	O4'-C1'-N9	6.91	113.73	108.20
26	BB	2876	G	C8-N9-C4	-6.91	103.64	106.40
1	AA	472	U	C5-C4-O4	6.91	130.04	125.90
1	AA	529	G	C5-C6-N1	-6.91	108.05	111.50
1	AA	542	G	C4'-C3'-C2'	-6.91	95.69	102.60
1	AA	556	C	O4'-C1'-N1	6.91	113.73	108.20
1	AA	697	U	N1-C1'-C2'	-6.91	104.40	112.00
1	AA	771	G	N9-C4-C5	-6.91	102.64	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1006	G	C5-C6-N1	6.91	114.95	111.50
1	AA	1378	C	C6-N1-C2	-6.91	117.54	120.30
26	BB	352	A	C8-N9-C4	-6.91	103.04	105.80
26	BB	1264	A	C5-C6-N1	6.91	121.16	117.70
26	BB	1824	G	C1'-O4'-C4'	6.91	115.43	109.90
26	BB	2043	C	N1-C2-N3	-6.91	114.36	119.20
26	BB	2417	C	O4'-C1'-N1	6.91	113.73	108.20
26	BB	2431	U	C5-C6-N1	6.91	126.15	122.70
26	BB	2515	C	N1-C2-O2	6.91	123.05	118.90
1	AA	364	A	C4-C5-C6	-6.91	113.55	117.00
1	AA	1253	G	P-O3'-C3'	6.91	127.99	119.70
26	BB	214	G	C5'-C4'-O4'	6.91	117.39	109.10
26	BB	1154	G	C5-C6-O6	6.91	132.74	128.60
26	BB	2067	G	O4'-C1'-N9	6.91	113.73	108.20
1	AA	341	C	C6-N1-C2	-6.91	117.54	120.30
1	AA	559	A	C2-N3-C4	-6.91	107.15	110.60
1	AA	765	G	C1'-O4'-C4'	-6.91	104.38	109.90
11	AK	90	GLU	OE1-CD-OE2	6.91	131.59	123.30
15	AO	85	ARG	NE-CZ-NH1	6.91	123.75	120.30
26	BB	2	G	N3-C4-C5	-6.91	125.15	128.60
26	BB	180	G	N7-C8-N9	6.91	116.55	113.10
26	BB	221	A	C6-C5-N7	6.91	137.13	132.30
26	BB	1024	G	C2-N3-C4	6.91	115.35	111.90
26	BB	1050	A	C5-N7-C8	-6.91	100.45	103.90
26	BB	1913	A	N1-C2-N3	6.91	132.75	129.30
26	BB	2227	A	C5-C6-N6	-6.91	118.17	123.70
26	BB	2282	G	N1-C2-N2	6.91	122.41	116.20
26	BB	2467	C	O4'-C1'-N1	6.91	113.72	108.20
1	AA	366	A	O4'-C1'-C2'	-6.90	98.90	105.80
26	BB	905	A	C8-N9-C4	6.90	108.56	105.80
26	BB	1516	G	C8-N9-C1'	6.90	135.97	127.00
52	B1	15	ARG	NE-CZ-NH2	6.90	123.75	120.30
1	AA	107	G	C6-N1-C2	-6.90	120.96	125.10
1	AA	459	A	C4-C5-N7	6.90	114.15	110.70
1	AA	579	A	C6-C5-N7	-6.90	127.47	132.30
1	AA	1124	G	C2-N3-C4	6.90	115.35	111.90
1	AA	1352	C	N3-C4-C5	-6.90	119.14	121.90
9	AI	45	ARG	NE-CZ-NH1	6.90	123.75	120.30
26	BB	869	G	N1-C2-N2	6.90	122.41	116.20
26	BB	1379	U	C6-N1-C2	6.90	125.14	121.00
26	BB	1626	A	O4'-C1'-N9	6.90	113.72	108.20
26	BB	2825	G	C6-C5-N7	-6.90	126.26	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	137	U	C4-C5-C6	6.90	123.84	119.70
1	AA	476	U	N3-C4-O4	6.90	124.23	119.40
1	AA	862	C	C1'-O4'-C4'	-6.90	104.38	109.90
2	AB	35	C	N3-C2-O2	-6.90	117.07	121.90
4	AD	2	G	N3-C2-N2	6.90	124.73	119.90
26	BB	891	G	C3'-C2'-C1'	-6.90	95.98	101.50
26	BB	1003	G	C5-C6-N1	6.90	114.95	111.50
26	BB	1589	U	N1-C2-N3	6.90	119.04	114.90
26	BB	1685	C	N3-C2-O2	-6.90	117.07	121.90
26	BB	2277	G	N7-C8-N9	6.90	116.55	113.10
26	BB	2812	G	N1-C6-O6	-6.90	115.76	119.90
1	AA	713	G	C8-N9-C4	-6.90	103.64	106.40
1	AA	1182	G	C6-C5-N7	-6.90	126.26	130.40
1	AA	1257	A	C5-C6-N1	6.90	121.15	117.70
2	AB	34	C	C5-C6-N1	-6.90	117.55	121.00
26	BB	99	U	O4'-C4'-C3'	6.90	111.62	106.10
26	BB	1349	C	C6-N1-C2	-6.90	117.54	120.30
26	BB	1655	A	C4-C5-N7	6.90	114.15	110.70
26	BB	1662	U	N1-C1'-C2'	-6.90	104.41	112.00
1	AA	558	G	C6-C5-N7	6.90	134.54	130.40
1	AA	1487	G	O4'-C1'-N9	6.90	113.72	108.20
11	AK	113	ARG	NH1-CZ-NH2	-6.90	111.81	119.40
26	BB	582	A	C1'-O4'-C4'	6.90	115.42	109.90
26	BB	1127	A	C5-C6-N1	6.90	121.15	117.70
26	BB	1159	U	N3-C4-C5	6.90	118.74	114.60
26	BB	1206	G	N3-C4-C5	-6.90	125.15	128.60
26	BB	1251	C	C2-N3-C4	-6.90	116.45	119.90
26	BB	1322	A	C4-C5-C6	-6.90	113.55	117.00
26	BB	904	G	N7-C8-N9	6.90	116.55	113.10
26	BB	1364	G	C2-N3-C4	-6.90	108.45	111.90
26	BB	1772	A	N9-C1'-C2'	-6.90	104.42	112.00
26	BB	2502	G	N9-C4-C5	6.90	108.16	105.40
1	AA	803	G	C5-C6-O6	-6.89	124.46	128.60
1	AA	846	G	N9-C4-C5	6.89	108.16	105.40
1	AA	923	A	N7-C8-N9	-6.89	110.35	113.80
1	AA	1144	G	N7-C8-N9	-6.89	109.65	113.10
2	AB	5	G	N3-C4-C5	-6.89	125.15	128.60
4	AD	60	A	C4-C5-C6	-6.89	113.55	117.00
26	BB	88	G	C3'-C2'-C1'	-6.89	95.98	101.50
26	BB	372	G	C6-C5-N7	-6.89	126.26	130.40
26	BB	950	G	C3'-C2'-C1'	-6.89	95.98	101.50
26	BB	1032	A	C5-C6-N6	-6.89	118.19	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1069	A	C1'-O4'-C4'	-6.89	104.39	109.90
26	BB	1142	A	O4'-C1'-N9	6.89	113.72	108.20
26	BB	1272	A	C6-N1-C2	6.89	122.74	118.60
26	BB	1283	G	C5-C6-O6	-6.89	124.46	128.60
26	BB	1569	A	N1-C2-N3	6.89	132.75	129.30
26	BB	1594	U	N1-C1'-C2'	-6.89	104.42	112.00
1	AA	941	G	C3'-C2'-C1'	6.89	107.02	101.50
1	AA	1109	C	O4'-C1'-N1	6.89	113.71	108.20
26	BB	22	C	C4-C5-C6	6.89	120.85	117.40
26	BB	23	G	C3'-C2'-C1'	6.89	107.01	101.50
26	BB	474	G	C6-N1-C2	-6.89	120.97	125.10
26	BB	778	G	C5-C6-N1	6.89	114.95	111.50
26	BB	1550	C	C5-C4-N4	-6.89	115.38	120.20
26	BB	1783	A	C5-C6-N1	6.89	121.15	117.70
26	BB	1984	G	N7-C8-N9	-6.89	109.65	113.10
26	BB	2108	A	C8-N9-C4	-6.89	103.04	105.80
26	BB	2395	C	C5-C4-N4	-6.89	115.38	120.20
26	BB	2426	A	C5-C6-N1	-6.89	114.25	117.70
26	BB	2496	C	C3'-C2'-C1'	6.89	107.01	101.50
1	AA	256	U	C5-C6-N1	-6.89	119.25	122.70
1	AA	1188	A	N9-C4-C5	6.89	108.56	105.80
26	BB	1218	G	N9-C4-C5	6.89	108.16	105.40
26	BB	1504	A	N9-C4-C5	-6.89	103.04	105.80
26	BB	1513	U	C5-C4-O4	-6.89	121.77	125.90
1	AA	355	C	N1-C1'-C2'	-6.89	104.42	112.00
1	AA	567	G	N9-C4-C5	6.89	108.16	105.40
1	AA	1035	A	O4'-C1'-N9	6.89	113.71	108.20
1	AA	1337	G	O4'-C1'-N9	6.89	113.71	108.20
25	BA	41	G	C2-N3-C4	6.89	115.34	111.90
25	BA	74	U	O4'-C1'-N1	6.89	113.71	108.20
26	BB	205	G	C5-C6-O6	6.89	132.73	128.60
26	BB	825	A	C8-N9-C4	-6.89	103.04	105.80
26	BB	974	G	C6-C5-N7	-6.89	126.27	130.40
26	BB	2159	G	N3-C4-C5	-6.89	125.16	128.60
26	BB	2355	G	C5'-C4'-O4'	6.89	117.37	109.10
1	AA	1005	A	N9-C4-C5	6.89	108.56	105.80
1	AA	1167	A	C5-N7-C8	-6.89	100.46	103.90
1	AA	1170	A	C8-N9-C4	-6.89	103.05	105.80
26	BB	248	G	C5'-C4'-O4'	-6.89	100.83	109.10
26	BB	1070	A	N7-C8-N9	-6.89	110.36	113.80
26	BB	1473	G	N3-C4-C5	-6.89	125.16	128.60
1	AA	137	U	C5-C6-N1	-6.89	119.26	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	739	A	C5-N7-C8	-6.89	100.46	103.90
26	BB	1162	G	N3-C4-C5	-6.89	125.16	128.60
26	BB	1690	A	C5-N7-C8	-6.89	100.46	103.90
47	BW	85	ARG	NE-CZ-NH1	6.89	123.74	120.30
1	AA	131	A	O4'-C4'-C3'	6.88	111.61	106.10
1	AA	289	G	C4-C5-C6	6.88	122.93	118.80
1	AA	340	U	O4'-C1'-N1	6.88	113.71	108.20
1	AA	673	A	C8-N9-C4	-6.88	103.05	105.80
1	AA	934	C	N3-C4-C5	-6.88	119.15	121.90
1	AA	1007	U	C5-C4-O4	-6.88	121.77	125.90
1	AA	1219	A	N1-C2-N3	-6.88	125.86	129.30
13	AM	50	THR	CA-CB-CG2	6.88	122.04	112.40
26	BB	37	C	N3-C4-C5	-6.88	119.15	121.90
26	BB	1230	A	O4'-C1'-N9	6.88	113.71	108.20
26	BB	2082	A	C4-C5-N7	6.88	114.14	110.70
1	AA	133	U	N1-C2-N3	6.88	119.03	114.90
26	BB	1974	C	C3'-C2'-C1'	6.88	107.01	101.50
26	BB	2729	G	N9-C4-C5	6.88	108.15	105.40
26	BB	2856	A	C5-N7-C8	-6.88	100.46	103.90
1	AA	50	A	P-O3'-C3'	6.88	127.96	119.70
1	AA	173	U	C5-C6-N1	-6.88	119.26	122.70
1	AA	1450	U	C4-C5-C6	6.88	123.83	119.70
26	BB	49	A	C4-C5-C6	6.88	120.44	117.00
26	BB	412	A	O4'-C4'-C3'	-6.88	97.12	104.00
26	BB	549	G	N3-C4-C5	-6.88	125.16	128.60
26	BB	620	G	C6-N1-C2	-6.88	120.97	125.10
26	BB	1344	U	N3-C2-O2	-6.88	117.38	122.20
26	BB	1514	G	N3-C4-C5	-6.88	125.16	128.60
1	AA	1206	G	N1-C2-N2	-6.88	110.01	116.20
1	AA	1249	C	C3'-C2'-C1'	6.88	107.00	101.50
25	BA	92	C	O4'-C1'-N1	6.88	113.70	108.20
26	BB	357	C	C6-N1-C2	6.88	123.05	120.30
26	BB	1265	A	C6-N1-C2	-6.88	114.47	118.60
1	AA	1384	C	N1-C2-O2	6.88	123.03	118.90
26	BB	21	A	C2-N3-C4	6.88	114.04	110.60
26	BB	2357	G	C4'-C3'-C2'	-6.88	95.72	102.60
26	BB	2898	U	C5-C4-O4	-6.88	121.77	125.90
1	AA	1110	A	N1-C6-N6	-6.88	114.47	118.60
1	AA	1319	A	C5'-C4'-C3'	-6.88	105.00	116.00
1	AA	1325	C	N3-C4-N4	6.88	122.81	118.00
2	AB	1	A	C5-C6-N6	6.88	129.20	123.70
4	AD	50	G	C5-C6-O6	6.88	132.73	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	177	G	C5-N7-C8	6.88	107.74	104.30
26	BB	252	G	C4-C5-C6	-6.88	114.67	118.80
26	BB	328	U	C1'-O4'-C4'	6.88	115.40	109.90
26	BB	1097	U	O3'-P-O5'	6.88	117.06	104.00
26	BB	1216	G	C5-C6-O6	6.88	132.72	128.60
26	BB	1392	A	C6-N1-C2	-6.88	114.47	118.60
26	BB	1826	G	C5'-C4'-C3'	-6.88	105.00	116.00
26	BB	2601	C	C4-C5-C6	6.88	120.84	117.40
37	BM	108	ARG	NE-CZ-NH1	6.88	123.74	120.30
1	AA	273	U	C2-N3-C4	-6.88	122.88	127.00
1	AA	671	G	N9-C4-C5	6.88	108.15	105.40
26	BB	47	C	C5-C4-N4	-6.88	115.39	120.20
26	BB	1693	U	C3'-C2'-C1'	6.88	107.00	101.50
26	BB	2839	G	N1-C2-N3	-6.88	119.78	123.90
1	AA	404	G	C4-C5-C6	6.87	122.92	118.80
1	AA	442	G	C5-C6-O6	-6.87	124.47	128.60
1	AA	847	G	C1'-O4'-C4'	-6.87	104.40	109.90
2	AB	72	U	C5-C6-N1	-6.87	119.26	122.70
26	BB	278	A	N1-C6-N6	-6.87	114.47	118.60
26	BB	1423	G	C4'-C3'-C2'	-6.87	95.73	102.60
26	BB	1438	U	C4'-C3'-C2'	-6.87	95.73	102.60
26	BB	1633	G	C5-N7-C8	-6.87	100.86	104.30
26	BB	1696	G	N3-C4-N9	6.87	130.12	126.00
26	BB	1766	G	C4-C5-N7	-6.87	108.05	110.80
26	BB	2110	G	C6-C5-N7	6.87	134.52	130.40
1	AA	5	U	C5-C6-N1	-6.87	119.26	122.70
1	AA	63	C	C1'-O4'-C4'	-6.87	104.40	109.90
1	AA	1119	C	O4'-C1'-N1	6.87	113.70	108.20
26	BB	850	U	O5'-P-OP1	-6.87	99.52	105.70
26	BB	1133	A	C4-C5-C6	6.87	120.44	117.00
26	BB	1994	C	O4'-C1'-N1	6.87	113.70	108.20
26	BB	2468	A	O4'-C4'-C3'	6.87	111.60	106.10
26	BB	2692	G	C5'-C4'-O4'	6.87	117.34	109.10
1	AA	825	A	C5-C6-N1	6.87	121.14	117.70
1	AA	1493	A	N7-C8-N9	6.87	117.23	113.80
26	BB	2663	G	N1-C2-N2	6.87	122.38	116.20
1	AA	406	G	C8-N9-C4	-6.87	103.65	106.40
1	AA	1040	U	N1-C2-O2	-6.87	117.99	122.80
25	BA	65	U	N3-C2-O2	-6.87	117.39	122.20
26	BB	1996	C	C6-N1-C2	-6.87	117.55	120.30
36	BL	15	TRP	CD1-NE1-CE2	6.87	115.18	109.00
1	AA	361	G	N3-C4-C5	-6.87	125.17	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2137	U	N1-C2-N3	6.87	119.02	114.90
26	BB	2661	G	N3-C4-C5	-6.87	125.17	128.60
26	BB	2850	A	C5-C6-N6	-6.87	118.21	123.70
1	AA	42	G	C5-N7-C8	-6.87	100.87	104.30
1	AA	645	G	N3-C4-N9	6.87	130.12	126.00
1	AA	1175	G	O4'-C1'-N9	6.87	113.69	108.20
26	BB	1591	A	N3-C4-C5	-6.87	122.00	126.80
26	BB	1987	A	C6-C5-N7	-6.87	127.50	132.30
26	BB	2239	G	N3-C2-N2	6.87	124.71	119.90
26	BB	2425	A	C8-N9-C4	-6.87	103.05	105.80
50	BZ	17	ARG	NE-CZ-NH2	6.87	123.73	120.30
1	AA	536	C	C4'-C3'-C2'	-6.86	95.74	102.60
1	AA	752	G	C8-N9-C4	-6.86	103.66	106.40
1	AA	1322	C	N1-C2-O2	6.86	123.02	118.90
25	BA	114	C	C6-N1-C2	-6.86	117.56	120.30
26	BB	458	G	C4-C5-N7	-6.86	108.05	110.80
26	BB	723	C	N3-C2-O2	-6.86	117.10	121.90
26	BB	1542	U	C2-N3-C4	-6.86	122.88	127.00
26	BB	2712	C	N3-C2-O2	-6.86	117.10	121.90
31	BG	98	PHE	CB-CG-CD2	-6.86	116.00	120.80
1	AA	1532	U	N3-C2-O2	-6.86	117.40	122.20
2	AB	67	G	N3-C4-N9	6.86	130.12	126.00
4	AD	30	G	C5-N7-C8	6.86	107.73	104.30
4	AD	53	G	C8-N9-C4	-6.86	103.66	106.40
26	BB	833	A	C8-N9-C4	-6.86	103.06	105.80
26	BB	2813	A	C5'-C4'-O4'	6.86	117.33	109.10
26	BB	2857	G	C8-N9-C4	-6.86	103.66	106.40
51	B0	7	ARG	NE-CZ-NH1	-6.86	116.87	120.30
1	AA	26	A	C4'-C3'-C2'	-6.86	95.74	102.60
1	AA	350	G	C4-C5-C6	6.86	122.92	118.80
1	AA	831	A	O4'-C1'-N9	6.86	113.69	108.20
26	BB	831	G	C6-C5-N7	-6.86	126.28	130.40
26	BB	2880	C	C4-C5-C6	-6.86	113.97	117.40
1	AA	104	G	O4'-C1'-N9	6.86	113.69	108.20
1	AA	207	C	C1'-O4'-C4'	6.86	115.39	109.90
1	AA	448	A	N7-C8-N9	6.86	117.23	113.80
1	AA	1403	C	P-O3'-C3'	6.86	127.93	119.70
26	BB	1104	C	O4'-C1'-N1	6.86	113.69	108.20
26	BB	1210	G	N9-C4-C5	6.86	108.14	105.40
26	BB	1515	A	C1'-O4'-C4'	-6.86	104.41	109.90
26	BB	1558	C	O4'-C1'-N1	6.86	113.69	108.20
26	BB	1959	G	C8-N9-C4	-6.86	103.66	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
47	BW	54	PRO	N-CD-CG	6.86	113.49	103.20
1	AA	333	U	C5-C4-O4	-6.86	121.79	125.90
1	AA	777	A	N3-C4-C5	-6.86	122.00	126.80
26	BB	57	C	C2-N3-C4	6.86	123.33	119.90
26	BB	325	G	N9-C4-C5	6.86	108.14	105.40
26	BB	790	U	P-O3'-C3'	6.86	127.93	119.70
26	BB	1152	C	N1-C2-N3	6.86	124.00	119.20
26	BB	1171	G	C6-C5-N7	6.86	134.51	130.40
26	BB	1376	C	C5'-C4'-O4'	-6.86	100.87	109.10
26	BB	1766	G	N9-C4-C5	6.86	108.14	105.40
26	BB	1906	G	C8-N9-C4	6.86	109.14	106.40
26	BB	2353	G	C3'-C2'-C1'	-6.86	96.01	101.50
1	AA	180	U	C4'-C3'-C2'	-6.86	95.75	102.60
1	AA	431	A	C5-N7-C8	6.86	107.33	103.90
1	AA	1105	A	O4'-C1'-N9	6.86	113.69	108.20
1	AA	1258	G	C4'-C3'-C2'	-6.86	95.74	102.60
1	AA	1484	C	N1-C2-O2	6.86	123.01	118.90
25	BA	6	G	C5-N7-C8	-6.86	100.87	104.30
26	BB	11	C	C4'-C3'-C2'	-6.86	95.74	102.60
26	BB	653	U	O4'-C1'-N1	6.86	113.68	108.20
26	BB	817	C	C5-C4-N4	-6.86	115.40	120.20
26	BB	1494	A	C4-C5-N7	-6.86	107.27	110.70
26	BB	1725	U	N3-C4-C5	-6.86	110.49	114.60
26	BB	1814	G	P-O3'-C3'	6.86	127.93	119.70
29	BE	59	ARG	NE-CZ-NH1	-6.86	116.87	120.30
39	BO	130	PHE	CB-CG-CD1	6.86	125.60	120.80
26	BB	26	G	C6-N1-C2	-6.85	120.99	125.10
26	BB	1560	G	C6-C5-N7	-6.85	126.29	130.40
26	BB	2080	A	C4-C5-N7	6.85	114.13	110.70
26	BB	2134	A	N1-C6-N6	6.85	122.71	118.60
1	AA	79	G	N1-C6-O6	6.85	124.01	119.90
1	AA	174	A	N1-C2-N3	-6.85	125.87	129.30
1	AA	734	G	N3-C4-C5	-6.85	125.17	128.60
26	BB	24	G	N7-C8-N9	6.85	116.53	113.10
26	BB	1169	A	C8-N9-C4	-6.85	103.06	105.80
26	BB	1410	G	N9-C4-C5	-6.85	102.66	105.40
26	BB	2644	G	O4'-C1'-N9	6.85	113.68	108.20
26	BB	2673	G	C4'-C3'-C2'	-6.85	95.75	102.60
26	BB	2868	A	C2-N3-C4	6.85	114.03	110.60
1	AA	280	C	O4'-C4'-C3'	6.85	111.58	106.10
1	AA	325	A	C4'-C3'-C2'	-6.85	95.75	102.60
1	AA	1534	A	C5-N7-C8	-6.85	100.47	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	348	G	C8-N9-C4	-6.85	103.66	106.40
1	AA	661	G	N7-C8-N9	6.85	116.53	113.10
1	AA	730	G	O4'-C1'-N9	6.85	113.68	108.20
1	AA	1493	A	N1-C2-N3	-6.85	125.88	129.30
26	BB	30	G	C1'-O4'-C4'	-6.85	104.42	109.90
26	BB	816	C	N1-C1'-C2'	-6.85	104.47	112.00
26	BB	1091	G	C8-N9-C4	6.85	109.14	106.40
26	BB	1457	U	N3-C2-O2	-6.85	117.41	122.20
26	BB	2438	U	N3-C4-O4	6.85	124.19	119.40
26	BB	2447	G	N3-C4-C5	-6.85	125.17	128.60
26	BB	2650	U	O4'-C1'-N1	6.85	113.68	108.20
26	BB	2876	G	N3-C4-N9	-6.85	121.89	126.00
1	AA	239	U	C4'-C3'-C2'	-6.85	95.75	102.60
1	AA	1006	G	C6-N1-C2	-6.85	120.99	125.10
1	AA	1369	C	C5-C6-N1	6.85	124.42	121.00
2	AB	18	G	C6-C5-N7	-6.85	126.29	130.40
2	AB	52	A	C5'-C4'-O4'	6.85	117.32	109.10
26	BB	96	C	O4'-C1'-N1	6.85	113.68	108.20
26	BB	1008	A	C3'-C2'-C1'	6.85	106.98	101.50
26	BB	1294	U	C4'-C3'-C2'	-6.85	95.75	102.60
26	BB	1607	C	C4'-C3'-C2'	-6.85	95.75	102.60
26	BB	1924	C	C5-C6-N1	6.85	124.42	121.00
26	BB	2807	U	P-O3'-C3'	6.85	127.92	119.70
26	BB	610	C	C4-C5-C6	-6.85	113.98	117.40
26	BB	2145	C	N1-C2-O2	6.85	123.01	118.90
31	BG	88	VAL	CA-CB-CG1	6.85	121.17	110.90
1	AA	786	G	C5'-C4'-O4'	6.84	117.31	109.10
1	AA	1241	G	N3-C4-N9	-6.84	121.89	126.00
1	AA	1393	U	P-O3'-C3'	6.84	127.91	119.70
1	AA	1435	G	C8-N9-C4	-6.84	103.66	106.40
26	BB	76	C	C5-C6-N1	-6.84	117.58	121.00
26	BB	89	A	C5'-C4'-O4'	6.84	117.31	109.10
26	BB	853	C	N1-C2-O2	6.84	123.01	118.90
26	BB	990	A	O4'-C1'-N9	6.84	113.67	108.20
26	BB	1222	U	N1-C2-N3	6.84	119.01	114.90
26	BB	1339	G	C2-N3-C4	6.84	115.32	111.90
26	BB	2389	G	O3'-P-O5'	-6.84	91.00	104.00
26	BB	2692	G	C6-C5-N7	-6.84	126.29	130.40
1	AA	365	U	C1'-O4'-C4'	-6.84	104.43	109.90
1	AA	665	A	O4'-C4'-C3'	-6.84	97.16	104.00
1	AA	838	G	C5-C6-N1	-6.84	108.08	111.50
26	BB	2444	G	N7-C8-N9	6.84	116.52	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	610	U	O4'-C1'-N1	6.84	113.67	108.20
1	AA	1135	U	C4-C5-C6	6.84	123.81	119.70
1	AA	1333	A	N7-C8-N9	6.84	117.22	113.80
26	BB	83	A	C5'-C4'-O4'	6.84	117.31	109.10
26	BB	944	C	C5-C6-N1	6.84	124.42	121.00
26	BB	1284	A	C4-C5-C6	6.84	120.42	117.00
26	BB	1628	G	C4-C5-N7	-6.84	108.06	110.80
26	BB	1889	A	C8-N9-C4	-6.84	103.06	105.80
26	BB	2414	G	N9-C4-C5	-6.84	102.66	105.40
1	AA	665	A	C4-C5-C6	-6.84	113.58	117.00
10	AJ	159	ARG	NE-CZ-NH2	-6.84	116.88	120.30
19	AS	17	TYR	CB-CG-CD2	-6.84	116.90	121.00
25	BA	4	C	N3-C4-N4	6.84	122.79	118.00
26	BB	187	G	C6-C5-N7	6.84	134.50	130.40
26	BB	694	U	O4'-C1'-N1	6.84	113.67	108.20
26	BB	823	C	C6-N1-C2	-6.84	117.56	120.30
26	BB	1103	A	C2-N3-C4	6.84	114.02	110.60
26	BB	1481	U	N1-C2-O2	6.84	127.59	122.80
26	BB	1792	G	N7-C8-N9	-6.84	109.68	113.10
26	BB	2365	G	C2-N3-C4	6.84	115.32	111.90
26	BB	2455	G	C6-N1-C2	-6.84	121.00	125.10
26	BB	2459	A	C4-C5-C6	-6.84	113.58	117.00
1	AA	900	A	C4-C5-C6	-6.84	113.58	117.00
1	AA	1324	A	C2-N3-C4	6.84	114.02	110.60
25	BA	101	A	C2-N3-C4	6.84	114.02	110.60
26	BB	462	C	C4-C5-C6	-6.84	113.98	117.40
26	BB	517	C	C2-N3-C4	6.84	123.32	119.90
26	BB	1849	G	N3-C4-C5	-6.84	125.18	128.60
26	BB	1992	G	C5-N7-C8	-6.84	100.88	104.30
26	BB	2532	G	C5-N7-C8	6.84	107.72	104.30
26	BB	2597	G	C5-N7-C8	-6.84	100.88	104.30
29	BE	80	TRP	CD1-NE1-CE2	6.84	115.15	109.00
52	B1	7	THR	CA-CB-CG2	6.84	121.97	112.40
1	AA	235	C	N3-C4-N4	6.84	122.78	118.00
1	AA	496	A	C8-N9-C4	-6.84	103.06	105.80
1	AA	502	A	N1-C6-N6	-6.84	114.50	118.60
1	AA	670	G	N3-C4-C5	-6.84	125.18	128.60
1	AA	1026	G	O4'-C1'-N9	6.84	113.67	108.20
1	AA	1115	U	N3-C2-O2	-6.84	117.41	122.20
26	BB	366	C	C2-N3-C4	6.84	123.32	119.90
26	BB	752	A	O4'-C4'-C3'	6.84	111.57	106.10
26	BB	1426	G	C6-C5-N7	-6.84	126.30	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1473	G	C6-N1-C2	-6.84	121.00	125.10
26	BB	2217	G	C5-N7-C8	-6.84	100.88	104.30
26	BB	2316	G	N3-C4-C5	-6.84	125.18	128.60
1	AA	1269	A	N9-C1'-C2'	-6.83	104.48	112.00
26	BB	1056	G	C4-C5-N7	-6.83	108.07	110.80
26	BB	1386	C	C5'-C4'-O4'	6.83	117.30	109.10
26	BB	1961	C	N3-C4-C5	-6.83	119.17	121.90
1	AA	63	C	C5-C4-N4	-6.83	115.42	120.20
1	AA	1319	A	C6-C5-N7	-6.83	127.52	132.30
3	AC	18	A	O4'-C1'-C2'	-6.83	98.97	105.80
4	AD	17	C	O3'-P-O5'	-6.83	91.02	104.00
25	BA	111	U	C5-C4-O4	-6.83	121.80	125.90
26	BB	1546	G	N3-C4-N9	-6.83	121.90	126.00
26	BB	2377	A	C5-C6-N1	-6.83	114.28	117.70
1	AA	378	G	C5-C6-O6	-6.83	124.50	128.60
26	BB	580	U	C2-N3-C4	-6.83	122.90	127.00
26	BB	1232	G	N3-C2-N2	-6.83	115.12	119.90
26	BB	1682	G	N3-C4-N9	6.83	130.10	126.00
26	BB	2162	G	C2-N3-C4	6.83	115.31	111.90
26	BB	2839	G	C5-C6-O6	-6.83	124.50	128.60
51	B0	23	ARG	NH1-CZ-NH2	-6.83	111.89	119.40
1	AA	776	G	N3-C4-N9	-6.83	121.90	126.00
1	AA	1245	C	N3-C2-O2	-6.83	117.12	121.90
1	AA	1468	A	C6-N1-C2	-6.83	114.50	118.60
4	AD	58	A	C5-C6-N6	6.83	129.16	123.70
25	BA	65	U	C6-N1-C2	-6.83	116.90	121.00
26	BB	410	G	C3'-C2'-C1'	-6.83	96.04	101.50
26	BB	446	G	C4-C5-C6	6.83	122.90	118.80
26	BB	1451	C	C2-N3-C4	6.83	123.31	119.90
26	BB	1788	C	C6-N1-C2	-6.83	117.57	120.30
35	BK	133	ARG	NE-CZ-NH1	6.83	123.72	120.30
1	AA	159	G	C8-N9-C4	-6.83	103.67	106.40
1	AA	343	U	C4'-C3'-C2'	-6.83	95.77	102.60
1	AA	406	G	C5-C6-N1	6.83	114.91	111.50
1	AA	554	A	N1-C6-N6	6.83	122.70	118.60
1	AA	1520	C	O4'-C1'-N1	6.83	113.66	108.20
2	AB	44	G	C5-C6-O6	-6.83	124.50	128.60
4	AD	32	G	C8-N9-C4	-6.83	103.67	106.40
26	BB	399	U	O4'-C1'-C2'	6.83	113.75	107.60
26	BB	505	A	C5-C6-N1	-6.83	114.28	117.70
26	BB	604	G	N1-C2-N3	-6.83	119.80	123.90
26	BB	1521	G	N3-C4-C5	-6.83	125.19	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1857	G	N3-C4-N9	6.83	130.10	126.00
1	AA	43	C	N1-C2-N3	-6.83	114.42	119.20
1	AA	504	C	C3'-C2'-C1'	6.83	106.96	101.50
1	AA	1023	U	N1-C2-O2	6.83	127.58	122.80
1	AA	1430	A	C5-C6-N1	6.83	121.11	117.70
26	BB	579	G	C5-C6-N1	6.83	114.91	111.50
26	BB	784	G	O5'-P-OP2	-6.83	99.56	105.70
26	BB	1529	G	N7-C8-N9	6.83	116.51	113.10
1	AA	89	U	C4-C5-C6	6.83	123.80	119.70
1	AA	208	U	C5-C4-O4	-6.83	121.81	125.90
1	AA	322	C	N3-C4-C5	-6.83	119.17	121.90
1	AA	971	G	C5-C6-O6	-6.83	124.50	128.60
1	AA	1068	G	C4-C5-N7	-6.83	108.07	110.80
2	AB	3	G	N1-C6-O6	-6.83	115.81	119.90
4	AD	31	G	N9-C1'-C2'	-6.83	104.49	112.00
26	BB	402	A	N9-C4-C5	6.83	108.53	105.80
26	BB	1187	G	O4'-C4'-C3'	6.83	111.56	106.10
26	BB	1257	C	C6-N1-C2	6.83	123.03	120.30
26	BB	1505	A	C6-N1-C2	6.83	122.69	118.60
26	BB	1608	A	C4-C5-N7	-6.83	107.29	110.70
26	BB	1739	A	C6-C5-N7	6.83	137.08	132.30
42	BR	98	TYR	CB-CG-CD2	-6.83	116.90	121.00
1	AA	1036	A	C4-C5-C6	-6.82	113.59	117.00
1	AA	1338	G	N3-C4-N9	6.82	130.09	126.00
2	AB	30	G	C5-N7-C8	-6.82	100.89	104.30
26	BB	93	G	N3-C4-N9	6.82	130.09	126.00
26	BB	293	U	C3'-C2'-C1'	-6.82	96.04	101.50
26	BB	411	G	N9-C4-C5	-6.82	102.67	105.40
26	BB	1220	G	C4-C5-C6	6.82	122.89	118.80
26	BB	1892	C	C4'-C3'-C2'	-6.82	95.78	102.60
26	BB	1963	U	N3-C2-O2	-6.82	117.42	122.20
26	BB	2397	G	N3-C2-N2	6.82	124.68	119.90
26	BB	2660	A	O4'-C1'-N9	6.82	113.66	108.20
26	BB	2661	G	C2-N3-C4	6.82	115.31	111.90
26	BB	2862	G	C5-N7-C8	-6.82	100.89	104.30
26	BB	2885	G	C2-N3-C4	6.82	115.31	111.90
1	AA	625	U	C4'-C3'-C2'	6.82	109.42	102.60
1	AA	1362	A	N7-C8-N9	6.82	117.21	113.80
1	AA	1517	G	N3-C4-C5	-6.82	125.19	128.60
26	BB	1519	G	N3-C2-N2	-6.82	115.12	119.90
1	AA	93	U	C3'-C2'-C1'	6.82	106.96	101.50
1	AA	128	G	C5-C6-N1	6.82	114.91	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1199	U	O4'-C1'-N1	6.82	113.66	108.20
1	AA	1242	G	C8-N9-C4	-6.82	103.67	106.40
1	AA	1303	C	C6-N1-C2	-6.82	117.57	120.30
1	AA	1450	U	N1-C1'-C2'	-6.82	104.50	112.00
4	AD	6	G	N3-C4-C5	-6.82	125.19	128.60
4	AD	76	C	C5'-C4'-C3'	6.82	126.91	116.00
26	BB	259	G	N3-C4-C5	6.82	132.01	128.60
26	BB	325	G	C5-C6-O6	-6.82	124.51	128.60
26	BB	804	A	N1-C2-N3	-6.82	125.89	129.30
26	BB	1455	G	C6-N1-C2	-6.82	121.01	125.10
26	BB	2135	A	N1-C2-N3	6.82	132.71	129.30
26	BB	2178	C	C5-C6-N1	6.82	124.41	121.00
26	BB	2198	A	C6-C5-N7	6.82	137.07	132.30
26	BB	2310	C	C5'-C4'-O4'	6.82	117.28	109.10
26	BB	2685	G	C6-N1-C2	-6.82	121.01	125.10
1	AA	27	G	C4-C5-C6	6.82	122.89	118.80
3	AC	17	U	C5'-C4'-O4'	6.82	117.28	109.10
26	BB	109	C	C5'-C4'-O4'	6.82	117.28	109.10
1	AA	345	C	N3-C2-O2	-6.82	117.13	121.90
1	AA	913	A	C8-N9-C4	-6.82	103.07	105.80
25	BA	8	C	N3-C4-N4	6.82	122.77	118.00
26	BB	360	U	N1-C2-N3	6.82	118.99	114.90
26	BB	806	C	O4'-C1'-N1	6.82	113.65	108.20
1	AA	698	G	C8-N9-C4	-6.82	103.67	106.40
1	AA	1341	U	C5-C6-N1	6.82	126.11	122.70
2	AB	57	G	C2-N3-C4	-6.82	108.49	111.90
3	AC	29	G	N3-C4-N9	6.82	130.09	126.00
14	AN	68	ARG	NE-CZ-NH2	-6.82	116.89	120.30
25	BA	27	C	O4'-C1'-C2'	6.82	113.73	107.60
26	BB	176	A	C4'-C3'-C2'	-6.82	95.78	102.60
26	BB	724	U	C4'-C3'-C2'	-6.82	95.78	102.60
26	BB	1245	G	C5-C6-O6	-6.82	124.51	128.60
1	AA	616	G	C4-N9-C1'	-6.81	117.64	126.50
26	BB	301	G	C5'-C4'-C3'	-6.81	105.10	116.00
26	BB	312	G	C5-C6-O6	-6.81	124.51	128.60
26	BB	814	C	C5'-C4'-O4'	6.81	117.28	109.10
31	BG	21	TYR	CB-CG-CD2	-6.81	116.91	121.00
1	AA	445	G	N3-C2-N2	-6.81	115.13	119.90
1	AA	1172	C	C5-C6-N1	6.81	124.41	121.00
26	BB	620	G	O4'-C1'-C2'	-6.81	98.99	105.80
26	BB	760	G	C5-C6-N1	6.81	114.91	111.50
26	BB	1663	G	C6-C5-N7	6.81	134.49	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1958	C	C6-N1-C2	-6.81	117.58	120.30
26	BB	2205	A	O4'-C1'-N9	6.81	113.65	108.20
26	BB	2389	G	N1-C2-N2	6.81	122.33	116.20
26	BB	2435	A	C4-C5-C6	-6.81	113.59	117.00
26	BB	2632	A	C5-C6-N1	-6.81	114.29	117.70
26	BB	2785	C	C1'-O4'-C4'	6.81	115.35	109.90
26	BB	2806	C	N1-C2-N3	-6.81	114.43	119.20
1	AA	470	C	C2-N3-C4	6.81	123.31	119.90
1	AA	1057	G	C4-C5-C6	6.81	122.89	118.80
25	BA	101	A	N9-C4-C5	-6.81	103.08	105.80
26	BB	1928	A	O4'-C4'-C3'	6.81	111.55	106.10
26	BB	2298	A	N9-C4-C5	6.81	108.52	105.80
1	AA	1122	U	N1-C2-O2	6.81	127.57	122.80
1	AA	1196	A	C6-C5-N7	6.81	137.07	132.30
2	AB	42	G	N3-C4-C5	-6.81	125.19	128.60
25	BA	59	A	O4'-C1'-N9	6.81	113.65	108.20
26	BB	917	A	C2-N3-C4	6.81	114.00	110.60
26	BB	956	G	C5-C6-O6	6.81	132.69	128.60
26	BB	1043	C	C4'-C3'-C2'	-6.81	95.79	102.60
26	BB	1349	C	N1-C1'-C2'	-6.81	104.51	112.00
26	BB	1564	C	C4-C5-C6	-6.81	114.00	117.40
26	BB	1732	C	C2-N3-C4	6.81	123.30	119.90
26	BB	1940	U	C2-N3-C4	6.81	131.09	127.00
26	BB	2328	A	N7-C8-N9	6.81	117.20	113.80
26	BB	2383	G	O4'-C1'-N9	6.81	113.65	108.20
26	BB	2557	G	N7-C8-N9	-6.81	109.69	113.10
1	AA	553	A	C4-C5-C6	6.81	120.40	117.00
25	BA	48	U	C5-C6-N1	-6.81	119.30	122.70
26	BB	116	C	C4'-C3'-C2'	-6.81	95.79	102.60
26	BB	202	U	C6-N1-C2	-6.81	116.92	121.00
26	BB	390	U	N3-C2-O2	-6.81	117.44	122.20
26	BB	1018	U	N1-C1'-C2'	-6.81	104.51	112.00
26	BB	2505	G	N7-C8-N9	-6.81	109.70	113.10
26	BB	2623	G	O4'-C1'-N9	6.81	113.65	108.20
1	AA	437	U	N3-C4-O4	6.81	124.16	119.40
1	AA	752	G	O4'-C1'-N9	6.81	113.64	108.20
1	AA	1179	A	C3'-C2'-C1'	-6.81	96.06	101.50
26	BB	806	C	N3-C2-O2	-6.81	117.14	121.90
26	BB	1040	A	N9-C4-C5	6.81	108.52	105.80
26	BB	1764	C	N3-C4-C5	-6.81	119.18	121.90
26	BB	2267	A	C4-C5-C6	-6.81	113.60	117.00
1	AA	91	U	N3-C4-O4	-6.80	114.64	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	992	U	P-O3'-C3'	6.80	127.86	119.70
1	AA	1222	G	C6-C5-N7	6.80	134.48	130.40
4	AD	2	G	C4-C5-N7	-6.80	108.08	110.80
26	BB	1252	G	C5-C6-O6	-6.80	124.52	128.60
26	BB	2436	G	C5-C6-O6	6.80	132.68	128.60
26	BB	2709	G	C5-C6-N1	6.80	114.90	111.50
1	AA	172	A	C5'-C4'-O4'	6.80	117.26	109.10
1	AA	589	U	C6-N1-C2	6.80	125.08	121.00
1	AA	1102	A	O4'-C1'-N9	6.80	113.64	108.20
26	BB	429	A	O4'-C1'-N9	6.80	113.64	108.20
26	BB	819	A	C5-C6-N6	-6.80	118.26	123.70
26	BB	1029	A	N1-C6-N6	6.80	122.68	118.60
26	BB	2278	A	N1-C2-N3	-6.80	125.90	129.30
4	AD	48	U	C5-C4-O4	-6.80	121.82	125.90
19	AS	2	VAL	CG1-CB-CG2	-6.80	100.02	110.90
26	BB	396	G	C5-C6-O6	-6.80	124.52	128.60
26	BB	1552	A	N9-C4-C5	6.80	108.52	105.80
26	BB	1568	G	C5-C6-N1	6.80	114.90	111.50
26	BB	2492	U	N3-C4-O4	6.80	124.16	119.40
26	BB	2756	U	N3-C4-C5	6.80	118.68	114.60
1	AA	41	G	N1-C2-N3	-6.80	119.82	123.90
1	AA	90	C	O4'-C1'-N1	6.80	113.64	108.20
1	AA	183	C	C5-C6-N1	6.80	124.40	121.00
1	AA	255	G	C1'-O4'-C4'	6.80	115.34	109.90
1	AA	623	C	O4'-C1'-N1	6.80	113.64	108.20
1	AA	798	U	C5-C6-N1	-6.80	119.30	122.70
1	AA	848	C	C2-N3-C4	6.80	123.30	119.90
1	AA	1074	G	N1-C2-N3	-6.80	119.82	123.90
2	AB	3	G	C2-N3-C4	6.80	115.30	111.90
4	AD	75	C	C6-N1-C2	-6.80	117.58	120.30
26	BB	38	A	C1'-O4'-C4'	-6.80	104.46	109.90
49	BY	2	HIS	CA-CB-CG	6.80	125.16	113.60
1	AA	922	G	C5'-C4'-O4'	6.80	117.26	109.10
26	BB	1859	U	N3-C4-O4	6.80	124.16	119.40
26	BB	2855	C	C6-N1-C2	-6.80	117.58	120.30
26	BB	1538	G	N1-C2-N3	-6.80	119.82	123.90
26	BB	2133	G	N1-C2-N2	-6.80	110.08	116.20
26	BB	2432	A	C2'-C3'-O3'	6.80	124.58	113.70
26	BB	2629	U	C1'-O4'-C4'	-6.80	104.46	109.90
26	BB	2798	U	C5-C6-N1	-6.80	119.30	122.70
1	AA	15	G	N1-C6-O6	6.79	123.98	119.90
1	AA	449	G	N9-C4-C5	-6.79	102.68	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	763	G	C4-C5-N7	-6.79	108.08	110.80
1	AA	862	C	C2-N3-C4	6.79	123.30	119.90
1	AA	380	G	C5'-C4'-O4'	6.79	117.25	109.10
1	AA	617	G	C8-N9-C4	-6.79	103.68	106.40
1	AA	1438	G	C6-C5-N7	-6.79	126.32	130.40
26	BB	1210	G	N1-C6-O6	6.79	123.98	119.90
26	BB	1243	C	C2-N1-C1'	-6.79	111.33	118.80
26	BB	1932	A	N1-C2-N3	6.79	132.70	129.30
26	BB	1980	G	C5-N7-C8	-6.79	100.90	104.30
26	BB	2397	G	C5-N7-C8	-6.79	100.90	104.30
26	BB	2454	G	N3-C4-N9	6.79	130.08	126.00
1	AA	391	G	C5-N7-C8	-6.79	100.91	104.30
1	AA	444	G	C5'-C4'-O4'	6.79	117.25	109.10
1	AA	445	G	C8-N9-C4	-6.79	103.68	106.40
1	AA	500	G	N1-C2-N2	-6.79	110.09	116.20
1	AA	1053	G	N9-C4-C5	6.79	108.12	105.40
26	BB	863	A	C4'-C3'-C2'	-6.79	95.81	102.60
26	BB	1055	G	C1'-O4'-C4'	-6.79	104.47	109.90
26	BB	1168	G	C1'-O4'-C4'	6.79	115.33	109.90
26	BB	2491	U	N1-C2-O2	6.79	127.55	122.80
28	BD	101	ARG	NE-CZ-NH2	-6.79	116.90	120.30
26	BB	663	G	N1-C6-O6	6.79	123.97	119.90
26	BB	2215	C	N1-C2-O2	6.79	122.97	118.90
26	BB	2341	G	O4'-C1'-N9	6.79	113.63	108.20
26	BB	2654	A	N1-C6-N6	-6.79	114.53	118.60
1	AA	169	C	C5-C6-N1	-6.79	117.61	121.00
1	AA	701	U	N1-C2-O2	6.79	127.55	122.80
1	AA	1401	G	C5'-C4'-C3'	-6.79	105.14	116.00
17	AQ	62	ARG	NE-CZ-NH2	6.79	123.69	120.30
26	BB	202	U	C4-C5-C6	6.79	123.77	119.70
26	BB	1125	G	C5'-C4'-O4'	6.79	117.25	109.10
26	BB	1213	A	N1-C2-N3	-6.79	125.91	129.30
26	BB	1426	G	N9-C4-C5	6.79	108.11	105.40
26	BB	1816	C	C6-N1-C1'	-6.79	112.65	120.80
26	BB	2592	G	C5'-C4'-C3'	-6.79	105.14	116.00
26	BB	2592	G	C3'-C2'-C1'	6.79	106.93	101.50
26	BB	2627	G	N1-C2-N2	-6.79	110.09	116.20
26	BB	2861	U	C5-C4-O4	-6.79	121.83	125.90
1	AA	27	G	O4'-C1'-C2'	6.79	113.71	107.60
1	AA	138	G	N7-C8-N9	6.79	116.49	113.10
1	AA	464	U	P-O3'-C3'	6.79	127.84	119.70
1	AA	901	A	P-O3'-C3'	6.79	127.84	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1163	A	C5-C6-N1	-6.79	114.31	117.70
26	BB	8	C	C2-N3-C4	6.79	123.29	119.90
26	BB	616	A	C5-C6-N1	6.79	121.09	117.70
26	BB	896	A	N9-C4-C5	6.79	108.52	105.80
26	BB	909	A	C6-C5-N7	6.79	137.05	132.30
26	BB	986	C	C5-C6-N1	6.79	124.39	121.00
26	BB	2716	C	C1'-O4'-C4'	6.79	115.33	109.90
1	AA	58	C	O4'-C1'-N1	6.79	113.63	108.20
1	AA	71	A	O4'-C1'-N9	6.79	113.63	108.20
1	AA	370	C	C6-N1-C2	-6.79	117.59	120.30
1	AA	1171	A	N3-C4-N9	6.79	132.83	127.40
1	AA	1525	G	C6-C5-N7	-6.79	126.33	130.40
25	BA	59	A	C5-N7-C8	-6.79	100.51	103.90
26	BB	1478	G	C6-N1-C2	-6.79	121.03	125.10
26	BB	2358	A	C5-C6-N6	-6.79	118.27	123.70
26	BB	2749	A	N7-C8-N9	6.79	117.19	113.80
1	AA	1520	C	C2-N3-C4	-6.78	116.51	119.90
2	AB	5	G	C1'-O4'-C4'	6.78	115.33	109.90
26	BB	157	C	C1'-O4'-C4'	6.78	115.33	109.90
26	BB	545	U	C5-C4-O4	-6.78	121.83	125.90
26	BB	663	G	C6-C5-N7	-6.78	126.33	130.40
26	BB	775	G	C5-C6-N1	6.78	114.89	111.50
26	BB	998	C	C6-N1-C2	-6.78	117.59	120.30
26	BB	1000	A	C8-N9-C4	-6.78	103.09	105.80
26	BB	1702	G	O4'-C1'-N9	6.78	113.63	108.20
26	BB	2346	A	O4'-C4'-C3'	6.78	111.53	106.10
1	AA	258	G	N9-C1'-C2'	-6.78	104.54	112.00
1	AA	739	C	N1-C2-O2	6.78	122.97	118.90
1	AA	1236	A	C6-N1-C2	-6.78	114.53	118.60
1	AA	1281	C	C5-C4-N4	6.78	124.95	120.20
2	AB	25	C	C4'-C3'-C2'	-6.78	95.82	102.60
26	BB	567	U	N3-C2-O2	-6.78	117.45	122.20
26	BB	614	A	N1-C2-N3	-6.78	125.91	129.30
26	BB	2248	C	C4'-C3'-C2'	-6.78	95.82	102.60
26	BB	2525	G	O4'-C1'-N9	6.78	113.63	108.20
1	AA	37	U	N1-C1'-C2'	-6.78	104.54	112.00
1	AA	195	A	C5-N7-C8	6.78	107.29	103.90
1	AA	632	U	C2-N3-C4	6.78	131.07	127.00
1	AA	851	G	N1-C2-N3	6.78	127.97	123.90
1	AA	1074	G	N3-C4-C5	-6.78	125.21	128.60
1	AA	1465	A	C4'-C3'-C2'	-6.78	95.82	102.60
3	AC	21	U	N3-C4-O4	6.78	124.15	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1613	G	O4'-C1'-N9	6.78	113.62	108.20
26	BB	2462	C	N3-C2-O2	-6.78	117.15	121.90
26	BB	2469	A	C5-N7-C8	-6.78	100.51	103.90
26	BB	2622	U	C3'-C2'-C1'	6.78	106.92	101.50
1	AA	354	G	N3-C2-N2	-6.78	115.16	119.90
26	BB	1562	U	N1-C2-O2	6.78	127.55	122.80
42	BR	26	GLU	OE1-CD-OE2	6.78	131.43	123.30
1	AA	34	C	O4'-C1'-N1	6.78	113.62	108.20
1	AA	855	U	O4'-C1'-N1	6.78	113.62	108.20
1	AA	881	G	C5'-C4'-C3'	-6.78	105.16	116.00
26	BB	22	C	C5-C6-N1	-6.78	117.61	121.00
26	BB	605	G	N3-C4-N9	6.78	130.07	126.00
26	BB	986	C	N3-C4-C5	6.78	124.61	121.90
26	BB	1081	U	C1'-O4'-C4'	-6.78	104.48	109.90
26	BB	2803	G	C3'-C2'-C1'	-6.78	96.08	101.50
1	AA	119	A	C2-N3-C4	6.78	113.99	110.60
1	AA	246	A	C1'-O4'-C4'	6.78	115.32	109.90
1	AA	564	C	C5'-C4'-O4'	6.78	117.23	109.10
1	AA	1090	U	C5'-C4'-O4'	6.78	117.23	109.10
1	AA	1507	A	N9-C4-C5	6.78	108.51	105.80
2	AB	60	U	C5-C4-O4	6.78	129.97	125.90
26	BB	1878	G	C2-N3-C4	6.78	115.29	111.90
26	BB	1996	C	O4'-C4'-C3'	6.78	111.52	106.10
26	BB	2086	U	N3-C4-O4	6.78	124.14	119.40
26	BB	2277	G	C3'-C2'-C1'	-6.78	96.08	101.50
26	BB	2722	G	C5-C6-N1	6.78	114.89	111.50
25	BA	39	A	N3-C4-N9	-6.77	121.98	127.40
26	BB	372	G	N1-C2-N2	-6.77	110.10	116.20
26	BB	764	A	C4'-C3'-C2'	6.77	109.37	102.60
26	BB	1006	C	N1-C2-O2	6.77	122.96	118.90
26	BB	1528	A	N9-C1'-C2'	-6.77	104.55	112.00
26	BB	1562	U	N3-C2-O2	-6.77	117.46	122.20
26	BB	2415	G	C5-C6-N1	6.77	114.89	111.50
1	AA	443	C	C5'-C4'-O4'	6.77	117.23	109.10
1	AA	463	U	N1-C2-N3	6.77	118.96	114.90
1	AA	592	G	C1'-O4'-C4'	-6.77	104.48	109.90
1	AA	912	C	N1-C2-N3	6.77	123.94	119.20
1	AA	948	C	O4'-C1'-N1	6.77	113.62	108.20
4	AD	52	C	N3-C4-C5	-6.77	119.19	121.90
26	BB	255	A	C4-C5-N7	-6.77	107.31	110.70
26	BB	997	G	C5-N7-C8	6.77	107.69	104.30
26	BB	1002	G	N3-C4-N9	6.77	130.06	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1536	C	C5-C4-N4	-6.77	115.46	120.20
26	BB	1692	U	N1-C2-O2	6.77	127.54	122.80
26	BB	1713	A	O4'-C1'-N9	6.77	113.62	108.20
26	BB	2175	C	C1'-O4'-C4'	6.77	115.32	109.90
26	BB	2203	U	N1-C2-N3	6.77	118.96	114.90
1	AA	851	G	N3-C2-N2	-6.77	115.16	119.90
26	BB	1016	G	C8-N9-C4	-6.77	103.69	106.40
26	BB	2024	G	C4'-C3'-C2'	-6.77	95.83	102.60
34	BJ	45	ARG	CD-NE-CZ	6.77	133.08	123.60
1	AA	449	G	C6-C5-N7	-6.77	126.34	130.40
1	AA	605	U	C5-C6-N1	6.77	126.08	122.70
1	AA	812	G	N9-C1'-C2'	6.77	122.80	114.00
1	AA	1388	C	O4'-C1'-N1	6.77	113.61	108.20
26	BB	957	C	O4'-C1'-N1	6.77	113.61	108.20
26	BB	1342	A	N1-C2-N3	-6.77	125.92	129.30
26	BB	2588	G	C5-N7-C8	-6.77	100.92	104.30
26	BB	2693	G	C5-C6-N1	-6.77	108.11	111.50
26	BB	2718	G	N3-C4-C5	-6.77	125.22	128.60
1	AA	183	C	C4-C5-C6	-6.77	114.02	117.40
1	AA	734	G	N3-C2-N2	6.77	124.64	119.90
1	AA	894	G	C8-N9-C4	-6.77	103.69	106.40
1	AA	1079	G	C6-C5-N7	-6.77	126.34	130.40
1	AA	1461	G	C5'-C4'-O4'	6.77	117.22	109.10
26	BB	1237	A	O4'-C1'-N9	6.77	113.61	108.20
26	BB	1768	C	N3-C2-O2	-6.77	117.16	121.90
26	BB	1949	G	C5-N7-C8	6.77	107.68	104.30
26	BB	2033	A	C5-C6-N6	-6.77	118.29	123.70
26	BB	2097	A	C5'-C4'-O4'	6.77	117.22	109.10
26	BB	2354	C	P-O3'-C3'	6.77	127.82	119.70
26	BB	2670	A	N1-C6-N6	6.77	122.66	118.60
26	BB	2801	G	C5'-C4'-O4'	6.77	117.22	109.10
26	BB	2883	A	C6-C5-N7	6.77	137.04	132.30
1	AA	1497	G	C2-N3-C4	6.77	115.28	111.90
1	AA	1531	A	C6-N1-C2	6.77	122.66	118.60
3	AC	17	U	C4'-C3'-C2'	-6.77	95.83	102.60
26	BB	254	G	C3'-C2'-C1'	6.77	106.91	101.50
26	BB	389	G	C6-C5-N7	6.77	134.46	130.40
26	BB	1723	G	O4'-C1'-N9	6.77	113.61	108.20
26	BB	2671	G	N7-C8-N9	6.77	116.48	113.10
26	BB	2734	A	C4'-C3'-C2'	-6.77	95.83	102.60
1	AA	301	G	C2-N3-C4	-6.76	108.52	111.90
1	AA	309	A	N3-C4-N9	6.76	132.81	127.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1356	G	N7-C8-N9	6.76	116.48	113.10
26	BB	338	G	C5-C6-O6	-6.76	124.54	128.60
26	BB	351	C	N3-C4-N4	6.76	122.74	118.00
26	BB	967	U	C1'-O4'-C4'	6.76	115.31	109.90
26	BB	2077	A	N9-C4-C5	6.76	108.51	105.80
26	BB	2431	U	P-O3'-C3'	6.76	127.82	119.70
45	BU	25	ARG	NE-CZ-NH2	-6.76	116.92	120.30
1	AA	28	A	N9-C4-C5	6.76	108.50	105.80
1	AA	241	G	C3'-C2'-C1'	-6.76	96.09	101.50
26	BB	998	C	C3'-C2'-C1'	6.76	106.91	101.50
26	BB	2232	C	O4'-C1'-N1	6.76	113.61	108.20
1	AA	309	A	C6-C5-N7	-6.76	127.57	132.30
1	AA	1361	G	C8-N9-C1'	6.76	135.79	127.00
2	AB	67	G	C4-C5-N7	-6.76	108.09	110.80
26	BB	499	U	C2-N3-C4	-6.76	122.94	127.00
26	BB	1044	C	C5'-C4'-O4'	6.76	117.21	109.10
26	BB	1057	A	C3'-C2'-C1'	-6.76	96.09	101.50
26	BB	1214	A	N3-C4-C5	-6.76	122.07	126.80
26	BB	1296	G	C6-C5-N7	-6.76	126.34	130.40
26	BB	1473	G	N3-C2-N2	6.76	124.63	119.90
26	BB	1585	C	C5'-C4'-C3'	-6.76	105.18	116.00
26	BB	1731	G	N1-C2-N3	-6.76	119.84	123.90
26	BB	2060	A	C5-N7-C8	-6.76	100.52	103.90
26	BB	2067	G	C5'-C4'-C3'	-6.76	105.18	116.00
26	BB	2890	G	N7-C8-N9	-6.76	109.72	113.10
1	AA	194	C	C6-N1-C2	6.76	123.00	120.30
1	AA	246	A	C8-N9-C4	-6.76	103.10	105.80
1	AA	627	G	C2-N3-C4	6.76	115.28	111.90
1	AA	1176	A	N3-C4-N9	6.76	132.81	127.40
2	AB	29	G	C6-C5-N7	-6.76	126.34	130.40
26	BB	477	A	N1-C6-N6	-6.76	114.54	118.60
26	BB	519	U	C4-C5-C6	6.76	123.75	119.70
26	BB	524	G	O4'-C1'-N9	6.76	113.61	108.20
26	BB	804	A	C8-N9-C4	-6.76	103.10	105.80
26	BB	1015	U	C5-C6-N1	6.76	126.08	122.70
26	BB	2384	U	C4-C5-C6	6.76	123.76	119.70
26	BB	2799	A	C4-C5-N7	-6.76	107.32	110.70
26	BB	2853	C	N3-C4-N4	6.76	122.73	118.00
53	B2	51	VAL	CA-CB-CG2	6.76	121.04	110.90
1	AA	170	U	N3-C4-C5	6.76	118.66	114.60
1	AA	418	C	C6-N1-C2	-6.76	117.60	120.30
1	AA	540	G	C4-C5-C6	6.76	122.86	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	632	U	N3-C4-C5	-6.76	110.55	114.60
1	AA	459	A	N9-C4-C5	-6.76	103.10	105.80
1	AA	534	U	N3-C2-O2	6.76	126.93	122.20
1	AA	585	G	C4-C5-C6	6.76	122.85	118.80
1	AA	627	G	C4-N9-C1'	-6.76	117.72	126.50
1	AA	942	G	C6-N1-C2	-6.76	121.05	125.10
25	BA	106	G	C3'-C2'-C1'	-6.76	96.09	101.50
26	BB	68	G	N7-C8-N9	6.76	116.48	113.10
26	BB	157	C	N1-C2-O2	6.76	122.95	118.90
26	BB	1292	G	N1-C2-N3	-6.76	119.85	123.90
26	BB	1375	U	N1-C1'-C2'	-6.76	104.57	112.00
26	BB	1517	G	C5-C6-O6	6.76	132.65	128.60
26	BB	1722	A	C5-C6-N1	6.76	121.08	117.70
26	BB	2013	A	C8-N9-C4	6.76	108.50	105.80
26	BB	2569	G	N1-C6-O6	6.76	123.95	119.90
4	AD	47	A	C4-C5-C6	-6.75	113.62	117.00
26	BB	15	G	O5'-P-OP1	-6.75	99.62	105.70
26	BB	195	A	C5'-C4'-O4'	6.75	117.21	109.10
26	BB	451	U	O4'-C1'-N1	6.75	113.60	108.20
26	BB	1574	C	P-O3'-C3'	6.75	127.81	119.70
36	BL	99	ARG	NE-CZ-NH2	6.75	123.68	120.30
1	AA	835	U	N3-C4-C5	-6.75	110.55	114.60
4	AD	17	C	N3-C2-O2	-6.75	117.17	121.90
6	AF	41	TYR	CB-CG-CD2	6.75	125.05	121.00
15	AO	120	ARG	NE-CZ-NH2	-6.75	116.92	120.30
26	BB	697	G	N1-C6-O6	-6.75	115.85	119.90
26	BB	915	C	C1'-O4'-C4'	-6.75	104.50	109.90
26	BB	1529	G	C4-C5-N7	-6.75	108.10	110.80
26	BB	1758	U	C4-C5-C6	6.75	123.75	119.70
26	BB	2670	A	C4-C5-C6	6.75	120.38	117.00
1	AA	239	U	C2-N3-C4	-6.75	122.95	127.00
1	AA	301	G	C5-C6-N1	6.75	114.88	111.50
1	AA	337	G	O4'-C1'-N9	6.75	113.60	108.20
1	AA	338	A	C4'-C3'-C2'	-6.75	95.85	102.60
1	AA	567	G	C4-C5-N7	-6.75	108.10	110.80
1	AA	721	G	C6-N1-C2	-6.75	121.05	125.10
1	AA	1336	C	C5-C6-N1	6.75	124.38	121.00
1	AA	1347	G	N1-C2-N3	-6.75	119.85	123.90
1	AA	1380	U	C4-C5-C6	6.75	123.75	119.70
26	BB	28	A	O4'-C1'-C2'	6.75	113.68	107.60
26	BB	1392	A	C8-N9-C4	-6.75	103.10	105.80
26	BB	1563	U	C5-C4-O4	-6.75	121.85	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2526	G	N1-C6-O6	-6.75	115.85	119.90
26	BB	2803	G	C5-C6-O6	-6.75	124.55	128.60
1	AA	205	A	C5-C6-N6	6.75	129.10	123.70
1	AA	300	A	C8-N9-C4	-6.75	103.10	105.80
1	AA	1421	G	C4-C5-C6	6.75	122.85	118.80
26	BB	623	C	C3'-C2'-C1'	-6.75	96.10	101.50
26	BB	1028	A	N7-C8-N9	6.75	117.17	113.80
26	BB	1163	G	N9-C1'-C2'	-6.75	104.58	112.00
26	BB	1685	C	N1-C2-O2	6.75	122.95	118.90
26	BB	1694	C	O4'-C1'-C2'	-6.75	99.05	105.80
1	AA	537	G	C2-N3-C4	6.75	115.27	111.90
3	AC	28	U	C5-C6-N1	-6.75	119.33	122.70
26	BB	489	G	C5-C6-O6	-6.75	124.55	128.60
26	BB	563	A	C4-C5-C6	-6.75	113.63	117.00
26	BB	687	C	C2-N3-C4	-6.75	116.53	119.90
26	BB	860	U	C4-C5-C6	-6.75	115.65	119.70
26	BB	1760	C	C5'-C4'-O4'	-6.75	101.00	109.10
26	BB	2484	G	C4-C5-C6	6.75	122.85	118.80
26	BB	2690	U	N3-C2-O2	-6.75	117.48	122.20
1	AA	102	G	N9-C4-C5	6.75	108.10	105.40
1	AA	647	C	O4'-C1'-N1	6.75	113.60	108.20
1	AA	1048	G	C5'-C4'-O4'	6.75	117.19	109.10
1	AA	1292	G	N3-C2-N2	-6.75	115.18	119.90
1	AA	1320	C	C4-C5-C6	-6.75	114.03	117.40
14	AN	75	GLU	OE1-CD-OE2	6.75	131.40	123.30
25	BA	22	U	O4'-C4'-C3'	6.75	111.50	106.10
26	BB	262	A	C5-N7-C8	-6.75	100.53	103.90
26	BB	356	G	N3-C4-N9	6.75	130.05	126.00
26	BB	700	G	C4-C5-N7	-6.75	108.10	110.80
26	BB	1177	G	C1'-O4'-C4'	-6.75	104.50	109.90
26	BB	1510	G	C6-N1-C2	-6.75	121.05	125.10
26	BB	2101	A	C5-N7-C8	-6.75	100.53	103.90
26	BB	2379	G	C5-C6-N1	6.75	114.87	111.50
26	BB	2494	G	C6-C5-N7	-6.75	126.35	130.40
1	AA	864	A	C6-N1-C2	-6.75	114.55	118.60
10	AJ	154	ARG	NE-CZ-NH2	-6.75	116.93	120.30
26	BB	143	C	C5-C6-N1	6.75	124.37	121.00
26	BB	1228	G	C6-N1-C2	-6.75	121.05	125.10
26	BB	1280	G	C6-C5-N7	-6.75	126.35	130.40
26	BB	1554	U	O4'-C1'-N1	6.75	113.60	108.20
1	AA	1	A	N1-C2-N3	-6.74	125.93	129.30
1	AA	10	A	C4-C5-N7	-6.74	107.33	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	691	G	O4'-C4'-C3'	6.74	111.50	106.10
1	AA	1050	G	O4'-C1'-N9	6.74	113.59	108.20
4	AD	3	C	N1-C2-O2	6.74	122.95	118.90
26	BB	1181	U	O4'-C1'-N1	6.74	113.59	108.20
26	BB	1753	G	C5-C6-N1	6.74	114.87	111.50
26	BB	1756	G	C5-C6-O6	-6.74	124.55	128.60
26	BB	2095	A	N1-C6-N6	-6.74	114.55	118.60
26	BB	2486	C	N3-C2-O2	-6.74	117.18	121.90
26	BB	2856	A	C4-C5-C6	-6.74	113.63	117.00
1	AA	421	U	O4'-C4'-C3'	6.74	111.49	106.10
1	AA	821	G	N9-C4-C5	-6.74	102.70	105.40
1	AA	975	A	N9-C4-C5	-6.74	103.10	105.80
1	AA	1098	C	N3-C4-C5	-6.74	119.20	121.90
6	AF	131	ARG	CD-NE-CZ	6.74	133.04	123.60
25	BA	20	G	N1-C2-N2	6.74	122.27	116.20
26	BB	2455	G	N1-C2-N2	6.74	122.27	116.20
26	BB	2491	U	C4'-C3'-C2'	-6.74	95.86	102.60
26	BB	2886	A	C6-N1-C2	6.74	122.64	118.60
1	AA	392	C	N1-C2-O2	6.74	122.94	118.90
1	AA	761	G	N3-C4-C5	-6.74	125.23	128.60
1	AA	771	G	O5'-P-OP2	-6.74	99.63	105.70
1	AA	804	U	C5-C4-O4	-6.74	121.86	125.90
1	AA	1127	G	C3'-C2'-C1'	6.74	106.89	101.50
1	AA	1139	G	N3-C4-N9	-6.74	121.95	126.00
1	AA	1246	A	C6-N1-C2	-6.74	114.56	118.60
26	BB	300	A	N1-C6-N6	6.74	122.64	118.60
26	BB	743	A	N9-C4-C5	6.74	108.50	105.80
26	BB	987	C	C5-C6-N1	-6.74	117.63	121.00
26	BB	1056	G	C1'-O4'-C4'	6.74	115.29	109.90
26	BB	1070	A	C8-N9-C4	6.74	108.50	105.80
26	BB	1273	U	N1-C2-N3	6.74	118.94	114.90
26	BB	1383	A	C5-C6-N1	6.74	121.07	117.70
26	BB	1476	U	N1-C2-N3	6.74	118.94	114.90
26	BB	2711	A	C1'-O4'-C4'	-6.74	104.51	109.90
1	AA	480	U	C6-N1-C2	-6.74	116.96	121.00
1	AA	812	G	N9-C4-C5	6.74	108.09	105.40
1	AA	1530	G	C5-C6-N1	6.74	114.87	111.50
4	AD	46	G	O3'-P-O5'	-6.74	91.20	104.00
26	BB	1113	U	N3-C4-O4	-6.74	114.68	119.40
1	AA	269	C	C5-C4-N4	6.74	124.92	120.20
1	AA	1218	C	N1-C2-N3	6.74	123.92	119.20
1	AA	1496	C	N3-C2-O2	-6.74	117.18	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	120	U	C5-C4-O4	6.74	129.94	125.90
26	BB	1791	A	C2-N3-C4	6.74	113.97	110.60
1	AA	787	A	C3'-C2'-C1'	-6.74	96.11	101.50
1	AA	1105	A	C4-C5-C6	-6.74	113.63	117.00
1	AA	1437	A	C8-N9-C4	-6.74	103.11	105.80
3	AC	21	U	C4'-C3'-C2'	6.74	109.34	102.60
26	BB	993	G	C6-N1-C2	-6.74	121.06	125.10
38	BN	2	ARG	NH1-CZ-NH2	-6.74	111.99	119.40
1	AA	312	C	C3'-C2'-C1'	6.73	106.89	101.50
1	AA	732	C	C5-C6-N1	-6.73	117.63	121.00
1	AA	1104	G	C5-C6-O6	-6.73	124.56	128.60
26	BB	469	G	N1-C6-O6	-6.73	115.86	119.90
26	BB	2514	U	N3-C2-O2	-6.73	117.49	122.20
1	AA	39	G	O4'-C1'-N9	6.73	113.59	108.20
1	AA	73	C	N3-C4-C5	-6.73	119.21	121.90
1	AA	1171	A	N3-C4-C5	-6.73	122.09	126.80
1	AA	1422	G	N7-C8-N9	6.73	116.47	113.10
2	AB	15	A	C5'-C4'-O4'	6.73	117.18	109.10
4	AD	15	G	N1-C6-O6	-6.73	115.86	119.90
4	AD	75	C	N3-C2-O2	-6.73	117.19	121.90
26	BB	309	A	C2-N3-C4	6.73	113.97	110.60
26	BB	1052	C	O4'-C1'-N1	6.73	113.59	108.20
26	BB	1377	G	C4-C5-C6	-6.73	114.76	118.80
26	BB	2197	U	O4'-C1'-N1	6.73	113.58	108.20
26	BB	2739	U	O4'-C1'-N1	6.73	113.58	108.20
1	AA	1204	A	N9-C4-C5	6.73	108.49	105.80
1	AA	1248	A	C4'-C3'-C2'	-6.73	95.87	102.60
1	AA	1489	G	C4-C5-N7	-6.73	108.11	110.80
2	AB	15	A	C6-N1-C2	6.73	122.64	118.60
26	BB	216	A	N9-C1'-C2'	-6.73	104.59	112.00
26	BB	538	A	C6-N1-C2	-6.73	114.56	118.60
26	BB	716	A	C4'-C3'-C2'	-6.73	95.87	102.60
26	BB	790	U	C2-N1-C1'	6.73	125.78	117.70
26	BB	1307	A	C4-C5-C6	-6.73	113.64	117.00
26	BB	2738	A	C4-C5-C6	-6.73	113.63	117.00
1	AA	190	A	C4-C5-C6	6.73	120.36	117.00
1	AA	965	U	N3-C4-O4	6.73	124.11	119.40
26	BB	1068	G	N1-C2-N3	-6.73	119.86	123.90
26	BB	1567	G	O4'-C1'-C2'	-6.73	99.07	105.80
26	BB	2267	A	C8-N9-C4	-6.73	103.11	105.80
26	BB	2296	U	N1-C2-O2	-6.73	118.09	122.80
26	BB	2448	A	C4-C5-N7	-6.73	107.33	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	BN	18	ARG	NE-CZ-NH1	6.73	123.66	120.30
1	AA	102	G	C2-N3-C4	6.73	115.26	111.90
1	AA	546	A	C5-N7-C8	-6.73	100.54	103.90
1	AA	928	G	C4-N9-C1'	-6.73	117.75	126.50
1	AA	1064	G	C2-N3-C4	6.73	115.26	111.90
1	AA	1366	C	C4-C5-C6	6.73	120.76	117.40
1	AA	1448	C	C5-C4-N4	-6.73	115.49	120.20
26	BB	158	U	C6-N1-C2	-6.73	116.96	121.00
26	BB	240	C	O4'-C1'-N1	6.73	113.58	108.20
26	BB	689	A	C5-N7-C8	6.73	107.26	103.90
1	AA	1323	G	C1'-O4'-C4'	-6.73	104.52	109.90
2	AB	13	C	N1-C2-N3	-6.73	114.49	119.20
26	BB	1808	A	C5-C6-N1	6.73	121.06	117.70
26	BB	2705	A	C5-N7-C8	-6.73	100.54	103.90
1	AA	720	C	C1'-O4'-C4'	-6.72	104.52	109.90
1	AA	1005	A	C4-C5-N7	-6.72	107.34	110.70
1	AA	1297	G	C6-C5-N7	6.72	134.43	130.40
1	AA	1308	U	O4'-C1'-N1	6.72	113.58	108.20
1	AA	1386	G	C4-C5-N7	-6.72	108.11	110.80
1	AA	1462	C	N3-C4-C5	-6.72	119.21	121.90
4	AD	35	C	O4'-C4'-C3'	6.72	111.48	106.10
25	BA	4	C	C4-C5-C6	6.72	120.76	117.40
26	BB	1176	U	C3'-C2'-C1'	6.72	106.88	101.50
26	BB	1510	G	C8-N9-C4	-6.72	103.71	106.40
26	BB	1711	A	C1'-O4'-C4'	-6.72	104.52	109.90
26	BB	1931	U	C2-N3-C4	-6.72	122.97	127.00
26	BB	2410	G	N7-C8-N9	6.72	116.46	113.10
37	BM	32	TYR	CG-CD2-CE2	6.72	126.68	121.30
38	BN	41	ARG	NE-CZ-NH1	6.72	123.66	120.30
1	AA	319	G	N9-C1'-C2'	-6.72	104.60	112.00
1	AA	823	C	C3'-C2'-C1'	6.72	106.88	101.50
1	AA	895	G	C5'-C4'-O4'	6.72	117.17	109.10
25	BA	101	A	C5-N7-C8	-6.72	100.54	103.90
26	BB	997	G	N3-C4-C5	-6.72	125.24	128.60
26	BB	1473	G	C4'-C3'-C2'	-6.72	95.88	102.60
26	BB	2765	A	C5'-C4'-O4'	6.72	117.17	109.10
1	AA	11	G	N1-C2-N3	6.72	127.93	123.90
1	AA	116	A	C2-N3-C4	6.72	113.96	110.60
1	AA	355	C	C4-C5-C6	6.72	120.76	117.40
1	AA	1127	G	N7-C8-N9	6.72	116.46	113.10
1	AA	1478	U	C3'-C2'-C1'	6.72	106.88	101.50
4	AD	25	U	OP1-P-OP2	-6.72	109.52	119.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	130	C	C6-N1-C1'	6.72	128.87	120.80
26	BB	751	A	C4-C5-N7	6.72	114.06	110.70
26	BB	1170	C	C6-N1-C2	-6.72	117.61	120.30
26	BB	1577	C	N3-C2-O2	-6.72	117.19	121.90
26	BB	2297	A	C5'-C4'-C3'	-6.72	105.25	116.00
26	BB	2431	U	C3'-C2'-C1'	-6.72	96.12	101.50
26	BB	2887	A	O4'-C1'-N9	6.72	113.58	108.20
1	AA	485	U	P-O3'-C3'	6.72	127.76	119.70
1	AA	535	A	N9-C4-C5	-6.72	103.11	105.80
4	AD	77	A	C6-C5-N7	-6.72	127.60	132.30
26	BB	51	G	O4'-C1'-N9	6.72	113.58	108.20
26	BB	94	A	C5'-C4'-O4'	6.72	117.16	109.10
26	BB	256	A	C8-N9-C4	-6.72	103.11	105.80
26	BB	927	A	C3'-C2'-C1'	6.72	106.88	101.50
26	BB	1041	G	N9-C1'-C2'	-6.72	104.61	112.00
26	BB	1421	G	C4'-C3'-C2'	-6.72	95.88	102.60
26	BB	2176	A	N1-C2-N3	-6.72	125.94	129.30
26	BB	2325	G	C5'-C4'-O4'	6.72	117.16	109.10
26	BB	2342	C	C4'-C3'-C2'	-6.72	95.88	102.60
1	AA	513	C	C2-N3-C4	6.72	123.26	119.90
26	BB	717	C	O4'-C1'-N1	6.72	113.58	108.20
26	BB	1587	G	C5-C6-O6	-6.72	124.57	128.60
26	BB	2071	A	C1'-O4'-C4'	-6.72	104.53	109.90
26	BB	2136	G	C5-C6-N1	6.72	114.86	111.50
26	BB	2678	C	C5-C4-N4	-6.72	115.50	120.20
1	AA	19	A	C8-N9-C4	6.72	108.49	105.80
1	AA	763	G	C1'-O4'-C4'	-6.72	104.53	109.90
1	AA	786	G	N9-C4-C5	6.72	108.09	105.40
25	BA	46	A	N3-C4-C5	6.72	131.50	126.80
26	BB	712	G	N1-C6-O6	6.72	123.93	119.90
26	BB	1412	U	N3-C4-O4	-6.72	114.70	119.40
26	BB	1607	C	C4-C5-C6	-6.72	114.04	117.40
26	BB	2622	U	O4'-C1'-N1	6.72	113.57	108.20
26	BB	2879	A	C4-C5-N7	6.72	114.06	110.70
27	BC	66	PRO	N-CA-CB	6.72	111.36	103.30
1	AA	352	C	C5-C6-N1	-6.71	117.64	121.00
1	AA	1531	A	N9-C4-C5	6.71	108.48	105.80
3	AC	34	U	O4'-C1'-N1	6.71	113.57	108.20
3	AC	45	G	N1-C6-O6	-6.71	115.87	119.90
7	AG	55	ARG	NE-CZ-NH2	-6.71	116.94	120.30
26	BB	103	A	C5'-C4'-O4'	6.71	117.16	109.10
26	BB	249	C	N3-C2-O2	-6.71	117.20	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	289	G	N9-C4-C5	6.71	108.09	105.40
26	BB	503	A	C6-N1-C2	6.71	122.63	118.60
26	BB	770	G	C5-N7-C8	6.71	107.66	104.30
26	BB	1682	G	N3-C4-C5	-6.71	125.24	128.60
26	BB	1879	C	O4'-C1'-N1	6.71	113.57	108.20
26	BB	1995	U	C3'-C2'-C1'	6.71	106.87	101.50
26	BB	2160	C	C5-C4-N4	-6.71	115.50	120.20
26	BB	2388	A	C6-N1-C2	-6.71	114.57	118.60
26	BB	2618	G	N3-C4-N9	6.71	130.03	126.00
26	BB	2671	G	N3-C4-N9	-6.71	121.97	126.00
26	BB	2836	U	C5-C6-N1	-6.71	119.34	122.70
1	AA	365	U	O4'-C1'-N1	6.71	113.57	108.20
1	AA	520	A	N7-C8-N9	-6.71	110.44	113.80
1	AA	1465	A	P-O3'-C3'	6.71	127.75	119.70
1	AA	1506	U	C5-C4-O4	-6.71	121.87	125.90
26	BB	464	U	N1-C2-N3	6.71	118.93	114.90
26	BB	871	U	O4'-C1'-N1	6.71	113.57	108.20
26	BB	2520	C	C5'-C4'-O4'	6.71	117.16	109.10
26	BB	2633	G	N9-C4-C5	6.71	108.08	105.40
1	AA	6	G	N9-C4-C5	6.71	108.08	105.40
1	AA	52	C	C5-C4-N4	6.71	124.90	120.20
1	AA	612	C	C6-N1-C2	6.71	122.98	120.30
1	AA	802	A	N9-C1'-C2'	-6.71	104.62	112.00
1	AA	1093	A	C4-C5-N7	-6.71	107.34	110.70
1	AA	1187	G	N3-C4-C5	-6.71	125.24	128.60
1	AA	1475	G	P-O3'-C3'	6.71	127.75	119.70
26	BB	1	G	C5'-C4'-O4'	6.71	117.15	109.10
26	BB	266	G	C8-N9-C4	-6.71	103.72	106.40
26	BB	283	G	C5-C6-N1	-6.71	108.14	111.50
26	BB	775	G	N1-C2-N3	6.71	127.93	123.90
26	BB	1538	G	N9-C4-C5	-6.71	102.72	105.40
26	BB	2732	G	C4-C5-N7	6.71	113.48	110.80
1	AA	852	G	N3-C4-C5	-6.71	125.25	128.60
1	AA	1058	G	N9-C1'-C2'	-6.71	104.62	112.00
25	BA	48	U	O4'-C1'-N1	6.71	113.57	108.20
26	BB	43	G	O4'-C1'-N9	6.71	113.57	108.20
26	BB	161	A	N1-C2-N3	-6.71	125.94	129.30
26	BB	414	C	C5-C6-N1	6.71	124.36	121.00
26	BB	1192	G	N1-C6-O6	-6.71	115.87	119.90
26	BB	1365	A	C2-N3-C4	6.71	113.95	110.60
48	BX	2	PHE	CB-CG-CD2	-6.71	116.10	120.80
1	AA	1388	C	C6-N1-C2	-6.71	117.62	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	76	A	N1-C6-N6	6.71	122.63	118.60
3	AC	29	G	N3-C4-C5	-6.71	125.25	128.60
26	BB	438	G	N9-C4-C5	6.71	108.08	105.40
26	BB	1410	G	N1-C6-O6	-6.71	115.88	119.90
26	BB	2481	G	C1'-O4'-C4'	-6.71	104.53	109.90
26	BB	2522	U	C2-N3-C4	-6.71	122.97	127.00
1	AA	235	C	N1-C2-O2	6.71	122.92	118.90
1	AA	403	C	C2-N3-C4	6.71	123.25	119.90
1	AA	1295	U	N3-C2-O2	-6.71	117.51	122.20
1	AA	1342	C	O4'-C1'-N1	6.71	113.57	108.20
1	AA	1373	G	N7-C8-N9	6.71	116.45	113.10
1	AA	1477	U	N3-C4-C5	-6.71	110.58	114.60
4	AD	15	G	C5-C6-N1	6.71	114.85	111.50
26	BB	177	G	C4-C5-C6	6.71	122.82	118.80
26	BB	463	G	N1-C2-N3	-6.71	119.88	123.90
26	BB	907	G	C5'-C4'-O4'	6.71	117.15	109.10
26	BB	989	G	O4'-C1'-C2'	-6.71	99.09	105.80
26	BB	1100	C	P-O3'-C3'	6.71	127.75	119.70
26	BB	1136	G	C2-N3-C4	6.71	115.25	111.90
26	BB	1479	G	C5-N7-C8	-6.71	100.95	104.30
1	AA	179	A	C8-N9-C4	-6.71	103.12	105.80
2	AB	69	C	C4'-C3'-C2'	-6.71	95.89	102.60
26	BB	1004	U	O4'-C4'-C3'	6.71	111.46	106.10
26	BB	1388	G	N3-C4-N9	6.71	130.02	126.00
26	BB	2224	G	N3-C2-N2	-6.71	115.21	119.90
1	AA	364	A	C2-N3-C4	-6.70	107.25	110.60
1	AA	1031	C	P-O3'-C3'	6.70	127.74	119.70
26	BB	324	A	N9-C4-C5	6.70	108.48	105.80
26	BB	355	U	N3-C4-C5	-6.70	110.58	114.60
26	BB	539	G	C8-N9-C4	-6.70	103.72	106.40
26	BB	695	G	C5-N7-C8	6.70	107.65	104.30
26	BB	1159	U	N3-C4-O4	-6.70	114.71	119.40
26	BB	1796	U	O4'-C1'-N1	6.70	113.56	108.20
26	BB	2174	C	N1-C1'-C2'	-6.70	104.63	112.00
26	BB	2217	G	C5'-C4'-O4'	6.70	117.14	109.10
26	BB	2322	A	C4-C5-N7	6.70	114.05	110.70
1	AA	242	G	C6-N1-C2	-6.70	121.08	125.10
1	AA	351	G	C5-N7-C8	-6.70	100.95	104.30
26	BB	195	A	N1-C6-N6	-6.70	114.58	118.60
26	BB	342	A	O4'-C1'-N9	6.70	113.56	108.20
26	BB	1323	C	C1'-O4'-C4'	-6.70	104.54	109.90
26	BB	1527	G	N3-C2-N2	-6.70	115.21	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1569	A	C2-N3-C4	-6.70	107.25	110.60
26	BB	1647	U	O4'-C1'-N1	-6.70	102.84	108.20
26	BB	2892	G	N9-C4-C5	6.70	108.08	105.40
27	BC	119	ASP	CB-CG-OD2	-6.70	112.27	118.30
1	AA	131	A	C4-C5-N7	-6.70	107.35	110.70
1	AA	208	U	N3-C2-O2	-6.70	117.51	122.20
1	AA	682	G	N3-C4-N9	6.70	130.02	126.00
1	AA	824	G	C6-C5-N7	-6.70	126.38	130.40
1	AA	932	C	C6-N1-C2	6.70	122.98	120.30
1	AA	1005	A	C8-N9-C4	-6.70	103.12	105.80
1	AA	1013	G	N3-C4-C5	-6.70	125.25	128.60
26	BB	608	A	C2-N3-C4	-6.70	107.25	110.60
26	BB	1238	G	C5-C6-O6	-6.70	124.58	128.60
26	BB	2410	G	O4'-C1'-N9	6.70	113.56	108.20
26	BB	2507	C	C5-C6-N1	6.70	124.35	121.00
1	AA	13	U	C3'-C2'-C1'	-6.70	96.14	101.50
1	AA	91	U	C5-C4-O4	6.70	129.92	125.90
1	AA	309	A	N7-C8-N9	6.70	117.15	113.80
1	AA	1042	A	O4'-C1'-N9	6.70	113.56	108.20
1	AA	1260	G	C4-C5-N7	6.70	113.48	110.80
1	AA	1535	C	O4'-C1'-N1	6.70	113.56	108.20
26	BB	528	A	C4-C5-N7	6.70	114.05	110.70
26	BB	797	G	C4-C5-N7	6.70	113.48	110.80
26	BB	1613	G	N3-C4-N9	6.70	130.02	126.00
39	BO	44	ARG	NE-CZ-NH1	-6.70	116.95	120.30
1	AA	509	A	C8-N9-C4	-6.70	103.12	105.80
26	BB	637	A	N1-C6-N6	6.70	122.62	118.60
26	BB	733	G	P-O3'-C3'	6.70	127.74	119.70
26	BB	1516	G	C6-N1-C2	6.70	129.12	125.10
26	BB	1744	A	C8-N9-C4	6.70	108.48	105.80
26	BB	2398	U	O4'-C1'-N1	6.70	113.56	108.20
26	BB	2868	A	O4'-C4'-C3'	6.70	111.46	106.10
1	AA	332	G	C2-N3-C4	-6.70	108.55	111.90
1	AA	449	G	O4'-C4'-C3'	6.70	111.46	106.10
1	AA	498	A	N1-C2-N3	6.70	132.65	129.30
1	AA	938	A	C2-N3-C4	6.70	113.95	110.60
1	AA	1167	A	N9-C1'-C2'	-6.70	104.64	112.00
1	AA	1327	C	C6-N1-C2	6.70	122.98	120.30
1	AA	1513	A	C5-C6-N6	6.70	129.06	123.70
26	BB	345	A	C2-N3-C4	6.70	113.95	110.60
26	BB	407	G	O4'-C1'-N9	6.70	113.56	108.20
26	BB	945	A	C8-N9-C4	6.70	108.48	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1335	C	C2-N3-C4	6.70	123.25	119.90
26	BB	1591	A	C5'-C4'-C3'	-6.70	105.29	116.00
26	BB	1782	U	N3-C2-O2	-6.70	117.51	122.20
26	BB	2285	C	C6-N1-C2	-6.70	117.62	120.30
58	B7	5	ALA	CB-CA-C	6.70	120.14	110.10
1	AA	53	A	O4'-C1'-N9	-6.69	102.84	108.20
26	BB	1989	G	C4-C5-C6	6.69	122.82	118.80
26	BB	2511	U	C5'-C4'-C3'	-6.69	105.29	116.00
26	BB	2811	G	C6-N1-C2	6.69	129.12	125.10
1	AA	1454	G	N1-C6-O6	6.69	123.92	119.90
1	AA	1487	G	N7-C8-N9	6.69	116.45	113.10
1	AA	1492	A	C8-N9-C4	-6.69	103.12	105.80
6	AF	17	TRP	CD2-CE2-CZ2	6.69	130.33	122.30
26	BB	131	A	C2-N3-C4	6.69	113.95	110.60
26	BB	686	U	O4'-C1'-N1	6.69	113.56	108.20
26	BB	740	C	C5'-C4'-O4'	6.69	117.13	109.10
26	BB	982	C	N1-C2-O2	6.69	122.92	118.90
26	BB	1076	C	C5-C6-N1	-6.69	117.65	121.00
26	BB	1476	U	C4'-C3'-C2'	-6.69	95.91	102.60
26	BB	2008	C	N3-C2-O2	-6.69	117.22	121.90
1	AA	148	G	C6-C5-N7	-6.69	126.39	130.40
1	AA	169	C	O4'-C1'-N1	6.69	113.55	108.20
1	AA	570	G	P-O3'-C3'	6.69	127.73	119.70
1	AA	1531	A	N1-C6-N6	6.69	122.61	118.60
26	BB	107	G	N7-C8-N9	-6.69	109.75	113.10
26	BB	322	A	OP2-P-O3'	6.69	119.92	105.20
26	BB	2723	C	C6-N1-C2	-6.69	117.62	120.30
26	BB	2811	G	C4-C5-N7	-6.69	108.12	110.80
26	BB	2866	U	O4'-C1'-N1	6.69	113.55	108.20
1	AA	809	G	C4-C5-C6	6.69	122.81	118.80
25	BA	69	G	N9-C4-C5	-6.69	102.72	105.40
26	BB	1453	A	P-O3'-C3'	6.69	127.73	119.70
26	BB	2402	U	C5-C6-N1	-6.69	119.36	122.70
1	AA	54	C	N3-C2-O2	6.69	126.58	121.90
1	AA	496	A	O4'-C1'-N9	6.69	113.55	108.20
1	AA	589	U	C5-C6-N1	-6.69	119.36	122.70
1	AA	749	A	C4'-C3'-C2'	-6.69	95.91	102.60
1	AA	756	C	C6-N1-C2	-6.69	117.62	120.30
1	AA	890	G	P-O3'-C3'	6.69	127.72	119.70
1	AA	1197	A	C4-C5-N7	6.69	114.04	110.70
26	BB	1	G	C5-C6-N1	6.69	114.84	111.50
26	BB	1073	A	C4-C5-C6	-6.69	113.66	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1253	A	O4'-C1'-N9	6.69	113.55	108.20
26	BB	1416	G	C5-C6-N1	6.69	114.84	111.50
26	BB	1486	U	C2-N3-C4	-6.69	122.99	127.00
26	BB	2484	G	C6-C5-N7	-6.69	126.39	130.40
26	BB	2486	C	C3'-C2'-C1'	6.69	106.85	101.50
1	AA	500	G	N1-C6-O6	6.69	123.91	119.90
1	AA	611	C	N1-C1'-C2'	-6.69	104.64	112.00
26	BB	1149	G	C4-C5-C6	6.69	122.81	118.80
26	BB	1439	A	C4-C5-N7	-6.69	107.36	110.70
26	BB	2269	G	C6-N1-C2	-6.69	121.09	125.10
29	BE	80	TRP	CB-CG-CD1	-6.69	118.31	127.00
1	AA	675	A	N1-C2-N3	-6.68	125.96	129.30
1	AA	915	A	C1'-O4'-C4'	-6.68	104.55	109.90
25	BA	61	G	C1'-O4'-C4'	6.68	115.25	109.90
26	BB	213	A	C5-N7-C8	-6.68	100.56	103.90
26	BB	1348	C	C5-C6-N1	6.68	124.34	121.00
26	BB	2318	G	N7-C8-N9	-6.68	109.76	113.10
26	BB	2439	A	O4'-C1'-C2'	-6.68	99.11	105.80
1	AA	506	G	N3-C4-C5	-6.68	125.26	128.60
1	AA	530	G	C5-C6-O6	6.68	132.61	128.60
1	AA	691	G	C4'-C3'-C2'	-6.68	95.92	102.60
1	AA	1057	G	C5'-C4'-O4'	6.68	117.12	109.10
1	AA	1101	A	N9-C4-C5	6.68	108.47	105.80
1	AA	1231	G	C2-N3-C4	6.68	115.24	111.90
1	AA	1458	G	N3-C4-C5	-6.68	125.26	128.60
1	AA	1478	U	O4'-C1'-N1	6.68	113.55	108.20
26	BB	51	G	C8-N9-C4	-6.68	103.73	106.40
26	BB	92	U	C4-C5-C6	6.68	123.71	119.70
26	BB	437	U	N1-C2-O2	6.68	127.48	122.80
26	BB	847	U	C4'-C3'-C2'	-6.68	95.92	102.60
26	BB	1270	C	N3-C2-O2	-6.68	117.22	121.90
26	BB	1389	G	O4'-C1'-N9	6.68	113.55	108.20
26	BB	1452	G	N3-C2-N2	6.68	124.58	119.90
26	BB	2368	C	C5-C6-N1	6.68	124.34	121.00
26	BB	2897	U	C4'-C3'-C2'	-6.68	95.92	102.60
1	AA	838	G	N7-C8-N9	6.68	116.44	113.10
1	AA	1211	U	C4'-C3'-C2'	6.68	109.28	102.60
3	AC	32	U	C5'-C4'-O4'	6.68	117.12	109.10
26	BB	579	G	C4-C5-N7	6.68	113.47	110.80
26	BB	2490	G	P-O5'-C5'	6.68	131.59	120.90
26	BB	2600	A	C5-C6-N6	6.68	129.04	123.70
1	AA	15	G	N9-C4-C5	-6.68	102.73	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	387	U	C3'-C2'-C1'	-6.68	96.16	101.50
1	AA	1026	G	N3-C2-N2	6.68	124.58	119.90
1	AA	1211	U	O4'-C1'-N1	6.68	113.54	108.20
1	AA	1463	U	C4-C5-C6	6.68	123.71	119.70
26	BB	368	A	N9-C4-C5	-6.68	103.13	105.80
26	BB	467	G	O4'-C1'-C2'	-6.68	99.12	105.80
26	BB	789	A	C8-N9-C4	6.68	108.47	105.80
26	BB	1053	C	C5'-C4'-O4'	6.68	117.12	109.10
26	BB	1480	C	O4'-C1'-N1	6.68	113.54	108.20
26	BB	1856	U	N3-C2-O2	-6.68	117.52	122.20
26	BB	1863	G	N3-C4-C5	-6.68	125.26	128.60
1	AA	733	G	O3'-P-O5'	-6.68	91.31	104.00
4	AD	28	U	N3-C2-O2	-6.68	117.53	122.20
4	AD	73	A	N3-C4-N9	6.68	132.74	127.40
26	BB	22	C	C6-N1-C2	6.68	122.97	120.30
26	BB	655	A	N1-C2-N3	-6.68	125.96	129.30
26	BB	1027	A	C4-C5-N7	-6.68	107.36	110.70
26	BB	1723	G	N7-C8-N9	6.68	116.44	113.10
26	BB	2746	U	O4'-C1'-N1	6.68	113.54	108.20
1	AA	417	G	N3-C2-N2	-6.68	115.23	119.90
2	AB	27	C	N3-C2-O2	-6.68	117.23	121.90
26	BB	274	C	C1'-O4'-C4'	-6.68	104.56	109.90
26	BB	353	C	C6-N1-C2	6.68	122.97	120.30
26	BB	604	G	N9-C4-C5	6.68	108.07	105.40
26	BB	1508	A	C3'-C2'-C1'	6.68	106.84	101.50
26	BB	1894	C	C5'-C4'-C3'	-6.68	105.32	116.00
26	BB	2357	G	C5-N7-C8	-6.68	100.96	104.30
26	BB	2435	A	N1-C2-N3	-6.68	125.96	129.30
1	AA	641	U	C5-C6-N1	6.67	126.04	122.70
1	AA	1468	A	C4'-C3'-C2'	-6.67	95.93	102.60
26	BB	804	A	C3'-C2'-C1'	6.67	106.84	101.50
26	BB	833	A	N9-C4-C5	6.67	108.47	105.80
26	BB	1099	G	N1-C6-O6	-6.67	115.89	119.90
26	BB	1205	A	N9-C1'-C2'	-6.67	104.66	112.00
26	BB	1389	G	N9-C1'-C2'	-6.67	104.66	112.00
26	BB	1677	A	N3-C4-N9	6.67	132.74	127.40
26	BB	1888	G	C5-C6-N1	6.67	114.84	111.50
26	BB	437	U	C5-C6-N1	-6.67	119.36	122.70
26	BB	684	G	N9-C4-C5	6.67	108.07	105.40
26	BB	1284	A	N1-C2-N3	6.67	132.64	129.30
26	BB	1807	G	N3-C4-C5	-6.67	125.26	128.60
26	BB	2627	G	N9-C4-C5	-6.67	102.73	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	122	G	P-O3'-C3'	6.67	127.71	119.70
1	AA	268	U	C2-N3-C4	-6.67	123.00	127.00
1	AA	358	U	C4-C5-C6	6.67	123.70	119.70
1	AA	371	A	C1'-O4'-C4'	-6.67	104.56	109.90
4	AD	64	G	O4'-C1'-N9	6.67	113.54	108.20
26	BB	165	A	C2-N3-C4	6.67	113.94	110.60
26	BB	612	G	N9-C4-C5	6.67	108.07	105.40
26	BB	1405	U	C3'-C2'-C1'	6.67	106.84	101.50
26	BB	1497	U	C5-C4-O4	6.67	129.90	125.90
26	BB	1540	G	N7-C8-N9	6.67	116.44	113.10
26	BB	2238	G	C6-N1-C2	-6.67	121.10	125.10
26	BB	2345	G	C2-N3-C4	6.67	115.23	111.90
26	BB	2367	G	C8-N9-C4	-6.67	103.73	106.40
33	BI	31	VAL	CG1-CB-CG2	-6.67	100.23	110.90
26	BB	15	G	C5-N7-C8	6.67	107.64	104.30
26	BB	552	U	C5-C6-N1	6.67	126.03	122.70
26	BB	734	A	N9-C4-C5	6.67	108.47	105.80
26	BB	941	A	C4'-C3'-C2'	-6.67	95.93	102.60
26	BB	1377	G	C2-N3-C4	6.67	115.23	111.90
26	BB	1998	A	C8-N9-C4	-6.67	103.13	105.80
26	BB	2455	G	N3-C4-C5	-6.67	125.27	128.60
28	BD	66	PHE	CG-CD1-CE1	-6.67	113.46	120.80
1	AA	35	G	C3'-C2'-C1'	6.67	106.83	101.50
1	AA	98	A	O4'-C1'-N9	6.67	113.54	108.20
1	AA	288	A	N9-C4-C5	6.67	108.47	105.80
1	AA	561	U	C6-N1-C2	-6.67	117.00	121.00
1	AA	675	A	O4'-C1'-N9	6.67	113.53	108.20
1	AA	1078	U	N1-C2-O2	6.67	127.47	122.80
1	AA	1142	G	C5-C6-N1	6.67	114.83	111.50
25	BA	2	G	C5'-C4'-O4'	6.67	117.10	109.10
26	BB	28	A	N9-C1'-C2'	-6.67	104.67	112.00
26	BB	295	G	C2-N3-C4	6.67	115.23	111.90
26	BB	984	A	O3'-P-O5'	-6.67	91.33	104.00
26	BB	1559	U	O4'-C1'-N1	6.67	113.53	108.20
26	BB	1957	C	N3-C2-O2	-6.67	117.23	121.90
48	BX	77	VAL	CA-CB-CG1	6.67	120.90	110.90
1	AA	700	G	O4'-C1'-N9	-6.67	102.87	108.20
1	AA	841	C	C2-N3-C4	6.67	123.23	119.90
1	AA	1178	G	C2-N3-C4	-6.67	108.57	111.90
1	AA	1265	C	O4'-C1'-N1	6.67	113.53	108.20
1	AA	1434	A	C4'-C3'-C2'	-6.67	95.93	102.60
11	AK	48	PHE	CB-CG-CD2	6.67	125.47	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	577	G	N7-C8-N9	6.67	116.43	113.10
26	BB	602	A	N9-C4-C5	6.67	108.47	105.80
26	BB	1849	G	C5-C6-O6	6.67	132.60	128.60
26	BB	2101	A	C3'-C2'-C1'	-6.67	96.17	101.50
26	BB	2742	G	C5-C6-N1	-6.67	108.17	111.50
26	BB	2879	A	N1-C6-N6	6.67	122.60	118.60
1	AA	295	C	C4-C5-C6	-6.67	114.07	117.40
1	AA	1264	U	C5'-C4'-O4'	6.67	117.10	109.10
1	AA	1492	A	N9-C4-C5	6.67	108.47	105.80
2	AB	43	G	N7-C8-N9	6.67	116.43	113.10
4	AD	9	G	C6-C5-N7	-6.67	126.40	130.40
26	BB	376	G	C8-N9-C4	-6.67	103.73	106.40
26	BB	1216	G	C4'-C3'-C2'	-6.67	95.94	102.60
26	BB	1295	C	N1-C2-O2	6.67	122.90	118.90
26	BB	1719	G	C5-C6-O6	-6.67	124.60	128.60
26	BB	2047	C	N3-C4-C5	6.67	124.57	121.90
26	BB	2484	G	C5-C6-N1	-6.67	108.17	111.50
1	AA	375	U	N1-C2-N3	6.66	118.90	114.90
1	AA	416	G	N3-C4-C5	-6.66	125.27	128.60
1	AA	770	C	C2-N3-C4	6.66	123.23	119.90
2	AB	67	G	C5-C6-N1	6.66	114.83	111.50
26	BB	882	G	C6-C5-N7	-6.66	126.40	130.40
26	BB	956	G	C3'-C2'-C1'	6.66	106.83	101.50
26	BB	1280	G	N3-C2-N2	6.66	124.56	119.90
26	BB	1729	U	N1-C2-N3	6.66	118.90	114.90
26	BB	2032	G	N9-C4-C5	6.66	108.07	105.40
26	BB	2133	G	C6-N1-C2	-6.66	121.10	125.10
26	BB	2293	G	N7-C8-N9	6.66	116.43	113.10
26	BB	2490	G	C8-N9-C4	-6.66	103.73	106.40
26	BB	2685	G	N7-C8-N9	6.66	116.43	113.10
1	AA	1144	G	C4-C5-N7	-6.66	108.14	110.80
1	AA	1279	G	N1-C6-O6	-6.66	115.90	119.90
25	BA	3	C	C6-N1-C2	-6.66	117.64	120.30
26	BB	1795	C	C2-N3-C4	6.66	123.23	119.90
1	AA	923	A	N1-C6-N6	6.66	122.60	118.60
1	AA	1244	G	O4'-C1'-N9	6.66	113.53	108.20
2	AB	53	G	C5-N7-C8	-6.66	100.97	104.30
25	BA	50	A	C4-C5-N7	-6.66	107.37	110.70
26	BB	1374	G	C5-C6-N1	6.66	114.83	111.50
26	BB	1402	U	C5-C6-N1	-6.66	119.37	122.70
26	BB	1418	G	O4'-C1'-N9	-6.66	102.87	108.20
26	BB	1493	C	O4'-C1'-N1	6.66	113.53	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1541	C	N3-C2-O2	-6.66	117.24	121.90
26	BB	2005	A	C8-N9-C4	-6.66	103.14	105.80
26	BB	2463	C	N1-C2-O2	6.66	122.90	118.90
26	BB	2785	C	C4-C5-C6	6.66	120.73	117.40
1	AA	1182	G	O4'-C1'-C2'	6.66	113.59	107.60
1	AA	1288	A	C8-N9-C4	-6.66	103.14	105.80
26	BB	263	G	C4-C5-C6	6.66	122.80	118.80
26	BB	388	G	N3-C4-C5	-6.66	125.27	128.60
26	BB	769	U	C5'-C4'-C3'	-6.66	105.34	116.00
26	BB	1055	G	C8-N9-C4	-6.66	103.74	106.40
26	BB	1568	G	C6-N1-C2	-6.66	121.11	125.10
26	BB	1578	U	O4'-C1'-N1	6.66	113.53	108.20
26	BB	1587	G	C4'-C3'-C2'	-6.66	95.94	102.60
26	BB	2142	A	C5-C6-N1	6.66	121.03	117.70
26	BB	2221	G	N3-C2-N2	6.66	124.56	119.90
26	BB	2225	A	C4'-C3'-C2'	-6.66	95.94	102.60
1	AA	949	A	N9-C4-C5	-6.66	103.14	105.80
1	AA	1224	U	C6-N1-C2	-6.66	117.01	121.00
25	BA	3	C	N3-C4-N4	6.66	122.66	118.00
26	BB	768	G	C3'-C2'-C1'	6.66	106.83	101.50
26	BB	784	G	C4-C5-N7	-6.66	108.14	110.80
26	BB	803	U	N3-C4-O4	6.66	124.06	119.40
26	BB	1371	G	C6-N1-C2	-6.66	121.11	125.10
26	BB	1381	G	O4'-C1'-N9	6.66	113.53	108.20
26	BB	1390	U	C2-N3-C4	-6.66	123.01	127.00
26	BB	2315	G	C2-N3-C4	6.66	115.23	111.90
26	BB	2721	A	O4'-C1'-N9	6.66	113.53	108.20
26	BB	2842	G	C2-N3-C4	6.66	115.23	111.90
1	AA	520	A	C5'-C4'-C3'	-6.66	105.35	116.00
1	AA	594	U	N1-C2-O2	-6.66	118.14	122.80
26	BB	144	A	N1-C6-N6	6.66	122.59	118.60
26	BB	231	A	C2'-C3'-O3'	6.66	124.35	113.70
26	BB	979	A	N9-C4-C5	-6.66	103.14	105.80
26	BB	1450	G	N1-C6-O6	-6.66	115.91	119.90
26	BB	1592	C	O4'-C1'-N1	6.66	113.53	108.20
26	BB	1780	A	N9-C4-C5	-6.66	103.14	105.80
26	BB	1991	U	C2-N3-C4	-6.66	123.01	127.00
26	BB	2097	A	N1-C2-N3	6.66	132.63	129.30
26	BB	2134	A	C5-C6-N6	-6.66	118.38	123.70
26	BB	2266	A	C4'-C3'-C2'	-6.66	95.94	102.60
26	BB	2476	A	C5-N7-C8	6.66	107.23	103.90
26	BB	2636	C	C5-C4-N4	-6.66	115.54	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	9	G	N3-C4-C5	-6.65	125.27	128.60
26	BB	1063	G	N9-C4-C5	-6.65	102.74	105.40
26	BB	1150	C	N1-C1'-C2'	-6.65	104.68	112.00
26	BB	1487	U	O4'-C1'-N1	6.65	113.52	108.20
1	AA	458	U	C3'-C2'-C1'	-6.65	96.18	101.50
1	AA	562	U	C5-C4-O4	6.65	129.89	125.90
1	AA	814	A	C4-C5-C6	-6.65	113.67	117.00
1	AA	897	C	C4-C5-C6	-6.65	114.07	117.40
1	AA	972	C	C2-N3-C4	6.65	123.23	119.90
25	BA	114	C	C2-N1-C1'	6.65	126.12	118.80
26	BB	595	C	C3'-C2'-C1'	6.65	106.82	101.50
26	BB	826	U	N3-C4-O4	6.65	124.06	119.40
1	AA	216	U	C2-N3-C4	-6.65	123.01	127.00
1	AA	553	A	C8-N9-C4	-6.65	103.14	105.80
1	AA	887	G	C5'-C4'-C3'	-6.65	105.36	116.00
1	AA	1119	C	C4-C5-C6	-6.65	114.07	117.40
1	AA	1263	C	O4'-C1'-N1	6.65	113.52	108.20
1	AA	1396	A	O4'-C1'-N9	6.65	113.52	108.20
26	BB	314	C	C3'-C2'-C1'	-6.65	96.18	101.50
26	BB	412	A	N9-C4-C5	-6.65	103.14	105.80
26	BB	1137	G	C5-N7-C8	-6.65	100.97	104.30
26	BB	1195	G	C2-N3-C4	6.65	115.22	111.90
26	BB	1436	G	C5-C6-O6	-6.65	124.61	128.60
26	BB	2615	U	C5-C4-O4	-6.65	121.91	125.90
26	BB	2689	U	C2-N3-C4	-6.65	123.01	127.00
26	BB	2708	G	N1-C2-N3	6.65	127.89	123.90
44	BT	34	GLU	OE1-CD-OE2	6.65	131.28	123.30
1	AA	43	C	O4'-C1'-N1	6.65	113.52	108.20
1	AA	1068	G	N9-C4-C5	6.65	108.06	105.40
1	AA	1192	C	C6-N1-C1'	6.65	128.78	120.80
1	AA	1421	G	C2-N3-C4	6.65	115.22	111.90
26	BB	15	G	C3'-C2'-C1'	6.65	106.82	101.50
1	AA	102	G	N3-C4-N9	6.65	129.99	126.00
1	AA	1281	C	N3-C4-C5	-6.65	119.24	121.90
7	AG	69	ARG	NE-CZ-NH1	6.65	123.62	120.30
26	BB	671	C	C5-C4-N4	-6.65	115.55	120.20
26	BB	684	G	C3'-C2'-C1'	6.65	106.82	101.50
26	BB	711	G	C5-C6-N1	6.65	114.82	111.50
26	BB	1075	C	C2-N3-C4	6.65	123.22	119.90
26	BB	1090	A	N1-C2-N3	-6.65	125.98	129.30
26	BB	1701	A	O4'-C1'-N9	-6.65	102.88	108.20
26	BB	1738	G	C6-N1-C2	6.65	129.09	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1807	G	C2'-C3'-O3'	6.65	124.33	113.70
1	AA	191	G	N7-C8-N9	6.65	116.42	113.10
1	AA	224	U	N1-C2-N3	6.65	118.89	114.90
1	AA	817	C	N3-C4-N4	-6.65	113.35	118.00
1	AA	1511	G	C3'-C2'-C1'	6.65	106.82	101.50
26	BB	536	G	N9-C4-C5	6.65	108.06	105.40
1	AA	5	U	C2-N3-C4	-6.64	123.01	127.00
1	AA	572	A	O4'-C1'-N9	-6.64	102.88	108.20
1	AA	719	C	C4-C5-C6	6.64	120.72	117.40
1	AA	729	A	C5'-C4'-O4'	6.64	117.07	109.10
1	AA	1365	G	C5-C6-N1	6.64	114.82	111.50
4	AD	14	A	C5'-C4'-O4'	6.64	117.07	109.10
26	BB	70	G	C4'-C3'-C2'	-6.64	95.95	102.60
26	BB	277	G	C4-C5-N7	-6.64	108.14	110.80
26	BB	435	C	C2-N3-C4	-6.64	116.58	119.90
26	BB	838	C	C6-N1-C2	-6.64	117.64	120.30
26	BB	1432	G	C4-C5-N7	6.64	113.46	110.80
26	BB	1975	G	N3-C4-C5	-6.64	125.28	128.60
26	BB	2212	A	C5-C6-N1	6.64	121.02	117.70
26	BB	2249	U	C3'-C2'-C1'	6.64	106.81	101.50
26	BB	2727	A	C8-N9-C4	-6.64	103.14	105.80
1	AA	44	A	C3'-C2'-C1'	-6.64	96.19	101.50
1	AA	264	C	O5'-C5'-C4'	6.64	124.32	111.70
1	AA	1152	A	P-O3'-C3'	6.64	127.67	119.70
1	AA	1505	G	C4-C5-N7	-6.64	108.14	110.80
1	AA	1523	G	C2-N3-C4	6.64	115.22	111.90
1	AA	1530	G	C4'-C3'-C2'	-6.64	95.96	102.60
4	AD	14	A	N3-C4-C5	-6.64	122.15	126.80
26	BB	664	G	N1-C2-N3	-6.64	119.92	123.90
26	BB	788	A	C2-N3-C4	-6.64	107.28	110.60
26	BB	895	U	O5'-C5'-C4'	-6.64	99.08	111.70
26	BB	1161	C	N3-C2-O2	-6.64	117.25	121.90
26	BB	1163	G	N1-C6-O6	6.64	123.89	119.90
26	BB	1199	U	C5'-C4'-O4'	6.64	117.07	109.10
26	BB	1955	U	C1'-O4'-C4'	-6.64	104.59	109.90
26	BB	2421	G	O4'-C1'-N9	6.64	113.51	108.20
26	BB	2469	A	C8-N9-C4	-6.64	103.14	105.80
26	BB	2651	C	N1-C2-O2	6.64	122.89	118.90
26	BB	2775	G	N9-C4-C5	6.64	108.06	105.40
26	BB	2864	G	N7-C8-N9	-6.64	109.78	113.10
26	BB	306	U	C4-C5-C6	6.64	123.69	119.70
26	BB	905	A	C5-C6-N6	6.64	129.01	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	910	A	C4'-C3'-C2'	-6.64	95.96	102.60
26	BB	1778	U	N1-C1'-C2'	-6.64	104.69	112.00
26	BB	1957	C	N1-C2-O2	6.64	122.89	118.90
26	BB	2665	A	C4-C5-C6	6.64	120.32	117.00
1	AA	635	A	C4-C5-C6	-6.64	113.68	117.00
1	AA	814	A	C5'-C4'-C3'	6.64	126.62	116.00
1	AA	822	U	O4'-C1'-N1	6.64	113.51	108.20
1	AA	848	C	N1-C2-O2	6.64	122.88	118.90
25	BA	44	G	C8-N9-C4	-6.64	103.74	106.40
25	BA	109	A	N9-C1'-C2'	-6.64	104.70	112.00
26	BB	315	G	C8-N9-C4	-6.64	103.74	106.40
26	BB	347	A	C4-C5-C6	-6.64	113.68	117.00
26	BB	642	U	O4'-C1'-N1	6.64	113.51	108.20
26	BB	1141	U	C5-C4-O4	6.64	129.88	125.90
26	BB	1194	A	C4-C5-C6	-6.64	113.68	117.00
26	BB	1415	U	O4'-C1'-N1	6.64	113.51	108.20
26	BB	1558	C	N3-C4-N4	6.64	122.65	118.00
26	BB	1940	U	O4'-C1'-N1	6.64	113.51	108.20
26	BB	2540	C	C2-N3-C4	6.64	123.22	119.90
26	BB	2774	C	C6-N1-C2	6.64	122.96	120.30
39	BO	50	ARG	NE-CZ-NH1	-6.64	116.98	120.30
46	BV	55	VAL	CG1-CB-CG2	-6.64	100.28	110.90
1	AA	805	C	N3-C4-C5	-6.64	119.25	121.90
1	AA	1099	G	N1-C6-O6	6.64	123.88	119.90
26	BB	1567	G	C4'-C3'-C2'	-6.64	95.96	102.60
26	BB	2086	U	N1-C2-O2	-6.64	118.15	122.80
1	AA	58	C	C6-N1-C2	-6.64	117.64	120.30
1	AA	237	G	C5-C6-N1	6.64	114.82	111.50
1	AA	700	G	C8-N9-C4	-6.64	103.75	106.40
1	AA	1353	G	C1'-O4'-C4'	6.64	115.21	109.90
26	BB	138	U	P-O3'-C3'	6.64	127.66	119.70
26	BB	1154	G	C4-C5-C6	6.64	122.78	118.80
26	BB	2145	C	N3-C2-O2	-6.64	117.25	121.90
26	BB	2312	U	P-O5'-C5'	6.64	131.52	120.90
26	BB	2858	C	C1'-O4'-C4'	-6.64	104.59	109.90
26	BB	2903	U	C5-C4-O4	-6.64	121.92	125.90
1	AA	23	C	C5-C4-N4	-6.63	115.56	120.20
1	AA	63	C	N3-C2-O2	-6.63	117.26	121.90
1	AA	86	G	N3-C4-N9	-6.63	122.02	126.00
1	AA	127	G	N1-C6-O6	-6.63	115.92	119.90
1	AA	631	C	C4-C5-C6	6.63	120.72	117.40
1	AA	896	C	N1-C1'-C2'	-6.63	104.70	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	93	G	C4-C5-C6	6.63	122.78	118.80
26	BB	107	G	C3'-C2'-C1'	-6.63	96.19	101.50
26	BB	322	A	C5-C6-N6	6.63	129.01	123.70
26	BB	408	G	N9-C4-C5	-6.63	102.75	105.40
26	BB	1219	U	C2-N3-C4	-6.63	123.02	127.00
26	BB	1574	C	C4-C5-C6	6.63	120.72	117.40
26	BB	1819	A	C5-N7-C8	-6.63	100.58	103.90
26	BB	2363	G	N3-C4-C5	-6.63	125.28	128.60
26	BB	2553	G	O4'-C1'-N9	6.63	113.51	108.20
26	BB	2852	G	C4-C5-C6	6.63	122.78	118.80
1	AA	152	A	C4-C5-N7	-6.63	107.38	110.70
2	AB	13	C	N3-C4-C5	6.63	124.55	121.90
26	BB	391	A	C5-C6-N1	6.63	121.02	117.70
26	BB	1147	A	C6-N1-C2	6.63	122.58	118.60
26	BB	1364	G	N1-C2-N3	6.63	127.88	123.90
26	BB	2345	G	C5'-C4'-C3'	-6.63	105.39	116.00
1	AA	360	G	O4'-C4'-C3'	6.63	111.41	106.10
3	AC	46	C	C6-N1-C2	-6.63	117.65	120.30
26	BB	31	C	C6-N1-C1'	6.63	128.76	120.80
26	BB	68	G	C6-N1-C2	-6.63	121.12	125.10
26	BB	426	C	O4'-C1'-N1	6.63	113.51	108.20
26	BB	1865	U	N1-C2-N3	6.63	118.88	114.90
26	BB	1988	G	C4'-C3'-C2'	-6.63	95.97	102.60
26	BB	2880	C	C5'-C4'-O4'	6.63	117.06	109.10
1	AA	558	G	C5'-C4'-O4'	6.63	117.06	109.10
4	AD	47	A	C2-N3-C4	6.63	113.92	110.60
25	BA	115	A	N1-C2-N3	-6.63	125.98	129.30
26	BB	2349	G	N7-C8-N9	-6.63	109.78	113.10
1	AA	88	U	C2-N3-C4	-6.63	123.02	127.00
1	AA	522	C	O4'-C1'-N1	6.63	113.50	108.20
1	AA	683	G	C6-N1-C2	-6.63	121.12	125.10
1	AA	1298	U	N1-C2-N3	6.63	118.88	114.90
3	AC	53	G	C5-C6-N1	6.63	114.81	111.50
26	BB	501	A	C5-C6-N1	6.63	121.02	117.70
26	BB	1318	U	N1-C2-O2	-6.63	118.16	122.80
26	BB	1757	A	O3'-P-O5'	6.63	116.59	104.00
26	BB	2013	A	C5'-C4'-O4'	6.63	117.05	109.10
26	BB	2264	C	C4-C5-C6	6.63	120.72	117.40
26	BB	2293	G	N1-C2-N3	6.63	127.88	123.90
26	BB	2341	G	C5'-C4'-C3'	-6.63	105.39	116.00
26	BB	2364	C	N3-C4-C5	-6.63	119.25	121.90
26	BB	2626	C	N3-C4-C5	-6.63	119.25	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2710	C	N1-C2-N3	-6.63	114.56	119.20
39	BO	51	ARG	NE-CZ-NH2	6.63	123.61	120.30
1	AA	320	A	C4'-C3'-C2'	-6.63	95.97	102.60
1	AA	539	A	N9-C4-C5	6.63	108.45	105.80
1	AA	619	U	C1'-O4'-C4'	-6.63	104.60	109.90
1	AA	943	U	C4'-C3'-C2'	-6.63	95.97	102.60
1	AA	1493	A	O4'-C1'-N9	-6.63	102.90	108.20
26	BB	340	A	C4-C5-N7	6.63	114.01	110.70
26	BB	515	A	C6-N1-C2	6.63	122.58	118.60
26	BB	2158	A	C4-C5-C6	-6.63	113.69	117.00
26	BB	2745	C	C1'-O4'-C4'	6.63	115.20	109.90
1	AA	141	G	C8-N9-C4	-6.62	103.75	106.40
1	AA	661	G	N9-C1'-C2'	-6.62	104.71	112.00
26	BB	2561	U	C4-C5-C6	6.62	123.67	119.70
26	BB	2778	A	P-O3'-C3'	6.62	127.65	119.70
1	AA	327	A	N7-C8-N9	6.62	117.11	113.80
1	AA	644	U	N1-C2-N3	6.62	118.87	114.90
1	AA	954	G	C5'-C4'-O4'	6.62	117.05	109.10
1	AA	1432	G	N1-C2-N3	-6.62	119.93	123.90
24	AX	2	VAL	CA-CB-CG2	6.62	120.84	110.90
25	BA	101	A	N7-C8-N9	6.62	117.11	113.80
26	BB	220	G	C5-N7-C8	6.62	107.61	104.30
26	BB	980	A	C5-N7-C8	6.62	107.21	103.90
26	BB	1046	A	C5'-C4'-O4'	6.62	117.05	109.10
26	BB	1351	C	C4'-C3'-C2'	-6.62	95.98	102.60
26	BB	1938	A	C8-N9-C4	-6.62	103.15	105.80
1	AA	117	G	C6-C5-N7	-6.62	126.43	130.40
1	AA	442	G	C8-N9-C4	-6.62	103.75	106.40
1	AA	506	G	C4'-C3'-C2'	-6.62	95.98	102.60
1	AA	830	G	C5-N7-C8	-6.62	100.99	104.30
1	AA	985	C	O4'-C1'-N1	6.62	113.50	108.20
1	AA	1094	G	C5-C6-N1	6.62	114.81	111.50
1	AA	1264	U	N1-C2-N3	6.62	118.87	114.90
1	AA	1521	C	C5-C6-N1	6.62	124.31	121.00
1	AA	1538	C	C3'-C2'-C1'	6.62	106.80	101.50
14	AN	111	ASP	CB-CG-OD2	-6.62	112.34	118.30
25	BA	34	A	C4-C5-C6	6.62	120.31	117.00
26	BB	879	G	N1-C6-O6	6.62	123.87	119.90
26	BB	939	G	N9-C1'-C2'	-6.62	104.72	112.00
26	BB	995	C	P-O3'-C3'	6.62	127.65	119.70
26	BB	1064	C	O5'-P-OP2	-6.62	99.74	105.70
26	BB	1068	G	C8-N9-C4	-6.62	103.75	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1075	C	O4'-C1'-N1	6.62	113.50	108.20
26	BB	1335	C	O4'-C1'-N1	6.62	113.50	108.20
26	BB	2371	G	C5-C6-O6	6.62	132.57	128.60
26	BB	2627	G	C2-N3-C4	-6.62	108.59	111.90
1	AA	1159	U	C2-N1-C1'	-6.62	109.76	117.70
26	BB	1157	G	C5-N7-C8	-6.62	100.99	104.30
26	BB	1617	C	C5-C6-N1	-6.62	117.69	121.00
26	BB	157	C	C3'-C2'-C1'	6.62	106.80	101.50
26	BB	493	G	N7-C8-N9	6.62	116.41	113.10
26	BB	663	G	N9-C4-C5	-6.62	102.75	105.40
26	BB	884	U	N1-C2-O2	6.62	127.43	122.80
26	BB	969	G	C8-N9-C1'	6.62	135.60	127.00
26	BB	1245	G	N1-C6-O6	6.62	123.87	119.90
26	BB	2112	G	C2-N3-C4	6.62	115.21	111.90
1	AA	903	G	C5-C6-O6	-6.62	124.63	128.60
1	AA	1022	A	N1-C6-N6	-6.62	114.63	118.60
17	AQ	75	LYS	CB-CA-C	6.62	123.63	110.40
26	BB	1030	C	C6-N1-C2	-6.62	117.65	120.30
26	BB	1821	A	C2-N3-C4	6.62	113.91	110.60
26	BB	2348	U	C2-N3-C4	-6.62	123.03	127.00
1	AA	111	G	C5-C6-N1	6.62	114.81	111.50
1	AA	742	G	C8-N9-C4	-6.62	103.75	106.40
1	AA	904	U	C4-C5-C6	6.62	123.67	119.70
1	AA	1379	G	N3-C4-C5	6.62	131.91	128.60
25	BA	55	U	N1-C2-O2	-6.62	118.17	122.80
26	BB	57	C	N3-C4-C5	-6.62	119.25	121.90
26	BB	367	G	C5'-C4'-O4'	6.62	117.04	109.10
26	BB	735	A	C8-N9-C4	-6.62	103.15	105.80
26	BB	1204	A	O4'-C1'-N9	6.62	113.49	108.20
26	BB	1377	G	C3'-C2'-C1'	-6.62	96.21	101.50
26	BB	1937	A	C3'-C2'-C1'	-6.62	96.21	101.50
26	BB	1992	G	P-O3'-C3'	6.62	127.64	119.70
26	BB	2644	G	C5-N7-C8	-6.62	100.99	104.30
26	BB	2687	U	N1-C2-O2	-6.62	118.17	122.80
26	BB	2861	U	O4'-C1'-N1	6.62	113.49	108.20
26	BB	2877	G	N3-C2-N2	-6.62	115.27	119.90
1	AA	428	G	C5-N7-C8	-6.61	100.99	104.30
1	AA	1396	A	C4-C5-C6	-6.61	113.69	117.00
1	AA	1463	U	C5-C4-O4	-6.61	121.93	125.90
2	AB	50	G	C4-C5-N7	-6.61	108.16	110.80
26	BB	601	C	C5-C6-N1	6.61	124.31	121.00
26	BB	1387	A	P-O3'-C3'	6.61	127.64	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1560	G	N3-C4-N9	6.61	129.97	126.00
26	BB	1753	G	C4-C5-C6	6.61	122.77	118.80
26	BB	2322	A	C6-C5-N7	-6.61	127.67	132.30
1	AA	353	A	C5-C6-N6	6.61	128.99	123.70
26	BB	489	G	C5-N7-C8	-6.61	100.99	104.30
26	BB	1220	G	N7-C8-N9	6.61	116.41	113.10
26	BB	1504	A	C2-N3-C4	6.61	113.91	110.60
1	AA	786	G	C8-N9-C4	-6.61	103.76	106.40
1	AA	1367	C	C4-C5-C6	6.61	120.70	117.40
16	AP	57	ASP	CB-CG-OD2	-6.61	112.35	118.30
26	BB	304	U	C5-C6-N1	-6.61	119.39	122.70
26	BB	1020	A	N7-C8-N9	6.61	117.11	113.80
26	BB	1444	G	C6-C5-N7	-6.61	126.43	130.40
26	BB	1514	G	C8-N9-C4	-6.61	103.76	106.40
26	BB	1696	G	N9-C1'-C2'	-6.61	104.73	112.00
26	BB	2714	G	O4'-C1'-N9	6.61	113.49	108.20
26	BB	2782	G	C6-C5-N7	6.61	134.37	130.40
31	BG	29	ARG	NE-CZ-NH1	-6.61	117.00	120.30
1	AA	450	G	C2-N3-C4	6.61	115.20	111.90
1	AA	1252	A	N1-C2-N3	6.61	132.60	129.30
26	BB	1015	U	C4-C5-C6	-6.61	115.73	119.70
26	BB	1058	U	N3-C2-O2	-6.61	117.57	122.20
26	BB	1388	G	N3-C2-N2	6.61	124.53	119.90
1	AA	707	U	C2-N3-C4	-6.61	123.03	127.00
1	AA	1216	A	C2-N3-C4	-6.61	107.30	110.60
26	BB	14	A	C8-N9-C4	6.61	108.44	105.80
26	BB	285	G	C5'-C4'-C3'	-6.61	105.43	116.00
26	BB	1453	A	N3-C4-C5	-6.61	122.17	126.80
26	BB	2436	G	C5'-C4'-C3'	-6.61	105.43	116.00
26	BB	2513	A	C4-C5-C6	6.61	120.30	117.00
26	BB	2904	U	N3-C2-O2	-6.61	117.58	122.20
1	AA	406	G	C6-C5-N7	-6.61	126.44	130.40
1	AA	594	U	C2-N3-C4	-6.61	123.04	127.00
1	AA	624	C	O4'-C1'-N1	6.61	113.48	108.20
1	AA	1429	A	C5-C6-N6	-6.61	118.42	123.70
3	AC	39	U	P-O3'-C3'	6.61	127.63	119.70
26	BB	355	U	C6-N1-C2	-6.61	117.04	121.00
26	BB	1188	U	C4'-C3'-C2'	-6.61	95.99	102.60
26	BB	1238	G	C5-N7-C8	-6.61	101.00	104.30
26	BB	1482	G	N3-C2-N2	-6.61	115.28	119.90
26	BB	1779	U	C4-C5-C6	6.61	123.66	119.70
26	BB	2471	A	C3'-C2'-C1'	-6.61	96.22	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	381	C	C4-C5-C6	6.60	120.70	117.40
2	AB	63	C	N1-C1'-C2'	-6.60	104.74	112.00
4	AD	20	G	N3-C2-N2	6.60	124.52	119.90
9	AI	78	PHE	CB-CG-CD1	6.60	125.42	120.80
26	BB	1154	G	N3-C4-N9	6.60	129.96	126.00
26	BB	1363	C	C4-C5-C6	-6.60	114.10	117.40
1	AA	29	U	O5'-C5'-C4'	6.60	124.25	111.70
1	AA	357	G	O4'-C1'-N9	6.60	113.48	108.20
1	AA	588	G	C3'-C2'-C1'	6.60	106.78	101.50
1	AA	1292	G	N3-C4-N9	-6.60	122.04	126.00
26	BB	221	A	C6-N1-C2	-6.60	114.64	118.60
26	BB	881	G	C5-N7-C8	-6.60	101.00	104.30
26	BB	1299	G	C2-N3-C4	6.60	115.20	111.90
26	BB	2227	A	C4-C5-C6	-6.60	113.70	117.00
26	BB	2265	U	C5'-C4'-C3'	-6.60	105.44	116.00
26	BB	2481	G	C5-C6-O6	-6.60	124.64	128.60
1	AA	9	G	O4'-C1'-N9	6.60	113.48	108.20
1	AA	427	U	N1-C2-N3	6.60	118.86	114.90
1	AA	1153	G	C4-C5-C6	6.60	122.76	118.80
26	BB	301	G	C3'-C2'-C1'	6.60	106.78	101.50
26	BB	843	G	C4'-C3'-C2'	6.60	109.20	102.60
26	BB	1238	G	O4'-C1'-N9	6.60	113.48	108.20
26	BB	1511	G	C4-C5-N7	6.60	113.44	110.80
26	BB	1695	G	N1-C6-O6	-6.60	115.94	119.90
26	BB	2271	G	N1-C6-O6	-6.60	115.94	119.90
1	AA	891	U	C5'-C4'-O4'	6.60	117.02	109.10
1	AA	1312	G	O4'-C1'-N9	6.60	113.48	108.20
2	AB	1	A	P-O3'-C3'	6.60	127.62	119.70
2	AB	34	C	C2-N1-C1'	6.60	126.06	118.80
21	AU	50	TYR	CB-CG-CD2	-6.60	117.04	121.00
25	BA	41	G	O4'-C1'-N9	6.60	113.48	108.20
26	BB	858	G	N7-C8-N9	6.60	116.40	113.10
26	BB	1247	A	C8-N9-C4	-6.60	103.16	105.80
26	BB	1344	U	C2-N3-C4	-6.60	123.04	127.00
26	BB	1701	A	N1-C6-N6	-6.60	114.64	118.60
45	BU	88	ARG	NH1-CZ-NH2	-6.60	112.14	119.40
1	AA	85	U	O4'-C1'-N1	6.60	113.48	108.20
1	AA	237	G	N1-C6-O6	-6.60	115.94	119.90
1	AA	520	A	C4-C5-N7	-6.60	107.40	110.70
1	AA	957	U	C3'-C2'-C1'	6.60	106.78	101.50
1	AA	1229	A	N1-C6-N6	6.60	122.56	118.60
1	AA	1288	A	N7-C8-N9	6.60	117.10	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	22	G	N3-C4-C5	-6.60	125.30	128.60
26	BB	388	G	C2-N3-C4	6.60	115.20	111.90
26	BB	851	C	C5-C6-N1	6.60	124.30	121.00
26	BB	1323	C	C5-C6-N1	-6.60	117.70	121.00
26	BB	1371	G	N3-C4-N9	-6.60	122.04	126.00
26	BB	1388	G	C2-N3-C4	6.60	115.20	111.90
26	BB	1689	A	C6-C5-N7	-6.60	127.68	132.30
26	BB	2478	A	C5-C6-N6	-6.60	118.42	123.70
26	BB	2513	A	C5-C6-N1	-6.60	114.40	117.70
57	B6	39	ARG	NE-CZ-NH1	-6.60	117.00	120.30
1	AA	102	G	O4'-C4'-C3'	6.60	111.38	106.10
1	AA	344	A	N3-C4-N9	6.60	132.68	127.40
1	AA	1047	G	N7-C8-N9	6.60	116.40	113.10
26	BB	105	C	C6-N1-C2	-6.60	117.66	120.30
26	BB	769	U	C5-C4-O4	6.60	129.86	125.90
26	BB	1367	A	C1'-O4'-C4'	6.60	115.18	109.90
1	AA	22	G	C2-N3-C4	6.59	115.20	111.90
1	AA	60	A	N1-C6-N6	-6.59	114.64	118.60
1	AA	407	U	C4'-C3'-C2'	-6.59	96.00	102.60
26	BB	259	G	C5-C6-O6	6.59	132.56	128.60
26	BB	499	U	N3-C2-O2	-6.59	117.58	122.20
26	BB	1059	G	N3-C4-C5	-6.59	125.30	128.60
26	BB	1449	G	N3-C2-N2	-6.59	115.28	119.90
26	BB	2500	U	N3-C4-O4	-6.59	114.78	119.40
26	BB	2664	G	C3'-C2'-C1'	6.59	106.78	101.50
1	AA	216	U	N1-C2-N3	6.59	118.86	114.90
1	AA	710	G	O4'-C1'-N9	6.59	113.47	108.20
1	AA	1217	C	C5-C4-N4	-6.59	115.58	120.20
26	BB	2253	G	N3-C2-N2	-6.59	115.28	119.90
26	BB	2255	G	C4-C5-N7	-6.59	108.16	110.80
29	BE	82	PHE	CB-CG-CD1	-6.59	116.19	120.80
1	AA	164	G	N1-C2-N2	6.59	122.13	116.20
1	AA	388	G	C4-C5-C6	6.59	122.75	118.80
1	AA	423	G	C4'-C3'-C2'	-6.59	96.01	102.60
1	AA	554	A	C4-C5-N7	-6.59	107.40	110.70
1	AA	668	G	C1'-O4'-C4'	-6.59	104.63	109.90
1	AA	729	A	C1'-O4'-C4'	6.59	115.17	109.90
1	AA	808	C	O4'-C1'-N1	6.59	113.47	108.20
1	AA	1065	U	N1-C2-O2	6.59	127.41	122.80
26	BB	524	G	N9-C1'-C2'	-6.59	104.75	112.00
26	BB	567	U	C5-C4-O4	-6.59	121.94	125.90
26	BB	1090	A	C5-C6-N6	-6.59	118.43	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1982	U	N3-C4-O4	-6.59	114.79	119.40
26	BB	2783	U	O4'-C1'-N1	6.59	113.47	108.20
26	BB	2873	A	C4-C5-C6	6.59	120.30	117.00
1	AA	507	C	C4'-C3'-C2'	-6.59	96.01	102.60
1	AA	579	A	C5-C6-N1	-6.59	114.41	117.70
1	AA	751	U	C5-C6-N1	-6.59	119.41	122.70
1	AA	928	G	C8-N9-C1'	6.59	135.57	127.00
1	AA	1157	A	N9-C4-C5	6.59	108.44	105.80
1	AA	1226	C	N3-C2-O2	-6.59	117.29	121.90
26	BB	11	C	N3-C4-C5	6.59	124.54	121.90
26	BB	337	C	N1-C1'-C2'	-6.59	104.75	112.00
26	BB	380	G	C5-N7-C8	-6.59	101.00	104.30
26	BB	1681	G	C6-C5-N7	6.59	134.35	130.40
26	BB	2015	A	O4'-C1'-N9	6.59	113.47	108.20
26	BB	2031	A	N1-C2-N3	-6.59	126.00	129.30
26	BB	2125	G	O4'-C1'-N9	6.59	113.47	108.20
26	BB	2211	A	C5-C6-N1	-6.59	114.41	117.70
43	BS	101	ASP	CB-CG-OD1	-6.59	112.37	118.30
1	AA	1254	A	C5'-C4'-C3'	6.59	126.54	116.00
1	AA	1410	A	C5-C6-N1	6.59	120.99	117.70
1	AA	1458	G	C5-C6-N1	6.59	114.79	111.50
26	BB	876	C	C3'-C2'-C1'	6.59	106.77	101.50
26	BB	935	C	N1-C1'-C2'	-6.59	104.75	112.00
26	BB	1380	G	N3-C4-C5	-6.59	125.31	128.60
26	BB	2495	G	C4'-C3'-C2'	-6.59	96.01	102.60
1	AA	386	C	N3-C4-C5	-6.59	119.27	121.90
1	AA	1169	A	N1-C2-N3	-6.59	126.01	129.30
1	AA	1513	A	P-O3'-C3'	6.59	127.60	119.70
1	AA	1527	U	O4'-C1'-N1	6.59	113.47	108.20
4	AD	47	A	N1-C6-N6	-6.59	114.65	118.60
9	AI	44	ARG	NE-CZ-NH1	6.59	123.59	120.30
26	BB	307	G	N1-C2-N3	6.59	127.85	123.90
26	BB	556	A	N9-C4-C5	6.59	108.44	105.80
26	BB	597	G	C5-C6-N1	6.59	114.79	111.50
26	BB	870	U	N1-C2-O2	6.59	127.41	122.80
26	BB	911	A	C5-C6-N1	6.59	120.99	117.70
26	BB	916	G	C8-N9-C4	-6.59	103.77	106.40
26	BB	1276	A	C5'-C4'-O4'	6.59	117.00	109.10
26	BB	2328	A	C5-N7-C8	-6.59	100.61	103.90
26	BB	2463	C	C5-C6-N1	-6.59	117.71	121.00
26	BB	2597	G	N3-C2-N2	-6.59	115.29	119.90
26	BB	2617	U	C5-C4-O4	6.59	129.85	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2883	A	C1'-O4'-C4'	6.59	115.17	109.90
2	AB	25	C	C5-C4-N4	6.58	124.81	120.20
26	BB	314	C	C4-C5-C6	6.58	120.69	117.40
26	BB	796	C	O4'-C1'-N1	6.58	113.47	108.20
26	BB	2721	A	P-O3'-C3'	6.58	127.60	119.70
1	AA	56	U	N3-C4-O4	6.58	124.01	119.40
1	AA	142	G	N9-C1'-C2'	-6.58	104.76	112.00
1	AA	182	A	N7-C8-N9	-6.58	110.51	113.80
1	AA	183	C	N3-C2-O2	-6.58	117.29	121.90
1	AA	849	G	C6-N1-C2	-6.58	121.15	125.10
1	AA	861	G	N7-C8-N9	6.58	116.39	113.10
1	AA	1343	G	C8-N9-C4	-6.58	103.77	106.40
25	BA	73	A	C5-C6-N1	6.58	120.99	117.70
26	BB	216	A	C2-N3-C4	6.58	113.89	110.60
26	BB	287	G	C8-N9-C4	-6.58	103.77	106.40
26	BB	783	A	C4'-C3'-C2'	-6.58	96.02	102.60
26	BB	1102	C	C5-C6-N1	6.58	124.29	121.00
26	BB	1734	G	C4-C5-N7	-6.58	108.17	110.80
26	BB	1904	G	O4'-C1'-N9	6.58	113.47	108.20
1	AA	351	G	C2-N3-C4	6.58	115.19	111.90
3	AC	13	A	O4'-C1'-N9	6.58	113.47	108.20
4	AD	4	G	N9-C1'-C2'	-6.58	104.76	112.00
26	BB	1303	G	C5-C6-O6	-6.58	124.65	128.60
26	BB	1594	U	C6-N1-C2	-6.58	117.05	121.00
26	BB	2572	A	N7-C8-N9	6.58	117.09	113.80
26	BB	2854	G	O4'-C1'-N9	6.58	113.47	108.20
1	AA	1131	G	O4'-C1'-N9	6.58	113.46	108.20
1	AA	1253	G	C2'-C3'-O3'	6.58	124.23	113.70
1	AA	1298	U	N1-C1'-C2'	6.58	122.55	114.00
26	BB	198	C	C1'-O4'-C4'	6.58	115.16	109.90
26	BB	1810	A	N7-C8-N9	6.58	117.09	113.80
26	BB	2820	A	C4-C5-C6	6.58	120.29	117.00
1	AA	318	G	C6-N1-C2	6.58	129.05	125.10
1	AA	1209	C	N3-C4-N4	-6.58	113.39	118.00
1	AA	1527	U	N3-C2-O2	-6.58	117.59	122.20
25	BA	92	C	N3-C4-N4	6.58	122.61	118.00
26	BB	270	A	O4'-C1'-N9	6.58	113.46	108.20
26	BB	677	A	C4-C5-N7	-6.58	107.41	110.70
26	BB	1587	G	C4-C5-N7	-6.58	108.17	110.80
26	BB	1617	C	O4'-C1'-C2'	-6.58	99.22	105.80
26	BB	1677	A	C8-N9-C4	-6.58	103.17	105.80
26	BB	1753	G	C6-C5-N7	-6.58	126.45	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2227	A	N1-C2-N3	-6.58	126.01	129.30
26	BB	2259	U	C1'-O4'-C4'	6.58	115.16	109.90
26	BB	2326	C	C1'-O4'-C4'	6.58	115.16	109.90
40	BP	90	ARG	NE-CZ-NH2	-6.58	117.01	120.30
1	AA	364	A	O4'-C1'-N9	6.58	113.46	108.20
26	BB	1132	U	C4-C5-C6	6.58	123.65	119.70
26	BB	1399	C	C5-C4-N4	-6.58	115.60	120.20
26	BB	1411	U	C5'-C4'-O4'	6.58	116.99	109.10
26	BB	1450	G	N9-C1'-C2'	-6.58	104.77	112.00
26	BB	2895	G	N1-C2-N2	6.58	122.12	116.20
1	AA	542	G	C4-C5-C6	6.58	122.75	118.80
1	AA	1452	C	O4'-C4'-C3'	-6.58	97.42	104.00
1	AA	1507	A	C4-C5-C6	-6.58	113.71	117.00
4	AD	10	G	O4'-C4'-C3'	6.58	111.36	106.10
4	AD	75	C	N1-C2-O2	6.58	122.85	118.90
26	BB	188	G	C6-N1-C2	-6.58	121.16	125.10
26	BB	452	G	N9-C4-C5	-6.58	102.77	105.40
26	BB	911	A	C6-C5-N7	6.58	136.90	132.30
26	BB	1927	A	N9-C4-C5	6.58	108.43	105.80
46	BV	77	ARG	NE-CZ-NH2	-6.58	117.01	120.30
1	AA	248	C	C2-N3-C4	6.57	123.19	119.90
1	AA	384	G	O4'-C1'-N9	6.57	113.46	108.20
1	AA	466	A	C4-C5-C6	-6.57	113.71	117.00
1	AA	630	A	C5-C6-N6	6.57	128.96	123.70
1	AA	1320	C	N3-C4-C5	6.57	124.53	121.90
4	AD	65	G	N7-C8-N9	6.57	116.39	113.10
7	AG	110	ARG	NE-CZ-NH1	6.57	123.59	120.30
17	AQ	12	ARG	CD-NE-CZ	6.57	132.80	123.60
25	BA	109	A	C5-C6-N6	-6.57	118.44	123.70
26	BB	59	U	N1-C2-N3	-6.57	110.96	114.90
26	BB	370	G	N3-C2-N2	6.57	124.50	119.90
26	BB	1130	U	C4'-C3'-C2'	-6.57	96.03	102.60
26	BB	1195	G	C5-C6-N1	6.57	114.79	111.50
26	BB	1724	G	C5-C6-O6	-6.57	124.66	128.60
26	BB	2341	G	N3-C4-N9	6.57	129.94	126.00
26	BB	2530	A	C6-C5-N7	6.57	136.90	132.30
1	AA	778	G	N3-C4-C5	-6.57	125.31	128.60
1	AA	1401	G	N3-C4-N9	-6.57	122.06	126.00
1	AA	1509	C	C5'-C4'-O4'	6.57	116.99	109.10
26	BB	1256	G	O4'-C1'-N9	6.57	113.46	108.20
26	BB	2371	G	C2-N3-C4	6.57	115.19	111.90
26	BB	2470	G	C4-C5-N7	6.57	113.43	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	492	C	N1-C2-O2	6.57	122.84	118.90
1	AA	704	A	O4'-C1'-N9	6.57	113.46	108.20
1	AA	930	C	C2-N3-C4	6.57	123.19	119.90
1	AA	938	A	C5-C6-N1	6.57	120.98	117.70
26	BB	217	A	C5'-C4'-O4'	6.57	116.98	109.10
26	BB	740	C	N1-C1'-C2'	6.57	122.54	114.00
26	BB	1241	A	C8-N9-C4	6.57	108.43	105.80
26	BB	1984	G	C4-N9-C1'	-6.57	117.96	126.50
26	BB	2517	C	O4'-C1'-C2'	-6.57	99.23	105.80
1	AA	1542	A	O4'-C1'-N9	-6.57	102.94	108.20
25	BA	34	A	C5-C6-N1	-6.57	114.42	117.70
26	BB	1399	C	N3-C4-N4	6.57	122.60	118.00
26	BB	1524	G	N1-C6-O6	6.57	123.84	119.90
26	BB	2438	U	C6-N1-C2	6.57	124.94	121.00
26	BB	2771	C	C4'-C3'-C2'	-6.57	96.03	102.60
1	AA	312	C	N3-C2-O2	-6.57	117.30	121.90
1	AA	410	G	N1-C2-N2	-6.57	110.29	116.20
1	AA	1509	C	C6-N1-C2	-6.57	117.67	120.30
16	AP	62	PHE	CZ-CE2-CD2	-6.57	112.22	120.10
26	BB	297	G	C6-N1-C2	-6.57	121.16	125.10
26	BB	301	G	N9-C4-C5	6.57	108.03	105.40
26	BB	366	C	N3-C4-C5	-6.57	119.27	121.90
26	BB	2054	A	C6-N1-C2	-6.57	114.66	118.60
26	BB	2254	C	N1-C2-O2	6.57	122.84	118.90
1	AA	72	A	N9-C4-C5	-6.57	103.17	105.80
1	AA	393	A	O4'-C4'-C3'	6.57	111.35	106.10
1	AA	937	A	N7-C8-N9	-6.57	110.52	113.80
1	AA	1422	G	N9-C4-C5	6.57	108.03	105.40
1	AA	1510	C	C4-C5-C6	6.57	120.68	117.40
3	AC	36	U	N3-C2-O2	-6.57	117.61	122.20
26	BB	166	U	N1-C2-O2	6.57	127.40	122.80
26	BB	837	C	O4'-C1'-N1	6.57	113.45	108.20
26	BB	912	C	C5'-C4'-O4'	6.57	116.98	109.10
26	BB	966	G	N3-C4-C5	-6.57	125.32	128.60
26	BB	2088	A	C3'-C2'-C1'	6.57	106.75	101.50
26	BB	2184	A	C4-C5-N7	6.57	113.98	110.70
26	BB	2238	G	O4'-C1'-N9	6.57	113.45	108.20
2	AB	19	G	C4-C5-N7	-6.56	108.17	110.80
4	AD	74	A	C5-N7-C8	6.56	107.18	103.90
26	BB	935	C	P-O3'-C3'	6.56	127.58	119.70
26	BB	1223	G	C5-C6-O6	-6.56	124.66	128.60
26	BB	2091	C	N3-C2-O2	6.56	126.50	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	664	G	C3'-C2'-C1'	-6.56	96.25	101.50
1	AA	968	A	C5-C6-N6	6.56	128.95	123.70
1	AA	1214	C	C5-C6-N1	6.56	124.28	121.00
26	BB	1066	U	C2-N3-C4	-6.56	123.06	127.00
26	BB	1905	C	N3-C4-C5	6.56	124.53	121.90
26	BB	2038	G	C6-N1-C2	-6.56	121.16	125.10
26	BB	2215	C	N1-C2-N3	-6.56	114.61	119.20
26	BB	2389	G	C5-C6-N1	6.56	114.78	111.50
31	BG	162	ASP	CB-CG-OD2	-6.56	112.39	118.30
1	AA	599	C	O4'-C1'-N1	6.56	113.45	108.20
1	AA	644	U	N3-C4-O4	-6.56	114.81	119.40
1	AA	1345	U	N3-C2-O2	-6.56	117.61	122.20
2	AB	28	C	N3-C2-O2	-6.56	117.31	121.90
26	BB	1007	C	C1'-O4'-C4'	-6.56	104.65	109.90
1	AA	577	G	N3-C4-N9	6.56	129.94	126.00
1	AA	1065	U	C5'-C4'-O4'	6.56	116.97	109.10
4	AD	59	A	C1'-O4'-C4'	6.56	115.15	109.90
26	BB	178	G	N9-C1'-C2'	-6.56	104.78	112.00
26	BB	363	G	C3'-C2'-C1'	6.56	106.75	101.50
26	BB	997	G	C6-N1-C2	6.56	129.04	125.10
26	BB	1401	G	C4-C5-C6	6.56	122.74	118.80
26	BB	1506	U	C4'-C3'-C2'	-6.56	96.04	102.60
26	BB	2006	C	C2-N3-C4	6.56	123.18	119.90
26	BB	2710	C	C3'-C2'-C1'	6.56	106.75	101.50
41	BQ	111	ARG	NE-CZ-NH2	-6.56	117.02	120.30
1	AA	159	G	C5-N7-C8	6.56	107.58	104.30
1	AA	525	C	C1'-O4'-C4'	6.56	115.15	109.90
1	AA	1178	G	C4'-C3'-C2'	-6.56	96.04	102.60
10	AJ	79	VAL	CA-CB-CG2	6.56	120.74	110.90
26	BB	438	G	C5-N7-C8	6.56	107.58	104.30
26	BB	850	U	C6-N1-C2	-6.56	117.06	121.00
26	BB	1271	G	N1-C6-O6	6.56	123.83	119.90
26	BB	1387	A	C6-N1-C2	6.56	122.53	118.60
26	BB	1440	U	C3'-C2'-C1'	-6.56	96.25	101.50
26	BB	1757	A	O4'-C1'-N9	6.56	113.45	108.20
26	BB	2071	A	C5-N7-C8	-6.56	100.62	103.90
26	BB	2593	U	C5'-C4'-C3'	-6.56	105.51	116.00
26	BB	2596	U	C4-C5-C6	6.56	123.63	119.70
26	BB	2756	U	C5-C6-N1	-6.56	119.42	122.70
1	AA	509	A	C5-N7-C8	6.56	107.18	103.90
1	AA	1496	C	N1-C2-O2	6.56	122.83	118.90
26	BB	604	G	N3-C4-C5	-6.56	125.32	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	834	G	C4-C5-N7	-6.56	108.18	110.80
26	BB	1201	U	C2-N3-C4	-6.56	123.07	127.00
26	BB	2145	C	C3'-C2'-C1'	-6.56	96.25	101.50
26	BB	2603	G	C3'-C2'-C1'	-6.56	96.25	101.50
26	BB	2755	C	N3-C4-C5	-6.56	119.28	121.90
26	BB	2777	G	N9-C4-C5	6.56	108.02	105.40
1	AA	1403	C	N1-C2-N3	-6.55	114.61	119.20
3	AC	19	A	N7-C8-N9	6.55	117.08	113.80
25	BA	83	G	C4-C5-N7	-6.55	108.18	110.80
26	BB	885	C	P-O5'-C5'	6.55	131.39	120.90
26	BB	1403	A	N1-C2-N3	-6.55	126.02	129.30
26	BB	1689	A	C5-C6-N6	6.55	128.94	123.70
1	AA	175	C	N1-C2-O2	6.55	122.83	118.90
1	AA	773	G	C4-C5-C6	6.55	122.73	118.80
4	AD	62	C	N3-C2-O2	-6.55	117.31	121.90
25	BA	105	G	C4-N9-C1'	-6.55	117.98	126.50
26	BB	824	U	C4'-C3'-C2'	-6.55	96.05	102.60
26	BB	874	G	C5-N7-C8	6.55	107.58	104.30
26	BB	988	A	P-O3'-C3'	6.55	127.56	119.70
26	BB	1512	C	N3-C4-C5	-6.55	119.28	121.90
26	BB	1935	G	C3'-C2'-C1'	-6.55	96.26	101.50
26	BB	2549	G	C5'-C4'-O4'	6.55	116.96	109.10
1	AA	199	A	C4-C5-C6	-6.55	113.72	117.00
1	AA	282	A	N9-C4-C5	6.55	108.42	105.80
1	AA	749	A	N1-C6-N6	-6.55	114.67	118.60
1	AA	1362	A	N1-C6-N6	6.55	122.53	118.60
26	BB	203	A	C8-N9-C4	-6.55	103.18	105.80
26	BB	310	A	O4'-C1'-N9	6.55	113.44	108.20
26	BB	1308	A	C4-C5-N7	-6.55	107.42	110.70
26	BB	2178	C	C6-N1-C2	-6.55	117.68	120.30
26	BB	2579	C	C5'-C4'-O4'	6.55	116.96	109.10
37	BM	49	ARG	NE-CZ-NH1	6.55	123.58	120.30
1	AA	304	U	C3'-C2'-C1'	6.55	106.74	101.50
1	AA	1442	G	C6-C5-N7	-6.55	126.47	130.40
26	BB	125	A	C5-C6-N1	6.55	120.97	117.70
26	BB	455	C	N1-C2-O2	6.55	122.83	118.90
26	BB	1498	C	O4'-C4'-C3'	6.55	111.34	106.10
26	BB	1617	C	N1-C1'-C2'	6.55	122.51	114.00
26	BB	2046	G	N3-C4-N9	6.55	129.93	126.00
26	BB	2576	G	C4-C5-N7	-6.55	108.18	110.80
1	AA	829	G	N7-C8-N9	6.55	116.37	113.10
1	AA	1247	U	C2-N3-C4	-6.55	123.07	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	73	G	O4'-C1'-C2'	-6.55	99.25	105.80
26	BB	122	G	N1-C2-N2	6.55	122.09	116.20
26	BB	296	U	C5'-C4'-O4'	6.55	116.96	109.10
26	BB	457	A	C8-N9-C4	-6.55	103.18	105.80
43	BS	2	ARG	NE-CZ-NH2	6.55	123.57	120.30
1	AA	1166	G	N3-C4-N9	-6.55	122.07	126.00
2	AB	29	G	N1-C2-N3	-6.55	119.97	123.90
2	AB	67	G	C5-C6-O6	-6.55	124.67	128.60
25	BA	94	A	O4'-C4'-C3'	6.55	111.34	106.10
26	BB	185	G	N3-C4-C5	-6.55	125.33	128.60
26	BB	287	G	C6-N1-C2	-6.55	121.17	125.10
26	BB	768	G	N1-C6-O6	6.55	123.83	119.90
26	BB	997	G	N3-C2-N2	6.55	124.48	119.90
26	BB	1778	U	C5-C4-O4	-6.55	121.97	125.90
26	BB	1947	C	N3-C4-N4	6.55	122.58	118.00
26	BB	2752	C	N3-C4-C5	6.55	124.52	121.90
26	BB	711	G	C2-N3-C4	6.54	115.17	111.90
26	BB	919	U	C4-C5-C6	6.54	123.63	119.70
26	BB	1063	G	C4'-C3'-C2'	-6.54	96.06	102.60
26	BB	1882	U	C4-C5-C6	6.54	123.63	119.70
1	AA	1290	G	N9-C4-C5	-6.54	102.78	105.40
2	AB	25	C	C5-C6-N1	6.54	124.27	121.00
26	BB	1148	U	C6-N1-C2	-6.54	117.07	121.00
26	BB	1861	G	N3-C4-N9	6.54	129.93	126.00
26	BB	2170	A	N1-C6-N6	6.54	122.53	118.60
1	AA	53	A	N3-C4-C5	-6.54	122.22	126.80
1	AA	648	A	N1-C2-N3	6.54	132.57	129.30
1	AA	812	G	C2-N3-C4	-6.54	108.63	111.90
1	AA	1011	C	C2-N3-C4	-6.54	116.63	119.90
1	AA	1094	G	N3-C4-C5	-6.54	125.33	128.60
1	AA	1529	G	N9-C4-C5	6.54	108.02	105.40
26	BB	520	G	C8-N9-C4	-6.54	103.78	106.40
26	BB	1998	A	C5'-C4'-O4'	6.54	116.95	109.10
26	BB	2081	U	N1-C2-O2	6.54	127.38	122.80
26	BB	2489	U	C6-N1-C2	-6.54	117.08	121.00
26	BB	2577	A	C4'-C3'-C2'	-6.54	96.06	102.60
28	BD	12	ARG	NE-CZ-NH2	6.54	123.57	120.30
1	AA	52	C	C4-C5-C6	6.54	120.67	117.40
1	AA	190	A	O4'-C1'-N9	6.54	113.43	108.20
1	AA	648	A	N9-C4-C5	-6.54	103.18	105.80
1	AA	776	G	C5-C6-O6	-6.54	124.68	128.60
1	AA	1401	G	N9-C4-C5	6.54	108.02	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	28	C	O4'-C4'-C3'	6.54	111.33	106.10
26	BB	523	C	N3-C4-N4	6.54	122.58	118.00
26	BB	1105	U	C4-C5-C6	6.54	123.62	119.70
26	BB	1510	G	C1'-O4'-C4'	6.54	115.13	109.90
26	BB	1571	A	C5'-C4'-O4'	6.54	116.95	109.10
1	AA	144	G	N9-C4-C5	6.54	108.02	105.40
1	AA	148	G	C4-C5-N7	-6.54	108.19	110.80
1	AA	166	U	C2-N3-C4	-6.54	123.08	127.00
1	AA	221	C	C2-N3-C4	6.54	123.17	119.90
1	AA	312	C	N1-C2-O2	6.54	122.82	118.90
1	AA	370	C	N3-C2-O2	-6.54	117.32	121.90
1	AA	478	A	N1-C2-N3	-6.54	126.03	129.30
1	AA	600	A	C8-N9-C4	-6.54	103.19	105.80
1	AA	746	A	C5-C6-N6	6.54	128.93	123.70
1	AA	836	G	C5-C6-O6	6.54	132.52	128.60
1	AA	1181	G	C6-N1-C2	-6.54	121.18	125.10
1	AA	1228	C	O4'-C1'-N1	6.54	113.43	108.20
4	AD	2	G	O4'-C4'-C3'	6.54	111.33	106.10
25	BA	76	G	C6-C5-N7	-6.54	126.48	130.40
26	BB	65	U	C1'-O4'-C4'	-6.54	104.67	109.90
26	BB	247	G	C1'-O4'-C4'	6.54	115.13	109.90
26	BB	841	G	N1-C6-O6	-6.54	115.98	119.90
26	BB	891	G	O5'-P-OP2	-6.54	99.81	105.70
26	BB	1353	A	O4'-C1'-N9	-6.54	102.97	108.20
26	BB	1643	G	C2-N3-C4	6.54	115.17	111.90
26	BB	1872	A	O4'-C1'-N9	-6.54	102.97	108.20
26	BB	1993	U	C5'-C4'-O4'	-6.54	101.25	109.10
26	BB	2290	G	N3-C4-N9	-6.54	122.08	126.00
26	BB	2330	G	C3'-C2'-C1'	-6.54	96.27	101.50
26	BB	2469	A	C6-N1-C2	6.54	122.52	118.60
26	BB	2782	G	N1-C2-N3	-6.54	119.98	123.90
1	AA	108	G	N1-C2-N2	6.54	122.08	116.20
1	AA	112	G	C6-N1-C2	-6.54	121.18	125.10
1	AA	829	G	C6-C5-N7	-6.54	126.48	130.40
26	BB	43	G	C4-C5-N7	6.54	113.42	110.80
26	BB	297	G	C8-N9-C4	-6.54	103.78	106.40
26	BB	1703	G	C6-C5-N7	-6.54	126.48	130.40
1	AA	793	U	C3'-C2'-C1'	-6.54	96.27	101.50
1	AA	960	U	C4-C5-C6	6.54	123.62	119.70
1	AA	972	C	C2-N1-C1'	-6.54	111.61	118.80
1	AA	1086	U	N1-C2-N3	6.54	118.82	114.90
1	AA	1533	C	N3-C4-N4	6.54	122.58	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AK	46	GLU	OE1-CD-OE2	6.54	131.14	123.30
26	BB	129	C	N1-C2-N3	-6.54	114.62	119.20
26	BB	796	C	C5-C4-N4	-6.54	115.63	120.20
26	BB	2536	G	C6-N1-C2	-6.54	121.18	125.10
1	AA	401	C	C1'-O4'-C4'	-6.53	104.67	109.90
1	AA	442	G	N1-C6-O6	6.53	123.82	119.90
1	AA	789	U	N3-C4-O4	6.53	123.97	119.40
1	AA	1179	A	N1-C6-N6	6.53	122.52	118.60
1	AA	1211	U	C1'-O4'-C4'	-6.53	104.67	109.90
1	AA	1397	C	C3'-C2'-C1'	6.53	106.73	101.50
22	AV	31	ARG	NE-CZ-NH1	6.53	123.57	120.30
26	BB	177	G	C2-N3-C4	-6.53	108.63	111.90
26	BB	615	U	O4'-C1'-C2'	-6.53	99.27	105.80
26	BB	668	A	C5-C6-N1	6.53	120.97	117.70
26	BB	1055	G	C6-N1-C2	-6.53	121.18	125.10
26	BB	1099	G	C6-N1-C2	-6.53	121.18	125.10
26	BB	1200	C	N3-C2-O2	-6.53	117.33	121.90
26	BB	1209	U	C6-N1-C2	-6.53	117.08	121.00
26	BB	1801	A	C5-N7-C8	-6.53	100.63	103.90
26	BB	1840	G	C5'-C4'-C3'	-6.53	105.55	116.00
26	BB	2524	G	C2-N3-C4	6.53	115.17	111.90
1	AA	122	G	N9-C4-C5	6.53	108.01	105.40
1	AA	255	G	O4'-C1'-C2'	-6.53	99.27	105.80
26	BB	1090	A	C2-N3-C4	6.53	113.87	110.60
26	BB	1821	A	C3'-C2'-C1'	-6.53	96.27	101.50
39	BO	40	ARG	NE-CZ-NH1	-6.53	117.03	120.30
1	AA	58	C	N1-C2-O2	6.53	122.82	118.90
1	AA	120	A	N1-C6-N6	-6.53	114.68	118.60
1	AA	264	C	N3-C4-C5	-6.53	119.29	121.90
1	AA	298	A	C2-N3-C4	6.53	113.86	110.60
2	AB	42	G	C8-N9-C4	-6.53	103.79	106.40
26	BB	27	G	C4-C5-C6	6.53	122.72	118.80
26	BB	690	G	C6-C5-N7	-6.53	126.48	130.40
26	BB	794	A	N9-C4-C5	-6.53	103.19	105.80
26	BB	1582	C	O4'-C1'-C2'	6.53	113.48	107.60
26	BB	1726	C	C4-C5-C6	6.53	120.67	117.40
26	BB	2154	A	C2-N3-C4	-6.53	107.33	110.60
26	BB	2748	A	N9-C4-C5	6.53	108.41	105.80
1	AA	473	U	N3-C2-O2	-6.53	117.63	122.20
1	AA	852	G	C5-C6-O6	-6.53	124.68	128.60
1	AA	914	A	N1-C6-N6	-6.53	114.68	118.60
26	BB	2821	A	C5'-C4'-C3'	-6.53	105.55	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	847	G	O4'-C4'-C3'	6.53	111.32	106.10
1	AA	925	G	N1-C2-N3	-6.53	119.98	123.90
4	AD	49	C	C5'-C4'-C3'	-6.53	105.56	116.00
26	BB	1085	A	C8-N9-C4	6.53	108.41	105.80
26	BB	1614	A	C6-C5-N7	-6.53	127.73	132.30
26	BB	1625	C	N3-C4-N4	6.53	122.57	118.00
1	AA	79	G	N3-C4-C5	-6.53	125.34	128.60
1	AA	311	C	C6-N1-C2	-6.53	117.69	120.30
26	BB	160	A	C5'-C4'-C3'	-6.53	105.56	116.00
26	BB	273	G	C6-N1-C2	-6.53	121.19	125.10
26	BB	1168	G	N3-C4-N9	6.53	129.91	126.00
26	BB	1342	A	N7-C8-N9	-6.53	110.54	113.80
26	BB	1701	A	C1'-O4'-C4'	6.53	115.12	109.90
26	BB	2842	G	C5-C6-N1	6.53	114.76	111.50
30	BF	86	ALA	CB-CA-C	6.53	119.89	110.10
26	BB	2596	U	N3-C4-O4	6.52	123.97	119.40
1	AA	299	G	C5-C6-O6	-6.52	124.69	128.60
1	AA	1012	A	C8-N9-C4	-6.52	103.19	105.80
26	BB	856	G	C4-C5-C6	6.52	122.71	118.80
26	BB	1359	A	C2-N3-C4	6.52	113.86	110.60
26	BB	1791	A	C8-N9-C4	-6.52	103.19	105.80
26	BB	1953	A	N9-C4-C5	6.52	108.41	105.80
26	BB	2120	G	C5'-C4'-O4'	6.52	116.93	109.10
26	BB	2371	G	C6-C5-N7	-6.52	126.49	130.40
26	BB	2463	C	C1'-O4'-C4'	6.52	115.12	109.90
26	BB	2785	C	N3-C4-C5	-6.52	119.29	121.90
1	AA	581	G	C8-N9-C1'	6.52	135.48	127.00
25	BA	116	G	C3'-C2'-C1'	-6.52	96.28	101.50
26	BB	1	G	C4-C5-N7	-6.52	108.19	110.80
26	BB	293	U	N1-C2-O2	6.52	127.36	122.80
26	BB	497	A	C8-N9-C4	-6.52	103.19	105.80
26	BB	1227	G	C5-C6-O6	-6.52	124.69	128.60
1	AA	326	G	N3-C4-C5	-6.52	125.34	128.60
1	AA	1329	A	N9-C4-C5	6.52	108.41	105.80
4	AD	18	U	N1-C2-N3	6.52	118.81	114.90
11	AK	64	TYR	CB-CG-CD1	-6.52	117.09	121.00
26	BB	775	G	C4'-C3'-C2'	-6.52	96.08	102.60
26	BB	1080	A	P-O5'-C5'	6.52	131.33	120.90
26	BB	1133	A	C5-C6-N6	-6.52	118.48	123.70
26	BB	1542	U	C4'-C3'-C2'	-6.52	96.08	102.60
26	BB	1573	G	C4-C5-N7	-6.52	108.19	110.80
26	BB	1960	A	P-O3'-C3'	6.52	127.52	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	85	U	C2-N1-C1'	6.52	125.52	117.70
1	AA	435	A	O4'-C1'-N9	6.52	113.42	108.20
1	AA	511	C	C3'-C2'-C1'	-6.52	96.29	101.50
1	AA	528	C	C5'-C4'-O4'	6.52	116.92	109.10
1	AA	598	U	O5'-P-OP2	-6.52	99.83	105.70
1	AA	621	A	N3-C4-C5	-6.52	122.24	126.80
1	AA	900	A	C1'-O4'-C4'	6.52	115.11	109.90
15	AO	60	PHE	CB-CG-CD2	6.52	125.36	120.80
26	BB	202	U	N3-C2-O2	-6.52	117.64	122.20
26	BB	2072	C	C6-N1-C2	6.52	122.91	120.30
26	BB	2166	U	N3-C2-O2	-6.52	117.64	122.20
26	BB	2388	A	C6-C5-N7	6.52	136.86	132.30
1	AA	346	G	C4-C5-N7	6.52	113.41	110.80
26	BB	408	G	C5-N7-C8	-6.52	101.04	104.30
26	BB	1569	A	C5'-C4'-O4'	6.52	116.92	109.10
26	BB	1796	U	C5'-C4'-O4'	6.52	116.92	109.10
26	BB	1908	C	N3-C4-C5	-6.52	119.29	121.90
1	AA	434	U	C2-N3-C4	-6.51	123.09	127.00
1	AA	926	G	C4-C5-C6	6.51	122.71	118.80
1	AA	1185	G	C4-C5-N7	-6.51	108.19	110.80
1	AA	1457	G	N1-C6-O6	6.51	123.81	119.90
2	AB	25	C	N1-C2-O2	6.51	122.81	118.90
3	AC	54	U	C6-N1-C2	-6.51	117.09	121.00
26	BB	110	G	C5'-C4'-O4'	6.51	116.92	109.10
26	BB	470	A	N1-C6-N6	-6.51	114.69	118.60
26	BB	971	G	C8-N9-C4	-6.51	103.79	106.40
26	BB	984	A	O4'-C1'-N9	6.51	113.41	108.20
26	BB	1046	A	C5-N7-C8	-6.51	100.64	103.90
26	BB	2073	C	C5-C4-N4	-6.51	115.64	120.20
1	AA	47	C	C5'-C4'-C3'	-6.51	105.58	116.00
1	AA	852	G	O4'-C1'-N9	6.51	113.41	108.20
26	BB	199	A	C4'-C3'-C2'	6.51	109.11	102.60
26	BB	1606	C	C3'-C2'-C1'	6.51	106.71	101.50
26	BB	1914	C	N1-C2-O2	6.51	122.81	118.90
26	BB	2760	C	C5-C6-N1	6.51	124.26	121.00
1	AA	573	A	C1'-O4'-C4'	-6.51	104.69	109.90
1	AA	1217	C	N3-C2-O2	-6.51	117.34	121.90
2	AB	76	A	C3'-C2'-C1'	6.51	106.71	101.50
26	BB	489	G	C4'-C3'-C2'	6.51	109.11	102.60
26	BB	916	G	C4-C5-N7	6.51	113.40	110.80
26	BB	1471	G	C6-C5-N7	6.51	134.31	130.40
26	BB	1623	G	C5-C6-N1	6.51	114.76	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2284	A	C5'-C4'-O4'	6.51	116.91	109.10
26	BB	2629	U	O4'-C1'-N1	6.51	113.41	108.20
30	BF	67	ARG	NE-CZ-NH1	6.51	123.56	120.30
1	AA	234	C	N3-C4-C5	-6.51	119.30	121.90
1	AA	845	A	C5-C6-N1	6.51	120.95	117.70
1	AA	1392	G	C4-C5-C6	6.51	122.70	118.80
4	AD	1	C	N1-C2-O2	6.51	122.81	118.90
26	BB	192	C	C5-C6-N1	-6.51	117.75	121.00
26	BB	384	A	C4'-C3'-C2'	-6.51	96.09	102.60
26	BB	1062	G	C2-N3-C4	6.51	115.16	111.90
26	BB	1292	G	O4'-C4'-C3'	6.51	111.31	106.10
26	BB	1362	C	C5'-C4'-O4'	6.51	116.91	109.10
26	BB	1383	A	C4-C5-C6	-6.51	113.75	117.00
26	BB	1817	G	C5-N7-C8	6.51	107.55	104.30
26	BB	2339	C	C5-C4-N4	6.51	124.76	120.20
26	BB	2805	C	O4'-C1'-N1	6.51	113.41	108.20
1	AA	1053	G	C5-C6-N1	6.51	114.75	111.50
1	AA	149	A	C8-N9-C4	6.51	108.40	105.80
1	AA	724	G	N3-C4-N9	6.51	129.90	126.00
1	AA	817	C	O4'-C1'-N1	6.51	113.40	108.20
1	AA	1088	G	O4'-C1'-N9	6.51	113.40	108.20
5	AE	56	LEU	CB-CG-CD1	6.51	122.06	111.00
26	BB	972	A	O4'-C1'-N9	6.51	113.41	108.20
26	BB	1115	G	N7-C8-N9	6.51	116.35	113.10
26	BB	2508	G	C8-N9-C4	-6.51	103.80	106.40
26	BB	2724	U	N1-C1'-C2'	-6.51	104.84	112.00
26	BB	2733	A	C8-N9-C4	6.51	108.40	105.80
1	AA	648	A	C5-C6-N1	6.50	120.95	117.70
1	AA	860	A	C4-C5-N7	-6.50	107.45	110.70
26	BB	221	A	C5-C6-N6	-6.50	118.50	123.70
26	BB	349	U	O4'-C1'-N1	6.50	113.40	108.20
26	BB	490	C	C2-N3-C4	6.50	123.15	119.90
26	BB	1780	A	C4'-C3'-C2'	-6.50	96.09	102.60
26	BB	2553	G	P-O3'-C3'	6.50	127.51	119.70
1	AA	10	A	O4'-C1'-N9	6.50	113.40	108.20
1	AA	282	A	C2-N3-C4	6.50	113.85	110.60
1	AA	654	G	C4-C5-N7	-6.50	108.20	110.80
1	AA	984	C	P-O3'-C3'	6.50	127.50	119.70
1	AA	1246	A	C2-N3-C4	6.50	113.85	110.60
1	AA	1271	A	C6-N1-C2	-6.50	114.70	118.60
2	AB	15	A	N1-C2-N3	-6.50	126.05	129.30
4	AD	10	G	C5'-C4'-O4'	6.50	116.90	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	AJ	1	PRO	CA-N-CD	-6.50	102.39	111.50
26	BB	216	A	N1-C6-N6	-6.50	114.70	118.60
26	BB	245	G	C5-N7-C8	-6.50	101.05	104.30
26	BB	629	G	C2-N3-C4	6.50	115.15	111.90
26	BB	936	A	C4'-C3'-C2'	-6.50	96.10	102.60
26	BB	1331	G	N3-C4-C5	-6.50	125.35	128.60
26	BB	1897	G	O4'-C1'-N9	6.50	113.40	108.20
26	BB	2014	A	N3-C4-C5	-6.50	122.25	126.80
26	BB	2072	C	C5-C6-N1	-6.50	117.75	121.00
26	BB	2164	C	N3-C2-O2	-6.50	117.35	121.90
43	BS	114	ALA	N-CA-CB	6.50	119.20	110.10
1	AA	1065	U	C3'-C2'-C1'	6.50	106.70	101.50
1	AA	1141	C	O4'-C1'-N1	6.50	113.40	108.20
1	AA	1395	C	C5-C4-N4	-6.50	115.65	120.20
4	AD	2	G	C5-C6-N1	-6.50	108.25	111.50
26	BB	371	A	N9-C4-C5	-6.50	103.20	105.80
26	BB	514	A	N3-C4-N9	6.50	132.60	127.40
26	BB	1675	C	C5-C6-N1	6.50	124.25	121.00
26	BB	1683	U	P-O3'-C3'	6.50	127.50	119.70
26	BB	2014	A	C4-C5-C6	6.50	120.25	117.00
26	BB	2756	U	C6-N1-C2	6.50	124.90	121.00
1	AA	41	G	C2-N3-C4	6.50	115.15	111.90
1	AA	1313	U	C4-C5-C6	6.50	123.60	119.70
26	BB	39	G	C8-N9-C4	6.50	109.00	106.40
26	BB	2145	C	C5-C6-N1	-6.50	117.75	121.00
1	AA	158	G	N9-C4-C5	6.50	108.00	105.40
1	AA	785	G	O4'-C1'-N9	6.50	113.40	108.20
25	BA	105	G	C4'-C3'-C2'	-6.50	96.10	102.60
26	BB	379	G	N3-C4-N9	-6.50	122.10	126.00
26	BB	660	C	C5-C4-N4	-6.50	115.65	120.20
26	BB	1510	G	C3'-C2'-C1'	6.50	106.70	101.50
26	BB	1910	G	C5'-C4'-O4'	6.50	116.90	109.10
26	BB	1947	C	C4-C5-C6	6.50	120.65	117.40
26	BB	2713	U	O4'-C1'-N1	6.50	113.40	108.20
26	BB	2801	G	O4'-C1'-N9	6.50	113.40	108.20
1	AA	399	G	C6-N1-C2	-6.50	121.20	125.10
1	AA	1458	G	C4-C5-N7	-6.50	108.20	110.80
22	AV	4	LEU	CB-CG-CD2	6.50	122.04	111.00
26	BB	73	A	C5-N7-C8	-6.50	100.65	103.90
26	BB	100	U	N1-C2-N3	6.50	118.80	114.90
26	BB	548	G	C1'-O4'-C4'	-6.50	104.70	109.90
26	BB	1020	A	N3-C4-C5	-6.50	122.25	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1953	A	O4'-C1'-N9	6.50	113.40	108.20
26	BB	1997	C	C5-C6-N1	6.50	124.25	121.00
26	BB	2280	G	C4'-C3'-C2'	-6.50	96.10	102.60
26	BB	2653	U	C5-C4-O4	-6.50	122.00	125.90
1	AA	111	G	C8-N9-C4	-6.50	103.80	106.40
1	AA	127	G	C6-N1-C2	-6.50	121.20	125.10
4	AD	34	U	C5'-C4'-O4'	6.50	116.89	109.10
26	BB	296	U	C2-N3-C4	-6.50	123.10	127.00
26	BB	297	G	O4'-C1'-N9	6.50	113.40	108.20
26	BB	472	A	C2-N3-C4	6.50	113.85	110.60
26	BB	1937	A	C1'-O4'-C4'	-6.50	104.70	109.90
26	BB	2811	G	N9-C4-C5	6.50	108.00	105.40
1	AA	481	G	C4'-C3'-C2'	-6.49	96.11	102.60
1	AA	850	U	C5'-C4'-C3'	-6.49	105.61	116.00
1	AA	902	G	N7-C8-N9	6.49	116.35	113.10
26	BB	218	A	C3'-C2'-C1'	6.49	106.69	101.50
26	BB	314	C	C6-N1-C2	-6.49	117.70	120.30
26	BB	527	C	P-O3'-C3'	6.49	127.49	119.70
26	BB	1763	G	N9-C4-C5	6.49	108.00	105.40
26	BB	1821	A	C4-C5-C6	-6.49	113.75	117.00
26	BB	1840	G	C4-C5-N7	6.49	113.40	110.80
26	BB	2032	G	C2-N3-C4	6.49	115.15	111.90
26	BB	2728	U	C3'-C2'-C1'	-6.49	96.31	101.50
1	AA	798	U	C2'-C3'-O3'	6.49	124.09	113.70
1	AA	1205	U	C5-C6-N1	-6.49	119.45	122.70
16	AP	97	ARG	NE-CZ-NH2	-6.49	117.05	120.30
26	BB	67	U	C6-N1-C2	-6.49	117.11	121.00
26	BB	1331	G	P-O3'-C3'	6.49	127.49	119.70
1	AA	147	G	N3-C4-N9	-6.49	122.11	126.00
1	AA	559	A	O4'-C1'-N9	6.49	113.39	108.20
1	AA	708	C	C5'-C4'-O4'	6.49	116.89	109.10
1	AA	714	G	C8-N9-C4	6.49	109.00	106.40
1	AA	1309	G	C6-N1-C2	-6.49	121.20	125.10
1	AA	1442	G	N3-C4-C5	-6.49	125.36	128.60
15	AO	37	TYR	CG-CD1-CE1	-6.49	116.11	121.30
26	BB	34	U	N3-C4-O4	6.49	123.94	119.40
26	BB	390	U	C5-C6-N1	-6.49	119.45	122.70
26	BB	590	A	N1-C6-N6	6.49	122.49	118.60
26	BB	835	C	O4'-C1'-N1	6.49	113.39	108.20
26	BB	890	C	C6-N1-C2	-6.49	117.70	120.30
26	BB	1157	G	N1-C2-N3	-6.49	120.01	123.90
26	BB	2242	G	C4-C5-N7	6.49	113.40	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2252	G	C4'-C3'-C2'	-6.49	96.11	102.60
26	BB	2560	A	N1-C6-N6	-6.49	114.71	118.60
26	BB	2891	U	P-O3'-C3'	6.49	127.49	119.70
1	AA	382	A	C4-C5-C6	-6.49	113.76	117.00
1	AA	985	C	C6-N1-C2	6.49	122.90	120.30
1	AA	1300	G	C6-C5-N7	-6.49	126.51	130.40
1	AA	1434	A	C5-C6-N1	-6.49	114.46	117.70
26	BB	51	G	C5-N7-C8	-6.49	101.06	104.30
26	BB	651	G	C5-N7-C8	-6.49	101.06	104.30
26	BB	2154	A	C5'-C4'-C3'	-6.49	105.62	116.00
26	BB	2809	A	C6-N1-C2	6.49	122.49	118.60
1	AA	436	C	N3-C2-O2	-6.49	117.36	121.90
1	AA	851	G	N3-C4-C5	-6.49	125.36	128.60
1	AA	898	G	C4-C5-C6	6.49	122.69	118.80
4	AD	5	G	C4-C5-C6	6.49	122.69	118.80
26	BB	1210	G	O4'-C1'-C2'	6.49	113.44	107.60
26	BB	1292	G	N3-C4-C5	-6.49	125.36	128.60
26	BB	2301	C	O4'-C4'-C3'	6.49	111.29	106.10
1	AA	1506	U	O4'-C1'-N1	6.49	113.39	108.20
1	AA	1520	C	C6-N1-C2	6.49	122.89	120.30
4	AD	45	A	C6-N1-C2	-6.49	114.71	118.60
25	BA	84	G	C4-C5-N7	-6.49	108.21	110.80
26	BB	397	U	C4'-C3'-C2'	-6.49	96.11	102.60
26	BB	954	G	N7-C8-N9	6.49	116.34	113.10
26	BB	2425	A	C5-N7-C8	-6.49	100.66	103.90
26	BB	2497	A	C5-C6-N1	6.49	120.94	117.70
1	AA	97	G	N3-C4-C5	-6.48	125.36	128.60
1	AA	423	G	C5'-C4'-C3'	-6.48	105.63	116.00
26	BB	2208	C	C2-N3-C4	-6.48	116.66	119.90
1	AA	15	G	N3-C2-N2	6.48	124.44	119.90
1	AA	43	C	C6-N1-C2	6.48	122.89	120.30
1	AA	604	G	C3'-C2'-C1'	6.48	106.69	101.50
1	AA	791	G	O4'-C4'-C3'	-6.48	97.52	104.00
1	AA	819	A	C4-C5-N7	6.48	113.94	110.70
1	AA	864	A	C5-C6-N1	6.48	120.94	117.70
1	AA	1103	C	C2-N3-C4	6.48	123.14	119.90
1	AA	1161	C	O4'-C1'-N1	6.48	113.39	108.20
1	AA	1227	A	C5-C6-N1	-6.48	114.46	117.70
1	AA	1532	U	C2-N3-C4	-6.48	123.11	127.00
18	AR	62	ARG	NH1-CZ-NH2	6.48	126.53	119.40
26	BB	663	G	C4-C5-N7	6.48	113.39	110.80
26	BB	1687	G	N3-C2-N2	6.48	124.44	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2047	C	C5-C4-N4	-6.48	115.66	120.20
26	BB	2497	A	C5-C6-N6	-6.48	118.51	123.70
26	BB	2860	A	N9-C4-C5	6.48	108.39	105.80
1	AA	249	U	N1-C2-N3	6.48	118.79	114.90
1	AA	253	A	N9-C4-C5	6.48	108.39	105.80
1	AA	1459	G	O4'-C4'-C3'	6.48	111.28	106.10
2	AB	6	C	C5-C6-N1	6.48	124.24	121.00
26	BB	730	A	N1-C6-N6	-6.48	114.71	118.60
26	BB	946	C	N3-C4-C5	-6.48	119.31	121.90
26	BB	1164	C	C2-N3-C4	6.48	123.14	119.90
26	BB	1598	A	O4'-C4'-C3'	6.48	111.28	106.10
26	BB	1642	G	C2-N3-C4	-6.48	108.66	111.90
26	BB	1981	A	N9-C4-C5	6.48	108.39	105.80
26	BB	2508	G	N1-C2-N3	6.48	127.79	123.90
26	BB	2674	G	O4'-C1'-N9	6.48	113.38	108.20
26	BB	2751	G	C4-C5-N7	6.48	113.39	110.80
4	AD	74	A	C4-C5-C6	-6.48	113.76	117.00
26	BB	149	A	N9-C4-C5	6.48	108.39	105.80
26	BB	308	G	C5-N7-C8	-6.48	101.06	104.30
1	AA	440	C	C5-C6-N1	6.48	124.24	121.00
1	AA	443	C	O4'-C1'-C2'	6.48	113.43	107.60
1	AA	1065	U	N3-C2-O2	-6.48	117.67	122.20
18	AR	83	ARG	NE-CZ-NH2	-6.48	117.06	120.30
25	BA	58	A	C5'-C4'-C3'	6.48	126.36	116.00
26	BB	106	C	C3'-C2'-C1'	-6.48	96.32	101.50
26	BB	794	A	C2-N3-C4	-6.48	107.36	110.60
26	BB	836	G	C5'-C4'-O4'	6.48	116.87	109.10
26	BB	1280	G	N7-C8-N9	6.48	116.34	113.10
26	BB	1410	G	C1'-O4'-C4'	-6.48	104.72	109.90
26	BB	1444	G	O4'-C1'-N9	6.48	113.38	108.20
26	BB	2157	G	C5-N7-C8	-6.48	101.06	104.30
26	BB	2543	G	P-O3'-C3'	6.48	127.47	119.70
1	AA	455	G	C4-C5-N7	6.48	113.39	110.80
1	AA	825	A	N1-C6-N6	-6.48	114.71	118.60
2	AB	19	G	N1-C6-O6	-6.48	116.01	119.90
26	BB	555	G	C2-N3-C4	6.48	115.14	111.90
26	BB	664	G	N7-C8-N9	6.48	116.34	113.10
26	BB	858	G	N9-C4-C5	6.48	107.99	105.40
26	BB	1231	U	C4'-C3'-C2'	-6.48	96.12	102.60
26	BB	1371	G	P-O3'-C3'	6.48	127.47	119.70
26	BB	2509	G	C2-N3-C4	6.48	115.14	111.90
1	AA	105	G	N3-C2-N2	-6.47	115.37	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	404	G	C4-C5-N7	-6.47	108.21	110.80
1	AA	549	C	C1'-O4'-C4'	6.47	115.08	109.90
1	AA	1185	G	C4-C5-C6	6.47	122.68	118.80
26	BB	103	A	N1-C6-N6	-6.47	114.72	118.60
26	BB	273	G	C5'-C4'-O4'	6.47	116.87	109.10
26	BB	1456	G	C5-C6-N1	6.47	114.74	111.50
26	BB	2099	U	N3-C2-O2	6.47	126.73	122.20
26	BB	2712	C	O4'-C1'-N1	6.47	113.38	108.20
1	AA	339	C	N1-C2-N3	-6.47	114.67	119.20
1	AA	1155	A	N1-C2-N3	-6.47	126.06	129.30
1	AA	1208	C	O4'-C1'-C2'	6.47	113.42	107.60
25	BA	95	U	C3'-C2'-C1'	6.47	106.68	101.50
26	BB	395	U	C5-C4-O4	-6.47	122.02	125.90
26	BB	685	A	C6-N1-C2	-6.47	114.72	118.60
26	BB	952	G	C5-N7-C8	6.47	107.54	104.30
26	BB	1116	G	N3-C4-C5	-6.47	125.36	128.60
26	BB	1217	U	C1'-O4'-C4'	6.47	115.08	109.90
26	BB	1287	A	C5-C6-N1	6.47	120.94	117.70
26	BB	2139	U	C4'-C3'-C2'	-6.47	96.13	102.60
1	AA	676	A	C5-C6-N1	6.47	120.94	117.70
3	AC	15	G	C5-C6-N1	6.47	114.74	111.50
26	BB	1299	G	N1-C2-N2	6.47	122.02	116.20
26	BB	2410	G	C2-N3-C4	6.47	115.14	111.90
26	BB	2438	U	C5'-C4'-O4'	6.47	116.86	109.10
32	BH	55	ASP	CB-CG-OD2	-6.47	112.48	118.30
1	AA	88	U	N3-C2-O2	-6.47	117.67	122.20
1	AA	1524	C	P-O3'-C3'	6.47	127.46	119.70
25	BA	108	A	C5'-C4'-O4'	6.47	116.86	109.10
26	BB	1074	G	C4-C5-N7	-6.47	108.21	110.80
26	BB	1190	G	C5'-C4'-O4'	6.47	116.86	109.10
26	BB	1831	G	O4'-C1'-N9	6.47	113.38	108.20
26	BB	2236	U	O4'-C4'-C3'	-6.47	97.53	104.00
26	BB	2677	G	N1-C2-N3	-6.47	120.02	123.90
26	BB	1195	G	C4-C5-C6	6.47	122.68	118.80
26	BB	2151	U	O4'-C1'-N1	6.47	113.38	108.20
26	BB	2706	A	O4'-C1'-N9	6.47	113.38	108.20
1	AA	948	C	C3'-C2'-C1'	6.47	106.67	101.50
16	AP	106	ARG	NE-CZ-NH1	6.47	123.53	120.30
26	BB	103	A	O4'-C4'-C3'	-6.47	97.53	104.00
26	BB	146	A	C5-C6-N6	-6.47	118.53	123.70
26	BB	805	G	N1-C2-N3	-6.47	120.02	123.90
26	BB	1383	A	O4'-C4'-C3'	6.47	111.27	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1420	A	C2-N3-C4	6.47	113.83	110.60
26	BB	1439	A	C1'-O4'-C4'	-6.47	104.73	109.90
26	BB	1580	A	C4-C5-C6	-6.47	113.77	117.00
26	BB	2037	A	C2-N3-C4	6.47	113.83	110.60
26	BB	2860	A	C4-C5-C6	6.47	120.23	117.00
1	AA	534	U	P-O3'-C3'	6.46	127.46	119.70
1	AA	573	A	C6-C5-N7	-6.46	127.78	132.30
1	AA	658	C	N3-C2-O2	-6.46	117.38	121.90
1	AA	660	C	C5'-C4'-O4'	6.46	116.86	109.10
1	AA	1163	A	N1-C2-N3	6.46	132.53	129.30
26	BB	146	A	N1-C2-N3	6.46	132.53	129.30
26	BB	828	U	C3'-C2'-C1'	6.46	106.67	101.50
26	BB	982	C	N3-C2-O2	-6.46	117.38	121.90
26	BB	1135	C	C4'-C3'-C2'	-6.46	96.14	102.60
26	BB	1946	U	N1-C1'-C2'	-6.46	104.89	112.00
26	BB	2323	G	C5-C6-O6	6.46	132.48	128.60
26	BB	2871	U	N1-C2-N3	6.46	118.78	114.90
32	BH	94	ARG	NE-CZ-NH1	6.46	123.53	120.30
35	BK	126	ARG	CD-NE-CZ	6.46	132.65	123.60
1	AA	799	G	C5-C6-N1	6.46	114.73	111.50
8	AH	24	VAL	CA-CB-CG2	6.46	120.59	110.90
26	BB	539	G	O4'-C1'-C2'	6.46	113.42	107.60
26	BB	2236	U	P-O3'-C3'	6.46	127.46	119.70
26	BB	2350	C	N3-C2-O2	-6.46	117.38	121.90
1	AA	23	C	N3-C2-O2	-6.46	117.38	121.90
1	AA	219	U	N1-C2-O2	-6.46	118.28	122.80
1	AA	255	G	C5-C6-O6	6.46	132.48	128.60
1	AA	324	G	C4-C5-C6	6.46	122.68	118.80
1	AA	376	G	N1-C6-O6	6.46	123.78	119.90
1	AA	386	C	N1-C2-O2	6.46	122.78	118.90
1	AA	719	C	C1'-O4'-C4'	-6.46	104.73	109.90
1	AA	730	G	C6-N1-C2	-6.46	121.22	125.10
1	AA	916	U	C1'-O4'-C4'	6.46	115.07	109.90
1	AA	1058	G	C5-N7-C8	6.46	107.53	104.30
1	AA	1142	G	C8-N9-C4	-6.46	103.81	106.40
26	BB	783	A	N3-C4-N9	6.46	132.57	127.40
26	BB	899	A	N3-C4-C5	-6.46	122.28	126.80
26	BB	1235	G	N7-C8-N9	6.46	116.33	113.10
26	BB	1311	G	C4-C5-C6	6.46	122.68	118.80
26	BB	1651	G	C6-C5-N7	-6.46	126.52	130.40
26	BB	2114	A	C8-N9-C4	-6.46	103.22	105.80
26	BB	2148	G	C8-N9-C4	-6.46	103.81	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2195	U	N1-C1'-C2'	-6.46	104.89	112.00
26	BB	2585	U	C3'-C2'-C1'	-6.46	96.33	101.50
26	BB	2604	U	N1-C2-N3	6.46	118.78	114.90
1	AA	53	A	C2-N3-C4	6.46	113.83	110.60
26	BB	417	C	C4'-C3'-C2'	-6.46	96.14	102.60
26	BB	744	U	N1-C1'-C2'	-6.46	104.89	112.00
26	BB	901	C	C6-N1-C2	6.46	122.88	120.30
26	BB	966	G	C5-C6-O6	6.46	132.48	128.60
26	BB	1687	G	C5-N7-C8	-6.46	101.07	104.30
26	BB	2031	A	C8-N9-C4	-6.46	103.22	105.80
26	BB	2168	G	O4'-C1'-N9	6.46	113.37	108.20
26	BB	2294	G	C5'-C4'-C3'	-6.46	105.66	116.00
26	BB	2792	A	O4'-C1'-N9	6.46	113.37	108.20
1	AA	1268	G	N9-C4-C5	6.46	107.98	105.40
1	AA	1463	U	N1-C2-N3	6.46	118.78	114.90
2	AB	57	G	N1-C6-O6	-6.46	116.02	119.90
4	AD	50	G	N9-C4-C5	-6.46	102.82	105.40
26	BB	209	C	O4'-C1'-N1	6.46	113.37	108.20
26	BB	1034	G	N1-C6-O6	6.46	123.78	119.90
26	BB	2427	C	N1-C2-O2	6.46	122.78	118.90
26	BB	2747	G	N1-C6-O6	-6.46	116.03	119.90
31	BG	132	ARG	NE-CZ-NH2	6.46	123.53	120.30
1	AA	677	U	C4-C5-C6	6.46	123.57	119.70
25	BA	21	G	C2-N3-C4	6.46	115.13	111.90
25	BA	23	G	C8-N9-C1'	6.46	135.39	127.00
26	BB	29	U	C3'-C2'-C1'	6.46	106.67	101.50
26	BB	112	U	C6-N1-C2	-6.46	117.13	121.00
26	BB	469	G	C6-N1-C2	-6.46	121.23	125.10
26	BB	489	G	N3-C4-N9	6.46	129.87	126.00
26	BB	759	G	C5-C6-N1	6.46	114.73	111.50
26	BB	1097	U	C1'-O4'-C4'	6.46	115.07	109.90
26	BB	1112	G	C5'-C4'-C3'	-6.46	105.67	116.00
26	BB	1179	G	O4'-C1'-N9	6.46	113.36	108.20
26	BB	1550	C	N1-C2-N3	-6.46	114.68	119.20
26	BB	2430	A	C6-C5-N7	6.46	136.82	132.30
26	BB	908	C	C2-N3-C4	6.46	123.13	119.90
26	BB	996	A	N7-C8-N9	-6.46	110.57	113.80
26	BB	1271	G	N9-C4-C5	6.46	107.98	105.40
26	BB	2162	G	N9-C4-C5	6.46	107.98	105.40
26	BB	2383	G	N3-C2-N2	6.46	124.42	119.90
1	AA	1238	A	N1-C6-N6	6.45	122.47	118.60
1	AA	1343	G	C4'-C3'-C2'	-6.45	96.15	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1433	A	C5'-C4'-O4'	6.45	116.84	109.10
2	AB	9	A	N1-C2-N3	-6.45	126.07	129.30
25	BA	83	G	N3-C2-N2	-6.45	115.38	119.90
26	BB	520	G	C2-N3-C4	-6.45	108.67	111.90
26	BB	683	U	N3-C2-O2	-6.45	117.68	122.20
26	BB	798	G	C5'-C4'-C3'	-6.45	105.67	116.00
26	BB	853	C	O4'-C1'-N1	6.45	113.36	108.20
26	BB	1446	C	N1-C2-N3	-6.45	114.68	119.20
26	BB	1524	G	C5-C6-O6	-6.45	124.73	128.60
26	BB	1898	U	C2-N3-C4	-6.45	123.13	127.00
26	BB	2102	G	C2-N3-C4	6.45	115.13	111.90
26	BB	2685	G	C4-C5-C6	-6.45	114.93	118.80
26	BB	1802	A	C5-C6-N1	6.45	120.93	117.70
26	BB	2162	G	C6-N1-C2	-6.45	121.23	125.10
26	BB	2854	G	N9-C4-C5	6.45	107.98	105.40
1	AA	98	A	C6-C5-N7	6.45	136.81	132.30
1	AA	1326	U	C2-N3-C4	-6.45	123.13	127.00
1	AA	1462	C	C4-C5-C6	6.45	120.62	117.40
25	BA	84	G	C4-C5-C6	6.45	122.67	118.80
26	BB	431	U	C5'-C4'-O4'	6.45	116.84	109.10
26	BB	1214	A	N7-C8-N9	6.45	117.03	113.80
26	BB	1386	C	C5-C6-N1	-6.45	117.78	121.00
26	BB	1520	U	C2-N3-C4	-6.45	123.13	127.00
26	BB	1528	A	C4-C5-N7	-6.45	107.47	110.70
26	BB	1767	G	N7-C8-N9	6.45	116.33	113.10
26	BB	2315	G	N1-C6-O6	6.45	123.77	119.90
33	BI	46	PHE	CB-CG-CD1	6.45	125.31	120.80
1	AA	234	C	N3-C4-N4	-6.45	113.49	118.00
1	AA	382	A	P-O3'-C3'	6.45	127.44	119.70
1	AA	614	C	C1'-O4'-C4'	6.45	115.06	109.90
1	AA	1041	G	C6-N1-C2	-6.45	121.23	125.10
26	BB	107	G	O4'-C1'-N9	6.45	113.36	108.20
26	BB	1422	G	C6-N1-C2	6.45	128.97	125.10
26	BB	1511	G	C4-N9-C1'	-6.45	118.12	126.50
26	BB	1623	G	N1-C6-O6	-6.45	116.03	119.90
26	BB	2439	A	C1'-O4'-C4'	6.45	115.06	109.90
26	BB	2627	G	C6-C5-N7	-6.45	126.53	130.40
26	BB	2693	G	C5-C6-O6	6.45	132.47	128.60
26	BB	2826	A	N7-C8-N9	6.45	117.02	113.80
33	BI	96	THR	O-C-N	6.45	133.02	122.70
38	BN	60	ARG	NE-CZ-NH1	6.45	123.52	120.30
1	AA	425	G	O3'-P-O5'	-6.45	91.75	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	43	G	P-O3'-C3'	6.45	127.44	119.70
26	BB	169	G	C5'-C4'-O4'	6.45	116.84	109.10
26	BB	404	A	C8-N9-C4	6.45	108.38	105.80
26	BB	818	G	C5-C6-O6	-6.45	124.73	128.60
1	AA	745	G	C4-C5-N7	-6.45	108.22	110.80
1	AA	876	C	C2-N3-C4	-6.45	116.68	119.90
1	AA	1264	U	C5-C6-N1	6.45	125.92	122.70
1	AA	1485	U	C5-C6-N1	6.45	125.92	122.70
2	AB	6	C	P-O3'-C3'	6.45	127.44	119.70
25	BA	34	A	C4'-C3'-C2'	-6.45	96.16	102.60
26	BB	557	C	C4-C5-C6	-6.45	114.18	117.40
26	BB	891	G	O4'-C1'-N9	6.45	113.36	108.20
26	BB	1445	G	N9-C4-C5	-6.45	102.82	105.40
26	BB	1903	G	N1-C2-N2	6.45	122.00	116.20
26	BB	2523	G	N9-C4-C5	-6.45	102.82	105.40
26	BB	2557	G	C1'-O4'-C4'	-6.45	104.74	109.90
26	BB	2847	U	C4-C5-C6	6.45	123.57	119.70
3	AC	13	A	O4'-C4'-C3'	6.44	111.25	106.10
26	BB	687	C	N3-C2-O2	-6.44	117.39	121.90
26	BB	764	A	O4'-C1'-N9	-6.44	103.05	108.20
26	BB	1018	U	P-O3'-C3'	6.44	127.43	119.70
26	BB	1135	C	P-O3'-C3'	6.44	127.43	119.70
26	BB	1255	U	C2-N3-C4	-6.44	123.13	127.00
32	BH	153	PRO	N-CA-CB	6.44	111.03	103.30
46	BV	3	ARG	N-CA-CB	6.44	122.20	110.60
1	AA	115	G	C5'-C4'-C3'	-6.44	105.69	116.00
1	AA	213	G	C2-N3-C4	6.44	115.12	111.90
1	AA	1008	U	N3-C4-O4	6.44	123.91	119.40
1	AA	1273	C	C6-N1-C2	-6.44	117.72	120.30
2	AB	9	A	C4-C5-C6	-6.44	113.78	117.00
8	AH	119	VAL	CA-CB-CG2	6.44	120.56	110.90
26	BB	185	G	C3'-C2'-C1'	-6.44	96.35	101.50
26	BB	1072	C	N1-C2-O2	6.44	122.77	118.90
26	BB	1278	C	C6-N1-C2	6.44	122.88	120.30
26	BB	2120	G	O4'-C1'-C2'	-6.44	99.36	105.80
26	BB	2209	G	C6-N1-C2	-6.44	121.23	125.10
26	BB	2262	U	P-O3'-C3'	6.44	127.43	119.70
26	BB	2332	C	N3-C4-N4	6.44	122.51	118.00
26	BB	2790	U	O4'-C1'-C2'	-6.44	99.36	105.80
1	AA	108	G	N3-C2-N2	-6.44	115.39	119.90
1	AA	467	U	P-O3'-C3'	6.44	127.43	119.70
1	AA	1117	A	N7-C8-N9	6.44	117.02	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1359	C	C3'-C2'-C1'	-6.44	96.35	101.50
26	BB	445	C	C4-C5-C6	6.44	120.62	117.40
26	BB	1137	G	N1-C6-O6	-6.44	116.04	119.90
26	BB	1251	C	P-O3'-C3'	6.44	127.43	119.70
26	BB	1627	G	O4'-C4'-C3'	-6.44	97.56	104.00
26	BB	1739	A	C4-C5-N7	-6.44	107.48	110.70
26	BB	1799	G	C3'-C2'-C1'	6.44	106.65	101.50
26	BB	2361	G	N7-C8-N9	6.44	116.32	113.10
26	BB	2598	A	P-O3'-C3'	6.44	127.43	119.70
26	BB	2640	G	N1-C2-N2	6.44	122.00	116.20
1	AA	530	G	N9-C4-C5	6.44	107.97	105.40
1	AA	1320	C	C6-N1-C2	-6.44	117.72	120.30
25	BA	64	G	N1-C6-O6	-6.44	116.04	119.90
26	BB	2863	C	C5-C6-N1	6.44	124.22	121.00
1	AA	143	A	N9-C1'-C2'	-6.44	104.92	112.00
1	AA	240	G	C3'-C2'-C1'	6.44	106.65	101.50
1	AA	467	U	N1-C2-O2	6.44	127.31	122.80
1	AA	1089	G	C5'-C4'-C3'	-6.44	105.70	116.00
1	AA	1366	C	N1-C2-N3	6.44	123.71	119.20
4	AD	30	G	C5-C6-O6	-6.44	124.74	128.60
4	AD	51	U	C5-C6-N1	-6.44	119.48	122.70
26	BB	344	A	C6-N1-C2	6.44	122.46	118.60
26	BB	456	C	N3-C4-C5	-6.44	119.33	121.90
26	BB	1023	U	N3-C2-O2	-6.44	117.69	122.20
26	BB	1172	C	N3-C2-O2	6.44	126.41	121.90
26	BB	1669	A	O4'-C1'-N9	6.44	113.35	108.20
26	BB	1702	G	C8-N9-C1'	6.44	135.37	127.00
26	BB	1833	C	O4'-C1'-N1	6.44	113.35	108.20
26	BB	1921	G	N3-C4-N9	6.44	129.86	126.00
26	BB	2238	G	C1'-O4'-C4'	-6.44	104.75	109.90
1	AA	4	U	N3-C4-O4	6.44	123.91	119.40
1	AA	146	G	C6-C5-N7	-6.44	126.54	130.40
1	AA	1128	C	N1-C2-N3	6.44	123.70	119.20
26	BB	1103	A	N3-C4-N9	6.44	132.55	127.40
26	BB	2505	G	P-O3'-C3'	6.44	127.42	119.70
1	AA	337	G	N1-C2-N3	-6.43	120.04	123.90
1	AA	866	C	N1-C2-O2	6.43	122.76	118.90
4	AD	30	G	C3'-C2'-C1'	-6.43	96.35	101.50
26	BB	65	U	N1-C1'-C2'	-6.43	104.92	112.00
26	BB	554	U	C4'-C3'-C2'	-6.43	96.17	102.60
26	BB	741	U	O4'-C1'-N1	6.43	113.35	108.20
26	BB	821	A	C3'-C2'-C1'	6.43	106.65	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1552	A	N1-C2-N3	-6.43	126.08	129.30
46	BV	30	ILE	CA-CB-CG2	6.43	123.77	110.90
1	AA	31	G	C4-C5-N7	6.43	113.37	110.80
1	AA	197	A	C1'-O4'-C4'	6.43	115.05	109.90
1	AA	440	C	N1-C2-O2	6.43	122.76	118.90
1	AA	788	U	C2-N3-C4	-6.43	123.14	127.00
1	AA	796	C	C2-N3-C4	6.43	123.12	119.90
1	AA	821	G	N1-C6-O6	6.43	123.76	119.90
1	AA	879	C	C5'-C4'-O4'	6.43	116.82	109.10
1	AA	1108	G	O4'-C1'-N9	6.43	113.34	108.20
1	AA	1270	G	N7-C8-N9	6.43	116.32	113.10
1	AA	1303	C	N3-C2-O2	-6.43	117.40	121.90
1	AA	1386	G	C5-C6-N1	-6.43	108.28	111.50
1	AA	1526	G	N1-C2-N3	6.43	127.76	123.90
4	AD	76	C	N3-C4-N4	6.43	122.50	118.00
26	BB	49	A	N1-C6-N6	6.43	122.46	118.60
26	BB	269	C	N1-C2-O2	6.43	122.76	118.90
26	BB	961	C	C2-N3-C4	6.43	123.12	119.90
26	BB	988	A	N1-C2-N3	-6.43	126.08	129.30
26	BB	1837	C	C5-C6-N1	6.43	124.22	121.00
26	BB	2124	G	N1-C6-O6	6.43	123.76	119.90
1	AA	589	U	N3-C4-C5	6.43	118.46	114.60
1	AA	1153	G	N7-C8-N9	6.43	116.31	113.10
26	BB	90	U	C5'-C4'-O4'	6.43	116.82	109.10
26	BB	97	C	O4'-C1'-N1	6.43	113.34	108.20
26	BB	2416	C	N3-C4-C5	-6.43	119.33	121.90
1	AA	45	G	N9-C4-C5	6.43	107.97	105.40
1	AA	571	U	O4'-C1'-N1	6.43	113.34	108.20
1	AA	873	A	C4'-C3'-C2'	6.43	109.03	102.60
1	AA	964	A	C5-N7-C8	-6.43	100.69	103.90
1	AA	979	C	O4'-C1'-N1	6.43	113.34	108.20
1	AA	1087	G	C5-N7-C8	-6.43	101.08	104.30
1	AA	1424	U	N3-C4-O4	6.43	123.90	119.40
1	AA	1524	C	N3-C2-O2	-6.43	117.40	121.90
2	AB	69	C	N3-C4-N4	6.43	122.50	118.00
4	AD	1	C	N3-C4-C5	6.43	124.47	121.90
26	BB	120	U	C5'-C4'-O4'	6.43	116.82	109.10
26	BB	137	U	O4'-C1'-N1	6.43	113.34	108.20
26	BB	1192	G	C6-N1-C2	-6.43	121.24	125.10
26	BB	1401	G	N3-C4-C5	-6.43	125.39	128.60
26	BB	1759	A	C5-C6-N1	6.43	120.92	117.70
26	BB	2238	G	C5-N7-C8	-6.43	101.08	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2761	A	C2-N3-C4	6.43	113.81	110.60
32	BH	151	ARG	NE-CZ-NH2	-6.43	117.08	120.30
1	AA	146	G	C4-C5-C6	6.43	122.66	118.80
1	AA	582	C	C4'-C3'-C2'	-6.43	96.17	102.60
1	AA	1468	A	C6-C5-N7	6.43	136.80	132.30
26	BB	989	G	N7-C8-N9	6.43	116.31	113.10
1	AA	246	A	N3-C4-N9	-6.43	122.26	127.40
1	AA	423	G	N9-C4-C5	6.43	107.97	105.40
1	AA	1432	G	C4-C5-C6	6.43	122.66	118.80
19	AS	55	ASP	CB-CG-OD2	-6.43	112.52	118.30
26	BB	54	G	N1-C6-O6	6.43	123.75	119.90
26	BB	146	A	O4'-C1'-C2'	6.43	113.38	107.60
26	BB	299	A	C4'-C3'-C2'	-6.43	96.17	102.60
26	BB	463	G	C5'-C4'-O4'	6.43	116.81	109.10
26	BB	1059	G	C5'-C4'-O4'	6.43	116.81	109.10
26	BB	1408	G	O4'-C1'-N9	6.43	113.34	108.20
26	BB	2288	A	C6-N1-C2	6.43	122.46	118.60
26	BB	2383	G	N7-C8-N9	6.43	116.31	113.10
1	AA	327	A	O4'-C4'-C3'	6.42	111.24	106.10
1	AA	597	G	N7-C8-N9	6.42	116.31	113.10
1	AA	623	C	N1-C2-N3	-6.42	114.70	119.20
1	AA	732	C	N3-C4-C5	-6.42	119.33	121.90
1	AA	1526	G	C5-C6-N1	6.42	114.71	111.50
26	BB	491	G	C5-N7-C8	6.42	107.51	104.30
26	BB	769	U	C1'-O4'-C4'	6.42	115.04	109.90
26	BB	1218	G	C6-C5-N7	6.42	134.25	130.40
26	BB	2029	G	C2-N3-C4	-6.42	108.69	111.90
26	BB	2075	U	C2-N3-C4	-6.42	123.14	127.00
26	BB	2325	G	C2-N3-C4	6.42	115.11	111.90
26	BB	2328	A	C8-N9-C4	-6.42	103.23	105.80
1	AA	204	G	N1-C2-N2	6.42	121.98	116.20
1	AA	1500	A	C3'-C2'-C1'	6.42	106.64	101.50
26	BB	927	A	C1'-O4'-C4'	6.42	115.04	109.90
56	B5	4	THR	CA-CB-CG2	-6.42	103.41	112.40
1	AA	240	G	C4'-C3'-C2'	-6.42	96.18	102.60
1	AA	460	A	C5-C6-N6	6.42	128.84	123.70
26	BB	167	A	C4-C5-N7	6.42	113.91	110.70
26	BB	343	C	N1-C1'-C2'	-6.42	104.94	112.00
26	BB	368	A	C5-C6-N6	-6.42	118.56	123.70
26	BB	1304	A	C5-C6-N6	-6.42	118.56	123.70
26	BB	1390	U	C5-C6-N1	-6.42	119.49	122.70
26	BB	1858	A	C4-C5-N7	-6.42	107.49	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1869	G	C3'-C2'-C1'	-6.42	96.36	101.50
26	BB	2652	C	N1-C2-O2	6.42	122.75	118.90
48	BX	70	ILE	CA-CB-CG1	6.42	123.20	111.00
1	AA	241	G	C5-C6-N1	-6.42	108.29	111.50
1	AA	903	G	N9-C4-C5	6.42	107.97	105.40
7	AG	141	VAL	CA-CB-CG2	6.42	120.53	110.90
26	BB	117	G	O4'-C1'-N9	-6.42	103.06	108.20
26	BB	2010	G	C5'-C4'-C3'	-6.42	105.73	116.00
26	BB	2266	A	C5-N7-C8	-6.42	100.69	103.90
1	AA	1073	U	O4'-C1'-N1	6.42	113.33	108.20
1	AA	1321	U	C6-N1-C2	-6.42	117.15	121.00
26	BB	271	G	N9-C1'-C2'	-6.42	104.94	112.00
26	BB	515	A	C5-C6-N6	6.42	128.84	123.70
26	BB	556	A	N1-C2-N3	-6.42	126.09	129.30
26	BB	612	G	N1-C2-N3	-6.42	120.05	123.90
26	BB	886	A	C8-N9-C4	-6.42	103.23	105.80
26	BB	1182	G	N7-C8-N9	6.42	116.31	113.10
26	BB	2391	G	C4-C5-C6	6.42	122.65	118.80
26	BB	2454	G	C8-N9-C4	-6.42	103.83	106.40
26	BB	2663	G	N1-C2-N3	-6.42	120.05	123.90
1	AA	654	G	C5'-C4'-O4'	-6.42	101.40	109.10
12	AL	39	GLY	C-N-CA	6.42	137.74	121.70
26	BB	751	A	O4'-C1'-C2'	-6.42	99.38	105.80
26	BB	858	G	N3-C4-C5	-6.42	125.39	128.60
26	BB	971	G	C5-N7-C8	6.42	107.51	104.30
26	BB	1491	G	C5-N7-C8	-6.42	101.09	104.30
26	BB	1705	A	C6-N1-C2	-6.42	114.75	118.60
26	BB	1723	G	C6-N1-C2	-6.42	121.25	125.10
26	BB	2367	G	N9-C4-C5	6.42	107.97	105.40
26	BB	2620	C	C4-C5-C6	-6.42	114.19	117.40
1	AA	1066	C	C6-N1-C2	-6.42	117.73	120.30
16	AP	28	ARG	CD-NE-CZ	-6.42	114.62	123.60
26	BB	625	G	C4-C5-C6	6.42	122.65	118.80
26	BB	1104	C	N3-C4-C5	-6.42	119.33	121.90
26	BB	2778	A	N1-C2-N3	-6.42	126.09	129.30
1	AA	104	G	C2-N3-C4	6.41	115.11	111.90
1	AA	187	G	N3-C2-N2	-6.41	115.41	119.90
1	AA	257	G	C1'-O4'-C4'	6.41	115.03	109.90
1	AA	1452	C	C2-N1-C1'	6.41	125.85	118.80
3	AC	38	G	N1-C2-N3	6.41	127.75	123.90
4	AD	15	G	C1'-O4'-C4'	6.41	115.03	109.90
26	BB	3	U	N1-C2-N3	6.41	118.75	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	127	A	O4'-C1'-N9	-6.41	103.07	108.20
26	BB	481	G	N3-C2-N2	-6.41	115.41	119.90
26	BB	524	G	N3-C4-N9	6.41	129.85	126.00
26	BB	1714	U	O4'-C4'-C3'	6.41	111.23	106.10
26	BB	1922	G	N3-C2-N2	6.41	124.39	119.90
26	BB	2071	A	C5-C6-N1	6.41	120.91	117.70
1	AA	765	G	P-O3'-C3'	6.41	127.39	119.70
1	AA	1287	A	C8-N9-C4	-6.41	103.23	105.80
26	BB	1471	G	OP1-P-OP2	-6.41	109.98	119.60
26	BB	1982	U	N3-C4-C5	6.41	118.45	114.60
26	BB	2872	A	N1-C2-N3	-6.41	126.09	129.30
1	AA	7	A	C6-C5-N7	6.41	136.79	132.30
1	AA	392	C	N3-C2-O2	-6.41	117.41	121.90
1	AA	430	A	C4-C5-N7	6.41	113.91	110.70
3	AC	33	A	C8-N9-C4	-6.41	103.24	105.80
12	AL	53	LEU	CB-CG-CD1	6.41	121.90	111.00
26	BB	19	A	C2-N3-C4	-6.41	107.39	110.60
26	BB	96	C	N3-C4-N4	-6.41	113.51	118.00
26	BB	410	G	C4-C5-N7	-6.41	108.24	110.80
26	BB	811	U	N3-C2-O2	-6.41	117.71	122.20
26	BB	1133	A	P-O5'-C5'	6.41	131.16	120.90
26	BB	1177	G	C4'-C3'-C2'	-6.41	96.19	102.60
26	BB	1453	A	C4-C5-C6	6.41	120.21	117.00
26	BB	1699	G	C2-N3-C4	6.41	115.11	111.90
26	BB	1753	G	C4'-C3'-C2'	-6.41	96.19	102.60
26	BB	2134	A	C4-C5-N7	-6.41	107.50	110.70
26	BB	2745	C	N3-C2-O2	6.41	126.39	121.90
26	BB	2811	G	C5'-C4'-C3'	6.41	126.26	116.00
1	AA	87	C	P-O3'-C3'	6.41	127.39	119.70
1	AA	541	G	C2-N3-C4	6.41	115.10	111.90
26	BB	194	G	N1-C6-O6	-6.41	116.06	119.90
26	BB	1698	A	N3-C4-C5	6.41	131.29	126.80
26	BB	1764	C	C5-C4-N4	6.41	124.69	120.20
26	BB	2742	G	O4'-C1'-C2'	6.41	113.37	107.60
1	AA	525	C	C3'-C2'-C1'	6.41	106.62	101.50
1	AA	688	G	C5-C6-N1	6.41	114.70	111.50
26	BB	279	A	O4'-C1'-N9	6.41	113.33	108.20
26	BB	934	U	C1'-O4'-C4'	-6.41	104.77	109.90
1	AA	567	G	C5-C6-N1	6.41	114.70	111.50
1	AA	1127	G	C6-C5-N7	6.41	134.24	130.40
1	AA	1133	G	C4-C5-C6	-6.41	114.96	118.80
3	AC	39	U	O4'-C1'-N1	6.41	113.33	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	5	G	C6-N1-C2	-6.41	121.26	125.10
25	BA	41	G	N9-C4-C5	6.41	107.96	105.40
25	BA	43	C	C3'-C2'-C1'	6.41	106.62	101.50
26	BB	1333	G	C6-C5-N7	-6.41	126.56	130.40
26	BB	1361	G	N3-C2-N2	-6.41	115.42	119.90
26	BB	1526	C	C5-C6-N1	6.41	124.20	121.00
26	BB	2816	G	N7-C8-N9	-6.41	109.90	113.10
43	BS	63	ARG	NH1-CZ-NH2	-6.41	112.35	119.40
1	AA	98	A	C1'-O4'-C4'	-6.40	104.78	109.90
1	AA	1183	U	C3'-C2'-C1'	6.40	106.62	101.50
2	AB	39	A	C4-C5-C6	-6.40	113.80	117.00
26	BB	312	G	N1-C6-O6	6.40	123.74	119.90
26	BB	1153	C	N1-C2-O2	6.40	122.74	118.90
26	BB	1367	A	P-O3'-C3'	6.40	127.39	119.70
26	BB	1533	C	N1-C1'-C2'	-6.40	104.96	112.00
26	BB	1830	C	O4'-C1'-N1	6.40	113.32	108.20
26	BB	1945	G	C8-N9-C4	-6.40	103.84	106.40
1	AA	32	A	P-O5'-C5'	6.40	131.14	120.90
1	AA	617	G	C5-C6-O6	-6.40	124.76	128.60
1	AA	651	C	C5'-C4'-O4'	6.40	116.78	109.10
1	AA	864	A	O4'-C4'-C3'	6.40	111.22	106.10
1	AA	1087	G	C5-C6-O6	-6.40	124.76	128.60
1	AA	1088	G	O4'-C4'-C3'	6.40	111.22	106.10
1	AA	1178	G	N1-C2-N3	6.40	127.74	123.90
1	AA	1315	U	C4'-C3'-C2'	-6.40	96.20	102.60
3	AC	35	G	C8-N9-C1'	6.40	135.32	127.00
26	BB	725	G	N1-C6-O6	-6.40	116.06	119.90
26	BB	869	G	C4'-C3'-C2'	-6.40	96.20	102.60
26	BB	1118	C	C3'-C2'-C1'	6.40	106.62	101.50
26	BB	1150	C	P-O3'-C3'	6.40	127.38	119.70
26	BB	1220	G	C5-C6-O6	-6.40	124.76	128.60
26	BB	1366	A	N9-C1'-C2'	-6.40	104.96	112.00
26	BB	1453	A	C6-C5-N7	-6.40	127.82	132.30
26	BB	1671	U	N1-C2-O2	6.40	127.28	122.80
26	BB	2104	C	C5-C6-N1	6.40	124.20	121.00
26	BB	2171	A	P-O3'-C3'	6.40	127.38	119.70
26	BB	2282	G	N1-C2-N3	-6.40	120.06	123.90
26	BB	2370	G	C5-C6-O6	-6.40	124.76	128.60
26	BB	2397	G	P-O5'-C5'	6.40	131.14	120.90
26	BB	2790	U	N1-C1'-C2'	6.40	122.32	114.00
1	AA	548	G	C1'-O4'-C4'	6.40	115.02	109.90
1	AA	676	A	N3-C4-N9	6.40	132.52	127.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	700	G	C6-N1-C2	-6.40	121.26	125.10
1	AA	1106	G	P-O3'-C3'	6.40	127.38	119.70
1	AA	1116	U	N1-C2-O2	6.40	127.28	122.80
1	AA	1530	G	O4'-C4'-C3'	6.40	111.22	106.10
4	AD	15	G	C6-N1-C2	-6.40	121.26	125.10
26	BB	327	G	O4'-C1'-N9	6.40	113.32	108.20
26	BB	1209	U	C5-C6-N1	6.40	125.90	122.70
26	BB	1287	A	C5-C6-N6	-6.40	118.58	123.70
26	BB	2062	A	C4'-C3'-C2'	-6.40	96.20	102.60
26	BB	2382	G	N3-C4-N9	6.40	129.84	126.00
26	BB	2735	G	N7-C8-N9	6.40	116.30	113.10
26	BB	2888	C	C4'-C3'-C2'	-6.40	96.20	102.60
28	BD	66	PHE	CB-CG-CD2	-6.40	116.32	120.80
1	AA	301	G	C8-N9-C4	-6.40	103.84	106.40
3	AC	59	A	C4'-C3'-C2'	-6.40	96.20	102.60
25	BA	116	G	N3-C4-C5	-6.40	125.40	128.60
26	BB	924	G	C5'-C4'-C3'	-6.40	105.76	116.00
26	BB	1456	G	O4'-C1'-C2'	6.40	113.36	107.60
26	BB	1528	A	N7-C8-N9	-6.40	110.60	113.80
1	AA	101	A	N9-C4-C5	6.40	108.36	105.80
1	AA	148	G	N9-C1'-C2'	-6.40	104.96	112.00
1	AA	427	U	O4'-C1'-N1	6.40	113.32	108.20
1	AA	495	A	P-O3'-C3'	6.40	127.38	119.70
1	AA	670	G	N3-C4-N9	6.40	129.84	126.00
1	AA	740	U	C4-C5-C6	6.40	123.54	119.70
1	AA	1355	G	N3-C4-N9	-6.40	122.16	126.00
26	BB	669	G	C4-C5-C6	6.40	122.64	118.80
26	BB	1325	U	C5'-C4'-O4'	6.40	116.78	109.10
26	BB	1392	A	N3-C4-C5	-6.40	122.32	126.80
26	BB	2111	U	C6-N1-C2	6.40	124.84	121.00
26	BB	2208	C	N3-C4-C5	6.40	124.46	121.90
26	BB	2259	U	P-O3'-C3'	6.40	127.38	119.70
26	BB	2358	A	C1'-O4'-C4'	-6.40	104.78	109.90
26	BB	2464	G	C6-N1-C2	-6.40	121.26	125.10
26	BB	2699	C	N1-C1'-C2'	-6.40	104.96	112.00
26	BB	2835	A	C8-N9-C4	-6.40	103.24	105.80
56	B5	14	ARG	NE-CZ-NH1	6.40	123.50	120.30
1	AA	453	G	C6-C5-N7	-6.40	126.56	130.40
1	AA	1120	C	C4'-C3'-C2'	-6.40	96.20	102.60
26	BB	708	G	C4-C5-N7	-6.40	108.24	110.80
26	BB	753	A	C5-C6-N1	6.40	120.90	117.70
26	BB	991	C	N1-C2-O2	-6.40	115.06	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2190	G	C4-C5-C6	6.40	122.64	118.80
26	BB	2472	G	C5'-C4'-O4'	6.40	116.78	109.10
1	AA	189	A	C4'-C3'-C2'	-6.39	96.20	102.60
26	BB	503	A	P-O3'-C3'	6.39	127.37	119.70
26	BB	1153	C	N3-C4-C5	6.39	124.46	121.90
26	BB	1908	C	O4'-C1'-N1	6.39	113.32	108.20
26	BB	2819	G	N3-C4-C5	-6.39	125.40	128.60
1	AA	95	C	N3-C2-O2	-6.39	117.42	121.90
1	AA	384	G	N1-C2-N3	6.39	127.74	123.90
1	AA	1150	A	N3-C4-C5	-6.39	122.33	126.80
4	AD	22	A	C2-N3-C4	-6.39	107.40	110.60
26	BB	42	A	N9-C4-C5	6.39	108.36	105.80
26	BB	881	G	N3-C4-N9	6.39	129.84	126.00
26	BB	1148	U	N1-C1'-C2'	-6.39	104.97	112.00
26	BB	1759	A	O4'-C1'-N9	6.39	113.31	108.20
26	BB	1773	A	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	2690	U	O4'-C1'-C2'	6.39	113.35	107.60
39	BO	109	PRO	N-CA-CB	6.39	110.97	103.30
1	AA	290	C	O4'-C1'-N1	6.39	113.31	108.20
1	AA	973	G	C8-N9-C4	6.39	108.96	106.40
1	AA	1020	G	N1-C2-N2	6.39	121.95	116.20
1	AA	1534	A	N3-C4-C5	-6.39	122.33	126.80
2	AB	44	G	C3'-C2'-C1'	6.39	106.61	101.50
19	AS	53	ASP	CB-CG-OD2	-6.39	112.55	118.30
26	BB	1631	G	O4'-C1'-N9	6.39	113.31	108.20
26	BB	1972	G	C2-N3-C4	6.39	115.09	111.90
26	BB	2129	C	N3-C4-N4	6.39	122.47	118.00
26	BB	2488	G	C2-N3-C4	6.39	115.10	111.90
1	AA	19	A	C6-N1-C2	-6.39	114.77	118.60
1	AA	218	U	C1'-O4'-C4'	-6.39	104.79	109.90
1	AA	1032	G	N3-C2-N2	-6.39	115.43	119.90
1	AA	1255	G	O4'-C1'-N9	6.39	113.31	108.20
1	AA	1426	G	N3-C2-N2	6.39	124.37	119.90
26	BB	186	G	C5-C6-N1	6.39	114.69	111.50
26	BB	336	C	C2-N3-C4	6.39	123.09	119.90
26	BB	739	A	O4'-C1'-N9	6.39	113.31	108.20
26	BB	813	U	N1-C2-N3	6.39	118.73	114.90
26	BB	1016	G	C5-C6-N1	6.39	114.69	111.50
26	BB	1693	U	C4-C5-C6	6.39	123.53	119.70
26	BB	2109	U	C4-C5-C6	6.39	123.53	119.70
26	BB	2121	G	N9-C4-C5	6.39	107.96	105.40
26	BB	2385	C	N1-C1'-C2'	-6.39	104.97	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2699	C	C2-N3-C4	6.39	123.09	119.90
1	AA	41	G	C4'-C3'-C2'	-6.39	96.21	102.60
1	AA	385	C	P-O3'-C3'	6.39	127.36	119.70
1	AA	779	C	C5-C6-N1	6.39	124.19	121.00
26	BB	264	C	C2-N3-C4	6.39	123.09	119.90
26	BB	834	G	C5-C6-O6	-6.39	124.77	128.60
26	BB	854	C	C5-C4-N4	-6.39	115.73	120.20
26	BB	1361	G	N3-C4-N9	-6.39	122.17	126.00
26	BB	2788	C	N1-C2-N3	-6.39	114.73	119.20
1	AA	96	U	C2-N3-C4	-6.39	123.17	127.00
1	AA	227	G	O3'-P-O5'	-6.39	91.86	104.00
1	AA	341	C	N1-C2-O2	6.39	122.73	118.90
1	AA	445	G	O4'-C1'-C2'	6.39	113.35	107.60
1	AA	698	G	C5-C6-O6	6.39	132.43	128.60
1	AA	1024	G	N1-C6-O6	-6.39	116.07	119.90
26	BB	507	A	C1'-O4'-C4'	-6.39	104.79	109.90
26	BB	530	G	C5-C6-O6	-6.39	124.77	128.60
26	BB	971	G	C4-C5-N7	-6.39	108.25	110.80
26	BB	1143	A	C5-N7-C8	-6.39	100.71	103.90
26	BB	1400	U	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	1546	G	C1'-O4'-C4'	-6.39	104.79	109.90
26	BB	1897	G	N1-C2-N2	6.39	121.95	116.20
26	BB	2317	A	O4'-C4'-C3'	6.39	111.21	106.10
1	AA	1221	G	O4'-C1'-C2'	-6.38	99.42	105.80
1	AA	1454	G	N1-C2-N2	6.38	121.95	116.20
1	AA	1525	G	C6-N1-C2	-6.38	121.27	125.10
2	AB	23	A	C4'-C3'-C2'	-6.38	96.22	102.60
3	AC	51	C	C5-C6-N1	6.38	124.19	121.00
25	BA	50	A	C5-C6-N1	6.38	120.89	117.70
26	BB	274	C	O4'-C4'-C3'	6.38	111.21	106.10
26	BB	450	G	C5-N7-C8	-6.38	101.11	104.30
26	BB	481	G	C3'-C2'-C1'	6.38	106.61	101.50
26	BB	1107	G	O4'-C1'-N9	6.38	113.31	108.20
26	BB	1584	U	N3-C4-O4	6.38	123.87	119.40
26	BB	2031	A	C4-C5-N7	-6.38	107.51	110.70
26	BB	2629	U	N1-C2-O2	-6.38	118.33	122.80
1	AA	591	U	N3-C2-O2	-6.38	117.73	122.20
25	BA	85	G	N7-C8-N9	6.38	116.29	113.10
26	BB	1743	G	N3-C2-N2	-6.38	115.43	119.90
26	BB	2167	U	O4'-C1'-N1	6.38	113.31	108.20
26	BB	2240	U	C4-C5-C6	6.38	123.53	119.70
26	BB	2829	A	C4-C5-C6	6.38	120.19	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	981	U	O4'-C4'-C3'	6.38	111.21	106.10
2	AB	34	C	P-O3'-C3'	6.38	127.36	119.70
26	BB	609	A	N7-C8-N9	6.38	116.99	113.80
26	BB	1337	G	C6-N1-C2	-6.38	121.27	125.10
26	BB	1462	C	C5-C6-N1	6.38	124.19	121.00
26	BB	1571	A	N1-C2-N3	-6.38	126.11	129.30
26	BB	1853	A	C6-C5-N7	-6.38	127.83	132.30
28	BD	166	ARG	NE-CZ-NH1	-6.38	117.11	120.30
1	AA	468	A	O4'-C1'-N9	6.38	113.30	108.20
1	AA	542	G	C4-C5-N7	-6.38	108.25	110.80
1	AA	653	U	C5-C4-O4	-6.38	122.07	125.90
1	AA	929	G	C4'-C3'-C2'	-6.38	96.22	102.60
26	BB	900	A	C5-C6-N6	-6.38	118.60	123.70
26	BB	1116	G	N9-C4-C5	6.38	107.95	105.40
26	BB	1580	A	C5-C6-N6	-6.38	118.60	123.70
26	BB	2253	G	C2-N3-C4	6.38	115.09	111.90
26	BB	2526	G	C5-C6-O6	6.38	132.43	128.60
26	BB	2819	G	P-O3'-C3'	6.38	127.36	119.70
1	AA	475	C	C2-N3-C4	6.38	123.09	119.90
1	AA	772	U	C5'-C4'-O4'	6.38	116.75	109.10
25	BA	100	G	C4-C5-C6	6.38	122.63	118.80
26	BB	582	A	C4-C5-N7	-6.38	107.51	110.70
26	BB	595	C	N3-C2-O2	-6.38	117.44	121.90
26	BB	864	G	O4'-C1'-N9	-6.38	103.10	108.20
26	BB	1016	G	N7-C8-N9	6.38	116.29	113.10
26	BB	1260	A	C8-N9-C4	-6.38	103.25	105.80
26	BB	1453	A	N1-C2-N3	-6.38	126.11	129.30
26	BB	1707	G	C2-N3-C4	6.38	115.09	111.90
26	BB	1862	G	N9-C1'-C2'	-6.38	104.98	112.00
26	BB	2331	G	C8-N9-C4	-6.38	103.85	106.40
1	AA	286	C	N3-C4-N4	6.38	122.46	118.00
1	AA	594	U	N1-C2-N3	6.38	118.73	114.90
1	AA	970	C	N3-C4-C5	6.38	124.45	121.90
1	AA	976	G	N3-C4-N9	-6.38	122.17	126.00
1	AA	1308	U	C5-C6-N1	-6.38	119.51	122.70
4	AD	45	A	N3-C4-C5	-6.38	122.34	126.80
6	AF	58	ARG	NE-CZ-NH1	6.38	123.49	120.30
26	BB	328	U	O4'-C1'-N1	6.38	113.30	108.20
26	BB	1812	U	N1-C2-N3	6.38	118.73	114.90
26	BB	1828	G	C5-C6-N1	6.38	114.69	111.50
26	BB	2570	G	O4'-C1'-N9	6.38	113.30	108.20
26	BB	2796	U	O4'-C1'-N1	6.38	113.30	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	BX	57	TYR	CB-CG-CD1	-6.38	117.17	121.00
1	AA	417	G	N3-C4-N9	6.38	129.82	126.00
1	AA	765	G	N3-C4-C5	-6.38	125.41	128.60
25	BA	44	G	O4'-C1'-N9	6.38	113.30	108.20
26	BB	426	C	C4'-C3'-C2'	-6.38	96.22	102.60
26	BB	1019	U	C3'-C2'-C1'	6.38	106.60	101.50
26	BB	2416	C	C5-C6-N1	6.38	124.19	121.00
26	BB	2694	G	C5-N7-C8	-6.38	101.11	104.30
1	AA	217	C	N3-C2-O2	-6.37	117.44	121.90
1	AA	1421	G	N1-C6-O6	6.37	123.72	119.90
1	AA	1478	U	N3-C4-C5	-6.37	110.78	114.60
25	BA	63	C	O4'-C1'-N1	6.37	113.30	108.20
26	BB	796	C	N3-C4-N4	6.37	122.46	118.00
26	BB	1402	U	C5'-C4'-O4'	6.37	116.75	109.10
26	BB	1406	U	N3-C4-O4	6.37	123.86	119.40
26	BB	1513	U	P-O3'-C3'	6.37	127.35	119.70
26	BB	1945	G	C6-C5-N7	-6.37	126.58	130.40
26	BB	2124	G	C4-C5-N7	-6.37	108.25	110.80
26	BB	2540	C	N3-C4-N4	6.37	122.46	118.00
26	BB	2596	U	C5-C6-N1	-6.37	119.51	122.70
1	AA	905	U	C6-N1-C2	-6.37	117.18	121.00
1	AA	1317	C	N1-C2-O2	6.37	122.72	118.90
26	BB	501	A	N1-C2-N3	-6.37	126.11	129.30
26	BB	1516	G	N9-C4-C5	6.37	107.95	105.40
26	BB	1628	G	O4'-C4'-C3'	-6.37	97.63	104.00
26	BB	2192	U	N3-C4-O4	6.37	123.86	119.40
26	BB	2694	G	C5-C6-N1	6.37	114.69	111.50
1	AA	399	G	N7-C8-N9	-6.37	109.92	113.10
1	AA	1060	U	N1-C2-O2	6.37	127.26	122.80
1	AA	1477	U	O4'-C1'-N1	6.37	113.30	108.20
25	BA	1	U	C4-C5-C6	6.37	123.52	119.70
25	BA	8	C	C5-C6-N1	-6.37	117.81	121.00
26	BB	2067	G	C1'-O4'-C4'	-6.37	104.80	109.90
26	BB	2367	G	C4-C5-N7	-6.37	108.25	110.80
1	AA	133	U	C2-N3-C4	-6.37	123.18	127.00
1	AA	923	A	C5'-C4'-O4'	6.37	116.74	109.10
2	AB	57	G	C3'-C2'-C1'	-6.37	96.41	101.50
9	AI	79	ARG	NE-CZ-NH1	-6.37	117.11	120.30
26	BB	316	C	N3-C2-O2	-6.37	117.44	121.90
26	BB	501	A	C4-C5-C6	-6.37	113.82	117.00
26	BB	1705	A	O4'-C1'-N9	6.37	113.30	108.20
26	BB	2186	G	C5-N7-C8	-6.37	101.12	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2521	C	C3'-C2'-C1'	6.37	106.59	101.50
26	BB	2550	G	N1-C2-N3	-6.37	120.08	123.90
26	BB	2879	A	O3'-P-O5'	-6.37	91.90	104.00
28	BD	247	TRP	CB-CG-CD2	6.37	134.88	126.60
1	AA	690	G	C8-N9-C4	-6.37	103.85	106.40
1	AA	1533	C	C1'-O4'-C4'	6.37	114.99	109.90
25	BA	92	C	C4'-C3'-C2'	-6.37	96.23	102.60
26	BB	35	G	N7-C8-N9	-6.37	109.92	113.10
26	BB	2529	G	N7-C8-N9	6.37	116.28	113.10
26	BB	2823	A	C4-C5-N7	-6.37	107.52	110.70
1	AA	564	C	N3-C2-O2	-6.37	117.44	121.90
1	AA	733	G	O4'-C1'-N9	6.37	113.29	108.20
1	AA	910	C	P-O3'-C3'	6.37	127.34	119.70
1	AA	1528	U	N1-C2-N3	6.37	118.72	114.90
4	AD	26	C	C5-C6-N1	-6.37	117.82	121.00
6	AF	53	ARG	CD-NE-CZ	6.37	132.51	123.60
26	BB	257	C	C4-C5-C6	-6.37	114.22	117.40
26	BB	985	C	C4-C5-C6	-6.37	114.22	117.40
26	BB	1665	A	C2-N3-C4	6.37	113.78	110.60
26	BB	2276	G	O4'-C1'-C2'	-6.37	99.44	105.80
26	BB	2415	G	N3-C4-C5	-6.37	125.42	128.60
26	BB	2585	U	N3-C2-O2	-6.37	117.74	122.20
26	BB	2721	A	C4'-C3'-C2'	-6.37	96.23	102.60
1	AA	80	A	N3-C4-C5	-6.36	122.35	126.80
1	AA	693	G	C5-C6-N1	-6.36	108.32	111.50
1	AA	1294	G	C2-N3-C4	-6.36	108.72	111.90
4	AD	17	C	C1'-O4'-C4'	6.36	114.99	109.90
25	BA	76	G	N1-C2-N2	-6.36	110.47	116.20
26	BB	359	G	C6-C5-N7	-6.36	126.58	130.40
26	BB	896	A	O4'-C1'-N9	6.36	113.29	108.20
26	BB	922	C	C6-N1-C2	-6.36	117.75	120.30
26	BB	970	U	C4-C5-C6	6.36	123.52	119.70
26	BB	972	A	C5-N7-C8	-6.36	100.72	103.90
26	BB	1054	A	N1-C2-N3	-6.36	126.12	129.30
26	BB	1221	C	N3-C4-N4	6.36	122.45	118.00
26	BB	1573	G	N3-C4-N9	6.36	129.82	126.00
26	BB	1625	C	N1-C2-N3	-6.36	114.75	119.20
26	BB	2842	G	N1-C6-O6	-6.36	116.08	119.90
26	BB	2868	A	N1-C2-N3	-6.36	126.12	129.30
1	AA	326	G	N9-C4-C5	6.36	107.94	105.40
1	AA	1013	G	C2-N3-C4	6.36	115.08	111.90
1	AA	1021	A	C4-C5-C6	6.36	120.18	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	273	G	C5-C6-N1	6.36	114.68	111.50
26	BB	1284	A	C5'-C4'-O4'	6.36	116.73	109.10
26	BB	1862	G	N1-C2-N3	-6.36	120.08	123.90
26	BB	1938	A	C1'-O4'-C4'	-6.36	104.81	109.90
26	BB	2738	A	N3-C4-N9	-6.36	122.31	127.40
1	AA	219	U	C5-C4-O4	6.36	129.72	125.90
1	AA	418	C	N1-C2-N3	6.36	123.65	119.20
1	AA	574	A	C5-N7-C8	-6.36	100.72	103.90
1	AA	604	G	N3-C2-N2	-6.36	115.45	119.90
1	AA	1071	C	O4'-C4'-C3'	6.36	111.19	106.10
1	AA	1088	G	C2-N3-C4	-6.36	108.72	111.90
1	AA	1158	C	C1'-O4'-C4'	-6.36	104.81	109.90
1	AA	1189	U	N1-C2-N3	6.36	118.72	114.90
1	AA	1197	A	N9-C4-C5	-6.36	103.26	105.80
1	AA	1238	A	C8-N9-C4	-6.36	103.26	105.80
1	AA	1537	U	N3-C4-C5	-6.36	110.78	114.60
17	AQ	72	PHE	CB-CG-CD1	-6.36	116.35	120.80
26	BB	203	A	O4'-C1'-N9	6.36	113.29	108.20
26	BB	383	C	N3-C4-N4	6.36	122.45	118.00
26	BB	968	C	P-O3'-C3'	6.36	127.33	119.70
26	BB	1371	G	N3-C4-C5	-6.36	125.42	128.60
26	BB	1381	G	N9-C4-C5	6.36	107.94	105.40
26	BB	1749	A	C5'-C4'-O4'	6.36	116.73	109.10
26	BB	1756	G	P-O5'-C5'	6.36	131.08	120.90
26	BB	1782	U	C6-N1-C1'	6.36	130.10	121.20
1	AA	547	A	N3-C4-C5	-6.36	122.35	126.80
1	AA	917	G	O4'-C4'-C3'	6.36	111.19	106.10
1	AA	1084	G	N3-C4-C5	-6.36	125.42	128.60
1	AA	1084	G	C6-N1-C2	-6.36	121.28	125.10
1	AA	1399	C	C2-N3-C4	6.36	123.08	119.90
26	BB	1219	U	N1-C2-N3	6.36	118.72	114.90
26	BB	1415	U	N3-C4-O4	6.36	123.85	119.40
26	BB	1516	G	N1-C2-N3	-6.36	120.08	123.90
26	BB	1916	A	N9-C4-C5	6.36	108.34	105.80
26	BB	2425	A	N9-C1'-C2'	6.36	122.27	114.00
26	BB	2700	A	C4'-C3'-C2'	-6.36	96.24	102.60
26	BB	2751	G	O4'-C1'-C2'	-6.36	99.44	105.80
1	AA	654	G	C8-N9-C4	-6.36	103.86	106.40
1	AA	947	G	C5'-C4'-O4'	-6.36	101.47	109.10
1	AA	1301	U	C5'-C4'-O4'	6.36	116.73	109.10
1	AA	1353	G	O4'-C1'-N9	6.36	113.29	108.20
1	AA	1395	C	C4-C5-C6	-6.36	114.22	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1417	G	N3-C4-N9	6.36	129.81	126.00
3	AC	32	U	C2-N3-C4	-6.36	123.19	127.00
25	BA	85	G	N3-C4-C5	-6.36	125.42	128.60
26	BB	17	G	C2-N3-C4	6.36	115.08	111.90
26	BB	561	G	C5'-C4'-O4'	6.36	116.73	109.10
26	BB	1449	G	C4-C5-C6	6.36	122.61	118.80
26	BB	1846	G	C5-C6-O6	-6.36	124.79	128.60
26	BB	2649	C	C6-N1-C2	-6.36	117.76	120.30
26	BB	2812	G	C8-N9-C4	-6.36	103.86	106.40
1	AA	275	G	C4-C5-N7	-6.36	108.26	110.80
1	AA	789	U	N3-C4-C5	-6.36	110.79	114.60
1	AA	871	U	N1-C2-N3	6.36	118.71	114.90
1	AA	975	A	N1-C2-N3	-6.36	126.12	129.30
2	AB	75	C	C5-C6-N1	-6.36	117.82	121.00
6	AF	142	ARG	NE-CZ-NH1	-6.36	117.12	120.30
26	BB	43	G	C6-N1-C2	-6.36	121.29	125.10
26	BB	182	A	C2-N3-C4	6.36	113.78	110.60
26	BB	270	A	C2-N3-C4	6.36	113.78	110.60
26	BB	279	A	C5-N7-C8	6.36	107.08	103.90
26	BB	289	G	N7-C8-N9	6.36	116.28	113.10
26	BB	1410	G	C5-C6-N1	6.36	114.68	111.50
26	BB	2558	C	O4'-C1'-N1	6.36	113.28	108.20
1	AA	1527	U	C2-N3-C4	-6.35	123.19	127.00
18	AR	83	ARG	NE-CZ-NH1	6.35	123.48	120.30
26	BB	873	C	C4-C5-C6	-6.35	114.22	117.40
26	BB	994	C	C5'-C4'-O4'	6.35	116.72	109.10
26	BB	1193	G	N1-C2-N2	6.35	121.92	116.20
26	BB	1327	A	C5-C6-N6	6.35	128.78	123.70
26	BB	1384	A	N9-C4-C5	6.35	108.34	105.80
26	BB	2027	G	N3-C4-C5	-6.35	125.42	128.60
26	BB	2358	A	N1-C6-N6	6.35	122.41	118.60
26	BB	2429	G	P-O3'-C3'	6.35	127.32	119.70
1	AA	57	G	N7-C8-N9	6.35	116.28	113.10
1	AA	741	G	C4-C5-C6	6.35	122.61	118.80
1	AA	880	C	N3-C4-C5	-6.35	119.36	121.90
1	AA	1482	G	C1'-O4'-C4'	6.35	114.98	109.90
26	BB	17	G	C5'-C4'-O4'	6.35	116.72	109.10
26	BB	373	U	N3-C4-O4	6.35	123.85	119.40
26	BB	408	G	O4'-C1'-N9	6.35	113.28	108.20
26	BB	1716	U	O5'-P-OP1	6.35	118.32	110.70
26	BB	2032	G	C5-C6-N1	6.35	114.68	111.50
26	BB	2126	A	C1'-O4'-C4'	-6.35	104.82	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2433	A	C8-N9-C4	-6.35	103.26	105.80
26	BB	2869	G	N9-C1'-C2'	-6.35	105.01	112.00
1	AA	885	G	N3-C4-N9	6.35	129.81	126.00
1	AA	1056	U	C6-N1-C2	-6.35	117.19	121.00
1	AA	1344	C	C4'-C3'-C2'	-6.35	96.25	102.60
25	BA	39	A	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	841	G	N7-C8-N9	6.35	116.28	113.10
26	BB	1419	A	C5-N7-C8	6.35	107.08	103.90
1	AA	18	C	C5-C6-N1	6.35	124.17	121.00
1	AA	180	U	C5-C4-O4	-6.35	122.09	125.90
1	AA	338	A	O4'-C1'-C2'	-6.35	99.45	105.80
1	AA	873	A	C6-C5-N7	6.35	136.75	132.30
1	AA	1022	A	C1'-O4'-C4'	-6.35	104.82	109.90
1	AA	1114	C	C5'-C4'-O4'	6.35	116.72	109.10
26	BB	83	A	N7-C8-N9	6.35	116.97	113.80
26	BB	219	A	C2-N3-C4	-6.35	107.43	110.60
26	BB	500	G	C6-N1-C2	-6.35	121.29	125.10
26	BB	765	C	C3'-C2'-C1'	6.35	106.58	101.50
26	BB	803	U	C3'-C2'-C1'	6.35	106.58	101.50
26	BB	859	G	N1-C6-O6	6.35	123.71	119.90
26	BB	1139	G	O4'-C1'-C2'	6.35	113.31	107.60
26	BB	1179	G	C4-C5-N7	-6.35	108.26	110.80
26	BB	1920	C	C3'-C2'-C1'	6.35	106.58	101.50
26	BB	2874	C	N3-C4-N4	-6.35	113.56	118.00
1	AA	241	G	N1-C2-N2	6.35	121.91	116.20
1	AA	285	C	N1-C2-O2	6.35	122.71	118.90
1	AA	329	A	N1-C6-N6	-6.35	114.79	118.60
1	AA	1178	G	C4-C5-N7	-6.35	108.26	110.80
1	AA	1256	A	O4'-C1'-N9	6.35	113.28	108.20
1	AA	1400	C	C4-C5-C6	-6.35	114.23	117.40
3	AC	24	A	C8-N9-C4	6.35	108.34	105.80
25	BA	42	C	C2'-C3'-O3'	6.35	123.86	113.70
26	BB	493	G	C4-C5-N7	-6.35	108.26	110.80
26	BB	615	U	C2-N1-C1'	6.35	125.32	117.70
26	BB	1142	A	C2-N3-C4	6.35	113.77	110.60
26	BB	1249	U	C5'-C4'-C3'	-6.35	105.84	116.00
26	BB	1374	G	N9-C4-C5	-6.35	102.86	105.40
26	BB	1995	U	C5-C6-N1	-6.35	119.53	122.70
26	BB	2240	U	C2-N3-C4	-6.35	123.19	127.00
1	AA	617	G	N3-C4-C5	6.35	131.77	128.60
1	AA	974	A	N9-C1'-C2'	6.35	122.25	114.00
1	AA	1374	A	N9-C1'-C2'	-6.35	105.02	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1474	U	C3'-C2'-C1'	6.35	106.58	101.50
1	AA	1538	C	C5-C6-N1	-6.35	117.83	121.00
4	AD	32	G	N3-C4-C5	-6.35	125.43	128.60
26	BB	51	G	C2-N3-C4	-6.35	108.73	111.90
26	BB	664	G	C2-N3-C4	6.35	115.07	111.90
26	BB	1813	G	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	2131	U	N3-C2-O2	-6.35	117.76	122.20
1	AA	680	C	N3-C4-C5	-6.34	119.36	121.90
1	AA	1074	G	N9-C4-C5	6.34	107.94	105.40
1	AA	1316	G	C3'-C2'-C1'	6.34	106.58	101.50
1	AA	1328	C	C6-N1-C2	-6.34	117.76	120.30
14	AN	112	VAL	CA-CB-CG2	6.34	120.42	110.90
26	BB	232	G	O4'-C1'-C2'	6.34	113.31	107.60
26	BB	1333	G	N3-C4-N9	6.34	129.81	126.00
26	BB	1486	U	O4'-C1'-N1	6.34	113.28	108.20
26	BB	2041	U	N3-C2-O2	-6.34	117.76	122.20
26	BB	2270	A	C2-N3-C4	6.34	113.77	110.60
26	BB	2900	A	O4'-C1'-N9	-6.34	103.12	108.20
1	AA	504	C	C5-C4-N4	-6.34	115.76	120.20
1	AA	1336	C	O4'-C1'-N1	6.34	113.28	108.20
25	BA	21	G	C4'-C3'-C2'	-6.34	96.26	102.60
26	BB	560	C	C2-N3-C4	6.34	123.07	119.90
26	BB	795	C	C6-N1-C2	-6.34	117.76	120.30
26	BB	1025	G	N9-C4-C5	6.34	107.94	105.40
26	BB	1885	A	P-O3'-C3'	6.34	127.31	119.70
26	BB	2763	G	O4'-C1'-N9	6.34	113.27	108.20
1	AA	179	A	N3-C4-C5	-6.34	122.36	126.80
1	AA	402	G	N3-C2-N2	6.34	124.34	119.90
1	AA	410	G	O4'-C4'-C3'	6.34	111.17	106.10
1	AA	533	A	C5'-C4'-C3'	-6.34	105.86	116.00
1	AA	945	G	N3-C2-N2	6.34	124.34	119.90
3	AC	44	U	C5'-C4'-O4'	6.34	116.71	109.10
4	AD	39	A	C1'-O4'-C4'	-6.34	104.83	109.90
4	AD	42	C	O4'-C1'-N1	6.34	113.27	108.20
13	AM	16	ARG	CD-NE-CZ	6.34	132.48	123.60
26	BB	1678	A	C4-C5-N7	-6.34	107.53	110.70
26	BB	1769	U	N1-C2-O2	-6.34	118.36	122.80
26	BB	1981	A	N1-C2-N3	-6.34	126.13	129.30
26	BB	2193	G	C4-C5-C6	6.34	122.61	118.80
26	BB	2562	U	C2-N3-C4	-6.34	123.19	127.00
58	B7	10	LEU	CB-CG-CD2	6.34	121.78	111.00
1	AA	674	G	C4-C5-N7	-6.34	108.26	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1118	U	N3-C2-O2	6.34	126.64	122.20
1	AA	1232	U	C2-N3-C4	-6.34	123.20	127.00
3	AC	14	G	C5-C6-O6	-6.34	124.80	128.60
21	AU	42	ARG	NH1-CZ-NH2	-6.34	112.43	119.40
26	BB	196	A	P-O3'-C3'	6.34	127.31	119.70
26	BB	196	A	C4-C5-C6	-6.34	113.83	117.00
26	BB	338	G	C2-N3-C4	6.34	115.07	111.90
26	BB	616	A	C5-C6-N6	-6.34	118.63	123.70
26	BB	1280	G	N3-C4-N9	6.34	129.80	126.00
26	BB	1294	U	C2-N3-C4	6.34	130.80	127.00
26	BB	1522	A	C5-C6-N1	6.34	120.87	117.70
26	BB	1582	C	C5'-C4'-C3'	6.34	126.14	116.00
26	BB	1863	G	C8-N9-C4	-6.34	103.86	106.40
26	BB	2752	C	N3-C2-O2	-6.34	117.46	121.90
27	BC	180	PHE	CB-CG-CD2	6.34	125.24	120.80
1	AA	288	A	C2-N3-C4	6.34	113.77	110.60
1	AA	305	G	N3-C4-N9	-6.34	122.20	126.00
1	AA	472	U	N1-C2-N3	6.34	118.70	114.90
1	AA	1468	A	C5-C6-N1	6.34	120.87	117.70
4	AD	12	G	N3-C4-C5	-6.34	125.43	128.60
26	BB	54	G	C4-C5-N7	-6.34	108.27	110.80
26	BB	359	G	C4-C5-N7	6.34	113.33	110.80
26	BB	758	C	N1-C1'-C2'	-6.34	105.03	112.00
26	BB	1365	A	N9-C4-C5	-6.34	103.27	105.80
26	BB	2004	G	C5'-C4'-O4'	6.34	116.70	109.10
26	BB	2062	A	C3'-C2'-C1'	6.34	106.57	101.50
1	AA	33	A	N7-C8-N9	6.34	116.97	113.80
1	AA	454	G	C6-C5-N7	6.34	134.20	130.40
1	AA	695	A	N3-C4-N9	-6.34	122.33	127.40
1	AA	727	G	N9-C4-C5	-6.34	102.86	105.40
1	AA	806	C	C1'-O4'-C4'	-6.34	104.83	109.90
1	AA	1073	U	N1-C1'-C2'	-6.34	105.03	112.00
1	AA	1214	C	C2-N3-C4	6.34	123.07	119.90
1	AA	1249	C	C5-C4-N4	-6.34	115.77	120.20
1	AA	1260	G	C4'-C3'-C2'	-6.34	96.26	102.60
25	BA	69	G	N7-C8-N9	6.34	116.27	113.10
26	BB	223	A	C8-N9-C4	-6.34	103.27	105.80
26	BB	490	C	C5'-C4'-O4'	6.34	116.70	109.10
26	BB	1981	A	N3-C4-N9	-6.34	122.33	127.40
26	BB	2091	C	C5-C6-N1	-6.34	117.83	121.00
26	BB	2190	G	N3-C4-C5	-6.34	125.43	128.60
26	BB	2513	A	C3'-C2'-C1'	6.34	106.57	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2545	G	C2-N3-C4	6.34	115.07	111.90
26	BB	2623	G	C6-N1-C2	-6.34	121.30	125.10
1	AA	223	A	C8-N9-C4	-6.33	103.27	105.80
1	AA	294	U	C5-C4-O4	-6.33	122.10	125.90
26	BB	1144	A	C5-N7-C8	-6.33	100.73	103.90
26	BB	1583	A	C3'-C2'-C1'	6.33	106.57	101.50
26	BB	2266	A	C5-C6-N6	6.33	128.77	123.70
26	BB	2535	G	O4'-C1'-N9	6.33	113.27	108.20
1	AA	570	G	C5-N7-C8	-6.33	101.13	104.30
1	AA	755	G	C6-C5-N7	-6.33	126.60	130.40
1	AA	837	U	O4'-C1'-N1	6.33	113.27	108.20
1	AA	1417	G	N3-C4-C5	-6.33	125.43	128.60
2	AB	38	A	P-O3'-C3'	6.33	127.30	119.70
22	AV	80	ARG	NE-CZ-NH1	-6.33	117.13	120.30
26	BB	898	C	C4-C5-C6	-6.33	114.23	117.40
26	BB	1469	A	N9-C4-C5	-6.33	103.27	105.80
26	BB	1747	U	C5-C6-N1	-6.33	119.53	122.70
26	BB	1865	U	P-O3'-C3'	6.33	127.30	119.70
26	BB	2128	G	O3'-P-O5'	-6.33	91.97	104.00
26	BB	341	C	O4'-C1'-N1	6.33	113.27	108.20
26	BB	450	G	N3-C4-C5	-6.33	125.43	128.60
26	BB	1470	A	C5-C6-N6	-6.33	118.64	123.70
26	BB	2511	U	C5'-C4'-O4'	6.33	116.70	109.10
26	BB	2553	G	C6-C5-N7	-6.33	126.60	130.40
1	AA	450	G	N3-C4-C5	-6.33	125.44	128.60
1	AA	505	G	C4'-C3'-C2'	-6.33	96.27	102.60
1	AA	571	U	C5-C6-N1	-6.33	119.53	122.70
4	AD	24	C	C2-N3-C4	-6.33	116.73	119.90
26	BB	661	A	N7-C8-N9	-6.33	110.64	113.80
26	BB	839	U	O4'-C4'-C3'	6.33	111.16	106.10
26	BB	1757	A	C8-N9-C4	-6.33	103.27	105.80
26	BB	2544	G	C2-N3-C4	6.33	115.06	111.90
26	BB	2700	A	C3'-C2'-C1'	6.33	106.56	101.50
26	BB	2843	G	C2-N3-C4	6.33	115.06	111.90
26	BB	2903	U	O4'-C1'-N1	6.33	113.26	108.20
1	AA	104	G	C4-C5-N7	-6.33	108.27	110.80
1	AA	251	G	N1-C2-N2	-6.33	110.50	116.20
1	AA	575	G	C5'-C4'-O4'	6.33	116.69	109.10
1	AA	1056	U	N3-C4-C5	-6.33	110.80	114.60
1	AA	1370	G	N1-C2-N2	-6.33	110.50	116.20
25	BA	76	G	N7-C8-N9	6.33	116.26	113.10
26	BB	776	G	C5-C6-N1	6.33	114.66	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	789	A	C5-N7-C8	6.33	107.06	103.90
26	BB	892	A	N1-C6-N6	6.33	122.40	118.60
26	BB	1790	C	N1-C2-N3	-6.33	114.77	119.20
26	BB	2018	G	C4-C5-C6	6.33	122.60	118.80
26	BB	2523	G	C8-N9-C4	6.33	108.93	106.40
26	BB	2571	U	N3-C4-O4	-6.33	114.97	119.40
26	BB	2729	G	C4-C5-C6	6.33	122.60	118.80
1	AA	247	G	N1-C2-N3	6.33	127.70	123.90
1	AA	850	U	C1'-O4'-C4'	-6.33	104.84	109.90
1	AA	1537	U	O4'-C4'-C3'	-6.33	97.67	104.00
26	BB	1140	C	N3-C4-C5	-6.33	119.37	121.90
26	BB	1186	G	P-O3'-C3'	6.33	127.29	119.70
1	AA	252	U	C4-C5-C6	6.33	123.50	119.70
1	AA	1016	A	N9-C4-C5	6.33	108.33	105.80
25	BA	8	C	C6-N1-C2	6.33	122.83	120.30
26	BB	65	U	N1-C2-O2	-6.33	118.37	122.80
26	BB	430	A	N1-C6-N6	-6.33	114.81	118.60
26	BB	636	G	C5-C6-O6	6.33	132.40	128.60
26	BB	701	G	C5-C6-N1	6.33	114.66	111.50
26	BB	1004	U	N3-C4-O4	6.33	123.83	119.40
26	BB	1211	C	C1'-O4'-C4'	6.33	114.96	109.90
26	BB	1404	C	O4'-C1'-N1	6.33	113.26	108.20
26	BB	1839	G	C2-N3-C4	6.33	115.06	111.90
26	BB	2150	C	C2-N3-C4	6.33	123.06	119.90
26	BB	2704	C	C1'-O4'-C4'	-6.33	104.84	109.90
1	AA	1003	G	N1-C2-N2	6.32	121.89	116.20
26	BB	294	A	C5-C6-N6	-6.32	118.64	123.70
26	BB	661	A	C8-N9-C4	6.32	108.33	105.80
26	BB	992	C	C4-C5-C6	6.32	120.56	117.40
26	BB	1048	A	C5'-C4'-O4'	6.32	116.69	109.10
26	BB	1048	A	C3'-C2'-C1'	6.32	106.56	101.50
26	BB	1959	G	N9-C4-C5	6.32	107.93	105.40
26	BB	2065	C	C5-C4-N4	-6.32	115.77	120.20
26	BB	2484	G	N1-C2-N3	-6.32	120.11	123.90
26	BB	2542	A	C8-N9-C4	6.32	108.33	105.80
45	BU	88	ARG	NE-CZ-NH1	6.32	123.46	120.30
1	AA	373	A	C5'-C4'-O4'	6.32	116.69	109.10
1	AA	1018	G	C4-C5-N7	-6.32	108.27	110.80
26	BB	1759	A	C5-N7-C8	6.32	107.06	103.90
26	BB	2627	G	C1'-O4'-C4'	-6.32	104.84	109.90
1	AA	12	U	N1-C2-N3	6.32	118.69	114.90
1	AA	53	A	N1-C6-N6	6.32	122.39	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	904	U	C5-C6-N1	-6.32	119.54	122.70
1	AA	1437	A	C5-C6-N1	-6.32	114.54	117.70
26	BB	176	A	C5-C6-N1	6.32	120.86	117.70
26	BB	553	G	C2-N3-C4	6.32	115.06	111.90
26	BB	617	G	N1-C6-O6	6.32	123.69	119.90
26	BB	630	G	N3-C2-N2	-6.32	115.47	119.90
26	BB	748	G	C5-C6-O6	6.32	132.39	128.60
26	BB	776	G	C5-C6-O6	6.32	132.39	128.60
26	BB	881	G	N7-C8-N9	6.32	116.26	113.10
26	BB	945	A	N9-C4-C5	-6.32	103.27	105.80
26	BB	1061	U	C2-N1-C1'	6.32	125.28	117.70
26	BB	1206	G	N1-C6-O6	6.32	123.69	119.90
26	BB	1702	G	C2-N3-C4	6.32	115.06	111.90
26	BB	2034	U	C2-N3-C4	-6.32	123.21	127.00
26	BB	2673	G	C8-N9-C4	6.32	108.93	106.40
50	BZ	42	GLU	CA-CB-CG	6.32	127.31	113.40
26	BB	49	A	C5-C6-N1	-6.32	114.54	117.70
26	BB	114	U	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	268	C	N3-C4-N4	6.32	122.42	118.00
26	BB	555	G	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	1891	G	C5-N7-C8	-6.32	101.14	104.30
26	BB	2506	U	O4'-C1'-N1	6.32	113.25	108.20
1	AA	826	C	N3-C2-O2	-6.32	117.48	121.90
4	AD	15	G	O4'-C1'-N9	6.32	113.25	108.20
26	BB	219	A	C5-C6-N1	6.32	120.86	117.70
26	BB	1251	C	O4'-C1'-N1	-6.32	103.15	108.20
26	BB	1373	A	C5-N7-C8	-6.32	100.74	103.90
26	BB	1497	U	C4-C5-C6	6.32	123.49	119.70
26	BB	1624	U	C2-N1-C1'	-6.32	110.12	117.70
26	BB	1647	U	C4-C5-C6	6.32	123.49	119.70
26	BB	1730	C	C6-N1-C2	-6.32	117.77	120.30
1	AA	325	A	O4'-C1'-N9	6.32	113.25	108.20
1	AA	349	A	N9-C4-C5	6.32	108.33	105.80
1	AA	381	C	C6-N1-C2	-6.32	117.77	120.30
1	AA	468	A	C6-C5-N7	6.32	136.72	132.30
1	AA	848	C	N3-C2-O2	-6.32	117.48	121.90
1	AA	889	A	P-O3'-C3'	6.32	127.28	119.70
1	AA	1389	C	O4'-C1'-N1	6.32	113.25	108.20
1	AA	1433	A	C5-C6-N1	6.32	120.86	117.70
26	BB	764	A	C4-C5-C6	6.32	120.16	117.00
26	BB	829	A	C4-C5-C6	-6.32	113.84	117.00
26	BB	1448	G	N7-C8-N9	6.32	116.26	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1496	A	C5'-C4'-O4'	6.32	116.68	109.10
26	BB	2127	G	C5-C6-O6	-6.32	124.81	128.60
26	BB	2714	G	C1'-O4'-C4'	6.32	114.95	109.90
26	BB	2754	U	N1-C1'-C2'	-6.32	105.05	112.00
1	AA	1494	G	N7-C8-N9	6.31	116.26	113.10
25	BA	23	G	C5'-C4'-O4'	6.31	116.68	109.10
26	BB	113	U	C4-C5-C6	6.31	123.49	119.70
26	BB	511	U	C5-C6-N1	-6.31	119.54	122.70
26	BB	2106	U	C5-C4-O4	-6.31	122.11	125.90
26	BB	2608	G	C5-C6-O6	6.31	132.39	128.60
1	AA	211	G	C6-C5-N7	-6.31	126.61	130.40
1	AA	242	G	C8-N9-C4	-6.31	103.88	106.40
1	AA	722	G	C2'-C3'-O3'	6.31	123.80	113.70
4	AD	31	G	C6-N1-C2	-6.31	121.31	125.10
25	BA	94	A	C5'-C4'-C3'	-6.31	105.90	116.00
26	BB	684	G	N3-C4-N9	-6.31	122.21	126.00
26	BB	705	A	N7-C8-N9	6.31	116.96	113.80
26	BB	1000	A	O4'-C1'-N9	6.31	113.25	108.20
26	BB	1340	U	N1-C2-O2	-6.31	118.38	122.80
26	BB	1379	U	P-O3'-C3'	6.31	127.27	119.70
26	BB	1452	G	N7-C8-N9	6.31	116.26	113.10
26	BB	1703	G	C3'-C2'-C1'	6.31	106.55	101.50
26	BB	2158	A	N1-C6-N6	-6.31	114.81	118.60
26	BB	2214	C	P-O3'-C3'	6.31	127.28	119.70
26	BB	2545	G	C5-N7-C8	-6.31	101.14	104.30
48	BX	72	VAL	CA-CB-CG1	6.31	120.37	110.90
1	AA	98	A	C8-N9-C4	-6.31	103.28	105.80
1	AA	1408	A	C4-C5-N7	-6.31	107.55	110.70
26	BB	1179	G	N7-C8-N9	6.31	116.25	113.10
1	AA	456	A	C4-C5-N7	-6.31	107.55	110.70
1	AA	491	G	N1-C6-O6	-6.31	116.11	119.90
1	AA	611	C	O4'-C4'-C3'	6.31	111.15	106.10
1	AA	794	A	O4'-C1'-N9	6.31	113.25	108.20
1	AA	978	A	P-O3'-C3'	6.31	127.27	119.70
1	AA	986	U	O4'-C4'-C3'	-6.31	97.69	104.00
1	AA	1105	A	C5-N7-C8	-6.31	100.75	103.90
1	AA	1385	G	N3-C2-N2	-6.31	115.48	119.90
25	BA	12	C	C4'-C3'-C2'	-6.31	96.29	102.60
26	BB	797	G	C5-C6-O6	-6.31	124.81	128.60
26	BB	1192	G	C4-C5-N7	-6.31	108.28	110.80
26	BB	1287	A	C2-N3-C4	6.31	113.75	110.60
26	BB	1352	U	C4'-C3'-C2'	-6.31	96.29	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2230	G	N3-C4-C5	-6.31	125.44	128.60
1	AA	844	G	N3-C4-C5	-6.31	125.45	128.60
26	BB	227	A	C1'-O4'-C4'	-6.31	104.85	109.90
26	BB	1198	U	C2-N3-C4	-6.31	123.22	127.00
26	BB	1317	G	C5-C6-N1	6.31	114.65	111.50
26	BB	1731	G	C6-N1-C2	6.31	128.88	125.10
26	BB	1928	A	N3-C4-C5	-6.31	122.39	126.80
1	AA	395	C	C5-C4-N4	-6.31	115.79	120.20
26	BB	625	G	N1-C2-N2	-6.31	110.52	116.20
26	BB	1043	C	P-O3'-C3'	6.31	127.27	119.70
26	BB	1500	G	N3-C4-C5	-6.31	125.45	128.60
26	BB	2451	A	O4'-C1'-N9	6.31	113.24	108.20
1	AA	489	C	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	537	G	C5-N7-C8	-6.30	101.15	104.30
1	AA	659	U	C2-N3-C4	-6.30	123.22	127.00
1	AA	679	C	O4'-C1'-N1	6.30	113.24	108.20
1	AA	785	G	C5-C6-O6	-6.30	124.82	128.60
1	AA	1188	A	O4'-C1'-N9	6.30	113.24	108.20
1	AA	1340	A	C5'-C4'-O4'	6.30	116.67	109.10
26	BB	468	G	N3-C4-C5	-6.30	125.45	128.60
26	BB	883	G	C5'-C4'-C3'	-6.30	105.91	116.00
26	BB	966	G	C6-C5-N7	-6.30	126.62	130.40
26	BB	1377	G	O4'-C1'-C2'	6.30	113.28	107.60
26	BB	1425	G	O4'-C1'-N9	6.30	113.24	108.20
26	BB	1460	U	C5-C6-N1	-6.30	119.55	122.70
26	BB	1471	G	O4'-C1'-N9	6.30	113.24	108.20
26	BB	1485	U	N3-C4-O4	6.30	123.81	119.40
26	BB	1608	A	C5-N7-C8	6.30	107.05	103.90
26	BB	1668	A	N1-C6-N6	-6.30	114.82	118.60
26	BB	2247	A	C5-C6-N6	-6.30	118.66	123.70
26	BB	2304	G	C1'-O4'-C4'	-6.30	104.86	109.90
26	BB	2446	G	N3-C2-N2	6.30	124.31	119.90
26	BB	2667	C	N3-C4-N4	-6.30	113.59	118.00
26	BB	2770	G	C6-C5-N7	-6.30	126.62	130.40
1	AA	481	G	C5-C6-N1	6.30	114.65	111.50
26	BB	1460	U	P-O3'-C3'	6.30	127.26	119.70
26	BB	2174	C	C6-N1-C2	6.30	122.82	120.30
26	BB	2317	A	O4'-C1'-C2'	6.30	113.27	107.60
1	AA	79	G	N9-C4-C5	6.30	107.92	105.40
1	AA	367	U	C6-N1-C2	-6.30	117.22	121.00
1	AA	540	G	C6-C5-N7	-6.30	126.62	130.40
1	AA	736	C	N3-C2-O2	-6.30	117.49	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1280	A	C4-C5-N7	-6.30	107.55	110.70
1	AA	1382	C	C2-N3-C4	6.30	123.05	119.90
26	BB	58	G	C5-C6-N1	6.30	114.65	111.50
26	BB	89	A	N9-C4-C5	6.30	108.32	105.80
26	BB	164	C	C4'-C3'-C2'	-6.30	96.30	102.60
26	BB	490	C	C4-C5-C6	6.30	120.55	117.40
26	BB	537	G	N7-C8-N9	6.30	116.25	113.10
26	BB	975	A	N1-C2-N3	6.30	132.45	129.30
26	BB	1052	C	C2-N3-C4	-6.30	116.75	119.90
26	BB	1174	U	N3-C4-O4	6.30	123.81	119.40
26	BB	1780	A	C6-N1-C2	6.30	122.38	118.60
26	BB	2494	G	N9-C1'-C2'	-6.30	105.07	112.00
1	AA	387	U	O4'-C1'-N1	6.30	113.24	108.20
1	AA	569	C	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	1154	G	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	1187	G	C2-N3-C4	6.30	115.05	111.90
1	AA	1231	G	C8-N9-C1'	6.30	135.19	127.00
26	BB	841	G	O4'-C1'-N9	6.30	113.24	108.20
26	BB	1893	C	N1-C2-O2	6.30	122.68	118.90
26	BB	2070	A	P-O3'-C3'	6.30	127.26	119.70
26	BB	2533	U	O4'-C1'-N1	6.30	113.24	108.20
26	BB	2751	G	P-O3'-C3'	6.30	127.26	119.70
26	BB	2785	C	C3'-C2'-C1'	6.30	106.54	101.50
1	AA	309	A	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	402	G	N9-C4-C5	6.30	107.92	105.40
1	AA	1147	C	C5'-C4'-O4'	6.30	116.66	109.10
26	BB	394	C	C2-N3-C4	-6.30	116.75	119.90
26	BB	2058	A	C5-C6-N6	-6.30	118.66	123.70
1	AA	407	U	C2-N3-C4	-6.30	123.22	127.00
1	AA	418	C	N1-C2-O2	-6.30	115.12	118.90
1	AA	489	C	O4'-C1'-N1	6.30	113.24	108.20
1	AA	617	G	N3-C4-N9	-6.30	122.22	126.00
1	AA	1069	C	C2-N3-C4	-6.30	116.75	119.90
1	AA	1143	G	N1-C2-N3	-6.30	120.12	123.90
1	AA	1233	G	C8-N9-C4	-6.30	103.88	106.40
10	AJ	77	ARG	NE-CZ-NH1	6.30	123.45	120.30
16	AP	109	LYS	C-N-CA	6.30	135.52	122.30
26	BB	220	G	C1'-O4'-C4'	-6.30	104.86	109.90
26	BB	1406	U	O4'-C1'-C2'	6.30	113.27	107.60
26	BB	2524	G	N1-C6-O6	6.30	123.68	119.90
1	AA	83	C	N3-C4-N4	-6.29	113.59	118.00
1	AA	963	G	P-O3'-C3'	-6.29	112.15	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1287	A	C6-C5-N7	6.29	136.71	132.30
1	AA	1381	U	C5'-C4'-O4'	6.29	116.65	109.10
26	BB	135	U	C2-N3-C4	-6.29	123.22	127.00
26	BB	301	G	O4'-C1'-C2'	-6.29	99.50	105.80
26	BB	1840	G	N7-C8-N9	6.29	116.25	113.10
1	AA	211	G	P-O3'-C3'	6.29	127.25	119.70
1	AA	321	A	C5'-C4'-O4'	-6.29	101.55	109.10
1	AA	618	C	N3-C2-O2	-6.29	117.50	121.90
1	AA	833	G	N3-C4-C5	-6.29	125.45	128.60
1	AA	1023	U	N3-C4-C5	-6.29	110.82	114.60
9	AI	54	LEU	CB-CG-CD2	-6.29	100.30	111.00
26	BB	252	G	C6-C5-N7	6.29	134.18	130.40
26	BB	919	U	N3-C2-O2	-6.29	117.80	122.20
26	BB	1133	A	C5-C6-N1	-6.29	114.55	117.70
26	BB	1214	A	C4-C5-N7	-6.29	107.55	110.70
26	BB	1299	G	N9-C4-C5	6.29	107.92	105.40
26	BB	1445	G	C5-N7-C8	6.29	107.45	104.30
26	BB	2131	U	C6-N1-C2	-6.29	117.22	121.00
26	BB	2331	G	C5-C6-N1	6.29	114.65	111.50
26	BB	2865	U	C5'-C4'-O4'	6.29	116.65	109.10
1	AA	519	C	C6-N1-C2	-6.29	117.78	120.30
1	AA	1053	G	C6-N1-C2	-6.29	121.33	125.10
26	BB	272	A	C2-N3-C4	6.29	113.75	110.60
26	BB	478	A	C6-C5-N7	6.29	136.71	132.30
26	BB	599	A	C5-N7-C8	-6.29	100.75	103.90
26	BB	679	C	C4'-C3'-C2'	-6.29	96.31	102.60
26	BB	792	A	C3'-C2'-C1'	6.29	106.53	101.50
26	BB	1241	A	N9-C4-C5	-6.29	103.28	105.80
26	BB	1637	A	C5'-C4'-O4'	6.29	116.65	109.10
26	BB	2616	C	N1-C2-O2	6.29	122.67	118.90
26	BB	2681	C	C5-C4-N4	-6.29	115.80	120.20
26	BB	2815	C	C2-N3-C4	6.29	123.05	119.90
1	AA	1041	G	C8-N9-C1'	6.29	135.18	127.00
26	BB	502	A	N9-C4-C5	6.29	108.32	105.80
26	BB	552	U	N3-C2-O2	-6.29	117.80	122.20
26	BB	713	G	N7-C8-N9	6.29	116.25	113.10
26	BB	1820	U	C2-N1-C1'	6.29	125.25	117.70
26	BB	2049	G	C4-N9-C1'	-6.29	118.32	126.50
26	BB	2131	U	N1-C2-N3	6.29	118.67	114.90
1	AA	581	G	C4-C5-C6	6.29	122.57	118.80
1	AA	1461	G	N9-C4-C5	6.29	107.92	105.40
4	AD	26	C	O5'-C5'-C4'	-6.29	99.75	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	317	G	C8-N9-C4	-6.29	103.89	106.40
26	BB	352	A	C4-C5-N7	-6.29	107.56	110.70
26	BB	520	G	C6-N1-C2	-6.29	121.33	125.10
26	BB	908	C	N1-C2-O2	6.29	122.67	118.90
26	BB	1042	G	N3-C2-N2	6.29	124.30	119.90
26	BB	1051	G	C8-N9-C4	-6.29	103.89	106.40
26	BB	1748	C	N3-C4-C5	-6.29	119.39	121.90
26	BB	2105	U	N3-C4-O4	6.29	123.80	119.40
1	AA	1145	A	P-O3'-C3'	6.29	127.24	119.70
17	AQ	62	ARG	NE-CZ-NH1	-6.29	117.16	120.30
26	BB	1215	G	C8-N9-C4	6.29	108.92	106.40
26	BB	2882	A	C8-N9-C4	-6.29	103.28	105.80
26	BB	602	A	C6-C5-N7	6.29	136.70	132.30
26	BB	726	G	C5-N7-C8	-6.29	101.16	104.30
26	BB	1083	U	N1-C2-N3	6.29	118.67	114.90
26	BB	1093	G	N3-C4-C5	-6.29	125.46	128.60
26	BB	2360	G	C4-C5-C6	6.29	122.57	118.80
26	BB	2436	G	N3-C2-N2	-6.29	115.50	119.90
40	BP	115	LEU	CB-CA-C	6.29	122.14	110.20
1	AA	70	U	O4'-C1'-N1	6.28	113.23	108.20
1	AA	775	G	C2-N3-C4	6.28	115.04	111.90
1	AA	872	A	O4'-C1'-N9	6.28	113.23	108.20
1	AA	1349	A	C4'-C3'-C2'	-6.28	96.32	102.60
1	AA	1361	G	C3'-C2'-C1'	-6.28	96.47	101.50
1	AA	1432	G	C5-C6-O6	-6.28	124.83	128.60
1	AA	1530	G	C1'-O4'-C4'	-6.28	104.87	109.90
26	BB	63	A	C2-N3-C4	-6.28	107.46	110.60
26	BB	378	C	N1-C2-N3	-6.28	114.80	119.20
26	BB	395	U	C5-C6-N1	-6.28	119.56	122.70
26	BB	443	A	C5-C6-N1	-6.28	114.56	117.70
26	BB	554	U	N1-C2-O2	-6.28	118.40	122.80
26	BB	1739	A	N9-C4-C5	6.28	108.31	105.80
26	BB	2227	A	N9-C4-C5	-6.28	103.29	105.80
26	BB	2492	U	O4'-C1'-N1	6.28	113.23	108.20
26	BB	2687	U	N1-C2-N3	6.28	118.67	114.90
1	AA	824	G	C5-N7-C8	-6.28	101.16	104.30
1	AA	916	U	O4'-C1'-N1	6.28	113.23	108.20
1	AA	1238	A	C5'-C4'-O4'	6.28	116.64	109.10
26	BB	283	G	C8-N9-C4	-6.28	103.89	106.40
26	BB	597	G	C8-N9-C4	-6.28	103.89	106.40
26	BB	1115	G	C2-N3-C4	-6.28	108.76	111.90
26	BB	1963	U	N3-C4-O4	6.28	123.80	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2235	G	C3'-C2'-C1'	6.28	106.53	101.50
1	AA	502	A	C2-N3-C4	6.28	113.74	110.60
1	AA	711	G	C8-N9-C4	-6.28	103.89	106.40
1	AA	763	G	N3-C4-C5	-6.28	125.46	128.60
1	AA	950	U	O4'-C1'-N1	6.28	113.22	108.20
1	AA	1005	A	C6-N1-C2	-6.28	114.83	118.60
1	AA	1455	G	N9-C1'-C2'	-6.28	105.09	112.00
26	BB	219	A	N1-C2-N3	6.28	132.44	129.30
26	BB	662	G	C6-C5-N7	6.28	134.17	130.40
26	BB	788	A	N9-C4-C5	6.28	108.31	105.80
26	BB	1314	C	P-O5'-C5'	6.28	130.95	120.90
26	BB	1546	G	N9-C4-C5	6.28	107.91	105.40
26	BB	2190	G	N1-C2-N3	-6.28	120.13	123.90
26	BB	2249	U	C5-C6-N1	6.28	125.84	122.70
26	BB	2443	C	O4'-C1'-N1	6.28	113.22	108.20
26	BB	2598	A	C5-C6-N1	-6.28	114.56	117.70
1	AA	231	U	C4'-C3'-C2'	-6.28	96.32	102.60
1	AA	897	C	N1-C2-N3	-6.28	114.81	119.20
4	AD	20	G	N1-C2-N3	-6.28	120.13	123.90
9	AI	79	ARG	CD-NE-CZ	6.28	132.39	123.60
26	BB	199	A	C3'-C2'-C1'	-6.28	96.48	101.50
26	BB	809	G	C4-C5-N7	6.28	113.31	110.80
1	AA	75	G	C5-C6-O6	6.28	132.37	128.60
1	AA	994	A	O4'-C1'-N9	6.28	113.22	108.20
26	BB	283	G	N7-C8-N9	6.28	116.24	113.10
26	BB	2002	G	N3-C4-N9	6.28	129.77	126.00
26	BB	2447	G	C6-N1-C2	-6.28	121.33	125.10
26	BB	2565	A	C5-C6-N1	6.28	120.84	117.70
36	BL	16	TYR	CB-CG-CD2	-6.28	117.23	121.00
1	AA	202	G	C4-C5-N7	-6.28	108.29	110.80
1	AA	1362	A	C4-C5-N7	-6.28	107.56	110.70
1	AA	1449	C	N3-C4-N4	-6.28	113.61	118.00
3	AC	18	A	N9-C1'-C2'	6.28	122.16	114.00
25	BA	44	G	C5-C6-O6	6.28	132.37	128.60
26	BB	10	A	C4-C5-N7	-6.28	107.56	110.70
26	BB	24	G	C6-C5-N7	-6.28	126.64	130.40
26	BB	308	G	O4'-C1'-N9	6.28	113.22	108.20
26	BB	409	G	N1-C6-O6	6.28	123.67	119.90
26	BB	1352	U	O4'-C1'-N1	6.28	113.22	108.20
26	BB	1644	C	C4'-C3'-C2'	-6.28	96.32	102.60
26	BB	1706	C	N3-C2-O2	-6.28	117.51	121.90
26	BB	899	A	C5-C6-N1	-6.27	114.56	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1565	C	C6-N1-C2	-6.27	117.79	120.30
47	BW	13	LEU	CB-CG-CD1	-6.27	100.33	111.00
1	AA	230	G	C5-C6-O6	-6.27	124.84	128.60
1	AA	560	A	O4'-C1'-N9	-6.27	103.18	108.20
1	AA	743	A	C3'-C2'-C1'	6.27	106.52	101.50
1	AA	777	A	C5-C6-N6	-6.27	118.68	123.70
19	AS	2	VAL	CA-CB-CG1	6.27	120.31	110.90
25	BA	103	U	C5'-C4'-O4'	6.27	116.63	109.10
26	BB	344	A	C6-C5-N7	6.27	136.69	132.30
26	BB	1444	G	N1-C2-N3	-6.27	120.14	123.90
26	BB	2572	A	N3-C4-C5	-6.27	122.41	126.80
26	BB	415	A	C8-N9-C4	-6.27	103.29	105.80
26	BB	491	G	C4-C5-N7	-6.27	108.29	110.80
26	BB	666	A	C8-N9-C4	6.27	108.31	105.80
26	BB	799	G	N1-C2-N3	-6.27	120.14	123.90
26	BB	1107	G	N1-C6-O6	6.27	123.66	119.90
26	BB	1817	G	N7-C8-N9	-6.27	109.97	113.10
26	BB	2668	G	O4'-C1'-N9	6.27	113.22	108.20
1	AA	191	G	O4'-C1'-C2'	-6.27	99.53	105.80
1	AA	451	A	N9-C4-C5	-6.27	103.29	105.80
1	AA	661	G	C5'-C4'-O4'	6.27	116.62	109.10
1	AA	1319	A	C5'-C4'-O4'	6.27	116.62	109.10
1	AA	1494	G	N1-C2-N3	-6.27	120.14	123.90
2	AB	9	A	C8-N9-C4	-6.27	103.29	105.80
19	AS	14	ARG	CD-NE-CZ	6.27	132.38	123.60
26	BB	87	U	C4'-C3'-C2'	-6.27	96.33	102.60
26	BB	405	U	C1'-O4'-C4'	-6.27	104.88	109.90
26	BB	506	G	C4-C5-C6	6.27	122.56	118.80
26	BB	662	G	C4-C5-N7	-6.27	108.29	110.80
26	BB	753	A	C6-N1-C2	-6.27	114.84	118.60
26	BB	1526	C	C2-N1-C1'	-6.27	111.90	118.80
26	BB	1802	A	C3'-C2'-C1'	6.27	106.52	101.50
26	BB	2507	C	O4'-C1'-N1	6.27	113.22	108.20
1	AA	764	C	O4'-C1'-N1	6.27	113.21	108.20
1	AA	772	U	C4-C5-C6	6.27	123.46	119.70
1	AA	791	G	C5'-C4'-O4'	6.27	116.62	109.10
1	AA	873	A	C4-C5-C6	-6.27	113.87	117.00
1	AA	1301	U	O4'-C1'-N1	6.27	113.22	108.20
26	BB	44	A	C5-N7-C8	6.27	107.03	103.90
26	BB	133	U	C4'-C3'-C2'	-6.27	96.33	102.60
26	BB	668	A	C3'-C2'-C1'	-6.27	96.49	101.50
26	BB	1143	A	C5-C6-N6	-6.27	118.69	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1239	G	N3-C4-C5	-6.27	125.47	128.60
26	BB	1701	A	C5'-C4'-O4'	6.27	116.62	109.10
26	BB	1930	G	C4-C5-N7	-6.27	108.29	110.80
26	BB	2026	U	C5-C6-N1	-6.27	119.57	122.70
26	BB	2252	G	N3-C4-C5	-6.27	125.47	128.60
26	BB	2648	G	C1'-O4'-C4'	6.27	114.92	109.90
34	BJ	50	TYR	CB-CG-CD2	6.27	124.76	121.00
1	AA	80	A	C5-C6-N6	-6.27	118.69	123.70
1	AA	1043	G	P-O3'-C3'	6.27	127.22	119.70
1	AA	1357	A	N1-C2-N3	-6.27	126.17	129.30
2	AB	44	G	N1-C6-O6	6.27	123.66	119.90
26	BB	324	A	O4'-C1'-N9	6.27	113.21	108.20
26	BB	1426	G	C5-N7-C8	-6.27	101.17	104.30
1	AA	355	C	C2-N3-C4	-6.26	116.77	119.90
1	AA	395	C	N1-C2-O2	6.26	122.66	118.90
1	AA	403	C	C5-C6-N1	6.26	124.13	121.00
1	AA	1234	C	C5'-C4'-O4'	6.26	116.62	109.10
1	AA	1512	U	C5-C6-N1	-6.26	119.57	122.70
1	AA	1536	C	N3-C4-C5	6.26	124.41	121.90
2	AB	28	C	C5-C6-N1	6.26	124.13	121.00
3	AC	14	G	O4'-C4'-C3'	6.26	111.11	106.10
3	AC	55	A	O4'-C1'-C2'	-6.26	99.53	105.80
26	BB	868	U	N3-C2-O2	-6.26	117.81	122.20
26	BB	1020	A	C8-N9-C4	-6.26	103.29	105.80
26	BB	1147	A	C5-C6-N1	-6.26	114.57	117.70
26	BB	1687	G	N7-C8-N9	6.26	116.23	113.10
26	BB	1798	U	C5-C6-N1	-6.26	119.57	122.70
26	BB	2175	C	N1-C2-O2	-6.26	115.14	118.90
26	BB	2522	U	N1-C2-N3	6.26	118.66	114.90
26	BB	2578	G	C5-N7-C8	-6.26	101.17	104.30
26	BB	89	A	C8-N9-C4	-6.26	103.30	105.80
26	BB	1021	A	N7-C8-N9	6.26	116.93	113.80
26	BB	1043	C	N1-C2-O2	6.26	122.66	118.90
26	BB	2301	C	O4'-C1'-N1	6.26	113.21	108.20
40	BP	118	ARG	NE-CZ-NH1	6.26	123.43	120.30
1	AA	518	C	C4-C5-C6	6.26	120.53	117.40
1	AA	528	C	C5'-C4'-C3'	-6.26	105.98	116.00
1	AA	698	G	C5-C6-N1	-6.26	108.37	111.50
1	AA	873	A	C5-C6-N1	6.26	120.83	117.70
4	AD	69	C	N1-C2-N3	-6.26	114.82	119.20
25	BA	8	C	C1'-O4'-C4'	-6.26	104.89	109.90
26	BB	390	U	C4-C5-C6	6.26	123.46	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1649	G	C8-N9-C1'	6.26	135.14	127.00
26	BB	2851	A	C2-N3-C4	-6.26	107.47	110.60
1	AA	183	C	O4'-C1'-N1	6.26	113.21	108.20
1	AA	678	U	O4'-C1'-N1	6.26	113.21	108.20
1	AA	706	A	N7-C8-N9	6.26	116.93	113.80
1	AA	821	G	C8-N9-C4	6.26	108.90	106.40
1	AA	847	G	N3-C4-C5	-6.26	125.47	128.60
26	BB	101	A	C4-C5-C6	-6.26	113.87	117.00
26	BB	526	A	C3'-C2'-C1'	6.26	106.51	101.50
26	BB	1347	A	C8-N9-C1'	6.26	138.97	127.70
26	BB	1887	C	C5'-C4'-C3'	-6.26	105.99	116.00
26	BB	2755	C	N3-C2-O2	-6.26	117.52	121.90
26	BB	2849	U	O4'-C1'-N1	6.26	113.21	108.20
26	BB	2862	G	N9-C1'-C2'	-6.26	105.11	112.00
37	BM	30	ARG	NE-CZ-NH1	6.26	123.43	120.30
1	AA	445	G	C1'-O4'-C4'	-6.26	104.89	109.90
26	BB	253	C	N3-C4-C5	-6.26	119.40	121.90
26	BB	1566	A	N1-C6-N6	-6.26	114.84	118.60
26	BB	1955	U	O4'-C1'-N1	6.26	113.21	108.20
26	BB	2381	A	N7-C8-N9	6.26	116.93	113.80
26	BB	2609	U	C5'-C4'-O4'	-6.26	101.59	109.10
26	BB	297	G	N9-C4-C5	6.26	107.90	105.40
26	BB	1195	G	C6-C5-N7	-6.26	126.65	130.40
26	BB	1263	U	C2-N3-C4	-6.26	123.25	127.00
26	BB	1429	G	N1-C2-N3	-6.26	120.15	123.90
26	BB	1778	U	C4-C5-C6	6.26	123.45	119.70
26	BB	1965	C	N1-C2-O2	6.26	122.65	118.90
26	BB	2391	G	C5-N7-C8	6.26	107.43	104.30
26	BB	2426	A	C5'-C4'-O4'	6.26	116.61	109.10
26	BB	2592	G	C4-C5-C6	6.26	122.55	118.80
26	BB	1033	U	C5'-C4'-O4'	6.25	116.61	109.10
26	BB	2328	A	C1'-O4'-C4'	6.25	114.90	109.90
26	BB	2377	A	N1-C6-N6	6.25	122.35	118.60
26	BB	2775	G	P-O3'-C3'	6.25	127.21	119.70
1	AA	399	G	C1'-O4'-C4'	6.25	114.90	109.90
1	AA	888	G	N3-C2-N2	6.25	124.28	119.90
1	AA	1330	U	N1-C2-O2	6.25	127.18	122.80
4	AD	6	G	O4'-C1'-N9	6.25	113.20	108.20
13	AM	65	TYR	CB-CG-CD2	-6.25	117.25	121.00
25	BA	64	G	N7-C8-N9	6.25	116.23	113.10
26	BB	162	U	N3-C4-C5	-6.25	110.85	114.60
26	BB	382	A	N9-C4-C5	6.25	108.30	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1076	C	C5-C4-N4	6.25	124.58	120.20
26	BB	1133	A	N9-C4-C5	6.25	108.30	105.80
26	BB	1164	C	N3-C4-C5	-6.25	119.40	121.90
26	BB	1605	C	C5-C4-N4	-6.25	115.82	120.20
26	BB	1703	G	N7-C8-N9	-6.25	109.97	113.10
26	BB	1851	U	N3-C4-C5	-6.25	110.85	114.60
26	BB	2250	G	O4'-C1'-N9	-6.25	103.20	108.20
26	BB	2277	G	N1-C2-N3	-6.25	120.15	123.90
1	AA	563	A	N1-C6-N6	-6.25	114.85	118.60
1	AA	915	A	N1-C6-N6	6.25	122.35	118.60
1	AA	1454	G	C5-N7-C8	-6.25	101.17	104.30
1	AA	1529	G	C1'-O4'-C4'	-6.25	104.90	109.90
4	AD	12	G	N3-C2-N2	6.25	124.28	119.90
25	BA	4	C	O4'-C1'-N1	6.25	113.20	108.20
26	BB	180	G	C6-N1-C2	-6.25	121.35	125.10
26	BB	781	A	C4'-C3'-C2'	-6.25	96.35	102.60
26	BB	930	G	N3-C4-N9	-6.25	122.25	126.00
26	BB	1062	G	C2'-C3'-O3'	6.25	123.70	113.70
26	BB	1341	G	C5'-C4'-C3'	-6.25	106.00	116.00
26	BB	1549	A	C8-N9-C4	6.25	108.30	105.80
26	BB	1730	C	N3-C4-C5	-6.25	119.40	121.90
26	BB	2789	C	C5-C6-N1	-6.25	117.88	121.00
26	BB	2844	G	O5'-P-OP1	-6.25	100.07	105.70
34	BJ	158	ARG	NE-CZ-NH2	-6.25	117.17	120.30
4	AD	31	G	N1-C6-O6	-6.25	116.15	119.90
26	BB	874	G	O4'-C1'-N9	6.25	113.20	108.20
26	BB	1463	C	N3-C2-O2	-6.25	117.53	121.90
26	BB	2492	U	C2-N1-C1'	6.25	125.20	117.70
1	AA	36	C	P-O3'-C3'	6.25	127.20	119.70
1	AA	186	C	N1-C2-O2	6.25	122.65	118.90
1	AA	711	G	N3-C4-N9	6.25	129.75	126.00
1	AA	995	C	C1'-O4'-C4'	6.25	114.90	109.90
2	AB	30	G	N9-C4-C5	6.25	107.90	105.40
26	BB	10	A	C5-N7-C8	6.25	107.03	103.90
26	BB	753	A	C5'-C4'-O4'	6.25	116.60	109.10
26	BB	893	C	C2'-C3'-O3'	6.25	123.70	113.70
26	BB	918	A	O4'-C1'-N9	6.25	113.20	108.20
26	BB	1317	G	P-O3'-C3'	6.25	127.20	119.70
26	BB	1827	U	C4-C5-C6	6.25	123.45	119.70
26	BB	2151	U	C1'-O4'-C4'	6.25	114.90	109.90
26	BB	2301	C	C5-C6-N1	-6.25	117.88	121.00
26	BB	2314	A	C6-C5-N7	6.25	136.67	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2648	G	N7-C8-N9	6.25	116.22	113.10
26	BB	2723	C	C1'-O4'-C4'	6.25	114.90	109.90
26	BB	2748	A	N7-C8-N9	-6.25	110.68	113.80
1	AA	598	U	C5'-C4'-O4'	6.25	116.60	109.10
1	AA	806	C	O4'-C1'-C2'	6.25	113.22	107.60
1	AA	1143	G	C5-C6-N1	6.25	114.62	111.50
1	AA	1362	A	O4'-C4'-C3'	6.25	111.10	106.10
1	AA	1511	G	N1-C2-N2	-6.25	110.58	116.20
2	AB	64	U	C4'-C3'-C2'	-6.25	96.35	102.60
26	BB	624	C	O4'-C1'-N1	6.25	113.20	108.20
26	BB	760	G	C6-N1-C2	-6.25	121.35	125.10
26	BB	1049	C	C5-C6-N1	6.25	124.12	121.00
26	BB	1679	A	O4'-C1'-N9	6.25	113.20	108.20
26	BB	1836	C	C1'-O4'-C4'	-6.25	104.90	109.90
1	AA	73	C	C4-C5-C6	6.25	120.52	117.40
1	AA	638	U	N1-C2-N3	6.25	118.65	114.90
1	AA	1134	G	N3-C4-N9	6.25	129.75	126.00
1	AA	1481	U	C2-N3-C4	-6.25	123.25	127.00
15	AO	37	TYR	CB-CG-CD1	-6.25	117.25	121.00
26	BB	1135	C	C3'-C2'-C1'	6.25	106.50	101.50
26	BB	1442	U	C5-C4-O4	6.25	129.65	125.90
26	BB	2107	G	N9-C1'-C2'	-6.25	105.13	112.00
26	BB	2750	A	N9-C4-C5	-6.25	103.30	105.80
1	AA	249	U	N1-C2-O2	-6.24	118.43	122.80
1	AA	1278	G	C4-C5-C6	6.24	122.55	118.80
26	BB	66	C	C5-C6-N1	6.24	124.12	121.00
26	BB	460	A	C5-C6-N1	-6.24	114.58	117.70
26	BB	837	C	C4'-C3'-C2'	-6.24	96.36	102.60
26	BB	939	G	C6-N1-C2	-6.24	121.35	125.10
26	BB	943	A	C8-N9-C4	-6.24	103.30	105.80
26	BB	1057	A	C2-N3-C4	-6.24	107.48	110.60
26	BB	1084	A	C3'-C2'-C1'	-6.24	96.51	101.50
26	BB	1234	U	C3'-C2'-C1'	6.24	106.50	101.50
26	BB	1873	G	N3-C4-C5	-6.24	125.48	128.60
26	BB	2121	G	C5-C6-N1	-6.24	108.38	111.50
26	BB	2411	A	C3'-C2'-C1'	-6.24	96.50	101.50
26	BB	2567	G	C5'-C4'-O4'	6.24	116.59	109.10
1	AA	823	C	C4'-C3'-C2'	-6.24	96.36	102.60
25	BA	28	C	C2-N3-C4	6.24	123.02	119.90
26	BB	1095	A	C6-N1-C2	6.24	122.34	118.60
26	BB	1126	A	C5-C6-N6	-6.24	118.71	123.70
26	BB	1600	C	N3-C2-O2	-6.24	117.53	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2903	U	C3'-C2'-C1'	6.24	106.49	101.50
1	AA	65	A	N7-C8-N9	6.24	116.92	113.80
1	AA	258	G	C5-N7-C8	-6.24	101.18	104.30
1	AA	792	A	N7-C8-N9	6.24	116.92	113.80
1	AA	1460	C	N1-C2-O2	6.24	122.64	118.90
1	AA	1540	U	C3'-C2'-C1'	6.24	106.49	101.50
2	AB	3	G	C5-C6-N1	6.24	114.62	111.50
26	BB	1304	A	C2-N3-C4	6.24	113.72	110.60
26	BB	1374	G	N3-C4-C5	6.24	131.72	128.60
26	BB	2093	G	N9-C4-C5	6.24	107.90	105.40
26	BB	2167	U	C5-C4-O4	-6.24	122.16	125.90
26	BB	2214	C	N1-C2-O2	6.24	122.64	118.90
26	BB	2235	G	N3-C4-C5	-6.24	125.48	128.60
1	AA	17	U	P-O3'-C3'	6.24	127.19	119.70
1	AA	340	U	C3'-C2'-C1'	-6.24	96.51	101.50
1	AA	560	A	C6-N1-C2	-6.24	114.86	118.60
5	AE	13	VAL	CA-CB-CG2	6.24	120.26	110.90
26	BB	182	A	C8-N9-C4	-6.24	103.31	105.80
26	BB	2018	G	N3-C4-N9	6.24	129.74	126.00
26	BB	2028	U	N1-C1'-C2'	-6.24	105.14	112.00
26	BB	2542	A	C6-N1-C2	-6.24	114.86	118.60
26	BB	2675	A	N3-C4-N9	6.24	132.39	127.40
1	AA	496	A	P-O3'-C3'	6.24	127.19	119.70
1	AA	717	U	O4'-C1'-N1	6.24	113.19	108.20
25	BA	105	G	C8-N9-C1'	6.24	135.11	127.00
26	BB	396	G	C4'-C3'-C2'	-6.24	96.36	102.60
26	BB	446	G	C6-C5-N7	-6.24	126.66	130.40
26	BB	455	C	C2-N3-C4	6.24	123.02	119.90
26	BB	942	G	N3-C2-N2	-6.24	115.53	119.90
26	BB	2108	A	C4-C5-N7	-6.24	107.58	110.70
26	BB	2392	A	C5-C6-N1	6.24	120.82	117.70
1	AA	476	U	C2-N3-C4	6.24	130.74	127.00
1	AA	1045	C	C5'-C4'-O4'	6.24	116.58	109.10
1	AA	1107	C	C5'-C4'-O4'	6.24	116.58	109.10
1	AA	1517	G	N1-C2-N3	-6.24	120.16	123.90
25	BA	67	G	O4'-C4'-C3'	6.24	111.09	106.10
25	BA	106	G	C8-N9-C1'	6.24	135.10	127.00
26	BB	261	G	N1-C2-N2	-6.24	110.59	116.20
26	BB	404	A	N3-C4-N9	6.24	132.39	127.40
26	BB	412	A	N3-C4-C5	6.24	131.16	126.80
26	BB	475	C	C4-C5-C6	-6.24	114.28	117.40
26	BB	702	U	C4-C5-C6	6.24	123.44	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	776	G	N1-C2-N3	-6.24	120.16	123.90
26	BB	798	G	N7-C8-N9	6.24	116.22	113.10
26	BB	1202	G	C6-C5-N7	6.24	134.14	130.40
26	BB	1428	C	O4'-C4'-C3'	6.24	111.09	106.10
26	BB	1775	U	O4'-C4'-C3'	6.24	111.09	106.10
26	BB	1847	A	O4'-C4'-C3'	-6.24	97.77	104.00
26	BB	1986	C	O4'-C1'-N1	6.24	113.19	108.20
26	BB	2037	A	C5-N7-C8	-6.24	100.78	103.90
26	BB	2286	G	C5'-C4'-O4'	6.24	116.58	109.10
26	BB	2411	A	N7-C8-N9	-6.24	110.68	113.80
26	BB	2543	G	C5'-C4'-C3'	-6.24	106.02	116.00
26	BB	2850	A	N1-C2-N3	6.24	132.42	129.30
29	BE	179	ARG	NE-CZ-NH2	-6.24	117.18	120.30
1	AA	306	A	C3'-C2'-C1'	6.23	106.49	101.50
1	AA	502	A	N9-C1'-C2'	-6.23	105.14	112.00
1	AA	1148	U	C5'-C4'-O4'	6.23	116.58	109.10
1	AA	1413	A	C4'-C3'-C2'	-6.23	96.37	102.60
25	BA	110	C	O4'-C1'-N1	6.23	113.19	108.20
1	AA	309	A	C4-C5-N7	6.23	113.82	110.70
1	AA	857	C	C4'-C3'-C2'	-6.23	96.37	102.60
1	AA	1127	G	C8-N9-C4	-6.23	103.91	106.40
1	AA	1236	A	C5-C6-N6	-6.23	118.72	123.70
1	AA	1422	G	O4'-C1'-N9	6.23	113.19	108.20
1	AA	1439	G	N1-C6-O6	6.23	123.64	119.90
26	BB	70	G	C4-C5-N7	-6.23	108.31	110.80
26	BB	389	G	C5-N7-C8	6.23	107.42	104.30
26	BB	414	C	C4-C5-C6	-6.23	114.28	117.40
26	BB	447	A	C4-C5-C6	-6.23	113.88	117.00
26	BB	1914	C	N3-C4-C5	-6.23	119.41	121.90
26	BB	1985	C	C6-N1-C2	6.23	122.79	120.30
26	BB	2663	G	C2-N3-C4	6.23	115.02	111.90
28	BD	132	ARG	NE-CZ-NH1	6.23	123.42	120.30
1	AA	122	G	C4'-C3'-C2'	-6.23	96.37	102.60
1	AA	1416	G	N1-C2-N3	-6.23	120.16	123.90
26	BB	384	A	O4'-C4'-C3'	6.23	111.08	106.10
26	BB	1152	C	N3-C2-O2	-6.23	117.54	121.90
26	BB	1361	G	C4-C5-N7	-6.23	108.31	110.80
26	BB	1478	G	N1-C2-N3	6.23	127.64	123.90
26	BB	1640	A	C2-N3-C4	6.23	113.72	110.60
26	BB	1803	A	N9-C4-C5	6.23	108.29	105.80
26	BB	1813	G	N1-C2-N2	-6.23	110.59	116.20
26	BB	1836	C	C4'-C3'-C2'	-6.23	96.37	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1866	A	C6-C5-N7	6.23	136.66	132.30
26	BB	2034	U	N3-C4-O4	6.23	123.76	119.40
54	B3	37	HIS	ND1-CG-CD2	6.23	117.52	108.80
1	AA	1096	C	C5-C6-N1	6.23	124.11	121.00
1	AA	1419	G	O4'-C4'-C3'	6.23	111.08	106.10
1	AA	1461	G	N3-C4-C5	-6.23	125.48	128.60
26	BB	485	C	C1'-O4'-C4'	6.23	114.88	109.90
26	BB	1223	G	O5'-C5'-C4'	-6.23	99.86	111.70
26	BB	1349	C	C5'-C4'-O4'	6.23	116.57	109.10
26	BB	1626	A	C4-C5-N7	6.23	113.81	110.70
26	BB	2700	A	N3-C4-N9	6.23	132.38	127.40
26	BB	2702	G	N3-C4-C5	-6.23	125.48	128.60
1	AA	287	U	N1-C2-N3	6.23	118.64	114.90
1	AA	305	G	C4-C5-N7	-6.23	108.31	110.80
1	AA	731	G	C4-C5-N7	-6.23	108.31	110.80
1	AA	941	G	C2-N3-C4	6.23	115.01	111.90
1	AA	1461	G	N7-C8-N9	6.23	116.21	113.10
12	AL	37	TYR	CG-CD1-CE1	-6.23	116.32	121.30
13	AM	73	LEU	CB-CG-CD2	-6.23	100.41	111.00
25	BA	107	G	N3-C4-C5	-6.23	125.49	128.60
26	BB	109	C	C4-C5-C6	-6.23	114.29	117.40
26	BB	468	G	N1-C2-N3	6.23	127.64	123.90
26	BB	1397	U	N1-C2-O2	6.23	127.16	122.80
26	BB	1433	A	P-O3'-C3'	6.23	127.17	119.70
26	BB	1697	G	C5-C6-O6	-6.23	124.86	128.60
26	BB	1825	U	C6-N1-C1'	6.23	129.92	121.20
26	BB	1991	U	O4'-C4'-C3'	-6.23	97.77	104.00
26	BB	2400	G	N3-C2-N2	6.23	124.26	119.90
43	BS	110	GLU	OE1-CD-OE2	6.23	130.77	123.30
1	AA	1031	C	N3-C4-N4	6.23	122.36	118.00
26	BB	742	A	N3-C4-N9	6.23	132.38	127.40
26	BB	827	U	C5-C6-N1	6.23	125.81	122.70
26	BB	1427	A	C4-C5-N7	-6.23	107.59	110.70
26	BB	2308	G	N9-C4-C5	6.23	107.89	105.40
26	BB	2834	G	N9-C4-C5	6.23	107.89	105.40
1	AA	125	U	O4'-C1'-N1	6.22	113.18	108.20
1	AA	174	A	C4-C5-N7	6.22	113.81	110.70
5	AE	43	GLU	OE1-CD-OE2	6.22	130.77	123.30
25	BA	70	C	N1-C1'-C2'	-6.22	105.15	112.00
26	BB	653	U	N3-C4-O4	-6.22	115.04	119.40
26	BB	1665	A	N9-C1'-C2'	-6.22	105.15	112.00
26	BB	2642	G	C5-C6-O6	-6.22	124.87	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2693	G	C1'-O4'-C4'	-6.22	104.92	109.90
1	AA	143	A	C4-C5-C6	-6.22	113.89	117.00
1	AA	491	G	C5-N7-C8	-6.22	101.19	104.30
1	AA	664	G	C4-C5-C6	6.22	122.53	118.80
1	AA	987	G	C8-N9-C1'	6.22	135.09	127.00
1	AA	1137	C	N3-C4-C5	-6.22	119.41	121.90
1	AA	1251	A	C3'-C2'-C1'	6.22	106.48	101.50
1	AA	1459	G	C6-N1-C2	-6.22	121.37	125.10
3	AC	30	U	N3-C2-O2	-6.22	117.84	122.20
4	AD	7	G	O5'-C5'-C4'	-6.22	99.88	111.70
25	BA	7	G	C5-N7-C8	-6.22	101.19	104.30
26	BB	1355	G	C8-N9-C4	-6.22	103.91	106.40
44	BT	2	TYR	CD1-CE1-CZ	6.22	125.40	119.80
1	AA	311	C	C5'-C4'-O4'	6.22	116.57	109.10
1	AA	352	C	C5'-C4'-O4'	6.22	116.57	109.10
2	AB	57	G	N1-C2-N3	6.22	127.63	123.90
26	BB	502	A	C8-N9-C4	-6.22	103.31	105.80
1	AA	166	U	N3-C4-C5	6.22	118.33	114.60
1	AA	1127	G	N3-C4-N9	-6.22	122.27	126.00
2	AB	9	A	C2-N3-C4	6.22	113.71	110.60
25	BA	55	U	C5-C4-O4	6.22	129.63	125.90
26	BB	787	C	C4-C5-C6	-6.22	114.29	117.40
26	BB	1225	G	C3'-C2'-C1'	6.22	106.48	101.50
26	BB	1552	A	N9-C1'-C2'	-6.22	105.16	112.00
26	BB	2723	C	N1-C2-O2	-6.22	115.17	118.90
26	BB	2726	A	C8-N9-C4	-6.22	103.31	105.80
1	AA	639	G	O4'-C1'-N9	6.22	113.17	108.20
25	BA	8	C	N1-C2-O2	6.22	122.63	118.90
26	BB	688	U	N1-C1'-C2'	6.22	122.08	114.00
26	BB	827	U	C2-N3-C4	-6.22	123.27	127.00
26	BB	1018	U	C4-C5-C6	-6.22	115.97	119.70
26	BB	2704	C	C5-C6-N1	6.22	124.11	121.00
42	BR	61	ARG	NE-CZ-NH2	6.22	123.41	120.30
1	AA	71	A	C5-C6-N1	6.22	120.81	117.70
1	AA	281	G	C2-N3-C4	6.22	115.01	111.90
1	AA	395	C	N3-C4-N4	6.22	122.35	118.00
1	AA	883	C	N3-C2-O2	-6.22	117.55	121.90
1	AA	1488	G	N9-C1'-C2'	-6.22	105.16	112.00
26	BB	531	C	N1-C2-O2	6.22	122.63	118.90
26	BB	1520	U	N3-C2-O2	-6.22	117.85	122.20
26	BB	1603	A	C5-C6-N6	6.22	128.67	123.70
26	BB	1717	A	C5-C6-N6	-6.22	118.73	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1784	A	C3'-C2'-C1'	-6.22	96.53	101.50
26	BB	2427	C	O3'-P-O5'	6.22	115.81	104.00
26	BB	2557	G	N9-C4-C5	6.22	107.89	105.40
1	AA	46	G	C6-N1-C2	-6.21	121.37	125.10
1	AA	123	U	C5'-C4'-O4'	6.21	116.56	109.10
1	AA	173	U	C5'-C4'-O4'	6.21	116.56	109.10
1	AA	824	G	N9-C1'-C2'	-6.21	105.16	112.00
1	AA	901	A	C5-C6-N6	-6.21	118.73	123.70
1	AA	925	G	C5-C6-N1	6.21	114.61	111.50
1	AA	1243	C	N3-C2-O2	-6.21	117.55	121.90
1	AA	1412	C	C6-N1-C2	6.21	122.79	120.30
1	AA	1438	G	N3-C2-N2	6.21	124.25	119.90
26	BB	797	G	C8-N9-C4	-6.21	103.91	106.40
26	BB	909	A	C5-C6-N1	6.21	120.81	117.70
26	BB	1174	U	C4-C5-C6	6.21	123.43	119.70
26	BB	1237	A	C1'-O4'-C4'	-6.21	104.93	109.90
26	BB	1418	G	C6-N1-C2	-6.21	121.37	125.10
26	BB	1513	U	O4'-C1'-N1	6.21	113.17	108.20
26	BB	1700	A	C5-N7-C8	6.21	107.01	103.90
26	BB	1788	C	N3-C4-N4	6.21	122.35	118.00
26	BB	2086	U	N1-C2-N3	6.21	118.63	114.90
26	BB	2112	G	C6-N1-C2	-6.21	121.37	125.10
26	BB	2221	G	C5'-C4'-O4'	6.21	116.56	109.10
26	BB	2628	C	N3-C4-C5	-6.21	119.41	121.90
26	BB	111	A	O4'-C1'-N9	-6.21	103.23	108.20
1	AA	371	A	O5'-P-OP2	-6.21	100.11	105.70
1	AA	594	U	C5-C6-N1	-6.21	119.59	122.70
1	AA	769	G	C3'-C2'-C1'	-6.21	96.53	101.50
1	AA	1233	G	N1-C6-O6	-6.21	116.17	119.90
26	BB	532	A	C6-N1-C2	6.21	122.33	118.60
26	BB	653	U	C1'-O4'-C4'	-6.21	104.93	109.90
26	BB	895	U	P-O3'-C3'	6.21	127.15	119.70
26	BB	1015	U	N3-C2-O2	-6.21	117.85	122.20
26	BB	1489	C	O4'-C1'-N1	6.21	113.17	108.20
26	BB	1931	U	N3-C4-O4	-6.21	115.05	119.40
26	BB	2045	C	N1-C2-O2	6.21	122.63	118.90
26	BB	2075	U	N1-C1'-C2'	-6.21	105.17	112.00
26	BB	2266	A	C4-C5-C6	-6.21	113.89	117.00
1	AA	423	G	C2-N3-C4	6.21	115.00	111.90
1	AA	849	G	O4'-C1'-N9	6.21	113.17	108.20
1	AA	878	A	C4'-C3'-C2'	-6.21	96.39	102.60
1	AA	1178	G	N7-C8-N9	6.21	116.20	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1225	A	C5-C6-N1	-6.21	114.59	117.70
26	BB	899	A	C8-N9-C4	-6.21	103.32	105.80
26	BB	1251	C	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	1971	U	C4-C5-C6	6.21	123.43	119.70
26	BB	2031	A	N1-C6-N6	-6.21	114.87	118.60
35	BK	116	MET	C-N-CA	6.21	137.23	121.70
1	AA	847	G	C2-N3-C4	6.21	115.00	111.90
1	AA	1284	C	C1'-O4'-C4'	6.21	114.87	109.90
1	AA	1338	G	N7-C8-N9	6.21	116.20	113.10
1	AA	1478	U	C4'-C3'-C2'	-6.21	96.39	102.60
1	AA	1490	U	C1'-O4'-C4'	-6.21	104.93	109.90
3	AC	45	G	C4-C5-C6	6.21	122.53	118.80
10	AJ	1	PRO	N-CD-CG	6.21	112.51	103.20
26	BB	87	U	N1-C2-O2	-6.21	118.45	122.80
26	BB	279	A	C8-N9-C4	6.21	108.28	105.80
26	BB	470	A	C4'-C3'-C2'	-6.21	96.39	102.60
26	BB	847	U	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	1136	G	N7-C8-N9	6.21	116.20	113.10
26	BB	1604	C	C4'-C3'-C2'	-6.21	96.39	102.60
26	BB	1936	A	C5-N7-C8	6.21	107.00	103.90
26	BB	2119	A	C8-N9-C4	-6.21	103.32	105.80
26	BB	2731	G	C6-C5-N7	6.21	134.12	130.40
1	AA	120	A	C4-C5-N7	-6.21	107.60	110.70
1	AA	165	G	C4'-C3'-C2'	-6.21	96.39	102.60
1	AA	274	A	N1-C2-N3	-6.21	126.20	129.30
1	AA	618	C	P-O3'-C3'	6.21	127.15	119.70
1	AA	879	C	N1-C2-O2	6.21	122.62	118.90
1	AA	1022	A	N9-C4-C5	6.21	108.28	105.80
1	AA	1238	A	O3'-P-O5'	6.21	115.79	104.00
1	AA	1432	G	C3'-C2'-C1'	6.21	106.47	101.50
1	AA	1463	U	N1-C1'-C2'	-6.21	105.17	112.00
1	AA	1507	A	C2-N3-C4	6.21	113.70	110.60
26	BB	517	C	C5-C4-N4	6.21	124.54	120.20
26	BB	569	U	C6-N1-C2	6.21	124.72	121.00
26	BB	922	C	C5-C6-N1	6.21	124.10	121.00
26	BB	1506	U	C4-C5-C6	6.21	123.42	119.70
26	BB	2133	G	N3-C4-C5	-6.21	125.50	128.60
26	BB	2414	G	O4'-C1'-N9	6.21	113.17	108.20
26	BB	2741	A	N3-C4-N9	-6.21	122.44	127.40
1	AA	144	G	N7-C8-N9	6.21	116.20	113.10
1	AA	438	U	N1-C2-O2	-6.21	118.46	122.80
1	AA	1124	G	N3-C2-N2	-6.21	115.56	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1489	G	N3-C4-C5	-6.21	125.50	128.60
26	BB	31	C	N3-C2-O2	-6.21	117.56	121.90
26	BB	129	C	C6-N1-C2	6.21	122.78	120.30
26	BB	315	G	N7-C8-N9	6.21	116.20	113.10
26	BB	1666	G	C5-N7-C8	-6.21	101.20	104.30
26	BB	1719	G	N7-C8-N9	6.21	116.20	113.10
26	BB	1863	G	N9-C1'-C2'	-6.21	105.17	112.00
26	BB	2283	C	C4-C5-C6	-6.21	114.30	117.40
26	BB	2584	U	C6-N1-C2	-6.21	117.28	121.00
26	BB	2650	U	N1-C2-N3	6.21	118.62	114.90
26	BB	2673	G	C2-N3-C4	6.21	115.00	111.90
26	BB	2768	U	C3'-C2'-C1'	-6.21	96.54	101.50
1	AA	257	G	N1-C2-N2	-6.20	110.62	116.20
1	AA	333	U	N1-C2-N3	6.20	118.62	114.90
1	AA	681	A	C2'-C3'-O3'	6.20	123.63	113.70
1	AA	1107	C	C5-C4-N4	-6.20	115.86	120.20
1	AA	1162	C	N1-C1'-C2'	-6.20	105.18	112.00
1	AA	1348	U	O4'-C1'-N1	6.20	113.16	108.20
3	AC	20	G	C5-N7-C8	-6.20	101.20	104.30
26	BB	331	C	O4'-C1'-N1	6.20	113.16	108.20
26	BB	1393	A	C5-C6-N6	6.20	128.66	123.70
26	BB	2476	A	C5-C6-N6	6.20	128.66	123.70
26	BB	2524	G	N3-C4-C5	-6.20	125.50	128.60
26	BB	2603	G	C2-N3-C4	6.20	115.00	111.90
1	AA	602	A	N9-C1'-C2'	-6.20	105.18	112.00
1	AA	857	C	C4-C5-C6	-6.20	114.30	117.40
1	AA	1009	U	C5-C4-O4	6.20	129.62	125.90
1	AA	1452	C	C1'-O4'-C4'	6.20	114.86	109.90
2	AB	64	U	O3'-P-O5'	-6.20	92.22	104.00
8	AH	37	VAL	CA-CB-CG2	6.20	120.20	110.90
26	BB	129	C	N3-C4-N4	6.20	122.34	118.00
26	BB	623	C	C1'-O4'-C4'	6.20	114.86	109.90
26	BB	797	G	C5-N7-C8	-6.20	101.20	104.30
26	BB	1664	A	N7-C8-N9	6.20	116.90	113.80
26	BB	2270	A	C6-C5-N7	6.20	136.64	132.30
26	BB	2392	A	N9-C4-C5	6.20	108.28	105.80
26	BB	2509	G	C5-C6-O6	-6.20	124.88	128.60
1	AA	325	A	C2'-C3'-O3'	6.20	123.62	113.70
1	AA	747	A	C6-N1-C2	6.20	122.32	118.60
1	AA	830	G	O4'-C1'-N9	6.20	113.16	108.20
1	AA	1391	U	O4'-C4'-C3'	6.20	111.06	106.10
7	AG	178	GLU	OE1-CD-OE2	6.20	130.74	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	86	G	N7-C8-N9	6.20	116.20	113.10
26	BB	325	G	C1'-O4'-C4'	-6.20	104.94	109.90
26	BB	618	G	O4'-C1'-N9	6.20	113.16	108.20
26	BB	823	C	C2-N3-C4	6.20	123.00	119.90
26	BB	926	G	N3-C4-C5	-6.20	125.50	128.60
26	BB	1526	C	C5-C4-N4	-6.20	115.86	120.20
26	BB	1770	G	N3-C4-C5	-6.20	125.50	128.60
26	BB	2590	A	N9-C1'-C2'	-6.20	105.18	112.00
1	AA	601	G	C1'-O4'-C4'	-6.20	104.94	109.90
1	AA	1049	U	N1-C1'-C2'	-6.20	105.18	112.00
1	AA	1057	G	N1-C2-N2	6.20	121.78	116.20
1	AA	1365	G	C2-N3-C4	6.20	115.00	111.90
2	AB	3	G	N3-C4-C5	-6.20	125.50	128.60
25	BA	79	G	C6-N1-C2	-6.20	121.38	125.10
25	BA	98	G	C8-N9-C4	-6.20	103.92	106.40
26	BB	720	U	O4'-C1'-N1	6.20	113.16	108.20
26	BB	816	C	O5'-P-OP2	-6.20	100.12	105.70
26	BB	932	U	C5'-C4'-O4'	-6.20	101.66	109.10
26	BB	1220	G	C6-N1-C2	-6.20	121.38	125.10
26	BB	1858	A	N9-C4-C5	6.20	108.28	105.80
26	BB	2463	C	C2-N3-C4	6.20	123.00	119.90
26	BB	2669	G	C8-N9-C4	-6.20	103.92	106.40
1	AA	947	G	N3-C2-N2	-6.20	115.56	119.90
2	AB	48	U	C5'-C4'-O4'	6.20	116.54	109.10
25	BA	6	G	C4-C5-C6	-6.20	115.08	118.80
26	BB	1395	A	C5'-C4'-O4'	6.20	116.54	109.10
26	BB	1531	C	N3-C4-N4	-6.20	113.66	118.00
26	BB	1874	C	C2-N3-C4	6.20	123.00	119.90
26	BB	2499	C	C2-N3-C4	6.20	123.00	119.90
1	AA	167	A	C6-N1-C2	6.20	122.32	118.60
1	AA	348	G	O4'-C1'-N9	6.20	113.16	108.20
1	AA	458	U	C5'-C4'-C3'	-6.20	106.09	116.00
1	AA	513	C	N1-C2-O2	6.20	122.62	118.90
1	AA	1331	G	N9-C4-C5	6.20	107.88	105.40
26	BB	344	A	C4-C5-C6	-6.20	113.90	117.00
26	BB	759	G	C4-C5-N7	-6.20	108.32	110.80
26	BB	832	U	C5-C6-N1	-6.20	119.60	122.70
26	BB	1346	G	N3-C4-N9	-6.20	122.28	126.00
26	BB	1487	U	C4-C5-C6	-6.20	115.98	119.70
26	BB	1869	G	N1-C6-O6	6.20	123.62	119.90
26	BB	1918	A	C4-C5-C6	-6.20	113.90	117.00
26	BB	2057	G	N3-C4-N9	6.20	129.72	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2685	G	C5-C6-O6	-6.20	124.88	128.60
1	AA	1116	U	O4'-C1'-C2'	-6.19	99.61	105.80
1	AA	1168	U	C2-N3-C4	-6.19	123.28	127.00
1	AA	1216	A	C6-C5-N7	6.19	136.64	132.30
1	AA	1360	A	N3-C4-C5	-6.19	122.46	126.80
26	BB	129	C	O4'-C1'-N1	6.19	113.16	108.20
26	BB	227	A	N1-C6-N6	-6.19	114.88	118.60
26	BB	993	G	N3-C4-C5	-6.19	125.50	128.60
26	BB	1202	G	C5-C6-N1	6.19	114.60	111.50
26	BB	1496	A	C2-N3-C4	6.19	113.70	110.60
1	AA	541	G	N3-C4-C5	-6.19	125.50	128.60
1	AA	1020	G	C5-C6-O6	-6.19	124.88	128.60
1	AA	1076	U	C1'-O4'-C4'	6.19	114.85	109.90
1	AA	1457	G	O4'-C1'-N9	6.19	113.16	108.20
6	AF	176	THR	CA-CB-CG2	6.19	121.07	112.40
25	BA	45	A	N7-C8-N9	-6.19	110.70	113.80
26	BB	187	G	N1-C2-N3	-6.19	120.18	123.90
26	BB	789	A	O4'-C1'-C2'	-6.19	99.61	105.80
26	BB	981	A	N1-C2-N3	-6.19	126.20	129.30
26	BB	1004	U	C1'-O4'-C4'	-6.19	104.95	109.90
26	BB	1346	G	N3-C2-N2	-6.19	115.56	119.90
26	BB	1672	A	C5'-C4'-O4'	6.19	116.53	109.10
26	BB	2074	U	P-O3'-C3'	6.19	127.13	119.70
26	BB	2656	U	C4-C5-C6	6.19	123.42	119.70
26	BB	2728	U	O4'-C1'-N1	6.19	113.15	108.20
27	BC	122	ARG	CD-NE-CZ	6.19	132.27	123.60
1	AA	53	A	C5-C6-N6	-6.19	118.75	123.70
1	AA	722	G	N7-C8-N9	6.19	116.20	113.10
1	AA	932	C	O4'-C1'-C2'	6.19	113.17	107.60
1	AA	1156	G	C1'-O4'-C4'	-6.19	104.95	109.90
2	AB	5	G	O4'-C1'-N9	6.19	113.15	108.20
4	AD	70	C	C1'-O4'-C4'	-6.19	104.95	109.90
26	BB	402	A	C8-N9-C4	-6.19	103.32	105.80
26	BB	500	G	C5-C6-N1	6.19	114.59	111.50
26	BB	1148	U	N3-C4-O4	6.19	123.73	119.40
26	BB	1149	G	C6-C5-N7	-6.19	126.69	130.40
26	BB	1439	A	C8-N9-C4	-6.19	103.32	105.80
26	BB	2125	G	C5-C6-O6	-6.19	124.89	128.60
26	BB	2203	U	N1-C1'-C2'	-6.19	105.19	112.00
26	BB	2318	G	N1-C2-N2	6.19	121.77	116.20
26	BB	2381	A	C5-N7-C8	-6.19	100.81	103.90
1	AA	1305	G	C5-N7-C8	6.19	107.39	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AK	42	GLU	OE1-CD-OE2	6.19	130.73	123.30
26	BB	1302	A	C5-C6-N1	6.19	120.79	117.70
26	BB	2110	G	O4'-C1'-N9	6.19	113.15	108.20
26	BB	2168	G	C4'-C3'-C2'	-6.19	96.41	102.60
38	BN	5	THR	CA-CB-CG2	6.19	121.06	112.40
1	AA	672	U	C3'-C2'-C1'	6.19	106.45	101.50
1	AA	906	A	N9-C1'-C2'	-6.19	105.19	112.00
1	AA	1272	G	C4-C5-N7	-6.19	108.33	110.80
3	AC	36	U	C6-N1-C2	-6.19	117.29	121.00
4	AD	62	C	C5-C4-N4	-6.19	115.87	120.20
26	BB	270	A	C6-N1-C2	6.19	122.31	118.60
26	BB	315	G	C5-N7-C8	-6.19	101.21	104.30
26	BB	1147	A	C5-N7-C8	-6.19	100.81	103.90
26	BB	1396	U	C1'-O4'-C4'	6.19	114.85	109.90
26	BB	1462	C	C4-C5-C6	-6.19	114.31	117.40
26	BB	1611	C	C6-N1-C2	6.19	122.78	120.30
26	BB	2309	A	C2-N3-C4	-6.19	107.51	110.60
36	BL	133	ALA	N-CA-CB	-6.19	101.44	110.10
1	AA	843	U	O4'-C1'-N1	6.19	113.15	108.20
1	AA	974	A	C8-N9-C4	-6.19	103.33	105.80
4	AD	34	U	C5-C6-N1	6.19	125.79	122.70
26	BB	435	C	O4'-C1'-N1	6.19	113.15	108.20
26	BB	1619	G	C5'-C4'-C3'	-6.19	106.10	116.00
26	BB	1765	U	C5-C4-O4	6.19	129.61	125.90
26	BB	1895	C	C6-N1-C2	6.19	122.77	120.30
1	AA	39	G	C6-N1-C2	-6.18	121.39	125.10
1	AA	445	G	N3-C4-C5	-6.18	125.51	128.60
1	AA	807	A	C6-C5-N7	6.18	136.63	132.30
1	AA	1119	C	N1-C2-O2	6.18	122.61	118.90
1	AA	1422	G	C6-C5-N7	-6.18	126.69	130.40
26	BB	329	G	C4-C5-N7	-6.18	108.33	110.80
26	BB	362	A	N1-C6-N6	-6.18	114.89	118.60
26	BB	1368	G	N3-C4-N9	6.18	129.71	126.00
26	BB	2209	G	N1-C6-O6	-6.18	116.19	119.90
26	BB	2351	G	P-O3'-C3'	6.18	127.12	119.70
26	BB	2573	C	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	2626	C	C2-N1-C1'	-6.18	112.00	118.80
26	BB	2820	A	N3-C4-C5	-6.18	122.47	126.80
1	AA	819	A	C2-N3-C4	-6.18	107.51	110.60
1	AA	938	A	C1'-O4'-C4'	6.18	114.85	109.90
2	AB	76	A	C5-C6-N1	-6.18	114.61	117.70
4	AD	12	G	N1-C2-N2	-6.18	110.64	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	113	ARG	CD-NE-CZ	6.18	132.26	123.60
25	BA	89	U	N1-C1'-C2'	6.18	122.04	114.00
26	BB	198	C	O4'-C1'-N1	6.18	113.15	108.20
26	BB	740	C	N3-C2-O2	-6.18	117.57	121.90
26	BB	916	G	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	990	A	N1-C2-N3	-6.18	126.21	129.30
26	BB	1154	G	N1-C2-N3	-6.18	120.19	123.90
26	BB	1202	G	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	1495	A	C6-C5-N7	-6.18	127.97	132.30
26	BB	2234	G	N1-C6-O6	6.18	123.61	119.90
26	BB	2350	C	C6-N1-C2	-6.18	117.83	120.30
26	BB	2648	G	C6-N1-C2	6.18	128.81	125.10
40	BP	38	LEU	CB-CG-CD2	-6.18	100.49	111.00
26	BB	529	A	C4-C5-N7	-6.18	107.61	110.70
26	BB	1071	G	C5-C6-N1	6.18	114.59	111.50
26	BB	1077	A	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	2016	U	O4'-C1'-C2'	6.18	113.16	107.60
26	BB	2585	U	C6-N1-C2	6.18	124.71	121.00
1	AA	300	A	C6-C5-N7	6.18	136.62	132.30
1	AA	976	G	N7-C8-N9	6.18	116.19	113.10
1	AA	1515	G	C3'-C2'-C1'	-6.18	96.56	101.50
4	AD	43	G	N1-C2-N2	-6.18	110.64	116.20
17	AQ	53	ASP	CB-CG-OD2	-6.18	112.74	118.30
25	BA	79	G	C2-N3-C4	6.18	114.99	111.90
26	BB	476	G	N7-C8-N9	6.18	116.19	113.10
26	BB	910	A	O4'-C1'-N9	-6.18	103.26	108.20
26	BB	980	A	C6-N1-C2	-6.18	114.89	118.60
26	BB	1339	G	O4'-C1'-N9	6.18	113.14	108.20
26	BB	1702	G	C5-C6-O6	6.18	132.31	128.60
26	BB	2274	A	C6-N1-C2	6.18	122.31	118.60
26	BB	2667	C	C6-N1-C2	-6.18	117.83	120.30
1	AA	641	U	P-O3'-C3'	6.18	127.11	119.70
26	BB	1231	U	N1-C1'-C2'	-6.18	105.20	112.00
26	BB	1785	A	C4'-C3'-C2'	-6.18	96.42	102.60
1	AA	318	G	C4-C5-C6	6.18	122.50	118.80
1	AA	486	U	O4'-C1'-N1	6.18	113.14	108.20
1	AA	677	U	N1-C2-O2	6.18	127.12	122.80
1	AA	717	U	C2-N3-C4	-6.18	123.29	127.00
1	AA	747	A	C5-C6-N1	-6.18	114.61	117.70
1	AA	923	A	P-O3'-C3'	6.18	127.11	119.70
26	BB	61	C	C2-N1-C1'	-6.18	112.01	118.80
26	BB	67	U	O4'-C4'-C3'	6.18	111.04	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	87	U	C2-N3-C4	-6.18	123.30	127.00
26	BB	221	A	C5-N7-C8	6.18	106.99	103.90
26	BB	473	G	C5-C6-O6	-6.18	124.89	128.60
26	BB	727	A	C5'-C4'-O4'	6.18	116.51	109.10
26	BB	850	U	C5-C6-N1	6.18	125.79	122.70
26	BB	1122	G	O4'-C1'-N9	6.18	113.14	108.20
26	BB	1245	G	C4-N9-C1'	-6.18	118.47	126.50
26	BB	1682	G	O4'-C1'-N9	6.18	113.14	108.20
26	BB	1690	A	C5-C6-N1	6.18	120.79	117.70
26	BB	1821	A	C5-N7-C8	6.18	106.99	103.90
26	BB	1991	U	N1-C2-O2	-6.18	118.48	122.80
26	BB	2091	C	C5'-C4'-O4'	6.18	116.51	109.10
26	BB	2194	U	C1'-O4'-C4'	-6.18	104.96	109.90
26	BB	2714	G	C5-C6-N1	6.18	114.59	111.50
1	AA	146	G	N9-C1'-C2'	-6.17	105.21	112.00
1	AA	232	G	C5-C6-N1	6.17	114.59	111.50
1	AA	474	G	N1-C2-N3	-6.17	120.19	123.90
1	AA	530	G	C1'-O4'-C4'	6.17	114.84	109.90
1	AA	1184	G	C2-N3-C4	6.17	114.99	111.90
2	AB	69	C	N1-C2-O2	6.17	122.61	118.90
26	BB	5	A	C5'-C4'-O4'	6.17	116.51	109.10
26	BB	53	A	O4'-C1'-N9	6.17	113.14	108.20
26	BB	94	A	C6-C5-N7	6.17	136.62	132.30
26	BB	165	A	N1-C2-N3	-6.17	126.21	129.30
26	BB	272	A	O4'-C1'-N9	6.17	113.14	108.20
26	BB	413	C	C5-C4-N4	-6.17	115.88	120.20
26	BB	625	G	C6-N1-C2	-6.17	121.39	125.10
26	BB	739	A	C5-C6-N6	-6.17	118.76	123.70
26	BB	799	G	N7-C8-N9	6.17	116.19	113.10
26	BB	1271	G	C8-N9-C4	-6.17	103.93	106.40
26	BB	1427	A	C5-N7-C8	6.17	106.99	103.90
26	BB	1994	C	C4-C5-C6	-6.17	114.31	117.40
26	BB	2305	U	N3-C2-O2	-6.17	117.88	122.20
26	BB	2309	A	O4'-C1'-N9	6.17	113.14	108.20
26	BB	2537	U	C5'-C4'-O4'	6.17	116.51	109.10
26	BB	2889	C	C6-N1-C2	6.17	122.77	120.30
1	AA	179	A	C2-N3-C4	6.17	113.69	110.60
1	AA	446	G	N3-C4-C5	-6.17	125.51	128.60
26	BB	987	C	C2-N3-C4	-6.17	116.81	119.90
26	BB	1438	U	C5-C6-N1	-6.17	119.61	122.70
26	BB	1691	C	C5-C6-N1	6.17	124.09	121.00
26	BB	2107	G	N3-C2-N2	6.17	124.22	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2720	U	C5'-C4'-O4'	6.17	116.51	109.10
1	AA	182	A	C5-N7-C8	6.17	106.98	103.90
1	AA	1177	G	C2-N3-C4	6.17	114.98	111.90
26	BB	148	U	C4-C5-C6	6.17	123.40	119.70
26	BB	454	A	P-O5'-C5'	6.17	130.77	120.90
26	BB	731	C	P-O3'-C3'	6.17	127.11	119.70
26	BB	1292	G	N1-C2-N2	6.17	121.75	116.20
26	BB	2280	G	O4'-C1'-N9	6.17	113.14	108.20
26	BB	2342	C	C2-N3-C4	-6.17	116.81	119.90
26	BB	2548	U	N3-C4-C5	6.17	118.30	114.60
26	BB	2716	C	C5'-C4'-O4'	6.17	116.51	109.10
26	BB	2739	U	C2-N3-C4	6.17	130.70	127.00
33	BI	123	ARG	CD-NE-CZ	6.17	132.24	123.60
1	AA	1032	G	C6-C5-N7	-6.17	126.70	130.40
26	BB	279	A	C2-N3-C4	6.17	113.69	110.60
26	BB	317	G	N7-C8-N9	6.17	116.19	113.10
26	BB	1210	G	C4-C5-N7	-6.17	108.33	110.80
26	BB	1936	A	N3-C4-N9	-6.17	122.46	127.40
1	AA	485	U	O4'-C1'-N1	6.17	113.14	108.20
1	AA	641	U	N1-C2-O2	6.17	127.12	122.80
1	AA	1164	G	N9-C4-C5	-6.17	102.93	105.40
2	AB	2	G	O4'-C1'-N9	6.17	113.14	108.20
26	BB	47	C	C4'-C3'-C2'	6.17	108.77	102.60
26	BB	97	C	C4'-C3'-C2'	-6.17	96.43	102.60
26	BB	372	G	C4-C5-C6	6.17	122.50	118.80
26	BB	529	A	C2-N3-C4	-6.17	107.52	110.60
26	BB	858	G	N1-C6-O6	6.17	123.60	119.90
26	BB	978	G	C4'-C3'-C2'	-6.17	96.43	102.60
26	BB	1268	A	C5-C6-N6	-6.17	118.77	123.70
26	BB	1309	G	N7-C8-N9	-6.17	110.02	113.10
26	BB	1387	A	C2-N3-C4	6.17	113.69	110.60
26	BB	1584	U	N1-C2-N3	6.17	118.60	114.90
26	BB	1696	G	N1-C2-N2	6.17	121.75	116.20
26	BB	2018	G	N1-C2-N3	-6.17	120.20	123.90
26	BB	2318	G	N9-C4-C5	-6.17	102.93	105.40
41	BQ	73	ALA	CB-CA-C	-6.17	100.85	110.10
1	AA	179	A	C5-N7-C8	-6.17	100.82	103.90
1	AA	235	C	N1-C1'-C2'	-6.17	105.22	112.00
1	AA	356	A	C1'-O4'-C4'	-6.17	104.97	109.90
1	AA	984	C	C5-C6-N1	6.17	124.08	121.00
1	AA	1210	C	C5-C6-N1	6.17	124.08	121.00
1	AA	1493	A	C4-C5-N7	6.17	113.78	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	16	A	O5'-P-OP1	-6.17	100.15	105.70
7	AG	12	ARG	NE-CZ-NH2	-6.17	117.22	120.30
26	BB	42	A	C5'-C4'-C3'	-6.17	106.13	116.00
26	BB	120	U	C5-C4-O4	6.17	129.60	125.90
26	BB	675	A	N3-C4-C5	-6.17	122.48	126.80
26	BB	713	G	C2-N3-C4	6.17	114.98	111.90
26	BB	1257	C	N3-C4-N4	6.17	122.32	118.00
26	BB	1556	C	O4'-C1'-N1	6.17	113.13	108.20
26	BB	1666	G	C6-C5-N7	6.17	134.10	130.40
26	BB	1679	A	C5-C6-N1	6.17	120.78	117.70
26	BB	1876	A	O4'-C1'-N9	6.17	113.13	108.20
1	AA	1176	A	C8-N9-C4	6.17	108.27	105.80
1	AA	1297	G	N1-C2-N2	6.17	121.75	116.20
4	AD	70	C	C4'-C3'-C2'	-6.17	96.44	102.60
26	BB	801	G	N3-C4-C5	-6.17	125.52	128.60
26	BB	1648	U	C5'-C4'-O4'	6.17	116.50	109.10
26	BB	1652	A	C5-C6-N1	6.17	120.78	117.70
26	BB	2127	G	C5-C6-N1	6.17	114.58	111.50
26	BB	2639	A	C4-C5-C6	-6.17	113.92	117.00
1	AA	710	G	N1-C2-N2	6.16	121.75	116.20
1	AA	1013	G	C8-N9-C4	-6.16	103.94	106.40
1	AA	1123	U	C2-N3-C4	-6.16	123.30	127.00
1	AA	1156	G	N3-C4-C5	-6.16	125.52	128.60
1	AA	1300	G	N7-C8-N9	6.16	116.18	113.10
1	AA	1400	C	N3-C4-C5	6.16	124.36	121.90
4	AD	73	A	P-O3'-C3'	6.16	127.09	119.70
26	BB	38	A	N9-C1'-C2'	-6.16	105.22	112.00
26	BB	1108	U	C6-N1-C2	6.16	124.70	121.00
26	BB	1531	C	N1-C2-O2	6.16	122.60	118.90
26	BB	1672	A	O4'-C1'-N9	-6.16	103.27	108.20
26	BB	1737	G	N9-C4-C5	6.16	107.86	105.40
26	BB	1875	G	C5-C6-N1	6.16	114.58	111.50
26	BB	2522	U	O4'-C1'-N1	6.16	113.13	108.20
26	BB	2586	U	N1-C2-O2	-6.16	118.48	122.80
26	BB	2660	A	C5-N7-C8	-6.16	100.82	103.90
1	AA	1291	U	P-O3'-C3'	6.16	127.09	119.70
45	BU	38	TYR	N-CA-CB	-6.16	99.51	110.60
1	AA	1229	A	O3'-P-O5'	-6.16	92.30	104.00
1	AA	1235	U	C5'-C4'-O4'	6.16	116.49	109.10
1	AA	1235	U	C5'-C4'-C3'	-6.16	106.14	116.00
1	AA	1282	C	C6-N1-C2	6.16	122.76	120.30
1	AA	1484	C	C5-C6-N1	-6.16	117.92	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1504	G	C5-C6-N1	6.16	114.58	111.50
4	AD	59	A	C5-N7-C8	6.16	106.98	103.90
25	BA	12	C	N1-C2-O2	6.16	122.60	118.90
26	BB	250	G	C1'-O4'-C4'	-6.16	104.97	109.90
26	BB	731	C	N1-C2-N3	6.16	123.51	119.20
26	BB	741	U	C5-C6-N1	-6.16	119.62	122.70
26	BB	983	A	O4'-C1'-N9	6.16	113.13	108.20
26	BB	1582	C	N1-C2-N3	6.16	123.51	119.20
26	BB	1710	G	C4-C5-C6	6.16	122.50	118.80
26	BB	2246	G	O4'-C4'-C3'	6.16	111.03	106.10
26	BB	2682	A	C5-C6-N6	-6.16	118.77	123.70
26	BB	2786	U	C1'-O4'-C4'	-6.16	104.97	109.90
1	AA	570	G	C6-N1-C2	-6.16	121.41	125.10
4	AD	9	G	O4'-C1'-N9	6.16	113.13	108.20
4	AD	74	A	C5-C6-N1	6.16	120.78	117.70
25	BA	32	U	C2-N3-C4	-6.16	123.31	127.00
25	BA	62	C	C1'-O4'-C4'	6.16	114.83	109.90
26	BB	10	A	C3'-C2'-C1'	6.16	106.43	101.50
26	BB	190	A	N3-C4-N9	-6.16	122.47	127.40
26	BB	235	U	P-O3'-C3'	6.16	127.09	119.70
26	BB	458	G	O4'-C1'-N9	6.16	113.13	108.20
26	BB	1330	C	N3-C4-C5	-6.16	119.44	121.90
26	BB	1883	U	O4'-C1'-N1	6.16	113.13	108.20
26	BB	1999	C	O4'-C1'-N1	6.16	113.13	108.20
26	BB	2012	G	C4'-C3'-C2'	-6.16	96.44	102.60
26	BB	2358	A	C8-N9-C4	-6.16	103.34	105.80
26	BB	2521	C	C4-C5-C6	-6.16	114.32	117.40
29	BE	188	LEU	CB-CG-CD1	6.16	121.47	111.00
1	AA	25	C	O4'-C4'-C3'	6.16	111.03	106.10
1	AA	889	A	O4'-C1'-N9	6.16	113.13	108.20
3	AC	59	A	C8-N9-C4	-6.16	103.34	105.80
26	BB	881	G	C6-C5-N7	-6.16	126.71	130.40
26	BB	1496	A	N3-C4-N9	6.16	132.32	127.40
26	BB	1728	C	C3'-C2'-C1'	6.16	106.43	101.50
26	BB	2412	A	C5'-C4'-C3'	-6.16	106.15	116.00
26	BB	2791	G	C4-C5-N7	6.16	113.26	110.80
29	BE	141	ARG	NE-CZ-NH1	-6.16	117.22	120.30
43	BS	17	LEU	CB-CG-CD1	-6.16	100.53	111.00
1	AA	122	G	C5-C6-O6	-6.16	124.91	128.60
21	AU	5	ARG	NE-CZ-NH1	6.16	123.38	120.30
26	BB	91	A	N7-C8-N9	6.16	116.88	113.80
26	BB	99	U	C4-C5-C6	6.16	123.39	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	328	U	N3-C4-C5	6.16	118.29	114.60
26	BB	1028	A	C6-N1-C2	6.16	122.29	118.60
26	BB	1282	U	C4'-C3'-C2'	-6.16	96.44	102.60
26	BB	1725	U	C3'-C2'-C1'	6.16	106.42	101.50
26	BB	2106	U	N3-C4-C5	-6.16	110.91	114.60
26	BB	2131	U	C1'-O4'-C4'	6.16	114.83	109.90
26	BB	2378	A	N9-C1'-C2'	-6.16	105.23	112.00
26	BB	2788	C	N1-C2-O2	6.16	122.59	118.90
26	BB	2792	A	C5-C6-N1	-6.16	114.62	117.70
28	BD	181	ARG	NE-CZ-NH2	-6.16	117.22	120.30
42	BR	92	ARG	NE-CZ-NH2	6.16	123.38	120.30
49	BY	62	ALA	CB-CA-C	6.16	119.33	110.10
1	AA	175	C	N3-C2-O2	-6.15	117.59	121.90
1	AA	405	U	C6-N1-C2	-6.15	117.31	121.00
1	AA	442	G	C5'-C4'-O4'	6.15	116.48	109.10
1	AA	626	G	C2-N3-C4	6.15	114.98	111.90
1	AA	1240	U	O4'-C1'-N1	6.15	113.12	108.20
26	BB	35	G	C8-N9-C4	6.15	108.86	106.40
26	BB	1384	A	O4'-C1'-C2'	6.15	113.14	107.60
26	BB	1510	G	N9-C4-C5	6.15	107.86	105.40
26	BB	1837	C	N3-C4-C5	-6.15	119.44	121.90
26	BB	2751	G	C5-N7-C8	-6.15	101.22	104.30
1	AA	358	U	N1-C1'-C2'	-6.15	105.23	112.00
1	AA	1424	U	N3-C4-C5	-6.15	110.91	114.60
3	AC	52	U	C2-N1-C1'	6.15	125.08	117.70
4	AD	26	C	N3-C2-O2	-6.15	117.59	121.90
26	BB	711	G	N1-C2-N3	-6.15	120.21	123.90
26	BB	734	A	O4'-C1'-N9	-6.15	103.28	108.20
26	BB	804	A	C4-C5-N7	-6.15	107.62	110.70
26	BB	1783	A	N9-C4-C5	6.15	108.26	105.80
26	BB	2124	G	C8-N9-C1'	6.15	135.00	127.00
40	BP	71	ARG	NE-CZ-NH2	6.15	123.38	120.30
1	AA	306	A	C5'-C4'-O4'	6.15	116.48	109.10
1	AA	805	C	N1-C2-O2	6.15	122.59	118.90
1	AA	924	C	N3-C4-C5	-6.15	119.44	121.90
1	AA	941	G	C8-N9-C4	-6.15	103.94	106.40
1	AA	996	A	N1-C2-N3	-6.15	126.22	129.30
2	AB	29	G	C4-C5-N7	6.15	113.26	110.80
25	BA	34	A	O4'-C1'-N9	6.15	113.12	108.20
26	BB	443	A	C8-N9-C4	-6.15	103.34	105.80
26	BB	1066	U	C6-N1-C2	-6.15	117.31	121.00
26	BB	1313	U	C2-N1-C1'	6.15	125.08	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1502	A	N9-C1'-C2'	-6.15	105.23	112.00
26	BB	1589	U	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	2524	G	P-O3'-C3'	6.15	127.08	119.70
26	BB	2572	A	P-O5'-C5'	6.15	130.74	120.90
26	BB	2679	A	C6-C5-N7	6.15	136.60	132.30
29	BE	90	PHE	CB-CG-CD2	6.15	125.11	120.80
1	AA	333	U	N1-C2-O2	6.15	127.10	122.80
1	AA	1448	C	C5'-C4'-C3'	-6.15	106.16	116.00
1	AA	1507	A	N1-C2-N3	-6.15	126.22	129.30
26	BB	130	C	P-O3'-C3'	6.15	127.08	119.70
26	BB	320	A	C2-N3-C4	6.15	113.67	110.60
26	BB	2637	U	C4-C5-C6	-6.15	116.01	119.70
1	AA	120	A	O5'-P-OP2	-6.15	100.17	105.70
1	AA	797	C	C2-N3-C4	-6.15	116.83	119.90
1	AA	1456	A	N9-C1'-C2'	-6.15	105.24	112.00
26	BB	42	A	C8-N9-C4	-6.15	103.34	105.80
26	BB	254	G	N7-C8-N9	6.15	116.17	113.10
26	BB	931	U	N3-C4-O4	6.15	123.70	119.40
26	BB	1400	U	C2'-C3'-O3'	6.15	123.54	113.70
26	BB	1776	G	N3-C4-N9	6.15	129.69	126.00
26	BB	2024	G	P-O3'-C3'	6.15	127.08	119.70
26	BB	2073	C	O4'-C1'-N1	6.15	113.12	108.20
26	BB	2866	U	N1-C2-N3	6.15	118.59	114.90
1	AA	1096	C	N3-C2-O2	-6.15	117.60	121.90
15	AO	98	ARG	NE-CZ-NH2	-6.15	117.23	120.30
26	BB	1169	A	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	1410	G	N3-C4-N9	6.15	129.69	126.00
1	AA	756	C	C5-C6-N1	6.14	124.07	121.00
1	AA	980	C	C4'-C3'-C2'	-6.14	96.46	102.60
1	AA	1262	C	C5-C6-N1	6.14	124.07	121.00
1	AA	1296	C	O4'-C4'-C3'	-6.14	97.86	104.00
1	AA	1413	A	N7-C8-N9	6.14	116.87	113.80
26	BB	326	G	C4-C5-N7	-6.14	108.34	110.80
26	BB	713	G	C6-N1-C2	-6.14	121.41	125.10
26	BB	1640	A	N3-C4-C5	-6.14	122.50	126.80
26	BB	2107	G	C5'-C4'-O4'	6.14	116.47	109.10
26	BB	2391	G	C6-N1-C2	-6.14	121.41	125.10
26	BB	2476	A	N1-C2-N3	-6.14	126.23	129.30
26	BB	2810	A	N7-C8-N9	6.14	116.87	113.80
1	AA	517	G	C3'-C2'-C1'	6.14	106.41	101.50
1	AA	1503	A	C8-N9-C4	-6.14	103.34	105.80
26	BB	791	C	C6-N1-C2	-6.14	117.84	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	799	G	N3-C4-C5	-6.14	125.53	128.60
26	BB	909	A	P-O3'-C3'	6.14	127.07	119.70
26	BB	2081	U	O4'-C1'-C2'	-6.14	99.66	105.80
26	BB	2450	A	O4'-C1'-N9	6.14	113.11	108.20
26	BB	2643	G	C2-N3-C4	6.14	114.97	111.90
34	BJ	93	ARG	NE-CZ-NH2	-6.14	117.23	120.30
36	BL	17	VAL	CA-CB-CG1	6.14	120.11	110.90
1	AA	319	G	C4-C5-C6	6.14	122.48	118.80
1	AA	404	G	C8-N9-C4	-6.14	103.94	106.40
1	AA	913	A	N7-C8-N9	6.14	116.87	113.80
1	AA	994	A	C8-N9-C4	6.14	108.26	105.80
1	AA	1208	C	C2-N3-C4	-6.14	116.83	119.90
26	BB	13	A	C1'-O4'-C4'	-6.14	104.99	109.90
26	BB	345	A	O4'-C1'-N9	6.14	113.11	108.20
26	BB	503	A	C1'-O4'-C4'	-6.14	104.99	109.90
26	BB	833	A	C5'-C4'-O4'	6.14	116.47	109.10
26	BB	2193	G	C4-C5-N7	-6.14	108.34	110.80
26	BB	2529	G	C4-C5-N7	-6.14	108.34	110.80
26	BB	2692	G	C3'-C2'-C1'	6.14	106.41	101.50
1	AA	51	A	C2-N3-C4	6.14	113.67	110.60
1	AA	346	G	C6-C5-N7	-6.14	126.72	130.40
1	AA	991	U	C2-N3-C4	-6.14	123.32	127.00
1	AA	1015	G	N9-C4-C5	-6.14	102.94	105.40
1	AA	1139	G	C6-C5-N7	6.14	134.08	130.40
1	AA	1383	C	C5-C4-N4	-6.14	115.90	120.20
25	BA	50	A	C6-C5-N7	6.14	136.60	132.30
26	BB	287	G	O4'-C4'-C3'	-6.14	97.86	104.00
26	BB	447	A	C5-C6-N1	6.14	120.77	117.70
26	BB	596	U	C5-C6-N1	6.14	125.77	122.70
26	BB	967	U	C4-C5-C6	6.14	123.38	119.70
26	BB	1129	A	N3-C4-C5	-6.14	122.50	126.80
26	BB	1302	A	C1'-O4'-C4'	6.14	114.81	109.90
26	BB	1658	C	C4'-C3'-C2'	-6.14	96.46	102.60
26	BB	2087	G	C4'-C3'-C2'	-6.14	96.46	102.60
26	BB	2347	C	C2-N3-C4	6.14	122.97	119.90
26	BB	2471	A	C1'-O4'-C4'	-6.14	104.99	109.90
26	BB	2657	A	N7-C8-N9	-6.14	110.73	113.80
26	BB	2752	C	C2-N3-C4	-6.14	116.83	119.90
1	AA	317	U	C4-C5-C6	6.14	123.38	119.70
1	AA	501	C	C5-C6-N1	6.14	124.07	121.00
1	AA	730	G	C5-C6-O6	-6.14	124.92	128.60
1	AA	788	U	O4'-C1'-C2'	6.14	113.12	107.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	93	C	C4'-C3'-C2'	-6.14	96.46	102.60
26	BB	387	U	N1-C2-O2	6.14	127.10	122.80
26	BB	652	U	C1'-O4'-C4'	-6.14	104.99	109.90
26	BB	1088	A	C6-C5-N7	6.14	136.60	132.30
26	BB	2271	G	N3-C4-C5	-6.14	125.53	128.60
26	BB	2470	G	N3-C4-N9	6.14	129.68	126.00
32	BH	2	ARG	NE-CZ-NH1	-6.14	117.23	120.30
1	AA	731	G	C5-C6-O6	-6.14	124.92	128.60
1	AA	1164	G	C6-C5-N7	-6.14	126.72	130.40
1	AA	1240	U	N1-C2-N3	-6.14	111.22	114.90
1	AA	1340	A	C5'-C4'-C3'	-6.14	106.18	116.00
1	AA	1528	U	C1'-O4'-C4'	-6.14	104.99	109.90
9	AI	24	ARG	NE-CZ-NH2	-6.14	117.23	120.30
26	BB	214	G	C5-C6-N1	6.14	114.57	111.50
26	BB	275	C	C2-N3-C4	6.14	122.97	119.90
26	BB	308	G	P-O3'-C3'	6.14	127.06	119.70
26	BB	342	A	C5'-C4'-O4'	6.14	116.46	109.10
26	BB	589	U	C3'-C2'-C1'	6.14	106.41	101.50
26	BB	606	U	C5-C6-N1	-6.14	119.63	122.70
26	BB	1283	G	N3-C4-N9	-6.14	122.32	126.00
26	BB	2024	G	N3-C4-C5	-6.14	125.53	128.60
26	BB	2066	C	C6-N1-C2	-6.14	117.84	120.30
26	BB	2220	U	C5-C6-N1	-6.14	119.63	122.70
26	BB	2328	A	C5'-C4'-O4'	6.14	116.46	109.10
26	BB	2569	G	C4'-C3'-C2'	-6.14	96.46	102.60
26	BB	2655	G	N9-C4-C5	-6.14	102.95	105.40
26	BB	2792	A	C6-N1-C2	6.14	122.28	118.60
1	AA	911	U	C6-N1-C1'	-6.13	112.61	121.20
1	AA	1196	A	C4-C5-C6	-6.13	113.93	117.00
1	AA	1415	G	N3-C4-C5	-6.13	125.53	128.60
6	AF	30	ASP	CB-CG-OD1	6.13	123.82	118.30
26	BB	759	G	O4'-C1'-N9	6.13	113.11	108.20
26	BB	829	A	P-O3'-C3'	6.13	127.06	119.70
26	BB	984	A	C4-C5-N7	-6.13	107.63	110.70
26	BB	1169	A	C5-C6-N1	-6.13	114.63	117.70
26	BB	1265	A	O4'-C1'-N9	6.13	113.11	108.20
26	BB	1892	C	N1-C2-O2	6.13	122.58	118.90
26	BB	2330	G	C4'-C3'-C2'	6.13	108.73	102.60
26	BB	2357	G	C6-N1-C2	-6.13	121.42	125.10
26	BB	2425	A	P-O3'-C3'	6.13	127.06	119.70
1	AA	786	G	C3'-C2'-C1'	6.13	106.41	101.50
1	AA	793	U	O4'-C1'-C2'	-6.13	99.67	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2276	G	C8-N9-C4	6.13	108.85	106.40
1	AA	1053	G	C4-N9-C1'	-6.13	118.53	126.50
2	AB	4	G	C3'-C2'-C1'	6.13	106.41	101.50
6	AF	28	PHE	CB-CG-CD1	6.13	125.09	120.80
26	BB	1474	U	P-O3'-C3'	6.13	127.06	119.70
26	BB	1979	U	N1-C2-N3	6.13	118.58	114.90
26	BB	2246	G	C5-C6-N1	6.13	114.57	111.50
26	BB	2534	A	C4-C5-N7	6.13	113.77	110.70
26	BB	2564	A	C1'-O4'-C4'	6.13	114.81	109.90
1	AA	674	G	O4'-C1'-N9	6.13	113.10	108.20
26	BB	390	U	O4'-C1'-N1	6.13	113.10	108.20
26	BB	1645	G	C6-C5-N7	-6.13	126.72	130.40
34	BJ	55	ARG	NE-CZ-NH1	-6.13	117.23	120.30
54	B3	19	ASP	CB-CG-OD1	-6.13	112.78	118.30
1	AA	350	G	O5'-P-OP1	6.13	118.06	110.70
1	AA	712	A	N9-C4-C5	6.13	108.25	105.80
1	AA	986	U	O4'-C1'-N1	6.13	113.10	108.20
1	AA	1458	G	N1-C2-N3	-6.13	120.22	123.90
10	AJ	108	ARG	NH1-CZ-NH2	-6.13	112.66	119.40
26	BB	17	G	N9-C4-C5	6.13	107.85	105.40
26	BB	481	G	C4-C5-N7	6.13	113.25	110.80
26	BB	985	C	N1-C2-N3	6.13	123.49	119.20
26	BB	1161	C	O4'-C1'-N1	6.13	113.10	108.20
26	BB	1450	G	N3-C4-N9	-6.13	122.32	126.00
26	BB	1523	U	N3-C2-O2	-6.13	117.91	122.20
26	BB	2332	C	C4-C5-C6	6.13	120.46	117.40
1	AA	38	G	C4-C5-C6	6.13	122.48	118.80
1	AA	179	A	C4-C5-C6	6.13	120.06	117.00
1	AA	634	C	C6-N1-C2	-6.13	117.85	120.30
1	AA	1013	G	C4-C5-N7	-6.13	108.35	110.80
1	AA	1102	A	C2-N3-C4	6.13	113.66	110.60
21	AU	58	ILE	CA-CB-CG2	6.13	123.15	110.90
26	BB	809	G	N1-C2-N2	6.13	121.71	116.20
26	BB	1024	G	N3-C4-C5	-6.13	125.54	128.60
26	BB	1640	A	C8-N9-C4	-6.13	103.35	105.80
26	BB	1887	C	C4'-C3'-C2'	-6.13	96.47	102.60
26	BB	1973	G	C5'-C4'-O4'	6.13	116.45	109.10
26	BB	2275	C	N3-C4-C5	-6.13	119.45	121.90
26	BB	2579	C	C4-C5-C6	6.13	120.46	117.40
26	BB	2660	A	N3-C4-C5	-6.13	122.51	126.80
26	BB	2701	U	C5-C4-O4	-6.13	122.22	125.90
26	BB	2732	G	O4'-C1'-C2'	6.13	113.11	107.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	495	G	N7-C8-N9	6.12	116.16	113.10
39	BO	109	PRO	CA-N-CD	-6.12	102.92	111.50
1	AA	16	A	N1-C6-N6	-6.12	114.93	118.60
1	AA	307	C	N3-C2-O2	-6.12	117.61	121.90
1	AA	1104	G	N3-C4-N9	6.12	129.67	126.00
1	AA	1113	C	P-O3'-C3'	6.12	127.05	119.70
1	AA	1441	A	N1-C6-N6	6.12	122.27	118.60
1	AA	1460	C	C6-N1-C2	6.12	122.75	120.30
2	AB	35	C	N1-C2-O2	6.12	122.57	118.90
2	AB	43	G	C6-C5-N7	-6.12	126.73	130.40
26	BB	39	G	N7-C8-N9	-6.12	110.04	113.10
26	BB	383	C	O4'-C1'-N1	6.12	113.10	108.20
26	BB	543	G	N1-C2-N3	-6.12	120.23	123.90
26	BB	839	U	C1'-O4'-C4'	-6.12	105.00	109.90
26	BB	1473	G	N7-C8-N9	6.12	116.16	113.10
26	BB	1477	A	C5-N7-C8	-6.12	100.84	103.90
26	BB	1573	G	N7-C8-N9	-6.12	110.04	113.10
26	BB	1663	G	C5-N7-C8	6.12	107.36	104.30
26	BB	2023	C	C2-N3-C4	-6.12	116.84	119.90
26	BB	2100	G	C1'-O4'-C4'	-6.12	105.00	109.90
26	BB	2394	C	C6-N1-C2	-6.12	117.85	120.30
26	BB	2705	A	N9-C4-C5	6.12	108.25	105.80
26	BB	2724	U	C5-C6-N1	-6.12	119.64	122.70
1	AA	222	C	N3-C4-C5	-6.12	119.45	121.90
1	AA	628	G	N7-C8-N9	6.12	116.16	113.10
1	AA	1013	G	O4'-C1'-N9	6.12	113.10	108.20
1	AA	1014	A	N1-C6-N6	-6.12	114.93	118.60
1	AA	1098	C	N3-C4-N4	6.12	122.28	118.00
1	AA	1224	U	C1'-O4'-C4'	6.12	114.80	109.90
1	AA	1366	C	O4'-C1'-N1	6.12	113.10	108.20
2	AB	31	U	C3'-C2'-C1'	-6.12	96.60	101.50
26	BB	195	A	C1'-O4'-C4'	-6.12	105.00	109.90
26	BB	753	A	C8-N9-C4	-6.12	103.35	105.80
26	BB	1537	G	C5-C6-N1	6.12	114.56	111.50
26	BB	2065	C	O4'-C1'-N1	6.12	113.10	108.20
26	BB	2490	G	C4-C5-N7	-6.12	108.35	110.80
26	BB	2511	U	C4-C5-C6	6.12	123.37	119.70
36	BL	116	ARG	NE-CZ-NH1	-6.12	117.24	120.30
1	AA	126	G	N9-C1'-C2'	-6.12	105.27	112.00
1	AA	1177	G	C5'-C4'-C3'	-6.12	106.21	116.00
25	BA	67	G	O4'-C1'-N9	6.12	113.10	108.20
26	BB	94	A	C6-N1-C2	6.12	122.27	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	210	C	C4-C5-C6	-6.12	114.34	117.40
26	BB	587	C	N3-C4-N4	6.12	122.28	118.00
26	BB	1331	G	N3-C4-N9	6.12	129.67	126.00
26	BB	1625	C	P-O5'-C5'	6.12	130.69	120.90
26	BB	2333	A	N7-C8-N9	6.12	116.86	113.80
26	BB	2363	G	N9-C4-C5	6.12	107.85	105.40
1	AA	97	G	C2-N3-C4	6.12	114.96	111.90
1	AA	114	U	N3-C2-O2	-6.12	117.92	122.20
1	AA	463	U	C6-N1-C2	-6.12	117.33	121.00
1	AA	477	C	O5'-P-OP2	-6.12	100.19	105.70
25	BA	85	G	P-O5'-C5'	6.12	130.69	120.90
26	BB	20	C	N3-C2-O2	-6.12	117.62	121.90
26	BB	1057	A	C5'-C4'-O4'	6.12	116.44	109.10
26	BB	1401	G	C6-C5-N7	-6.12	126.73	130.40
26	BB	1567	G	C3'-C2'-C1'	6.12	106.39	101.50
26	BB	1646	C	C6-N1-C2	-6.12	117.85	120.30
26	BB	2421	G	C4-C5-N7	-6.12	108.35	110.80
29	BE	59	ARG	NH1-CZ-NH2	-6.12	112.67	119.40
1	AA	859	G	N3-C2-N2	6.12	124.18	119.90
26	BB	204	A	C4-C5-N7	6.12	113.76	110.70
26	BB	602	A	O4'-C1'-N9	6.12	113.09	108.20
26	BB	619	G	C5'-C4'-O4'	6.12	116.44	109.10
26	BB	923	G	C8-N9-C4	-6.12	103.95	106.40
26	BB	1262	A	N7-C8-N9	6.12	116.86	113.80
26	BB	2058	A	N3-C4-C5	-6.12	122.52	126.80
26	BB	2182	U	O4'-C1'-N1	6.12	113.09	108.20
26	BB	2219	U	N3-C2-O2	-6.12	117.92	122.20
26	BB	2337	G	C4-C5-N7	6.12	113.25	110.80
26	BB	2562	U	C4'-C3'-C2'	-6.12	96.48	102.60
26	BB	2668	G	C8-N9-C4	-6.12	103.95	106.40
1	AA	1163	A	C1'-O4'-C4'	-6.12	105.01	109.90
10	AJ	108	ARG	NE-CZ-NH2	6.12	123.36	120.30
26	BB	145	C	C5-C6-N1	6.12	124.06	121.00
26	BB	585	G	C5-N7-C8	6.12	107.36	104.30
26	BB	1135	C	C2-N3-C4	6.12	122.96	119.90
26	BB	1183	U	C2-N3-C4	-6.12	123.33	127.00
26	BB	1381	G	C4-C5-N7	-6.12	108.35	110.80
26	BB	1391	U	C2-N3-C4	-6.12	123.33	127.00
26	BB	1523	U	C5'-C4'-O4'	6.12	116.44	109.10
26	BB	1872	A	P-O3'-C3'	6.12	127.04	119.70
26	BB	1983	G	C4'-C3'-C2'	-6.12	96.48	102.60
26	BB	2040	G	C5-C6-N1	6.12	114.56	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2181	U	C2-N3-C4	-6.12	123.33	127.00
26	BB	2432	A	C5-C6-N1	6.12	120.76	117.70
26	BB	2787	C	C5-C4-N4	-6.12	115.92	120.20
28	BD	167	ASP	CB-CG-OD2	-6.12	112.80	118.30
1	AA	49	U	N3-C2-O2	-6.11	117.92	122.20
1	AA	227	G	C5-N7-C8	6.11	107.36	104.30
1	AA	259	G	P-O3'-C3'	6.11	127.04	119.70
1	AA	936	C	N1-C2-O2	6.11	122.57	118.90
1	AA	1275	A	C2-N3-C4	6.11	113.66	110.60
26	BB	880	G	C1'-O4'-C4'	6.11	114.79	109.90
26	BB	1310	G	N1-C2-N3	6.11	127.57	123.90
26	BB	2140	G	C4'-C3'-C2'	-6.11	96.49	102.60
26	BB	2777	G	C6-N1-C2	-6.11	121.43	125.10
30	BF	112	LEU	CB-CG-CD2	6.11	121.39	111.00
1	AA	49	U	C2-N1-C1'	6.11	125.03	117.70
1	AA	85	U	O4'-C1'-C2'	-6.11	99.69	105.80
1	AA	621	A	N3-C4-N9	6.11	132.29	127.40
1	AA	882	C	C3'-C2'-C1'	6.11	106.39	101.50
1	AA	1023	U	C3'-C2'-C1'	6.11	106.39	101.50
1	AA	1190	G	N7-C8-N9	6.11	116.16	113.10
4	AD	64	G	N7-C8-N9	-6.11	110.04	113.10
26	BB	16	C	C4'-C3'-C2'	-6.11	96.49	102.60
26	BB	271	G	N3-C2-N2	-6.11	115.62	119.90
26	BB	2002	G	N9-C4-C5	-6.11	102.95	105.40
1	AA	470	C	C5'-C4'-O4'	6.11	116.43	109.10
1	AA	576	C	O4'-C1'-N1	6.11	113.09	108.20
1	AA	1490	U	C6-N1-C2	6.11	124.67	121.00
1	AA	1500	A	O4'-C1'-N9	6.11	113.09	108.20
5	AE	174	GLU	OE1-CD-OE2	6.11	130.63	123.30
26	BB	1080	A	C5-C6-N6	-6.11	118.81	123.70
26	BB	1137	G	C1'-O4'-C4'	6.11	114.79	109.90
26	BB	1231	U	O4'-C1'-C2'	-6.11	99.69	105.80
26	BB	2598	A	N7-C8-N9	-6.11	110.75	113.80
1	AA	347	G	C3'-C2'-C1'	6.11	106.39	101.50
1	AA	630	A	C2-N3-C4	6.11	113.66	110.60
1	AA	673	A	C4-C5-N7	-6.11	107.64	110.70
1	AA	1215	G	N3-C4-C5	-6.11	125.55	128.60
19	AS	28	ARG	CD-NE-CZ	6.11	132.15	123.60
26	BB	420	C	N3-C2-O2	-6.11	117.62	121.90
26	BB	713	G	N3-C4-N9	-6.11	122.33	126.00
26	BB	2292	U	C2-N3-C4	-6.11	123.33	127.00
26	BB	2468	A	O3'-P-O5'	-6.11	92.39	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1	A	N3-C4-C5	-6.11	122.53	126.80
1	AA	12	U	C2-N3-C4	-6.11	123.34	127.00
1	AA	110	C	N3-C2-O2	-6.11	117.62	121.90
1	AA	313	A	C5-C6-N1	-6.11	114.65	117.70
1	AA	771	G	C6-N1-C2	-6.11	121.44	125.10
1	AA	1059	C	O4'-C1'-N1	6.11	113.09	108.20
1	AA	1251	A	C8-N9-C4	-6.11	103.36	105.80
1	AA	1276	G	N9-C4-C5	6.11	107.84	105.40
1	AA	1317	C	C2-N3-C4	6.11	122.95	119.90
26	BB	739	A	N1-C6-N6	6.11	122.26	118.60
26	BB	976	G	N3-C4-N9	6.11	129.66	126.00
26	BB	2194	U	N3-C2-O2	-6.11	117.92	122.20
26	BB	2650	U	C3'-C2'-C1'	6.11	106.39	101.50
40	BP	12	ARG	NE-CZ-NH2	-6.11	117.25	120.30
1	AA	693	G	C2-N3-C4	-6.11	108.85	111.90
1	AA	735	C	C4-C5-C6	-6.11	114.35	117.40
1	AA	763	G	N7-C8-N9	6.11	116.15	113.10
1	AA	809	G	C6-C5-N7	-6.11	126.74	130.40
1	AA	908	A	C5-N7-C8	6.11	106.95	103.90
1	AA	1112	C	O4'-C1'-N1	6.11	113.08	108.20
1	AA	1154	G	C2-N3-C4	6.11	114.95	111.90
1	AA	1369	C	C2-N3-C4	6.11	122.95	119.90
3	AC	23	C	C4'-C3'-C2'	-6.11	96.49	102.60
3	AC	53	G	N3-C4-C5	-6.11	125.55	128.60
13	AM	37	ARG	NE-CZ-NH1	6.11	123.35	120.30
26	BB	879	G	C5-N7-C8	-6.11	101.25	104.30
26	BB	1072	C	N1-C1'-C2'	-6.11	105.28	112.00
26	BB	1288	G	O4'-C4'-C3'	6.11	110.98	106.10
26	BB	1825	U	O3'-P-O5'	-6.11	92.40	104.00
26	BB	1981	A	C8-N9-C1'	6.11	138.69	127.70
26	BB	2508	G	C2-N3-C4	-6.11	108.85	111.90
26	BB	2518	A	C3'-C2'-C1'	-6.11	96.61	101.50
1	AA	545	C	C4'-C3'-C2'	-6.10	96.50	102.60
26	BB	262	A	C5'-C4'-C3'	-6.10	106.23	116.00
26	BB	708	G	N9-C4-C5	6.10	107.84	105.40
26	BB	2225	A	C6-C5-N7	6.10	136.57	132.30
1	AA	275	G	C5'-C4'-O4'	6.10	116.42	109.10
1	AA	609	A	C5'-C4'-O4'	6.10	116.42	109.10
1	AA	978	A	C8-N9-C4	-6.10	103.36	105.80
1	AA	1137	C	N1-C2-O2	6.10	122.56	118.90
2	AB	75	C	P-O3'-C3'	6.10	127.02	119.70
26	BB	363	G	C6-C5-N7	-6.10	126.74	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	819	A	C5'-C4'-O4'	6.10	116.42	109.10
26	BB	927	A	N7-C8-N9	6.10	116.85	113.80
26	BB	1214	A	C5'-C4'-C3'	-6.10	106.24	116.00
26	BB	1331	G	C8-N9-C4	-6.10	103.96	106.40
26	BB	1615	C	N3-C4-N4	6.10	122.27	118.00
26	BB	2165	C	N1-C1'-C2'	6.10	121.93	114.00
26	BB	2657	A	C5'-C4'-O4'	6.10	116.42	109.10
1	AA	494	G	N9-C4-C5	-6.10	102.96	105.40
1	AA	1451	U	N3-C2-O2	-6.10	117.93	122.20
5	AE	22	TRP	CD1-NE1-CE2	6.10	114.49	109.00
26	BB	1734	G	C2-N3-C4	6.10	114.95	111.90
26	BB	2480	C	C6-N1-C2	6.10	122.74	120.30
5	AE	73	ARG	CB-CA-C	6.10	122.60	110.40
21	AU	72	ARG	NE-CZ-NH1	-6.10	117.25	120.30
26	BB	9	G	N1-C2-N3	-6.10	120.24	123.90
26	BB	387	U	C4-C5-C6	6.10	123.36	119.70
26	BB	481	G	C6-C5-N7	-6.10	126.74	130.40
26	BB	982	C	C2-N3-C4	6.10	122.95	119.90
26	BB	1148	U	O4'-C1'-N1	6.10	113.08	108.20
26	BB	1225	G	C5-N7-C8	6.10	107.35	104.30
26	BB	2065	C	C4-C5-C6	6.10	120.45	117.40
26	BB	2540	C	C6-N1-C1'	6.10	128.12	120.80
26	BB	2560	A	C5-C6-N6	6.10	128.58	123.70
26	BB	2588	G	C4-C5-C6	6.10	122.46	118.80
26	BB	2842	G	C5'-C4'-O4'	6.10	116.42	109.10
1	AA	222	C	N1-C1'-C2'	-6.10	105.29	112.00
1	AA	778	G	O4'-C1'-N9	6.10	113.08	108.20
1	AA	867	G	O4'-C1'-N9	6.10	113.08	108.20
1	AA	1437	A	N7-C8-N9	6.10	116.85	113.80
3	AC	37	G	P-O3'-C3'	6.10	127.02	119.70
4	AD	24	C	C5-C6-N1	-6.10	117.95	121.00
26	BB	851	C	N3-C4-N4	6.10	122.27	118.00
26	BB	877	A	C2-N3-C4	6.10	113.65	110.60
26	BB	1153	C	O4'-C1'-N1	6.10	113.08	108.20
26	BB	1268	A	C8-N9-C4	-6.10	103.36	105.80
26	BB	1810	A	C8-N9-C4	-6.10	103.36	105.80
26	BB	1893	C	N3-C2-O2	-6.10	117.63	121.90
26	BB	1997	C	N1-C2-O2	-6.10	115.24	118.90
1	AA	348	G	C6-C5-N7	-6.10	126.74	130.40
1	AA	1218	C	C2-N3-C4	-6.10	116.85	119.90
26	BB	555	G	N1-C6-O6	-6.10	116.24	119.90
26	BB	871	U	C4-C5-C6	6.10	123.36	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1064	C	N3-C4-N4	6.10	122.27	118.00
26	BB	1923	U	N3-C4-O4	6.10	123.67	119.40
1	AA	19	A	C5-C6-N6	-6.09	118.82	123.70
1	AA	22	G	N9-C1'-C2'	-6.09	105.30	112.00
1	AA	309	A	N9-C4-C5	-6.09	103.36	105.80
1	AA	434	U	N1-C2-O2	-6.09	118.53	122.80
1	AA	1212	U	N3-C4-O4	6.09	123.67	119.40
26	BB	85	G	N1-C6-O6	6.09	123.56	119.90
26	BB	111	A	C4-C5-C6	-6.09	113.95	117.00
26	BB	522	A	C1'-O4'-C4'	-6.09	105.02	109.90
26	BB	609	A	O4'-C1'-N9	6.09	113.08	108.20
26	BB	748	G	N1-C6-O6	-6.09	116.24	119.90
26	BB	1125	G	N3-C4-N9	-6.09	122.34	126.00
26	BB	1141	U	C2-N3-C4	-6.09	123.34	127.00
26	BB	1396	U	N3-C2-O2	-6.09	117.93	122.20
26	BB	1477	A	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	1617	C	N1-C2-N3	-6.09	114.93	119.20
26	BB	1789	A	C5'-C4'-C3'	-6.09	106.25	116.00
26	BB	1895	C	P-O3'-C3'	6.09	127.01	119.70
26	BB	2417	C	C5-C4-N4	-6.09	115.93	120.20
1	AA	933	G	C3'-C2'-C1'	6.09	106.37	101.50
1	AA	975	A	C6-N1-C2	6.09	122.26	118.60
1	AA	1088	G	N9-C4-C5	6.09	107.84	105.40
26	BB	524	G	C6-C5-N7	-6.09	126.74	130.40
26	BB	1519	G	C8-N9-C4	-6.09	103.96	106.40
26	BB	2551	C	C3'-C2'-C1'	6.09	106.37	101.50
1	AA	521	G	C4-C5-N7	-6.09	108.36	110.80
1	AA	532	A	C4-C5-C6	-6.09	113.95	117.00
1	AA	1259	C	C5-C4-N4	-6.09	115.94	120.20
9	AI	38	ARG	NE-CZ-NH2	6.09	123.34	120.30
26	BB	538	A	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	671	C	N3-C4-C5	6.09	124.34	121.90
26	BB	784	G	N9-C1'-C2'	-6.09	105.30	112.00
26	BB	1204	A	C2-N3-C4	6.09	113.65	110.60
26	BB	1498	C	C5'-C4'-C3'	-6.09	106.25	116.00
26	BB	1501	G	C8-N9-C4	-6.09	103.96	106.40
26	BB	1990	C	N3-C2-O2	-6.09	117.64	121.90
26	BB	2009	A	N9-C1'-C2'	-6.09	105.30	112.00
26	BB	2676	C	C3'-C2'-C1'	-6.09	96.63	101.50
1	AA	668	G	C4-C5-N7	-6.09	108.36	110.80
1	AA	1461	G	N1-C2-N2	-6.09	110.72	116.20
2	AB	30	G	C5-C6-O6	6.09	132.25	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	463	G	N1-C2-N2	6.09	121.68	116.20
26	BB	908	C	N1-C1'-C2'	-6.09	105.30	112.00
26	BB	966	G	C4-C5-C6	6.09	122.45	118.80
26	BB	1106	G	C3'-C2'-C1'	-6.09	96.63	101.50
26	BB	1239	G	C4-C5-N7	-6.09	108.36	110.80
26	BB	1968	G	N1-C6-O6	-6.09	116.25	119.90
26	BB	2410	G	C6-N1-C2	-6.09	121.45	125.10
26	BB	2421	G	N1-C6-O6	6.09	123.55	119.90
1	AA	430	A	C5-N7-C8	-6.09	100.86	103.90
26	BB	1138	G	C8-N9-C4	6.09	108.83	106.40
26	BB	1634	A	C1'-O4'-C4'	-6.09	105.03	109.90
26	BB	2003	A	N9-C4-C5	-6.09	103.36	105.80
41	BQ	93	ASP	CB-CG-OD1	-6.09	112.82	118.30
1	AA	139	A	N9-C4-C5	-6.09	103.36	105.80
1	AA	1048	G	C5'-C4'-C3'	-6.09	106.26	116.00
1	AA	1191	A	C5'-C4'-O4'	6.09	116.41	109.10
1	AA	1396	A	P-O3'-C3'	6.09	127.00	119.70
4	AD	13	C	N1-C2-O2	6.09	122.55	118.90
26	BB	156	A	C4-C5-N7	-6.09	107.66	110.70
26	BB	485	C	C2-N1-C1'	6.09	125.50	118.80
26	BB	1446	C	C2-N1-C1'	-6.09	112.11	118.80
26	BB	1903	G	C1'-O4'-C4'	-6.09	105.03	109.90
26	BB	2263	C	O4'-C1'-N1	6.09	113.07	108.20
26	BB	2571	U	C1'-O4'-C4'	6.09	114.77	109.90
44	BT	33	VAL	CG1-CB-CG2	6.09	120.64	110.90
1	AA	82	G	C8-N9-C1'	6.08	134.91	127.00
1	AA	945	G	C4-C5-N7	6.08	113.23	110.80
1	AA	1292	G	C6-C5-N7	6.08	134.05	130.40
1	AA	1327	C	N3-C2-O2	-6.08	117.64	121.90
26	BB	1476	U	C2-N3-C4	-6.08	123.35	127.00
26	BB	2625	G	C2-N3-C4	6.08	114.94	111.90
26	BB	2630	G	O4'-C1'-N9	6.08	113.07	108.20
26	BB	2716	C	N3-C2-O2	-6.08	117.64	121.90
1	AA	27	G	N3-C2-N2	-6.08	115.64	119.90
25	BA	100	G	C4'-C3'-C2'	-6.08	96.52	102.60
26	BB	340	A	C5-C6-N1	6.08	120.74	117.70
26	BB	468	G	C5-N7-C8	6.08	107.34	104.30
26	BB	1074	G	C4-C5-C6	6.08	122.45	118.80
26	BB	1247	A	O4'-C1'-N9	-6.08	103.33	108.20
26	BB	1340	U	N3-C4-C5	-6.08	110.95	114.60
26	BB	1711	A	N9-C1'-C2'	-6.08	105.31	112.00
26	BB	2058	A	C1'-O4'-C4'	6.08	114.77	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2084	C	C5'-C4'-C3'	-6.08	106.27	116.00
26	BB	2100	G	N7-C8-N9	6.08	116.14	113.10
26	BB	2467	C	C5-C6-N1	-6.08	117.96	121.00
1	AA	118	U	C5-C6-N1	-6.08	119.66	122.70
1	AA	187	G	P-O3'-C3'	6.08	127.00	119.70
1	AA	191	G	C4-C5-N7	6.08	113.23	110.80
1	AA	1080	A	C4-C5-C6	6.08	120.04	117.00
1	AA	1344	C	N3-C2-O2	-6.08	117.64	121.90
25	BA	107	G	O4'-C1'-N9	6.08	113.06	108.20
26	BB	193	U	N3-C2-O2	6.08	126.46	122.20
26	BB	620	G	C6-C5-N7	6.08	134.05	130.40
26	BB	1319	C	N3-C2-O2	-6.08	117.64	121.90
26	BB	1615	C	N3-C4-C5	-6.08	119.47	121.90
26	BB	1776	G	C4-C5-C6	6.08	122.45	118.80
26	BB	1793	C	N1-C1'-C2'	-6.08	105.31	112.00
26	BB	2336	A	C5-N7-C8	6.08	106.94	103.90
26	BB	2791	G	C4'-C3'-C2'	-6.08	96.52	102.60
39	BO	114	ARG	NE-CZ-NH2	6.08	123.34	120.30
1	AA	215	C	N3-C4-N4	6.08	122.26	118.00
26	BB	55	G	C1'-O4'-C4'	-6.08	105.04	109.90
26	BB	1604	C	C1'-O4'-C4'	-6.08	105.04	109.90
26	BB	2758	A	C5-N7-C8	-6.08	100.86	103.90
1	AA	333	U	N3-C4-O4	6.08	123.66	119.40
1	AA	498	A	N1-C6-N6	-6.08	114.95	118.60
1	AA	895	G	C4-C5-C6	6.08	122.45	118.80
1	AA	956	U	O4'-C1'-N1	6.08	113.06	108.20
1	AA	1017	U	N3-C4-C5	6.08	118.25	114.60
1	AA	1500	A	C4'-C3'-C2'	-6.08	96.52	102.60
26	BB	462	C	C5-C4-N4	-6.08	115.94	120.20
26	BB	673	C	N1-C2-O2	6.08	122.55	118.90
26	BB	1246	A	C8-N9-C4	-6.08	103.37	105.80
26	BB	1517	G	C2-N3-C4	6.08	114.94	111.90
26	BB	1672	A	O4'-C4'-C3'	-6.08	97.92	104.00
47	BW	85	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	AA	73	C	N3-C2-O2	-6.08	117.65	121.90
1	AA	739	C	C5'-C4'-O4'	6.08	116.39	109.10
1	AA	1325	C	C6-N1-C2	-6.08	117.87	120.30
3	AC	40	G	C2-N3-C4	6.08	114.94	111.90
4	AD	45	A	O4'-C1'-N9	6.08	113.06	108.20
7	AG	153	ARG	NE-CZ-NH1	6.08	123.34	120.30
26	BB	359	G	C2-N3-C4	6.08	114.94	111.90
26	BB	400	G	C6-C5-N7	-6.08	126.75	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1416	G	C4'-C3'-C2'	-6.08	96.52	102.60
26	BB	1652	A	P-O3'-C3'	6.08	126.99	119.70
26	BB	2159	G	C4-C5-N7	-6.08	108.37	110.80
26	BB	2875	C	P-O5'-C5'	6.08	130.62	120.90
37	BM	48	PRO	N-CA-CB	6.08	110.59	103.30
1	AA	89	U	C2-N3-C4	-6.08	123.36	127.00
1	AA	144	G	C6-N1-C2	-6.08	121.45	125.10
17	AQ	8	ARG	NE-CZ-NH1	6.08	123.34	120.30
26	BB	1066	U	N3-C4-C5	-6.08	110.95	114.60
26	BB	1422	G	C6-C5-N7	-6.08	126.75	130.40
26	BB	1453	A	C5-C6-N1	-6.08	114.66	117.70
26	BB	1692	U	C5-C4-O4	6.08	129.55	125.90
26	BB	1961	C	N3-C2-O2	6.08	126.15	121.90
26	BB	2470	G	C5-N7-C8	-6.08	101.26	104.30
26	BB	2510	C	C1'-O4'-C4'	6.08	114.76	109.90
26	BB	2692	G	N1-C2-N3	6.08	127.55	123.90
1	AA	1022	A	O4'-C4'-C3'	6.07	110.96	106.10
1	AA	1315	U	N3-C4-O4	6.07	123.65	119.40
4	AD	2	G	N1-C6-O6	6.07	123.55	119.90
7	AG	25	ARG	NE-CZ-NH1	-6.07	117.26	120.30
26	BB	118	A	C5'-C4'-C3'	-6.07	106.28	116.00
26	BB	256	A	C6-C5-N7	6.07	136.55	132.30
26	BB	386	G	C3'-C2'-C1'	6.07	106.36	101.50
26	BB	1351	C	N1-C1'-C2'	-6.07	105.32	112.00
26	BB	1465	G	C1'-O4'-C4'	-6.07	105.04	109.90
26	BB	1756	G	C6-N1-C2	-6.07	121.46	125.10
26	BB	2043	C	C1'-O4'-C4'	6.07	114.76	109.90
26	BB	2327	A	N9-C4-C5	6.07	108.23	105.80
26	BB	2853	C	N3-C4-C5	-6.07	119.47	121.90
1	AA	46	G	N1-C6-O6	-6.07	116.26	119.90
1	AA	610	U	N3-C4-C5	6.07	118.24	114.60
3	AC	25	U	N3-C2-O2	-6.07	117.95	122.20
1	AA	484	G	N9-C4-C5	-6.07	102.97	105.40
1	AA	968	A	N7-C8-N9	6.07	116.84	113.80
1	AA	1270	G	N3-C4-N9	-6.07	122.36	126.00
1	AA	1344	C	O4'-C1'-N1	6.07	113.06	108.20
3	AC	52	U	N3-C2-O2	-6.07	117.95	122.20
25	BA	43	C	N3-C4-N4	6.07	122.25	118.00
26	BB	43	G	N1-C6-O6	-6.07	116.26	119.90
26	BB	74	A	O4'-C1'-N9	-6.07	103.34	108.20
26	BB	232	G	C4-C5-C6	6.07	122.44	118.80
26	BB	514	A	O4'-C4'-C3'	-6.07	97.93	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	606	U	C5'-C4'-O4'	6.07	116.39	109.10
26	BB	1062	G	O4'-C4'-C3'	6.07	110.96	106.10
26	BB	1689	A	N9-C1'-C2'	-6.07	105.32	112.00
26	BB	2893	A	C3'-C2'-C1'	6.07	106.36	101.50
1	AA	362	G	P-O3'-C3'	6.07	126.98	119.70
1	AA	500	G	N9-C4-C5	6.07	107.83	105.40
23	AW	42	ASP	CB-CG-OD2	-6.07	112.84	118.30
25	BA	66	A	P-O3'-C3'	6.07	126.98	119.70
26	BB	283	G	C5-C6-O6	6.07	132.24	128.60
26	BB	813	U	N3-C4-O4	6.07	123.65	119.40
26	BB	930	G	C2-N3-C4	6.07	114.94	111.90
26	BB	1017	G	N9-C1'-C2'	-6.07	105.32	112.00
26	BB	2529	G	C3'-C2'-C1'	6.07	106.36	101.50
26	BB	2813	A	C5-C6-N1	6.07	120.73	117.70
1	AA	32	A	C5'-C4'-O4'	-6.07	101.82	109.10
1	AA	279	A	N7-C8-N9	-6.07	110.77	113.80
1	AA	1026	G	C5-N7-C8	-6.07	101.27	104.30
1	AA	1102	A	N7-C8-N9	-6.07	110.77	113.80
1	AA	1241	G	C3'-C2'-C1'	6.07	106.35	101.50
1	AA	1266	G	C5-N7-C8	6.07	107.33	104.30
1	AA	1442	G	C6-N1-C2	-6.07	121.46	125.10
26	BB	89	A	C5-C6-N1	6.07	120.73	117.70
26	BB	431	U	C4'-C3'-C2'	-6.07	96.53	102.60
26	BB	531	C	C1'-O4'-C4'	-6.07	105.05	109.90
26	BB	1096	A	C8-N9-C4	6.07	108.23	105.80
26	BB	1364	G	N3-C2-N2	-6.07	115.65	119.90
26	BB	1724	G	C4-C5-N7	-6.07	108.37	110.80
26	BB	1807	G	C2-N3-C4	6.07	114.93	111.90
26	BB	2250	G	O4'-C4'-C3'	6.07	110.95	106.10
26	BB	2349	G	C5'-C4'-C3'	-6.07	106.29	116.00
26	BB	2405	G	C5-N7-C8	-6.07	101.27	104.30
26	BB	2455	G	C2-N3-C4	6.07	114.93	111.90
1	AA	179	A	C6-C5-N7	-6.07	128.05	132.30
1	AA	588	G	C5-C6-O6	-6.07	124.96	128.60
1	AA	876	C	C5'-C4'-C3'	-6.07	106.29	116.00
1	AA	1016	A	N3-C4-N9	-6.07	122.55	127.40
1	AA	1234	C	C4-C5-C6	6.07	120.43	117.40
4	AD	4	G	N3-C4-N9	-6.07	122.36	126.00
17	AQ	84	ARG	NE-CZ-NH1	6.07	123.33	120.30
26	BB	597	G	C5'-C4'-O4'	6.07	116.38	109.10
26	BB	806	C	C6-N1-C2	-6.07	117.87	120.30
26	BB	969	G	N7-C8-N9	6.07	116.13	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1173	U	N3-C4-O4	6.07	123.64	119.40
26	BB	1341	G	C6-C5-N7	6.07	134.04	130.40
26	BB	2086	U	O4'-C1'-N1	6.07	113.05	108.20
26	BB	2702	G	C3'-C2'-C1'	6.07	106.35	101.50
26	BB	2747	G	O4'-C1'-N9	6.07	113.05	108.20
26	BB	2803	G	C5-N7-C8	6.07	107.33	104.30
45	BU	65	ASP	CB-CG-OD1	6.07	123.76	118.30
1	AA	304	U	C4-C5-C6	6.06	123.34	119.70
2	AB	2	G	N3-C2-N2	6.06	124.14	119.90
2	AB	35	C	C1'-O4'-C4'	6.06	114.75	109.90
2	AB	45	U	C3'-C2'-C1'	-6.06	96.65	101.50
24	AX	46	ARG	CD-NE-CZ	6.06	132.09	123.60
26	BB	190	A	N9-C1'-C2'	-6.06	105.33	112.00
26	BB	1816	C	O4'-C1'-C2'	-6.06	99.74	105.80
26	BB	2536	G	N3-C4-C5	-6.06	125.57	128.60
26	BB	2741	A	C8-N9-C4	-6.06	103.37	105.80
1	AA	371	A	C8-N9-C4	6.06	108.22	105.80
1	AA	452	A	C3'-C2'-C1'	-6.06	96.65	101.50
1	AA	543	U	C1'-O4'-C4'	-6.06	105.05	109.90
1	AA	649	A	C4-C5-C6	-6.06	113.97	117.00
1	AA	794	A	C6-C5-N7	6.06	136.54	132.30
1	AA	1171	A	C2-N3-C4	6.06	113.63	110.60
26	BB	294	A	N3-C4-C5	-6.06	122.56	126.80
26	BB	645	C	C6-N1-C2	-6.06	117.88	120.30
26	BB	794	A	C6-C5-N7	-6.06	128.06	132.30
26	BB	1047	G	N1-C2-N3	6.06	127.54	123.90
26	BB	1232	G	N3-C4-N9	-6.06	122.36	126.00
26	BB	1538	G	C1'-O4'-C4'	-6.06	105.05	109.90
26	BB	1744	A	C4-C5-N7	-6.06	107.67	110.70
26	BB	1960	A	O4'-C1'-N9	6.06	113.05	108.20
26	BB	2097	A	C6-N1-C2	-6.06	114.96	118.60
26	BB	2383	G	C5'-C4'-C3'	-6.06	106.30	116.00
26	BB	2411	A	N3-C4-N9	6.06	132.25	127.40
26	BB	2646	C	N3-C4-N4	6.06	122.24	118.00
1	AA	374	A	C4'-C3'-C2'	6.06	108.66	102.60
1	AA	1230	C	N1-C1'-C2'	-6.06	105.33	112.00
26	BB	1137	G	N9-C4-C5	6.06	107.82	105.40
26	BB	2364	C	C5-C4-N4	-6.06	115.96	120.20
1	AA	149	A	C5-C6-N6	6.06	128.55	123.70
1	AA	1069	C	C5-C4-N4	-6.06	115.96	120.20
1	AA	1254	A	C5-C6-N6	6.06	128.55	123.70
26	BB	717	C	C4'-C3'-C2'	-6.06	96.54	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1952	A	C4-C5-N7	6.06	113.73	110.70
26	BB	1991	U	C5-C4-O4	-6.06	122.26	125.90
26	BB	2013	A	C4-C5-N7	6.06	113.73	110.70
26	BB	2344	U	C3'-C2'-C1'	6.06	106.35	101.50
26	BB	2471	A	N3-C4-N9	-6.06	122.55	127.40
39	BO	38	ARG	CA-CB-CG	6.06	126.73	113.40
1	AA	282	A	C5-N7-C8	6.06	106.93	103.90
1	AA	1086	U	O4'-C1'-N1	6.06	113.05	108.20
1	AA	1227	A	O4'-C4'-C3'	6.06	110.95	106.10
1	AA	1418	A	N1-C2-N3	-6.06	126.27	129.30
1	AA	1454	G	C6-N1-C2	6.06	128.73	125.10
16	AP	92	ARG	NH1-CZ-NH2	6.06	126.06	119.40
26	BB	171	U	N3-C4-C5	-6.06	110.97	114.60
26	BB	653	U	C5-C4-O4	6.06	129.53	125.90
26	BB	1199	U	N1-C2-O2	6.06	127.04	122.80
26	BB	1673	G	N7-C8-N9	6.06	116.13	113.10
26	BB	2068	U	C6-N1-C2	6.06	124.63	121.00
26	BB	2395	C	C5'-C4'-O4'	6.06	116.37	109.10
26	BB	2477	U	P-O3'-C3'	6.06	126.97	119.70
26	BB	2775	G	C8-N9-C1'	6.06	134.87	127.00
1	AA	843	U	C6-N1-C2	-6.06	117.37	121.00
26	BB	477	A	C3'-C2'-C1'	-6.06	96.66	101.50
26	BB	1386	C	N1-C1'-C2'	-6.06	105.34	112.00
26	BB	1691	C	C6-N1-C2	-6.06	117.88	120.30
26	BB	1926	U	O4'-C1'-N1	6.06	113.05	108.20
26	BB	2194	U	O4'-C1'-N1	6.06	113.05	108.20
1	AA	142	G	N1-C2-N3	-6.05	120.27	123.90
4	AD	34	U	C6-N1-C2	-6.05	117.37	121.00
25	BA	90	C	C5-C4-N4	6.05	124.44	120.20
26	BB	279	A	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	583	G	C6-N1-C2	-6.05	121.47	125.10
26	BB	1002	G	N1-C6-O6	-6.05	116.27	119.90
26	BB	1437	C	N3-C4-N4	6.05	122.24	118.00
26	BB	1598	A	C4-C5-C6	-6.05	113.97	117.00
26	BB	2127	G	N3-C4-C5	-6.05	125.57	128.60
26	BB	2688	G	N9-C1'-C2'	6.05	121.87	114.00
1	AA	971	G	C8-N9-C4	-6.05	103.98	106.40
1	AA	1065	U	C4'-C3'-C2'	-6.05	96.55	102.60
1	AA	1301	U	C2-N3-C4	-6.05	123.37	127.00
1	AA	1370	G	C5-C6-O6	-6.05	124.97	128.60
26	BB	241	A	C4-C5-N7	6.05	113.73	110.70
26	BB	256	A	C4-C5-C6	-6.05	113.97	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	844	A	O4'-C1'-N9	6.05	113.04	108.20
26	BB	1053	C	N3-C2-O2	-6.05	117.66	121.90
26	BB	1220	G	N3-C2-N2	-6.05	115.66	119.90
26	BB	1526	C	C6-N1-C1'	6.05	128.06	120.80
26	BB	2320	U	N1-C2-O2	6.05	127.04	122.80
32	BH	35	THR	CA-CB-CG2	6.05	120.87	112.40
42	BR	30	TRP	CA-CB-CG	6.05	125.20	113.70
1	AA	297	G	O4'-C1'-N9	6.05	113.04	108.20
1	AA	670	G	C4-N9-C1'	-6.05	118.63	126.50
1	AA	1057	G	C5-C6-N1	-6.05	108.47	111.50
1	AA	1258	G	C5-C6-N1	6.05	114.53	111.50
1	AA	1439	G	C6-C5-N7	-6.05	126.77	130.40
26	BB	443	A	N1-C2-N3	-6.05	126.28	129.30
26	BB	949	G	C2-N3-C4	6.05	114.93	111.90
26	BB	1104	C	O4'-C4'-C3'	6.05	110.94	106.10
26	BB	1389	G	C2-N3-C4	6.05	114.93	111.90
26	BB	1766	G	C6-C5-N7	6.05	134.03	130.40
26	BB	1790	C	N1-C2-O2	6.05	122.53	118.90
26	BB	2171	A	O4'-C1'-C2'	-6.05	99.75	105.80
26	BB	2190	G	C8-N9-C4	-6.05	103.98	106.40
26	BB	2411	A	O4'-C1'-N9	6.05	113.04	108.20
1	AA	23	C	C6-N1-C2	-6.05	117.88	120.30
1	AA	129	A	C5-C6-N6	-6.05	118.86	123.70
2	AB	33	U	N1-C2-N3	6.05	118.53	114.90
4	AD	17	C	O4'-C1'-C2'	-6.05	99.75	105.80
26	BB	742	A	N1-C6-N6	-6.05	114.97	118.60
26	BB	957	C	N3-C2-O2	-6.05	117.67	121.90
26	BB	1404	C	N3-C4-N4	6.05	122.23	118.00
26	BB	1654	A	C5-C6-N1	6.05	120.72	117.70
26	BB	1783	A	N1-C2-N3	-6.05	126.28	129.30
26	BB	1850	G	N3-C4-C5	-6.05	125.58	128.60
26	BB	1924	C	N1-C1'-C2'	-6.05	105.35	112.00
26	BB	2094	A	O4'-C1'-N9	6.05	113.04	108.20
46	BV	40	LYS	O-C-N	-6.05	113.02	122.70
1	AA	376	G	N9-C4-C5	6.05	107.82	105.40
1	AA	1196	A	C5-N7-C8	6.05	106.92	103.90
26	BB	1712	U	N1-C2-O2	-6.05	118.57	122.80
26	BB	1976	U	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	2201	G	N9-C4-C5	6.05	107.82	105.40
1	AA	391	G	C4'-C3'-C2'	-6.05	96.55	102.60
1	AA	597	G	N3-C2-N2	-6.05	115.67	119.90
1	AA	675	A	C3'-C2'-C1'	-6.05	96.66	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	987	G	C4-C5-C6	6.05	122.43	118.80
25	BA	44	G	C2'-C3'-O3'	6.05	123.37	113.70
26	BB	211	C	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	310	A	C2-N3-C4	-6.05	107.58	110.60
26	BB	1115	G	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	1176	U	N1-C2-N3	6.05	118.53	114.90
26	BB	1512	C	N3-C4-N4	6.05	122.23	118.00
26	BB	1630	A	C8-N9-C4	-6.05	103.38	105.80
26	BB	1811	G	N3-C2-N2	-6.05	115.67	119.90
55	B4	31	GLU	O-C-N	6.05	132.38	122.70
1	AA	1349	A	C6-N1-C2	-6.04	114.97	118.60
26	BB	86	G	C6-N1-C2	-6.04	121.47	125.10
26	BB	505	A	N7-C8-N9	6.04	116.82	113.80
26	BB	606	U	C4-C5-C6	6.04	123.33	119.70
26	BB	1036	G	C3'-C2'-C1'	-6.04	96.66	101.50
26	BB	1761	C	N3-C4-N4	-6.04	113.77	118.00
26	BB	2025	C	C5-C6-N1	6.04	124.02	121.00
26	BB	2426	A	C4-C5-C6	6.04	120.02	117.00
26	BB	2768	U	N1-C2-N3	-6.04	111.27	114.90
1	AA	166	U	C5-C4-O4	-6.04	122.27	125.90
1	AA	202	G	O4'-C1'-N9	6.04	113.03	108.20
1	AA	300	A	C2-N3-C4	6.04	113.62	110.60
1	AA	568	G	C2-N3-C4	6.04	114.92	111.90
1	AA	901	A	N9-C4-C5	6.04	108.22	105.80
1	AA	1016	A	C5-C6-N1	6.04	120.72	117.70
1	AA	1257	A	C8-N9-C4	6.04	108.22	105.80
4	AD	20	G	C6-C5-N7	-6.04	126.77	130.40
8	AH	49	TYR	CB-CG-CD2	-6.04	117.37	121.00
26	BB	465	G	N3-C2-N2	-6.04	115.67	119.90
26	BB	810	U	N3-C4-C5	6.04	118.23	114.60
26	BB	1563	U	C4'-C3'-C2'	-6.04	96.56	102.60
26	BB	1828	G	O4'-C4'-C3'	6.04	110.94	106.10
26	BB	2421	G	C8-N9-C1'	6.04	134.86	127.00
26	BB	2694	G	C8-N9-C1'	6.04	134.86	127.00
26	BB	2847	U	C5-C6-N1	-6.04	119.68	122.70
1	AA	20	U	O4'-C1'-N1	6.04	113.03	108.20
1	AA	399	G	O4'-C1'-C2'	-6.04	99.76	105.80
1	AA	720	C	O4'-C1'-C2'	6.04	113.04	107.60
1	AA	728	A	C6-N1-C2	-6.04	114.97	118.60
1	AA	749	A	C8-N9-C4	-6.04	103.38	105.80
1	AA	1430	A	N1-C6-N6	6.04	122.22	118.60
2	AB	61	C	O5'-C5'-C4'	-6.04	100.22	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	62	U	C5-C4-O4	-6.04	122.28	125.90
4	AD	27	G	C5-N7-C8	6.04	107.32	104.30
26	BB	192	C	C4-C5-C6	6.04	120.42	117.40
26	BB	686	U	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	725	G	C8-N9-C4	-6.04	103.98	106.40
26	BB	836	G	C6-N1-C2	-6.04	121.47	125.10
26	BB	855	G	C6-N1-C2	6.04	128.72	125.10
26	BB	1369	G	C5-N7-C8	-6.04	101.28	104.30
26	BB	1428	C	C1'-O4'-C4'	-6.04	105.07	109.90
26	BB	1607	C	N1-C2-O2	6.04	122.53	118.90
26	BB	1632	A	C3'-C2'-C1'	6.04	106.33	101.50
26	BB	2176	A	C4-C5-N7	6.04	113.72	110.70
26	BB	2277	G	N9-C1'-C2'	-6.04	105.35	112.00
26	BB	2365	G	C6-N1-C2	-6.04	121.47	125.10
26	BB	2565	A	O4'-C1'-N9	6.04	113.03	108.20
26	BB	2787	C	N1-C2-N3	-6.04	114.97	119.20
28	BD	211	ARG	NH1-CZ-NH2	-6.04	112.75	119.40
1	AA	1428	A	N1-C6-N6	-6.04	114.98	118.60
3	AC	28	U	N3-C2-O2	-6.04	117.97	122.20
1	AA	503	C	O4'-C1'-N1	6.04	113.03	108.20
1	AA	705	G	C2-N3-C4	6.04	114.92	111.90
1	AA	988	G	C5-N7-C8	-6.04	101.28	104.30
1	AA	1528	U	N1-C2-O2	-6.04	118.57	122.80
26	BB	242	G	C5-C6-O6	-6.04	124.98	128.60
26	BB	276	U	N1-C2-N3	6.04	118.52	114.90
26	BB	604	G	C5-N7-C8	6.04	107.32	104.30
26	BB	1064	C	C5-C6-N1	6.04	124.02	121.00
26	BB	1549	A	N9-C4-C5	-6.04	103.38	105.80
26	BB	1725	U	C6-N1-C2	-6.04	117.38	121.00
26	BB	1805	A	C8-N9-C4	-6.04	103.39	105.80
26	BB	1901	A	C5'-C4'-O4'	6.04	116.34	109.10
26	BB	2173	A	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	2355	G	C6-N1-C2	-6.04	121.48	125.10
26	BB	2639	A	N9-C4-C5	6.04	108.22	105.80
1	AA	815	A	N1-C6-N6	-6.04	114.98	118.60
2	AB	10	G	C8-N9-C4	-6.04	103.98	106.40
26	BB	52	A	C5'-C4'-O4'	6.04	116.34	109.10
26	BB	1475	G	C1'-O4'-C4'	6.04	114.73	109.90
26	BB	1531	C	N3-C2-O2	-6.04	117.67	121.90
26	BB	2254	C	C5-C6-N1	-6.04	117.98	121.00
26	BB	2352	A	C8-N9-C4	-6.04	103.39	105.80
26	BB	2601	C	P-O3'-C3'	6.04	126.94	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	54	C	C5-C4-N4	6.04	124.42	120.20
1	AA	170	U	C2-N3-C4	-6.04	123.38	127.00
1	AA	207	C	C6-N1-C2	6.04	122.71	120.30
1	AA	666	G	N3-C2-N2	-6.04	115.67	119.90
6	AF	163	ARG	NE-CZ-NH2	6.04	123.32	120.30
7	AG	96	ARG	NE-CZ-NH1	-6.04	117.28	120.30
26	BB	71	A	C4'-C3'-C2'	-6.04	96.56	102.60
26	BB	411	G	O4'-C1'-N9	6.04	113.03	108.20
26	BB	1120	G	N9-C4-C5	-6.04	102.99	105.40
26	BB	1172	C	C6-N1-C2	6.04	122.72	120.30
26	BB	1459	G	C1'-O4'-C4'	-6.04	105.07	109.90
26	BB	1527	G	C5-N7-C8	-6.04	101.28	104.30
26	BB	1600	C	C4-C5-C6	-6.04	114.38	117.40
26	BB	1663	G	O4'-C1'-N9	6.04	113.03	108.20
26	BB	2613	U	C5-C4-O4	-6.04	122.28	125.90
1	AA	552	U	N3-C4-O4	6.03	123.62	119.40
1	AA	900	A	C6-N1-C2	-6.03	114.98	118.60
1	AA	996	A	C2-N3-C4	6.03	113.62	110.60
1	AA	1319	A	O4'-C1'-C2'	6.03	113.03	107.60
2	AB	42	G	N1-C2-N2	-6.03	110.77	116.20
26	BB	217	A	N7-C8-N9	6.03	116.82	113.80
26	BB	422	A	C6-C5-N7	6.03	136.52	132.30
26	BB	465	G	O4'-C4'-C3'	-6.03	97.97	104.00
26	BB	825	A	N9-C1'-C2'	-6.03	105.36	112.00
26	BB	1594	U	O5'-P-OP2	-6.03	100.27	105.70
26	BB	1988	G	C2-N3-C4	6.03	114.92	111.90
26	BB	2411	A	C5-N7-C8	6.03	106.92	103.90
26	BB	2602	A	C5-C6-N6	6.03	128.53	123.70
47	BW	66	VAL	CA-CB-CG2	6.03	119.95	110.90
1	AA	104	G	C5-C6-N1	6.03	114.52	111.50
1	AA	424	G	C5-C6-O6	-6.03	124.98	128.60
1	AA	885	G	N1-C2-N3	6.03	127.52	123.90
1	AA	896	C	N1-C2-O2	6.03	122.52	118.90
1	AA	1503	A	O4'-C4'-C3'	6.03	110.93	106.10
26	BB	827	U	N1-C2-O2	-6.03	118.58	122.80
26	BB	1043	C	C5-C6-N1	-6.03	117.98	121.00
26	BB	1287	A	N7-C8-N9	6.03	116.82	113.80
26	BB	1523	U	C5-C6-N1	-6.03	119.68	122.70
26	BB	2285	C	C5'-C4'-O4'	6.03	116.34	109.10
26	BB	2384	U	C6-N1-C2	-6.03	117.38	121.00
1	AA	315	A	C3'-C2'-C1'	-6.03	96.67	101.50
1	AA	478	A	P-O3'-C3'	6.03	126.94	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	560	A	C3'-C2'-C1'	6.03	106.33	101.50
1	AA	574	A	O4'-C1'-N9	6.03	113.02	108.20
1	AA	1221	G	C3'-C2'-C1'	6.03	106.33	101.50
25	BA	27	C	C5-C4-N4	6.03	124.42	120.20
26	BB	466	A	C4'-C3'-C2'	-6.03	96.57	102.60
26	BB	1029	A	C3'-C2'-C1'	6.03	106.32	101.50
26	BB	1164	C	P-O3'-C3'	6.03	126.94	119.70
26	BB	1438	U	C5'-C4'-C3'	-6.03	106.35	116.00
26	BB	1573	G	O4'-C1'-N9	6.03	113.03	108.20
26	BB	1630	A	C3'-C2'-C1'	-6.03	96.68	101.50
26	BB	2188	U	C3'-C2'-C1'	6.03	106.32	101.50
26	BB	2446	G	N9-C1'-C2'	-6.03	105.37	112.00
30	BF	32	VAL	CA-CB-CG1	6.03	119.95	110.90
34	BJ	122	ILE	CA-CB-CG1	6.03	122.46	111.00
26	BB	180	G	C8-N9-C4	-6.03	103.99	106.40
26	BB	999	U	C5-C6-N1	-6.03	119.69	122.70
26	BB	1241	A	C5'-C4'-C3'	-6.03	106.35	116.00
1	AA	113	G	C3'-C2'-C1'	6.03	106.32	101.50
1	AA	1211	U	N1-C1'-C2'	-6.03	105.37	112.00
1	AA	1281	C	O4'-C1'-N1	6.03	113.02	108.20
1	AA	1503	A	C3'-C2'-C1'	-6.03	96.68	101.50
26	BB	53	A	C4-C5-C6	6.03	120.01	117.00
26	BB	1337	G	N3-C2-N2	-6.03	115.68	119.90
26	BB	1555	G	N3-C4-C5	-6.03	125.59	128.60
26	BB	2044	C	C2-N3-C4	6.03	122.91	119.90
26	BB	2680	U	C2-N3-C4	-6.03	123.38	127.00
1	AA	561	U	N1-C2-N3	6.03	118.52	114.90
1	AA	1464	U	C1'-O4'-C4'	6.03	114.72	109.90
10	AJ	122	GLU	OE1-CD-OE2	6.03	130.53	123.30
13	AM	63	ASP	CB-CG-OD2	-6.03	112.88	118.30
26	BB	94	A	P-O3'-C3'	6.03	126.93	119.70
26	BB	565	C	N3-C4-N4	6.03	122.22	118.00
26	BB	763	G	C1'-O4'-C4'	6.03	114.72	109.90
26	BB	968	C	O4'-C4'-C3'	-6.03	97.97	104.00
26	BB	1474	U	N1-C1'-C2'	-6.03	105.37	112.00
26	BB	2140	G	C1'-O4'-C4'	-6.03	105.08	109.90
1	AA	105	G	C4-C5-N7	-6.02	108.39	110.80
1	AA	840	C	P-O3'-C3'	6.02	126.93	119.70
1	AA	1044	A	O4'-C4'-C3'	-6.02	97.98	104.00
1	AA	1397	C	N1-C1'-C2'	6.02	121.83	114.00
1	AA	1540	U	C1'-O4'-C4'	-6.02	105.08	109.90
26	BB	101	A	C4-C5-N7	6.02	113.71	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	341	C	C2-N3-C4	6.02	122.91	119.90
26	BB	342	A	C2-N3-C4	6.02	113.61	110.60
26	BB	1404	C	C2-N3-C4	-6.02	116.89	119.90
26	BB	2177	C	C6-N1-C2	-6.02	117.89	120.30
1	AA	41	G	N3-C2-N2	6.02	124.12	119.90
1	AA	327	A	C5-C6-N6	-6.02	118.88	123.70
1	AA	441	A	C4-C5-C6	6.02	120.01	117.00
1	AA	756	C	C5'-C4'-C3'	-6.02	106.36	116.00
1	AA	870	U	N1-C2-N3	6.02	118.51	114.90
1	AA	945	G	N3-C4-C5	-6.02	125.59	128.60
3	AC	22	G	N3-C2-N2	6.02	124.11	119.90
12	AL	28	VAL	CG1-CB-CG2	-6.02	101.26	110.90
26	BB	46	G	P-O3'-C3'	6.02	126.93	119.70
26	BB	92	U	C5-C4-O4	6.02	129.51	125.90
26	BB	687	C	O4'-C1'-C2'	6.02	113.02	107.60
26	BB	863	A	C3'-C2'-C1'	6.02	106.32	101.50
26	BB	993	G	N3-C2-N2	-6.02	115.68	119.90
26	BB	1921	G	N3-C2-N2	6.02	124.12	119.90
26	BB	2555	U	C4'-C3'-C2'	6.02	108.62	102.60
26	BB	2675	A	P-O3'-C3'	6.02	126.93	119.70
1	AA	662	U	N3-C4-C5	-6.02	110.99	114.60
26	BB	512	G	C3'-C2'-C1'	-6.02	96.68	101.50
26	BB	737	C	N3-C4-N4	6.02	122.22	118.00
26	BB	1380	G	C4-C5-N7	-6.02	108.39	110.80
26	BB	1451	C	N3-C2-O2	-6.02	117.69	121.90
26	BB	1512	C	N1-C2-O2	6.02	122.51	118.90
26	BB	1798	U	N1-C2-O2	6.02	127.02	122.80
26	BB	1880	U	C2-N3-C4	-6.02	123.39	127.00
26	BB	1919	A	C4'-C3'-C2'	-6.02	96.58	102.60
26	BB	1925	C	C6-N1-C2	6.02	122.71	120.30
26	BB	2594	C	C1'-O4'-C4'	-6.02	105.08	109.90
26	BB	2793	C	P-O5'-C5'	6.02	130.53	120.90
1	AA	143	A	O4'-C1'-N9	6.02	113.02	108.20
1	AA	1161	C	C2-N3-C4	6.02	122.91	119.90
8	AH	156	ARG	NE-CZ-NH1	6.02	123.31	120.30
26	BB	153	U	N3-C2-O2	-6.02	117.99	122.20
26	BB	347	A	C5'-C4'-O4'	6.02	116.32	109.10
26	BB	591	U	N3-C4-C5	6.02	118.21	114.60
26	BB	1005	C	N1-C2-O2	6.02	122.51	118.90
26	BB	1250	G	C5'-C4'-C3'	-6.02	106.37	116.00
26	BB	1442	U	C2-N3-C4	-6.02	123.39	127.00
26	BB	1468	U	C6-N1-C2	6.02	124.61	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1946	U	O4'-C1'-N1	6.02	113.02	108.20
26	BB	2550	G	C2-N3-C4	6.02	114.91	111.90
1	AA	850	U	C2-N3-C4	-6.02	123.39	127.00
1	AA	1345	U	N1-C2-N3	6.02	118.51	114.90
1	AA	1460	C	O4'-C4'-C3'	-6.02	97.98	104.00
4	AD	40	C	C4-C5-C6	-6.02	114.39	117.40
26	BB	886	A	C4'-C3'-O3'	6.02	125.03	113.00
26	BB	972	A	C3'-C2'-C1'	6.02	106.31	101.50
26	BB	1100	C	O4'-C1'-N1	6.02	113.01	108.20
26	BB	1350	C	N3-C2-O2	-6.02	117.69	121.90
26	BB	2529	G	O4'-C1'-N9	-6.02	103.39	108.20
1	AA	336	A	O4'-C1'-N9	6.02	113.01	108.20
14	AN	121	ARG	NE-CZ-NH2	-6.02	117.29	120.30
26	BB	1342	A	C1'-O4'-C4'	6.02	114.71	109.90
26	BB	1845	G	O5'-P-OP2	6.02	117.92	110.70
26	BB	2103	C	C5-C6-N1	-6.02	117.99	121.00
26	BB	2785	C	O4'-C1'-C2'	-6.02	99.78	105.80
1	AA	55	A	C8-N9-C4	-6.01	103.39	105.80
1	AA	1051	C	C4'-C3'-C2'	-6.01	96.58	102.60
25	BA	87	U	N3-C2-O2	-6.01	117.99	122.20
25	BA	96	G	N3-C2-N2	6.01	124.11	119.90
26	BB	15	G	N1-C2-N2	6.01	121.61	116.20
26	BB	441	U	C6-N1-C2	-6.01	117.39	121.00
26	BB	686	U	C1'-O4'-C4'	6.01	114.71	109.90
26	BB	883	G	N1-C2-N3	-6.01	120.29	123.90
26	BB	1155	A	C5-C6-N6	6.01	128.51	123.70
26	BB	1611	C	O4'-C1'-N1	6.01	113.01	108.20
26	BB	2044	C	C6-N1-C2	6.01	122.71	120.30
26	BB	2191	A	C8-N9-C4	-6.01	103.39	105.80
26	BB	2329	U	P-O3'-C3'	6.01	126.92	119.70
26	BB	2641	G	N1-C2-N2	6.01	121.61	116.20
1	AA	1180	A	C1'-O4'-C4'	6.01	114.71	109.90
26	BB	214	G	C4-C5-C6	-6.01	115.19	118.80
26	BB	810	U	C5'-C4'-C3'	-6.01	106.38	116.00
26	BB	1117	C	N1-C2-N3	6.01	123.41	119.20
26	BB	1740	G	C2-N3-C4	6.01	114.91	111.90
26	BB	1754	A	C5-N7-C8	6.01	106.91	103.90
26	BB	1982	U	N1-C1'-C2'	-6.01	105.39	112.00
26	BB	2313	C	O4'-C1'-N1	6.01	113.01	108.20
26	BB	2317	A	N9-C4-C5	-6.01	103.39	105.80
26	BB	2851	A	N1-C6-N6	-6.01	114.99	118.60
1	AA	512	U	C5'-C4'-C3'	-6.01	106.38	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	517	G	C6-N1-C2	-6.01	121.49	125.10
1	AA	690	G	C2-N3-C4	6.01	114.91	111.90
1	AA	807	A	C6-N1-C2	6.01	122.21	118.60
1	AA	1024	G	N3-C4-C5	-6.01	125.59	128.60
1	AA	1118	U	O4'-C1'-N1	6.01	113.01	108.20
17	AQ	75	LYS	N-CA-CB	-6.01	99.78	110.60
26	BB	917	A	N1-C2-N3	-6.01	126.29	129.30
26	BB	1379	U	C5-C6-N1	-6.01	119.69	122.70
26	BB	2158	A	C5-C6-N6	6.01	128.51	123.70
1	AA	281	G	N3-C4-C5	-6.01	125.59	128.60
1	AA	283	U	N3-C4-C5	-6.01	111.00	114.60
1	AA	672	U	C5-C6-N1	-6.01	119.69	122.70
1	AA	770	C	C4'-C3'-C2'	-6.01	96.59	102.60
1	AA	791	G	C5-C6-O6	6.01	132.21	128.60
1	AA	1245	C	N1-C2-O2	6.01	122.50	118.90
1	AA	1290	G	N1-C6-O6	-6.01	116.29	119.90
3	AC	15	G	N1-C6-O6	-6.01	116.30	119.90
26	BB	127	A	C8-N9-C4	-6.01	103.40	105.80
26	BB	669	G	C1'-O4'-C4'	-6.01	105.09	109.90
26	BB	1539	U	C4-C5-C6	6.01	123.31	119.70
26	BB	1570	A	C4-C5-C6	-6.01	114.00	117.00
26	BB	1863	G	C2-N3-C4	6.01	114.90	111.90
26	BB	2489	U	O4'-C1'-N1	6.01	113.01	108.20
51	B0	53	VAL	CG1-CB-CG2	-6.01	101.28	110.90
1	AA	29	U	C4'-C3'-C2'	-6.01	96.59	102.60
1	AA	123	U	N3-C2-O2	-6.01	118.00	122.20
26	BB	1009	A	P-O3'-C3'	6.01	126.91	119.70
26	BB	1823	G	O4'-C1'-N9	6.01	113.01	108.20
1	AA	146	G	N7-C8-N9	6.01	116.10	113.10
1	AA	449	G	C1'-O4'-C4'	-6.01	105.09	109.90
1	AA	1137	C	C2-N3-C4	6.01	122.90	119.90
24	AX	70	TYR	CG-CD2-CE2	-6.01	116.49	121.30
25	BA	39	A	C5-N7-C8	6.01	106.90	103.90
26	BB	1013	C	C4-C5-C6	-6.01	114.40	117.40
26	BB	1392	A	N1-C6-N6	-6.01	115.00	118.60
26	BB	1547	C	N1-C2-O2	6.01	122.50	118.90
26	BB	2282	G	O3'-P-O5'	-6.01	92.59	104.00
26	BB	2418	A	N9-C1'-C2'	-6.01	105.39	112.00
26	BB	2602	A	C6-N1-C2	6.01	122.20	118.60
50	BZ	63	ILE	CA-CB-CG1	6.01	122.41	111.00
1	AA	269	C	C3'-C2'-C1'	-6.00	96.70	101.50
1	AA	969	A	O4'-C1'-N9	6.00	113.00	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1211	U	C4-C5-C6	6.00	123.30	119.70
26	BB	523	C	C5-C4-N4	-6.00	116.00	120.20
26	BB	1000	A	O4'-C4'-C3'	-6.00	98.00	104.00
26	BB	1203	U	C4-C5-C6	6.00	123.30	119.70
26	BB	1735	A	C8-N9-C4	-6.00	103.40	105.80
1	AA	703	G	C8-N9-C1'	6.00	134.80	127.00
1	AA	1191	A	C5-C6-N1	6.00	120.70	117.70
1	AA	1246	A	C3'-C2'-C1'	6.00	106.30	101.50
4	AD	26	C	N3-C4-C5	-6.00	119.50	121.90
25	BA	1	U	C5-C6-N1	-6.00	119.70	122.70
25	BA	37	C	C1'-O4'-C4'	-6.00	105.10	109.90
26	BB	482	A	N3-C4-N9	6.00	132.20	127.40
26	BB	892	A	C5-C6-N1	-6.00	114.70	117.70
26	BB	961	C	C5-C6-N1	-6.00	118.00	121.00
26	BB	1698	A	C6-C5-N7	6.00	136.50	132.30
26	BB	2159	G	C2-N3-C4	6.00	114.90	111.90
26	BB	2542	A	O4'-C4'-C3'	6.00	110.90	106.10
58	B7	36	ARG	NH1-CZ-NH2	-6.00	112.80	119.40
1	AA	39	G	C5-C6-N1	6.00	114.50	111.50
1	AA	566	G	N1-C2-N3	-6.00	120.30	123.90
1	AA	1288	A	N9-C1'-C2'	-6.00	105.40	112.00
2	AB	41	C	C2-N1-C1'	-6.00	112.20	118.80
4	AD	41	C	C2-N3-C4	6.00	122.90	119.90
8	AH	127	TYR	CG-CD2-CE2	-6.00	116.50	121.30
11	AK	107	LYS	C-N-CA	6.00	134.90	122.30
26	BB	274	C	C6-N1-C2	-6.00	117.90	120.30
26	BB	392	U	P-O3'-C3'	6.00	126.90	119.70
26	BB	1008	A	C1'-O4'-C4'	6.00	114.70	109.90
26	BB	1110	G	N3-C2-N2	-6.00	115.70	119.90
26	BB	1748	C	C5-C4-N4	6.00	124.40	120.20
26	BB	1818	U	C2-N1-C1'	6.00	124.90	117.70
26	BB	2549	G	C6-N1-C2	-6.00	121.50	125.10
26	BB	2549	G	C6-C5-N7	6.00	134.00	130.40
1	AA	679	C	N3-C4-C5	-6.00	119.50	121.90
1	AA	1304	G	C4'-C3'-C2'	-6.00	96.60	102.60
1	AA	1416	G	N3-C2-N2	-6.00	115.70	119.90
26	BB	82	U	C5-C4-O4	-6.00	122.30	125.90
26	BB	260	G	N9-C1'-C2'	-6.00	105.40	112.00
26	BB	339	U	C2-N3-C4	-6.00	123.40	127.00
1	AA	827	U	C1'-O4'-C4'	6.00	114.70	109.90
26	BB	282	A	C3'-C2'-C1'	6.00	106.30	101.50
26	BB	327	G	N3-C4-C5	-6.00	125.60	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	633	A	N9-C4-C5	-6.00	103.40	105.80
26	BB	841	G	C5-N7-C8	-6.00	101.30	104.30
26	BB	1020	A	N9-C4-C5	6.00	108.20	105.80
26	BB	1590	A	C4-C5-N7	6.00	113.70	110.70
26	BB	1711	A	O4'-C1'-N9	6.00	113.00	108.20
26	BB	2182	U	N1-C2-N3	6.00	118.50	114.90
26	BB	2480	C	P-O3'-C3'	6.00	126.90	119.70
1	AA	968	A	C4-C5-C6	6.00	120.00	117.00
1	AA	1062	U	N3-C4-C5	6.00	118.20	114.60
26	BB	244	A	C1'-O4'-C4'	-6.00	105.10	109.90
26	BB	299	A	O4'-C1'-N9	6.00	113.00	108.20
26	BB	454	A	C3'-C2'-C1'	6.00	106.30	101.50
26	BB	1145	C	C5-C4-N4	6.00	124.40	120.20
26	BB	1183	U	N1-C2-O2	-6.00	118.60	122.80
26	BB	1435	G	C4-C5-C6	6.00	122.40	118.80
26	BB	1933	G	N7-C8-N9	-6.00	110.10	113.10
26	BB	2127	G	C3'-C2'-C1'	6.00	106.30	101.50
26	BB	2272	U	N1-C1'-C2'	6.00	121.80	114.00
26	BB	2279	G	C8-N9-C4	-6.00	104.00	106.40
1	AA	370	C	C5-C6-N1	6.00	124.00	121.00
1	AA	414	A	O4'-C1'-N9	6.00	113.00	108.20
2	AB	33	U	C1'-O4'-C4'	6.00	114.70	109.90
26	BB	463	G	C2-N3-C4	6.00	114.90	111.90
26	BB	1207	C	N3-C4-C5	-6.00	119.50	121.90
26	BB	2092	U	O4'-C1'-N1	6.00	113.00	108.20
26	BB	2785	C	C5-C6-N1	-6.00	118.00	121.00
1	AA	32	A	N9-C4-C5	5.99	108.20	105.80
1	AA	75	G	N7-C8-N9	5.99	116.10	113.10
1	AA	670	G	C1'-O4'-C4'	5.99	114.69	109.90
1	AA	826	C	P-O5'-C5'	5.99	130.49	120.90
1	AA	942	G	C4'-C3'-C2'	-5.99	96.61	102.60
1	AA	1337	G	O3'-P-O5'	-5.99	92.61	104.00
1	AA	1538	C	N3-C4-C5	-5.99	119.50	121.90
3	AC	59	A	C3'-C2'-C1'	5.99	106.30	101.50
8	AH	24	VAL	CG1-CB-CG2	-5.99	101.31	110.90
26	BB	53	A	N9-C1'-C2'	-5.99	105.41	112.00
26	BB	103	A	C1'-O4'-C4'	5.99	114.70	109.90
26	BB	192	C	N3-C4-N4	5.99	122.20	118.00
26	BB	651	G	N1-C6-O6	-5.99	116.30	119.90
26	BB	785	G	C5-N7-C8	-5.99	101.30	104.30
26	BB	1673	G	O3'-P-O5'	5.99	115.39	104.00
26	BB	1821	A	C6-C5-N7	5.99	136.50	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2582	G	C3'-C2'-C1'	5.99	106.30	101.50
26	BB	2837	A	N9-C4-C5	5.99	108.20	105.80
26	BB	2851	A	N9-C4-C5	-5.99	103.40	105.80
3	AC	24	A	O4'-C1'-N9	-5.99	103.41	108.20
3	AC	57	C	N3-C2-O2	-5.99	117.71	121.90
26	BB	516	C	N1-C1'-C2'	-5.99	105.41	112.00
26	BB	1159	U	C3'-C2'-C1'	5.99	106.29	101.50
1	AA	167	A	C5-C6-N1	-5.99	114.70	117.70
1	AA	584	G	N1-C2-N3	5.99	127.49	123.90
1	AA	585	G	N1-C2-N3	5.99	127.49	123.90
1	AA	650	G	N3-C2-N2	5.99	124.09	119.90
1	AA	775	G	C4'-C3'-C2'	-5.99	96.61	102.60
3	AC	20	G	C1'-O4'-C4'	-5.99	105.11	109.90
4	AD	12	G	C5'-C4'-O4'	5.99	116.29	109.10
26	BB	80	G	N1-C6-O6	5.99	123.49	119.90
26	BB	910	A	C4-C5-N7	-5.99	107.70	110.70
26	BB	968	C	C5'-C4'-O4'	5.99	116.29	109.10
26	BB	1866	A	C4-C5-C6	-5.99	114.00	117.00
26	BB	1936	A	N9-C4-C5	5.99	108.20	105.80
26	BB	2386	A	C6-C5-N7	5.99	136.49	132.30
26	BB	2461	A	N1-C2-N3	-5.99	126.31	129.30
26	BB	2553	G	C5-N7-C8	-5.99	101.30	104.30
26	BB	2879	A	N1-C2-N3	-5.99	126.31	129.30
26	BB	2892	G	O5'-C5'-C4'	-5.99	100.32	111.70
54	B3	29	VAL	CA-CB-CG1	5.99	119.89	110.90
1	AA	649	A	N9-C4-C5	-5.99	103.40	105.80
1	AA	955	U	P-O5'-C5'	5.99	130.48	120.90
1	AA	1115	U	N1-C2-N3	5.99	118.49	114.90
3	AC	44	U	C2-N3-C4	-5.99	123.41	127.00
26	BB	52	A	N9-C1'-C2'	-5.99	105.41	112.00
26	BB	495	G	C1'-O4'-C4'	5.99	114.69	109.90
26	BB	518	G	N9-C4-C5	5.99	107.80	105.40
26	BB	1433	A	C6-C5-N7	-5.99	128.11	132.30
26	BB	1686	C	C5-C6-N1	-5.99	118.01	121.00
26	BB	1794	A	C1'-O4'-C4'	-5.99	105.11	109.90
26	BB	1877	A	C5'-C4'-O4'	5.99	116.29	109.10
26	BB	2405	G	N3-C4-C5	-5.99	125.61	128.60
26	BB	2557	G	O4'-C4'-C3'	5.99	110.89	106.10
26	BB	2856	A	C5-C6-N1	5.99	120.69	117.70
30	BF	31	VAL	CG1-CB-CG2	-5.99	101.32	110.90
54	B3	45	ASP	CB-CG-OD1	-5.99	112.91	118.30
1	AA	931	C	N3-C4-N4	5.99	122.19	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1062	G	P-O5'-C5'	-5.99	111.32	120.90
26	BB	1223	G	O4'-C1'-N9	5.99	112.99	108.20
26	BB	2374	C	O3'-P-O5'	-5.99	92.62	104.00
26	BB	2578	G	C5'-C4'-O4'	5.99	116.28	109.10
1	AA	515	G	N7-C8-N9	5.99	116.09	113.10
1	AA	848	C	N3-C4-N4	5.99	122.19	118.00
1	AA	865	A	C4-C5-N7	-5.99	107.71	110.70
1	AA	1159	U	C4-C5-C6	5.99	123.29	119.70
1	AA	1349	A	C4-C5-N7	5.99	113.69	110.70
3	AC	38	G	O4'-C1'-N9	5.99	112.99	108.20
3	AC	44	U	C6-N1-C1'	-5.99	112.82	121.20
26	BB	185	G	O4'-C4'-C3'	-5.99	98.02	104.00
26	BB	239	C	O4'-C1'-N1	5.99	112.99	108.20
26	BB	1734	G	N1-C6-O6	5.99	123.49	119.90
26	BB	1741	C	N3-C2-O2	-5.99	117.71	121.90
26	BB	1942	C	C5'-C4'-C3'	-5.99	106.42	116.00
26	BB	1981	A	O4'-C1'-N9	5.99	112.99	108.20
26	BB	2169	A	C8-N9-C4	-5.99	103.41	105.80
26	BB	2204	G	C5-C6-N1	-5.99	108.51	111.50
26	BB	2469	A	C5-C6-N1	-5.99	114.71	117.70
1	AA	1444	U	N3-C4-O4	-5.98	115.21	119.40
26	BB	227	A	C6-C5-N7	-5.98	128.11	132.30
26	BB	590	A	N9-C4-C5	5.98	108.19	105.80
26	BB	1317	G	N9-C4-C5	-5.98	103.01	105.40
26	BB	1715	G	N3-C4-C5	-5.98	125.61	128.60
26	BB	2068	U	O4'-C1'-N1	-5.98	103.41	108.20
26	BB	2278	A	C5-C6-N1	5.98	120.69	117.70
26	BB	2643	G	C4-C5-C6	5.98	122.39	118.80
28	BD	68	ARG	NE-CZ-NH2	5.98	123.29	120.30
1	AA	590	U	N1-C1'-C2'	-5.98	105.42	112.00
1	AA	685	G	N1-C6-O6	5.98	123.49	119.90
1	AA	898	G	C5-N7-C8	-5.98	101.31	104.30
1	AA	1279	G	N3-C4-C5	-5.98	125.61	128.60
26	BB	50	U	C4-C5-C6	5.98	123.29	119.70
26	BB	131	A	N7-C8-N9	5.98	116.79	113.80
26	BB	274	C	N3-C4-C5	-5.98	119.51	121.90
26	BB	604	G	C4'-C3'-C2'	-5.98	96.62	102.60
26	BB	1011	G	N1-C2-N2	5.98	121.58	116.20
26	BB	1027	A	C6-N1-C2	-5.98	115.01	118.60
26	BB	1120	G	C6-N1-C2	-5.98	121.51	125.10
26	BB	1435	G	C5-C6-N1	-5.98	108.51	111.50
26	BB	1447	C	C5'-C4'-O4'	5.98	116.28	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1660	G	C3'-C2'-C1'	-5.98	96.72	101.50
26	BB	1794	A	C4-C5-C6	-5.98	114.01	117.00
26	BB	2036	C	P-O3'-C3'	5.98	126.88	119.70
44	BT	68	ARG	NE-CZ-NH1	-5.98	117.31	120.30
1	AA	9	G	C6-N1-C2	5.98	128.69	125.10
1	AA	858	G	C5-N7-C8	5.98	107.29	104.30
1	AA	974	A	C4-C5-C6	-5.98	114.01	117.00
1	AA	1184	G	O4'-C1'-N9	5.98	112.98	108.20
26	BB	122	G	C4-C5-N7	-5.98	108.41	110.80
26	BB	145	C	C6-N1-C2	-5.98	117.91	120.30
26	BB	324	A	C2-N3-C4	5.98	113.59	110.60
26	BB	1759	A	C2'-C3'-O3'	5.98	123.27	113.70
26	BB	2047	C	N1-C2-O2	5.98	122.49	118.90
26	BB	2710	C	C4-C5-C6	-5.98	114.41	117.40
30	BF	88	ARG	NE-CZ-NH1	5.98	123.29	120.30
47	BW	66	VAL	CG1-CB-CG2	-5.98	101.33	110.90
1	AA	1082	A	C5-C6-N6	-5.98	118.92	123.70
26	BB	1274	A	C5'-C4'-O4'	5.98	116.28	109.10
26	BB	1889	A	N7-C8-N9	5.98	116.79	113.80
26	BB	2804	U	O4'-C1'-N1	5.98	112.98	108.20
1	AA	49	U	C6-N1-C2	-5.98	117.41	121.00
1	AA	305	G	N3-C2-N2	-5.98	115.72	119.90
4	AD	11	A	C5-C6-N6	-5.98	118.92	123.70
4	AD	45	A	N3-C4-N9	5.98	132.18	127.40
26	BB	232	G	C2-N3-C4	5.98	114.89	111.90
26	BB	561	G	C6-C5-N7	-5.98	126.81	130.40
26	BB	1849	G	C5-C6-N1	-5.98	108.51	111.50
26	BB	2186	G	O4'-C1'-N9	5.98	112.98	108.20
26	BB	2341	G	N7-C8-N9	-5.98	110.11	113.10
26	BB	2362	C	C6-N1-C2	-5.98	117.91	120.30
26	BB	2877	G	N1-C2-N2	5.98	121.58	116.20
1	AA	878	A	C2-N3-C4	5.98	113.59	110.60
1	AA	1097	C	O4'-C1'-N1	5.98	112.98	108.20
26	BB	90	U	C4'-C3'-C2'	-5.98	96.62	102.60
26	BB	636	G	N1-C6-O6	-5.98	116.31	119.90
26	BB	1514	G	O4'-C1'-N9	5.98	112.98	108.20
26	BB	2729	G	N7-C8-N9	5.98	116.09	113.10
1	AA	578	C	C2-N3-C4	5.97	122.89	119.90
1	AA	900	A	C4'-C3'-C2'	-5.97	96.63	102.60
26	BB	265	A	C2'-C3'-O3'	5.97	123.26	113.70
26	BB	430	A	P-O3'-C3'	5.97	126.87	119.70
26	BB	441	U	N3-C4-O4	5.97	123.58	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1807	G	N9-C1'-C2'	-5.97	105.43	112.00
26	BB	2227	A	O4'-C1'-N9	5.97	112.98	108.20
26	BB	2437	G	C4'-C3'-C2'	-5.97	96.62	102.60
26	BB	2574	G	N3-C2-N2	-5.97	115.72	119.90
26	BB	2807	U	C4'-C3'-C2'	-5.97	96.62	102.60
1	AA	847	G	N1-C6-O6	5.97	123.48	119.90
1	AA	928	G	C3'-C2'-C1'	5.97	106.28	101.50
1	AA	1168	U	N3-C2-O2	-5.97	118.02	122.20
16	AP	67	ASP	CB-CG-OD2	-5.97	112.92	118.30
26	BB	208	C	O4'-C1'-N1	5.97	112.98	108.20
26	BB	1212	G	C4-C5-N7	5.97	113.19	110.80
26	BB	1316	U	C5-C4-O4	-5.97	122.32	125.90
26	BB	1360	G	C6-N1-C2	-5.97	121.52	125.10
26	BB	1472	C	O4'-C1'-N1	5.97	112.98	108.20
26	BB	1669	A	N1-C6-N6	5.97	122.18	118.60
26	BB	1843	C	N3-C2-O2	5.97	126.08	121.90
26	BB	2467	C	N3-C4-N4	-5.97	113.82	118.00
26	BB	2478	A	O4'-C1'-N9	5.97	112.98	108.20
50	BZ	71	ARG	NE-CZ-NH2	-5.97	117.31	120.30
15	AO	41	PRO	N-CD-CG	5.97	112.16	103.20
15	AO	123	ALA	CB-CA-C	5.97	119.06	110.10
26	BB	2368	C	C5-C4-N4	-5.97	116.02	120.20
1	AA	472	U	N1-C1'-C2'	5.97	121.76	114.00
1	AA	556	C	N1-C2-O2	5.97	122.48	118.90
1	AA	708	C	C5-C4-N4	-5.97	116.02	120.20
1	AA	1018	G	C5'-C4'-O4'	5.97	116.26	109.10
1	AA	1413	A	C5-N7-C8	-5.97	100.92	103.90
1	AA	1436	U	C5-C4-O4	-5.97	122.32	125.90
2	AB	39	A	C5-C6-N1	5.97	120.69	117.70
3	AC	39	U	C5-C6-N1	-5.97	119.72	122.70
4	AD	36	A	N1-C2-N3	5.97	132.28	129.30
26	BB	60	G	N7-C8-N9	5.97	116.08	113.10
26	BB	191	A	N1-C2-N3	-5.97	126.32	129.30
26	BB	297	G	C2-N3-C4	5.97	114.89	111.90
26	BB	957	C	C4-C5-C6	5.97	120.39	117.40
26	BB	1233	C	N3-C4-C5	5.97	124.29	121.90
26	BB	1532	A	C5'-C4'-O4'	5.97	116.26	109.10
26	BB	2188	U	C2-N3-C4	-5.97	123.42	127.00
26	BB	2464	G	N3-C4-N9	5.97	129.58	126.00
26	BB	2538	C	N3-C4-C5	-5.97	119.51	121.90
26	BB	2875	C	C1'-O4'-C4'	-5.97	105.12	109.90
26	BB	2888	C	N1-C2-O2	5.97	122.48	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	327	A	C1'-O4'-C4'	-5.97	105.12	109.90
1	AA	1281	C	C6-N1-C2	5.97	122.69	120.30
26	BB	110	G	C5-N7-C8	-5.97	101.32	104.30
26	BB	331	C	C4-C5-C6	-5.97	114.42	117.40
26	BB	1147	A	N9-C4-C5	5.97	108.19	105.80
26	BB	1624	U	C1'-O4'-C4'	-5.97	105.13	109.90
26	BB	2177	C	C4-C5-C6	-5.97	114.42	117.40
26	BB	2543	G	N1-C6-O6	-5.97	116.32	119.90
1	AA	416	G	C4-C5-C6	5.97	122.38	118.80
1	AA	786	G	N7-C8-N9	5.97	116.08	113.10
1	AA	920	U	C2-N3-C4	-5.97	123.42	127.00
1	AA	1081	A	C5-N7-C8	-5.97	100.92	103.90
1	AA	1139	G	C3'-C2'-C1'	5.97	106.27	101.50
1	AA	1300	G	N3-C2-N2	5.97	124.08	119.90
1	AA	1531	A	C5-C6-N6	-5.97	118.93	123.70
4	AD	65	G	C5-C6-N1	5.97	114.48	111.50
25	BA	85	G	C8-N9-C4	-5.97	104.01	106.40
26	BB	217	A	C8-N9-C4	-5.97	103.41	105.80
26	BB	259	G	N9-C1'-C2'	-5.97	105.44	112.00
26	BB	556	A	C4'-C3'-C2'	-5.97	96.63	102.60
26	BB	1133	A	O4'-C4'-C3'	-5.97	98.03	104.00
26	BB	1171	G	N3-C2-N2	-5.97	115.72	119.90
26	BB	1186	G	C4-C5-C6	5.97	122.38	118.80
26	BB	1206	G	N7-C8-N9	5.97	116.08	113.10
26	BB	1265	A	P-O3'-C3'	5.97	126.86	119.70
26	BB	1841	U	C4'-C3'-C2'	-5.97	96.63	102.60
26	BB	2225	A	N1-C6-N6	-5.97	115.02	118.60
26	BB	2235	G	C5-N7-C8	5.97	107.28	104.30
26	BB	2424	C	O3'-P-O5'	-5.97	92.67	104.00
26	BB	2640	G	C8-N9-C4	-5.97	104.01	106.40
1	AA	99	C	C3'-C2'-C1'	5.96	106.27	101.50
1	AA	348	G	C3'-C2'-C1'	-5.96	96.73	101.50
1	AA	661	G	C4-C5-C6	5.96	122.38	118.80
1	AA	1075	U	C5'-C4'-O4'	5.96	116.26	109.10
1	AA	1258	G	C2-N3-C4	5.96	114.88	111.90
11	AK	116	ARG	NE-CZ-NH2	-5.96	117.32	120.30
25	BA	105	G	N7-C8-N9	-5.96	110.12	113.10
26	BB	166	U	C5'-C4'-O4'	5.96	116.26	109.10
26	BB	231	A	C8-N9-C4	-5.96	103.42	105.80
26	BB	641	U	C5'-C4'-O4'	5.96	116.26	109.10
26	BB	797	G	C2-N3-C4	5.96	114.88	111.90
26	BB	823	C	C5'-C4'-O4'	5.96	116.26	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1421	G	C3'-C2'-C1'	5.96	106.27	101.50
26	BB	1541	C	C6-N1-C2	5.96	122.69	120.30
26	BB	1845	G	C5-C6-N1	5.96	114.48	111.50
26	BB	2440	C	C2'-C3'-O3'	5.96	123.24	113.70
26	BB	2586	U	C2-N3-C4	-5.96	123.42	127.00
1	AA	974	A	C5'-C4'-O4'	5.96	116.26	109.10
26	BB	1322	A	N9-C4-C5	-5.96	103.42	105.80
26	BB	2433	A	C2-N3-C4	-5.96	107.62	110.60
1	AA	280	C	C6-N1-C2	-5.96	117.92	120.30
1	AA	563	A	C8-N9-C4	-5.96	103.42	105.80
1	AA	710	G	N3-C4-C5	-5.96	125.62	128.60
1	AA	773	G	N1-C2-N2	5.96	121.56	116.20
1	AA	845	A	N9-C4-C5	5.96	108.19	105.80
26	BB	34	U	C2-N3-C4	5.96	130.58	127.00
26	BB	96	C	C5-C4-N4	5.96	124.37	120.20
26	BB	317	G	C4'-C3'-C2'	-5.96	96.64	102.60
26	BB	670	A	C5-N7-C8	-5.96	100.92	103.90
26	BB	708	G	N1-C2-N3	-5.96	120.32	123.90
26	BB	944	C	N3-C2-O2	-5.96	117.73	121.90
26	BB	1060	U	C5-C4-O4	-5.96	122.32	125.90
26	BB	1169	A	C5'-C4'-O4'	-5.96	101.95	109.10
26	BB	1179	G	O4'-C4'-C3'	-5.96	98.04	104.00
26	BB	1472	C	C5'-C4'-O4'	-5.96	101.95	109.10
26	BB	2896	C	C6-N1-C2	5.96	122.68	120.30
28	BD	130	PRO	N-CA-CB	5.96	110.45	103.30
1	AA	1532	U	N3-C4-O4	5.96	123.57	119.40
26	BB	488	G	N7-C8-N9	5.96	116.08	113.10
26	BB	864	G	C5'-C4'-O4'	5.96	116.25	109.10
26	BB	1254	A	N1-C2-N3	-5.96	126.32	129.30
26	BB	1706	C	P-O3'-C3'	5.96	126.85	119.70
26	BB	2212	A	N9-C1'-C2'	5.96	121.75	114.00
26	BB	2237	G	N9-C4-C5	5.96	107.78	105.40
1	AA	583	A	N9-C4-C5	5.96	108.18	105.80
1	AA	666	G	C1'-O4'-C4'	-5.96	105.13	109.90
1	AA	670	G	C5'-C4'-O4'	5.96	116.25	109.10
1	AA	690	G	N1-C2-N3	-5.96	120.33	123.90
1	AA	716	A	O4'-C1'-N9	5.96	112.97	108.20
1	AA	841	C	C5'-C4'-O4'	5.96	116.25	109.10
26	BB	6	A	C5-N7-C8	5.96	106.88	103.90
26	BB	366	C	N1-C2-O2	5.96	122.48	118.90
26	BB	487	C	N3-C4-C5	-5.96	119.52	121.90
26	BB	727	A	O4'-C1'-N9	5.96	112.97	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1598	A	C6-C5-N7	5.96	136.47	132.30
26	BB	1741	C	N3-C4-N4	5.96	122.17	118.00
26	BB	1746	A	P-O3'-C3'	5.96	126.85	119.70
26	BB	2064	C	C5-C6-N1	-5.96	118.02	121.00
26	BB	2176	A	C5-N7-C8	-5.96	100.92	103.90
26	BB	2551	C	O4'-C4'-C3'	5.96	110.87	106.10
26	BB	2658	C	O4'-C1'-N1	5.96	112.97	108.20
28	BD	136	VAL	CG1-CB-CG2	-5.96	101.37	110.90
52	B1	1	ALA	CB-CA-C	5.96	119.04	110.10
1	AA	633	G	C5-C6-O6	-5.96	125.03	128.60
1	AA	748	G	C8-N9-C4	5.96	108.78	106.40
1	AA	816	A	O5'-P-OP1	-5.96	100.34	105.70
1	AA	835	U	O4'-C1'-N1	5.96	112.97	108.20
1	AA	854	U	P-O3'-C3'	5.96	126.85	119.70
1	AA	924	C	N1-C2-N3	-5.96	115.03	119.20
1	AA	993	G	N3-C4-N9	5.96	129.57	126.00
1	AA	1156	G	N3-C4-N9	5.96	129.57	126.00
1	AA	1488	G	C6-N1-C2	-5.96	121.53	125.10
2	AB	10	G	C4'-C3'-C2'	5.96	108.56	102.60
19	AS	31	ARG	CD-NE-CZ	5.96	131.94	123.60
26	BB	94	A	C4-C5-C6	5.96	119.98	117.00
26	BB	378	C	N1-C2-O2	5.96	122.47	118.90
26	BB	404	A	O4'-C1'-C2'	5.96	112.96	107.60
26	BB	793	A	C5'-C4'-C3'	-5.96	106.47	116.00
26	BB	1190	G	O4'-C1'-N9	5.96	112.96	108.20
26	BB	1669	A	C4'-C3'-C2'	-5.96	96.64	102.60
26	BB	1906	G	N1-C6-O6	-5.96	116.33	119.90
26	BB	2501	C	C4-C5-C6	5.96	120.38	117.40
26	BB	2875	C	O4'-C1'-C2'	5.96	112.96	107.60
29	BE	40	LEU	CB-CG-CD1	5.96	121.12	111.00
34	BJ	158	ARG	NE-CZ-NH1	5.96	123.28	120.30
1	AA	129	A	N1-C2-N3	5.96	132.28	129.30
4	AD	54	G	C4'-C3'-C2'	-5.96	96.64	102.60
7	AG	71	PHE	CG-CD2-CE2	-5.96	114.25	120.80
26	BB	554	U	N1-C2-N3	5.96	118.47	114.90
26	BB	1184	U	C5-C6-N1	-5.96	119.72	122.70
26	BB	2140	G	N9-C4-C5	-5.96	103.02	105.40
26	BB	2418	A	C5-C6-N1	5.96	120.68	117.70
26	BB	2437	G	C4-C5-C6	5.96	122.37	118.80
1	AA	507	C	C3'-C2'-C1'	5.95	106.26	101.50
1	AA	1210	C	C4-C5-C6	-5.95	114.42	117.40
1	AA	1270	G	C6-N1-C2	-5.95	121.53	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1493	A	N3-C4-N9	5.95	132.16	127.40
1	AA	1533	C	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	113	U	O4'-C4'-C3'	-5.95	98.05	104.00
26	BB	651	G	N3-C2-N2	-5.95	115.73	119.90
26	BB	951	C	C2-N3-C4	-5.95	116.92	119.90
26	BB	1166	G	C8-N9-C4	5.95	108.78	106.40
26	BB	1353	A	N3-C4-C5	-5.95	122.63	126.80
26	BB	1611	C	N1-C1'-C2'	-5.95	105.45	112.00
26	BB	1867	G	N3-C4-N9	-5.95	122.43	126.00
26	BB	1935	G	N3-C2-N2	5.95	124.07	119.90
26	BB	2118	U	C4'-C3'-C2'	5.95	108.55	102.60
1	AA	84	U	N1-C2-O2	5.95	126.97	122.80
1	AA	367	U	N1-C2-N3	5.95	118.47	114.90
26	BB	207	A	N3-C4-N9	5.95	132.16	127.40
26	BB	1550	C	N1-C2-O2	5.95	122.47	118.90
1	AA	92	U	N3-C4-O4	5.95	123.57	119.40
1	AA	887	G	C1'-O4'-C4'	-5.95	105.14	109.90
1	AA	949	A	C5-N7-C8	5.95	106.88	103.90
1	AA	1179	A	N9-C4-C5	5.95	108.18	105.80
1	AA	1385	G	N1-C6-O6	-5.95	116.33	119.90
26	BB	282	A	N7-C8-N9	5.95	116.78	113.80
26	BB	827	U	C5-C4-O4	-5.95	122.33	125.90
26	BB	1054	A	N9-C1'-C2'	-5.95	105.45	112.00
26	BB	1094	U	O4'-C1'-N1	5.95	112.96	108.20
26	BB	1614	A	N1-C2-N3	5.95	132.28	129.30
26	BB	2003	A	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	2236	U	O4'-C1'-N1	5.95	112.96	108.20
26	BB	2315	G	C8-N9-C4	5.95	108.78	106.40
26	BB	2317	A	C4-C5-N7	5.95	113.67	110.70
26	BB	2454	G	C5-N7-C8	-5.95	101.33	104.30
26	BB	2598	A	N1-C2-N3	5.95	132.28	129.30
26	BB	2652	C	OP1-P-O3'	5.95	118.29	105.20
26	BB	2664	G	C4'-C3'-C2'	-5.95	96.65	102.60
1	AA	433	G	C5'-C4'-O4'	5.95	116.24	109.10
1	AA	520	A	C6-C5-N7	5.95	136.46	132.30
1	AA	1373	G	N3-C4-N9	-5.95	122.43	126.00
3	AC	58	C	C4-C5-C6	-5.95	114.43	117.40
26	BB	529	A	N9-C4-C5	5.95	108.18	105.80
26	BB	1295	C	N3-C4-N4	5.95	122.16	118.00
26	BB	1731	G	N3-C2-N2	5.95	124.06	119.90
26	BB	1758	U	C5'-C4'-O4'	-5.95	101.96	109.10
26	BB	1967	C	C5'-C4'-O4'	5.95	116.24	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2153	C	O3'-P-O5'	5.95	115.30	104.00
26	BB	2421	G	C5'-C4'-C3'	-5.95	106.48	116.00
26	BB	2755	C	C6-N1-C2	-5.95	117.92	120.30
26	BB	2900	A	C5-C6-N1	5.95	120.67	117.70
1	AA	1345	U	C2-N3-C4	-5.95	123.43	127.00
2	AB	65	C	O5'-C5'-C4'	5.95	123.00	111.70
26	BB	533	G	C5-C6-O6	5.95	132.17	128.60
26	BB	647	G	C4-C5-N7	-5.95	108.42	110.80
26	BB	659	G	N1-C2-N3	-5.95	120.33	123.90
26	BB	665	U	N3-C4-O4	5.95	123.56	119.40
26	BB	962	G	C8-N9-C4	-5.95	104.02	106.40
26	BB	1121	C	N3-C4-N4	5.95	122.16	118.00
26	BB	1319	C	C5'-C4'-C3'	-5.95	106.48	116.00
26	BB	2204	G	N3-C2-N2	5.95	124.06	119.90
26	BB	2584	U	C2-N3-C4	-5.95	123.43	127.00
1	AA	182	A	C8-N9-C4	5.95	108.18	105.80
1	AA	250	A	O4'-C1'-N9	5.95	112.96	108.20
1	AA	976	G	O4'-C1'-N9	5.95	112.96	108.20
1	AA	1028	C	C5-C4-N4	-5.95	116.04	120.20
26	BB	37	C	C2-N3-C4	5.95	122.87	119.90
26	BB	377	G	N3-C2-N2	5.95	124.06	119.90
26	BB	762	U	C5-C6-N1	-5.95	119.73	122.70
26	BB	815	C	O4'-C4'-C3'	5.95	110.86	106.10
26	BB	1007	C	N1-C2-O2	5.95	122.47	118.90
26	BB	1176	U	C5-C4-O4	5.95	129.47	125.90
26	BB	1469	A	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	1763	G	C4-C5-C6	5.95	122.37	118.80
26	BB	1927	A	C2'-C3'-O3'	5.95	123.21	113.70
26	BB	2509	G	C5-C6-N1	5.95	114.47	111.50
26	BB	2881	U	C2-N3-C4	-5.95	123.43	127.00
1	AA	286	C	O4'-C1'-C2'	5.94	112.95	107.60
1	AA	705	G	N9-C4-C5	5.94	107.78	105.40
1	AA	785	G	C5-C6-N1	5.94	114.47	111.50
1	AA	1475	G	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	570	G	C5'-C4'-C3'	-5.94	106.49	116.00
26	BB	1925	C	C5'-C4'-O4'	5.94	116.23	109.10
1	AA	343	U	C3'-C2'-C1'	5.94	106.25	101.50
1	AA	829	G	N1-C2-N3	-5.94	120.33	123.90
1	AA	1034	G	C5-C6-O6	5.94	132.16	128.60
1	AA	1244	G	C6-N1-C2	-5.94	121.53	125.10
1	AA	1341	U	N3-C4-O4	5.94	123.56	119.40
26	BB	67	U	C4'-C3'-C2'	-5.94	96.66	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	700	G	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	1029	A	N1-C2-N3	-5.94	126.33	129.30
26	BB	1189	A	C8-N9-C4	5.94	108.18	105.80
26	BB	1494	A	C5-N7-C8	5.94	106.87	103.90
26	BB	1651	G	P-O3'-C3'	5.94	126.83	119.70
26	BB	1988	G	N9-C1'-C2'	-5.94	105.46	112.00
26	BB	2222	C	N3-C4-N4	5.94	122.16	118.00
26	BB	2856	A	N7-C8-N9	5.94	116.77	113.80
1	AA	212	G	N9-C4-C5	5.94	107.78	105.40
1	AA	320	A	C5'-C4'-O4'	5.94	116.23	109.10
1	AA	524	G	C8-N9-C4	-5.94	104.02	106.40
1	AA	812	G	C8-N9-C4	-5.94	104.02	106.40
1	AA	1027	C	C5-C6-N1	5.94	123.97	121.00
1	AA	1384	C	C5-C6-N1	5.94	123.97	121.00
1	AA	1473	G	N9-C4-C5	5.94	107.78	105.40
5	AE	153	MET	CA-CB-CG	-5.94	103.20	113.30
26	BB	316	C	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	461	C	O4'-C1'-N1	5.94	112.95	108.20
26	BB	814	C	N3-C4-N4	5.94	122.16	118.00
26	BB	1460	U	N3-C2-O2	-5.94	118.04	122.20
26	BB	1942	C	P-O3'-C3'	5.94	126.83	119.70
26	BB	2077	A	C5-C6-N6	-5.94	118.95	123.70
26	BB	2335	A	C5-C6-N1	5.94	120.67	117.70
26	BB	2630	G	C6-C5-N7	-5.94	126.83	130.40
26	BB	2816	G	N9-C4-C5	5.94	107.78	105.40
1	AA	1003	G	C6-C5-N7	5.94	133.96	130.40
25	BA	87	U	C5-C6-N1	-5.94	119.73	122.70
26	BB	207	A	C6-N1-C2	-5.94	115.04	118.60
26	BB	429	A	C5-N7-C8	-5.94	100.93	103.90
26	BB	1524	G	N3-C4-C5	-5.94	125.63	128.60
1	AA	498	A	C1'-O4'-C4'	-5.94	105.15	109.90
26	BB	136	G	C2-N3-C4	5.94	114.87	111.90
26	BB	195	A	N3-C4-N9	5.94	132.15	127.40
26	BB	253	C	N1-C1'-C2'	-5.94	105.47	112.00
26	BB	424	G	O4'-C1'-N9	5.94	112.95	108.20
26	BB	696	G	C5-N7-C8	-5.94	101.33	104.30
26	BB	962	G	C4'-C3'-C2'	5.94	108.54	102.60
26	BB	978	G	C6-N1-C2	-5.94	121.54	125.10
26	BB	1405	U	C4-C5-C6	-5.94	116.14	119.70
26	BB	1906	G	N3-C4-C5	-5.94	125.63	128.60
26	BB	2027	G	C5-C6-N1	-5.94	108.53	111.50
26	BB	2482	A	C2'-C3'-O3'	5.94	123.20	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2637	U	N3-C4-O4	-5.94	115.24	119.40
26	BB	2640	G	N3-C2-N2	-5.94	115.74	119.90
1	AA	75	G	C6-C5-N7	-5.94	126.84	130.40
1	AA	993	G	C6-C5-N7	-5.94	126.84	130.40
1	AA	1223	C	C4-C5-C6	5.94	120.37	117.40
26	BB	2287	A	N1-C6-N6	-5.94	115.04	118.60
26	BB	2522	U	C6-N1-C2	-5.94	117.44	121.00
26	BB	2811	G	O4'-C1'-C2'	-5.94	99.86	105.80
1	AA	429	U	C4'-C3'-C2'	-5.93	96.67	102.60
1	AA	717	U	N1-C1'-C2'	5.93	121.72	114.00
1	AA	720	C	C4-C5-C6	5.93	120.37	117.40
1	AA	952	U	N3-C4-C5	-5.93	111.04	114.60
1	AA	1443	C	O4'-C1'-N1	5.93	112.95	108.20
1	AA	1476	A	N9-C4-C5	5.93	108.17	105.80
26	BB	1021	A	N1-C2-N3	-5.93	126.33	129.30
26	BB	1403	A	C6-C5-N7	5.93	136.46	132.30
26	BB	1881	C	C4-C5-C6	5.93	120.37	117.40
26	BB	2874	C	C6-N1-C2	-5.93	117.93	120.30
1	AA	43	C	C5-C4-N4	-5.93	116.05	120.20
1	AA	76	G	C1'-O4'-C4'	-5.93	105.16	109.90
1	AA	88	U	N1-C2-N3	5.93	118.46	114.90
1	AA	378	G	C5-C6-N1	5.93	114.47	111.50
1	AA	1492	A	C5'-C4'-O4'	5.93	116.22	109.10
8	AH	9	GLU	OE1-CD-OE2	5.93	130.42	123.30
13	AM	57	VAL	CA-CB-CG1	5.93	119.80	110.90
17	AQ	76	PHE	CG-CD2-CE2	-5.93	114.28	120.80
26	BB	311	A	O4'-C1'-N9	5.93	112.95	108.20
26	BB	347	A	N1-C6-N6	5.93	122.16	118.60
26	BB	461	C	N1-C2-O2	5.93	122.46	118.90
26	BB	494	G	N3-C4-N9	5.93	129.56	126.00
26	BB	570	G	C5-C6-N1	-5.93	108.53	111.50
26	BB	944	C	C5'-C4'-O4'	5.93	116.22	109.10
26	BB	1333	G	N1-C2-N2	5.93	121.54	116.20
26	BB	1533	C	C3'-C2'-C1'	5.93	106.25	101.50
26	BB	2057	G	C6-C5-N7	-5.93	126.84	130.40
26	BB	2677	G	C2-N3-C4	5.93	114.87	111.90
28	BD	219	VAL	CA-CB-CG2	5.93	119.80	110.90
1	AA	6	G	N9-C1'-C2'	-5.93	105.48	112.00
1	AA	336	A	C5'-C4'-O4'	5.93	116.22	109.10
1	AA	614	C	N3-C4-N4	5.93	122.15	118.00
26	BB	583	G	N1-C2-N2	5.93	121.54	116.20
26	BB	1364	G	C6-N1-C2	-5.93	121.54	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2148	G	C5-N7-C8	-5.93	101.33	104.30
29	BE	39	ASP	CB-CG-OD2	-5.93	112.96	118.30
33	BI	97	ARG	NE-CZ-NH2	5.93	123.27	120.30
1	AA	330	C	C6-N1-C2	5.93	122.67	120.30
1	AA	497	G	C5-C6-N1	5.93	114.46	111.50
1	AA	838	G	C5-C6-O6	-5.93	125.04	128.60
1	AA	840	C	N3-C4-C5	-5.93	119.53	121.90
2	AB	18	G	C5'-C4'-O4'	5.93	116.22	109.10
26	BB	307	G	N3-C4-C5	-5.93	125.64	128.60
26	BB	740	C	N3-C4-N4	-5.93	113.85	118.00
26	BB	1765	U	N1-C2-O2	5.93	126.95	122.80
26	BB	2101	A	N3-C4-N9	-5.93	122.66	127.40
26	BB	2192	U	N1-C2-N3	5.93	118.46	114.90
26	BB	2305	U	C5-C6-N1	-5.93	119.74	122.70
26	BB	2392	A	C8-N9-C4	-5.93	103.43	105.80
26	BB	2567	G	N1-C2-N3	-5.93	120.34	123.90
26	BB	2574	G	C2-N3-C4	-5.93	108.94	111.90
45	BU	75	PHE	CB-CG-CD1	-5.93	116.65	120.80
26	BB	75	G	C1'-O4'-C4'	-5.93	105.16	109.90
26	BB	436	C	C5-C4-N4	-5.93	116.05	120.20
26	BB	631	A	C2-N3-C4	-5.93	107.64	110.60
26	BB	844	A	C2-N3-C4	5.93	113.56	110.60
26	BB	891	G	N3-C2-N2	-5.93	115.75	119.90
26	BB	1582	C	C3'-C2'-C1'	-5.93	96.76	101.50
26	BB	1963	U	N1-C2-O2	5.93	126.95	122.80
26	BB	2460	U	C5-C4-O4	-5.93	122.34	125.90
1	AA	164	G	N3-C4-C5	-5.93	125.64	128.60
1	AA	327	A	C5'-C4'-O4'	-5.93	101.99	109.10
1	AA	361	G	C6-C5-N7	5.93	133.96	130.40
1	AA	621	A	C8-N9-C4	5.93	108.17	105.80
1	AA	1039	G	C5-C6-O6	5.93	132.16	128.60
26	BB	113	U	C5'-C4'-O4'	5.93	116.21	109.10
26	BB	2406	A	O4'-C1'-N9	5.93	112.94	108.20
26	BB	2574	G	C4-C5-C6	5.93	122.36	118.80
1	AA	291	U	C2-N3-C4	-5.92	123.44	127.00
1	AA	402	G	C4-C5-N7	-5.92	108.43	110.80
1	AA	547	A	O4'-C1'-C2'	-5.92	99.88	105.80
1	AA	558	G	N3-C4-C5	-5.92	125.64	128.60
1	AA	703	G	N1-C2-N3	-5.92	120.35	123.90
1	AA	758	C	N3-C2-O2	-5.92	117.75	121.90
2	AB	66	C	C4-C5-C6	-5.92	114.44	117.40
26	BB	305	C	C3'-C2'-C1'	5.92	106.24	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	659	G	C6-C5-N7	-5.92	126.85	130.40
26	BB	758	C	O4'-C1'-N1	5.92	112.94	108.20
26	BB	1238	G	N7-C8-N9	5.92	116.06	113.10
1	AA	27	G	C1'-O4'-C4'	-5.92	105.16	109.90
26	BB	652	U	N1-C2-N3	5.92	118.45	114.90
26	BB	1099	G	C5-C6-N1	5.92	114.46	111.50
26	BB	1904	G	C4-C5-N7	5.92	113.17	110.80
26	BB	2323	G	C6-C5-N7	-5.92	126.85	130.40
26	BB	2363	G	C5'-C4'-O4'	5.92	116.21	109.10
1	AA	237	G	N3-C2-N2	-5.92	115.75	119.90
1	AA	488	C	N3-C4-N4	5.92	122.14	118.00
4	AD	32	G	N1-C2-N2	-5.92	110.87	116.20
24	AX	1	PRO	CA-N-CD	-5.92	103.21	111.50
26	BB	534	U	C2'-C3'-O3'	5.92	123.18	113.70
26	BB	666	A	C5-C6-N1	5.92	120.66	117.70
26	BB	807	U	C6-N1-C2	-5.92	117.45	121.00
26	BB	879	G	N3-C4-C5	-5.92	125.64	128.60
26	BB	1291	C	N3-C4-C5	-5.92	119.53	121.90
26	BB	1315	C	O4'-C1'-N1	5.92	112.94	108.20
26	BB	1943	U	C5-C4-O4	-5.92	122.35	125.90
26	BB	1964	G	C8-N9-C1'	5.92	134.70	127.00
26	BB	2230	G	C2-N3-C4	5.92	114.86	111.90
26	BB	2628	C	N3-C2-O2	-5.92	117.75	121.90
26	BB	2662	A	N1-C2-N3	5.92	132.26	129.30
56	B5	18	PHE	CB-CG-CD1	5.92	124.94	120.80
1	AA	325	A	C1'-O4'-C4'	-5.92	105.16	109.90
1	AA	578	C	C5-C6-N1	5.92	123.96	121.00
1	AA	838	G	C6-C5-N7	-5.92	126.85	130.40
26	BB	263	G	N9-C4-C5	5.92	107.77	105.40
26	BB	377	G	C2-N3-C4	5.92	114.86	111.90
26	BB	629	G	C6-N1-C2	-5.92	121.55	125.10
26	BB	1203	U	C6-N1-C2	5.92	124.55	121.00
26	BB	1344	U	C5-C6-N1	5.92	125.66	122.70
1	AA	245	U	O5'-P-OP2	-5.92	100.37	105.70
1	AA	263	A	N9-C4-C5	5.92	108.17	105.80
1	AA	379	C	N1-C2-O2	-5.92	115.35	118.90
1	AA	466	A	C3'-C2'-C1'	5.92	106.23	101.50
1	AA	832	G	N9-C4-C5	5.92	107.77	105.40
26	BB	589	U	O4'-C1'-C2'	-5.92	99.88	105.80
26	BB	859	G	O4'-C1'-N9	5.92	112.94	108.20
26	BB	1764	C	P-O5'-C5'	5.92	130.37	120.90
26	BB	1975	G	N7-C8-N9	5.92	116.06	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2129	C	O4'-C4'-C3'	5.92	110.83	106.10
26	BB	2184	A	C5-N7-C8	-5.92	100.94	103.90
26	BB	2753	A	O4'-C1'-N9	5.92	112.94	108.20
26	BB	2830	C	C4-C5-C6	-5.92	114.44	117.40
26	BB	2830	C	O4'-C1'-N1	5.92	112.94	108.20
1	AA	205	A	C6-C5-N7	-5.92	128.16	132.30
1	AA	1322	C	N3-C2-O2	-5.92	117.76	121.90
1	AA	1438	G	C5'-C4'-O4'	5.92	116.20	109.10
26	BB	185	G	N9-C1'-C2'	-5.92	105.49	112.00
26	BB	828	U	P-O3'-C3'	5.92	126.80	119.70
26	BB	835	C	N3-C4-N4	-5.92	113.86	118.00
26	BB	1877	A	C5-C6-N6	-5.92	118.97	123.70
26	BB	2446	G	C2-N3-C4	5.92	114.86	111.90
26	BB	2749	A	C8-N9-C4	-5.92	103.43	105.80
1	AA	682	G	C6-C5-N7	-5.92	126.85	130.40
1	AA	725	G	P-O3'-C3'	5.92	126.80	119.70
1	AA	1250	A	C5'-C4'-O4'	5.92	116.20	109.10
26	BB	229	C	C5-C4-N4	-5.92	116.06	120.20
26	BB	2441	U	N1-C1'-C2'	-5.92	105.49	112.00
26	BB	2885	G	C4'-C3'-C2'	-5.92	96.69	102.60
43	BS	44	TYR	CB-CG-CD2	-5.92	117.45	121.00
1	AA	1125	U	N3-C2-O2	-5.91	118.06	122.20
1	AA	1269	A	N9-C4-C5	5.91	108.17	105.80
1	AA	1288	A	N3-C4-N9	-5.91	122.67	127.40
1	AA	1468	A	C8-N9-C4	-5.91	103.43	105.80
1	AA	1524	C	C5-C6-N1	5.91	123.96	121.00
26	BB	325	G	C5-C6-N1	5.91	114.46	111.50
26	BB	378	C	C1'-O4'-C4'	-5.91	105.17	109.90
26	BB	533	G	P-O3'-C3'	5.91	126.80	119.70
26	BB	536	G	N3-C2-N2	-5.91	115.76	119.90
26	BB	555	G	C2'-C3'-O3'	5.91	123.16	113.70
26	BB	601	C	C5'-C4'-O4'	5.91	116.19	109.10
26	BB	604	G	C5-C6-O6	-5.91	125.05	128.60
26	BB	1351	C	N3-C4-N4	-5.91	113.86	118.00
26	BB	1369	G	N3-C4-N9	5.91	129.55	126.00
26	BB	2572	A	C5'-C4'-O4'	5.91	116.20	109.10
26	BB	2836	U	N1-C2-N3	5.91	118.45	114.90
26	BB	2839	G	C8-N9-C4	-5.91	104.03	106.40
26	BB	2848	G	C1'-O4'-C4'	-5.91	105.17	109.90
1	AA	148	G	N3-C2-N2	-5.91	115.76	119.90
1	AA	357	G	C4-C5-N7	-5.91	108.44	110.80
1	AA	826	C	C6-N1-C2	-5.91	117.94	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	12	U	N1-C2-N3	5.91	118.45	114.90
4	AD	37	U	N1-C2-N3	5.91	118.45	114.90
4	AD	40	C	C1'-O4'-C4'	5.91	114.63	109.90
26	BB	130	C	C3'-C2'-C1'	5.91	106.23	101.50
26	BB	285	G	C6-N1-C2	-5.91	121.55	125.10
26	BB	453	A	O5'-C5'-C4'	-5.91	100.47	111.70
26	BB	1707	G	C6-N1-C2	-5.91	121.55	125.10
26	BB	1991	U	C5'-C4'-O4'	5.91	116.19	109.10
26	BB	2054	A	N1-C6-N6	-5.91	115.05	118.60
26	BB	2467	C	C5-C4-N4	5.91	124.34	120.20
1	AA	257	G	P-O3'-C3'	5.91	126.79	119.70
1	AA	600	A	C3'-C2'-C1'	5.91	106.23	101.50
1	AA	963	G	N9-C4-C5	5.91	107.76	105.40
1	AA	1427	C	C6-N1-C2	-5.91	117.94	120.30
26	BB	28	A	C5-N7-C8	5.91	106.86	103.90
26	BB	744	U	C5-C6-N1	-5.91	119.75	122.70
26	BB	1782	U	N1-C2-N3	5.91	118.45	114.90
26	BB	1909	C	N3-C4-C5	-5.91	119.54	121.90
26	BB	2811	G	O4'-C4'-C3'	-5.91	98.09	104.00
31	BG	111	ARG	CD-NE-CZ	5.91	131.88	123.60
1	AA	360	G	C4-C5-N7	-5.91	108.44	110.80
1	AA	546	A	C6-N1-C2	5.91	122.15	118.60
1	AA	849	G	C5-C6-O6	-5.91	125.05	128.60
1	AA	1227	A	C3'-C2'-C1'	5.91	106.23	101.50
1	AA	1524	C	C5-C4-N4	-5.91	116.06	120.20
7	AG	164	ARG	NE-CZ-NH2	5.91	123.25	120.30
26	BB	9	G	C8-N9-C4	-5.91	104.04	106.40
26	BB	24	G	C4-C5-N7	5.91	113.16	110.80
26	BB	170	U	N3-C4-O4	-5.91	115.26	119.40
26	BB	931	U	C3'-C2'-C1'	5.91	106.23	101.50
26	BB	1128	G	N1-C2-N2	5.91	121.52	116.20
26	BB	1413	A	C4-C5-C6	-5.91	114.05	117.00
26	BB	1548	A	C4-C5-C6	-5.91	114.05	117.00
26	BB	1894	C	C5-C6-N1	5.91	123.95	121.00
26	BB	1919	A	C5-C6-N1	5.91	120.66	117.70
26	BB	1990	C	N1-C2-N3	5.91	123.34	119.20
26	BB	2176	A	O4'-C1'-N9	5.91	112.93	108.20
1	AA	882	C	C5'-C4'-O4'	5.91	116.19	109.10
1	AA	1091	U	N1-C2-N3	5.91	118.44	114.90
1	AA	1159	U	C5'-C4'-O4'	5.91	116.19	109.10
3	AC	42	U	N3-C2-O2	-5.91	118.06	122.20
26	BB	248	G	C2-N3-C4	5.91	114.85	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	835	C	N3-C4-C5	-5.91	119.54	121.90
26	BB	1681	G	N3-C4-C5	-5.91	125.65	128.60
26	BB	2399	G	C4-C5-C6	5.91	122.34	118.80
1	AA	567	G	N1-C6-O6	-5.91	116.36	119.90
1	AA	587	G	O4'-C1'-N9	5.91	112.92	108.20
1	AA	1000	A	N1-C2-N3	-5.91	126.35	129.30
1	AA	1015	G	N3-C4-N9	5.91	129.54	126.00
7	AG	25	ARG	NH1-CZ-NH2	5.91	125.90	119.40
25	BA	68	C	C2'-C3'-O3'	5.91	123.15	113.70
26	BB	185	G	C1'-O4'-C4'	5.91	114.62	109.90
26	BB	984	A	C5-C6-N1	5.91	120.65	117.70
26	BB	1283	G	C4-C5-N7	-5.91	108.44	110.80
26	BB	1378	A	P-O3'-C3'	5.91	126.79	119.70
26	BB	1529	G	N3-C4-N9	-5.91	122.46	126.00
26	BB	1714	U	O4'-C1'-N1	5.91	112.92	108.20
26	BB	1983	G	N3-C4-C5	-5.91	125.65	128.60
26	BB	2341	G	C6-N1-C2	-5.91	121.56	125.10
26	BB	2477	U	C5'-C4'-O4'	-5.91	102.02	109.10
26	BB	2590	A	N1-C6-N6	5.91	122.14	118.60
26	BB	2818	U	P-O3'-C3'	5.91	126.79	119.70
26	BB	2835	A	N1-C6-N6	5.91	122.14	118.60
4	AD	2	G	N9-C4-C5	5.90	107.76	105.40
26	BB	436	C	C3'-C2'-C1'	5.90	106.22	101.50
26	BB	1175	A	C5-C6-N6	5.90	128.42	123.70
26	BB	1505	A	C6-C5-N7	5.90	136.43	132.30
26	BB	1642	G	C4-C5-N7	-5.90	108.44	110.80
26	BB	2566	A	O4'-C1'-N9	5.90	112.92	108.20
1	AA	52	C	P-O3'-C3'	5.90	126.78	119.70
1	AA	164	G	N1-C6-O6	5.90	123.44	119.90
1	AA	230	G	C4-C5-N7	5.90	113.16	110.80
1	AA	925	G	C4-C5-N7	-5.90	108.44	110.80
1	AA	1063	C	O3'-P-O5'	5.90	115.22	104.00
1	AA	1185	G	OP2-P-O3'	5.90	118.18	105.20
1	AA	1449	C	C2-N3-C4	5.90	122.85	119.90
1	AA	1493	A	C6-C5-N7	-5.90	128.17	132.30
26	BB	797	G	N3-C4-N9	5.90	129.54	126.00
26	BB	1010	A	C5-C6-N1	-5.90	114.75	117.70
26	BB	1160	G	N1-C2-N3	-5.90	120.36	123.90
26	BB	1447	C	N3-C4-N4	5.90	122.13	118.00
26	BB	2070	A	C3'-C2'-C1'	5.90	106.22	101.50
26	BB	2443	C	N3-C2-O2	-5.90	117.77	121.90
26	BB	2579	C	C5-C4-N4	-5.90	116.07	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2755	C	N3-C4-N4	5.90	122.13	118.00
1	AA	452	A	C4-C5-C6	-5.90	114.05	117.00
1	AA	468	A	C5-N7-C8	5.90	106.85	103.90
1	AA	845	A	O4'-C1'-N9	5.90	112.92	108.20
1	AA	944	G	P-O3'-C3'	5.90	126.78	119.70
1	AA	953	G	N1-C2-N2	5.90	121.51	116.20
1	AA	1261	A	O4'-C1'-C2'	-5.90	99.90	105.80
4	AD	16	C	N1-C2-O2	5.90	122.44	118.90
4	AD	25	U	C6-N1-C2	-5.90	117.46	121.00
26	BB	47	C	C4-C5-C6	5.90	120.35	117.40
26	BB	705	A	C5'-C4'-C3'	-5.90	106.56	116.00
26	BB	809	G	N9-C4-C5	-5.90	103.04	105.40
26	BB	1201	U	O4'-C4'-C3'	-5.90	98.10	104.00
26	BB	1393	A	C2-N3-C4	5.90	113.55	110.60
26	BB	1458	U	O4'-C4'-C3'	5.90	110.82	106.10
26	BB	2288	A	N9-C4-C5	5.90	108.16	105.80
35	BK	61	TYR	CB-CG-CD2	-5.90	117.46	121.00
58	B7	4	ARG	NE-CZ-NH2	5.90	123.25	120.30
4	AD	9	G	C8-N9-C4	-5.90	104.04	106.40
26	BB	32	C	C4-C5-C6	5.90	120.35	117.40
26	BB	818	G	N1-C2-N3	-5.90	120.36	123.90
26	BB	1444	G	N9-C4-C5	5.90	107.76	105.40
26	BB	2383	G	N9-C1'-C2'	-5.90	105.51	112.00
26	BB	2422	C	N1-C2-O2	5.90	122.44	118.90
26	BB	2426	A	C8-N9-C4	-5.90	103.44	105.80
26	BB	2452	C	P-O3'-C3'	5.90	126.78	119.70
1	AA	704	A	C2-N3-C4	-5.90	107.65	110.60
1	AA	1069	C	O4'-C4'-C3'	5.90	110.82	106.10
1	AA	1269	A	C4-C5-N7	-5.90	107.75	110.70
1	AA	1368	A	C6-C5-N7	5.90	136.43	132.30
26	BB	153	U	C4'-C3'-C2'	-5.90	96.70	102.60
26	BB	472	A	O4'-C1'-N9	5.90	112.92	108.20
26	BB	857	G	O4'-C1'-N9	5.90	112.92	108.20
26	BB	956	G	N1-C6-O6	-5.90	116.36	119.90
26	BB	1213	A	C4-C5-C6	-5.90	114.05	117.00
26	BB	1231	U	C1'-O4'-C4'	5.90	114.62	109.90
26	BB	1554	U	C4-C5-C6	5.90	123.24	119.70
26	BB	1702	G	C1'-O4'-C4'	-5.90	105.18	109.90
26	BB	2000	C	C2-N3-C4	5.90	122.85	119.90
26	BB	2182	U	C6-N1-C2	-5.90	117.46	121.00
26	BB	2189	U	C6-N1-C2	5.90	124.54	121.00
26	BB	2410	G	N1-C2-N2	-5.90	110.89	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2461	A	C8-N9-C4	-5.90	103.44	105.80
26	BB	2747	G	C5-C6-O6	5.90	132.14	128.60
1	AA	849	G	C2-N3-C4	5.90	114.85	111.90
1	AA	1033	G	N3-C4-N9	5.90	129.54	126.00
1	AA	1202	U	N1-C2-N3	5.90	118.44	114.90
26	BB	808	G	C5-N7-C8	-5.90	101.35	104.30
26	BB	1556	C	C4'-C3'-C2'	-5.90	96.70	102.60
26	BB	1582	C	C2-N3-C4	-5.90	116.95	119.90
26	BB	1597	A	C3'-C2'-C1'	5.90	106.22	101.50
26	BB	2219	U	N1-C1'-C2'	-5.90	105.51	112.00
26	BB	2352	A	N3-C4-C5	-5.90	122.67	126.80
30	BF	31	VAL	CA-CB-CG1	5.90	119.74	110.90
1	AA	141	G	C5-C6-N1	-5.89	108.55	111.50
1	AA	277	C	O4'-C1'-N1	5.89	112.92	108.20
1	AA	382	A	N9-C4-C5	5.89	108.16	105.80
1	AA	405	U	P-O3'-C3'	5.89	126.77	119.70
1	AA	502	A	C6-N1-C2	-5.89	115.06	118.60
1	AA	953	G	C4-C5-C6	-5.89	115.26	118.80
1	AA	953	G	C5-N7-C8	-5.89	101.35	104.30
1	AA	1372	U	O4'-C1'-N1	5.89	112.92	108.20
2	AB	22	G	N3-C4-C5	-5.89	125.65	128.60
4	AD	63	C	C5-C4-N4	5.89	124.33	120.20
25	BA	9	G	N3-C4-C5	5.89	131.55	128.60
26	BB	120	U	N3-C2-O2	-5.89	118.07	122.20
26	BB	441	U	N3-C4-C5	-5.89	111.06	114.60
26	BB	770	G	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	795	C	N1-C2-N3	5.89	123.33	119.20
26	BB	943	A	C5-C6-N6	5.89	128.42	123.70
26	BB	1214	A	C5-C6-N1	5.89	120.65	117.70
26	BB	1244	A	O4'-C1'-N9	5.89	112.92	108.20
26	BB	1254	A	C5'-C4'-O4'	-5.89	102.03	109.10
26	BB	1712	U	C6-N1-C2	-5.89	117.46	121.00
26	BB	1789	A	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	1811	G	C6-C5-N7	-5.89	126.86	130.40
26	BB	1952	A	C5-C6-N6	-5.89	118.98	123.70
26	BB	2268	A	C8-N9-C4	-5.89	103.44	105.80
26	BB	2410	G	C4-C5-N7	-5.89	108.44	110.80
26	BB	2530	A	C5-C6-N6	-5.89	118.98	123.70
26	BB	2645	G	N3-C2-N2	-5.89	115.77	119.90
26	BB	2779	U	N3-C2-O2	-5.89	118.07	122.20
1	AA	75	G	C1'-O4'-C4'	5.89	114.61	109.90
1	AA	385	C	O4'-C1'-N1	5.89	112.91	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	532	A	C8-N9-C4	-5.89	103.44	105.80
1	AA	593	U	C5-C6-N1	-5.89	119.75	122.70
1	AA	763	G	C5'-C4'-C3'	-5.89	106.57	116.00
3	AC	59	A	N9-C4-C5	5.89	108.16	105.80
26	BB	78	U	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	220	G	C5-C6-N1	-5.89	108.55	111.50
26	BB	968	C	N1-C1'-C2'	-5.89	105.52	112.00
26	BB	1192	G	N3-C4-C5	-5.89	125.65	128.60
26	BB	2123	G	C1'-O4'-C4'	5.89	114.61	109.90
26	BB	2581	G	C8-N9-C4	-5.89	104.04	106.40
1	AA	512	U	C2-N3-C4	-5.89	123.47	127.00
1	AA	563	A	C4-C5-C6	-5.89	114.05	117.00
1	AA	953	G	C6-N1-C2	5.89	128.63	125.10
1	AA	1124	G	C4-C5-C6	5.89	122.33	118.80
1	AA	1330	U	C3'-C2'-C1'	5.89	106.21	101.50
1	AA	1340	A	C5-C6-N1	-5.89	114.75	117.70
1	AA	1428	A	N9-C1'-C2'	-5.89	105.52	112.00
4	AD	23	G	C5-C6-N1	5.89	114.44	111.50
26	BB	934	U	O4'-C1'-C2'	5.89	112.90	107.60
26	BB	1865	U	C4-C5-C6	5.89	123.23	119.70
26	BB	2412	A	C5'-C4'-O4'	5.89	116.17	109.10
1	AA	727	G	N3-C4-N9	5.89	129.53	126.00
2	AB	12	U	P-O3'-C3'	5.89	126.77	119.70
2	AB	26	A	C5'-C4'-C3'	-5.89	106.58	116.00
17	AQ	19	TYR	CB-CG-CD2	-5.89	117.47	121.00
25	BA	93	C	N3-C4-C5	-5.89	119.54	121.90
26	BB	43	G	P-O3'-C3'	5.89	126.77	119.70
26	BB	248	G	N3-C4-C5	-5.89	125.66	128.60
26	BB	366	C	N3-C4-N4	5.89	122.12	118.00
26	BB	1063	G	C1'-O4'-C4'	-5.89	105.19	109.90
26	BB	1484	U	C5-C6-N1	-5.89	119.75	122.70
26	BB	1862	G	C3'-C2'-C1'	-5.89	96.79	101.50
26	BB	2018	G	C4-C5-N7	-5.89	108.44	110.80
26	BB	2153	C	C5-C4-N4	-5.89	116.08	120.20
26	BB	2270	A	N7-C8-N9	5.89	116.75	113.80
26	BB	2290	G	C4-C5-C6	-5.89	115.27	118.80
26	BB	2383	G	C6-C5-N7	5.89	133.93	130.40
42	BR	102	ARG	NE-CZ-NH2	-5.89	117.36	120.30
1	AA	278	G	C6-N1-C2	-5.89	121.57	125.10
1	AA	462	G	C6-N1-C2	-5.89	121.57	125.10
26	BB	303	G	N1-C2-N3	-5.89	120.37	123.90
26	BB	1249	U	C5-C6-N1	-5.89	119.76	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1440	U	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	1512	C	C2-N3-C4	5.89	122.84	119.90
26	BB	1943	U	N3-C4-C5	5.89	118.13	114.60
26	BB	1965	C	C6-N1-C2	5.89	122.66	120.30
1	AA	51	A	O4'-C1'-C2'	-5.89	99.91	105.80
1	AA	82	G	C5-C6-O6	-5.89	125.07	128.60
1	AA	163	C	N3-C4-C5	-5.89	119.55	121.90
1	AA	306	A	N9-C4-C5	5.89	108.15	105.80
1	AA	339	C	C4-C5-C6	-5.89	114.46	117.40
1	AA	418	C	N3-C4-C5	-5.89	119.55	121.90
1	AA	440	C	N3-C4-N4	5.89	122.12	118.00
1	AA	962	C	O4'-C4'-C3'	5.89	110.81	106.10
25	BA	88	C	N3-C4-C5	5.89	124.25	121.90
26	BB	200	U	C5-C6-N1	-5.89	119.76	122.70
26	BB	1348	C	O4'-C1'-C2'	-5.89	99.91	105.80
26	BB	1425	G	N7-C8-N9	5.89	116.04	113.10
26	BB	1479	G	O4'-C1'-N9	5.89	112.91	108.20
26	BB	1723	G	C2'-C3'-O3'	5.89	123.12	113.70
26	BB	2035	G	C3'-C2'-C1'	-5.89	96.79	101.50
26	BB	2479	U	P-O3'-C3'	5.89	126.76	119.70
26	BB	2738	A	O4'-C1'-N9	-5.89	103.49	108.20
38	BN	139	GLY	O-C-N	-5.89	113.19	123.20
1	AA	712	A	N1-C6-N6	5.88	122.13	118.60
1	AA	771	G	N1-C2-N3	-5.88	120.37	123.90
1	AA	1288	A	C5-N7-C8	-5.88	100.96	103.90
3	AC	18	A	P-O3'-C3'	5.88	126.76	119.70
26	BB	180	G	C4-C5-C6	5.88	122.33	118.80
26	BB	353	C	C2-N3-C4	-5.88	116.96	119.90
26	BB	736	C	C2-N3-C4	5.88	122.84	119.90
27	BC	33	LEU	CB-CG-CD2	5.88	121.00	111.00
27	BC	174	THR	CA-CB-CG2	5.88	120.64	112.40
1	AA	196	A	O4'-C4'-C3'	5.88	110.81	106.10
1	AA	262	A	N3-C4-N9	-5.88	122.69	127.40
1	AA	1180	A	C6-C5-N7	5.88	136.42	132.30
1	AA	1487	G	C2-N3-C4	5.88	114.84	111.90
26	BB	29	U	C5'-C4'-O4'	5.88	116.16	109.10
26	BB	51	G	C5-C6-O6	5.88	132.13	128.60
26	BB	1275	A	N1-C2-N3	-5.88	126.36	129.30
26	BB	2070	A	C5-N7-C8	-5.88	100.96	103.90
26	BB	2278	A	O4'-C1'-N9	5.88	112.91	108.20
26	BB	2859	G	C4-C5-C6	5.88	122.33	118.80
1	AA	264	C	C5'-C4'-O4'	-5.88	102.04	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	373	A	C4-C5-N7	5.88	113.64	110.70
1	AA	517	G	N1-C2-N2	-5.88	110.91	116.20
1	AA	524	G	C2-N3-C4	5.88	114.84	111.90
1	AA	565	U	N1-C1'-C2'	-5.88	105.53	112.00
1	AA	608	A	C5-C6-N6	-5.88	118.99	123.70
25	BA	74	U	C1'-O4'-C4'	-5.88	105.19	109.90
25	BA	107	G	C6-C5-N7	-5.88	126.87	130.40
26	BB	117	G	N9-C4-C5	-5.88	103.05	105.40
26	BB	1223	G	N3-C2-N2	5.88	124.02	119.90
26	BB	1853	A	N7-C8-N9	-5.88	110.86	113.80
26	BB	2183	A	O4'-C1'-N9	-5.88	103.50	108.20
26	BB	2369	A	N1-C6-N6	5.88	122.13	118.60
26	BB	2396	G	N9-C4-C5	-5.88	103.05	105.40
1	AA	755	G	C5'-C4'-O4'	5.88	116.16	109.10
1	AA	1230	C	N3-C2-O2	-5.88	117.78	121.90
26	BB	1608	A	O5'-P-OP2	-5.88	100.41	105.70
26	BB	1987	A	C5'-C4'-O4'	5.88	116.16	109.10
1	AA	315	A	O4'-C1'-N9	5.88	112.90	108.20
1	AA	433	G	N3-C4-C5	5.88	131.54	128.60
1	AA	1254	A	C8-N9-C4	-5.88	103.45	105.80
4	AD	50	G	N1-C6-O6	-5.88	116.37	119.90
26	BB	131	A	C8-N9-C4	-5.88	103.45	105.80
26	BB	271	G	N1-C6-O6	5.88	123.43	119.90
26	BB	577	G	N3-C4-N9	5.88	129.53	126.00
26	BB	721	A	C2-N3-C4	5.88	113.54	110.60
26	BB	1880	U	N3-C4-O4	5.88	123.52	119.40
26	BB	2353	G	C5-N7-C8	-5.88	101.36	104.30
26	BB	2395	C	O4'-C4'-C3'	-5.88	98.12	104.00
26	BB	2654	A	C6-N1-C2	-5.88	115.07	118.60
27	BC	56	ASP	CB-CG-OD1	-5.88	113.01	118.30
44	BT	77	PHE	CB-CG-CD2	-5.88	116.69	120.80
1	AA	154	U	N3-C2-O2	-5.88	118.09	122.20
1	AA	162	A	C4-C5-N7	-5.88	107.76	110.70
1	AA	455	G	N9-C4-C5	-5.88	103.05	105.40
1	AA	648	A	C3'-C2'-C1'	-5.88	96.80	101.50
1	AA	720	C	C6-N1-C2	-5.88	117.95	120.30
1	AA	1046	A	C5-C6-N6	-5.88	119.00	123.70
1	AA	1255	G	N7-C8-N9	5.88	116.04	113.10
1	AA	1514	G	N9-C1'-C2'	-5.88	105.54	112.00
2	AB	53	G	C6-C5-N7	-5.88	126.87	130.40
4	AD	28	U	C4-C5-C6	5.88	123.23	119.70
15	AO	120	ARG	NE-CZ-NH1	-5.88	117.36	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	40	U	N3-C4-O4	-5.88	115.29	119.40
26	BB	100	U	P-O3'-C3'	5.88	126.75	119.70
26	BB	246	C	C2-N3-C4	5.88	122.84	119.90
26	BB	326	G	O4'-C1'-N9	5.88	112.90	108.20
26	BB	789	A	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	985	C	O4'-C4'-C3'	5.88	110.80	106.10
26	BB	1073	A	N1-C6-N6	-5.88	115.07	118.60
26	BB	1441	G	O4'-C4'-C3'	5.88	110.80	106.10
26	BB	1572	A	N9-C4-C5	5.88	108.15	105.80
26	BB	1996	C	C1'-O4'-C4'	-5.88	105.20	109.90
26	BB	2218	G	N3-C4-N9	5.88	129.53	126.00
26	BB	2554	U	O4'-C1'-C2'	-5.88	99.92	105.80
26	BB	2679	A	C8-N9-C4	-5.88	103.45	105.80
26	BB	2760	C	N3-C4-C5	-5.88	119.55	121.90
1	AA	1226	C	C6-N1-C2	-5.88	117.95	120.30
2	AB	42	G	C6-N1-C2	-5.88	121.58	125.10
26	BB	246	C	C4'-C3'-C2'	5.88	108.47	102.60
26	BB	1809	A	N1-C6-N6	-5.88	115.08	118.60
26	BB	2373	G	C8-N9-C1'	5.88	134.64	127.00
26	BB	2374	C	N1-C2-O2	5.88	122.42	118.90
26	BB	2617	U	O4'-C1'-N1	5.88	112.90	108.20
26	BB	2838	G	N3-C2-N2	-5.88	115.79	119.90
1	AA	94	G	N1-C2-N2	5.87	121.49	116.20
1	AA	196	A	O4'-C1'-N9	5.87	112.90	108.20
1	AA	264	C	N3-C4-N4	5.87	122.11	118.00
1	AA	359	G	C8-N9-C4	-5.87	104.05	106.40
1	AA	411	A	C5'-C4'-O4'	-5.87	102.05	109.10
1	AA	412	A	C4'-C3'-C2'	5.87	108.47	102.60
1	AA	602	A	C5'-C4'-C3'	-5.87	106.60	116.00
1	AA	1348	U	C5-C6-N1	-5.87	119.76	122.70
1	AA	1497	G	C6-C5-N7	-5.87	126.88	130.40
4	AD	19	G	P-O3'-C3'	5.87	126.75	119.70
4	AD	41	C	C5-C4-N4	5.87	124.31	120.20
26	BB	306	U	C1'-O4'-C4'	-5.87	105.20	109.90
26	BB	409	G	C8-N9-C1'	5.87	134.63	127.00
26	BB	465	G	P-O3'-C3'	5.87	126.75	119.70
26	BB	1020	A	P-O3'-C3'	5.87	126.75	119.70
26	BB	1299	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	1635	A	N9-C4-C5	5.87	108.15	105.80
26	BB	2137	U	N3-C4-C5	5.87	118.12	114.60
26	BB	2666	C	C6-N1-C2	5.87	122.65	120.30
40	BP	22	ARG	NE-CZ-NH1	5.87	123.24	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	817	C	C3'-C2'-C1'	-5.87	96.80	101.50
1	AA	940	C	N1-C1'-C2'	-5.87	105.54	112.00
1	AA	1260	G	C6-N1-C2	-5.87	121.58	125.10
4	AD	11	A	O4'-C4'-C3'	5.87	110.80	106.10
4	AD	11	A	N9-C1'-C2'	-5.87	105.54	112.00
19	AS	16	PHE	CB-CG-CD1	-5.87	116.69	120.80
25	BA	119	A	C4-C5-N7	-5.87	107.76	110.70
26	BB	274	C	N3-C2-O2	-5.87	117.79	121.90
26	BB	392	U	O4'-C1'-C2'	-5.87	99.93	105.80
26	BB	694	U	C2-N3-C4	5.87	130.52	127.00
26	BB	823	C	C5-C4-N4	5.87	124.31	120.20
26	BB	874	G	C4'-C3'-C2'	-5.87	96.73	102.60
26	BB	1185	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	1325	U	N1-C2-N3	5.87	118.42	114.90
26	BB	1432	G	N3-C4-N9	5.87	129.52	126.00
26	BB	1826	G	N3-C2-N2	-5.87	115.79	119.90
26	BB	1968	G	O4'-C1'-N9	5.87	112.90	108.20
26	BB	2468	A	C5-C6-N6	5.87	128.40	123.70
1	AA	244	U	O5'-P-OP1	-5.87	100.42	105.70
1	AA	866	C	P-O5'-C5'	5.87	130.29	120.90
1	AA	1216	A	C4-C5-C6	-5.87	114.06	117.00
4	AD	57	C	N3-C4-N4	5.87	122.11	118.00
25	BA	84	G	C5'-C4'-O4'	5.87	116.14	109.10
26	BB	102	U	C5-C6-N1	-5.87	119.77	122.70
26	BB	1177	G	N9-C1'-C2'	-5.87	105.54	112.00
26	BB	1541	C	O4'-C1'-N1	5.87	112.90	108.20
26	BB	1709	U	N3-C4-O4	5.87	123.51	119.40
26	BB	2002	G	N3-C2-N2	-5.87	115.79	119.90
26	BB	2025	C	C5'-C4'-O4'	5.87	116.14	109.10
26	BB	2269	G	N3-C2-N2	5.87	124.01	119.90
26	BB	2311	A	C5-C6-N1	5.87	120.64	117.70
26	BB	2473	U	C6-N1-C2	-5.87	117.48	121.00
26	BB	2839	G	N9-C4-C5	5.87	107.75	105.40
1	AA	112	G	C4-C5-C6	5.87	122.32	118.80
1	AA	204	G	N3-C4-N9	5.87	129.52	126.00
1	AA	640	A	C8-N9-C4	-5.87	103.45	105.80
1	AA	1476	A	N1-C2-N3	5.87	132.23	129.30
1	AA	1501	C	O4'-C1'-C2'	5.87	112.88	107.60
4	AD	54	G	O5'-P-OP1	-5.87	100.42	105.70
25	BA	69	G	N1-C2-N2	5.87	121.48	116.20
25	BA	99	A	C8-N9-C4	5.87	108.15	105.80
26	BB	72	U	N1-C2-N3	5.87	118.42	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1264	A	C5-N7-C8	-5.87	100.97	103.90
26	BB	1509	A	C5'-C4'-O4'	5.87	116.14	109.10
26	BB	1773	A	N9-C4-C5	-5.87	103.45	105.80
26	BB	1859	U	N3-C2-O2	-5.87	118.09	122.20
26	BB	1904	G	C5-C6-N1	5.87	114.43	111.50
26	BB	2562	U	C3'-C2'-C1'	5.87	106.19	101.50
37	BM	105	ARG	NE-CZ-NH1	5.87	123.23	120.30
1	AA	354	G	N3-C4-C5	-5.87	125.67	128.60
26	BB	2156	G	C6-N1-C2	-5.87	121.58	125.10
26	BB	2709	G	C5'-C4'-C3'	-5.87	106.61	116.00
26	BB	2889	C	N3-C4-C5	5.87	124.25	121.90
1	AA	831	A	C5-C6-N1	5.87	120.63	117.70
1	AA	1103	C	N3-C4-C5	-5.87	119.55	121.90
1	AA	1272	G	C2-N3-C4	5.87	114.83	111.90
1	AA	1537	U	N1-C2-N3	5.87	118.42	114.90
26	BB	736	C	C5-C4-N4	5.87	124.31	120.20
26	BB	950	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	1625	C	C2-N3-C4	5.87	122.83	119.90
26	BB	2069	7MG	P-O3'-C3'	5.87	126.74	119.70
26	BB	2201	G	C4'-C3'-C2'	-5.87	96.73	102.60
34	BJ	28	ASP	CB-CG-OD1	-5.87	113.02	118.30
1	AA	32	A	N1-C2-N3	-5.86	126.37	129.30
1	AA	134	G	C5-N7-C8	-5.86	101.37	104.30
1	AA	247	G	N3-C2-N2	-5.86	115.80	119.90
1	AA	282	A	N3-C4-C5	-5.86	122.69	126.80
1	AA	442	G	C1'-O4'-C4'	5.86	114.59	109.90
1	AA	686	U	C5-C4-O4	-5.86	122.38	125.90
1	AA	878	A	N1-C2-N3	-5.86	126.37	129.30
1	AA	916	U	N1-C2-N3	5.86	118.42	114.90
1	AA	1258	G	O4'-C4'-C3'	5.86	110.79	106.10
1	AA	1335	U	N3-C2-O2	-5.86	118.09	122.20
1	AA	1526	G	N3-C4-C5	-5.86	125.67	128.60
2	AB	38	A	C4-C5-N7	5.86	113.63	110.70
26	BB	687	C	N3-C4-N4	-5.86	113.89	118.00
26	BB	1345	C	N1-C2-N3	-5.86	115.09	119.20
26	BB	1433	A	C3'-C2'-C1'	-5.86	96.81	101.50
26	BB	1548	A	C3'-C2'-C1'	5.86	106.19	101.50
26	BB	2007	U	C5'-C4'-C3'	-5.86	106.62	116.00
33	BI	130	VAL	CG1-CB-CG2	-5.86	101.52	110.90
1	AA	109	A	C5'-C4'-C3'	-5.86	106.62	116.00
1	AA	1067	A	N9-C4-C5	-5.86	103.45	105.80
1	AA	1293	C	N3-C2-O2	-5.86	117.80	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	16	A	C3'-C2'-C1'	5.86	106.19	101.50
26	BB	669	G	C4-C5-N7	-5.86	108.45	110.80
26	BB	1297	C	C5'-C4'-C3'	-5.86	106.62	116.00
26	BB	1483	G	C5-N7-C8	-5.86	101.37	104.30
26	BB	1527	G	C5-C6-N1	-5.86	108.57	111.50
26	BB	1759	A	N1-C2-N3	-5.86	126.37	129.30
1	AA	129	A	O4'-C4'-C3'	5.86	110.79	106.10
1	AA	178	C	O4'-C1'-N1	5.86	112.89	108.20
1	AA	261	U	C3'-C2'-C1'	5.86	106.19	101.50
1	AA	731	G	C8-N9-C4	-5.86	104.06	106.40
1	AA	1212	U	C5-C4-O4	-5.86	122.38	125.90
1	AA	1228	C	C4'-C3'-C2'	-5.86	96.74	102.60
1	AA	1438	G	N3-C4-N9	5.86	129.52	126.00
25	BA	10	G	C8-N9-C4	-5.86	104.06	106.40
26	BB	79	C	C4-C5-C6	-5.86	114.47	117.40
26	BB	546	U	O4'-C1'-N1	5.86	112.89	108.20
26	BB	630	G	C5-C6-N1	5.86	114.43	111.50
26	BB	698	C	C2-N1-C1'	-5.86	112.35	118.80
26	BB	717	C	N1-C2-O2	5.86	122.42	118.90
26	BB	887	U	C4-C5-C6	5.86	123.22	119.70
26	BB	1077	A	N1-C2-N3	-5.86	126.37	129.30
38	BN	48	ARG	NE-CZ-NH2	5.86	123.23	120.30
39	BO	108	VAL	CA-CB-CG2	5.86	119.69	110.90
1	AA	1530	G	C6-N1-C2	-5.86	121.58	125.10
4	AD	67	C	C4'-C3'-C2'	-5.86	96.74	102.60
15	AO	44	PRO	N-CA-CB	5.86	110.33	103.30
25	BA	15	A	C6-N1-C2	5.86	122.12	118.60
26	BB	113	U	P-O3'-C3'	5.86	126.73	119.70
26	BB	386	G	C2-N3-C4	5.86	114.83	111.90
26	BB	862	G	N7-C8-N9	5.86	116.03	113.10
26	BB	1278	C	P-O3'-C3'	5.86	126.73	119.70
26	BB	1439	A	N9-C4-C5	5.86	108.14	105.80
26	BB	2355	G	C5-N7-C8	5.86	107.23	104.30
26	BB	2412	A	C4-C5-N7	-5.86	107.77	110.70
1	AA	16	A	C8-N9-C4	-5.86	103.46	105.80
1	AA	74	A	C5'-C4'-O4'	5.86	116.13	109.10
1	AA	378	G	N9-C1'-C2'	-5.86	105.56	112.00
1	AA	1517	G	C8-N9-C1'	5.86	134.62	127.00
2	AB	59	G	N1-C6-O6	-5.86	116.39	119.90
11	AK	77	VAL	CA-CB-CG2	5.86	119.69	110.90
26	BB	23	G	C8-N9-C4	-5.86	104.06	106.40
26	BB	46	G	O4'-C4'-C3'	-5.86	98.14	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	620	G	O3'-P-O5'	5.86	115.13	104.00
26	BB	1395	A	C4-C5-N7	-5.86	107.77	110.70
26	BB	1609	A	C2-N3-C4	5.86	113.53	110.60
26	BB	1877	A	P-O3'-C3'	5.86	126.73	119.70
26	BB	2075	U	C1'-O4'-C4'	-5.86	105.22	109.90
54	B3	50	GLY	C-N-CA	5.86	136.34	121.70
1	AA	14	U	C5'-C4'-O4'	5.86	116.13	109.10
1	AA	37	U	O4'-C1'-N1	5.86	112.89	108.20
1	AA	137	U	N1-C2-N3	5.86	118.41	114.90
1	AA	188	C	P-O3'-C3'	5.86	126.73	119.70
1	AA	508	U	C2-N3-C4	-5.86	123.49	127.00
1	AA	629	A	C5'-C4'-O4'	5.86	116.13	109.10
1	AA	962	C	C3'-C2'-C1'	5.86	106.18	101.50
1	AA	1427	C	N1-C1'-C2'	-5.86	105.56	112.00
4	AD	35	C	C5-C4-N4	5.86	124.30	120.20
22	AV	40	PHE	CD1-CE1-CZ	-5.86	113.07	120.10
26	BB	1029	A	N7-C8-N9	5.86	116.73	113.80
26	BB	1255	U	N1-C2-N3	5.86	118.41	114.90
26	BB	1345	C	C2-N3-C4	5.86	122.83	119.90
26	BB	1973	G	C2-N3-C4	5.86	114.83	111.90
26	BB	2140	G	N3-C4-N9	5.86	129.51	126.00
27	BC	162	ARG	CD-NE-CZ	5.86	131.80	123.60
1	AA	287	U	C2-N3-C4	-5.85	123.49	127.00
1	AA	1106	G	C4'-C3'-C2'	-5.85	96.75	102.60
1	AA	1394	A	C6-N1-C2	5.85	122.11	118.60
26	BB	122	G	N1-C2-N3	-5.85	120.39	123.90
26	BB	567	U	N3-C4-C5	-5.85	111.09	114.60
26	BB	1498	C	C4-C5-C6	-5.85	114.47	117.40
46	BV	76	ARG	NH1-CZ-NH2	-5.85	112.96	119.40
1	AA	59	A	C4-C5-C6	5.85	119.93	117.00
1	AA	149	A	N1-C2-N3	-5.85	126.37	129.30
1	AA	184	G	O4'-C1'-N9	5.85	112.88	108.20
1	AA	407	U	N3-C4-O4	5.85	123.50	119.40
1	AA	775	G	N3-C4-C5	-5.85	125.67	128.60
7	AG	64	TYR	CB-CG-CD2	-5.85	117.49	121.00
26	BB	74	A	C8-N9-C4	-5.85	103.46	105.80
26	BB	383	C	C5-C4-N4	-5.85	116.10	120.20
26	BB	495	G	C6-N1-C2	-5.85	121.59	125.10
26	BB	565	C	C5-C4-N4	-5.85	116.10	120.20
26	BB	1241	A	C5'-C4'-O4'	5.85	116.12	109.10
26	BB	1475	G	C8-N9-C1'	5.85	134.61	127.00
26	BB	1629	U	C2-N3-C4	-5.85	123.49	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1642	G	O4'-C1'-N9	5.85	112.88	108.20
26	BB	1864	U	N3-C2-O2	-5.85	118.10	122.20
26	BB	1956	U	C1'-O4'-C4'	-5.85	105.22	109.90
26	BB	1972	G	C4'-C3'-C2'	-5.85	96.75	102.60
26	BB	2428	G	C5-C6-O6	5.85	132.11	128.60
26	BB	2502	G	C8-N9-C4	-5.85	104.06	106.40
26	BB	2893	A	P-O3'-C3'	5.85	126.72	119.70
32	BH	125	PRO	N-CA-CB	5.85	110.32	103.30
1	AA	39	G	C2-N3-C4	5.85	114.83	111.90
1	AA	336	A	C6-N1-C2	-5.85	115.09	118.60
26	BB	379	G	C5-N7-C8	5.85	107.23	104.30
26	BB	926	G	C4'-C3'-C2'	-5.85	96.75	102.60
26	BB	1967	C	C5'-C4'-C3'	-5.85	106.64	116.00
26	BB	2168	G	C6-C5-N7	-5.85	126.89	130.40
26	BB	2673	G	C3'-C2'-C1'	5.85	106.18	101.50
1	AA	94	G	N3-C4-C5	-5.85	125.67	128.60
1	AA	484	G	N9-C1'-C2'	-5.85	105.57	112.00
1	AA	721	G	N1-C2-N3	5.85	127.41	123.90
1	AA	742	G	C6-N1-C2	-5.85	121.59	125.10
1	AA	768	A	C5'-C4'-O4'	5.85	116.12	109.10
1	AA	884	U	N3-C2-O2	-5.85	118.11	122.20
26	BB	113	U	C5'-C4'-C3'	-5.85	106.64	116.00
26	BB	114	U	O4'-C4'-C3'	5.85	110.78	106.10
26	BB	211	C	C2-N3-C4	-5.85	116.97	119.90
26	BB	742	A	N3-C4-C5	-5.85	122.70	126.80
26	BB	743	A	C5'-C4'-C3'	-5.85	106.64	116.00
26	BB	749	A	C4-C5-C6	-5.85	114.08	117.00
26	BB	1818	U	N3-C4-O4	5.85	123.50	119.40
26	BB	2162	G	C6-C5-N7	5.85	133.91	130.40
26	BB	2350	C	C3'-C2'-C1'	-5.85	96.82	101.50
1	AA	71	A	C3'-C2'-C1'	5.85	106.18	101.50
1	AA	716	A	C5'-C4'-O4'	5.85	116.12	109.10
1	AA	793	U	C6-N1-C2	-5.85	117.49	121.00
1	AA	1494	G	P-O3'-C3'	5.85	126.72	119.70
4	AD	64	G	C6-N1-C2	5.85	128.61	125.10
25	BA	109	A	N1-C6-N6	5.85	122.11	118.60
26	BB	67	U	C4-C5-C6	-5.85	116.19	119.70
26	BB	123	G	O4'-C1'-N9	5.85	112.88	108.20
26	BB	232	G	C1'-O4'-C4'	-5.85	105.22	109.90
26	BB	262	A	C4-C5-C6	-5.85	114.08	117.00
26	BB	303	G	C8-N9-C4	-5.85	104.06	106.40
26	BB	1571	A	C2-N3-C4	5.85	113.52	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1983	G	O4'-C4'-C3'	5.85	110.78	106.10
26	BB	2094	A	C4'-C3'-C2'	-5.85	96.75	102.60
26	BB	2110	G	N3-C2-N2	5.85	123.99	119.90
26	BB	2246	G	C4'-C3'-C2'	-5.85	96.75	102.60
26	BB	2330	G	C8-N9-C4	-5.85	104.06	106.40
26	BB	2474	U	N1-C2-N3	-5.85	111.39	114.90
26	BB	2569	G	N3-C4-N9	5.85	129.51	126.00
26	BB	2842	G	C1'-O4'-C4'	-5.85	105.22	109.90
40	BP	45	ARG	NE-CZ-NH2	5.85	123.22	120.30
1	AA	115	G	O4'-C4'-C3'	5.85	110.78	106.10
1	AA	1304	G	OP2-P-O3'	5.85	118.06	105.20
26	BB	155	A	N7-C8-N9	-5.85	110.88	113.80
26	BB	392	U	C2-N3-C4	-5.85	123.49	127.00
26	BB	1129	A	C4-C5-C6	5.85	119.92	117.00
26	BB	2006	C	C4-C5-C6	5.85	120.32	117.40
26	BB	2326	C	N1-C2-O2	5.85	122.41	118.90
26	BB	2854	G	N1-C2-N3	-5.85	120.39	123.90
38	BN	59	ARG	NH1-CZ-NH2	-5.85	112.97	119.40
1	AA	11	G	O4'-C1'-N9	5.84	112.88	108.20
1	AA	1104	G	N9-C4-C5	5.84	107.74	105.40
26	BB	420	C	C5-C6-N1	5.84	123.92	121.00
26	BB	438	G	C4-C5-C6	5.84	122.31	118.80
26	BB	546	U	C2-N3-C4	5.84	130.51	127.00
26	BB	1310	G	C8-N9-C1'	5.84	134.60	127.00
26	BB	2201	G	N3-C4-C5	-5.84	125.68	128.60
26	BB	2540	C	N1-C2-O2	5.84	122.41	118.90
26	BB	2582	G	N7-C8-N9	5.84	116.02	113.10
26	BB	2587	A	C8-N9-C4	-5.84	103.46	105.80
26	BB	2837	A	C3'-C2'-C1'	5.84	106.18	101.50
26	BB	2865	U	N3-C4-O4	-5.84	115.31	119.40
40	BP	12	ARG	NE-CZ-NH1	5.84	123.22	120.30
48	BX	51	GLN	N-CA-CB	-5.84	100.08	110.60
1	AA	234	C	P-O3'-C3'	5.84	126.71	119.70
1	AA	869	G	O4'-C4'-C3'	5.84	110.78	106.10
1	AA	1123	U	N1-C2-N3	5.84	118.41	114.90
26	BB	555	G	N1-C2-N3	-5.84	120.39	123.90
26	BB	648	G	C5-N7-C8	-5.84	101.38	104.30
26	BB	2717	C	N3-C4-N4	5.84	122.09	118.00
26	BB	2742	G	C2-N3-C4	-5.84	108.98	111.90
1	AA	144	G	C5-N7-C8	-5.84	101.38	104.30
1	AA	149	A	N1-C6-N6	-5.84	115.09	118.60
1	AA	727	G	C6-C5-N7	-5.84	126.89	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	749	A	C3'-C2'-C1'	5.84	106.17	101.50
1	AA	802	A	N1-C2-N3	-5.84	126.38	129.30
1	AA	836	G	C4-C5-N7	-5.84	108.46	110.80
1	AA	877	G	C5-C6-N1	5.84	114.42	111.50
1	AA	913	A	C4-C5-C6	-5.84	114.08	117.00
1	AA	963	G	C5'-C4'-O4'	5.84	116.11	109.10
1	AA	1077	G	N3-C4-C5	-5.84	125.68	128.60
1	AA	1226	C	N1-C2-O2	5.84	122.41	118.90
1	AA	1231	G	N1-C2-N2	-5.84	110.94	116.20
15	AO	52	CYS	O-C-N	5.84	132.04	122.70
25	BA	83	G	O4'-C1'-N9	5.84	112.87	108.20
26	BB	44	A	C2-N3-C4	5.84	113.52	110.60
26	BB	821	A	N3-C4-C5	-5.84	122.71	126.80
26	BB	1021	A	O4'-C1'-C2'	-5.84	99.96	105.80
26	BB	1049	C	N3-C4-N4	5.84	122.09	118.00
26	BB	1090	A	N7-C8-N9	-5.84	110.88	113.80
26	BB	1281	G	C2-N3-C4	5.84	114.82	111.90
26	BB	1418	G	C5-C6-O6	-5.84	125.09	128.60
26	BB	1530	G	N7-C8-N9	5.84	116.02	113.10
26	BB	2058	A	O4'-C1'-N9	5.84	112.87	108.20
26	BB	2070	A	O4'-C1'-N9	5.84	112.87	108.20
26	BB	2081	U	N1-C1'-C2'	-5.84	105.57	112.00
26	BB	2572	A	C2-N3-C4	5.84	113.52	110.60
26	BB	2871	U	C5-C6-N1	5.84	125.62	122.70
1	AA	61	G	C8-N9-C4	-5.84	104.06	106.40
1	AA	70	U	C6-N1-C2	5.84	124.50	121.00
1	AA	1200	C	N1-C2-O2	5.84	122.40	118.90
1	AA	1268	G	N3-C4-N9	-5.84	122.50	126.00
3	AC	25	U	C6-N1-C2	-5.84	117.50	121.00
6	AF	92	ASP	CB-CG-OD1	-5.84	113.04	118.30
26	BB	389	G	N1-C2-N3	-5.84	120.40	123.90
26	BB	435	C	N3-C4-C5	5.84	124.24	121.90
26	BB	445	C	N3-C4-C5	-5.84	119.56	121.90
26	BB	725	G	N1-C2-N3	-5.84	120.40	123.90
26	BB	882	G	C4-C5-C6	5.84	122.30	118.80
26	BB	945	A	C5-C6-N6	-5.84	119.03	123.70
26	BB	2066	C	N3-C4-C5	-5.84	119.56	121.90
26	BB	2137	U	N3-C2-O2	-5.84	118.11	122.20
26	BB	2300	C	C1'-O4'-C4'	-5.84	105.23	109.90
1	AA	142	G	O4'-C4'-C3'	5.84	110.77	106.10
1	AA	281	G	O4'-C1'-N9	5.84	112.87	108.20
1	AA	1351	U	N3-C2-O2	-5.84	118.11	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	403	U	C3'-C2'-C1'	-5.84	96.83	101.50
26	BB	1275	A	C6-N1-C2	5.84	122.10	118.60
26	BB	1385	A	O5'-P-OP1	-5.84	100.45	105.70
26	BB	2505	G	C4-C5-N7	-5.84	108.47	110.80
1	AA	136	C	C1'-O4'-C4'	-5.84	105.23	109.90
1	AA	190	A	P-O3'-C3'	5.84	126.70	119.70
1	AA	617	G	C5-C6-N1	5.84	114.42	111.50
1	AA	804	U	C4'-C3'-C2'	-5.84	96.76	102.60
3	AC	22	G	C4'-C3'-C2'	5.84	108.44	102.60
18	AR	53	ARG	NE-CZ-NH2	5.84	123.22	120.30
25	BA	61	G	C8-N9-C4	-5.84	104.06	106.40
26	BB	95	A	C5'-C4'-O4'	5.84	116.10	109.10
26	BB	295	G	N1-C2-N2	5.84	121.45	116.20
26	BB	345	A	N3-C4-C5	-5.84	122.72	126.80
26	BB	589	U	N1-C1'-C2'	-5.84	105.58	112.00
26	BB	892	A	C6-N1-C2	5.84	122.10	118.60
26	BB	1985	C	O4'-C1'-N1	5.84	112.87	108.20
26	BB	1994	C	C2-N3-C4	-5.84	116.98	119.90
26	BB	2276	G	C3'-C2'-C1'	5.84	106.17	101.50
26	BB	2376	A	C6-N1-C2	-5.84	115.10	118.60
36	BL	4	PHE	CG-CD2-CE2	-5.84	114.38	120.80
2	AB	23	A	C1'-O4'-C4'	-5.83	105.23	109.90
26	BB	24	G	C5'-C4'-C3'	-5.83	106.66	116.00
26	BB	691	C	N3-C4-N4	5.83	122.08	118.00
26	BB	929	U	C3'-C2'-C1'	-5.83	96.83	101.50
26	BB	1042	G	C5'-C4'-O4'	5.83	116.10	109.10
26	BB	1103	A	C8-N9-C4	5.83	108.13	105.80
26	BB	1664	A	C2-N3-C4	5.83	113.52	110.60
26	BB	1801	A	C5-C6-N1	5.83	120.62	117.70
1	AA	104	G	C6-N1-C2	-5.83	121.60	125.10
1	AA	277	C	P-O3'-C3'	5.83	126.70	119.70
1	AA	660	C	N3-C4-N4	5.83	122.08	118.00
1	AA	1222	G	N9-C4-C5	5.83	107.73	105.40
2	AB	71	C	C5'-C4'-C3'	-5.83	106.67	116.00
25	BA	116	G	N1-C2-N2	5.83	121.45	116.20
26	BB	47	C	C3'-C2'-C1'	-5.83	96.83	101.50
26	BB	197	A	C4-C5-N7	5.83	113.62	110.70
26	BB	320	A	N1-C2-N3	-5.83	126.38	129.30
26	BB	1082	U	P-O3'-C3'	5.83	126.70	119.70
1	AA	107	G	C3'-C2'-C1'	-5.83	96.83	101.50
1	AA	446	G	O4'-C1'-N9	5.83	112.87	108.20
1	AA	588	G	N1-C6-O6	5.83	123.40	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	620	C	N3-C4-C5	-5.83	119.57	121.90
1	AA	1213	A	N1-C2-N3	-5.83	126.38	129.30
1	AA	1425	U	N1-C2-O2	-5.83	118.72	122.80
26	BB	77	G	N3-C4-C5	-5.83	125.68	128.60
26	BB	530	G	C6-N1-C2	-5.83	121.60	125.10
26	BB	1381	G	N9-C1'-C2'	-5.83	105.59	112.00
26	BB	1789	A	C5-C6-N1	-5.83	114.78	117.70
26	BB	2166	U	C2-N3-C4	-5.83	123.50	127.00
26	BB	2476	A	N7-C8-N9	-5.83	110.88	113.80
26	BB	2711	A	C4-C5-C6	-5.83	114.08	117.00
26	BB	2852	G	C4-C5-N7	-5.83	108.47	110.80
26	BB	2886	A	N9-C4-C5	5.83	108.13	105.80
43	BS	57	ARG	NE-CZ-NH1	5.83	123.22	120.30
1	AA	805	C	C3'-C2'-C1'	5.83	106.16	101.50
25	BA	81	G	C5'-C4'-C3'	-5.83	106.67	116.00
26	BB	516	C	N3-C2-O2	-5.83	117.82	121.90
26	BB	675	A	N9-C4-C5	5.83	108.13	105.80
26	BB	681	G	O4'-C1'-N9	5.83	112.86	108.20
26	BB	875	G	C5-N7-C8	-5.83	101.39	104.30
26	BB	2454	G	C6-N1-C2	-5.83	121.60	125.10
26	BB	2793	C	N1-C2-O2	5.83	122.40	118.90
1	AA	376	G	C4-C5-N7	-5.83	108.47	110.80
1	AA	572	A	C6-N1-C2	5.83	122.10	118.60
1	AA	929	G	N3-C2-N2	-5.83	115.82	119.90
1	AA	1302	C	C4-C5-C6	5.83	120.31	117.40
10	AJ	125	ASP	CB-CG-OD1	5.83	123.55	118.30
26	BB	92	U	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	114	U	N1-C1'-C2'	5.83	121.58	114.00
26	BB	189	G	C8-N9-C4	-5.83	104.07	106.40
26	BB	260	G	C6-N1-C2	-5.83	121.60	125.10
26	BB	415	A	C5-C6-N6	-5.83	119.04	123.70
26	BB	752	A	C2-N3-C4	5.83	113.51	110.60
26	BB	933	A	C6-C5-N7	-5.83	128.22	132.30
26	BB	1082	U	C2-N3-C4	-5.83	123.50	127.00
26	BB	1667	G	C1'-O4'-C4'	5.83	114.56	109.90
26	BB	1729	U	C2-N3-C4	-5.83	123.50	127.00
26	BB	1839	G	N1-C2-N3	-5.83	120.40	123.90
26	BB	1873	G	C4-C5-N7	-5.83	108.47	110.80
26	BB	1926	U	N3-C4-O4	5.83	123.48	119.40
26	BB	2147	A	O4'-C4'-C3'	5.83	110.76	106.10
26	BB	2517	C	C5-C4-N4	-5.83	116.12	120.20
26	BB	2565	A	O4'-C4'-C3'	-5.83	98.17	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	B5	41	ARG	CD-NE-CZ	5.83	131.76	123.60
1	AA	780	A	C5'-C4'-O4'	5.83	116.09	109.10
1	AA	1479	C	C5-C6-N1	-5.83	118.09	121.00
1	AA	1524	C	N1-C2-O2	5.83	122.40	118.90
8	AH	75	LEU	CB-CG-CD2	-5.83	101.09	111.00
25	BA	46	A	C5-C6-N1	5.83	120.61	117.70
25	BA	66	A	C2-N3-C4	5.83	113.51	110.60
26	BB	675	A	O4'-C1'-N9	-5.83	103.54	108.20
26	BB	1088	A	O4'-C1'-C2'	-5.83	99.97	105.80
26	BB	2301	C	C1'-O4'-C4'	-5.83	105.24	109.90
1	AA	119	A	O4'-C1'-N9	5.83	112.86	108.20
1	AA	350	G	C8-N9-C4	-5.83	104.07	106.40
1	AA	786	G	C1'-O4'-C4'	5.83	114.56	109.90
1	AA	926	G	C4'-C3'-O3'	5.83	124.65	113.00
1	AA	1203	C	C4'-C3'-C2'	-5.83	96.78	102.60
26	BB	314	C	C2-N3-C4	5.83	122.81	119.90
26	BB	1312	U	C5-C6-N1	-5.83	119.79	122.70
26	BB	1384	A	C2-N3-C4	5.83	113.51	110.60
26	BB	1870	C	C3'-C2'-C1'	5.83	106.16	101.50
26	BB	2256	G	N9-C4-C5	5.83	107.73	105.40
26	BB	2434	A	N7-C8-N9	5.83	116.71	113.80
41	BQ	100	HIS	CA-CB-CG	5.83	123.50	113.60
1	AA	796	C	N3-C4-N4	5.82	122.08	118.00
1	AA	850	U	N3-C4-O4	5.82	123.48	119.40
1	AA	890	G	C4-C5-N7	5.82	113.13	110.80
1	AA	1156	G	O4'-C1'-C2'	5.82	112.84	107.60
16	AP	19	THR	CA-CB-CG2	5.82	120.55	112.40
26	BB	774	G	P-O3'-C3'	5.82	126.69	119.70
26	BB	2275	C	C2-N3-C4	-5.82	116.99	119.90
26	BB	2650	U	C2-N3-C4	-5.82	123.51	127.00
26	BB	2655	G	C6-C5-N7	-5.82	126.91	130.40
47	BW	94	PHE	CB-CG-CD2	5.82	124.88	120.80
1	AA	682	G	N7-C8-N9	5.82	116.01	113.10
4	AD	4	G	O4'-C1'-N9	5.82	112.86	108.20
26	BB	539	G	C6-C5-N7	5.82	133.89	130.40
26	BB	1041	G	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	2144	G	N9-C4-C5	5.82	107.73	105.40
26	BB	2277	G	C5-N7-C8	-5.82	101.39	104.30
26	BB	2805	C	C5'-C4'-O4'	5.82	116.09	109.10
1	AA	362	G	O4'-C1'-N9	5.82	112.86	108.20
1	AA	406	G	C2-N3-C4	5.82	114.81	111.90
1	AA	1014	A	C6-C5-N7	5.82	136.38	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1125	U	C5-C6-N1	5.82	125.61	122.70
1	AA	1270	G	C4-C5-N7	-5.82	108.47	110.80
1	AA	1301	U	C3'-C2'-C1'	-5.82	96.84	101.50
19	AS	56	ARG	NE-CZ-NH1	5.82	123.21	120.30
20	AT	75	VAL	CB-CA-C	5.82	122.46	111.40
25	BA	67	G	N1-C6-O6	5.82	123.39	119.90
26	BB	144	A	C5-C6-N1	-5.82	114.79	117.70
26	BB	290	U	O4'-C1'-N1	5.82	112.86	108.20
26	BB	474	G	O4'-C1'-N9	5.82	112.86	108.20
26	BB	587	C	O4'-C1'-C2'	-5.82	99.98	105.80
26	BB	727	A	C5-C6-N1	-5.82	114.79	117.70
26	BB	1116	G	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	1177	G	C5-C6-N1	5.82	114.41	111.50
26	BB	2569	G	C1'-O4'-C4'	-5.82	105.24	109.90
26	BB	2625	G	C1'-O4'-C4'	-5.82	105.24	109.90
26	BB	2718	G	C2-N3-C4	5.82	114.81	111.90
26	BB	2732	G	N1-C6-O6	-5.82	116.41	119.90
36	BL	42	ALA	N-CA-CB	-5.82	101.95	110.10
1	AA	45	G	O4'-C1'-N9	5.82	112.86	108.20
1	AA	506	G	C6-N1-C2	-5.82	121.61	125.10
1	AA	764	C	N1-C1'-C2'	-5.82	105.60	112.00
1	AA	1254	A	C4-C5-C6	5.82	119.91	117.00
12	AL	86	LEU	CB-CG-CD2	5.82	120.89	111.00
26	BB	857	G	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	1142	A	O3'-P-O5'	5.82	115.06	104.00
26	BB	1203	U	C2-N3-C4	-5.82	123.51	127.00
26	BB	2202	U	C5'-C4'-C3'	-5.82	106.69	116.00
26	BB	2344	U	O3'-P-O5'	5.82	115.06	104.00
26	BB	2489	U	O4'-C4'-C3'	5.82	110.75	106.10
1	AA	15	G	C8-N9-C4	5.82	108.73	106.40
1	AA	441	A	N1-C6-N6	5.82	122.09	118.60
1	AA	523	A	C6-N1-C2	-5.82	115.11	118.60
1	AA	548	G	C5-C6-N1	-5.82	108.59	111.50
1	AA	664	G	C2-N3-C4	-5.82	108.99	111.90
19	AS	5	ARG	NE-CZ-NH2	-5.82	117.39	120.30
26	BB	234	U	C2-N3-C4	-5.82	123.51	127.00
26	BB	300	A	N9-C4-C5	-5.82	103.47	105.80
26	BB	702	U	P-O3'-C3'	5.82	126.68	119.70
26	BB	1128	G	N9-C4-C5	5.82	107.73	105.40
26	BB	1325	U	C6-N1-C2	-5.82	117.51	121.00
26	BB	1409	U	C5-C4-O4	-5.82	122.41	125.90
26	BB	1482	G	N3-C4-C5	-5.82	125.69	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1586	A	C5-C6-N1	-5.82	114.79	117.70
26	BB	2319	G	N3-C4-C5	-5.82	125.69	128.60
26	BB	2320	U	C1'-O4'-C4'	-5.82	105.25	109.90
26	BB	2380	C	O4'-C4'-C3'	-5.82	98.18	104.00
26	BB	2543	G	C5-C6-O6	5.82	132.09	128.60
26	BB	2557	G	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	2880	C	C5-C6-N1	5.82	123.91	121.00
39	BO	59	ARG	CD-NE-CZ	5.82	131.74	123.60
43	BS	100	PHE	CB-CG-CD2	-5.82	116.73	120.80
44	BT	53	PHE	CB-CG-CD1	-5.82	116.73	120.80
1	AA	245	U	C4'-C3'-C2'	-5.82	96.78	102.60
1	AA	583	A	N1-C2-N3	5.82	132.21	129.30
1	AA	676	A	C1'-O4'-C4'	5.82	114.55	109.90
1	AA	715	A	C6-N1-C2	-5.82	115.11	118.60
1	AA	1481	U	P-O3'-C3'	5.82	126.68	119.70
3	AC	37	G	N1-C6-O6	5.82	123.39	119.90
26	BB	129	C	N1-C1'-C2'	-5.82	105.60	112.00
26	BB	301	G	P-O3'-C3'	5.82	126.68	119.70
26	BB	760	G	N7-C8-N9	5.82	116.01	113.10
26	BB	1998	A	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	2098	U	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	2241	A	N1-C2-N3	-5.82	126.39	129.30
26	BB	2269	G	N9-C1'-C2'	-5.82	105.60	112.00
26	BB	2777	G	P-O3'-C3'	5.82	126.68	119.70
26	BB	2838	G	C5-N7-C8	5.82	107.21	104.30
47	BW	33	VAL	CA-CB-CG2	5.82	119.62	110.90
1	AA	164	G	N1-C2-N3	-5.81	120.41	123.90
1	AA	180	U	C5'-C4'-O4'	5.81	116.08	109.10
1	AA	250	A	N7-C8-N9	5.81	116.71	113.80
1	AA	1002	G	C5-C6-N1	5.81	114.41	111.50
1	AA	1404	C	N3-C4-C5	-5.81	119.57	121.90
2	AB	25	C	C4-C5-C6	-5.81	114.49	117.40
4	AD	53	G	O4'-C1'-N9	5.81	112.85	108.20
26	BB	97	C	O3'-P-O5'	5.81	115.05	104.00
26	BB	2676	C	P-O5'-C5'	5.81	130.20	120.90
1	AA	212	G	C2-N3-C4	5.81	114.81	111.90
1	AA	438	U	N3-C2-O2	5.81	126.27	122.20
1	AA	972	C	C6-N1-C1'	5.81	127.77	120.80
1	AA	1011	C	C5'-C4'-O4'	5.81	116.08	109.10
1	AA	1021	A	N3-C4-N9	-5.81	122.75	127.40
1	AA	1194	U	N1-C2-N3	5.81	118.39	114.90
1	AA	1312	G	C4'-C3'-C2'	-5.81	96.79	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	37	U	O4'-C1'-N1	5.81	112.85	108.20
23	AW	35	TYR	CB-CG-CD2	-5.81	117.51	121.00
25	BA	113	C	O4'-C1'-N1	5.81	112.85	108.20
26	BB	45	G	N7-C8-N9	-5.81	110.19	113.10
26	BB	205	G	O4'-C1'-N9	5.81	112.85	108.20
26	BB	1838	C	C5-C4-N4	-5.81	116.13	120.20
26	BB	2778	A	N9-C4-C5	-5.81	103.47	105.80
26	BB	2852	G	C2'-C3'-O3'	5.81	123.00	113.70
26	BB	2873	A	C6-N1-C2	-5.81	115.11	118.60
37	BM	8	LEU	O-C-N	-5.81	113.40	122.70
1	AA	281	G	C5'-C4'-O4'	5.81	116.07	109.10
1	AA	1003	G	O4'-C1'-N9	-5.81	103.55	108.20
26	BB	325	G	O4'-C1'-C2'	5.81	112.83	107.60
26	BB	502	A	N9-C1'-C2'	-5.81	105.61	112.00
26	BB	917	A	C4-C5-N7	-5.81	107.80	110.70
26	BB	1407	G	C4-C5-N7	-5.81	108.48	110.80
26	BB	1791	A	C6-C5-N7	5.81	136.37	132.30
26	BB	1959	G	N9-C1'-C2'	-5.81	105.61	112.00
26	BB	1964	G	N3-C2-N2	-5.81	115.83	119.90
26	BB	2124	G	C5-N7-C8	5.81	107.20	104.30
26	BB	2796	U	C4-C5-C6	5.81	123.19	119.70
1	AA	6	G	P-O5'-C5'	5.81	130.20	120.90
1	AA	347	G	N3-C4-N9	-5.81	122.52	126.00
1	AA	833	G	N3-C4-N9	5.81	129.49	126.00
1	AA	1530	G	O5'-C5'-C4'	-5.81	100.66	111.70
3	AC	43	U	N3-C4-O4	5.81	123.47	119.40
26	BB	379	G	C4-C5-C6	-5.81	115.31	118.80
26	BB	821	A	C5'-C4'-C3'	-5.81	106.70	116.00
26	BB	829	A	O4'-C1'-C2'	-5.81	99.99	105.80
26	BB	1141	U	C5'-C4'-C3'	-5.81	106.71	116.00
26	BB	1628	G	N3-C4-N9	5.81	129.49	126.00
26	BB	1715	G	C5-N7-C8	-5.81	101.39	104.30
26	BB	1946	U	C4-C5-C6	-5.81	116.21	119.70
26	BB	2521	C	O5'-P-OP2	5.81	117.67	110.70
26	BB	2608	G	N3-C2-N2	-5.81	115.83	119.90
26	BB	2691	C	C4'-C3'-C2'	-5.81	96.79	102.60
26	BB	2834	G	N1-C6-O6	-5.81	116.41	119.90
49	BY	50	VAL	CA-CB-CG1	5.81	119.61	110.90
1	AA	243	A	C4'-C3'-C2'	5.81	108.41	102.60
1	AA	564	C	C4-C5-C6	5.81	120.30	117.40
1	AA	874	G	N3-C2-N2	-5.81	115.83	119.90
1	AA	1088	G	C6-N1-C2	-5.81	121.61	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1274	A	C5'-C4'-O4'	5.81	116.07	109.10
26	BB	367	G	C1'-O4'-C4'	5.81	114.55	109.90
26	BB	458	G	C5'-C4'-C3'	-5.81	106.71	116.00
26	BB	1413	A	N1-C2-N3	5.81	132.20	129.30
26	BB	1760	C	N3-C4-C5	-5.81	119.58	121.90
26	BB	1879	C	N1-C2-N3	5.81	123.27	119.20
26	BB	2131	U	N3-C4-O4	5.81	123.47	119.40
26	BB	2350	C	C5-C6-N1	5.81	123.90	121.00
26	BB	2841	C	N3-C4-C5	5.81	124.22	121.90
34	BJ	50	TYR	CG-CD2-CE2	5.81	125.94	121.30
1	AA	800	G	C8-N9-C4	-5.81	104.08	106.40
1	AA	1306	A	C5-N7-C8	-5.81	101.00	103.90
26	BB	263	G	P-O3'-C3'	5.81	126.67	119.70
26	BB	328	U	C5-C4-O4	-5.81	122.42	125.90
26	BB	1182	G	C6-N1-C2	-5.81	121.62	125.10
26	BB	1644	C	N1-C2-O2	5.81	122.38	118.90
26	BB	2031	A	C5-C6-N1	5.81	120.60	117.70
26	BB	2304	G	O4'-C1'-N9	5.81	112.84	108.20
26	BB	2598	A	C4'-C3'-C2'	-5.81	96.79	102.60
1	AA	27	G	C5-N7-C8	5.80	107.20	104.30
1	AA	51	A	N3-C4-C5	-5.80	122.74	126.80
1	AA	251	G	C8-N9-C4	-5.80	104.08	106.40
1	AA	947	G	C2-N3-C4	5.80	114.80	111.90
1	AA	956	U	P-O3'-C3'	5.80	126.67	119.70
1	AA	1003	G	P-O3'-C3'	5.80	126.67	119.70
1	AA	1120	C	C5'-C4'-C3'	-5.80	106.71	116.00
1	AA	1127	G	C8-N9-C1'	5.80	134.55	127.00
1	AA	1157	A	C4-C5-N7	-5.80	107.80	110.70
1	AA	1194	U	C3'-C2'-C1'	5.80	106.14	101.50
1	AA	1311	A	O4'-C1'-N9	5.80	112.84	108.20
26	BB	83	A	N1-C2-N3	5.80	132.20	129.30
26	BB	331	C	O4'-C1'-C2'	5.80	112.83	107.60
26	BB	469	G	C8-N9-C4	-5.80	104.08	106.40
26	BB	682	G	N3-C2-N2	5.80	123.96	119.90
26	BB	1359	A	C1'-O4'-C4'	-5.80	105.26	109.90
26	BB	1382	G	N9-C1'-C2'	-5.80	105.61	112.00
1	AA	1214	C	C6-N1-C1'	5.80	127.76	120.80
1	AA	1397	C	O4'-C1'-N1	-5.80	103.56	108.20
26	BB	1098	A	O5'-P-OP1	-5.80	100.48	105.70
1	AA	553	A	C5-C6-N6	5.80	128.34	123.70
1	AA	843	U	C5'-C4'-C3'	-5.80	106.72	116.00
1	AA	864	A	N1-C6-N6	-5.80	115.12	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1365	G	O4'-C1'-N9	5.80	112.84	108.20
3	AC	23	C	C3'-C2'-C1'	5.80	106.14	101.50
14	AN	104	PHE	CZ-CE2-CD2	-5.80	113.14	120.10
26	BB	136	G	N3-C4-N9	5.80	129.48	126.00
26	BB	489	G	C6-N1-C2	-5.80	121.62	125.10
26	BB	566	U	N1-C2-N3	5.80	118.38	114.90
26	BB	654	A	C5-C6-N1	5.80	120.60	117.70
26	BB	684	G	O4'-C4'-C3'	5.80	110.74	106.10
26	BB	851	C	C5-C4-N4	-5.80	116.14	120.20
26	BB	1084	A	C5-C6-N1	-5.80	114.80	117.70
26	BB	1108	U	N3-C4-O4	-5.80	115.34	119.40
26	BB	1275	A	N7-C8-N9	-5.80	110.90	113.80
26	BB	1354	A	N9-C1'-C2'	-5.80	105.62	112.00
26	BB	1652	A	N9-C4-C5	5.80	108.12	105.80
26	BB	1859	U	O4'-C1'-N1	5.80	112.84	108.20
26	BB	2780	G	N3-C4-C5	-5.80	125.70	128.60
42	BR	88	ARG	NE-CZ-NH2	5.80	123.20	120.30
1	AA	320	A	C3'-C2'-C1'	5.80	106.14	101.50
1	AA	654	G	C2-N3-C4	-5.80	109.00	111.90
25	BA	20	G	O4'-C1'-N9	5.80	112.84	108.20
26	BB	60	G	C6-C5-N7	5.80	133.88	130.40
26	BB	123	G	N3-C4-C5	5.80	131.50	128.60
26	BB	935	C	C4-C5-C6	-5.80	114.50	117.40
26	BB	2418	A	C5-N7-C8	5.80	106.80	103.90
26	BB	2555	U	C2-N3-C4	-5.80	123.52	127.00
1	AA	417	G	N1-C2-N2	5.80	121.42	116.20
25	BA	46	A	C4-C5-N7	5.80	113.60	110.70
26	BB	6	A	C5-C6-N1	-5.80	114.80	117.70
26	BB	1361	G	O4'-C1'-N9	5.80	112.84	108.20
26	BB	1429	G	N1-C6-O6	5.80	123.38	119.90
26	BB	1726	C	C6-N1-C2	-5.80	117.98	120.30
26	BB	1912	A	C5'-C4'-C3'	-5.80	106.72	116.00
26	BB	2223	G	C5-N7-C8	5.80	107.20	104.30
34	BJ	30	ARG	CB-CA-C	5.80	122.00	110.40
1	AA	541	G	N1-C2-N2	-5.80	110.98	116.20
1	AA	681	A	N1-C6-N6	-5.80	115.12	118.60
1	AA	737	C	C5'-C4'-C3'	-5.80	106.72	116.00
1	AA	1139	G	C1'-O4'-C4'	5.80	114.54	109.90
1	AA	1316	G	C5-N7-C8	-5.80	101.40	104.30
4	AD	24	C	C6-N1-C2	5.80	122.62	120.30
26	BB	687	C	N1-C2-N3	5.80	123.26	119.20
26	BB	810	U	N1-C2-O2	-5.80	118.74	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1844	C	O4'-C1'-C2'	-5.80	100.00	105.80
26	BB	1865	U	N3-C4-C5	-5.80	111.12	114.60
26	BB	2012	G	C4-C5-N7	-5.80	108.48	110.80
26	BB	2551	C	N3-C4-N4	5.80	122.06	118.00
1	AA	115	G	C8-N9-C4	-5.79	104.08	106.40
1	AA	213	G	C5-C6-N1	5.79	114.40	111.50
1	AA	1153	G	O3'-P-O5'	5.79	115.01	104.00
1	AA	1221	G	N3-C4-C5	-5.79	125.70	128.60
3	AC	33	A	C1'-O4'-C4'	-5.79	105.26	109.90
26	BB	1996	C	N3-C2-O2	-5.79	117.84	121.90
26	BB	2047	C	O4'-C4'-C3'	5.79	110.74	106.10
1	AA	313	A	C5-N7-C8	-5.79	101.00	103.90
1	AA	731	G	C5-N7-C8	5.79	107.20	104.30
1	AA	1002	G	C4-C5-N7	-5.79	108.48	110.80
1	AA	1196	A	N1-C6-N6	-5.79	115.12	118.60
1	AA	1354	U	N3-C2-O2	-5.79	118.14	122.20
1	AA	1458	G	N1-C6-O6	-5.79	116.42	119.90
2	AB	67	G	C5'-C4'-O4'	5.79	116.05	109.10
25	BA	22	U	N3-C2-O2	-5.79	118.14	122.20
26	BB	1607	C	C5-C4-N4	-5.79	116.14	120.20
26	BB	2435	A	C4'-C3'-C2'	-5.79	96.81	102.60
26	BB	2528	U	N3-C4-C5	-5.79	111.12	114.60
26	BB	2595	G	N7-C8-N9	5.79	116.00	113.10
58	B7	5	ALA	N-CA-CB	-5.79	101.99	110.10
1	AA	573	A	O4'-C1'-C2'	5.79	112.81	107.60
1	AA	1467	C	N3-C2-O2	-5.79	117.85	121.90
25	BA	28	C	C6-N1-C2	-5.79	117.98	120.30
26	BB	242	G	C8-N9-C4	-5.79	104.08	106.40
26	BB	399	U	C6-N1-C2	5.79	124.47	121.00
26	BB	455	C	C6-N1-C2	-5.79	117.98	120.30
26	BB	657	U	P-O3'-C3'	5.79	126.65	119.70
26	BB	1502	A	O4'-C1'-N9	5.79	112.83	108.20
26	BB	1796	U	N3-C2-O2	-5.79	118.15	122.20
26	BB	1922	G	C1'-O4'-C4'	-5.79	105.27	109.90
26	BB	1938	A	N9-C4-C5	5.79	108.12	105.80
26	BB	1975	G	N3-C4-N9	5.79	129.47	126.00
26	BB	2216	G	N1-C2-N3	5.79	127.38	123.90
1	AA	38	G	N1-C6-O6	5.79	123.37	119.90
1	AA	268	U	O4'-C1'-N1	5.79	112.83	108.20
1	AA	1453	G	O4'-C4'-C3'	5.79	110.73	106.10
4	AD	32	G	C6-N1-C2	-5.79	121.63	125.10
25	BA	7	G	C5-C6-N1	5.79	114.39	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	11	C	C5-C6-N1	5.79	123.89	121.00
26	BB	48	G	N1-C2-N3	-5.79	120.43	123.90
26	BB	575	A	N7-C8-N9	-5.79	110.91	113.80
26	BB	792	A	C6-C5-N7	5.79	136.35	132.30
26	BB	1209	U	C5-C4-O4	5.79	129.37	125.90
26	BB	1213	A	C6-N1-C2	5.79	122.07	118.60
26	BB	1289	C	O4'-C1'-N1	5.79	112.83	108.20
26	BB	1351	C	C1'-O4'-C4'	-5.79	105.27	109.90
26	BB	1660	G	O4'-C1'-N9	5.79	112.83	108.20
26	BB	1690	A	C6-N1-C2	-5.79	115.13	118.60
26	BB	1697	G	N1-C6-O6	5.79	123.37	119.90
26	BB	2237	G	C8-N9-C4	-5.79	104.08	106.40
26	BB	2750	A	C4-C5-C6	-5.79	114.11	117.00
1	AA	12	U	C5-C6-N1	-5.79	119.81	122.70
1	AA	176	C	C2-N3-C4	5.79	122.79	119.90
1	AA	205	A	C5-C6-N1	-5.79	114.81	117.70
1	AA	492	C	C1'-O4'-C4'	-5.79	105.27	109.90
1	AA	760	G	N1-C2-N2	5.79	121.41	116.20
1	AA	1055	A	C8-N9-C4	-5.79	103.48	105.80
1	AA	1101	A	C8-N9-C4	-5.79	103.48	105.80
1	AA	1116	U	C5-C6-N1	5.79	125.59	122.70
1	AA	1453	G	C8-N9-C4	-5.79	104.08	106.40
15	AO	8	ARG	NE-CZ-NH2	-5.79	117.41	120.30
25	BA	2	G	C6-C5-N7	-5.79	126.93	130.40
25	BA	82	U	C6-N1-C2	5.79	124.47	121.00
26	BB	198	C	C2-N3-C4	-5.79	117.01	119.90
26	BB	711	G	C4-C5-N7	-5.79	108.48	110.80
26	BB	776	G	N3-C2-N2	5.79	123.95	119.90
26	BB	1134	A	N1-C2-N3	-5.79	126.41	129.30
26	BB	1715	G	N9-C1'-C2'	5.79	121.52	114.00
26	BB	2231	U	O4'-C1'-N1	5.79	112.83	108.20
26	BB	2337	G	C2-N3-C4	-5.79	109.01	111.90
26	BB	2492	U	N1-C2-O2	-5.79	118.75	122.80
1	AA	419	C	C4-C5-C6	5.79	120.29	117.40
1	AA	574	A	C3'-C2'-C1'	-5.79	96.87	101.50
1	AA	878	A	N7-C8-N9	5.79	116.69	113.80
1	AA	1506	U	N1-C2-N3	5.79	118.37	114.90
7	AG	16	THR	CA-CB-CG2	5.79	120.50	112.40
26	BB	699	A	C2-N3-C4	-5.79	107.71	110.60
26	BB	1324	G	C2-N3-C4	5.79	114.79	111.90
1	AA	211	G	C5-C6-O6	-5.79	125.13	128.60
1	AA	488	C	N1-C1'-C2'	-5.79	105.64	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	506	G	N1-C2-N3	-5.79	120.43	123.90
1	AA	833	G	O4'-C1'-N9	5.79	112.83	108.20
1	AA	994	A	C2-N3-C4	-5.79	107.71	110.60
1	AA	1392	G	C5-C6-O6	5.79	132.07	128.60
13	AM	31	ARG	NE-CZ-NH1	5.79	123.19	120.30
25	BA	84	G	C2-N3-C4	5.79	114.79	111.90
26	BB	37	C	C5'-C4'-O4'	5.79	116.04	109.10
26	BB	356	G	N3-C4-C5	-5.79	125.71	128.60
26	BB	648	G	N3-C4-C5	5.79	131.49	128.60
26	BB	684	G	C6-C5-N7	5.79	133.87	130.40
26	BB	733	G	N3-C2-N2	5.79	123.95	119.90
26	BB	1162	G	N1-C2-N2	5.79	121.41	116.20
26	BB	1214	A	N9-C4-C5	5.79	108.11	105.80
26	BB	1282	U	N1-C2-O2	5.79	126.85	122.80
26	BB	1659	G	N3-C2-N2	5.79	123.95	119.90
26	BB	2278	A	C4-C5-C6	-5.79	114.11	117.00
26	BB	2749	A	C1'-O4'-C4'	5.79	114.53	109.90
26	BB	2897	U	N3-C4-O4	5.79	123.45	119.40
1	AA	1259	C	C5'-C4'-C3'	-5.78	106.75	116.00
11	AK	79	ARG	CD-NE-CZ	5.78	131.70	123.60
26	BB	185	G	C8-N9-C4	5.78	108.71	106.40
26	BB	214	G	C5-N7-C8	-5.78	101.41	104.30
26	BB	230	G	N1-C2-N3	-5.78	120.43	123.90
26	BB	256	A	N1-C6-N6	-5.78	115.13	118.60
26	BB	848	C	N1-C1'-C2'	-5.78	105.64	112.00
26	BB	994	C	N1-C1'-C2'	-5.78	105.64	112.00
26	BB	1245	G	C4-C5-N7	5.78	113.11	110.80
26	BB	2095	A	C2-N3-C4	5.78	113.49	110.60
26	BB	2164	C	C5'-C4'-O4'	5.78	116.04	109.10
26	BB	2220	U	C5-C4-O4	-5.78	122.43	125.90
26	BB	2747	G	N3-C4-C5	-5.78	125.71	128.60
50	BZ	9	LYS	CB-CA-C	5.78	121.97	110.40
1	AA	16	A	N9-C4-C5	5.78	108.11	105.80
1	AA	832	G	C5'-C4'-O4'	5.78	116.04	109.10
1	AA	859	G	C4-C5-N7	5.78	113.11	110.80
1	AA	986	U	N1-C2-N3	5.78	118.37	114.90
25	BA	49	C	N3-C4-N4	-5.78	113.95	118.00
26	BB	218	A	C6-N1-C2	-5.78	115.13	118.60
26	BB	358	U	C4'-C3'-C2'	-5.78	96.82	102.60
26	BB	382	A	C5-C6-N6	5.78	128.33	123.70
26	BB	1422	G	N7-C8-N9	5.78	115.99	113.10
30	BF	25	GLU	N-CA-CB	5.78	121.01	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	263	A	N7-C8-N9	5.78	116.69	113.80
1	AA	491	G	N7-C8-N9	5.78	115.99	113.10
1	AA	696	A	O4'-C1'-N9	5.78	112.82	108.20
1	AA	960	U	O4'-C1'-N1	5.78	112.83	108.20
1	AA	1320	C	C5-C6-N1	5.78	123.89	121.00
1	AA	1527	U	N3-C4-O4	-5.78	115.35	119.40
26	BB	20	C	C3'-C2'-C1'	-5.78	96.88	101.50
26	BB	20	C	C5-C6-N1	-5.78	118.11	121.00
26	BB	258	G	N1-C2-N3	-5.78	120.43	123.90
26	BB	327	G	C5-N7-C8	5.78	107.19	104.30
26	BB	506	G	O4'-C1'-N9	5.78	112.82	108.20
26	BB	1103	A	C5-C6-N6	5.78	128.32	123.70
26	BB	1269	A	N9-C4-C5	-5.78	103.49	105.80
26	BB	1713	A	N1-C2-N3	-5.78	126.41	129.30
26	BB	2110	G	C2-N3-C4	5.78	114.79	111.90
26	BB	2346	A	C4-C5-C6	-5.78	114.11	117.00
26	BB	2352	A	C5-C6-N6	-5.78	119.08	123.70
26	BB	2422	C	N3-C2-O2	-5.78	117.85	121.90
1	AA	269	C	P-O3'-C3'	5.78	126.63	119.70
1	AA	690	G	O5'-C5'-C4'	-5.78	100.72	111.70
1	AA	822	U	N3-C2-O2	-5.78	118.16	122.20
1	AA	1355	G	C8-N9-C1'	5.78	134.51	127.00
1	AA	1472	U	N1-C1'-C2'	-5.78	105.64	112.00
1	AA	1473	G	O4'-C1'-N9	-5.78	103.58	108.20
2	AB	12	U	N3-C4-O4	5.78	123.44	119.40
26	BB	830	G	N1-C2-N2	-5.78	111.00	116.20
26	BB	1781	U	N3-C2-O2	-5.78	118.16	122.20
26	BB	2064	C	C4'-C3'-C2'	-5.78	96.82	102.60
26	BB	2479	U	C5-C6-N1	-5.78	119.81	122.70
27	BC	223	ALA	CB-CA-C	5.78	118.77	110.10
26	BB	213	A	C5-C6-N6	-5.78	119.08	123.70
26	BB	443	A	N7-C8-N9	5.78	116.69	113.80
26	BB	758	C	N3-C2-O2	-5.78	117.86	121.90
26	BB	883	G	O4'-C1'-N9	-5.78	103.58	108.20
26	BB	920	A	N7-C8-N9	5.78	116.69	113.80
26	BB	1127	A	C5-C6-N6	-5.78	119.08	123.70
26	BB	1312	U	C4-C5-C6	5.78	123.17	119.70
26	BB	1422	G	C8-N9-C4	-5.78	104.09	106.40
26	BB	1807	G	N1-C2-N2	-5.78	111.00	116.20
26	BB	2202	U	C6-N1-C2	-5.78	117.53	121.00
26	BB	2716	C	O4'-C1'-C2'	-5.78	100.02	105.80
1	AA	213	G	C6-N1-C2	-5.78	121.64	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	266	G	C8-N9-C4	5.78	108.71	106.40
1	AA	424	G	C3'-C2'-C1'	5.78	106.12	101.50
1	AA	439	U	C2-N3-C4	-5.78	123.53	127.00
1	AA	732	C	N1-C2-N3	-5.78	115.16	119.20
1	AA	1190	G	C5-C6-N1	5.78	114.39	111.50
1	AA	1251	A	O4'-C1'-N9	5.78	112.82	108.20
25	BA	79	G	N3-C4-N9	5.78	129.47	126.00
26	BB	151	C	C4'-C3'-C2'	-5.78	96.82	102.60
26	BB	200	U	C5'-C4'-O4'	5.78	116.03	109.10
26	BB	238	C	N1-C1'-C2'	-5.78	105.65	112.00
26	BB	586	A	O4'-C1'-N9	-5.78	103.58	108.20
26	BB	718	A	O3'-P-O5'	-5.78	93.03	104.00
26	BB	934	U	N1-C2-N3	5.78	118.37	114.90
26	BB	1532	A	C5-C6-N1	5.78	120.59	117.70
26	BB	1652	A	C4-C5-C6	-5.78	114.11	117.00
26	BB	1821	A	N1-C2-N3	-5.78	126.41	129.30
26	BB	1885	A	C5-C6-N1	-5.78	114.81	117.70
26	BB	1887	C	N1-C2-O2	5.78	122.37	118.90
26	BB	2221	G	N9-C4-C5	-5.78	103.09	105.40
26	BB	2428	G	C4-C5-N7	-5.78	108.49	110.80
1	AA	1110	A	C5-N7-C8	-5.77	101.01	103.90
1	AA	1184	G	N3-C2-N2	-5.77	115.86	119.90
1	AA	1500	A	C5'-C4'-O4'	5.77	116.03	109.10
3	AC	46	C	C4-C5-C6	5.77	120.29	117.40
26	BB	186	G	C6-N1-C2	-5.77	121.64	125.10
26	BB	445	C	N3-C4-N4	5.77	122.04	118.00
26	BB	1275	A	C2-N3-C4	5.77	113.49	110.60
1	AA	71	A	N9-C1'-C2'	-5.77	105.65	112.00
1	AA	809	G	C3'-C2'-C1'	-5.77	96.88	101.50
1	AA	1150	A	OP1-P-OP2	-5.77	110.94	119.60
1	AA	1165	U	C5-C4-O4	-5.77	122.44	125.90
26	BB	1023	U	N1-C2-O2	5.77	126.84	122.80
26	BB	1322	A	P-O3'-C3'	5.77	126.63	119.70
26	BB	1662	U	C1'-O4'-C4'	5.77	114.52	109.90
26	BB	1681	G	C3'-C2'-C1'	-5.77	96.88	101.50
26	BB	1986	C	N1-C2-N3	-5.77	115.16	119.20
26	BB	2107	G	C8-N9-C4	-5.77	104.09	106.40
26	BB	2312	U	O4'-C4'-C3'	5.77	110.72	106.10
26	BB	2784	U	P-O3'-C3'	5.77	126.63	119.70
1	AA	401	C	C3'-C2'-C1'	5.77	106.12	101.50
1	AA	728	A	N1-C2-N3	-5.77	126.42	129.30
1	AA	844	G	N3-C4-N9	5.77	129.46	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1134	G	P-O3'-C3'	5.77	126.62	119.70
8	AH	30	PHE	CB-CG-CD2	5.77	124.84	120.80
26	BB	1722	A	N9-C1'-C2'	5.77	121.50	114.00
26	BB	2405	G	C1'-O4'-C4'	5.77	114.52	109.90
1	AA	139	A	C2-N3-C4	-5.77	107.72	110.60
1	AA	324	G	C6-C5-N7	-5.77	126.94	130.40
1	AA	335	C	C2-N1-C1'	5.77	125.15	118.80
1	AA	474	G	C5-C6-O6	5.77	132.06	128.60
1	AA	528	C	C2'-C3'-O3'	5.77	122.93	113.70
1	AA	594	U	P-O3'-C3'	5.77	126.62	119.70
1	AA	944	G	C2'-C3'-O3'	5.77	122.93	113.70
1	AA	1142	G	C2-N3-C4	5.77	114.78	111.90
2	AB	18	G	C6-N1-C2	-5.77	121.64	125.10
3	AC	13	A	N1-C6-N6	-5.77	115.14	118.60
26	BB	559	G	C5-N7-C8	-5.77	101.42	104.30
26	BB	848	C	C5'-C4'-O4'	5.77	116.02	109.10
26	BB	1234	U	OP2-P-O3'	5.77	117.89	105.20
26	BB	1633	G	C5-C6-O6	-5.77	125.14	128.60
26	BB	2359	C	P-O3'-C3'	5.77	126.62	119.70
26	BB	2410	G	C1'-O4'-C4'	5.77	114.52	109.90
26	BB	2614	A	C5-N7-C8	-5.77	101.02	103.90
26	BB	2661	G	N9-C1'-C2'	-5.77	105.65	112.00
26	BB	2721	A	C4-C5-C6	5.77	119.89	117.00
26	BB	2754	U	C5-C6-N1	-5.77	119.81	122.70
1	AA	120	A	N9-C4-C5	5.77	108.11	105.80
1	AA	330	C	O4'-C1'-N1	5.77	112.81	108.20
1	AA	431	A	C5-C6-N1	5.77	120.58	117.70
1	AA	464	U	C4'-C3'-C2'	-5.77	96.83	102.60
1	AA	491	G	N9-C4-C5	5.77	107.71	105.40
1	AA	503	C	N1-C2-O2	5.77	122.36	118.90
1	AA	1077	G	N1-C6-O6	5.77	123.36	119.90
1	AA	1244	G	C4-C5-N7	-5.77	108.49	110.80
1	AA	1303	C	O4'-C1'-N1	5.77	112.81	108.20
26	BB	10	A	C5-C6-N1	5.77	120.58	117.70
26	BB	240	C	O4'-C1'-C2'	-5.77	100.03	105.80
26	BB	254	G	N1-C2-N3	-5.77	120.44	123.90
26	BB	439	A	N9-C1'-C2'	-5.77	105.66	112.00
26	BB	1007	C	N3-C2-O2	-5.77	117.86	121.90
26	BB	1526	C	O4'-C1'-N1	5.77	112.81	108.20
26	BB	1556	C	C4-C5-C6	-5.77	114.52	117.40
26	BB	1634	A	C8-N9-C4	-5.77	103.49	105.80
26	BB	1847	A	N1-C2-N3	-5.77	126.42	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2893	A	N9-C4-C5	-5.77	103.49	105.80
1	AA	702	A	C8-N9-C4	-5.77	103.49	105.80
26	BB	498	G	C4'-C3'-C2'	-5.77	96.83	102.60
26	BB	933	A	C6-N1-C2	-5.77	115.14	118.60
26	BB	2232	C	N1-C2-N3	-5.77	115.16	119.20
1	AA	426	U	C4-C5-C6	5.76	123.16	119.70
1	AA	707	U	N1-C2-N3	5.76	118.36	114.90
1	AA	1092	A	C8-N9-C4	-5.76	103.50	105.80
2	AB	40	C	N3-C2-O2	-5.76	117.86	121.90
3	AC	30	U	N1-C1'-C2'	5.76	121.49	114.00
25	BA	76	G	N3-C4-C5	-5.76	125.72	128.60
25	BA	87	U	O4'-C1'-N1	5.76	112.81	108.20
26	BB	167	A	C5-C6-N1	-5.76	114.82	117.70
26	BB	940	G	C5'-C4'-C3'	-5.76	106.78	116.00
26	BB	1492	G	C3'-C2'-C1'	-5.76	96.89	101.50
26	BB	1546	G	N3-C2-N2	-5.76	115.86	119.90
26	BB	1588	G	C3'-C2'-C1'	5.76	106.11	101.50
26	BB	2155	U	N3-C2-O2	-5.76	118.17	122.20
26	BB	2219	U	C5-C4-O4	5.76	129.36	125.90
26	BB	2304	G	C5-C6-O6	-5.76	125.14	128.60
26	BB	2389	G	C3'-C2'-C1'	5.76	106.11	101.50
26	BB	2415	G	C5'-C4'-O4'	5.76	116.02	109.10
1	AA	764	C	C3'-C2'-C1'	-5.76	96.89	101.50
1	AA	783	C	N1-C2-N3	-5.76	115.17	119.20
1	AA	830	G	O4'-C1'-C2'	-5.76	100.04	105.80
1	AA	1189	U	N1-C2-O2	-5.76	118.77	122.80
3	AC	46	C	C4'-C3'-C2'	-5.76	96.84	102.60
26	BB	170	U	C1'-O4'-C4'	-5.76	105.29	109.90
26	BB	548	G	C6-N1-C2	-5.76	121.64	125.10
26	BB	1495	A	N1-C2-N3	-5.76	126.42	129.30
26	BB	1701	A	C4'-C3'-C2'	-5.76	96.84	102.60
26	BB	1853	A	C4'-C3'-C2'	-5.76	96.84	102.60
26	BB	2859	G	N7-C8-N9	5.76	115.98	113.10
1	AA	81	A	C5'-C4'-C3'	5.76	125.22	116.00
1	AA	112	G	N3-C4-N9	5.76	129.46	126.00
1	AA	1195	C	N3-C4-C5	-5.76	119.59	121.90
3	AC	38	G	C5-N7-C8	-5.76	101.42	104.30
4	AD	67	C	N3-C4-N4	5.76	122.03	118.00
6	AF	167	TYR	CB-CG-CD1	-5.76	117.54	121.00
26	BB	360	U	C5-C6-N1	-5.76	119.82	122.70
26	BB	405	U	C3'-C2'-C1'	-5.76	96.89	101.50
26	BB	537	G	O4'-C1'-N9	-5.76	103.59	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	699	A	N1-C6-N6	-5.76	115.14	118.60
26	BB	1008	A	O4'-C1'-C2'	-5.76	100.04	105.80
26	BB	2060	A	C6-C5-N7	-5.76	128.27	132.30
26	BB	2541	A	C2'-C3'-O3'	5.76	122.92	113.70
31	BG	173	ASP	CB-CG-OD2	5.76	123.49	118.30
1	AA	539	A	C4'-C3'-C2'	-5.76	96.84	102.60
1	AA	1063	C	P-O3'-C3'	5.76	126.61	119.70
1	AA	1154	G	O4'-C1'-N9	5.76	112.81	108.20
1	AA	1297	G	C6-N1-C2	-5.76	121.64	125.10
1	AA	1348	U	C4'-C3'-C2'	-5.76	96.84	102.60
26	BB	15	G	P-O3'-C3'	5.76	126.61	119.70
26	BB	486	C	C3'-C2'-C1'	-5.76	96.89	101.50
26	BB	550	C	C6-N1-C2	5.76	122.60	120.30
26	BB	579	G	N1-C2-N3	5.76	127.36	123.90
26	BB	685	A	C3'-C2'-C1'	5.76	106.11	101.50
26	BB	700	G	C5-N7-C8	5.76	107.18	104.30
26	BB	1527	G	N1-C6-O6	-5.76	116.44	119.90
26	BB	1548	A	C6-C5-N7	5.76	136.33	132.30
26	BB	1627	G	N3-C2-N2	-5.76	115.87	119.90
26	BB	1632	A	C4-C5-N7	-5.76	107.82	110.70
26	BB	2681	C	C5'-C4'-C3'	-5.76	106.78	116.00
26	BB	2869	G	N1-C6-O6	5.76	123.36	119.90
1	AA	373	A	O4'-C4'-C3'	-5.76	98.24	104.00
1	AA	379	C	N1-C2-N3	5.76	123.23	119.20
1	AA	1177	G	N3-C4-N9	5.76	129.46	126.00
1	AA	1523	G	N3-C4-C5	-5.76	125.72	128.60
26	BB	568	U	C6-N1-C2	-5.76	117.55	121.00
26	BB	1769	U	C4'-C3'-C2'	-5.76	96.84	102.60
26	BB	1786	A	N1-C6-N6	-5.76	115.14	118.60
1	AA	83	C	C3'-C2'-C1'	5.76	106.11	101.50
1	AA	182	A	C5'-C4'-C3'	-5.76	106.79	116.00
1	AA	509	A	O4'-C4'-C3'	-5.76	98.24	104.00
1	AA	1139	G	C5'-C4'-O4'	5.76	116.01	109.10
1	AA	1231	G	O4'-C4'-C3'	5.76	110.70	106.10
1	AA	1368	A	C2-N3-C4	-5.76	107.72	110.60
26	BB	337	C	C5'-C4'-C3'	5.76	125.21	116.00
26	BB	389	G	O4'-C1'-N9	5.76	112.81	108.20
26	BB	422	A	N7-C8-N9	-5.76	110.92	113.80
26	BB	870	U	N3-C4-O4	5.76	123.43	119.40
26	BB	964	C	C3'-C2'-C1'	-5.76	96.89	101.50
26	BB	1202	G	OP2-P-O3'	5.76	117.86	105.20
26	BB	1384	A	C4'-C3'-C2'	5.76	108.36	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1721	G	N1-C6-O6	-5.76	116.45	119.90
26	BB	1837	C	C5-C4-N4	5.76	124.23	120.20
26	BB	2017	U	N3-C4-C5	-5.76	111.15	114.60
26	BB	2127	G	C4-C5-N7	-5.76	108.50	110.80
26	BB	2274	A	C4-C5-N7	-5.76	107.82	110.70
26	BB	2428	G	N1-C6-O6	-5.76	116.45	119.90
26	BB	2494	G	N7-C8-N9	5.76	115.98	113.10
26	BB	2635	A	C4-C5-C6	-5.76	114.12	117.00
34	BJ	93	ARG	NE-CZ-NH1	-5.76	117.42	120.30
1	AA	354	G	C5-N7-C8	-5.75	101.42	104.30
1	AA	580	C	N1-C1'-C2'	-5.75	105.67	112.00
1	AA	987	G	N3-C4-C5	-5.75	125.72	128.60
1	AA	1187	G	N7-C8-N9	5.75	115.98	113.10
25	BA	40	U	C2-N1-C1'	5.75	124.61	117.70
26	BB	1483	G	P-O3'-C3'	5.75	126.61	119.70
26	BB	1554	U	C4'-C3'-C2'	5.75	108.36	102.60
26	BB	1718	G	C5-N7-C8	-5.75	101.42	104.30
48	BX	93	ARG	NH1-CZ-NH2	-5.75	113.07	119.40
1	AA	11	G	C6-C5-N7	-5.75	126.95	130.40
1	AA	38	G	C4-C5-N7	-5.75	108.50	110.80
1	AA	873	A	N1-C6-N6	-5.75	115.15	118.60
1	AA	1262	C	O4'-C1'-N1	5.75	112.80	108.20
1	AA	1284	C	N1-C2-O2	5.75	122.35	118.90
2	AB	72	U	C2-N3-C4	-5.75	123.55	127.00
26	BB	112	U	N1-C2-N3	5.75	118.35	114.90
26	BB	123	G	C2-N3-C4	-5.75	109.02	111.90
26	BB	398	C	N1-C1'-C2'	-5.75	105.67	112.00
26	BB	1129	A	N7-C8-N9	5.75	116.68	113.80
26	BB	1301	A	N1-C6-N6	-5.75	115.15	118.60
26	BB	1629	U	C3'-C2'-C1'	-5.75	96.90	101.50
26	BB	1858	A	N3-C4-C5	-5.75	122.77	126.80
26	BB	1936	A	C4-C5-N7	-5.75	107.82	110.70
26	BB	2216	G	N9-C4-C5	5.75	107.70	105.40
26	BB	2511	U	O3'-P-O5'	-5.75	93.07	104.00
1	AA	225	C	N3-C4-C5	5.75	124.20	121.90
1	AA	592	G	N3-C2-N2	-5.75	115.87	119.90
1	AA	1437	A	O5'-C5'-C4'	5.75	122.63	111.70
4	AD	73	A	C5-N7-C8	-5.75	101.03	103.90
26	BB	114	U	C3'-C2'-C1'	-5.75	96.90	101.50
26	BB	610	C	C5'-C4'-O4'	5.75	116.00	109.10
26	BB	1447	C	O4'-C1'-N1	5.75	112.80	108.20
26	BB	1540	G	C4'-C3'-C2'	-5.75	96.85	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1869	G	C5'-C4'-O4'	5.75	116.00	109.10
26	BB	2469	A	N9-C4-C5	5.75	108.10	105.80
1	AA	930	C	P-O3'-C3'	5.75	126.60	119.70
4	AD	32	G	N3-C4-N9	5.75	129.45	126.00
25	BA	88	C	O4'-C4'-C3'	-5.75	98.25	104.00
26	BB	217	A	C1'-O4'-C4'	-5.75	105.30	109.90
26	BB	524	G	C4-C5-N7	5.75	113.10	110.80
26	BB	625	G	C5-N7-C8	-5.75	101.42	104.30
26	BB	876	C	C5'-C4'-C3'	-5.75	106.80	116.00
26	BB	1007	C	C5-C4-N4	-5.75	116.17	120.20
1	AA	485	U	N1-C2-O2	5.75	126.82	122.80
1	AA	493	A	N1-C2-N3	-5.75	126.43	129.30
1	AA	570	G	N3-C4-C5	-5.75	125.73	128.60
1	AA	571	U	N1-C2-O2	5.75	126.82	122.80
1	AA	846	G	C5-N7-C8	-5.75	101.42	104.30
1	AA	937	A	C2-N3-C4	5.75	113.47	110.60
1	AA	1199	U	C4-C5-C6	5.75	123.15	119.70
2	AB	2	G	C5'-C4'-O4'	5.75	116.00	109.10
2	AB	59	G	C6-C5-N7	-5.75	126.95	130.40
4	AD	13	C	N3-C2-O2	-5.75	117.88	121.90
26	BB	224	U	C5'-C4'-O4'	5.75	116.00	109.10
26	BB	388	G	C4-C5-N7	-5.75	108.50	110.80
26	BB	1179	G	N3-C2-N2	5.75	123.92	119.90
26	BB	1187	G	N3-C4-C5	-5.75	125.73	128.60
26	BB	1332	G	P-O3'-C3'	5.75	126.60	119.70
26	BB	1434	A	N1-C2-N3	5.75	132.17	129.30
26	BB	1612	C	N3-C4-C5	5.75	124.20	121.90
26	BB	2339	C	C5-C6-N1	5.75	123.87	121.00
26	BB	2423	U	C5-C4-O4	-5.75	122.45	125.90
26	BB	2839	G	O4'-C1'-N9	-5.75	103.60	108.20
26	BB	2869	G	N3-C4-C5	-5.75	125.73	128.60
1	AA	755	G	O5'-P-OP2	-5.75	100.53	105.70
1	AA	792	A	C6-C5-N7	5.75	136.32	132.30
25	BA	50	A	O4'-C1'-N9	5.75	112.80	108.20
26	BB	208	C	N1-C2-O2	5.75	122.35	118.90
26	BB	358	U	O4'-C4'-C3'	5.75	110.70	106.10
26	BB	1194	A	C6-N1-C2	5.75	122.05	118.60
26	BB	2240	U	N3-C2-O2	-5.75	118.18	122.20
26	BB	2635	A	C6-N1-C2	-5.75	115.15	118.60
26	BB	2875	C	N1-C2-O2	5.75	122.35	118.90
1	AA	122	G	C6-N1-C2	-5.75	121.65	125.10
1	AA	1238	A	O4'-C1'-N9	5.75	112.80	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1435	G	N1-C2-N3	-5.75	120.45	123.90
1	AA	1480	A	C5-C6-N1	-5.75	114.83	117.70
26	BB	88	G	C5'-C4'-C3'	-5.75	106.81	116.00
26	BB	252	G	C8-N9-C4	-5.75	104.10	106.40
26	BB	1210	G	C2-N3-C4	5.75	114.77	111.90
26	BB	2885	G	N1-C2-N3	-5.75	120.45	123.90
27	BC	102	ASP	CB-CG-OD1	5.75	123.47	118.30
1	AA	215	C	C3'-C2'-C1'	-5.74	96.91	101.50
1	AA	777	A	C5-N7-C8	5.74	106.77	103.90
1	AA	790	A	C4-C5-C6	-5.74	114.13	117.00
5	AE	31	PHE	CB-CG-CD2	5.74	124.82	120.80
25	BA	87	U	O4'-C1'-C2'	-5.74	100.06	105.80
26	BB	140	C	C3'-C2'-C1'	5.74	106.09	101.50
26	BB	162	U	C4-C5-C6	5.74	123.15	119.70
26	BB	493	G	N9-C4-C5	5.74	107.70	105.40
26	BB	496	G	C6-N1-C2	5.74	128.55	125.10
26	BB	706	A	N1-C2-N3	-5.74	126.43	129.30
26	BB	750	A	C2-N3-C4	-5.74	107.73	110.60
26	BB	1097	U	N3-C4-O4	5.74	123.42	119.40
26	BB	1220	G	P-O5'-C5'	5.74	130.09	120.90
26	BB	1231	U	C5-C6-N1	-5.74	119.83	122.70
26	BB	1633	G	C5-C6-N1	5.74	114.37	111.50
26	BB	2023	C	N3-C4-N4	-5.74	113.98	118.00
26	BB	2090	A	N3-C4-C5	-5.74	122.78	126.80
26	BB	2212	A	N1-C2-N3	5.74	132.17	129.30
26	BB	2754	U	O4'-C1'-N1	5.74	112.79	108.20
26	BB	2903	U	C5-C6-N1	-5.74	119.83	122.70
1	AA	539	A	N1-C2-N3	-5.74	126.43	129.30
26	BB	981	A	O4'-C4'-C3'	5.74	110.69	106.10
26	BB	1288	G	C5-C6-N1	5.74	114.37	111.50
26	BB	1562	U	O4'-C1'-N1	5.74	112.79	108.20
26	BB	1603	A	N9-C4-C5	-5.74	103.50	105.80
27	BC	43	ASP	CB-CG-OD2	-5.74	113.13	118.30
1	AA	282	A	C4-C5-N7	-5.74	107.83	110.70
1	AA	310	G	N1-C6-O6	5.74	123.34	119.90
1	AA	395	C	C6-N1-C2	-5.74	118.00	120.30
1	AA	529	G	O4'-C1'-N9	5.74	112.79	108.20
1	AA	1249	C	P-O3'-C3'	5.74	126.59	119.70
1	AA	1301	U	N3-C4-O4	5.74	123.42	119.40
1	AA	1328	C	C3'-C2'-C1'	-5.74	96.91	101.50
26	BB	56	A	N9-C1'-C2'	-5.74	105.69	112.00
26	BB	267	C	N1-C2-O2	5.74	122.34	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	714	U	C5-C6-N1	5.74	125.57	122.70
26	BB	899	A	N9-C1'-C2'	-5.74	105.69	112.00
26	BB	966	G	C5'-C4'-O4'	5.74	115.99	109.10
26	BB	1116	G	C5-C6-N1	5.74	114.37	111.50
26	BB	1285	A	C5'-C4'-C3'	-5.74	106.81	116.00
26	BB	2024	G	C5-N7-C8	5.74	107.17	104.30
26	BB	2204	G	O4'-C4'-C3'	5.74	110.69	106.10
26	BB	2216	G	C4-C5-N7	-5.74	108.50	110.80
26	BB	2413	G	C5-C6-N1	-5.74	108.63	111.50
26	BB	2474	U	C6-N1-C2	5.74	124.44	121.00
26	BB	2767	C	C2-N1-C1'	-5.74	112.49	118.80
26	BB	2773	C	C1'-O4'-C4'	5.74	114.49	109.90
32	BH	150	TYR	CB-CG-CD1	-5.74	117.56	121.00
40	BP	97	ILE	CA-CB-CG1	5.74	121.91	111.00
46	BV	55	VAL	CA-CB-CG2	5.74	119.51	110.90
1	AA	168	G	O5'-P-OP2	-5.74	100.53	105.70
1	AA	255	G	C3'-C2'-C1'	5.74	106.09	101.50
1	AA	766	A	C5'-C4'-C3'	-5.74	106.82	116.00
1	AA	816	A	C6-C5-N7	-5.74	128.28	132.30
1	AA	1104	G	C4-C5-N7	-5.74	108.50	110.80
1	AA	1126	U	O5'-P-OP1	5.74	117.59	110.70
1	AA	1192	C	C5'-C4'-O4'	5.74	115.99	109.10
1	AA	1495	U	C1'-O4'-C4'	5.74	114.49	109.90
2	AB	59	G	N7-C8-N9	5.74	115.97	113.10
25	BA	25	U	N3-C4-C5	-5.74	111.16	114.60
26	BB	566	U	O4'-C4'-C3'	5.74	110.69	106.10
26	BB	1149	G	O4'-C1'-N9	5.74	112.79	108.20
26	BB	1197	G	C5-C6-O6	5.74	132.04	128.60
26	BB	1456	G	C8-N9-C1'	5.74	134.46	127.00
26	BB	1644	C	N3-C4-N4	5.74	122.02	118.00
26	BB	1832	C	C5'-C4'-O4'	5.74	115.99	109.10
26	BB	2100	G	N3-C4-N9	5.74	129.44	126.00
26	BB	2238	G	N7-C8-N9	5.74	115.97	113.10
26	BB	2452	C	N3-C4-C5	-5.74	119.60	121.90
33	BI	61	VAL	CA-CB-CG1	5.74	119.51	110.90
1	AA	737	C	C3'-C2'-C1'	5.74	106.09	101.50
1	AA	1037	C	C3'-C2'-C1'	5.74	106.09	101.50
1	AA	1512	U	N1-C2-N3	5.74	118.34	114.90
2	AB	24	G	N1-C2-N2	5.74	121.36	116.20
26	BB	315	G	C5-C6-N1	5.74	114.37	111.50
26	BB	503	A	N1-C6-N6	5.74	122.04	118.60
26	BB	1522	A	N3-C4-N9	-5.74	122.81	127.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1850	G	N3-C2-N2	5.74	123.92	119.90
26	BB	1933	G	N1-C2-N3	5.74	127.34	123.90
26	BB	2424	C	C5-C4-N4	-5.74	116.18	120.20
1	AA	101	A	C6-N1-C2	5.74	122.04	118.60
1	AA	523	A	P-O5'-C5'	5.74	130.08	120.90
1	AA	929	G	N1-C2-N2	5.74	121.36	116.20
1	AA	1112	C	C4-C5-C6	-5.74	114.53	117.40
1	AA	1343	G	O4'-C4'-C3'	5.74	110.69	106.10
26	BB	535	G	N3-C2-N2	-5.74	115.89	119.90
26	BB	608	A	C5'-C4'-O4'	5.74	115.98	109.10
26	BB	762	U	C2-N1-C1'	-5.74	110.82	117.70
26	BB	2399	G	O4'-C1'-N9	-5.74	103.61	108.20
1	AA	185	U	N3-C4-O4	5.73	123.41	119.40
26	BB	826	U	C3'-C2'-C1'	5.73	106.09	101.50
26	BB	1634	A	C5'-C4'-O4'	5.73	115.98	109.10
26	BB	1997	C	C2-N3-C4	-5.73	117.03	119.90
26	BB	2211	A	N9-C4-C5	5.73	108.09	105.80
26	BB	2268	A	N3-C4-C5	-5.73	122.79	126.80
26	BB	2366	A	N7-C8-N9	5.73	116.67	113.80
25	BA	50	A	P-O3'-C3'	5.73	126.58	119.70
26	BB	9	G	N9-C4-C5	5.73	107.69	105.40
26	BB	212	G	N3-C2-N2	-5.73	115.89	119.90
26	BB	227	A	C5-C6-N1	5.73	120.57	117.70
26	BB	610	C	N1-C2-N3	-5.73	115.19	119.20
26	BB	921	C	C1'-O4'-C4'	5.73	114.49	109.90
26	BB	949	G	C6-C5-N7	-5.73	126.96	130.40
26	BB	984	A	C3'-C2'-C1'	5.73	106.09	101.50
26	BB	1388	G	C6-C5-N7	-5.73	126.96	130.40
26	BB	1567	G	C5-N7-C8	-5.73	101.43	104.30
26	BB	1622	G	N3-C4-C5	-5.73	125.73	128.60
26	BB	1840	G	C5-N7-C8	-5.73	101.43	104.30
26	BB	2406	A	C3'-C2'-C1'	5.73	106.09	101.50
26	BB	2620	C	N1-C2-O2	5.73	122.34	118.90
26	BB	2736	A	C5'-C4'-C3'	-5.73	106.83	116.00
1	AA	262	A	N1-C6-N6	5.73	122.04	118.60
1	AA	551	U	N3-C2-O2	-5.73	118.19	122.20
1	AA	753	A	O5'-P-OP2	-5.73	100.54	105.70
1	AA	818	G	C5-C6-N1	-5.73	108.64	111.50
1	AA	1423	G	N1-C2-N3	-5.73	120.46	123.90
1	AA	1528	U	O4'-C4'-C3'	5.73	110.68	106.10
2	AB	38	A	N1-C6-N6	-5.73	115.16	118.60
7	AG	127	ARG	CD-NE-CZ	5.73	131.62	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AH	44	ARG	NE-CZ-NH2	-5.73	117.44	120.30
23	AW	50	PHE	CG-CD2-CE2	-5.73	114.50	120.80
26	BB	8	C	C5'-C4'-O4'	5.73	115.98	109.10
26	BB	60	G	C5'-C4'-C3'	-5.73	106.83	116.00
26	BB	110	G	N3-C4-C5	-5.73	125.73	128.60
26	BB	423	A	C8-N9-C4	5.73	108.09	105.80
26	BB	798	G	N9-C4-C5	5.73	107.69	105.40
26	BB	2008	C	P-O5'-C5'	5.73	130.07	120.90
26	BB	2261	C	C4-C5-C6	-5.73	114.53	117.40
26	BB	2631	G	C6-C5-N7	-5.73	126.96	130.40
26	BB	2731	G	C2-N3-C4	5.73	114.77	111.90
1	AA	289	G	N3-C2-N2	-5.73	115.89	119.90
1	AA	566	G	C8-N9-C4	-5.73	104.11	106.40
1	AA	583	A	C5'-C4'-O4'	5.73	115.97	109.10
1	AA	651	C	C6-N1-C2	-5.73	118.01	120.30
1	AA	721	G	C8-N9-C4	-5.73	104.11	106.40
1	AA	761	G	C4-C5-C6	5.73	122.24	118.80
1	AA	1297	G	O4'-C1'-C2'	-5.73	100.07	105.80
6	AF	202	PHE	CB-CG-CD1	5.73	124.81	120.80
26	BB	281	C	O4'-C1'-N1	5.73	112.78	108.20
26	BB	693	A	C8-N9-C4	-5.73	103.51	105.80
26	BB	988	A	N9-C4-C5	5.73	108.09	105.80
26	BB	1738	G	C2-N3-C4	5.73	114.77	111.90
26	BB	2006	C	N1-C2-O2	5.73	122.34	118.90
26	BB	2545	G	N3-C4-C5	-5.73	125.73	128.60
26	BB	2588	G	C4-C5-N7	-5.73	108.51	110.80
26	BB	2669	G	C4-C5-C6	5.73	122.24	118.80
1	AA	604	G	C5-C6-O6	-5.73	125.16	128.60
1	AA	749	A	C4'-C3'-O3'	5.73	124.45	113.00
1	AA	777	A	C4-C5-N7	-5.73	107.84	110.70
1	AA	852	G	N9-C4-C5	-5.73	103.11	105.40
1	AA	915	A	C4-C5-N7	-5.73	107.84	110.70
1	AA	950	U	N3-C4-O4	5.73	123.41	119.40
1	AA	1229	A	C6-C5-N7	5.73	136.31	132.30
4	AD	59	A	C5-C6-N6	-5.73	119.12	123.70
26	BB	1335	C	C5-C6-N1	5.73	123.86	121.00
26	BB	1359	A	C5'-C4'-C3'	-5.73	106.83	116.00
26	BB	1579	A	N7-C8-N9	-5.73	110.94	113.80
26	BB	1693	U	O4'-C4'-C3'	5.73	110.68	106.10
26	BB	1814	G	N7-C8-N9	-5.73	110.24	113.10
26	BB	1976	U	P-O3'-C3'	5.73	126.57	119.70
26	BB	2430	A	C5-C6-N1	5.73	120.56	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2761	A	C8-N9-C4	-5.73	103.51	105.80
26	BB	2832	U	C5-C6-N1	-5.73	119.84	122.70
1	AA	177	G	N1-C6-O6	-5.73	116.47	119.90
1	AA	747	A	N1-C2-N3	-5.73	126.44	129.30
1	AA	1413	A	C8-N9-C4	-5.73	103.51	105.80
25	BA	3	C	O5'-P-OP2	-5.73	100.55	105.70
26	BB	479	A	C2-N3-C4	-5.73	107.74	110.60
26	BB	739	A	C4-C5-C6	-5.73	114.14	117.00
26	BB	1100	C	C5'-C4'-O4'	5.73	115.97	109.10
26	BB	2324	U	N3-C2-O2	-5.73	118.19	122.20
26	BB	2870	C	C5-C4-N4	5.73	124.21	120.20
1	AA	115	G	C6-N1-C2	-5.72	121.67	125.10
1	AA	399	G	P-O3'-C3'	5.72	126.57	119.70
1	AA	906	A	N9-C4-C5	-5.72	103.51	105.80
1	AA	1311	A	C6-C5-N7	-5.72	128.29	132.30
1	AA	1475	G	C1'-O4'-C4'	-5.72	105.32	109.90
1	AA	1539	C	C2-N3-C4	5.72	122.76	119.90
2	AB	38	A	C8-N9-C4	-5.72	103.51	105.80
26	BB	13	A	N1-C6-N6	-5.72	115.17	118.60
26	BB	214	G	N1-C2-N3	-5.72	120.47	123.90
26	BB	238	C	C3'-C2'-C1'	-5.72	96.92	101.50
26	BB	406	G	C8-N9-C4	-5.72	104.11	106.40
26	BB	491	G	C5-C6-O6	-5.72	125.17	128.60
26	BB	1491	G	C5'-C4'-O4'	5.72	115.97	109.10
26	BB	1714	U	C2-N1-C1'	5.72	124.57	117.70
26	BB	2138	G	C6-N1-C2	5.72	128.53	125.10
26	BB	2158	A	P-O3'-C3'	5.72	126.57	119.70
26	BB	2211	A	C4-C5-C6	5.72	119.86	117.00
26	BB	2331	G	N3-C2-N2	5.72	123.91	119.90
1	AA	278	G	O4'-C4'-C3'	5.72	110.68	106.10
1	AA	349	A	O4'-C1'-N9	5.72	112.78	108.20
1	AA	749	A	C5-C6-N1	5.72	120.56	117.70
1	AA	1051	C	O4'-C1'-N1	5.72	112.78	108.20
25	BA	42	C	P-O3'-C3'	5.72	126.57	119.70
25	BA	93	C	C2-N3-C4	5.72	122.76	119.90
26	BB	391	A	N1-C6-N6	-5.72	115.17	118.60
26	BB	675	A	C5'-C4'-O4'	5.72	115.97	109.10
26	BB	1010	A	N1-C2-N3	-5.72	126.44	129.30
26	BB	1325	U	C1'-O4'-C4'	5.72	114.48	109.90
26	BB	1441	G	N1-C2-N3	-5.72	120.47	123.90
26	BB	1476	U	N3-C2-O2	-5.72	118.19	122.20
26	BB	1733	G	C4-C5-N7	-5.72	108.51	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1789	A	N3-C4-C5	5.72	130.81	126.80
26	BB	1871	A	O4'-C1'-N9	5.72	112.78	108.20
26	BB	2554	U	C4-C5-C6	5.72	123.13	119.70
26	BB	2875	C	N3-C4-N4	-5.72	113.99	118.00
1	AA	471	U	N1-C2-O2	5.72	126.81	122.80
4	AD	28	U	C1'-O4'-C4'	5.72	114.48	109.90
26	BB	326	G	N9-C4-C5	5.72	107.69	105.40
26	BB	330	A	P-O3'-C3'	5.72	126.57	119.70
26	BB	458	G	N9-C1'-C2'	5.72	121.44	114.00
26	BB	825	A	O4'-C1'-N9	5.72	112.78	108.20
26	BB	1811	G	C4-C5-C6	5.72	122.23	118.80
28	BD	247	TRP	NE1-CE2-CD2	-5.72	101.58	107.30
1	AA	168	G	C8-N9-C4	-5.72	104.11	106.40
1	AA	671	G	C8-N9-C4	-5.72	104.11	106.40
1	AA	775	G	C1'-O4'-C4'	-5.72	105.32	109.90
1	AA	893	C	C4'-C3'-C2'	-5.72	96.88	102.60
1	AA	898	G	C4-C5-N7	5.72	113.09	110.80
1	AA	1035	A	C2-N3-C4	5.72	113.46	110.60
26	BB	338	G	N3-C4-N9	5.72	129.43	126.00
26	BB	744	U	C4-C5-C6	5.72	123.13	119.70
26	BB	1107	G	C4-C5-N7	-5.72	108.51	110.80
26	BB	1335	C	C5-C4-N4	5.72	124.20	120.20
26	BB	1337	G	C2-N3-C4	5.72	114.76	111.90
26	BB	1637	A	C5-C6-N6	-5.72	119.12	123.70
26	BB	1798	U	C3'-C2'-C1'	5.72	106.08	101.50
26	BB	1842	G	N7-C8-N9	5.72	115.96	113.10
26	BB	1952	A	C5-N7-C8	-5.72	101.04	103.90
26	BB	2458	G	C6-C5-N7	-5.72	126.97	130.40
1	AA	716	A	C4-C5-N7	5.72	113.56	110.70
10	AJ	52	ARG	NE-CZ-NH1	5.72	123.16	120.30
26	BB	689	A	N7-C8-N9	-5.72	110.94	113.80
26	BB	1382	G	C6-C5-N7	-5.72	126.97	130.40
26	BB	1421	G	C8-N9-C4	-5.72	104.11	106.40
26	BB	1436	G	N3-C4-N9	5.72	129.43	126.00
26	BB	2528	U	C4-C5-C6	5.72	123.13	119.70
32	BH	42	VAL	CA-CB-CG1	5.72	119.48	110.90
1	AA	345	C	P-O3'-C3'	5.72	126.56	119.70
1	AA	547	A	C1'-O4'-C4'	5.72	114.47	109.90
1	AA	807	A	N7-C8-N9	5.72	116.66	113.80
1	AA	912	C	C5-C4-N4	-5.72	116.20	120.20
1	AA	914	A	N3-C4-C5	-5.72	122.80	126.80
1	AA	936	C	C6-N1-C1'	5.72	127.66	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1084	G	C4'-C3'-C2'	-5.72	96.88	102.60
1	AA	1303	C	N1-C2-O2	5.72	122.33	118.90
2	AB	56	C	P-O3'-C3'	5.72	126.56	119.70
11	AK	65	PHE	CB-CG-CD1	-5.72	116.80	120.80
12	AL	63	TYR	CB-CG-CD2	5.72	124.43	121.00
24	AX	66	ARG	CA-CB-CG	5.72	125.98	113.40
26	BB	54	G	C8-N9-C1'	5.72	134.43	127.00
26	BB	586	A	C8-N9-C4	-5.72	103.51	105.80
26	BB	655	A	C4-C5-C6	-5.72	114.14	117.00
26	BB	782	A	N1-C2-N3	-5.72	126.44	129.30
26	BB	1678	A	C4-C5-C6	5.72	119.86	117.00
26	BB	2253	G	C5-N7-C8	5.72	107.16	104.30
26	BB	2829	A	N3-C4-C5	-5.72	122.80	126.80
1	AA	294	U	O4'-C4'-C3'	5.71	110.67	106.10
1	AA	758	C	C4-C5-C6	-5.71	114.54	117.40
1	AA	895	G	C5-C6-O6	5.71	132.03	128.60
1	AA	1376	U	C2-N3-C4	-5.71	123.57	127.00
2	AB	38	A	O4'-C1'-C2'	5.71	112.74	107.60
3	AC	48	C	C4-C5-C6	5.71	120.26	117.40
26	BB	205	G	C5-N7-C8	-5.71	101.44	104.30
26	BB	342	A	C5'-C4'-C3'	-5.71	106.86	116.00
26	BB	558	U	C4-C5-C6	5.71	123.13	119.70
26	BB	618	G	C4-C5-N7	-5.71	108.51	110.80
26	BB	966	G	N1-C6-O6	-5.71	116.47	119.90
26	BB	1085	A	C1'-O4'-C4'	-5.71	105.33	109.90
26	BB	1194	A	N1-C2-N3	-5.71	126.44	129.30
26	BB	1744	A	C6-C5-N7	5.71	136.30	132.30
26	BB	1889	A	C1'-O4'-C4'	5.71	114.47	109.90
26	BB	2122	U	C4'-C3'-C2'	-5.71	96.89	102.60
26	BB	2306	C	C6-N1-C2	-5.71	118.01	120.30
26	BB	2397	G	C5'-C4'-O4'	5.71	115.96	109.10
26	BB	2639	A	C6-C5-N7	5.71	136.30	132.30
26	BB	2758	A	O3'-P-O5'	-5.71	93.14	104.00
26	BB	2861	U	C5'-C4'-O4'	5.71	115.96	109.10
1	AA	694	A	N1-C6-N6	5.71	122.03	118.60
1	AA	774	G	P-O3'-C3'	-5.71	112.84	119.70
1	AA	805	C	O4'-C1'-N1	5.71	112.77	108.20
1	AA	1124	G	N1-C2-N2	5.71	121.34	116.20
1	AA	1250	A	N1-C6-N6	-5.71	115.17	118.60
26	BB	406	G	C2-N3-C4	-5.71	109.04	111.90
26	BB	929	U	C5'-C4'-O4'	5.71	115.96	109.10
26	BB	2131	U	C4-C5-C6	5.71	123.13	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2230	G	C4-C5-C6	5.71	122.23	118.80
26	BB	2501	C	C4'-C3'-C2'	5.71	108.31	102.60
1	AA	1433	A	C1'-O4'-C4'	5.71	114.47	109.90
1	AA	1512	U	O4'-C1'-N1	5.71	112.77	108.20
2	AB	9	A	O4'-C4'-C3'	5.71	110.67	106.10
6	AF	178	ARG	C-N-CA	5.71	135.98	121.70
26	BB	213	A	C5-C6-N1	5.71	120.56	117.70
26	BB	1289	C	C5-C6-N1	5.71	123.86	121.00
26	BB	2599	G	C5-C6-N1	5.71	114.36	111.50
26	BB	2745	C	O4'-C1'-N1	5.71	112.77	108.20
27	BC	71	ARG	NE-CZ-NH1	5.71	123.16	120.30
1	AA	140	U	C5-C6-N1	-5.71	119.84	122.70
1	AA	154	U	C5-C4-O4	-5.71	122.47	125.90
1	AA	287	U	C4'-C3'-C2'	-5.71	96.89	102.60
1	AA	1080	A	N7-C8-N9	5.71	116.66	113.80
1	AA	1208	C	C5-C4-N4	-5.71	116.20	120.20
26	BB	464	U	C6-N1-C2	-5.71	117.57	121.00
26	BB	1523	U	N3-C4-O4	5.71	123.40	119.40
26	BB	2246	G	C3'-C2'-C1'	5.71	106.07	101.50
26	BB	2266	A	N7-C8-N9	5.71	116.66	113.80
26	BB	2461	A	N9-C4-C5	5.71	108.08	105.80
1	AA	347	G	N9-C1'-C2'	-5.71	105.72	112.00
1	AA	735	C	N1-C2-O2	5.71	122.33	118.90
1	AA	779	C	C5-C4-N4	-5.71	116.20	120.20
1	AA	975	A	C5'-C4'-C3'	-5.71	106.87	116.00
1	AA	1368	A	C5-C6-N1	5.71	120.56	117.70
3	AC	50	U	P-O3'-C3'	5.71	126.55	119.70
25	BA	108	A	O4'-C1'-N9	5.71	112.77	108.20
26	BB	69	C	N3-C2-O2	-5.71	117.90	121.90
26	BB	100	U	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	148	U	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	214	G	C8-N9-C4	-5.71	104.12	106.40
26	BB	570	G	N1-C2-N3	-5.71	120.47	123.90
26	BB	1393	A	C8-N9-C4	-5.71	103.52	105.80
26	BB	1667	G	N7-C8-N9	5.71	115.95	113.10
26	BB	1820	U	C6-N1-C2	-5.71	117.58	121.00
26	BB	2889	C	N1-C2-O2	5.71	122.33	118.90
1	AA	715	A	C2-N3-C4	5.71	113.45	110.60
1	AA	904	U	C2-N3-C4	-5.71	123.58	127.00
1	AA	974	A	C5-C6-N6	5.71	128.26	123.70
1	AA	1475	G	C5-C6-N1	-5.71	108.65	111.50
1	AA	1530	G	N3-C4-N9	5.71	129.42	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	220	G	C5-C6-O6	5.71	132.02	128.60
26	BB	605	G	C4-C5-C6	5.71	122.22	118.80
26	BB	697	G	N9-C4-C5	5.71	107.68	105.40
26	BB	1001	A	P-O3'-C3'	5.71	126.55	119.70
26	BB	1544	A	O4'-C1'-N9	5.71	112.77	108.20
26	BB	2036	C	C4-C5-C6	5.71	120.25	117.40
1	AA	1007	U	C2-N1-C1'	5.71	124.55	117.70
1	AA	1093	A	N9-C1'-C2'	-5.71	105.72	112.00
26	BB	133	U	P-O3'-C3'	5.71	126.55	119.70
26	BB	378	C	C2-N3-C4	5.71	122.75	119.90
26	BB	380	G	N9-C1'-C2'	-5.71	105.72	112.00
26	BB	566	U	O4'-C1'-N1	5.71	112.76	108.20
26	BB	1207	C	C4-C5-C6	-5.71	114.55	117.40
26	BB	1330	C	N3-C2-O2	-5.71	117.91	121.90
26	BB	2404	U	N1-C2-O2	-5.71	118.81	122.80
1	AA	700	G	N3-C2-N2	-5.70	115.91	119.90
1	AA	721	G	O4'-C1'-N9	5.70	112.76	108.20
1	AA	980	C	O4'-C1'-N1	5.70	112.76	108.20
1	AA	1442	G	C5-N7-C8	-5.70	101.45	104.30
4	AD	64	G	C1'-O4'-C4'	5.70	114.46	109.90
25	BA	70	C	C2-N3-C4	-5.70	117.05	119.90
26	BB	23	G	N1-C6-O6	-5.70	116.48	119.90
26	BB	418	C	C5-C6-N1	5.70	123.85	121.00
26	BB	1058	U	N1-C2-N3	5.70	118.32	114.90
26	BB	1089	A	N1-C6-N6	5.70	122.02	118.60
26	BB	1137	G	C5-C6-N1	5.70	114.35	111.50
26	BB	1863	G	O4'-C1'-C2'	5.70	112.73	107.60
26	BB	2084	C	C5'-C4'-O4'	5.70	115.94	109.10
26	BB	2667	C	C3'-C2'-C1'	5.70	106.06	101.50
26	BB	2822	G	N1-C2-N2	-5.70	111.07	116.20
1	AA	97	G	C5'-C4'-O4'	5.70	115.94	109.10
1	AA	732	C	N1-C2-O2	5.70	122.32	118.90
26	BB	590	A	C4-C5-N7	-5.70	107.85	110.70
26	BB	1338	G	C2-N3-C4	5.70	114.75	111.90
26	BB	1470	A	C4-C5-N7	-5.70	107.85	110.70
26	BB	1843	C	C5-C6-N1	-5.70	118.15	121.00
26	BB	1954	G	C2-N3-C4	5.70	114.75	111.90
26	BB	2188	U	C5-C4-O4	-5.70	122.48	125.90
46	BV	69	ARG	NE-CZ-NH2	-5.70	117.45	120.30
1	AA	537	G	N3-C4-C5	-5.70	125.75	128.60
1	AA	543	U	N1-C2-N3	5.70	118.32	114.90
1	AA	708	C	C4-C5-C6	5.70	120.25	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	799	G	O3'-P-O5'	-5.70	93.17	104.00
1	AA	1021	A	C5-C6-N1	-5.70	114.85	117.70
1	AA	1333	A	O4'-C1'-C2'	5.70	112.73	107.60
6	AF	64	ARG	NE-CZ-NH2	-5.70	117.45	120.30
16	AP	41	ASP	CB-CG-OD2	-5.70	113.17	118.30
26	BB	460	A	C8-N9-C4	5.70	108.08	105.80
26	BB	548	G	C3'-C2'-C1'	-5.70	96.94	101.50
26	BB	1529	G	C6-C5-N7	5.70	133.82	130.40
26	BB	2314	A	O5'-C5'-C4'	-5.70	100.87	111.70
29	BE	73	VAL	CA-CB-CG2	5.70	119.45	110.90
50	BZ	2	ARG	NE-CZ-NH1	-5.70	117.45	120.30
1	AA	145	G	N9-C4-C5	5.70	107.68	105.40
1	AA	191	G	C4-C5-C6	5.70	122.22	118.80
1	AA	281	G	C5-C6-O6	-5.70	125.18	128.60
1	AA	436	C	N1-C2-O2	5.70	122.32	118.90
1	AA	1431	A	C5-C6-N1	-5.70	114.85	117.70
1	AA	1458	G	O4'-C4'-C3'	5.70	110.66	106.10
26	BB	7	G	N1-C2-N2	5.70	121.33	116.20
26	BB	415	A	N1-C2-N3	-5.70	126.45	129.30
26	BB	1273	U	C6-N1-C2	-5.70	117.58	121.00
26	BB	1508	A	C2-N3-C4	5.70	113.45	110.60
26	BB	1622	G	C6-N1-C2	-5.70	121.68	125.10
26	BB	1623	G	C6-C5-N7	5.70	133.82	130.40
26	BB	1867	G	C2-N3-C4	-5.70	109.05	111.90
26	BB	2173	A	O4'-C1'-N9	5.70	112.76	108.20
26	BB	2738	A	C5-C6-N6	5.70	128.26	123.70
26	BB	2750	A	C2-N3-C4	5.70	113.45	110.60
11	AK	127	TYR	CA-CB-CG	5.70	124.22	113.40
26	BB	157	C	C2-N3-C4	-5.70	117.05	119.90
26	BB	158	U	N1-C1'-C2'	-5.70	105.73	112.00
26	BB	1213	A	O4'-C1'-N9	-5.70	103.64	108.20
26	BB	1895	C	N3-C2-O2	-5.70	117.91	121.90
26	BB	2254	C	N3-C4-C5	-5.70	119.62	121.90
26	BB	2291	U	P-O3'-C3'	5.70	126.54	119.70
26	BB	2353	G	C8-N9-C1'	5.70	134.41	127.00
1	AA	820	U	N3-C4-C5	5.70	118.02	114.60
1	AA	893	C	N3-C4-N4	5.70	121.99	118.00
2	AB	67	G	N7-C8-N9	-5.70	110.25	113.10
26	BB	52	A	C6-N1-C2	5.70	122.02	118.60
26	BB	840	C	C6-N1-C2	-5.70	118.02	120.30
26	BB	1260	A	N7-C8-N9	5.70	116.65	113.80
26	BB	1319	C	N1-C2-O2	5.70	122.32	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1776	G	C5-C6-O6	-5.70	125.18	128.60
26	BB	2107	G	C6-C5-N7	-5.70	126.98	130.40
26	BB	2241	A	C6-N1-C2	-5.70	115.18	118.60
26	BB	2887	A	N9-C1'-C2'	-5.70	105.73	112.00
28	BD	176	ARG	NH1-CZ-NH2	5.70	125.67	119.40
1	AA	126	G	N3-C4-C5	-5.69	125.75	128.60
1	AA	426	U	C6-N1-C2	-5.69	117.58	121.00
1	AA	971	G	N3-C2-N2	5.69	123.89	119.90
1	AA	1276	G	C8-N9-C4	-5.69	104.12	106.40
1	AA	1512	U	O4'-C4'-C3'	-5.69	98.31	104.00
25	BA	35	C	P-O3'-C3'	5.69	126.53	119.70
25	BA	83	G	C6-N1-C2	5.69	128.52	125.10
26	BB	192	C	C3'-C2'-C1'	5.69	106.06	101.50
26	BB	1766	G	C5-C6-N1	5.69	114.35	111.50
26	BB	1813	G	O4'-C1'-N9	5.69	112.76	108.20
26	BB	2382	G	C5-C6-N1	5.69	114.35	111.50
26	BB	2416	C	C6-N1-C2	-5.69	118.02	120.30
26	BB	2426	A	C5-C6-N6	-5.69	119.14	123.70
1	AA	570	G	O4'-C1'-N9	5.69	112.75	108.20
1	AA	598	U	O4'-C1'-C2'	-5.69	100.11	105.80
1	AA	927	G	C5-C6-O6	5.69	132.01	128.60
1	AA	942	G	C1'-O4'-C4'	-5.69	105.35	109.90
1	AA	1170	A	C1'-O4'-C4'	-5.69	105.35	109.90
26	BB	167	A	C6-C5-N7	-5.69	128.31	132.30
26	BB	223	A	N7-C8-N9	5.69	116.65	113.80
26	BB	263	G	C6-C5-N7	-5.69	126.98	130.40
26	BB	334	C	N3-C2-O2	-5.69	117.92	121.90
26	BB	379	G	C4'-C3'-C2'	-5.69	96.91	102.60
26	BB	423	A	C5-C6-N1	-5.69	114.85	117.70
26	BB	528	A	O4'-C1'-C2'	5.69	112.72	107.60
26	BB	756	A	C4'-C3'-C2'	-5.69	96.91	102.60
26	BB	1143	A	N7-C8-N9	5.69	116.65	113.80
26	BB	1475	G	O4'-C1'-C2'	-5.69	100.11	105.80
26	BB	1657	U	C5'-C4'-O4'	5.69	115.93	109.10
26	BB	1671	U	O4'-C1'-N1	5.69	112.75	108.20
26	BB	2128	G	P-O5'-C5'	5.69	130.01	120.90
26	BB	2143	C	N1-C2-O2	5.69	122.32	118.90
26	BB	2377	A	C6-C5-N7	-5.69	128.31	132.30
26	BB	2495	G	C4-C5-N7	-5.69	108.52	110.80
26	BB	2632	A	C5'-C4'-O4'	5.69	115.93	109.10
1	AA	731	G	N3-C4-C5	-5.69	125.75	128.60
1	AA	1505	G	C5-C6-O6	-5.69	125.19	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AK	50	VAL	O-C-N	5.69	131.81	122.70
26	BB	214	G	C2-N3-C4	5.69	114.75	111.90
26	BB	219	A	O4'-C4'-C3'	5.69	110.65	106.10
26	BB	493	G	P-O3'-C3'	5.69	126.53	119.70
26	BB	620	G	P-O3'-C3'	5.69	126.53	119.70
26	BB	1206	G	C5-N7-C8	-5.69	101.45	104.30
26	BB	1370	C	N3-C2-O2	-5.69	117.92	121.90
26	BB	1764	C	C2-N3-C4	5.69	122.75	119.90
26	BB	2539	C	N3-C4-C5	-5.69	119.62	121.90
26	BB	2561	U	C2-N3-C4	-5.69	123.59	127.00
26	BB	2742	G	N3-C2-N2	-5.69	115.92	119.90
26	BB	2743	U	C5'-C4'-C3'	-5.69	106.89	116.00
32	BH	93	TYR	CG-CD1-CE1	-5.69	116.75	121.30
1	AA	733	G	C5-C6-N1	5.69	114.34	111.50
1	AA	1432	G	C4'-C3'-C2'	-5.69	96.91	102.60
1	AA	1489	G	C1'-O4'-C4'	-5.69	105.35	109.90
26	BB	94	A	C5-C6-N1	-5.69	114.86	117.70
26	BB	1445	G	P-O5'-C5'	5.69	130.00	120.90
26	BB	1468	U	C5'-C4'-O4'	5.69	115.93	109.10
26	BB	1780	A	C4-C5-N7	5.69	113.55	110.70
26	BB	2829	A	C5-N7-C8	5.69	106.74	103.90
1	AA	286	C	C3'-C2'-C1'	-5.69	96.95	101.50
1	AA	442	G	N1-C2-N2	5.69	121.32	116.20
1	AA	507	C	O4'-C1'-C2'	-5.69	100.11	105.80
1	AA	770	C	N1-C1'-C2'	5.69	121.39	114.00
1	AA	953	G	O4'-C1'-N9	5.69	112.75	108.20
2	AB	43	G	C5-C6-O6	-5.69	125.19	128.60
4	AD	66	C	C6-N1-C2	-5.69	118.03	120.30
26	BB	538	A	C2-N3-C4	5.69	113.44	110.60
26	BB	623	C	C5-C4-N4	-5.69	116.22	120.20
26	BB	846	U	O3'-P-O5'	-5.69	93.19	104.00
26	BB	899	A	C2-N3-C4	5.69	113.44	110.60
26	BB	2065	C	C4'-C3'-C2'	-5.69	96.91	102.60
26	BB	2073	C	C3'-C2'-C1'	5.69	106.05	101.50
26	BB	2488	G	C5-C6-O6	-5.69	125.19	128.60
26	BB	2493	U	N3-C4-O4	5.69	123.38	119.40
26	BB	2640	G	C6-C5-N7	5.69	133.81	130.40
26	BB	2751	G	C6-N1-C2	-5.69	121.69	125.10
33	BI	49	ALA	N-CA-CB	-5.69	102.14	110.10
1	AA	41	G	C5-C6-N1	5.69	114.34	111.50
1	AA	656	G	N3-C4-C5	-5.69	125.76	128.60
1	AA	985	C	C2-N3-C4	5.69	122.74	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	354	A	P-O3'-C3'	5.69	126.52	119.70
26	BB	676	A	C5'-C4'-O4'	-5.69	102.28	109.10
26	BB	803	U	P-O3'-C3'	5.69	126.52	119.70
26	BB	1383	A	C8-N9-C4	-5.69	103.53	105.80
26	BB	1465	G	N3-C4-C5	-5.69	125.76	128.60
26	BB	2513	A	C4'-C3'-C2'	-5.69	96.91	102.60
1	AA	364	A	N9-C4-C5	-5.68	103.53	105.80
1	AA	832	G	C4-C5-N7	-5.68	108.53	110.80
1	AA	1049	U	C1'-O4'-C4'	5.68	114.45	109.90
2	AB	44	G	C8-N9-C1'	5.68	134.39	127.00
26	BB	102	U	C2-N3-C4	-5.68	123.59	127.00
26	BB	251	A	O4'-C1'-N9	5.68	112.75	108.20
26	BB	495	G	N3-C4-N9	5.68	129.41	126.00
26	BB	528	A	N1-C2-N3	5.68	132.14	129.30
26	BB	661	A	O4'-C1'-N9	5.68	112.75	108.20
26	BB	689	A	C8-N9-C4	5.68	108.07	105.80
26	BB	2136	G	C3'-C2'-C1'	-5.68	96.95	101.50
26	BB	2213	U	O4'-C1'-N1	5.68	112.75	108.20
26	BB	2303	G	C6-N1-C2	-5.68	121.69	125.10
26	BB	2379	G	N3-C2-N2	5.68	123.88	119.90
26	BB	2418	A	C5-C6-N6	-5.68	119.15	123.70
26	BB	2844	G	C5-C6-N1	5.68	114.34	111.50
57	B6	59	ALA	CB-CA-C	-5.68	101.57	110.10
1	AA	103	U	O4'-C4'-C3'	5.68	110.65	106.10
1	AA	391	G	C2-N3-C4	5.68	114.74	111.90
1	AA	492	C	P-O3'-C3'	5.68	126.52	119.70
1	AA	654	G	C4-C5-C6	-5.68	115.39	118.80
1	AA	735	C	C5-C6-N1	5.68	123.84	121.00
1	AA	1088	G	C5-N7-C8	5.68	107.14	104.30
1	AA	1500	A	N3-C4-N9	5.68	131.94	127.40
15	AO	116	TYR	CB-CG-CD1	-5.68	117.59	121.00
25	BA	70	C	N3-C2-O2	-5.68	117.92	121.90
25	BA	116	G	N7-C8-N9	5.68	115.94	113.10
26	BB	100	U	O4'-C1'-C2'	-5.68	100.12	105.80
26	BB	500	G	C5'-C4'-C3'	-5.68	106.91	116.00
26	BB	562	U	N3-C4-C5	5.68	118.01	114.60
26	BB	702	U	C5'-C4'-O4'	5.68	115.92	109.10
26	BB	961	C	N3-C2-O2	-5.68	117.92	121.90
26	BB	1878	G	C3'-C2'-C1'	-5.68	96.95	101.50
26	BB	2701	U	O4'-C1'-N1	5.68	112.75	108.20
26	BB	2781	A	O4'-C1'-N9	5.68	112.75	108.20
26	BB	2807	U	C2-N3-C4	-5.68	123.59	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	117	G	N7-C8-N9	5.68	115.94	113.10
1	AA	372	C	C6-N1-C1'	-5.68	113.98	120.80
1	AA	464	U	C3'-C2'-C1'	5.68	106.04	101.50
1	AA	680	C	C4-C5-C6	5.68	120.24	117.40
1	AA	1334	G	C8-N9-C4	-5.68	104.13	106.40
15	AO	27	PRO	N-CD-CG	5.68	111.72	103.20
26	BB	1611	C	C2-N3-C4	5.68	122.74	119.90
26	BB	2033	A	N9-C4-C5	5.68	108.07	105.80
26	BB	2336	A	C5-C6-N6	-5.68	119.16	123.70
26	BB	2571	U	N3-C4-C5	5.68	118.01	114.60
26	BB	2703	C	C5'-C4'-C3'	5.68	125.09	116.00
32	BH	132	LEU	CB-CG-CD1	5.68	120.66	111.00
37	BM	95	ILE	CA-CB-CG1	5.68	121.79	111.00
1	AA	654	G	N7-C8-N9	5.68	115.94	113.10
1	AA	1225	A	N1-C2-N3	5.68	132.14	129.30
3	AC	14	G	C6-N1-C2	-5.68	121.69	125.10
26	BB	195	A	O4'-C4'-C3'	5.68	110.64	106.10
26	BB	656	G	N3-C4-N9	-5.68	122.59	126.00
26	BB	1719	G	C8-N9-C4	-5.68	104.13	106.40
26	BB	2041	U	C6-N1-C2	-5.68	117.59	121.00
46	BV	3	ARG	NE-CZ-NH1	5.68	123.14	120.30
1	AA	322	C	O4'-C1'-N1	5.68	112.74	108.20
26	BB	367	G	C5-N7-C8	-5.68	101.46	104.30
26	BB	1003	G	C6-N1-C2	-5.68	121.69	125.10
26	BB	1022	G	N1-C2-N2	5.68	121.31	116.20
26	BB	2462	C	N3-C4-C5	-5.68	119.63	121.90
1	AA	254	G	N1-C6-O6	5.68	123.31	119.90
1	AA	1204	A	N1-C6-N6	5.68	122.01	118.60
26	BB	390	U	C2-N3-C4	-5.68	123.59	127.00
26	BB	414	C	C4'-C3'-C2'	-5.68	96.92	102.60
26	BB	615	U	C6-N1-C2	-5.68	117.59	121.00
26	BB	1057	A	C5'-C4'-C3'	-5.68	106.92	116.00
26	BB	1262	A	C5-N7-C8	-5.68	101.06	103.90
26	BB	1389	G	N3-C2-N2	5.68	123.87	119.90
26	BB	1406	U	C4-C5-C6	5.68	123.11	119.70
26	BB	1450	G	C6-N1-C2	-5.68	121.69	125.10
26	BB	1552	A	C1'-O4'-C4'	-5.68	105.36	109.90
26	BB	1626	A	C5'-C4'-O4'	5.68	115.91	109.10
26	BB	1820	U	N3-C4-O4	5.68	123.37	119.40
26	BB	2113	U	C4'-C3'-C2'	-5.68	96.92	102.60
26	BB	2604	U	C6-N1-C2	-5.68	117.59	121.00
26	BB	2678	C	C3'-C2'-C1'	5.68	106.04	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1	A	C5'-C4'-C3'	-5.67	106.92	116.00
1	AA	157	U	O4'-C1'-N1	5.67	112.74	108.20
1	AA	168	G	C3'-C2'-C1'	-5.67	96.96	101.50
1	AA	394	G	N7-C8-N9	5.67	115.94	113.10
1	AA	1254	A	N1-C6-N6	-5.67	115.19	118.60
1	AA	1375	A	C5-N7-C8	-5.67	101.06	103.90
2	AB	76	A	C4-C5-C6	5.67	119.84	117.00
4	AD	39	A	C2-N3-C4	5.67	113.44	110.60
26	BB	67	U	N1-C2-N3	5.67	118.31	114.90
26	BB	598	U	C3'-C2'-C1'	-5.67	96.96	101.50
26	BB	979	A	N7-C8-N9	-5.67	110.96	113.80
26	BB	1301	A	N7-C8-N9	-5.67	110.96	113.80
26	BB	1355	G	O4'-C1'-N9	5.67	112.74	108.20
26	BB	1520	U	N3-C4-C5	-5.67	111.19	114.60
26	BB	1737	G	C1'-O4'-C4'	5.67	114.44	109.90
26	BB	1756	G	C4-C5-N7	5.67	113.07	110.80
26	BB	2155	U	N1-C1'-C2'	-5.67	105.76	112.00
26	BB	2439	A	C4-C5-N7	-5.67	107.86	110.70
1	AA	267	C	C2-N3-C4	5.67	122.74	119.90
1	AA	1358	U	C4-C5-C6	5.67	123.10	119.70
4	AD	14	A	C5-N7-C8	5.67	106.74	103.90
26	BB	280	U	O4'-C1'-N1	5.67	112.74	108.20
26	BB	293	U	C4'-C3'-C2'	5.67	108.27	102.60
26	BB	447	A	C8-N9-C4	5.67	108.07	105.80
26	BB	805	G	C8-N9-C4	-5.67	104.13	106.40
26	BB	1277	G	C5-N7-C8	-5.67	101.46	104.30
26	BB	1529	G	C5-C6-N1	5.67	114.34	111.50
26	BB	2780	G	C6-N1-C2	-5.67	121.70	125.10
1	AA	44	A	C5-C6-N1	-5.67	114.86	117.70
1	AA	241	G	C8-N9-C1'	5.67	134.37	127.00
1	AA	316	C	N3-C4-N4	5.67	121.97	118.00
1	AA	824	G	C6-N1-C2	-5.67	121.70	125.10
1	AA	1429	A	C3'-C2'-C1'	-5.67	96.96	101.50
4	AD	64	G	C5'-C4'-O4'	5.67	115.91	109.10
26	BB	164	C	N1-C2-O2	5.67	122.30	118.90
26	BB	174	U	N1-C1'-C2'	-5.67	105.76	112.00
26	BB	550	C	O3'-P-O5'	-5.67	93.22	104.00
26	BB	1008	A	C5-N7-C8	5.67	106.74	103.90
26	BB	1482	G	C4-C5-C6	5.67	122.20	118.80
26	BB	1577	C	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	1580	A	C2-N3-C4	5.67	113.44	110.60
26	BB	2130	U	C2-N1-C1'	5.67	124.50	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2450	A	C5-C6-N1	-5.67	114.86	117.70
26	BB	2466	C	O4'-C1'-N1	5.67	112.74	108.20
26	BB	2484	G	C8-N9-C4	-5.67	104.13	106.40
40	BP	17	ARG	NE-CZ-NH2	-5.67	117.46	120.30
1	AA	130	A	C2-N3-C4	-5.67	107.77	110.60
3	AC	32	U	C5'-C4'-C3'	-5.67	106.93	116.00
26	BB	237	C	O4'-C1'-N1	5.67	112.74	108.20
26	BB	2116	G	P-O3'-C3'	5.67	126.50	119.70
1	AA	717	U	C4'-C3'-C2'	-5.67	96.93	102.60
1	AA	1290	G	N3-C4-N9	5.67	129.40	126.00
4	AD	9	G	N7-C8-N9	5.67	115.93	113.10
4	AD	35	C	C5-C6-N1	5.67	123.83	121.00
26	BB	177	G	N1-C2-N2	-5.67	111.10	116.20
26	BB	196	A	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	260	G	O4'-C1'-C2'	5.67	112.70	107.60
26	BB	912	C	N3-C4-C5	-5.67	119.63	121.90
26	BB	1250	G	N3-C4-C5	-5.67	125.77	128.60
26	BB	1635	A	C2-N3-C4	5.67	113.43	110.60
26	BB	2240	U	C5-C6-N1	-5.67	119.86	122.70
26	BB	2490	G	N1-C2-N3	5.67	127.30	123.90
26	BB	2664	G	C6-N1-C2	-5.67	121.70	125.10
26	BB	2726	A	N3-C4-C5	-5.67	122.83	126.80
36	BL	124	VAL	CG1-CB-CG2	-5.67	101.83	110.90
37	BM	105	ARG	NE-CZ-NH2	-5.67	117.47	120.30
40	BP	96	ARG	NE-CZ-NH2	5.67	123.14	120.30
1	AA	145	G	C6-N1-C2	-5.67	121.70	125.10
1	AA	424	G	C5-N7-C8	-5.67	101.47	104.30
1	AA	492	C	C4'-C3'-C2'	-5.67	96.93	102.60
1	AA	600	A	N1-C2-N3	-5.67	126.47	129.30
1	AA	951	G	O4'-C4'-C3'	-5.67	98.33	104.00
2	AB	65	C	C5'-C4'-O4'	5.67	115.90	109.10
3	AC	53	G	P-O3'-C3'	5.67	126.50	119.70
26	BB	166	U	N1-C2-N3	5.67	118.30	114.90
26	BB	324	A	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	430	A	C4-C5-N7	5.67	113.53	110.70
26	BB	666	A	C4-C5-C6	-5.67	114.17	117.00
26	BB	985	C	C1'-O4'-C4'	-5.67	105.37	109.90
26	BB	1061	U	N3-C2-O2	-5.67	118.23	122.20
26	BB	1545	A	C6-C5-N7	5.67	136.27	132.30
26	BB	1704	C	O4'-C1'-C2'	5.67	112.70	107.60
26	BB	1760	C	C6-N1-C2	-5.67	118.03	120.30
26	BB	2065	C	N3-C4-N4	5.67	121.97	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2148	G	C6-C5-N7	-5.67	127.00	130.40
26	BB	2759	G	N1-C6-O6	-5.67	116.50	119.90
26	BB	2829	A	N1-C2-N3	5.67	132.13	129.30
1	AA	271	C	C5'-C4'-O4'	5.67	115.90	109.10
1	AA	382	A	C6-N1-C2	5.67	122.00	118.60
1	AA	611	C	C4-C5-C6	-5.67	114.57	117.40
1	AA	1397	C	C6-N1-C2	5.67	122.57	120.30
1	AA	1459	G	P-O5'-C5'	5.67	129.96	120.90
26	BB	86	G	C4-C5-C6	5.67	122.20	118.80
26	BB	180	G	C5-C6-O6	5.67	132.00	128.60
26	BB	269	C	P-O5'-C5'	5.67	129.97	120.90
26	BB	423	A	C4-C5-N7	-5.67	107.87	110.70
26	BB	435	C	N1-C2-N3	5.67	123.17	119.20
26	BB	1159	U	N1-C2-N3	5.67	118.30	114.90
26	BB	1479	G	C5-C6-O6	-5.67	125.20	128.60
26	BB	2157	G	N7-C8-N9	5.67	115.93	113.10
26	BB	2746	U	P-O5'-C5'	5.67	129.96	120.90
51	B0	7	ARG	CD-NE-CZ	5.67	131.53	123.60
52	B1	29	ARG	NE-CZ-NH2	5.67	123.13	120.30
1	AA	379	C	C2-N3-C4	-5.66	117.07	119.90
1	AA	782	A	O4'-C1'-N9	5.66	112.73	108.20
1	AA	939	G	N3-C4-N9	5.66	129.40	126.00
1	AA	1254	A	C5-N7-C8	5.66	106.73	103.90
1	AA	1292	G	N1-C2-N2	5.66	121.30	116.20
24	AX	64	ALA	CB-CA-C	5.66	118.59	110.10
26	BB	19	A	C5-N7-C8	-5.66	101.07	103.90
26	BB	215	G	N3-C4-C5	-5.66	125.77	128.60
26	BB	327	G	C5-C6-N1	-5.66	108.67	111.50
26	BB	695	G	N1-C2-N3	-5.66	120.50	123.90
26	BB	1042	G	C4-C5-N7	-5.66	108.53	110.80
26	BB	1048	A	N1-C6-N6	5.66	122.00	118.60
26	BB	1164	C	N1-C1'-C2'	-5.66	105.77	112.00
26	BB	1491	G	C6-N1-C2	-5.66	121.70	125.10
26	BB	1738	G	N7-C8-N9	5.66	115.93	113.10
26	BB	1739	A	O4'-C1'-N9	5.66	112.73	108.20
26	BB	1801	A	N1-C2-N3	-5.66	126.47	129.30
26	BB	2447	G	C5-C6-N1	5.66	114.33	111.50
26	BB	2644	G	C4-C5-C6	5.66	122.20	118.80
33	BI	27	ARG	NE-CZ-NH2	5.66	123.13	120.30
1	AA	234	C	C2-N3-C4	5.66	122.73	119.90
1	AA	346	G	C5-N7-C8	-5.66	101.47	104.30
26	BB	765	C	N1-C2-N3	-5.66	115.24	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	888	C	C2'-C3'-O3'	5.66	122.76	113.70
26	BB	907	G	C5-C6-O6	-5.66	125.20	128.60
26	BB	1449	G	C5-C6-N1	-5.66	108.67	111.50
26	BB	1466	U	O3'-P-O5'	-5.66	93.24	104.00
1	AA	1099	G	C5-C6-N1	-5.66	108.67	111.50
1	AA	1356	G	C2-N3-C4	5.66	114.73	111.90
1	AA	1459	G	C1'-O4'-C4'	-5.66	105.37	109.90
2	AB	42	G	C1'-O4'-C4'	5.66	114.43	109.90
4	AD	32	G	O4'-C4'-C3'	-5.66	98.34	104.00
9	AI	42	TRP	NE1-CE2-CZ2	5.66	136.63	130.40
25	BA	57	A	C2'-C3'-O3'	5.66	122.76	113.70
26	BB	398	C	C5'-C4'-C3'	-5.66	106.94	116.00
26	BB	926	G	C1'-O4'-C4'	-5.66	105.37	109.90
26	BB	1765	U	N3-C4-O4	5.66	123.36	119.40
26	BB	1826	G	N1-C2-N2	5.66	121.29	116.20
26	BB	2103	C	N3-C4-N4	5.66	121.96	118.00
1	AA	106	C	C5'-C4'-C3'	5.66	125.05	116.00
1	AA	181	A	N7-C8-N9	5.66	116.63	113.80
1	AA	324	G	C2-N3-C4	5.66	114.73	111.90
1	AA	456	A	C5-N7-C8	5.66	106.73	103.90
1	AA	558	G	O4'-C1'-N9	5.66	112.73	108.20
1	AA	656	G	N3-C2-N2	5.66	123.86	119.90
26	BB	505	A	C4-C5-N7	5.66	113.53	110.70
26	BB	619	G	N1-C6-O6	-5.66	116.50	119.90
26	BB	1040	A	C8-N9-C4	-5.66	103.54	105.80
26	BB	2428	G	N9-C1'-C2'	-5.66	105.78	112.00
26	BB	2589	A	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	2661	G	N3-C4-N9	5.66	129.40	126.00
26	BB	2823	A	O4'-C1'-N9	5.66	112.73	108.20
1	AA	131	A	C4-C5-C6	5.66	119.83	117.00
1	AA	234	C	C5-C6-N1	5.66	123.83	121.00
1	AA	1419	G	C5-C6-O6	5.66	131.99	128.60
25	BA	40	U	C6-N1-C2	-5.66	117.61	121.00
26	BB	667	U	N1-C2-N3	5.66	118.29	114.90
26	BB	699	A	N1-C2-N3	5.66	132.13	129.30
26	BB	711	G	C8-N9-C4	5.66	108.66	106.40
26	BB	810	U	P-O3'-C3'	5.66	126.49	119.70
26	BB	1434	A	P-O3'-C3'	5.66	126.49	119.70
26	BB	1498	C	C4'-C3'-C2'	-5.66	96.94	102.60
26	BB	2200	C	N1-C2-N3	-5.66	115.24	119.20
26	BB	2239	G	C1'-O4'-C4'	5.66	114.43	109.90
26	BB	2644	G	C4-C5-N7	5.66	113.06	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2647	U	C3'-C2'-C1'	5.66	106.03	101.50
26	BB	2810	A	N1-C2-N3	-5.66	126.47	129.30
1	AA	273	U	N3-C4-C5	5.66	117.99	114.60
1	AA	461	A	C5'-C4'-C3'	-5.66	106.95	116.00
1	AA	583	A	O4'-C1'-N9	5.66	112.72	108.20
1	AA	615	G	N1-C2-N3	-5.66	120.51	123.90
1	AA	902	G	C5-C6-O6	-5.66	125.21	128.60
3	AC	58	C	C4'-C3'-C2'	5.66	108.25	102.60
26	BB	8	C	C6-N1-C2	5.66	122.56	120.30
26	BB	129	C	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	532	A	N3-C4-N9	5.66	131.93	127.40
26	BB	562	U	N1-C1'-C2'	-5.66	105.78	112.00
26	BB	1067	A	C5-C6-N1	5.66	120.53	117.70
26	BB	1972	G	C5-C6-N1	5.66	114.33	111.50
26	BB	2694	G	N1-C2-N3	5.66	127.29	123.90
37	BM	120	PRO	N-CD-CG	5.66	111.68	103.20
38	BN	64	PHE	CD1-CE1-CZ	5.66	126.89	120.10
1	AA	177	G	O4'-C1'-C2'	-5.65	100.15	105.80
1	AA	403	C	N1-C2-O2	5.65	122.29	118.90
1	AA	787	A	C4-C5-C6	5.65	119.83	117.00
1	AA	845	A	N3-C4-C5	-5.65	122.84	126.80
1	AA	1461	G	C5-C6-O6	-5.65	125.21	128.60
3	AC	28	U	C2-N3-C4	-5.65	123.61	127.00
26	BB	686	U	C5-C4-O4	-5.65	122.51	125.90
26	BB	1296	G	C5-N7-C8	-5.65	101.47	104.30
26	BB	1521	G	O4'-C1'-N9	5.65	112.72	108.20
26	BB	1627	G	C5-C6-N1	5.65	114.33	111.50
39	BO	117	PHE	CZ-CE2-CD2	-5.65	113.32	120.10
1	AA	104	G	N7-C8-N9	5.65	115.93	113.10
1	AA	604	G	C4-C5-C6	5.65	122.19	118.80
1	AA	1099	G	C2-N3-C4	5.65	114.73	111.90
1	AA	1302	C	N1-C2-O2	5.65	122.29	118.90
1	AA	1396	A	C5-C6-N1	5.65	120.53	117.70
16	AP	112	ARG	NE-CZ-NH1	-5.65	117.47	120.30
21	AU	30	ASN	O-C-N	5.65	131.74	122.70
25	BA	17	C	C6-N1-C2	-5.65	118.04	120.30
26	BB	532	A	C5-C6-N1	-5.65	114.87	117.70
26	BB	1111	A	N1-C6-N6	5.65	121.99	118.60
26	BB	1125	G	N3-C4-C5	-5.65	125.77	128.60
26	BB	1154	G	C5'-C4'-O4'	5.65	115.88	109.10
26	BB	1194	A	N9-C1'-C2'	-5.65	105.78	112.00
26	BB	1442	U	N3-C2-O2	-5.65	118.24	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1580	A	N1-C2-N3	-5.65	126.47	129.30
26	BB	1763	G	N7-C8-N9	5.65	115.93	113.10
26	BB	1867	G	O4'-C4'-C3'	5.65	110.62	106.10
26	BB	2415	G	C3'-C2'-C1'	5.65	106.02	101.50
26	BB	2656	U	C5-C4-O4	5.65	129.29	125.90
26	BB	2772	C	O3'-P-O5'	-5.65	93.26	104.00
1	AA	203	G	N3-C2-N2	-5.65	115.94	119.90
1	AA	670	G	C4-C5-N7	-5.65	108.54	110.80
1	AA	732	C	N3-C4-N4	5.65	121.96	118.00
1	AA	887	G	N7-C8-N9	5.65	115.92	113.10
1	AA	1068	G	N3-C4-C5	-5.65	125.77	128.60
1	AA	1108	G	O4'-C1'-C2'	-5.65	100.15	105.80
1	AA	1212	U	C5-C6-N1	5.65	125.53	122.70
1	AA	1249	C	C4'-C3'-C2'	-5.65	96.95	102.60
4	AD	68	C	C4-C5-C6	-5.65	114.58	117.40
26	BB	15	G	C1'-O4'-C4'	5.65	114.42	109.90
26	BB	95	A	C5-C6-N1	5.65	120.53	117.70
26	BB	628	G	C2'-C3'-O3'	5.65	122.74	113.70
26	BB	705	A	O4'-C4'-C3'	5.65	110.62	106.10
26	BB	935	C	C5-C6-N1	5.65	123.83	121.00
26	BB	1660	G	N9-C1'-C2'	-5.65	105.78	112.00
26	BB	1796	U	C3'-C2'-C1'	5.65	106.02	101.50
26	BB	2050	C	C5-C6-N1	-5.65	118.17	121.00
26	BB	2375	G	C3'-C2'-C1'	5.65	106.02	101.50
26	BB	2669	G	C5-N7-C8	-5.65	101.47	104.30
26	BB	2889	C	P-O5'-C5'	5.65	129.94	120.90
1	AA	621	A	C5-N7-C8	5.65	106.72	103.90
1	AA	760	G	C3'-C2'-C1'	-5.65	96.98	101.50
8	AH	111	ARG	NE-CZ-NH1	5.65	123.12	120.30
26	BB	572	A	C1'-O4'-C4'	5.65	114.42	109.90
26	BB	1031	G	O3'-P-O5'	-5.65	93.27	104.00
26	BB	1336	A	N1-C2-N3	-5.65	126.47	129.30
26	BB	1995	U	C4-C5-C6	5.65	123.09	119.70
26	BB	2809	A	C5'-C4'-O4'	5.65	115.88	109.10
1	AA	137	U	N1-C1'-C2'	-5.65	105.79	112.00
1	AA	249	U	C6-N1-C2	-5.65	117.61	121.00
1	AA	522	C	C5-C4-N4	5.65	124.15	120.20
1	AA	778	G	C5'-C4'-C3'	-5.65	106.96	116.00
1	AA	846	G	N1-C6-O6	-5.65	116.51	119.90
1	AA	937	A	C5'-C4'-O4'	5.65	115.88	109.10
26	BB	153	U	O5'-P-OP2	-5.65	100.62	105.70
26	BB	214	G	N1-C6-O6	-5.65	116.51	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	850	U	N3-C4-C5	-5.65	111.21	114.60
26	BB	1054	A	N3-C4-C5	-5.65	122.85	126.80
26	BB	1204	A	C4-C5-N7	5.65	113.52	110.70
26	BB	1250	G	O3'-P-O5'	-5.65	93.27	104.00
26	BB	1391	U	N3-C2-O2	-5.65	118.25	122.20
26	BB	1611	C	N1-C2-N3	-5.65	115.25	119.20
26	BB	1761	C	N3-C4-C5	5.65	124.16	121.90
26	BB	1964	G	C6-C5-N7	5.65	133.79	130.40
26	BB	1972	G	N3-C4-C5	-5.65	125.78	128.60
26	BB	2301	C	C5-C4-N4	5.65	124.15	120.20
26	BB	2623	G	C8-N9-C4	5.65	108.66	106.40
26	BB	2696	U	C4-C5-C6	5.65	123.09	119.70
26	BB	2766	A	C5'-C4'-O4'	5.65	115.88	109.10
26	BB	2876	G	O4'-C4'-C3'	-5.65	98.35	104.00
31	BG	70	ARG	NE-CZ-NH2	5.65	123.12	120.30
38	BN	69	ARG	CA-CB-CG	5.65	125.83	113.40
42	BR	27	VAL	O-C-N	5.65	131.74	122.70
1	AA	129	A	C3'-C2'-C1'	5.65	106.02	101.50
1	AA	654	G	C5-C6-N1	5.65	114.32	111.50
1	AA	937	A	N1-C2-N3	-5.65	126.48	129.30
26	BB	87	U	OP1-P-O3'	5.65	117.62	105.20
26	BB	1879	C	N3-C2-O2	-5.65	117.95	121.90
45	BU	110	ARG	NE-CZ-NH1	-5.65	117.48	120.30
1	AA	33	A	N9-C4-C5	5.64	108.06	105.80
1	AA	301	G	C6-N1-C2	-5.64	121.71	125.10
1	AA	468	A	C2-N3-C4	5.64	113.42	110.60
1	AA	750	C	C5'-C4'-C3'	-5.64	106.97	116.00
3	AC	35	G	N9-C4-C5	5.64	107.66	105.40
4	AD	14	A	O4'-C1'-N9	5.64	112.72	108.20
5	AE	22	TRP	NE1-CE2-CZ2	5.64	136.61	130.40
26	BB	1064	C	N3-C4-C5	-5.64	119.64	121.90
26	BB	1295	C	C3'-C2'-C1'	5.64	106.02	101.50
26	BB	1842	G	C5'-C4'-O4'	5.64	115.87	109.10
26	BB	1903	G	N1-C6-O6	-5.64	116.51	119.90
26	BB	1966	A	O4'-C1'-N9	5.64	112.72	108.20
26	BB	2447	G	C5'-C4'-O4'	5.64	115.87	109.10
26	BB	2668	G	N3-C4-N9	5.64	129.39	126.00
1	AA	429	U	C5-C6-N1	-5.64	119.88	122.70
1	AA	519	C	N3-C4-N4	-5.64	114.05	118.00
1	AA	718	A	N1-C2-N3	-5.64	126.48	129.30
1	AA	799	G	C5-N7-C8	-5.64	101.48	104.30
1	AA	876	C	C6-N1-C2	5.64	122.56	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	918	A	O4'-C1'-N9	5.64	112.71	108.20
1	AA	926	G	N9-C4-C5	5.64	107.66	105.40
26	BB	982	C	C5-C4-N4	5.64	124.15	120.20
26	BB	1450	G	N9-C4-C5	5.64	107.66	105.40
26	BB	1883	U	C5'-C4'-C3'	-5.64	106.97	116.00
26	BB	2010	G	C8-N9-C4	-5.64	104.14	106.40
26	BB	2118	U	N1-C1'-C2'	-5.64	105.79	112.00
26	BB	2269	G	N1-C2-N2	-5.64	111.12	116.20
26	BB	2380	C	C1'-O4'-C4'	-5.64	105.39	109.90
26	BB	2862	G	C6-N1-C2	-5.64	121.71	125.10
1	AA	128	G	N3-C2-N2	-5.64	115.95	119.90
1	AA	1349	A	N9-C4-C5	-5.64	103.54	105.80
13	AM	7	ARG	NE-CZ-NH1	5.64	123.12	120.30
25	BA	40	U	C5-C4-O4	5.64	129.28	125.90
26	BB	30	G	O4'-C1'-C2'	5.64	112.68	107.60
26	BB	335	C	O5'-P-OP1	-5.64	100.62	105.70
26	BB	1469	A	C5-C6-N6	5.64	128.21	123.70
26	BB	1801	A	N7-C8-N9	5.64	116.62	113.80
26	BB	1802	A	C5'-C4'-O4'	5.64	115.87	109.10
1	AA	334	C	C1'-O4'-C4'	-5.64	105.39	109.90
1	AA	683	G	N7-C8-N9	5.64	115.92	113.10
1	AA	972	C	O4'-C4'-C3'	5.64	110.61	106.10
1	AA	1107	C	N3-C4-C5	-5.64	119.64	121.90
1	AA	1304	G	C6-N1-C2	-5.64	121.72	125.10
3	AC	33	A	N3-C4-C5	-5.64	122.85	126.80
26	BB	150	U	N3-C2-O2	-5.64	118.25	122.20
26	BB	274	C	O4'-C1'-N1	5.64	112.71	108.20
26	BB	407	G	C5'-C4'-O4'	-5.64	102.33	109.10
26	BB	537	G	C5-C6-N1	-5.64	108.68	111.50
26	BB	618	G	C5-N7-C8	-5.64	101.48	104.30
26	BB	724	U	N1-C2-O2	-5.64	118.85	122.80
26	BB	807	U	C1'-O4'-C4'	-5.64	105.39	109.90
26	BB	891	G	N1-C2-N2	5.64	121.28	116.20
26	BB	991	C	C5'-C4'-O4'	5.64	115.87	109.10
26	BB	1419	A	N7-C8-N9	-5.64	110.98	113.80
26	BB	1760	C	C5-C6-N1	5.64	123.82	121.00
26	BB	1860	G	C6-N1-C2	-5.64	121.72	125.10
26	BB	2742	G	N1-C2-N3	5.64	127.28	123.90
1	AA	203	G	N1-C2-N2	5.64	121.27	116.20
1	AA	1192	C	N3-C4-C5	-5.64	119.64	121.90
2	AB	57	G	N3-C2-N2	-5.64	115.95	119.90
5	AE	221	ARG	NE-CZ-NH1	5.64	123.12	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AK	23	ALA	N-CA-CB	-5.64	102.21	110.10
25	BA	3	C	N1-C2-O2	5.64	122.28	118.90
26	BB	244	A	C4'-C3'-C2'	-5.64	96.96	102.60
26	BB	1516	G	C8-N9-C4	-5.64	104.14	106.40
26	BB	1632	A	C5'-C4'-O4'	5.64	115.86	109.10
26	BB	2048	G	C4'-C3'-C2'	-5.64	96.96	102.60
29	BE	80	TRP	CG-CD2-CE3	5.64	138.97	133.90
1	AA	32	A	C6-N1-C2	5.64	121.98	118.60
1	AA	441	A	C5-C6-N1	-5.64	114.88	117.70
1	AA	501	C	C1'-O4'-C4'	5.64	114.41	109.90
1	AA	542	G	N3-C4-N9	5.64	129.38	126.00
1	AA	588	G	C2-N3-C4	5.64	114.72	111.90
1	AA	636	U	C2-N3-C4	-5.64	123.62	127.00
1	AA	672	U	O4'-C1'-N1	5.64	112.71	108.20
1	AA	1190	G	N9-C4-C5	5.64	107.65	105.40
1	AA	1191	A	C5-N7-C8	-5.64	101.08	103.90
1	AA	1504	G	C6-C5-N7	-5.64	127.02	130.40
2	AB	47	U	O4'-C1'-C2'	-5.64	100.16	105.80
26	BB	27	G	C6-C5-N7	-5.64	127.02	130.40
26	BB	614	A	O4'-C1'-N9	5.64	112.71	108.20
26	BB	625	G	C4-C5-N7	-5.64	108.55	110.80
26	BB	697	G	C8-N9-C4	-5.64	104.14	106.40
26	BB	1120	G	C3'-C2'-C1'	5.64	106.01	101.50
26	BB	1610	A	O5'-C5'-C4'	5.64	122.41	111.70
26	BB	1871	A	C1'-O4'-C4'	5.64	114.41	109.90
26	BB	1968	G	C8-N9-C4	-5.64	104.14	106.40
26	BB	2141	G	C4-C5-C6	5.64	122.18	118.80
26	BB	2405	G	C3'-C2'-C1'	5.64	106.01	101.50
26	BB	2513	A	O4'-C1'-N9	5.64	112.71	108.20
26	BB	2717	C	C6-N1-C2	5.64	122.55	120.30
26	BB	2758	A	C4-C5-N7	5.64	113.52	110.70
26	BB	2832	U	N3-C4-C5	-5.64	111.22	114.60
1	AA	353	A	O4'-C1'-C2'	-5.63	100.17	105.80
1	AA	934	C	O4'-C4'-C3'	5.63	110.61	106.10
1	AA	1150	A	N3-C4-N9	5.63	131.91	127.40
1	AA	1329	A	N1-C6-N6	5.63	121.98	118.60
1	AA	1329	A	O4'-C1'-N9	5.63	112.71	108.20
1	AA	1398	A	O4'-C1'-N9	-5.63	103.69	108.20
2	AB	67	G	C1'-O4'-C4'	5.63	114.41	109.90
26	BB	140	C	C4-C5-C6	-5.63	114.58	117.40
26	BB	187	G	C4-N9-C1'	5.63	133.82	126.50
26	BB	486	C	C5-C4-N4	-5.63	116.26	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	510	C	C1'-O4'-C4'	5.63	114.41	109.90
26	BB	611	C	C2'-C3'-O3'	5.63	122.72	113.70
26	BB	612	G	C6-N1-C2	-5.63	121.72	125.10
26	BB	661	A	C5-C6-N1	5.63	120.52	117.70
26	BB	683	U	C4-C5-C6	5.63	123.08	119.70
26	BB	859	G	C5-C6-N1	-5.63	108.68	111.50
26	BB	924	G	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	1426	G	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	1713	A	N9-C4-C5	-5.63	103.55	105.80
26	BB	1927	A	C5'-C4'-O4'	5.63	115.86	109.10
36	BL	52	ASP	CB-CG-OD1	-5.63	113.23	118.30
42	BR	100	ARG	NE-CZ-NH2	5.63	123.12	120.30
1	AA	893	C	C6-N1-C2	5.63	122.55	120.30
2	AB	58	A	C5'-C4'-O4'	5.63	115.86	109.10
3	AC	54	U	C5-C4-O4	-5.63	122.52	125.90
4	AD	7	G	N3-C4-C5	-5.63	125.78	128.60
4	AD	74	A	C5-C6-N6	5.63	128.21	123.70
11	AK	113	ARG	NE-CZ-NH2	5.63	123.12	120.30
26	BB	770	G	N3-C4-C5	-5.63	125.78	128.60
26	BB	976	G	N1-C6-O6	5.63	123.28	119.90
26	BB	1363	C	C6-N1-C2	5.63	122.55	120.30
26	BB	1883	U	C3'-C2'-C1'	5.63	106.01	101.50
26	BB	2085	U	C5'-C4'-C3'	-5.63	106.99	116.00
26	BB	2447	G	C3'-C2'-C1'	5.63	106.01	101.50
1	AA	27	G	C6-N1-C2	-5.63	121.72	125.10
1	AA	186	C	O3'-P-O5'	-5.63	93.30	104.00
1	AA	447	G	C4-C5-C6	5.63	122.18	118.80
1	AA	1214	C	C5-C4-N4	5.63	124.14	120.20
1	AA	1219	A	C5'-C4'-C3'	-5.63	106.99	116.00
1	AA	1538	C	N1-C2-N3	-5.63	115.26	119.20
12	AL	100	ALA	N-CA-CB	-5.63	102.22	110.10
22	AV	2	ARG	CD-NE-CZ	5.63	131.49	123.60
26	BB	35	G	N9-C1'-C2'	-5.63	105.81	112.00
26	BB	98	G	C4-C5-N7	-5.63	108.55	110.80
26	BB	667	U	N3-C2-O2	-5.63	118.26	122.20
26	BB	1781	U	C2-N3-C4	5.63	130.38	127.00
26	BB	1805	A	C4-C5-N7	-5.63	107.88	110.70
26	BB	1831	G	C6-C5-N7	-5.63	127.02	130.40
26	BB	1878	G	N1-C2-N2	5.63	121.27	116.20
26	BB	2093	G	C8-N9-C4	-5.63	104.15	106.40
26	BB	2562	U	O4'-C1'-N1	5.63	112.70	108.20
33	BI	53	GLU	OE1-CD-OE2	5.63	130.06	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	391	G	N9-C4-C5	5.63	107.65	105.40
2	AB	33	U	C6-N1-C2	-5.63	117.62	121.00
4	AD	22	A	N3-C4-N9	-5.63	122.90	127.40
4	AD	73	A	N9-C4-C5	-5.63	103.55	105.80
26	BB	9	G	N3-C2-N2	5.63	123.84	119.90
26	BB	607	U	N1-C2-O2	-5.63	118.86	122.80
26	BB	613	A	P-O3'-C3'	5.63	126.46	119.70
26	BB	1521	G	N1-C6-O6	-5.63	116.52	119.90
26	BB	1890	A	C3'-C2'-C1'	-5.63	97.00	101.50
26	BB	2183	A	C5-C6-N6	5.63	128.20	123.70
26	BB	2531	A	C5-N7-C8	5.63	106.72	103.90
26	BB	2589	A	O5'-P-OP2	-5.63	100.63	105.70
26	BB	2593	U	C5'-C4'-O4'	5.63	115.86	109.10
26	BB	2628	C	N1-C2-O2	5.63	122.28	118.90
1	AA	137	U	N3-C4-C5	-5.63	111.22	114.60
1	AA	202	G	C4'-C3'-C2'	-5.63	96.97	102.60
1	AA	572	A	N3-C4-N9	-5.63	122.90	127.40
1	AA	1298	U	O4'-C1'-C2'	-5.63	100.17	105.80
4	AD	19	G	C1'-O4'-C4'	-5.63	105.40	109.90
4	AD	57	C	N1-C2-O2	5.63	122.28	118.90
17	AQ	80	ARG	NE-CZ-NH2	5.63	123.11	120.30
26	BB	108	G	P-O5'-C5'	5.63	129.91	120.90
26	BB	423	A	C6-N1-C2	5.63	121.98	118.60
26	BB	599	A	O4'-C1'-C2'	5.63	112.67	107.60
26	BB	606	U	P-O3'-C3'	5.63	126.45	119.70
26	BB	751	A	C4-C5-C6	-5.63	114.19	117.00
26	BB	815	C	C5'-C4'-C3'	-5.63	106.99	116.00
26	BB	1469	A	C6-C5-N7	-5.63	128.36	132.30
26	BB	1823	G	C1'-O4'-C4'	-5.63	105.40	109.90
26	BB	1953	A	N3-C4-C5	-5.63	122.86	126.80
26	BB	2146	C	N1-C2-N3	-5.63	115.26	119.20
26	BB	2297	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	2303	G	N3-C4-C5	-5.63	125.79	128.60
26	BB	2378	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	2783	U	C5-C6-N1	-5.63	119.89	122.70
1	AA	85	U	C2-N3-C4	-5.63	123.62	127.00
1	AA	155	A	C5-C6-N1	5.63	120.51	117.70
1	AA	522	C	O5'-C5'-C4'	5.63	122.39	111.70
1	AA	855	U	O4'-C1'-C2'	-5.63	100.17	105.80
1	AA	1368	A	N9-C1'-C2'	-5.63	105.81	112.00
2	AB	35	C	O4'-C1'-C2'	-5.63	100.17	105.80
4	AD	77	A	C5-C6-N6	5.63	128.20	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	115	A	C5'-C4'-C3'	-5.63	107.00	116.00
26	BB	4	U	C2-N1-C1'	-5.63	110.95	117.70
26	BB	56	A	O4'-C1'-C2'	5.63	112.66	107.60
26	BB	239	C	C1'-O4'-C4'	5.63	114.40	109.90
26	BB	727	A	C3'-C2'-C1'	5.63	106.00	101.50
26	BB	1043	C	N3-C4-N4	-5.63	114.06	118.00
26	BB	1256	G	N7-C8-N9	5.63	115.91	113.10
26	BB	1396	U	C2-N3-C4	-5.63	123.62	127.00
26	BB	1484	U	N1-C2-N3	5.63	118.28	114.90
26	BB	2567	G	N3-C4-C5	-5.63	125.79	128.60
26	BB	2686	G	N3-C2-N2	-5.63	115.96	119.90
26	BB	2864	G	N1-C6-O6	-5.63	116.52	119.90
1	AA	184	G	C5'-C4'-O4'	5.62	115.85	109.10
1	AA	241	G	C4-N9-C1'	-5.62	119.19	126.50
1	AA	1422	G	C4-C5-C6	5.62	122.17	118.80
4	AD	68	C	N1-C2-N3	-5.62	115.26	119.20
12	AL	10	ARG	NE-CZ-NH1	5.62	123.11	120.30
26	BB	771	G	N3-C4-C5	-5.62	125.79	128.60
26	BB	2110	G	C5'-C4'-O4'	-5.62	102.35	109.10
26	BB	2867	G	C3'-C2'-C1'	-5.62	97.00	101.50
1	AA	490	C	C5-C4-N4	-5.62	116.26	120.20
1	AA	570	G	N9-C4-C5	-5.62	103.15	105.40
1	AA	1296	C	C2-N3-C4	5.62	122.71	119.90
15	AO	8	ARG	C-N-CA	5.62	135.76	121.70
21	AU	63	TYR	CB-CG-CD1	-5.62	117.63	121.00
25	BA	4	C	C5-C4-N4	-5.62	116.26	120.20
25	BA	100	G	N1-C6-O6	-5.62	116.53	119.90
26	BB	155	A	N1-C6-N6	-5.62	115.23	118.60
26	BB	442	G	N9-C4-C5	5.62	107.65	105.40
26	BB	787	C	C5'-C4'-O4'	5.62	115.85	109.10
26	BB	847	U	P-O3'-C3'	5.62	126.45	119.70
26	BB	883	G	C4-C5-C6	-5.62	115.43	118.80
26	BB	1014	A	C6-C5-N7	5.62	136.24	132.30
26	BB	1123	C	C1'-O4'-C4'	5.62	114.40	109.90
26	BB	1619	G	O4'-C1'-N9	-5.62	103.70	108.20
26	BB	1776	G	C5'-C4'-O4'	5.62	115.85	109.10
26	BB	1817	G	N3-C4-C5	-5.62	125.79	128.60
26	BB	2024	G	N9-C4-C5	5.62	107.65	105.40
26	BB	2608	G	O5'-P-OP1	5.62	117.45	110.70
26	BB	2877	G	O4'-C4'-C3'	5.62	110.60	106.10
1	AA	295	C	O4'-C1'-N1	5.62	112.70	108.20
1	AA	388	G	C5-C6-O6	-5.62	125.23	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	406	G	N3-C4-C5	-5.62	125.79	128.60
1	AA	695	A	P-O3'-C3'	5.62	126.45	119.70
1	AA	885	G	C5-C6-O6	-5.62	125.23	128.60
25	BA	52	A	N7-C8-N9	-5.62	110.99	113.80
26	BB	897	C	C3'-C2'-C1'	5.62	106.00	101.50
26	BB	1220	G	N1-C2-N3	5.62	127.27	123.90
26	BB	1419	A	C4-C5-N7	-5.62	107.89	110.70
26	BB	1637	A	C8-N9-C4	-5.62	103.55	105.80
26	BB	2009	A	C3'-C2'-C1'	5.62	106.00	101.50
26	BB	2670	A	N9-C4-C5	5.62	108.05	105.80
26	BB	2736	A	C5'-C4'-O4'	5.62	115.85	109.10
1	AA	1146	A	N9-C4-C5	-5.62	103.55	105.80
25	BA	56	G	O4'-C4'-C3'	5.62	110.60	106.10
26	BB	24	G	C5-C6-O6	-5.62	125.23	128.60
26	BB	334	C	P-O3'-C3'	5.62	126.44	119.70
26	BB	489	G	C6-C5-N7	5.62	133.77	130.40
26	BB	1143	A	O3'-P-O5'	-5.62	93.32	104.00
26	BB	1382	G	N7-C8-N9	5.62	115.91	113.10
26	BB	2093	G	C5-C6-N1	5.62	114.31	111.50
26	BB	2674	G	C1'-O4'-C4'	-5.62	105.40	109.90
1	AA	7	A	N9-C4-C5	5.62	108.05	105.80
1	AA	294	U	N1-C2-N3	5.62	118.27	114.90
1	AA	551	U	C5-C4-O4	-5.62	122.53	125.90
1	AA	833	G	C4'-C3'-C2'	-5.62	96.98	102.60
1	AA	963	G	N3-C4-N9	5.62	129.37	126.00
1	AA	1151	A	N3-C4-C5	5.62	130.73	126.80
1	AA	1238	A	C1'-O4'-C4'	5.62	114.39	109.90
3	AC	49	U	C5'-C4'-O4'	5.62	115.84	109.10
8	AH	68	ARG	NH1-CZ-NH2	-5.62	113.22	119.40
25	BA	39	A	C2-N3-C4	-5.62	107.79	110.60
26	BB	573	U	C5'-C4'-O4'	5.62	115.84	109.10
26	BB	712	G	N9-C4-C5	5.62	107.65	105.40
26	BB	780	G	C5-N7-C8	-5.62	101.49	104.30
26	BB	2234	G	N1-C2-N3	-5.62	120.53	123.90
26	BB	2472	G	N1-C2-N3	5.62	127.27	123.90
1	AA	102	G	N1-C2-N2	-5.62	111.14	116.20
1	AA	115	G	N9-C4-C5	5.62	107.65	105.40
1	AA	291	U	N3-C2-O2	-5.62	118.27	122.20
1	AA	1102	A	N9-C4-C5	-5.62	103.55	105.80
18	AR	87	ARG	NE-CZ-NH1	5.62	123.11	120.30
26	BB	1279	G	C5-N7-C8	5.62	107.11	104.30
26	BB	1763	G	N3-C2-N2	5.62	123.83	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2217	G	N3-C2-N2	5.62	123.83	119.90
28	BD	105	ALA	N-CA-CB	5.62	117.96	110.10
38	BN	116	VAL	CA-CB-CG2	5.62	119.33	110.90
1	AA	114	U	N1-C2-O2	5.62	126.73	122.80
1	AA	242	G	C8-N9-C1'	5.62	134.30	127.00
1	AA	1219	A	N1-C6-N6	5.62	121.97	118.60
6	AF	171	ARG	NH1-CZ-NH2	-5.62	113.22	119.40
18	AR	52	ARG	NE-CZ-NH1	-5.62	117.49	120.30
25	BA	15	A	N9-C4-C5	5.62	108.05	105.80
26	BB	33	C	N3-C4-N4	5.62	121.93	118.00
26	BB	105	C	O4'-C1'-C2'	-5.62	100.19	105.80
26	BB	147	C	N1-C1'-C2'	-5.62	105.82	112.00
26	BB	301	G	N1-C6-O6	5.62	123.27	119.90
26	BB	302	C	C2-N3-C4	5.62	122.71	119.90
26	BB	513	A	C8-N9-C4	-5.62	103.55	105.80
26	BB	636	G	C8-N9-C4	5.62	108.65	106.40
26	BB	905	A	C5'-C4'-O4'	5.62	115.84	109.10
26	BB	1092	C	N3-C4-C5	5.62	124.15	121.90
26	BB	1434	A	C5-C6-N6	-5.62	119.21	123.70
26	BB	1488	C	C5'-C4'-O4'	5.62	115.84	109.10
26	BB	1827	U	N3-C4-C5	-5.62	111.23	114.60
26	BB	2183	A	C5'-C4'-O4'	5.62	115.84	109.10
26	BB	2624	G	C3'-C2'-C1'	-5.62	97.01	101.50
26	BB	2635	A	N7-C8-N9	5.62	116.61	113.80
26	BB	2828	G	N1-C6-O6	-5.62	116.53	119.90
26	BB	2860	A	C2-N3-C4	-5.62	107.79	110.60
1	AA	174	A	C2-N3-C4	5.61	113.41	110.60
1	AA	262	A	C5-C6-N6	-5.61	119.21	123.70
1	AA	412	A	N3-C4-C5	-5.61	122.87	126.80
1	AA	693	G	C6-C5-N7	-5.61	127.03	130.40
1	AA	935	A	C8-N9-C4	-5.61	103.56	105.80
1	AA	1009	U	C3'-C2'-C1'	-5.61	97.01	101.50
1	AA	1142	G	C6-N1-C2	-5.61	121.73	125.10
1	AA	1385	G	C5-C6-O6	5.61	131.97	128.60
25	BA	60	C	C6-N1-C2	-5.61	118.05	120.30
26	BB	205	G	N1-C6-O6	-5.61	116.53	119.90
26	BB	551	G	C2'-C3'-O3'	5.61	122.68	113.70
26	BB	700	G	O4'-C1'-N9	5.61	112.69	108.20
26	BB	753	A	C3'-C2'-C1'	-5.61	97.01	101.50
26	BB	791	C	C5-C6-N1	5.61	123.81	121.00
26	BB	1043	C	N3-C2-O2	-5.61	117.97	121.90
26	BB	1537	G	N3-C2-N2	-5.61	115.97	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1542	U	N1-C2-N3	5.61	118.27	114.90
26	BB	1614	A	C5-N7-C8	-5.61	101.09	103.90
26	BB	1653	G	N3-C4-C5	-5.61	125.79	128.60
26	BB	2034	U	N1-C2-N3	5.61	118.27	114.90
26	BB	2081	U	C1'-O4'-C4'	5.61	114.39	109.90
26	BB	2140	G	C5-C6-O6	-5.61	125.23	128.60
26	BB	2396	G	N9-C1'-C2'	-5.61	105.83	112.00
26	BB	2410	G	C5-C6-N1	5.61	114.31	111.50
49	BY	29	SER	N-CA-CB	-5.61	102.08	110.50
25	BA	22	U	C3'-C2'-C1'	-5.61	97.01	101.50
26	BB	247	G	O3'-P-O5'	-5.61	93.34	104.00
26	BB	858	G	C5-N7-C8	-5.61	101.49	104.30
26	BB	1039	A	C5-C6-N1	5.61	120.51	117.70
26	BB	2056	G	N3-C2-N2	-5.61	115.97	119.90
1	AA	263	A	C2-N3-C4	5.61	113.41	110.60
1	AA	394	G	N9-C1'-C2'	-5.61	105.83	112.00
1	AA	410	G	N1-C6-O6	5.61	123.27	119.90
1	AA	1321	U	C5-C6-N1	5.61	125.50	122.70
1	AA	1511	G	O4'-C1'-N9	5.61	112.69	108.20
25	BA	38	C	N3-C2-O2	-5.61	117.97	121.90
26	BB	42	A	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	912	C	C4-C5-C6	-5.61	114.59	117.40
26	BB	1207	C	C4'-C3'-C2'	5.61	108.21	102.60
26	BB	1236	G	C8-N9-C4	-5.61	104.16	106.40
26	BB	1298	C	C5'-C4'-O4'	5.61	115.83	109.10
26	BB	1313	U	N1-C2-N3	5.61	118.27	114.90
26	BB	1534	U	N3-C4-C5	5.61	117.97	114.60
26	BB	1663	G	C3'-C2'-C1'	5.61	105.99	101.50
26	BB	1825	U	C2-N1-C1'	-5.61	110.97	117.70
26	BB	1945	G	C5'-C4'-O4'	5.61	115.83	109.10
26	BB	2627	G	C8-N9-C4	5.61	108.64	106.40
26	BB	2649	C	N3-C4-C5	-5.61	119.66	121.90
26	BB	2694	G	N1-C2-N2	-5.61	111.15	116.20
33	BI	142	VAL	CA-CB-CG2	5.61	119.32	110.90
1	AA	1309	G	C4-C5-C6	5.61	122.17	118.80
1	AA	1507	A	C6-C5-N7	5.61	136.23	132.30
26	BB	795	C	N1-C2-O2	5.61	122.27	118.90
26	BB	1648	U	N1-C2-N3	-5.61	111.53	114.90
26	BB	2481	G	N1-C6-O6	5.61	123.27	119.90
29	BE	100	LEU	CB-CG-CD2	-5.61	101.46	111.00
31	BG	31	GLU	OE1-CD-OE2	5.61	130.03	123.30
49	BY	52	CYS	CA-CB-SG	-5.61	103.90	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	581	G	N1-C6-O6	-5.61	116.54	119.90
1	AA	715	A	C4-C5-N7	-5.61	107.90	110.70
1	AA	818	G	C8-N9-C1'	5.61	134.29	127.00
1	AA	1081	A	O4'-C1'-C2'	5.61	112.65	107.60
1	AA	1230	C	O4'-C4'-C3'	-5.61	98.39	104.00
1	AA	1334	G	N9-C4-C5	5.61	107.64	105.40
1	AA	1356	G	C4-C5-C6	-5.61	115.44	118.80
13	AM	48	ARG	CD-NE-CZ	5.61	131.45	123.60
25	BA	13	G	C8-N9-C4	-5.61	104.16	106.40
26	BB	95	A	N1-C2-N3	5.61	132.10	129.30
26	BB	194	G	N1-C2-N3	5.61	127.26	123.90
26	BB	530	G	N1-C2-N3	-5.61	120.53	123.90
26	BB	941	A	C5-C6-N1	5.61	120.50	117.70
26	BB	945	A	C4-C5-C6	-5.61	114.20	117.00
26	BB	1096	A	C5-N7-C8	-5.61	101.10	103.90
26	BB	1120	G	N1-C2-N2	-5.61	111.15	116.20
26	BB	1244	A	P-O3'-C3'	5.61	126.43	119.70
26	BB	2122	U	O4'-C1'-N1	5.61	112.69	108.20
26	BB	2280	G	N1-C2-N3	5.61	127.27	123.90
26	BB	2612	C	C5'-C4'-O4'	5.61	115.83	109.10
1	AA	9	G	C1'-O4'-C4'	-5.61	105.42	109.90
1	AA	95	C	N1-C2-O2	5.61	122.26	118.90
1	AA	150	U	O4'-C1'-N1	5.61	112.69	108.20
1	AA	893	C	N3-C2-O2	-5.61	117.98	121.90
1	AA	1119	C	P-O5'-C5'	5.61	129.87	120.90
1	AA	1128	C	C4'-C3'-C2'	-5.61	96.99	102.60
1	AA	1490	U	P-O5'-C5'	5.61	129.87	120.90
5	AE	144	GLU	OE1-CD-OE2	5.61	130.03	123.30
26	BB	1089	A	O4'-C4'-C3'	5.61	110.58	106.10
26	BB	1184	U	C4-C5-C6	5.61	123.06	119.70
26	BB	2056	G	C5'-C4'-O4'	5.61	115.83	109.10
26	BB	2427	C	C5-C6-N1	5.61	123.80	121.00
26	BB	2781	A	N9-C1'-C2'	-5.61	105.83	112.00
26	BB	2879	A	C6-N1-C2	5.61	121.96	118.60
26	BB	695	G	N3-C2-N2	-5.60	115.98	119.90
26	BB	1404	C	C4'-C3'-C2'	-5.60	97.00	102.60
26	BB	1674	G	C5-C6-N1	5.60	114.30	111.50
26	BB	1764	C	C5-C6-N1	5.60	123.80	121.00
26	BB	1828	G	C3'-C2'-C1'	-5.60	97.02	101.50
1	AA	13	U	P-O3'-C3'	5.60	126.42	119.70
1	AA	148	G	C1'-O4'-C4'	-5.60	105.42	109.90
1	AA	472	U	N3-C2-O2	-5.60	118.28	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	763	G	P-O3'-C3'	5.60	126.42	119.70
1	AA	1088	G	N7-C8-N9	-5.60	110.30	113.10
1	AA	1329	A	N7-C8-N9	5.60	116.60	113.80
1	AA	1341	U	C5-C4-O4	-5.60	122.54	125.90
2	AB	31	U	N3-C2-O2	-5.60	118.28	122.20
3	AC	14	G	N3-C4-N9	5.60	129.36	126.00
9	AI	41	ASP	CB-CG-OD2	-5.60	113.26	118.30
26	BB	103	A	C5-C6-N6	5.60	128.18	123.70
26	BB	237	C	OP1-P-OP2	5.60	128.00	119.60
26	BB	1083	U	N3-C2-O2	-5.60	118.28	122.20
26	BB	1283	G	C5-C6-N1	-5.60	108.70	111.50
26	BB	1356	G	C6-N1-C2	5.60	128.46	125.10
26	BB	1746	A	C2-N3-C4	5.60	113.40	110.60
26	BB	1794	A	N1-C6-N6	-5.60	115.24	118.60
26	BB	2057	G	O4'-C1'-N9	5.60	112.68	108.20
26	BB	2155	U	N1-C2-O2	5.60	126.72	122.80
26	BB	2290	G	C5'-C4'-C3'	-5.60	107.04	116.00
26	BB	2397	G	N1-C2-N3	-5.60	120.54	123.90
26	BB	2625	G	N1-C6-O6	-5.60	116.54	119.90
26	BB	2661	G	O4'-C1'-N9	5.60	112.68	108.20
26	BB	2679	A	C4-C5-C6	-5.60	114.20	117.00
26	BB	2726	A	C4'-C3'-C2'	5.60	108.20	102.60
46	BV	12	ARG	CD-NE-CZ	-5.60	115.76	123.60
26	BB	257	C	N1-C1'-C2'	-5.60	105.84	112.00
26	BB	1139	G	N9-C1'-C2'	-5.60	105.84	112.00
26	BB	1456	G	C1'-O4'-C4'	-5.60	105.42	109.90
26	BB	2087	G	C6-N1-C2	-5.60	121.74	125.10
26	BB	2242	G	N3-C4-N9	5.60	129.36	126.00
1	AA	443	C	O4'-C1'-N1	5.60	112.68	108.20
1	AA	588	G	C5-N7-C8	-5.60	101.50	104.30
1	AA	691	G	N9-C4-C5	5.60	107.64	105.40
1	AA	791	G	N1-C6-O6	-5.60	116.54	119.90
1	AA	901	A	C4-C5-N7	-5.60	107.90	110.70
1	AA	1283	U	O4'-C1'-N1	5.60	112.68	108.20
3	AC	35	G	N9-C1'-C2'	-5.60	105.84	112.00
26	BB	77	G	C5-C6-N1	5.60	114.30	111.50
26	BB	367	G	C6-N1-C2	-5.60	121.74	125.10
26	BB	443	A	P-O3'-C3'	5.60	126.42	119.70
26	BB	607	U	C5-C6-N1	-5.60	119.90	122.70
26	BB	619	G	O4'-C4'-C3'	-5.60	98.40	104.00
26	BB	1299	G	C1'-O4'-C4'	5.60	114.38	109.90
26	BB	1329	U	OP1-P-OP2	-5.60	111.20	119.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1396	U	P-O3'-C3'	5.60	126.42	119.70
26	BB	1779	U	C5-C6-N1	-5.60	119.90	122.70
26	BB	2125	G	N1-C6-O6	5.60	123.26	119.90
26	BB	2249	U	O4'-C4'-C3'	5.60	110.58	106.10
26	BB	2743	U	N1-C1'-C2'	-5.60	105.84	112.00
26	BB	2791	G	N7-C8-N9	5.60	115.90	113.10
1	AA	177	G	N7-C8-N9	5.60	115.90	113.10
1	AA	361	G	N1-C2-N2	5.60	121.24	116.20
1	AA	1058	G	C4'-C3'-C2'	5.60	108.20	102.60
13	AM	60	ASP	CB-CG-OD2	-5.60	113.26	118.30
26	BB	309	A	C8-N9-C4	-5.60	103.56	105.80
26	BB	340	A	N7-C8-N9	-5.60	111.00	113.80
26	BB	532	A	N3-C4-C5	-5.60	122.88	126.80
26	BB	563	A	C5-C6-N1	5.60	120.50	117.70
26	BB	1016	G	O4'-C4'-C3'	5.60	110.58	106.10
26	BB	2102	G	C4-C5-N7	-5.60	108.56	110.80
26	BB	2158	A	N3-C4-N9	-5.60	122.92	127.40
26	BB	2372	U	C5-C6-N1	-5.60	119.90	122.70
26	BB	2382	G	O4'-C1'-N9	5.60	112.68	108.20
26	BB	2456	C	C3'-C2'-C1'	5.60	105.98	101.50
26	BB	2801	G	C5-C6-O6	5.60	131.96	128.60
39	BO	31	PHE	CB-CG-CD1	5.60	124.72	120.80
1	AA	105	G	C4'-C3'-C2'	-5.60	97.00	102.60
1	AA	403	C	N1-C1'-C2'	-5.60	105.84	112.00
1	AA	802	A	N9-C4-C5	-5.60	103.56	105.80
1	AA	958	A	N9-C4-C5	-5.60	103.56	105.80
26	BB	476	G	N3-C2-N2	5.60	123.82	119.90
26	BB	773	U	OP1-P-OP2	-5.60	111.21	119.60
26	BB	1584	U	C2-N3-C4	-5.60	123.64	127.00
26	BB	1826	G	C4'-C3'-C2'	-5.60	97.00	102.60
26	BB	1897	G	N3-C4-N9	5.60	129.36	126.00
47	BW	80	ASP	CB-CG-OD1	5.60	123.34	118.30
1	AA	301	G	N1-C2-N2	-5.59	111.16	116.20
1	AA	429	U	C4-C5-C6	5.59	123.06	119.70
1	AA	646	G	C4-N9-C1'	-5.59	119.23	126.50
1	AA	712	A	C2-N3-C4	5.59	113.40	110.60
26	BB	23	G	O4'-C1'-N9	5.59	112.68	108.20
26	BB	33	C	C5-C6-N1	5.59	123.80	121.00
26	BB	488	G	O5'-C5'-C4'	-5.59	101.07	111.70
26	BB	539	G	N3-C2-N2	-5.59	115.98	119.90
26	BB	856	G	C3'-C2'-C1'	5.59	105.97	101.50
26	BB	1385	A	C5-N7-C8	-5.59	101.10	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1936	A	C2-N3-C4	-5.59	107.80	110.60
26	BB	1981	A	N7-C8-N9	5.59	116.60	113.80
26	BB	2119	A	C2-N3-C4	5.59	113.40	110.60
26	BB	2164	C	C3'-C2'-C1'	5.59	105.98	101.50
26	BB	2480	C	N1-C2-O2	5.59	122.26	118.90
26	BB	2687	U	C5'-C4'-O4'	5.59	115.81	109.10
43	BS	109	VAL	CG1-CB-CG2	-5.59	101.95	110.90
1	AA	438	U	O4'-C1'-N1	5.59	112.67	108.20
1	AA	881	G	N3-C2-N2	-5.59	115.98	119.90
1	AA	936	C	C2-N3-C4	5.59	122.70	119.90
1	AA	1252	A	C6-N1-C2	-5.59	115.24	118.60
26	BB	369	U	C5-C4-O4	-5.59	122.54	125.90
26	BB	488	G	C5-C6-O6	5.59	131.96	128.60
26	BB	752	A	N9-C4-C5	5.59	108.04	105.80
26	BB	1790	C	C5'-C4'-C3'	-5.59	107.05	116.00
26	BB	2608	G	C6-C5-N7	-5.59	127.04	130.40
26	BB	2688	G	C5-N7-C8	5.59	107.10	104.30
26	BB	2806	C	N3-C4-C5	-5.59	119.66	121.90
44	BT	54	VAL	CA-CB-CG1	5.59	119.29	110.90
1	AA	1155	A	N7-C8-N9	5.59	116.60	113.80
1	AA	1198	G	C1'-O4'-C4'	-5.59	105.43	109.90
3	AC	35	G	N1-C2-N2	5.59	121.23	116.20
11	AK	2	MET	CG-SD-CE	5.59	109.15	100.20
25	BA	20	G	N1-C2-N3	-5.59	120.55	123.90
26	BB	374	A	C3'-C2'-C1'	-5.59	97.03	101.50
26	BB	502	A	N7-C8-N9	5.59	116.60	113.80
26	BB	876	C	O4'-C4'-C3'	5.59	110.57	106.10
26	BB	2304	G	N9-C4-C5	-5.59	103.16	105.40
26	BB	2570	G	C5-C6-N1	5.59	114.30	111.50
1	AA	82	G	N1-C6-O6	5.59	123.25	119.90
1	AA	657	U	C1'-O4'-C4'	5.59	114.37	109.90
1	AA	1099	G	O4'-C1'-N9	5.59	112.67	108.20
1	AA	1204	A	C5'-C4'-O4'	5.59	115.81	109.10
3	AC	53	G	N3-C4-N9	5.59	129.35	126.00
4	AD	71	G	N9-C1'-C2'	-5.59	105.85	112.00
6	AF	131	ARG	NE-CZ-NH1	5.59	123.09	120.30
26	BB	246	C	N3-C4-C5	-5.59	119.66	121.90
26	BB	1071	G	N3-C4-N9	5.59	129.35	126.00
26	BB	1144	A	N1-C2-N3	-5.59	126.50	129.30
26	BB	1216	G	N3-C4-N9	5.59	129.35	126.00
26	BB	1528	A	C5-N7-C8	5.59	106.69	103.90
26	BB	1813	G	N7-C8-N9	-5.59	110.31	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1867	G	C8-N9-C4	-5.59	104.16	106.40
26	BB	1896	G	N9-C4-C5	5.59	107.64	105.40
26	BB	2025	C	N3-C2-O2	-5.59	117.99	121.90
26	BB	2087	G	C5-C6-O6	-5.59	125.25	128.60
26	BB	2235	G	O5'-C5'-C4'	-5.59	101.08	111.70
37	BM	78	ARG	NE-CZ-NH1	5.59	123.09	120.30
1	AA	1036	A	N1-C2-N3	-5.59	126.51	129.30
1	AA	1086	U	C6-N1-C2	-5.59	117.65	121.00
2	AB	59	G	N3-C2-N2	5.59	123.81	119.90
10	AJ	160	SER	CB-CA-C	5.59	120.72	110.10
25	BA	22	U	C6-N1-C2	-5.59	117.65	121.00
26	BB	180	G	N3-C2-N2	-5.59	115.99	119.90
26	BB	282	A	O4'-C1'-N9	5.59	112.67	108.20
26	BB	315	G	N9-C4-C5	5.59	107.64	105.40
26	BB	384	A	C1'-O4'-C4'	-5.59	105.43	109.90
26	BB	927	A	C8-N9-C4	-5.59	103.56	105.80
26	BB	1840	G	O4'-C1'-N9	5.59	112.67	108.20
26	BB	2246	G	C2-N3-C4	5.59	114.69	111.90
26	BB	2357	G	C2-N3-C4	5.59	114.69	111.90
1	AA	441	A	C2-N3-C4	-5.59	107.81	110.60
4	AD	38	A	C6-N1-C2	-5.59	115.25	118.60
25	BA	61	G	N9-C1'-C2'	-5.59	105.86	112.00
26	BB	820	A	C3'-C2'-C1'	-5.59	97.03	101.50
26	BB	1351	C	C3'-C2'-C1'	5.59	105.97	101.50
26	BB	1505	A	N7-C8-N9	5.59	116.59	113.80
26	BB	2106	U	P-O3'-C3'	5.59	126.40	119.70
26	BB	2226	C	C5-C6-N1	5.59	123.79	121.00
26	BB	2294	G	C4-C5-C6	5.59	122.15	118.80
26	BB	2569	G	C2-N3-C4	5.59	114.69	111.90
26	BB	2780	G	C8-N9-C4	-5.59	104.17	106.40
1	AA	266	G	C5-C6-O6	-5.58	125.25	128.60
1	AA	1342	C	N1-C2-O2	5.58	122.25	118.90
1	AA	1512	U	C5-C4-O4	-5.58	122.55	125.90
26	BB	176	A	P-O5'-C5'	5.58	129.84	120.90
26	BB	481	G	N3-C4-C5	-5.58	125.81	128.60
26	BB	602	A	C5'-C4'-O4'	5.58	115.80	109.10
26	BB	794	A	C5-C6-N1	-5.58	114.91	117.70
26	BB	1045	C	C2-N3-C4	5.58	122.69	119.90
26	BB	1210	G	C4'-C3'-C2'	5.58	108.19	102.60
26	BB	1677	A	C5-C6-N6	-5.58	119.23	123.70
26	BB	1984	G	N3-C4-N9	5.58	129.35	126.00
1	AA	272	C	C2-N3-C4	5.58	122.69	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	500	G	C1'-O4'-C4'	-5.58	105.43	109.90
1	AA	1300	G	P-O5'-C5'	5.58	129.83	120.90
1	AA	1494	G	N1-C6-O6	5.58	123.25	119.90
26	BB	181	A	C2-N3-C4	5.58	113.39	110.60
26	BB	289	G	C4-C5-N7	-5.58	108.57	110.80
26	BB	1033	U	N1-C2-N3	5.58	118.25	114.90
26	BB	1351	C	N1-C2-O2	5.58	122.25	118.90
26	BB	1623	G	C8-N9-C4	-5.58	104.17	106.40
26	BB	1907	G	N1-C2-N2	5.58	121.22	116.20
26	BB	2168	G	N3-C4-N9	5.58	129.35	126.00
26	BB	2337	G	C3'-C2'-C1'	-5.58	97.03	101.50
26	BB	2470	G	C4-C5-C6	-5.58	115.45	118.80
1	AA	11	G	C4'-C3'-C2'	-5.58	97.02	102.60
1	AA	109	A	C4'-C3'-C2'	-5.58	97.02	102.60
1	AA	343	U	P-O3'-C3'	5.58	126.40	119.70
1	AA	642	A	N1-C2-N3	-5.58	126.51	129.30
1	AA	1007	U	N1-C1'-C2'	5.58	121.26	114.00
1	AA	1179	A	C5'-C4'-O4'	5.58	115.80	109.10
1	AA	1333	A	C5-C6-N1	5.58	120.49	117.70
2	AB	31	U	O4'-C1'-C2'	5.58	112.62	107.60
2	AB	68	C	O4'-C1'-N1	5.58	112.67	108.20
3	AC	39	U	C4'-C3'-O3'	5.58	124.16	113.00
26	BB	23	G	C5'-C4'-O4'	5.58	115.80	109.10
26	BB	599	A	C3'-C2'-C1'	-5.58	97.03	101.50
26	BB	1389	G	C8-N9-C4	-5.58	104.17	106.40
26	BB	2068	U	C5-C6-N1	-5.58	119.91	122.70
26	BB	2151	U	N3-C2-O2	-5.58	118.29	122.20
26	BB	2238	G	N3-C4-N9	5.58	129.35	126.00
26	BB	2614	A	C2-N3-C4	5.58	113.39	110.60
26	BB	2707	U	C6-N1-C2	-5.58	117.65	121.00
1	AA	177	G	O4'-C4'-C3'	-5.58	98.42	104.00
1	AA	1122	U	C6-N1-C2	-5.58	117.65	121.00
1	AA	1415	G	N9-C4-C5	5.58	107.63	105.40
26	BB	2527	C	C5-C6-N1	-5.58	118.21	121.00
1	AA	297	G	N9-C4-C5	5.58	107.63	105.40
1	AA	1150	A	C2-N3-C4	5.58	113.39	110.60
25	BA	32	U	N3-C4-C5	5.58	117.95	114.60
26	BB	522	A	N9-C1'-C2'	-5.58	105.86	112.00
26	BB	523	C	C4-C5-C6	-5.58	114.61	117.40
26	BB	886	A	C6-C5-N7	-5.58	128.40	132.30
26	BB	935	C	N3-C4-C5	5.58	124.13	121.90
26	BB	1138	G	C4-C5-N7	5.58	113.03	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1161	C	N3-C4-N4	5.58	121.91	118.00
26	BB	1534	U	O4'-C4'-C3'	5.58	110.56	106.10
26	BB	1993	U	N1-C2-N3	5.58	118.25	114.90
26	BB	2025	C	C3'-C2'-C1'	-5.58	97.04	101.50
26	BB	2105	U	C4-C5-C6	5.58	123.05	119.70
26	BB	2290	G	C4-C5-N7	5.58	113.03	110.80
26	BB	2574	G	C5-C6-N1	5.58	114.29	111.50
26	BB	2765	A	C8-N9-C4	-5.58	103.57	105.80
26	BB	2850	A	C5-N7-C8	5.58	106.69	103.90
42	BR	58	PHE	CG-CD2-CE2	-5.58	114.66	120.80
1	AA	152	A	O4'-C1'-N9	5.58	112.66	108.20
1	AA	389	A	C1'-O4'-C4'	-5.58	105.44	109.90
1	AA	453	G	C8-N9-C4	-5.58	104.17	106.40
1	AA	1472	U	N1-C2-N3	5.58	118.25	114.90
2	AB	3	G	N9-C1'-C2'	-5.58	105.86	112.00
11	AK	52	GLY	C-N-CA	5.58	135.64	121.70
26	BB	22	C	N3-C4-N4	5.58	121.90	118.00
26	BB	276	U	C2-N1-C1'	5.58	124.39	117.70
26	BB	297	G	C5-C6-N1	5.58	114.29	111.50
26	BB	358	U	N1-C2-N3	5.58	118.25	114.90
26	BB	512	G	N1-C2-N3	-5.58	120.55	123.90
26	BB	1276	A	N1-C6-N6	-5.58	115.25	118.60
26	BB	1885	A	C1'-O4'-C4'	5.58	114.36	109.90
1	AA	39	G	N9-C4-C5	5.58	107.63	105.40
1	AA	283	U	C4-C5-C6	5.58	123.05	119.70
1	AA	410	G	C3'-C2'-C1'	5.58	105.96	101.50
1	AA	1502	A	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	68	G	C5-C6-N1	5.58	114.29	111.50
26	BB	346	A	C4-C5-N7	-5.58	107.91	110.70
26	BB	1206	G	C1'-O4'-C4'	-5.58	105.44	109.90
26	BB	2402	U	N1-C2-N3	5.58	118.25	114.90
26	BB	2407	A	O4'-C1'-N9	5.58	112.66	108.20
26	BB	2501	C	N3-C2-O2	-5.58	118.00	121.90
26	BB	2608	G	N9-C1'-C2'	-5.58	105.87	112.00
1	AA	69	G	C5-C6-N1	5.57	114.29	111.50
1	AA	241	G	O4'-C1'-N9	5.57	112.66	108.20
1	AA	457	G	C8-N9-C4	-5.57	104.17	106.40
1	AA	957	U	P-O3'-C3'	5.57	126.39	119.70
1	AA	1231	G	O4'-C1'-C2'	5.57	112.61	107.60
1	AA	1279	G	C1'-O4'-C4'	-5.57	105.44	109.90
1	AA	1486	G	C5'-C4'-O4'	5.57	115.79	109.10
2	AB	12	U	C4'-C3'-C2'	-5.57	97.03	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	718	A	C1'-O4'-C4'	-5.57	105.44	109.90
26	BB	950	G	C4-C5-C6	5.57	122.14	118.80
26	BB	1036	G	O4'-C1'-N9	5.57	112.66	108.20
26	BB	1071	G	N9-C1'-C2'	-5.57	105.87	112.00
26	BB	1445	G	N3-C4-C5	-5.57	125.81	128.60
26	BB	1464	G	O5'-C5'-C4'	-5.57	101.11	111.70
26	BB	1817	G	C6-C5-N7	-5.57	127.06	130.40
26	BB	1896	G	C8-N9-C1'	5.57	134.25	127.00
26	BB	2021	C	C6-N1-C2	5.57	122.53	120.30
26	BB	2096	C	C4-C5-C6	5.57	120.19	117.40
26	BB	2314	A	C2-N3-C4	5.57	113.39	110.60
26	BB	2841	C	N3-C4-N4	-5.57	114.10	118.00
26	BB	2873	A	N1-C6-N6	5.57	121.94	118.60
1	AA	65	A	N9-C4-C5	-5.57	103.57	105.80
1	AA	444	G	N1-C2-N3	-5.57	120.56	123.90
1	AA	661	G	C6-C5-N7	-5.57	127.06	130.40
1	AA	1206	G	C4-C5-N7	-5.57	108.57	110.80
2	AB	6	C	N1-C1'-C2'	-5.57	105.87	112.00
26	BB	99	U	C6-N1-C1'	-5.57	113.40	121.20
26	BB	374	A	C1'-O4'-C4'	-5.57	105.44	109.90
26	BB	610	C	C2-N1-C1'	-5.57	112.67	118.80
26	BB	1194	A	C4-C5-N7	-5.57	107.91	110.70
26	BB	1529	G	C8-N9-C1'	5.57	134.24	127.00
26	BB	1877	A	O3'-P-O5'	-5.57	93.41	104.00
26	BB	2077	A	O4'-C1'-N9	5.57	112.66	108.20
39	BO	35	ALA	CB-CA-C	-5.57	101.74	110.10
1	AA	303	A	C8-N9-C4	-5.57	103.57	105.80
1	AA	354	G	N7-C8-N9	5.57	115.89	113.10
1	AA	836	G	C4-C5-C6	5.57	122.14	118.80
1	AA	860	A	C6-C5-N7	5.57	136.20	132.30
1	AA	1185	G	N1-C2-N3	-5.57	120.56	123.90
1	AA	1237	C	N1-C2-N3	-5.57	115.30	119.20
1	AA	1288	A	N3-C4-C5	5.57	130.70	126.80
26	BB	34	U	C5-C6-N1	5.57	125.48	122.70
26	BB	684	G	N1-C2-N3	-5.57	120.56	123.90
26	BB	694	U	N3-C4-O4	5.57	123.30	119.40
26	BB	1238	G	C5-C6-N1	5.57	114.28	111.50
26	BB	1971	U	C5'-C4'-O4'	5.57	115.78	109.10
26	BB	2273	A	O4'-C1'-N9	5.57	112.66	108.20
26	BB	2351	G	C3'-C2'-C1'	5.57	105.96	101.50
26	BB	2867	G	N1-C6-O6	-5.57	116.56	119.90
37	BM	60	ALA	N-CA-CB	-5.57	102.30	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1091	G	C5-C6-N1	5.57	114.28	111.50
26	BB	1239	G	N1-C2-N3	-5.57	120.56	123.90
26	BB	1384	A	C3'-C2'-C1'	-5.57	97.05	101.50
26	BB	1478	G	N3-C2-N2	-5.57	116.00	119.90
26	BB	1515	A	C5-N7-C8	-5.57	101.12	103.90
26	BB	1518	C	C2-N3-C4	5.57	122.69	119.90
26	BB	1759	A	N3-C4-C5	-5.57	122.90	126.80
1	AA	130	A	O4'-C4'-C3'	5.57	110.55	106.10
1	AA	164	G	C4-C5-C6	5.57	122.14	118.80
1	AA	462	G	N3-C4-C5	-5.57	125.82	128.60
1	AA	543	U	C3'-C2'-C1'	-5.57	97.05	101.50
1	AA	623	C	C5'-C4'-O4'	5.57	115.78	109.10
1	AA	673	A	N1-C2-N3	-5.57	126.52	129.30
1	AA	738	C	C5'-C4'-C3'	-5.57	107.09	116.00
1	AA	971	G	C6-N1-C2	-5.57	121.76	125.10
1	AA	1007	U	C5'-C4'-O4'	5.57	115.78	109.10
1	AA	1137	C	C2-N1-C1'	-5.57	112.67	118.80
1	AA	1319	A	C1'-O4'-C4'	-5.57	105.45	109.90
1	AA	1486	G	N9-C1'-C2'	-5.57	105.88	112.00
4	AD	16	C	C5-C4-N4	5.57	124.10	120.20
26	BB	116	C	C2-N3-C4	5.57	122.68	119.90
26	BB	323	C	C1'-O4'-C4'	5.57	114.35	109.90
26	BB	508	A	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	775	G	C1'-O4'-C4'	-5.57	105.45	109.90
26	BB	865	C	C2-N1-C1'	5.57	124.92	118.80
26	BB	1540	G	N3-C2-N2	-5.57	116.00	119.90
26	BB	2593	U	C5-C6-N1	-5.57	119.92	122.70
26	BB	2714	G	OP1-P-O3'	5.57	117.45	105.20
26	BB	2862	G	C5'-C4'-C3'	5.57	124.91	116.00
56	B5	8	SER	O-C-N	5.57	131.61	122.70
1	AA	357	G	C4-C5-C6	5.57	122.14	118.80
1	AA	974	A	N3-C4-C5	5.57	130.69	126.80
1	AA	1371	G	C4-C5-N7	5.57	113.03	110.80
2	AB	6	C	C4-C5-C6	-5.57	114.62	117.40
25	BA	61	G	N1-C6-O6	-5.57	116.56	119.90
26	BB	5	A	C8-N9-C4	-5.57	103.57	105.80
26	BB	780	G	C6-C5-N7	-5.57	127.06	130.40
26	BB	1025	G	C6-C5-N7	5.57	133.74	130.40
26	BB	1419	A	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	1426	G	C4-C5-N7	5.57	113.03	110.80
26	BB	1591	A	C2-N3-C4	5.57	113.38	110.60
26	BB	1868	C	O4'-C1'-N1	5.57	112.65	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2043	C	P-O3'-C3'	5.57	126.38	119.70
26	BB	2140	G	N3-C2-N2	-5.57	116.00	119.90
28	BD	76	VAL	CA-CB-CG2	5.57	119.25	110.90
45	BU	29	VAL	CA-CB-CG1	5.57	119.25	110.90
1	AA	45	G	N3-C4-C5	-5.56	125.82	128.60
1	AA	85	U	C5-C4-O4	-5.56	122.56	125.90
1	AA	153	C	O5'-P-OP2	-5.56	100.69	105.70
1	AA	275	G	C2'-C3'-O3'	5.56	122.60	113.70
26	BB	1132	U	P-O3'-C3'	5.56	126.38	119.70
26	BB	1455	G	C5-C6-N1	5.56	114.28	111.50
1	AA	241	G	N7-C8-N9	-5.56	110.32	113.10
1	AA	361	G	C5'-C4'-O4'	5.56	115.77	109.10
1	AA	636	U	N1-C2-N3	5.56	118.24	114.90
1	AA	822	U	C2-N3-C4	-5.56	123.66	127.00
1	AA	867	G	N9-C4-C5	5.56	107.62	105.40
1	AA	992	U	C5'-C4'-O4'	5.56	115.77	109.10
1	AA	1032	G	N1-C2-N2	5.56	121.21	116.20
1	AA	1193	G	C5-N7-C8	5.56	107.08	104.30
1	AA	1293	C	C5-C4-N4	5.56	124.09	120.20
1	AA	1308	U	N1-C2-O2	-5.56	118.91	122.80
25	BA	105	G	O4'-C4'-C3'	5.56	110.55	106.10
26	BB	7	G	C1'-O4'-C4'	-5.56	105.45	109.90
26	BB	79	C	C5'-C4'-O4'	5.56	115.78	109.10
26	BB	272	A	C5'-C4'-O4'	5.56	115.77	109.10
26	BB	302	C	N3-C4-N4	5.56	121.89	118.00
26	BB	2061	G	C5-C6-N1	5.56	114.28	111.50
26	BB	2349	G	N1-C6-O6	-5.56	116.56	119.90
26	BB	2510	C	C6-N1-C2	-5.56	118.08	120.30
26	BB	2608	G	N1-C2-N3	5.56	127.24	123.90
34	BJ	52	ARG	CD-NE-CZ	5.56	131.39	123.60
36	BL	44	TYR	CB-CG-CD2	5.56	124.34	121.00
1	AA	74	A	N9-C1'-C2'	-5.56	105.88	112.00
1	AA	423	G	N9-C1'-C2'	-5.56	105.88	112.00
1	AA	860	A	N1-C2-N3	5.56	132.08	129.30
1	AA	991	U	N3-C2-O2	-5.56	118.31	122.20
1	AA	1133	G	N1-C2-N2	5.56	121.20	116.20
1	AA	1348	U	P-O3'-C3'	5.56	126.37	119.70
13	AM	89	ARG	NE-CZ-NH2	-5.56	117.52	120.30
26	BB	131	A	N1-C2-N3	-5.56	126.52	129.30
26	BB	305	C	C5-C6-N1	5.56	123.78	121.00
26	BB	367	G	C8-N9-C4	-5.56	104.18	106.40
26	BB	569	U	C5-C4-O4	-5.56	122.56	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1032	A	N7-C8-N9	-5.56	111.02	113.80
26	BB	1573	G	N1-C2-N2	5.56	121.20	116.20
26	BB	1693	U	C5-C6-N1	-5.56	119.92	122.70
26	BB	1755	A	C2-N3-C4	5.56	113.38	110.60
26	BB	2013	A	N3-C4-C5	5.56	130.69	126.80
1	AA	158	G	C5-C6-O6	-5.56	125.26	128.60
1	AA	367	U	N3-C4-C5	-5.56	111.26	114.60
1	AA	1046	A	C6-C5-N7	5.56	136.19	132.30
1	AA	1165	U	C3'-C2'-C1'	5.56	105.95	101.50
26	BB	363	G	N1-C6-O6	5.56	123.24	119.90
26	BB	1404	C	C5-C6-N1	5.56	123.78	121.00
26	BB	2423	U	N1-C2-N3	5.56	118.24	114.90
1	AA	40	C	N3-C4-C5	-5.56	119.68	121.90
1	AA	66	A	C5'-C4'-C3'	5.56	124.89	116.00
1	AA	670	G	C2-N3-C4	5.56	114.68	111.90
1	AA	824	G	C4-C5-N7	5.56	113.02	110.80
1	AA	878	A	C5-N7-C8	-5.56	101.12	103.90
1	AA	891	U	C4-C5-C6	5.56	123.03	119.70
1	AA	949	A	C4-C5-C6	-5.56	114.22	117.00
1	AA	1075	U	O4'-C1'-C2'	-5.56	100.24	105.80
1	AA	1203	C	C6-N1-C2	-5.56	118.08	120.30
1	AA	1301	U	N1-C2-N3	5.56	118.23	114.90
10	AJ	90	VAL	CA-CB-CG1	5.56	119.24	110.90
25	BA	97	C	N1-C2-N3	-5.56	115.31	119.20
26	BB	124	G	C2-N3-C4	5.56	114.68	111.90
26	BB	271	G	C1'-O4'-C4'	-5.56	105.45	109.90
26	BB	881	G	P-O3'-C3'	5.56	126.37	119.70
26	BB	1443	U	N1-C2-O2	-5.56	118.91	122.80
29	BE	104	VAL	CA-CB-CG2	5.56	119.24	110.90
31	BG	114	ARG	NH1-CZ-NH2	-5.56	113.29	119.40
38	BN	127	VAL	CA-CB-CG1	5.56	119.24	110.90
1	AA	490	C	C5-C6-N1	5.56	123.78	121.00
1	AA	1335	U	C5-C4-O4	5.56	129.23	125.90
26	BB	144	A	C1'-O4'-C4'	5.56	114.34	109.90
26	BB	833	A	O4'-C1'-N9	5.56	112.64	108.20
26	BB	1141	U	N3-C4-O4	-5.56	115.51	119.40
26	BB	1342	A	C5'-C4'-O4'	5.56	115.77	109.10
26	BB	1412	U	C5-C6-N1	-5.56	119.92	122.70
26	BB	1414	C	C3'-C2'-C1'	-5.56	97.06	101.50
26	BB	1751	U	N1-C1'-C2'	-5.56	105.89	112.00
26	BB	2204	G	C8-N9-C4	-5.56	104.18	106.40
44	BT	21	ARG	NE-CZ-NH2	-5.56	117.52	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	148	G	N1-C2-N2	5.55	121.20	116.20
1	AA	1037	C	C2-N3-C4	5.55	122.68	119.90
1	AA	1053	G	C3'-C2'-C1'	-5.55	97.06	101.50
26	BB	285	G	C5-C6-N1	5.55	114.28	111.50
26	BB	658	U	C5-C6-N1	5.55	125.48	122.70
26	BB	970	U	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	988	A	N3-C4-C5	-5.55	122.91	126.80
26	BB	1253	A	N9-C4-C5	5.55	108.02	105.80
26	BB	1331	G	C5-C6-O6	-5.55	125.27	128.60
26	BB	1705	A	N9-C4-C5	5.55	108.02	105.80
26	BB	2098	U	N1-C2-N3	5.55	118.23	114.90
26	BB	2462	C	C6-N1-C2	-5.55	118.08	120.30
26	BB	2828	G	C5-C6-O6	5.55	131.93	128.60
44	BT	40	MET	CA-CB-CG	5.55	122.74	113.30
1	AA	266	G	N3-C4-C5	-5.55	125.82	128.60
1	AA	722	G	N3-C4-N9	5.55	129.33	126.00
1	AA	764	C	C2'-C3'-O3'	5.55	122.58	113.70
26	BB	256	A	N9-C4-C5	5.55	108.02	105.80
26	BB	1312	U	N3-C4-C5	-5.55	111.27	114.60
26	BB	2573	C	C6-N1-C2	5.55	122.52	120.30
26	BB	2630	G	C3'-C2'-C1'	-5.55	97.06	101.50
1	AA	268	U	N3-C4-C5	5.55	117.93	114.60
1	AA	358	U	C5'-C4'-O4'	5.55	115.76	109.10
1	AA	1143	G	C8-N9-C1'	5.55	134.22	127.00
1	AA	1258	G	O4'-C1'-N9	5.55	112.64	108.20
1	AA	1374	A	C5-N7-C8	5.55	106.67	103.90
1	AA	1438	G	N3-C4-C5	-5.55	125.83	128.60
4	AD	74	A	N1-C2-N3	-5.55	126.52	129.30
26	BB	702	U	N1-C2-O2	-5.55	118.91	122.80
26	BB	707	G	C5'-C4'-C3'	-5.55	107.12	116.00
26	BB	1031	G	C4-C5-C6	5.55	122.13	118.80
26	BB	2186	G	N1-C2-N3	-5.55	120.57	123.90
26	BB	2468	A	C5-C6-N1	5.55	120.48	117.70
26	BB	2515	C	C4-C5-C6	-5.55	114.62	117.40
1	AA	99	C	O4'-C1'-N1	-5.55	103.76	108.20
1	AA	101	A	C4-C5-N7	-5.55	107.93	110.70
1	AA	271	C	P-O3'-C3'	5.55	126.36	119.70
1	AA	364	A	N3-C4-N9	-5.55	122.96	127.40
1	AA	445	G	N1-C6-O6	-5.55	116.57	119.90
1	AA	490	C	C4-C5-C6	-5.55	114.62	117.40
1	AA	925	G	N7-C8-N9	-5.55	110.33	113.10
1	AA	1188	A	N3-C4-C5	-5.55	122.92	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1417	G	C5-N7-C8	-5.55	101.53	104.30
1	AA	1423	G	N7-C8-N9	-5.55	110.33	113.10
1	AA	1460	C	C2-N3-C4	5.55	122.67	119.90
9	AI	16	GLU	OE1-CD-OE2	5.55	129.96	123.30
10	AJ	125	ASP	CB-CG-OD2	-5.55	113.31	118.30
25	BA	46	A	C3'-C2'-C1'	-5.55	97.06	101.50
26	BB	32	C	C5-C6-N1	-5.55	118.22	121.00
26	BB	319	G	C1'-O4'-C4'	5.55	114.34	109.90
26	BB	611	C	C4'-C3'-C2'	-5.55	97.05	102.60
26	BB	744	U	C5'-C4'-O4'	5.55	115.76	109.10
26	BB	856	G	C4'-C3'-C2'	-5.55	97.05	102.60
26	BB	1265	A	C1'-O4'-C4'	5.55	114.34	109.90
26	BB	1676	A	N3-C4-N9	5.55	131.84	127.40
26	BB	2403	C	C5'-C4'-O4'	5.55	115.76	109.10
26	BB	2632	A	C5'-C4'-C3'	-5.55	107.12	116.00
26	BB	2901	C	C4-C5-C6	-5.55	114.62	117.40
27	BC	212	VAL	CA-CB-CG2	5.55	119.22	110.90
32	BH	95	ALA	CB-CA-C	5.55	118.42	110.10
36	BL	14	ASP	CB-CG-OD2	-5.55	113.31	118.30
50	BZ	4	CYS	CA-CB-SG	-5.55	104.01	114.00
1	AA	473	U	C5-C4-O4	5.55	129.23	125.90
1	AA	716	A	C5-N7-C8	-5.55	101.13	103.90
1	AA	814	A	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	1400	U	C6-N1-C2	-5.55	117.67	121.00
26	BB	2822	G	N1-C2-N3	5.55	127.23	123.90
1	AA	92	U	N1-C2-N3	5.55	118.23	114.90
1	AA	535	A	N3-C4-N9	5.55	131.84	127.40
1	AA	1055	A	C2-N3-C4	5.55	113.37	110.60
1	AA	1498	UR3	OP1-P-O3'	5.55	117.40	105.20
1	AA	1510	C	C5-C4-N4	5.55	124.08	120.20
2	AB	59	G	C5-C6-O6	5.55	131.93	128.60
21	AU	6	ARG	NE-CZ-NH2	5.55	123.07	120.30
25	BA	2	G	C8-N9-C4	-5.55	104.18	106.40
25	BA	73	A	N1-C2-N3	-5.55	126.53	129.30
26	BB	215	G	N3-C4-N9	5.55	129.33	126.00
26	BB	904	G	C5-N7-C8	-5.55	101.53	104.30
26	BB	1106	G	C2-N3-C4	5.55	114.67	111.90
26	BB	1111	A	O4'-C1'-C2'	5.55	112.59	107.60
26	BB	1718	G	N7-C8-N9	5.55	115.87	113.10
26	BB	1785	A	C5-C6-N6	-5.55	119.26	123.70
26	BB	2273	A	N7-C8-N9	5.55	116.57	113.80
26	BB	2513	A	O4'-C1'-C2'	-5.55	100.25	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1	A	C1'-O4'-C4'	-5.54	105.46	109.90
1	AA	368	U	C5-C4-O4	-5.54	122.57	125.90
4	AD	3	C	C1'-O4'-C4'	5.54	114.34	109.90
26	BB	45	G	C4-N9-C1'	-5.54	119.29	126.50
26	BB	1403	A	N9-C4-C5	-5.54	103.58	105.80
26	BB	1968	G	N1-C2-N2	-5.54	111.21	116.20
30	BF	39	ALA	CB-CA-C	5.54	118.42	110.10
1	AA	115	G	N3-C4-C5	-5.54	125.83	128.60
1	AA	591	U	O4'-C1'-N1	5.54	112.64	108.20
1	AA	730	G	N3-C2-N2	-5.54	116.02	119.90
1	AA	790	A	O4'-C1'-N9	5.54	112.63	108.20
1	AA	826	C	N1-C2-O2	5.54	122.23	118.90
1	AA	1028	C	N3-C4-N4	5.54	121.88	118.00
2	AB	34	C	N3-C4-N4	5.54	121.88	118.00
2	AB	69	C	C1'-O4'-C4'	5.54	114.33	109.90
4	AD	12	G	C6-N1-C2	5.54	128.43	125.10
26	BB	360	U	C3'-C2'-C1'	5.54	105.94	101.50
26	BB	790	U	N3-C4-O4	5.54	123.28	119.40
26	BB	917	A	C5-N7-C8	5.54	106.67	103.90
26	BB	1401	G	C1'-O4'-C4'	5.54	114.33	109.90
26	BB	1860	G	C5-C6-N1	5.54	114.27	111.50
26	BB	2027	G	C3'-C2'-C1'	5.54	105.94	101.50
1	AA	94	G	C5-C6-O6	-5.54	125.28	128.60
1	AA	142	G	O4'-C1'-N9	5.54	112.63	108.20
1	AA	185	U	C1'-O4'-C4'	5.54	114.33	109.90
1	AA	297	G	C4-C5-N7	-5.54	108.58	110.80
1	AA	700	G	C5-N7-C8	-5.54	101.53	104.30
1	AA	742	G	P-O3'-C3'	5.54	126.35	119.70
1	AA	1077	G	C5-C6-N1	-5.54	108.73	111.50
2	AB	2	G	C4-C5-N7	5.54	113.02	110.80
4	AD	47	A	C3'-C2'-C1'	5.54	105.93	101.50
6	AF	200	TRP	CD2-CE2-CZ2	5.54	128.95	122.30
26	BB	306	U	O4'-C1'-N1	5.54	112.63	108.20
26	BB	349	U	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	854	C	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	1105	U	C5-C6-N1	-5.54	119.93	122.70
26	BB	1208	C	C6-N1-C2	-5.54	118.08	120.30
26	BB	1423	G	C8-N9-C4	-5.54	104.18	106.40
26	BB	1590	A	C1'-O4'-C4'	-5.54	105.47	109.90
26	BB	1714	U	C2-N3-C4	-5.54	123.67	127.00
26	BB	1867	G	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	2129	C	C2-N3-C4	5.54	122.67	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2512	C	P-O3'-C3'	5.54	126.35	119.70
54	B3	30	ASP	CB-CG-OD2	5.54	123.29	118.30
1	AA	400	C	O3'-P-O5'	-5.54	93.47	104.00
1	AA	1281	C	N1-C2-N3	-5.54	115.32	119.20
1	AA	1481	U	P-O5'-C5'	5.54	129.76	120.90
3	AC	16	A	C6-N1-C2	-5.54	115.28	118.60
3	AC	31	U	C3'-C2'-C1'	5.54	105.93	101.50
26	BB	909	A	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	1512	C	C6-N1-C2	-5.54	118.08	120.30
26	BB	1572	A	O4'-C1'-N9	-5.54	103.77	108.20
26	BB	2884	U	C5'-C4'-C3'	-5.54	107.14	116.00
26	BB	2897	U	N3-C2-O2	-5.54	118.32	122.20
1	AA	328	C	N3-C4-N4	5.54	121.88	118.00
1	AA	463	U	N3-C4-O4	5.54	123.28	119.40
1	AA	556	C	C4'-C3'-C2'	-5.54	97.06	102.60
1	AA	583	A	N1-C6-N6	-5.54	115.28	118.60
1	AA	856	C	C2-N3-C4	-5.54	117.13	119.90
1	AA	1027	C	C6-N1-C1'	5.54	127.45	120.80
1	AA	1338	G	C5'-C4'-O4'	5.54	115.75	109.10
1	AA	1348	U	N1-C2-N3	-5.54	111.58	114.90
10	AJ	137	ARG	NE-CZ-NH2	5.54	123.07	120.30
26	BB	1007	C	O4'-C4'-C3'	5.54	110.53	106.10
26	BB	1169	A	P-O3'-C3'	5.54	126.35	119.70
26	BB	1171	G	C5-C6-O6	-5.54	125.28	128.60
26	BB	1359	A	C5-C6-N1	5.54	120.47	117.70
26	BB	1664	A	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	1790	C	C5-C4-N4	5.54	124.08	120.20
26	BB	1927	A	N3-C4-C5	-5.54	122.92	126.80
26	BB	2080	A	O4'-C1'-N9	5.54	112.63	108.20
26	BB	2729	G	N1-C2-N3	-5.54	120.58	123.90
30	BF	102	ARG	NE-CZ-NH1	-5.54	117.53	120.30
37	BM	76	VAL	CA-CB-CG1	5.54	119.21	110.90
1	AA	669	G	P-O3'-C3'	5.54	126.34	119.70
1	AA	1114	C	C2-N3-C4	5.54	122.67	119.90
1	AA	1372	U	C5-C6-N1	5.54	125.47	122.70
3	AC	48	C	P-O3'-C3'	5.54	126.34	119.70
12	AL	110	VAL	CA-CB-CG1	5.54	119.20	110.90
26	BB	325	G	C5-N7-C8	-5.54	101.53	104.30
26	BB	332	A	C8-N9-C4	-5.54	103.58	105.80
26	BB	433	C	C1'-O4'-C4'	5.54	114.33	109.90
26	BB	669	G	O3'-P-O5'	5.54	114.52	104.00
26	BB	1234	U	O3'-P-O5'	-5.54	93.48	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2051	A	C4-C5-N7	5.54	113.47	110.70
26	BB	2618	G	C2-N3-C4	5.54	114.67	111.90
26	BB	2692	G	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	2833	U	N3-C4-O4	-5.54	115.52	119.40
42	BR	16	VAL	CA-CB-CG1	5.54	119.21	110.90
1	AA	421	U	N1-C2-O2	5.54	126.67	122.80
1	AA	989	U	O4'-C1'-C2'	5.54	112.58	107.60
1	AA	1080	A	N3-C4-C5	-5.54	122.93	126.80
1	AA	1191	A	C5-C6-N6	-5.54	119.27	123.70
1	AA	1264	U	N3-C2-O2	-5.54	118.33	122.20
26	BB	714	U	O4'-C1'-N1	5.54	112.63	108.20
26	BB	828	U	N1-C2-N3	5.54	118.22	114.90
26	BB	1002	G	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	1065	U	C4-C5-C6	5.54	123.02	119.70
26	BB	1132	U	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	1180	U	N3-C4-C5	-5.54	111.28	114.60
26	BB	1736	U	N3-C4-C5	-5.54	111.28	114.60
26	BB	1993	U	C6-N1-C2	-5.54	117.68	121.00
26	BB	2115	G	C6-N1-C2	-5.54	121.78	125.10
1	AA	80	A	N9-C4-C5	5.53	108.01	105.80
1	AA	116	A	C5-C6-N1	5.53	120.47	117.70
1	AA	375	U	N3-C2-O2	-5.53	118.33	122.20
1	AA	565	U	C5'-C4'-O4'	-5.53	102.46	109.10
1	AA	643	C	C5-C4-N4	-5.53	116.33	120.20
1	AA	802	A	C4-C5-N7	5.53	113.47	110.70
4	AD	7	G	N9-C4-C5	5.53	107.61	105.40
4	AD	67	C	N1-C2-N3	-5.53	115.33	119.20
26	BB	2	G	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	397	U	N1-C2-O2	-5.53	118.93	122.80
26	BB	439	A	O5'-C5'-C4'	-5.53	101.19	111.70
26	BB	614	A	O4'-C1'-C2'	-5.53	100.27	105.80
26	BB	1122	G	C5'-C4'-O4'	5.53	115.74	109.10
26	BB	1182	G	C1'-O4'-C4'	-5.53	105.47	109.90
26	BB	1960	A	C6-N1-C2	5.53	121.92	118.60
26	BB	2472	G	C2-N3-C4	5.53	114.67	111.90
26	BB	2502	G	C5-N7-C8	-5.53	101.53	104.30
26	BB	2704	C	N3-C2-O2	-5.53	118.03	121.90
1	AA	1339	A	C5-C6-N1	5.53	120.47	117.70
17	AQ	76	PHE	CB-CG-CD2	-5.53	116.93	120.80
26	BB	544	C	C2-N3-C4	5.53	122.67	119.90
26	BB	579	G	C6-N1-C2	-5.53	121.78	125.10
26	BB	730	A	N7-C8-N9	5.53	116.57	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2512	C	O5'-P-OP2	5.53	117.34	110.70
26	BB	2527	C	O4'-C1'-N1	5.53	112.62	108.20
26	BB	2702	G	C6-N1-C2	-5.53	121.78	125.10
26	BB	2863	C	C6-N1-C2	-5.53	118.09	120.30
1	AA	363	A	C5'-C4'-O4'	5.53	115.74	109.10
1	AA	456	A	N3-C4-N9	-5.53	122.98	127.40
1	AA	1002	G	C2-N3-C4	5.53	114.67	111.90
1	AA	1022	A	C5-C6-N6	5.53	128.12	123.70
1	AA	1043	G	P-O5'-C5'	5.53	129.75	120.90
1	AA	1104	G	C3'-C2'-C1'	5.53	105.92	101.50
1	AA	1169	A	N7-C8-N9	-5.53	111.03	113.80
1	AA	1257	A	C4'-C3'-C2'	5.53	108.13	102.60
1	AA	1369	C	O4'-C4'-C3'	5.53	110.52	106.10
1	AA	1392	G	C5-C6-N1	-5.53	108.73	111.50
24	AX	65	ARG	NE-CZ-NH1	5.53	123.07	120.30
26	BB	4	U	C6-N1-C1'	5.53	128.94	121.20
26	BB	241	A	C2-N3-C4	5.53	113.36	110.60
26	BB	383	C	C5'-C4'-C3'	-5.53	107.15	116.00
26	BB	407	G	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	742	A	O4'-C4'-C3'	5.53	110.53	106.10
26	BB	1042	G	N7-C8-N9	-5.53	110.33	113.10
26	BB	1760	C	O4'-C4'-C3'	5.53	110.53	106.10
26	BB	1815	A	P-O3'-C3'	5.53	126.34	119.70
26	BB	2564	A	O4'-C1'-N9	5.53	112.62	108.20
26	BB	2669	G	N3-C4-C5	-5.53	125.83	128.60
42	BR	30	TRP	CE2-CD2-CG	5.53	111.72	107.30
1	AA	578	C	OP1-P-O3'	5.53	117.36	105.20
1	AA	1310	G	C4'-C3'-C2'	-5.53	97.07	102.60
1	AA	1511	G	N1-C6-O6	5.53	123.22	119.90
7	AG	101	VAL	CA-CB-CG1	5.53	119.19	110.90
26	BB	234	U	P-O5'-C5'	5.53	129.75	120.90
26	BB	2079	U	N1-C1'-C2'	-5.53	105.92	112.00
26	BB	2133	G	C5'-C4'-O4'	5.53	115.73	109.10
26	BB	2162	G	C4'-C3'-C2'	-5.53	97.07	102.60
1	AA	453	G	N1-C6-O6	5.53	123.22	119.90
1	AA	525	C	O4'-C1'-C2'	-5.53	100.27	105.80
1	AA	709	U	O4'-C1'-N1	5.53	112.62	108.20
1	AA	927	G	C5'-C4'-O4'	5.53	115.73	109.10
1	AA	1069	C	N3-C4-N4	5.53	121.87	118.00
1	AA	1350	A	N1-C2-N3	5.53	132.06	129.30
25	BA	46	A	N3-C4-N9	-5.53	122.98	127.40
26	BB	333	G	N1-C2-N3	5.53	127.22	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	855	G	C3'-C2'-C1'	-5.53	97.08	101.50
26	BB	1376	C	O4'-C1'-N1	5.53	112.62	108.20
26	BB	1476	U	P-O3'-C3'	5.53	126.33	119.70
26	BB	1545	A	N9-C1'-C2'	-5.53	105.92	112.00
26	BB	2560	A	C1'-O4'-C4'	-5.53	105.48	109.90
26	BB	2642	G	N1-C2-N3	5.53	127.22	123.90
26	BB	2669	G	C5-C6-O6	5.53	131.92	128.60
1	AA	35	G	O4'-C1'-N9	5.53	112.62	108.20
1	AA	84	U	O4'-C4'-C3'	5.53	110.52	106.10
1	AA	147	G	P-O3'-C3'	5.53	126.33	119.70
1	AA	447	G	N3-C4-N9	5.53	129.31	126.00
2	AB	49	G	N3-C4-N9	5.53	129.31	126.00
4	AD	1	C	C6-N1-C1'	5.53	127.43	120.80
4	AD	53	G	O5'-P-OP1	-5.53	100.73	105.70
25	BA	49	C	C2-N3-C4	5.53	122.66	119.90
25	BA	106	G	O4'-C4'-C3'	-5.53	98.47	104.00
26	BB	205	G	P-O3'-C3'	5.53	126.33	119.70
26	BB	373	U	N1-C1'-C2'	-5.53	105.92	112.00
26	BB	592	A	C1'-O4'-C4'	5.53	114.32	109.90
26	BB	845	A	C4-C5-N7	5.53	113.46	110.70
26	BB	866	A	C2-N3-C4	-5.53	107.84	110.60
26	BB	1240	U	C2-N3-C4	5.53	130.31	127.00
26	BB	1637	A	N7-C8-N9	5.53	116.56	113.80
26	BB	1758	U	O4'-C1'-C2'	-5.53	100.28	105.80
26	BB	2157	G	O4'-C1'-C2'	-5.53	100.28	105.80
26	BB	2418	A	N9-C4-C5	5.53	108.01	105.80
31	BG	139	GLU	OE1-CD-OE2	5.53	129.93	123.30
1	AA	255	G	C5-C6-N1	-5.52	108.74	111.50
1	AA	573	A	C3'-C2'-C1'	-5.52	97.08	101.50
1	AA	1351	U	C5-C6-N1	-5.52	119.94	122.70
7	AG	103	ARG	NE-CZ-NH1	-5.52	117.54	120.30
13	AM	29	ALA	C-N-CA	5.52	135.51	121.70
26	BB	209	C	C6-N1-C2	5.52	122.51	120.30
26	BB	578	G	C4-C5-N7	-5.52	108.59	110.80
26	BB	1041	G	C5-C6-N1	5.52	114.26	111.50
26	BB	1336	A	N9-C4-C5	5.52	108.01	105.80
26	BB	1591	A	O4'-C1'-N9	5.52	112.62	108.20
26	BB	2056	G	C6-N1-C2	-5.52	121.79	125.10
26	BB	2281	A	N7-C8-N9	5.52	116.56	113.80
1	AA	100	G	C5-C6-N1	5.52	114.26	111.50
1	AA	687	A	C2-N3-C4	-5.52	107.84	110.60
1	AA	763	G	C6-N1-C2	-5.52	121.79	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	851	G	C8-N9-C1'	5.52	134.18	127.00
1	AA	1440	U	N3-C4-O4	5.52	123.27	119.40
2	AB	39	A	C4-C5-N7	5.52	113.46	110.70
19	AS	45	GLU	CB-CA-C	5.52	121.45	110.40
25	BA	58	A	P-O5'-C5'	5.52	129.74	120.90
25	BA	86	G	C2-N3-C4	5.52	114.66	111.90
26	BB	223	A	C6-N1-C2	-5.52	115.29	118.60
26	BB	233	A	C2-N3-C4	5.52	113.36	110.60
26	BB	285	G	O4'-C1'-N9	5.52	112.62	108.20
26	BB	312	G	C2-N3-C4	5.52	114.66	111.90
26	BB	600	G	C2-N3-C4	-5.52	109.14	111.90
26	BB	758	C	C3'-C2'-C1'	-5.52	97.08	101.50
26	BB	1309	G	C5'-C4'-C3'	5.52	124.83	116.00
26	BB	1934	C	N3-C4-N4	5.52	121.87	118.00
26	BB	2002	G	C2-N3-C4	5.52	114.66	111.90
26	BB	2099	U	C5-C6-N1	-5.52	119.94	122.70
26	BB	2198	A	N9-C4-C5	5.52	108.01	105.80
26	BB	2548	U	O4'-C1'-N1	5.52	112.62	108.20
26	BB	2724	U	C2'-C3'-O3'	5.52	122.54	113.70
1	AA	181	A	C8-N9-C4	-5.52	103.59	105.80
1	AA	359	G	N9-C1'-C2'	-5.52	105.93	112.00
1	AA	1370	G	C6-N1-C2	-5.52	121.79	125.10
26	BB	49	A	O4'-C1'-N9	5.52	112.62	108.20
26	BB	325	G	C6-N1-C2	-5.52	121.79	125.10
26	BB	363	G	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	1296	G	O4'-C1'-C2'	5.52	112.57	107.60
26	BB	2217	G	N3-C4-C5	-5.52	125.84	128.60
1	AA	388	G	N1-C6-O6	5.52	123.21	119.90
1	AA	1015	G	N7-C8-N9	5.52	115.86	113.10
4	AD	1	C	O4'-C4'-C3'	-5.52	98.48	104.00
14	AN	6	ARG	N-CA-CB	5.52	120.53	110.60
26	BB	91	A	N9-C4-C5	-5.52	103.59	105.80
26	BB	98	G	C5-C6-O6	-5.52	125.29	128.60
26	BB	265	A	C5'-C4'-C3'	-5.52	107.17	116.00
26	BB	283	G	C1'-O4'-C4'	-5.52	105.48	109.90
26	BB	633	A	O4'-C1'-N9	5.52	112.62	108.20
26	BB	655	A	C5-C6-N1	5.52	120.46	117.70
26	BB	1674	G	N9-C4-C5	-5.52	103.19	105.40
26	BB	1844	C	O4'-C1'-N1	5.52	112.61	108.20
26	BB	1986	C	C5'-C4'-O4'	5.52	115.72	109.10
26	BB	2170	A	N1-C2-N3	5.52	132.06	129.30
1	AA	436	C	N3-C4-C5	-5.52	119.69	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1514	G	O4'-C1'-N9	5.52	112.61	108.20
1	AA	1525	G	C5-C6-N1	5.52	114.26	111.50
4	AD	38	A	C4-C5-N7	5.52	113.46	110.70
26	BB	508	A	C6-C5-N7	5.52	136.16	132.30
26	BB	771	G	C4-C5-C6	5.52	122.11	118.80
26	BB	1470	A	C2-N3-C4	5.52	113.36	110.60
26	BB	1515	A	C5'-C4'-O4'	5.52	115.72	109.10
26	BB	1634	A	C2-N3-C4	5.52	113.36	110.60
26	BB	1741	C	N1-C2-O2	5.52	122.21	118.90
26	BB	2278	A	C8-N9-C4	5.52	108.01	105.80
26	BB	2408	U	C2-N3-C4	-5.52	123.69	127.00
26	BB	2754	U	C5-C4-O4	5.52	129.21	125.90
32	BH	89	VAL	C-N-CA	5.52	133.89	122.30
26	BB	1309	G	C4-N9-C1'	-5.52	119.33	126.50
26	BB	1642	G	C5-N7-C8	5.52	107.06	104.30
26	BB	2174	C	O5'-P-OP2	-5.52	100.74	105.70
1	AA	301	G	N7-C8-N9	5.51	115.86	113.10
1	AA	553	A	C1'-O4'-C4'	5.51	114.31	109.90
1	AA	573	A	N3-C4-C5	5.51	130.66	126.80
1	AA	909	A	P-O3'-C3'	5.51	126.32	119.70
1	AA	1513	A	C5'-C4'-O4'	5.51	115.72	109.10
1	AA	1514	G	N1-C6-O6	-5.51	116.59	119.90
2	AB	24	G	N3-C2-N2	-5.51	116.04	119.90
2	AB	66	C	C5-C6-N1	5.51	123.76	121.00
26	BB	64	A	N1-C6-N6	-5.51	115.29	118.60
26	BB	211	C	C6-N1-C2	-5.51	118.09	120.30
26	BB	639	U	N1-C2-N3	5.51	118.21	114.90
26	BB	676	A	C5-N7-C8	-5.51	101.14	103.90
26	BB	740	C	C2-N3-C4	-5.51	117.14	119.90
26	BB	1013	C	N3-C2-O2	-5.51	118.04	121.90
26	BB	1193	G	N3-C4-C5	-5.51	125.84	128.60
26	BB	1250	G	N3-C4-N9	5.51	129.31	126.00
26	BB	1354	A	N1-C2-N3	5.51	132.06	129.30
26	BB	1395	A	C2'-C3'-O3'	5.51	122.52	113.70
26	BB	1501	G	C5-C6-N1	5.51	114.26	111.50
26	BB	2314	A	N9-C1'-C2'	-5.51	105.94	112.00
26	BB	2320	U	C4'-C3'-C2'	-5.51	97.08	102.60
26	BB	2730	C	C5-C4-N4	5.51	124.06	120.20
26	BB	2826	A	C5'-C4'-O4'	5.51	115.72	109.10
1	AA	352	C	C4-C5-C6	5.51	120.16	117.40
1	AA	997	U	N3-C2-O2	-5.51	118.34	122.20
1	AA	1392	G	C5-N7-C8	-5.51	101.54	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	305	C	N1-C2-O2	-5.51	115.59	118.90
26	BB	409	G	N1-C2-N2	5.51	121.16	116.20
26	BB	1544	A	N9-C1'-C2'	-5.51	105.94	112.00
26	BB	2741	A	C2-N3-C4	5.51	113.36	110.60
1	AA	113	G	N3-C2-N2	-5.51	116.04	119.90
1	AA	158	G	N9-C1'-C2'	-5.51	105.94	112.00
1	AA	307	C	N1-C2-O2	5.51	122.21	118.90
1	AA	1202	U	C2-N3-C4	-5.51	123.69	127.00
1	AA	1441	A	O4'-C1'-N9	5.51	112.61	108.20
1	AA	1515	G	C5-C6-O6	-5.51	125.29	128.60
3	AC	56	G	N9-C4-C5	5.51	107.61	105.40
15	AO	120	ARG	NH1-CZ-NH2	5.51	125.46	119.40
26	BB	287	G	C5-C6-N1	5.51	114.26	111.50
26	BB	1047	G	C5'-C4'-C3'	-5.51	107.18	116.00
26	BB	1062	G	N9-C4-C5	5.51	107.61	105.40
26	BB	1447	C	N1-C2-O2	5.51	122.21	118.90
26	BB	1828	G	C5'-C4'-C3'	-5.51	107.18	116.00
26	BB	2371	G	N1-C6-O6	-5.51	116.59	119.90
26	BB	2723	C	N1-C2-N3	5.51	123.06	119.20
26	BB	2876	G	C1'-O4'-C4'	5.51	114.31	109.90
26	BB	2897	U	C5-C6-N1	5.51	125.46	122.70
1	AA	243	A	C1'-O4'-C4'	-5.51	105.49	109.90
1	AA	337	G	C4-C5-C6	5.51	122.11	118.80
1	AA	382	A	C6-C5-N7	5.51	136.16	132.30
1	AA	1040	U	C6-N1-C2	-5.51	117.69	121.00
1	AA	1218	C	C5'-C4'-O4'	5.51	115.71	109.10
3	AC	22	G	P-O3'-C3'	5.51	126.31	119.70
8	AH	68	ARG	CA-CB-CG	5.51	125.52	113.40
25	BA	30	C	C2-N3-C4	5.51	122.65	119.90
25	BA	57	A	C4'-C3'-C2'	-5.51	97.09	102.60
25	BA	95	U	O4'-C1'-N1	5.51	112.61	108.20
26	BB	918	A	C4-C5-N7	-5.51	107.95	110.70
26	BB	1010	A	C4-C5-C6	5.51	119.75	117.00
26	BB	1185	G	C5'-C4'-C3'	-5.51	107.18	116.00
26	BB	1335	C	C4-C5-C6	-5.51	114.64	117.40
26	BB	1472	C	C2-N3-C4	-5.51	117.14	119.90
26	BB	1935	G	O4'-C1'-N9	5.51	112.61	108.20
26	BB	1944	U	N3-C4-C5	-5.51	111.29	114.60
26	BB	2196	C	N1-C2-O2	5.51	122.21	118.90
26	BB	2700	A	O4'-C1'-N9	5.51	112.61	108.20
26	BB	2759	G	C2-N3-C4	5.51	114.66	111.90
1	AA	102	G	C5-N7-C8	5.51	107.05	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	232	G	C6-N1-C2	-5.51	121.80	125.10
1	AA	1376	U	N3-C2-O2	-5.51	118.34	122.20
1	AA	1512	U	C5'-C4'-O4'	5.51	115.71	109.10
3	AC	24	A	C2-N3-C4	5.51	113.35	110.60
26	BB	293	U	N3-C2-O2	-5.51	118.34	122.20
26	BB	946	C	C4-C5-C6	5.51	120.15	117.40
26	BB	1922	G	O4'-C1'-N9	5.51	112.61	108.20
26	BB	2714	G	C4'-C3'-C2'	5.51	108.11	102.60
43	BS	69	ARG	NE-CZ-NH2	5.51	123.05	120.30
1	AA	227	G	C4'-C3'-C2'	-5.51	97.09	102.60
1	AA	337	G	C6-N1-C2	5.51	128.40	125.10
1	AA	347	G	N1-C6-O6	5.51	123.20	119.90
1	AA	542	G	C5'-C4'-C3'	-5.51	107.19	116.00
1	AA	840	C	N3-C2-O2	-5.51	118.05	121.90
1	AA	1024	G	C2-N3-C4	5.51	114.65	111.90
1	AA	1084	G	N3-C2-N2	5.51	123.75	119.90
25	BA	100	G	N1-C2-N3	-5.51	120.60	123.90
26	BB	69	C	N1-C2-N3	5.51	123.05	119.20
26	BB	500	G	N1-C2-N3	5.51	127.20	123.90
26	BB	1180	U	C6-N1-C2	-5.51	117.70	121.00
26	BB	1452	G	N1-C6-O6	-5.51	116.60	119.90
26	BB	1712	U	C5-C6-N1	5.51	125.45	122.70
26	BB	1789	A	N1-C2-N3	5.51	132.05	129.30
26	BB	2465	C	N1-C2-O2	5.51	122.20	118.90
29	BE	125	TRP	CB-CG-CD1	-5.51	119.84	127.00
48	BX	92	VAL	CA-CB-CG1	5.51	119.16	110.90
1	AA	179	A	N7-C8-N9	5.50	116.55	113.80
1	AA	972	C	N3-C4-C5	-5.50	119.70	121.90
1	AA	1426	G	O4'-C4'-C3'	5.50	110.50	106.10
26	BB	353	C	N3-C4-N4	-5.50	114.15	118.00
26	BB	505	A	C5-N7-C8	-5.50	101.15	103.90
26	BB	821	A	C5-C6-N1	5.50	120.45	117.70
26	BB	996	A	C2-N3-C4	-5.50	107.85	110.60
26	BB	1149	G	C5'-C4'-O4'	5.50	115.71	109.10
26	BB	1245	G	C5'-C4'-O4'	5.50	115.71	109.10
26	BB	1513	U	N3-C2-O2	5.50	126.05	122.20
26	BB	2439	A	C5-N7-C8	5.50	106.65	103.90
1	AA	187	G	C4-C5-N7	5.50	113.00	110.80
1	AA	230	G	C6-C5-N7	-5.50	127.10	130.40
1	AA	240	G	N3-C4-C5	-5.50	125.85	128.60
1	AA	921	U	N1-C1'-C2'	-5.50	105.94	112.00
2	AB	28	C	C6-N1-C2	-5.50	118.10	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	45	U	C6-N1-C1'	5.50	128.91	121.20
4	AD	75	C	O4'-C4'-C3'	5.50	110.50	106.10
26	BB	202	U	N1-C2-N3	5.50	118.20	114.90
26	BB	284	U	C2-N3-C4	-5.50	123.70	127.00
26	BB	529	A	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	555	G	N7-C8-N9	5.50	115.85	113.10
26	BB	768	G	C5-N7-C8	-5.50	101.55	104.30
26	BB	1445	G	C6-N1-C2	5.50	128.40	125.10
26	BB	2195	U	C5'-C4'-O4'	5.50	115.70	109.10
26	BB	2534	A	C6-N1-C2	-5.50	115.30	118.60
26	BB	2679	A	N9-C4-C5	5.50	108.00	105.80
26	BB	2742	G	C4-C5-C6	5.50	122.10	118.80
32	BH	93	TYR	CD1-CG-CD2	5.50	123.95	117.90
1	AA	834	U	C5'-C4'-O4'	5.50	115.70	109.10
1	AA	924	C	C4-C5-C6	-5.50	114.65	117.40
1	AA	1211	U	C5-C6-N1	-5.50	119.95	122.70
1	AA	1239	A	O3'-P-O5'	5.50	114.45	104.00
1	AA	1428	A	C5-C6-N1	5.50	120.45	117.70
1	AA	1435	G	C3'-C2'-C1'	5.50	105.90	101.50
1	AA	1438	G	N9-C1'-C2'	-5.50	105.95	112.00
2	AB	67	G	N1-C2-N2	5.50	121.15	116.20
11	AK	92	PRO	N-CA-CB	5.50	109.90	103.30
18	AR	79	ARG	NE-CZ-NH1	-5.50	117.55	120.30
26	BB	161	A	C6-C5-N7	-5.50	128.45	132.30
26	BB	796	C	P-O3'-C3'	5.50	126.30	119.70
26	BB	1012	U	C5-C6-N1	-5.50	119.95	122.70
26	BB	1540	G	N3-C4-N9	5.50	129.30	126.00
26	BB	1638	C	N3-C4-N4	-5.50	114.15	118.00
26	BB	1763	G	C2-N3-C4	5.50	114.65	111.90
26	BB	1914	C	O4'-C1'-N1	5.50	112.60	108.20
26	BB	2335	A	O4'-C1'-N9	5.50	112.60	108.20
26	BB	2395	C	C5'-C4'-C3'	-5.50	107.20	116.00
26	BB	2717	C	O4'-C1'-N1	5.50	112.60	108.20
30	BF	35	TYR	CZ-CE2-CD2	-5.50	114.85	119.80
39	BO	16	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	AA	599	C	C5'-C4'-C3'	-5.50	107.20	116.00
1	AA	826	C	N3-C4-C5	5.50	124.10	121.90
1	AA	933	G	N7-C8-N9	5.50	115.85	113.10
1	AA	1196	A	C5-C6-N6	5.50	128.10	123.70
1	AA	1475	G	C5-C6-O6	5.50	131.90	128.60
9	AI	24	ARG	CD-NE-CZ	5.50	131.30	123.60
25	BA	69	G	N1-C6-O6	-5.50	116.60	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	219	A	C5'-C4'-O4'	-5.50	102.50	109.10
26	BB	244	A	C6-C5-N7	5.50	136.15	132.30
26	BB	518	G	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	1108	U	N1-C1'-C2'	-5.50	105.95	112.00
26	BB	1146	C	C4-C5-C6	5.50	120.15	117.40
26	BB	1641	A	C4-C5-C6	5.50	119.75	117.00
26	BB	2226	C	C5'-C4'-O4'	-5.50	102.50	109.10
26	BB	2336	A	N7-C8-N9	-5.50	111.05	113.80
26	BB	2386	A	C5'-C4'-C3'	-5.50	107.20	116.00
26	BB	2389	G	N7-C8-N9	-5.50	110.35	113.10
26	BB	2446	G	N1-C6-O6	-5.50	116.60	119.90
47	BW	47	PRO	N-CD-CG	5.50	111.45	103.20
1	AA	124	C	P-O3'-C3'	5.50	126.30	119.70
1	AA	542	G	C5'-C4'-O4'	5.50	115.70	109.10
1	AA	1455	G	C5-C6-N1	5.50	114.25	111.50
3	AC	13	A	N7-C8-N9	-5.50	111.05	113.80
3	AC	28	U	O4'-C1'-N1	5.50	112.60	108.20
26	BB	53	A	N1-C2-N3	-5.50	126.55	129.30
26	BB	86	G	C5-C6-N1	5.50	114.25	111.50
26	BB	278	A	O4'-C1'-N9	5.50	112.60	108.20
26	BB	457	A	C5-N7-C8	-5.50	101.15	103.90
26	BB	487	C	C3'-C2'-C1'	-5.50	97.10	101.50
26	BB	603	A	C1'-O4'-C4'	-5.50	105.50	109.90
26	BB	1042	G	C6-C5-N7	5.50	133.70	130.40
26	BB	1113	U	N1-C2-O2	-5.50	118.95	122.80
26	BB	1187	G	C1'-O4'-C4'	-5.50	105.50	109.90
26	BB	1942	C	O4'-C1'-N1	5.50	112.60	108.20
26	BB	2079	U	C2'-C3'-O3'	5.50	122.50	113.70
26	BB	2426	A	N9-C4-C5	5.50	108.00	105.80
30	BF	4	VAL	C-N-CA	5.50	135.45	121.70
25	BA	85	G	C6-N1-C2	-5.50	121.80	125.10
25	BA	94	A	C5-C6-N6	-5.50	119.30	123.70
26	BB	70	G	C2-N3-C4	-5.50	109.15	111.90
26	BB	133	U	N3-C2-O2	-5.50	118.35	122.20
26	BB	527	C	C5'-C4'-O4'	-5.50	102.50	109.10
26	BB	915	C	C2-N3-C4	5.50	122.65	119.90
26	BB	1071	G	C6-N1-C2	-5.50	121.80	125.10
26	BB	1928	A	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	2230	G	O4'-C1'-N9	5.50	112.60	108.20
26	BB	2531	A	C5-C6-N1	5.50	120.45	117.70
26	BB	2592	G	N3-C4-N9	5.50	129.30	126.00
26	BB	2710	C	O4'-C1'-N1	5.50	112.60	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2740	A	C1'-O4'-C4'	-5.50	105.50	109.90
1	AA	100	G	N1-C2-N3	5.50	127.20	123.90
1	AA	424	G	C4'-C3'-C2'	-5.50	97.11	102.60
1	AA	459	A	O3'-P-O5'	5.50	114.44	104.00
1	AA	727	G	O3'-P-O5'	-5.50	93.56	104.00
1	AA	765	G	N9-C4-C5	5.50	107.60	105.40
1	AA	859	G	N3-C4-N9	-5.50	122.70	126.00
1	AA	1356	G	C6-N1-C2	-5.50	121.80	125.10
25	BA	29	A	N1-C6-N6	-5.50	115.30	118.60
26	BB	1796	U	C4'-C3'-C2'	-5.50	97.11	102.60
26	BB	2287	A	N3-C4-C5	-5.50	122.95	126.80
26	BB	2572	A	C6-C5-N7	5.50	136.15	132.30
26	BB	2666	C	P-O3'-C3'	5.50	126.30	119.70
34	BJ	34	VAL	CG1-CB-CG2	-5.50	102.11	110.90
1	AA	219	U	C5'-C4'-O4'	5.49	115.69	109.10
1	AA	492	C	C4-C5-C6	5.49	120.15	117.40
1	AA	564	C	N1-C1'-C2'	-5.49	105.96	112.00
1	AA	833	G	O4'-C4'-C3'	5.49	110.50	106.10
1	AA	1110	A	C1'-O4'-C4'	5.49	114.30	109.90
1	AA	1143	G	N1-C6-O6	-5.49	116.60	119.90
1	AA	1159	U	C2-N3-C4	-5.49	123.70	127.00
1	AA	1422	G	N3-C4-C5	-5.49	125.85	128.60
5	AE	95	TRP	CB-CG-CD1	-5.49	119.86	127.00
6	AF	106	ARG	NE-CZ-NH2	5.49	123.05	120.30
26	BB	175	G	C5-C6-N1	-5.49	108.75	111.50
26	BB	408	G	C4'-C3'-C2'	-5.49	97.11	102.60
26	BB	758	C	P-O3'-C3'	5.49	126.29	119.70
26	BB	1531	C	C4'-C3'-C2'	-5.49	97.11	102.60
26	BB	1954	G	C8-N9-C4	-5.49	104.20	106.40
26	BB	2014	A	N1-C6-N6	-5.49	115.30	118.60
26	BB	2046	G	C5-C6-N1	5.49	114.25	111.50
26	BB	2282	G	P-O3'-C3'	5.49	126.29	119.70
26	BB	2824	C	N3-C2-O2	-5.49	118.06	121.90
30	BF	61	ARG	CD-NE-CZ	5.49	131.29	123.60
1	AA	479	U	O4'-C1'-C2'	5.49	112.54	107.60
1	AA	503	C	O5'-C5'-C4'	-5.49	101.27	111.70
1	AA	916	U	C5-C4-O4	5.49	129.19	125.90
26	BB	476	G	C5-C6-N1	5.49	114.25	111.50
26	BB	570	G	O5'-P-OP1	-5.49	100.76	105.70
26	BB	605	G	C6-C5-N7	-5.49	127.11	130.40
26	BB	1366	A	N7-C8-N9	5.49	116.55	113.80
26	BB	2852	G	N9-C1'-C2'	-5.49	105.96	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	22	G	N3-C4-C5	-5.49	125.85	128.60
1	AA	101	A	C3'-C2'-C1'	-5.49	97.11	101.50
1	AA	166	U	P-O3'-C3'	5.49	126.29	119.70
1	AA	355	C	C5-C6-N1	-5.49	118.25	121.00
1	AA	601	G	N3-C4-C5	-5.49	125.86	128.60
1	AA	963	G	OP2-P-O3'	5.49	117.28	105.20
1	AA	1096	C	C3'-C2'-C1'	5.49	105.89	101.50
1	AA	1381	U	C3'-C2'-C1'	-5.49	97.11	101.50
1	AA	1439	G	C4'-C3'-C2'	-5.49	97.11	102.60
26	BB	264	C	C5-C6-N1	5.49	123.75	121.00
26	BB	659	G	C5'-C4'-C3'	-5.49	107.21	116.00
26	BB	1071	G	C3'-C2'-C1'	-5.49	97.11	101.50
26	BB	1129	A	C1'-O4'-C4'	-5.49	105.51	109.90
26	BB	1516	G	C4-N9-C1'	-5.49	119.36	126.50
26	BB	1697	G	C2-N3-C4	5.49	114.65	111.90
26	BB	1872	A	C3'-C2'-C1'	-5.49	97.11	101.50
26	BB	1988	G	C4-N9-C1'	-5.49	119.36	126.50
26	BB	2553	G	C1'-O4'-C4'	5.49	114.29	109.90
26	BB	2898	U	C2-N3-C4	-5.49	123.71	127.00
1	AA	40	C	P-O3'-C3'	5.49	126.29	119.70
1	AA	101	A	C5'-C4'-O4'	5.49	115.69	109.10
1	AA	537	G	P-O3'-C3'	5.49	126.29	119.70
4	AD	15	G	N3-C2-N2	5.49	123.74	119.90
5	AE	133	ALA	N-CA-CB	5.49	117.78	110.10
6	AF	182	ASP	CB-CG-OD2	-5.49	113.36	118.30
26	BB	1	G	N3-C4-C5	-5.49	125.86	128.60
26	BB	302	C	N3-C4-C5	-5.49	119.70	121.90
26	BB	665	U	C5-C4-O4	-5.49	122.61	125.90
26	BB	706	A	C5'-C4'-O4'	5.49	115.69	109.10
26	BB	761	A	C6-N1-C2	-5.49	115.31	118.60
26	BB	1292	G	P-O3'-C3'	5.49	126.29	119.70
26	BB	1349	C	C4'-C3'-C2'	-5.49	97.11	102.60
26	BB	1624	U	N1-C2-O2	5.49	126.64	122.80
26	BB	1989	G	N1-C6-O6	-5.49	116.61	119.90
26	BB	2136	G	N1-C6-O6	-5.49	116.61	119.90
26	BB	2525	G	P-O3'-C3'	5.49	126.29	119.70
26	BB	2596	U	P-O3'-C3'	5.49	126.29	119.70
26	BB	2725	A	P-O3'-C3'	5.49	126.29	119.70
1	AA	29	U	C5-C4-O4	-5.49	122.61	125.90
1	AA	1130	A	N3-C4-C5	-5.49	122.96	126.80
26	BB	277	G	N9-C4-C5	5.49	107.59	105.40
26	BB	497	A	C3'-C2'-C1'	-5.49	97.11	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1635	A	P-O3'-C3'	5.49	126.28	119.70
26	BB	2082	A	C5'-C4'-C3'	-5.49	107.22	116.00
26	BB	2851	A	C5-C6-N1	5.49	120.44	117.70
49	BY	29	SER	CB-CA-C	5.49	120.53	110.10
50	BZ	73	ARG	NH1-CZ-NH2	-5.49	113.36	119.40
1	AA	41	G	C1'-O4'-C4'	-5.49	105.51	109.90
1	AA	231	U	N1-C2-O2	5.49	126.64	122.80
1	AA	310	G	C6-N1-C2	-5.49	121.81	125.10
1	AA	616	G	C5-C6-N1	5.49	114.24	111.50
1	AA	900	A	C3'-C2'-C1'	5.49	105.89	101.50
1	AA	1215	G	O5'-P-OP1	-5.49	100.76	105.70
1	AA	1240	U	C5'-C4'-O4'	-5.49	102.52	109.10
1	AA	1257	A	N3-C4-C5	-5.49	122.96	126.80
1	AA	1299	A	C5-N7-C8	-5.49	101.16	103.90
1	AA	1316	G	O4'-C1'-N9	5.49	112.59	108.20
1	AA	1385	G	C4'-C3'-C2'	-5.49	97.11	102.60
1	AA	1482	G	C8-N9-C4	-5.49	104.21	106.40
8	AH	49	TYR	CB-CG-CD1	5.49	124.29	121.00
8	AH	67	ARG	NE-CZ-NH2	5.49	123.04	120.30
26	BB	433	C	C6-N1-C2	-5.49	118.11	120.30
26	BB	1654	A	C5'-C4'-C3'	-5.49	107.22	116.00
26	BB	2881	U	N3-C4-O4	5.49	123.24	119.40
30	BF	162	ARG	NE-CZ-NH2	5.49	123.04	120.30
1	AA	15	G	N7-C8-N9	-5.48	110.36	113.10
1	AA	1177	G	N9-C1'-C2'	-5.48	105.97	112.00
1	AA	1476	A	N9-C1'-C2'	-5.48	105.97	112.00
26	BB	923	G	C4-C5-C6	5.48	122.09	118.80
26	BB	1708	C	P-O5'-C5'	5.48	129.68	120.90
26	BB	2352	A	C2-N3-C4	5.48	113.34	110.60
26	BB	2368	C	C1'-O4'-C4'	-5.48	105.51	109.90
1	AA	53	A	P-O3'-C3'	5.48	126.28	119.70
1	AA	276	G	N7-C8-N9	5.48	115.84	113.10
1	AA	1106	G	C4-C5-N7	-5.48	108.61	110.80
1	AA	1533	C	C6-N1-C2	5.48	122.49	120.30
3	AC	22	G	C5-C6-N1	5.48	114.24	111.50
9	AI	116	PHE	CB-CG-CD1	-5.48	116.96	120.80
25	BA	56	G	N3-C2-N2	-5.48	116.06	119.90
26	BB	685	A	N9-C4-C5	5.48	107.99	105.80
26	BB	685	A	N3-C4-C5	-5.48	122.96	126.80
26	BB	1080	A	C5-N7-C8	-5.48	101.16	103.90
26	BB	1209	U	C5'-C4'-O4'	5.48	115.68	109.10
26	BB	1890	A	C5-C6-N1	5.48	120.44	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2189	U	N1-C2-O2	5.48	126.64	122.80
1	AA	72	A	N1-C6-N6	-5.48	115.31	118.60
1	AA	112	G	C2-N3-C4	5.48	114.64	111.90
1	AA	131	A	C5'-C4'-C3'	-5.48	107.23	116.00
1	AA	1026	G	C4-C5-C6	5.48	122.09	118.80
4	AD	16	C	P-O3'-C3'	5.48	126.28	119.70
24	AX	59	LEU	CB-CG-CD1	5.48	120.32	111.00
26	BB	762	U	C1'-O4'-C4'	5.48	114.28	109.90
26	BB	1003	G	N3-C4-C5	5.48	131.34	128.60
26	BB	1051	G	C4-C5-N7	5.48	112.99	110.80
26	BB	1061	U	C6-N1-C2	-5.48	117.71	121.00
26	BB	1740	G	C3'-C2'-C1'	-5.48	97.12	101.50
26	BB	2511	U	N1-C2-N3	5.48	118.19	114.90
26	BB	2589	A	C4'-C3'-C2'	-5.48	97.12	102.60
27	BC	150	ALA	N-CA-CB	-5.48	102.43	110.10
28	BD	18	VAL	CA-CB-CG1	5.48	119.12	110.90
1	AA	261	U	C1'-O4'-C4'	-5.48	105.52	109.90
1	AA	841	C	N3-C4-C5	-5.48	119.71	121.90
1	AA	1237	C	N3-C4-C5	5.48	124.09	121.90
26	BB	491	G	C5'-C4'-O4'	5.48	115.67	109.10
26	BB	554	U	N3-C4-O4	5.48	123.24	119.40
26	BB	1813	G	C6-C5-N7	5.48	133.69	130.40
26	BB	2090	A	C5-C6-N6	-5.48	119.32	123.70
26	BB	2823	A	N9-C4-C5	5.48	107.99	105.80
1	AA	286	C	C5-C4-N4	-5.48	116.37	120.20
1	AA	329	A	P-O3'-C3'	5.48	126.27	119.70
1	AA	607	A	C4-C5-C6	-5.48	114.26	117.00
1	AA	922	G	O4'-C1'-N9	5.48	112.58	108.20
1	AA	1032	G	N3-C4-N9	5.48	129.29	126.00
1	AA	1119	C	N3-C2-O2	-5.48	118.07	121.90
1	AA	1331	G	C4-C5-N7	-5.48	108.61	110.80
11	AK	85	TYR	CB-CG-CD2	-5.48	117.71	121.00
26	BB	136	G	C4-C5-C6	5.48	122.09	118.80
26	BB	485	C	C5'-C4'-O4'	5.48	115.67	109.10
26	BB	1113	U	C5-C4-O4	5.48	129.19	125.90
26	BB	1120	G	P-O3'-C3'	5.48	126.27	119.70
26	BB	1411	U	N1-C1'-C2'	-5.48	105.97	112.00
26	BB	1555	G	N1-C6-O6	5.48	123.19	119.90
26	BB	1599	U	N3-C4-C5	-5.48	111.31	114.60
26	BB	2222	C	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	2227	A	C5-C6-N1	5.48	120.44	117.70
26	BB	2561	U	C5-C4-O4	-5.48	122.61	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2686	G	P-O3'-C3'	5.48	126.27	119.70
26	BB	2729	G	C8-N9-C1'	5.48	134.12	127.00
26	BB	2838	G	C6-N1-C2	5.48	128.39	125.10
1	AA	35	G	C4'-C3'-C2'	-5.48	97.12	102.60
1	AA	415	A	C4-C5-N7	5.48	113.44	110.70
2	AB	52	A	C2-N3-C4	-5.48	107.86	110.60
4	AD	37	U	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	894	U	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	1129	A	C6-N1-C2	5.48	121.89	118.60
26	BB	1558	C	O4'-C1'-C2'	5.48	112.53	107.60
26	BB	1920	C	N3-C4-C5	-5.48	119.71	121.90
26	BB	2694	G	C4-C5-N7	5.48	112.99	110.80
30	BF	55	SER	C-N-CA	5.48	133.80	122.30
1	AA	53	A	C5'-C4'-C3'	-5.47	107.24	116.00
1	AA	90	C	C5-C4-N4	-5.47	116.37	120.20
1	AA	200	G	C4-C5-N7	5.47	112.99	110.80
1	AA	301	G	C3'-C2'-C1'	5.47	105.88	101.50
1	AA	373	A	O4'-C1'-N9	-5.47	103.82	108.20
1	AA	518	C	C6-N1-C2	5.47	122.49	120.30
1	AA	612	C	N1-C2-O2	5.47	122.18	118.90
1	AA	712	A	C8-N9-C4	-5.47	103.61	105.80
1	AA	986	U	N3-C2-O2	-5.47	118.37	122.20
1	AA	1482	G	O5'-P-OP1	5.47	117.27	110.70
19	AS	16	PHE	N-CA-CB	-5.47	100.75	110.60
26	BB	212	G	N1-C2-N2	5.47	121.13	116.20
26	BB	236	C	P-O3'-C3'	5.47	126.27	119.70
26	BB	285	G	C2-N3-C4	-5.47	109.16	111.90
26	BB	347	A	C5-C6-N1	5.47	120.44	117.70
26	BB	511	U	C2-N3-C4	-5.47	123.72	127.00
26	BB	777	G	P-O3'-C3'	5.47	126.27	119.70
26	BB	880	G	C5-N7-C8	-5.47	101.56	104.30
26	BB	999	U	C4-C5-C6	5.47	122.98	119.70
26	BB	1464	G	C6-C5-N7	-5.47	127.11	130.40
26	BB	1620	G	N7-C8-N9	-5.47	110.36	113.10
26	BB	2512	C	C4'-C3'-C2'	-5.47	97.12	102.60
26	BB	2652	C	C4-C5-C6	-5.47	114.66	117.40
26	BB	2847	U	C5'-C4'-O4'	5.47	115.67	109.10
1	AA	142	G	N7-C8-N9	5.47	115.84	113.10
1	AA	640	A	P-O3'-C3'	5.47	126.27	119.70
1	AA	1039	G	N3-C4-N9	5.47	129.28	126.00
1	AA	1511	G	C5'-C4'-C3'	-5.47	107.25	116.00
1	AA	1529	G	C5'-C4'-O4'	-5.47	102.53	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	69	C	C1'-O4'-C4'	5.47	114.28	109.90
26	BB	162	U	N3-C2-O2	-5.47	118.37	122.20
26	BB	234	U	C5-C6-N1	-5.47	119.96	122.70
26	BB	240	C	C3'-C2'-C1'	5.47	105.88	101.50
26	BB	433	C	N3-C4-C5	-5.47	119.71	121.90
26	BB	446	G	C5-C6-O6	5.47	131.88	128.60
26	BB	636	G	C4-C5-N7	5.47	112.99	110.80
26	BB	1445	G	C1'-O4'-C4'	5.47	114.28	109.90
26	BB	1631	G	C5'-C4'-O4'	5.47	115.67	109.10
26	BB	2475	C	N1-C2-O2	5.47	122.18	118.90
26	BB	2535	G	C5'-C4'-O4'	5.47	115.67	109.10
26	BB	2864	G	C1'-O4'-C4'	-5.47	105.52	109.90
1	AA	318	G	C5-C6-O6	-5.47	125.32	128.60
1	AA	475	C	N1-C2-N3	-5.47	115.37	119.20
1	AA	500	G	O4'-C4'-C3'	5.47	110.48	106.10
1	AA	1490	U	O4'-C4'-C3'	-5.47	98.53	104.00
4	AD	11	A	C2-N3-C4	5.47	113.34	110.60
26	BB	398	C	O4'-C1'-N1	5.47	112.58	108.20
26	BB	1395	A	N1-C2-N3	5.47	132.03	129.30
26	BB	1745	A	C5-C6-N1	-5.47	114.97	117.70
26	BB	2039	U	N3-C4-O4	-5.47	115.57	119.40
26	BB	2181	U	C5'-C4'-O4'	5.47	115.67	109.10
26	BB	2456	C	C5-C6-N1	5.47	123.73	121.00
26	BB	2668	G	N3-C2-N2	-5.47	116.07	119.90
26	BB	2787	C	C2-N3-C4	5.47	122.64	119.90
1	AA	51	A	C1'-O4'-C4'	5.47	114.28	109.90
1	AA	113	G	C5'-C4'-O4'	5.47	115.66	109.10
1	AA	159	G	P-O5'-C5'	5.47	129.65	120.90
1	AA	524	G	P-O5'-C5'	5.47	129.65	120.90
1	AA	709	U	N1-C2-N3	5.47	118.18	114.90
1	AA	728	A	C5-N7-C8	-5.47	101.17	103.90
1	AA	771	G	C8-N9-C4	5.47	108.59	106.40
1	AA	875	U	C5'-C4'-O4'	5.47	115.66	109.10
1	AA	989	U	C3'-C2'-C1'	-5.47	97.12	101.50
1	AA	1017	U	C5-C4-O4	-5.47	122.62	125.90
1	AA	1210	C	C5-C4-N4	-5.47	116.37	120.20
1	AA	1471	U	C5-C6-N1	-5.47	119.97	122.70
25	BA	81	G	O5'-P-OP2	-5.47	100.78	105.70
26	BB	187	G	C8-N9-C4	-5.47	104.21	106.40
26	BB	272	A	N9-C1'-C2'	-5.47	105.98	112.00
26	BB	827	U	P-O3'-C3'	5.47	126.26	119.70
26	BB	1338	G	C4-C5-N7	-5.47	108.61	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1408	G	N9-C1'-C2'	-5.47	105.98	112.00
26	BB	1490	A	N9-C4-C5	-5.47	103.61	105.80
26	BB	2025	C	C2-N1-C1'	-5.47	112.78	118.80
26	BB	2454	G	C6-C5-N7	-5.47	127.12	130.40
26	BB	2845	U	N3-C2-O2	-5.47	118.37	122.20
1	AA	54	C	N1-C1'-C2'	-5.47	105.98	112.00
1	AA	537	G	N1-C2-N3	-5.47	120.62	123.90
1	AA	605	U	O4'-C1'-N1	5.47	112.57	108.20
1	AA	877	G	N3-C4-C5	-5.47	125.87	128.60
1	AA	1190	G	O4'-C1'-N9	5.47	112.57	108.20
1	AA	1356	G	O3'-P-O5'	-5.47	93.61	104.00
26	BB	415	A	N1-C6-N6	5.47	121.88	118.60
26	BB	438	G	C1'-O4'-C4'	5.47	114.28	109.90
26	BB	851	C	C3'-C2'-C1'	5.47	105.87	101.50
26	BB	987	C	N1-C2-O2	5.47	122.18	118.90
26	BB	1091	G	N3-C4-C5	-5.47	125.87	128.60
26	BB	1281	G	C4-C5-N7	-5.47	108.61	110.80
26	BB	1387	A	N1-C2-N3	-5.47	126.57	129.30
26	BB	1948	G	C1'-O4'-C4'	-5.47	105.53	109.90
26	BB	2031	A	C6-C5-N7	5.47	136.13	132.30
26	BB	2786	U	N3-C4-C5	-5.47	111.32	114.60
26	BB	2864	G	C6-N1-C2	-5.47	121.82	125.10
50	BZ	64	ASP	CB-CG-OD2	5.47	123.22	118.30
1	AA	276	G	C8-N9-C4	-5.47	104.21	106.40
1	AA	282	A	P-O3'-C3'	5.47	126.26	119.70
1	AA	319	G	O4'-C1'-N9	5.47	112.57	108.20
1	AA	783	C	C6-N1-C2	5.47	122.49	120.30
1	AA	916	U	C5-C6-N1	-5.47	119.97	122.70
1	AA	949	A	C4-C5-N7	5.47	113.43	110.70
1	AA	1354	U	C4-C5-C6	5.47	122.98	119.70
1	AA	1375	A	C6-N1-C2	-5.47	115.32	118.60
26	BB	155	A	C5'-C4'-O4'	5.47	115.66	109.10
26	BB	325	G	N3-C4-N9	-5.47	122.72	126.00
26	BB	1038	G	C2-N3-C4	-5.47	109.17	111.90
26	BB	1549	A	C4'-C3'-C2'	-5.47	97.13	102.60
26	BB	2023	C	C2-N1-C1'	-5.47	112.79	118.80
26	BB	2320	U	N1-C1'-C2'	5.47	121.11	114.00
26	BB	2626	C	N3-C4-N4	5.47	121.83	118.00
26	BB	2862	G	C4-C5-C6	5.47	122.08	118.80
1	AA	87	C	N3-C4-N4	5.46	121.83	118.00
1	AA	128	G	O4'-C4'-C3'	-5.46	98.53	104.00
1	AA	667	G	N3-C2-N2	-5.46	116.07	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	845	A	C3'-C2'-C1'	5.46	105.87	101.50
2	AB	69	C	N3-C2-O2	-5.46	118.08	121.90
3	AC	34	U	C5-C4-O4	5.46	129.18	125.90
6	AF	167	TYR	CD1-CE1-CZ	5.46	124.72	119.80
26	BB	454	A	N3-C4-C5	-5.46	122.97	126.80
26	BB	1037	G	N9-C1'-C2'	-5.46	105.99	112.00
26	BB	1513	U	N3-C4-O4	5.46	123.22	119.40
26	BB	1810	A	O4'-C4'-C3'	5.46	110.47	106.10
26	BB	1843	C	N3-C4-C5	-5.46	119.71	121.90
26	BB	1943	U	C3'-C2'-C1'	-5.46	97.13	101.50
26	BB	2003	A	C3'-C2'-C1'	5.46	105.87	101.50
26	BB	2087	G	C6-C5-N7	5.46	133.68	130.40
26	BB	2148	G	O5'-P-OP2	5.46	117.26	110.70
26	BB	2281	A	O4'-C1'-N9	5.46	112.57	108.20
26	BB	2323	G	C2-N3-C4	-5.46	109.17	111.90
26	BB	2556	C	N3-C4-C5	-5.46	119.71	121.90
26	BB	2763	G	N1-C6-O6	-5.46	116.62	119.90
39	BO	91	TYR	CB-CG-CD1	5.46	124.28	121.00
1	AA	666	G	C6-C5-N7	-5.46	127.12	130.40
1	AA	1092	A	C4-C5-C6	-5.46	114.27	117.00
1	AA	1239	A	C5-N7-C8	-5.46	101.17	103.90
25	BA	116	G	C8-N9-C1'	5.46	134.10	127.00
26	BB	697	G	C4-C5-N7	-5.46	108.61	110.80
26	BB	1086	A	N1-C2-N3	-5.46	126.57	129.30
26	BB	1535	A	N7-C8-N9	-5.46	111.07	113.80
26	BB	2056	G	C4-C5-N7	-5.46	108.61	110.80
26	BB	2120	G	C6-N1-C2	-5.46	121.82	125.10
26	BB	2262	U	C6-N1-C2	-5.46	117.72	121.00
1	AA	80	A	C4-C5-C6	5.46	119.73	117.00
1	AA	693	G	C4-C5-C6	5.46	122.08	118.80
1	AA	802	A	C5-C6-N1	-5.46	114.97	117.70
1	AA	1477	U	O4'-C4'-C3'	-5.46	98.54	104.00
3	AC	37	G	C5'-C4'-O4'	5.46	115.65	109.10
26	BB	171	U	C5-C6-N1	-5.46	119.97	122.70
26	BB	572	A	C8-N9-C4	-5.46	103.62	105.80
26	BB	697	G	N3-C4-C5	-5.46	125.87	128.60
26	BB	797	G	O4'-C1'-N9	5.46	112.57	108.20
26	BB	1522	A	C6-C5-N7	5.46	136.12	132.30
26	BB	1685	C	N3-C4-N4	5.46	121.82	118.00
26	BB	1693	U	N3-C4-C5	-5.46	111.32	114.60
26	BB	2746	U	C5-C6-N1	-5.46	119.97	122.70
1	AA	683	G	N1-C2-N2	-5.46	111.29	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	76	C	P-O3'-C3'	5.46	126.25	119.70
26	BB	93	G	O4'-C1'-C2'	-5.46	100.34	105.80
26	BB	105	C	C4'-C3'-C2'	-5.46	97.14	102.60
26	BB	783	A	N1-C6-N6	-5.46	115.32	118.60
26	BB	1228	G	N9-C1'-C2'	-5.46	105.99	112.00
26	BB	1420	A	N7-C8-N9	-5.46	111.07	113.80
26	BB	2317	A	C4-C5-C6	5.46	119.73	117.00
26	BB	2414	G	C5'-C4'-O4'	5.46	115.65	109.10
26	BB	2536	G	C4-C5-N7	5.46	112.98	110.80
26	BB	2755	C	C4-C5-C6	5.46	120.13	117.40
1	AA	215	C	C6-N1-C2	-5.46	118.12	120.30
1	AA	538	G	O4'-C1'-N9	5.46	112.57	108.20
1	AA	783	C	O4'-C1'-N1	5.46	112.57	108.20
1	AA	843	U	C5-C6-N1	5.46	125.43	122.70
1	AA	1043	G	O4'-C1'-N9	5.46	112.57	108.20
1	AA	1295	U	N1-C2-O2	5.46	126.62	122.80
1	AA	1348	U	C6-N1-C2	5.46	124.28	121.00
4	AD	19	G	N3-C4-N9	5.46	129.28	126.00
4	AD	50	G	C6-C5-N7	-5.46	127.12	130.40
14	AN	11	VAL	CG1-CB-CG2	-5.46	102.17	110.90
20	AT	61	ARG	NH1-CZ-NH2	-5.46	113.39	119.40
25	BA	15	A	N3-C4-C5	-5.46	122.98	126.80
26	BB	206	U	O4'-C1'-N1	5.46	112.57	108.20
26	BB	432	A	C5-N7-C8	5.46	106.63	103.90
26	BB	437	U	P-O3'-C3'	5.46	126.25	119.70
26	BB	603	A	C4'-C3'-C2'	-5.46	97.14	102.60
26	BB	818	G	C4-C5-C6	-5.46	115.53	118.80
26	BB	1089	A	C5-N7-C8	-5.46	101.17	103.90
26	BB	1775	U	O4'-C1'-N1	5.46	112.57	108.20
26	BB	2374	C	C5'-C4'-O4'	5.46	115.65	109.10
26	BB	2460	U	O5'-C5'-C4'	5.46	122.07	111.70
1	AA	989	U	N1-C2-O2	-5.46	118.98	122.80
1	AA	1045	C	N3-C4-C5	-5.46	119.72	121.90
5	AE	62	ARG	CD-NE-CZ	5.46	131.24	123.60
26	BB	52	A	N9-C4-C5	5.46	107.98	105.80
26	BB	620	G	C5'-C4'-O4'	5.46	115.65	109.10
26	BB	837	C	O4'-C4'-C3'	5.46	110.47	106.10
26	BB	1203	U	C3'-C2'-C1'	5.46	105.86	101.50
26	BB	1253	A	O4'-C4'-C3'	5.46	110.47	106.10
26	BB	1514	G	N1-C6-O6	5.46	123.17	119.90
26	BB	1517	G	N1-C2-N3	-5.46	120.63	123.90
26	BB	1777	U	C5'-C4'-C3'	-5.46	107.27	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2024	G	N7-C8-N9	-5.46	110.37	113.10
26	BB	2531	A	N7-C8-N9	-5.46	111.07	113.80
26	BB	2890	G	C4-C5-N7	-5.46	108.62	110.80
37	BM	79	PHE	CB-CG-CD1	5.46	124.62	120.80
1	AA	439	U	O4'-C1'-N1	5.46	112.56	108.20
1	AA	1162	C	C3'-C2'-C1'	-5.46	97.14	101.50
25	BA	41	G	C5-C6-N1	5.46	114.23	111.50
26	BB	541	A	O4'-C4'-C3'	5.46	110.46	106.10
26	BB	2422	C	C1'-O4'-C4'	5.46	114.26	109.90
1	AA	195	A	C5'-C4'-C3'	-5.45	107.27	116.00
1	AA	825	A	C6-N1-C2	-5.45	115.33	118.60
1	AA	1334	G	N1-C2-N3	-5.45	120.63	123.90
3	AC	39	U	C5'-C4'-C3'	-5.45	107.28	116.00
18	AR	63	ARG	NE-CZ-NH2	-5.45	117.57	120.30
26	BB	103	A	C5'-C4'-C3'	-5.45	107.27	116.00
26	BB	763	G	O4'-C1'-C2'	-5.45	100.35	105.80
26	BB	1535	A	P-O3'-C3'	5.45	126.24	119.70
26	BB	1925	C	N1-C2-N3	-5.45	115.38	119.20
26	BB	1955	U	O4'-C1'-C2'	-5.45	100.35	105.80
26	BB	1999	C	C5'-C4'-C3'	-5.45	107.27	116.00
26	BB	2010	G	O4'-C1'-N9	5.45	112.56	108.20
26	BB	2032	G	N9-C1'-C2'	5.45	121.09	114.00
26	BB	2342	C	N3-C4-C5	5.45	124.08	121.90
56	B5	21	ARG	NE-CZ-NH2	5.45	123.03	120.30
1	AA	488	C	P-O3'-C3'	5.45	126.24	119.70
1	AA	1328	C	C5-C4-N4	5.45	124.02	120.20
26	BB	330	A	C3'-C2'-C1'	5.45	105.86	101.50
26	BB	830	G	C5'-C4'-O4'	5.45	115.64	109.10
26	BB	1106	G	C8-N9-C4	-5.45	104.22	106.40
26	BB	1410	G	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	1654	A	N9-C4-C5	-5.45	103.62	105.80
26	BB	1811	G	C5-C6-N1	5.45	114.23	111.50
26	BB	2714	G	N3-C2-N2	5.45	123.72	119.90
26	BB	2883	A	N7-C8-N9	5.45	116.53	113.80
1	AA	863	U	C6-N1-C2	-5.45	117.73	121.00
1	AA	906	A	C3'-C2'-C1'	-5.45	97.14	101.50
1	AA	1071	C	N3-C4-N4	-5.45	114.18	118.00
1	AA	1105	A	N7-C8-N9	5.45	116.53	113.80
1	AA	1126	U	C2-N3-C4	5.45	130.27	127.00
1	AA	1317	C	N3-C4-C5	-5.45	119.72	121.90
4	AD	47	A	C5'-C4'-C3'	5.45	124.72	116.00
26	BB	110	G	P-O3'-C3'	5.45	126.24	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	123	G	N9-C4-C5	-5.45	103.22	105.40
26	BB	317	G	N9-C1'-C2'	-5.45	106.00	112.00
26	BB	347	A	O4'-C1'-N9	5.45	112.56	108.20
26	BB	390	U	N1-C2-N3	5.45	118.17	114.90
26	BB	1377	G	C5-C6-O6	-5.45	125.33	128.60
26	BB	1452	G	N9-C4-C5	5.45	107.58	105.40
26	BB	1538	G	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	1879	C	C6-N1-C2	-5.45	118.12	120.30
26	BB	2421	G	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	2578	G	N1-C6-O6	-5.45	116.63	119.90
26	BB	2622	U	C2-N3-C4	-5.45	123.73	127.00
1	AA	72	A	N3-C4-C5	5.45	130.61	126.80
1	AA	534	U	C4'-C3'-C2'	-5.45	97.15	102.60
1	AA	611	C	C3'-C2'-C1'	5.45	105.86	101.50
1	AA	804	U	P-O3'-C3'	5.45	126.24	119.70
1	AA	962	C	C2-N3-C4	-5.45	117.18	119.90
1	AA	1455	G	N1-C2-N2	5.45	121.10	116.20
25	BA	59	A	C5-C6-N1	5.45	120.42	117.70
26	BB	69	C	O4'-C1'-N1	5.45	112.56	108.20
26	BB	170	U	N3-C4-C5	5.45	117.87	114.60
26	BB	400	G	N3-C4-C5	-5.45	125.88	128.60
26	BB	458	G	O4'-C1'-C2'	-5.45	100.35	105.80
26	BB	888	C	C5-C4-N4	5.45	124.01	120.20
26	BB	1228	G	N7-C8-N9	-5.45	110.38	113.10
26	BB	1572	A	N7-C8-N9	5.45	116.52	113.80
26	BB	1733	G	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	2172	U	C2-N3-C4	-5.45	123.73	127.00
26	BB	2196	C	C5-C4-N4	5.45	124.01	120.20
26	BB	2630	G	N9-C4-C5	-5.45	103.22	105.40
26	BB	2883	A	C5-C6-N1	5.45	120.42	117.70
43	BS	7	VAL	CA-CB-CG2	5.45	119.07	110.90
26	BB	283	G	N3-C2-N2	-5.45	116.09	119.90
26	BB	400	G	C6-N1-C2	-5.45	121.83	125.10
26	BB	1491	G	N1-C2-N3	5.45	127.17	123.90
26	BB	2396	G	N7-C8-N9	5.45	115.82	113.10
26	BB	2812	G	C8-N9-C1'	5.45	134.08	127.00
1	AA	242	G	N3-C4-C5	-5.45	125.88	128.60
1	AA	325	A	C3'-C2'-C1'	5.45	105.86	101.50
1	AA	458	U	N3-C4-O4	5.45	123.21	119.40
1	AA	491	G	O4'-C1'-N9	5.45	112.56	108.20
1	AA	514	C	N3-C4-N4	-5.45	114.19	118.00
1	AA	723	U	N1-C1'-C2'	-5.45	106.01	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1030	U	O4'-C1'-C2'	-5.45	100.36	105.80
1	AA	1053	G	O4'-C1'-N9	5.45	112.56	108.20
1	AA	1086	U	C2-N1-C1'	5.45	124.23	117.70
26	BB	23	G	C4-N9-C1'	5.45	133.58	126.50
26	BB	97	C	C5-C4-N4	5.45	124.01	120.20
26	BB	384	A	C2-N3-C4	5.45	113.32	110.60
26	BB	1138	G	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	1163	G	C5-C6-O6	-5.45	125.33	128.60
26	BB	1279	G	N3-C2-N2	-5.45	116.09	119.90
26	BB	1418	G	N1-C2-N3	5.45	127.17	123.90
26	BB	1429	G	C4-C5-C6	5.45	122.07	118.80
26	BB	1496	A	C1'-O4'-C4'	5.45	114.26	109.90
26	BB	1523	U	C2-N3-C4	-5.45	123.73	127.00
26	BB	1634	A	N9-C4-C5	5.45	107.98	105.80
26	BB	1791	A	N9-C1'-C2'	-5.45	106.01	112.00
26	BB	1999	C	C5'-C4'-O4'	5.45	115.63	109.10
26	BB	2021	C	N1-C2-N3	-5.45	115.39	119.20
1	AA	201	G	N9-C4-C5	-5.44	103.22	105.40
1	AA	819	A	P-O3'-C3'	5.44	126.23	119.70
3	AC	56	G	N7-C8-N9	5.44	115.82	113.10
26	BB	52	A	N7-C8-N9	5.44	116.52	113.80
26	BB	232	G	C4-C5-N7	-5.44	108.62	110.80
26	BB	403	U	P-O3'-C3'	5.44	126.23	119.70
26	BB	460	A	C5-N7-C8	5.44	106.62	103.90
26	BB	1288	G	N3-C4-N9	5.44	129.27	126.00
26	BB	1375	U	C5-C6-N1	5.44	125.42	122.70
26	BB	1475	G	C6-C5-N7	-5.44	127.13	130.40
26	BB	1531	C	C2-N3-C4	5.44	122.62	119.90
26	BB	1684	G	N3-C4-C5	-5.44	125.88	128.60
26	BB	2298	A	N9-C1'-C2'	-5.44	106.01	112.00
1	AA	46	G	N9-C4-C5	5.44	107.58	105.40
1	AA	93	U	C4'-C3'-C2'	-5.44	97.16	102.60
1	AA	116	A	C4-C5-N7	-5.44	107.98	110.70
1	AA	167	A	O4'-C1'-N9	5.44	112.56	108.20
1	AA	276	G	N1-C6-O6	5.44	123.17	119.90
1	AA	371	A	N9-C4-C5	-5.44	103.62	105.80
1	AA	446	G	C5-C6-O6	5.44	131.87	128.60
1	AA	689	C	O4'-C1'-N1	5.44	112.55	108.20
1	AA	719	C	N3-C4-N4	-5.44	114.19	118.00
1	AA	727	G	C4-C5-N7	5.44	112.98	110.80
1	AA	986	U	C2-N3-C4	-5.44	123.73	127.00
1	AA	1192	C	C4'-C3'-O3'	5.44	123.89	113.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	AL	37	TYR	CG-CD2-CE2	-5.44	116.94	121.30
22	AV	54	ARG	NE-CZ-NH1	-5.44	117.58	120.30
26	BB	416	U	N1-C2-O2	-5.44	118.99	122.80
26	BB	435	C	C4-C5-C6	-5.44	114.68	117.40
26	BB	459	U	O4'-C1'-N1	5.44	112.55	108.20
26	BB	1099	G	N3-C2-N2	-5.44	116.09	119.90
26	BB	1261	C	C5-C4-N4	-5.44	116.39	120.20
26	BB	1362	C	N3-C4-C5	-5.44	119.72	121.90
26	BB	1448	G	C8-N9-C4	-5.44	104.22	106.40
26	BB	1552	A	C4-C5-N7	-5.44	107.98	110.70
26	BB	1861	G	C5-C6-O6	-5.44	125.33	128.60
26	BB	1914	C	C5-C4-N4	5.44	124.01	120.20
26	BB	1971	U	O4'-C4'-C3'	5.44	110.45	106.10
26	BB	2831	G	N9-C4-C5	5.44	107.58	105.40
56	B5	35	ARG	NH1-CZ-NH2	-5.44	113.41	119.40
1	AA	379	C	O5'-C5'-C4'	5.44	122.04	111.70
1	AA	668	G	C4'-C3'-C2'	-5.44	97.16	102.60
6	AF	17	TRP	CE2-CD2-CE3	-5.44	112.17	118.70
26	BB	226	A	N1-C6-N6	5.44	121.86	118.60
26	BB	414	C	N3-C2-O2	-5.44	118.09	121.90
26	BB	1202	G	C3'-C2'-C1'	5.44	105.85	101.50
26	BB	1419	A	C8-N9-C4	5.44	107.98	105.80
26	BB	2290	G	N7-C8-N9	5.44	115.82	113.10
26	BB	2730	C	N3-C4-N4	-5.44	114.19	118.00
26	BB	2745	C	N1-C2-O2	-5.44	115.64	118.90
26	BB	2770	G	C1'-O4'-C4'	5.44	114.25	109.90
26	BB	2822	G	O4'-C1'-C2'	-5.44	100.36	105.80
26	BB	2876	G	C4-C5-N7	-5.44	108.62	110.80
39	BO	94	ALA	CB-CA-C	5.44	118.26	110.10
1	AA	1049	U	C2-N1-C1'	-5.44	111.17	117.70
1	AA	1358	U	C5-C6-N1	-5.44	119.98	122.70
26	BB	447	A	N3-C4-N9	5.44	131.75	127.40
26	BB	1432	G	N1-C6-O6	-5.44	116.64	119.90
26	BB	2253	G	C6-N1-C2	-5.44	121.84	125.10
26	BB	2323	G	C3'-C2'-C1'	5.44	105.85	101.50
32	BH	73	SER	O-C-N	5.44	131.40	122.70
1	AA	11	G	N3-C2-N2	-5.44	116.09	119.90
1	AA	616	G	C8-N9-C4	5.44	108.58	106.40
1	AA	783	C	C5'-C4'-O4'	5.44	115.63	109.10
1	AA	1278	G	N7-C8-N9	5.44	115.82	113.10
1	AA	1297	G	C2-N3-C4	5.44	114.62	111.90
22	AV	54	ARG	CD-NE-CZ	5.44	131.21	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	95	U	C4'-C3'-C2'	-5.44	97.16	102.60
26	BB	385	C	N1-C2-N3	-5.44	115.39	119.20
26	BB	817	C	C5'-C4'-O4'	5.44	115.63	109.10
26	BB	1249	U	O4'-C4'-C3'	5.44	110.45	106.10
26	BB	1271	G	O4'-C4'-C3'	-5.44	98.56	104.00
26	BB	1283	G	C8-N9-C1'	5.44	134.07	127.00
26	BB	1954	G	N1-C2-N3	-5.44	120.64	123.90
26	BB	2256	G	N9-C1'-C2'	-5.44	106.02	112.00
26	BB	2628	C	C2-N3-C4	5.44	122.62	119.90
26	BB	2849	U	O5'-C5'-C4'	-5.44	101.37	111.70
32	BH	93	TYR	CB-CG-CD2	-5.44	117.74	121.00
44	BT	35	PHE	CB-CG-CD2	5.44	124.61	120.80
1	AA	648	A	C4-C5-C6	-5.44	114.28	117.00
1	AA	677	U	N3-C4-O4	5.44	123.20	119.40
1	AA	991	U	C5-C6-N1	-5.44	119.98	122.70
1	AA	1171	A	C1'-O4'-C4'	-5.44	105.55	109.90
26	BB	484	C	C4'-C3'-C2'	-5.44	97.16	102.60
26	BB	1242	U	N3-C4-C5	-5.44	111.34	114.60
26	BB	1723	G	C5-C6-N1	5.44	114.22	111.50
26	BB	2043	C	N1-C2-O2	5.44	122.16	118.90
1	AA	457	G	C4-C5-C6	5.43	122.06	118.80
1	AA	481	G	C5'-C4'-O4'	5.43	115.62	109.10
1	AA	870	U	P-O3'-C3'	5.43	126.22	119.70
1	AA	924	C	C5-C6-N1	5.43	123.72	121.00
1	AA	1202	U	N3-C2-O2	-5.43	118.39	122.20
1	AA	1272	G	N1-C6-O6	5.43	123.16	119.90
1	AA	1465	A	C2-N3-C4	5.43	113.32	110.60
1	AA	1515	G	C6-C5-N7	5.43	133.66	130.40
2	AB	30	G	C6-N1-C2	5.43	128.36	125.10
2	AB	74	C	N3-C4-N4	-5.43	114.19	118.00
18	AR	44	GLU	N-CA-CB	-5.43	100.82	110.60
25	BA	21	G	C1'-O4'-C4'	-5.43	105.55	109.90
26	BB	615	U	C5-C6-N1	-5.43	119.98	122.70
26	BB	624	C	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	787	C	N3-C4-C5	5.43	124.07	121.90
26	BB	862	G	O4'-C1'-N9	5.43	112.55	108.20
26	BB	865	C	C1'-O4'-C4'	5.43	114.25	109.90
26	BB	873	C	C5-C4-N4	-5.43	116.40	120.20
26	BB	1173	U	P-O3'-C3'	5.43	126.22	119.70
26	BB	1480	C	N3-C4-C5	5.43	124.07	121.90
26	BB	1941	C	C4-C5-C6	5.43	120.12	117.40
26	BB	2144	G	O4'-C1'-N9	-5.43	103.85	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2283	C	OP1-P-OP2	5.43	127.75	119.60
26	BB	2389	G	C5-N7-C8	5.43	107.02	104.30
26	BB	2397	G	N3-C4-C5	-5.43	125.88	128.60
26	BB	2424	C	N1-C2-N3	5.43	123.00	119.20
26	BB	2494	G	C6-N1-C2	-5.43	121.84	125.10
26	BB	2736	A	C6-C5-N7	5.43	136.10	132.30
1	AA	76	G	N7-C8-N9	5.43	115.82	113.10
1	AA	157	U	C6-N1-C2	-5.43	117.74	121.00
1	AA	224	U	N3-C2-O2	-5.43	118.40	122.20
1	AA	348	G	N7-C8-N9	5.43	115.82	113.10
1	AA	803	G	C5-C6-N1	5.43	114.22	111.50
1	AA	1041	G	C5-C6-N1	5.43	114.22	111.50
1	AA	1241	G	C5-N7-C8	5.43	107.02	104.30
11	AK	10	LEU	CB-CG-CD2	5.43	120.23	111.00
21	AU	31	TYR	CD1-CE1-CZ	5.43	124.69	119.80
25	BA	6	G	C8-N9-C4	-5.43	104.23	106.40
26	BB	8	C	N1-C2-N3	-5.43	115.40	119.20
26	BB	23	G	O4'-C4'-C3'	5.43	110.45	106.10
26	BB	47	C	N3-C2-O2	-5.43	118.10	121.90
26	BB	107	G	N1-C6-O6	5.43	123.16	119.90
26	BB	171	U	C5'-C4'-O4'	5.43	115.62	109.10
26	BB	239	C	C2-N3-C4	-5.43	117.18	119.90
26	BB	352	A	C5'-C4'-C3'	-5.43	107.31	116.00
26	BB	439	A	O4'-C1'-N9	5.43	112.55	108.20
26	BB	638	G	C4-C5-N7	5.43	112.97	110.80
26	BB	788	A	C4-C5-C6	5.43	119.72	117.00
26	BB	824	U	C1'-O4'-C4'	-5.43	105.55	109.90
26	BB	857	G	N1-C6-O6	-5.43	116.64	119.90
26	BB	960	A	P-O3'-C3'	5.43	126.22	119.70
26	BB	2130	U	N1-C2-O2	5.43	126.60	122.80
26	BB	2207	C	N1-C2-O2	5.43	122.16	118.90
26	BB	2371	G	N3-C4-C5	-5.43	125.88	128.60
26	BB	2602	A	C4-C5-N7	-5.43	107.98	110.70
26	BB	2618	G	O3'-P-O5'	-5.43	93.68	104.00
26	BB	2648	G	N9-C1'-C2'	-5.43	106.02	112.00
1	AA	772	U	N1-C2-O2	5.43	126.60	122.80
1	AA	1054	C	O4'-C1'-N1	5.43	112.54	108.20
25	BA	16	G	N1-C2-N3	5.43	127.16	123.90
26	BB	89	A	C5'-C4'-C3'	-5.43	107.31	116.00
26	BB	222	A	N3-C4-C5	-5.43	123.00	126.80
26	BB	923	G	C5-N7-C8	5.43	107.02	104.30
26	BB	1913	A	C5'-C4'-O4'	5.43	115.62	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1920	C	O4'-C1'-C2'	-5.43	100.37	105.80
26	BB	2150	C	C5-C4-N4	5.43	124.00	120.20
1	AA	28	A	C8-N9-C4	-5.43	103.63	105.80
1	AA	171	A	N7-C8-N9	5.43	116.52	113.80
1	AA	428	G	C2-N3-C4	5.43	114.61	111.90
1	AA	1246	A	C5-C6-N1	5.43	120.42	117.70
3	AC	40	G	N1-C2-N3	-5.43	120.64	123.90
4	AD	75	C	C2-N3-C4	-5.43	117.19	119.90
26	BB	115	C	C6-N1-C2	5.43	122.47	120.30
26	BB	579	G	N7-C8-N9	5.43	115.81	113.10
26	BB	1248	G	C5-C6-N1	5.43	114.22	111.50
26	BB	1550	C	N3-C4-N4	5.43	121.80	118.00
26	BB	2281	A	N9-C4-C5	5.43	107.97	105.80
26	BB	2728	U	C2-N3-C4	-5.43	123.74	127.00
26	BB	2858	C	C5-C4-N4	5.43	124.00	120.20
27	BC	15	VAL	CA-CB-CG1	5.43	119.04	110.90
29	BE	125	TRP	CB-CG-CD2	5.43	133.66	126.60
1	AA	56	U	N1-C2-N3	5.43	118.16	114.90
1	AA	149	A	C1'-O4'-C4'	-5.43	105.56	109.90
1	AA	495	A	C3'-C2'-C1'	-5.43	97.16	101.50
1	AA	814	A	C5-C6-N6	5.43	128.04	123.70
4	AD	54	G	C5-C6-N1	5.43	114.21	111.50
6	AF	200	TRP	NE1-CE2-CD2	-5.43	101.87	107.30
26	BB	1620	G	C4-N9-C1'	-5.43	119.44	126.50
26	BB	2358	A	N9-C4-C5	5.43	107.97	105.80
1	AA	112	G	C6-C5-N7	-5.43	127.14	130.40
1	AA	333	U	O4'-C1'-N1	5.43	112.54	108.20
1	AA	337	G	N9-C4-C5	5.43	107.57	105.40
1	AA	391	G	C4-C5-C6	5.43	122.06	118.80
1	AA	414	A	C3'-C2'-C1'	-5.43	97.16	101.50
1	AA	749	A	C6-N1-C2	-5.43	115.34	118.60
1	AA	1066	C	C4-C5-C6	5.43	120.11	117.40
2	AB	66	C	C1'-O4'-C4'	5.43	114.24	109.90
7	AG	106	PHE	C-N-CA	5.43	133.70	122.30
26	BB	162	U	C2-N3-C4	-5.43	123.74	127.00
26	BB	217	A	C5'-C4'-C3'	-5.43	107.32	116.00
26	BB	392	U	N1-C2-O2	-5.43	119.00	122.80
26	BB	590	A	C8-N9-C4	-5.43	103.63	105.80
26	BB	893	C	O4'-C1'-N1	5.43	112.54	108.20
26	BB	1783	A	C5-N7-C8	-5.43	101.19	103.90
26	BB	2084	C	N3-C2-O2	-5.43	118.10	121.90
26	BB	2451	A	C4'-C3'-C2'	-5.43	97.17	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2562	U	C5-C6-N1	-5.43	119.99	122.70
26	BB	2617	U	N1-C2-O2	5.43	126.60	122.80
26	BB	2802	G	O4'-C1'-N9	5.43	112.54	108.20
42	BR	42	PHE	CB-CG-CD1	-5.43	117.00	120.80
1	AA	107	G	N9-C1'-C2'	-5.42	106.03	112.00
1	AA	523	A	N1-C2-N3	5.42	132.01	129.30
1	AA	962	C	C6-N1-C2	5.42	122.47	120.30
1	AA	1121	U	C5'-C4'-O4'	5.42	115.61	109.10
1	AA	1134	G	N1-C6-O6	-5.42	116.64	119.90
1	AA	1514	G	C4-C5-C6	-5.42	115.55	118.80
4	AD	53	G	C5-C6-O6	5.42	131.85	128.60
13	AM	97	ASP	CB-CG-OD2	5.42	123.18	118.30
25	BA	72	G	C4-C5-C6	-5.42	115.55	118.80
26	BB	262	A	O4'-C1'-N9	5.42	112.54	108.20
26	BB	529	A	N1-C2-N3	5.42	132.01	129.30
26	BB	688	U	C5-C6-N1	-5.42	119.99	122.70
26	BB	1248	G	C4-C5-N7	-5.42	108.63	110.80
26	BB	1296	G	N7-C8-N9	5.42	115.81	113.10
26	BB	1581	G	C5-C6-N1	5.42	114.21	111.50
26	BB	2236	U	C4-C5-C6	5.42	122.95	119.70
26	BB	2250	G	N1-C2-N3	-5.42	120.64	123.90
26	BB	2607	G	N3-C2-N2	5.42	123.70	119.90
26	BB	2661	G	N7-C8-N9	5.42	115.81	113.10
1	AA	61	G	C5'-C4'-O4'	5.42	115.61	109.10
1	AA	869	G	C5-C6-N1	5.42	114.21	111.50
25	BA	18	G	C3'-C2'-C1'	-5.42	97.16	101.50
26	BB	27	G	C2-N3-C4	-5.42	109.19	111.90
26	BB	294	A	C2-N3-C4	5.42	113.31	110.60
26	BB	1264	A	N7-C8-N9	5.42	116.51	113.80
26	BB	1866	A	C5'-C4'-O4'	5.42	115.61	109.10
26	BB	2389	G	C6-N1-C2	-5.42	121.85	125.10
43	BS	116	LEU	CB-CG-CD1	5.42	120.22	111.00
1	AA	167	A	C5-N7-C8	-5.42	101.19	103.90
1	AA	262	A	C3'-C2'-C1'	5.42	105.84	101.50
1	AA	537	G	N7-C8-N9	5.42	115.81	113.10
1	AA	1295	U	N3-C4-C5	5.42	117.85	114.60
1	AA	1328	C	N3-C4-N4	-5.42	114.20	118.00
1	AA	1333	A	N9-C1'-C2'	-5.42	106.04	112.00
1	AA	1398	A	C3'-C2'-C1'	-5.42	97.16	101.50
1	AA	1500	A	O5'-C5'-C4'	-5.42	101.40	111.70
17	AQ	64	ARG	NE-CZ-NH1	-5.42	117.59	120.30
26	BB	73	A	O4'-C4'-C3'	5.42	110.44	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	778	G	N1-C6-O6	-5.42	116.65	119.90
26	BB	995	C	C2-N3-C4	5.42	122.61	119.90
26	BB	1241	A	N7-C8-N9	-5.42	111.09	113.80
26	BB	1246	A	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	1477	A	C5-C6-N6	5.42	128.04	123.70
26	BB	1705	A	C5-C6-N6	-5.42	119.36	123.70
26	BB	1739	A	C1'-O4'-C4'	-5.42	105.56	109.90
26	BB	1839	G	C5-C6-N1	5.42	114.21	111.50
26	BB	1923	U	C5'-C4'-O4'	5.42	115.61	109.10
26	BB	2344	U	C5-C6-N1	-5.42	119.99	122.70
27	BC	112	ASP	CB-CG-OD2	-5.42	113.42	118.30
1	AA	645	G	C6-C5-N7	-5.42	127.15	130.40
1	AA	1195	C	N1-C2-O2	5.42	122.15	118.90
26	BB	473	G	C5'-C4'-C3'	-5.42	107.33	116.00
26	BB	688	U	N3-C2-O2	-5.42	118.41	122.20
26	BB	870	U	C5'-C4'-O4'	5.42	115.60	109.10
26	BB	1359	A	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	1360	G	C6-C5-N7	-5.42	127.15	130.40
26	BB	1980	G	C4-C5-N7	5.42	112.97	110.80
26	BB	2208	C	C4-C5-C6	-5.42	114.69	117.40
26	BB	2505	G	C5-N7-C8	5.42	107.01	104.30
1	AA	8	A	C5-C6-N1	-5.42	114.99	117.70
1	AA	162	A	C2-N3-C4	5.42	113.31	110.60
1	AA	218	U	C4'-C3'-C2'	-5.42	97.18	102.60
1	AA	314	C	O4'-C1'-N1	5.42	112.53	108.20
1	AA	505	G	N3-C4-C5	-5.42	125.89	128.60
1	AA	714	G	N3-C2-N2	5.42	123.69	119.90
1	AA	734	G	C1'-O4'-C4'	5.42	114.23	109.90
1	AA	1037	C	P-O5'-C5'	5.42	129.57	120.90
1	AA	1426	G	N9-C1'-C2'	-5.42	106.04	112.00
2	AB	66	C	N1-C2-N3	-5.42	115.41	119.20
11	AK	76	ARG	NE-CZ-NH2	5.42	123.01	120.30
26	BB	49	A	C8-N9-C4	-5.42	103.63	105.80
26	BB	540	C	C3'-C2'-C1'	5.42	105.84	101.50
26	BB	718	A	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	968	C	C5-C6-N1	5.42	123.71	121.00
26	BB	996	A	P-O3'-C3'	5.42	126.20	119.70
26	BB	1124	G	N9-C1'-C2'	-5.42	106.04	112.00
26	BB	2092	U	N3-C4-C5	5.42	117.85	114.60
26	BB	2106	U	C2'-C3'-O3'	5.42	122.37	113.70
26	BB	2321	U	C2-N1-C1'	5.42	124.20	117.70
26	BB	2713	U	N3-C2-O2	-5.42	118.41	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BH	109	SER	N-CA-CB	-5.42	102.37	110.50
1	AA	31	G	C6-N1-C2	5.42	128.35	125.10
1	AA	748	G	N9-C1'-C2'	-5.42	106.04	112.00
1	AA	792	A	C4-C5-N7	-5.42	107.99	110.70
1	AA	1105	A	O3'-P-O5'	5.42	114.29	104.00
1	AA	1227	A	C5'-C4'-C3'	-5.42	107.33	116.00
26	BB	47	C	C2-N3-C4	-5.42	117.19	119.90
26	BB	52	A	N1-C2-N3	-5.42	126.59	129.30
26	BB	248	G	N1-C2-N3	-5.42	120.65	123.90
26	BB	397	U	P-O3'-C3'	5.42	126.20	119.70
26	BB	1093	G	C4-C5-C6	5.42	122.05	118.80
26	BB	1313	U	C6-N1-C1'	-5.42	113.62	121.20
26	BB	1619	G	N3-C4-C5	-5.42	125.89	128.60
26	BB	2147	A	C5'-C4'-O4'	-5.42	102.60	109.10
37	BM	10	VAL	CG1-CB-CG2	-5.42	102.23	110.90
1	AA	757	U	C3'-C2'-C1'	5.42	105.83	101.50
2	AB	26	A	C8-N9-C4	-5.42	103.63	105.80
10	AJ	88	VAL	CA-CB-CG1	5.42	119.02	110.90
25	BA	104	A	O4'-C1'-N9	5.42	112.53	108.20
26	BB	2127	G	C6-N1-C2	-5.42	121.85	125.10
26	BB	2770	G	C8-N9-C4	-5.42	104.23	106.40
1	AA	8	A	O4'-C1'-N9	5.41	112.53	108.20
1	AA	55	A	C5'-C4'-O4'	-5.41	102.60	109.10
1	AA	131	A	C5-C6-N6	-5.41	119.37	123.70
1	AA	220	G	O4'-C4'-C3'	-5.41	98.59	104.00
1	AA	259	G	C5-N7-C8	-5.41	101.59	104.30
1	AA	274	A	O4'-C1'-N9	5.41	112.53	108.20
1	AA	506	G	N1-C2-N2	5.41	121.07	116.20
1	AA	566	G	N9-C4-C5	5.41	107.57	105.40
1	AA	639	G	N3-C4-N9	-5.41	122.75	126.00
1	AA	1371	G	N3-C2-N2	-5.41	116.11	119.90
1	AA	1405	G	C3'-C2'-C1'	-5.41	97.17	101.50
26	BB	442	G	C5'-C4'-O4'	5.41	115.59	109.10
26	BB	631	A	P-O3'-C3'	5.41	126.19	119.70
26	BB	880	G	C8-N9-C4	-5.41	104.23	106.40
26	BB	1175	A	C5-N7-C8	5.41	106.61	103.90
26	BB	1521	G	N1-C2-N3	-5.41	120.65	123.90
26	BB	1792	G	C3'-C2'-C1'	5.41	105.83	101.50
40	BP	60	VAL	CA-CB-CG2	5.41	119.02	110.90
1	AA	269	C	C5'-C4'-O4'	5.41	115.59	109.10
1	AA	422	C	C2-N3-C4	5.41	122.61	119.90
1	AA	1414	U	N3-C2-O2	-5.41	118.41	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1403	A	O4'-C1'-N9	5.41	112.53	108.20
26	BB	1475	G	C5'-C4'-O4'	5.41	115.59	109.10
26	BB	1865	U	C1'-O4'-C4'	-5.41	105.57	109.90
1	AA	617	G	C6-N1-C2	-5.41	121.85	125.10
1	AA	790	A	C5'-C4'-O4'	5.41	115.59	109.10
1	AA	809	G	N3-C4-C5	-5.41	125.89	128.60
1	AA	1041	G	N3-C2-N2	-5.41	116.11	119.90
4	AD	26	C	C6-N1-C2	5.41	122.46	120.30
9	AI	97	THR	CA-CB-CG2	-5.41	104.82	112.40
26	BB	45	G	C1'-O4'-C4'	-5.41	105.57	109.90
26	BB	957	C	N1-C2-N3	5.41	122.99	119.20
26	BB	1704	C	O4'-C4'-C3'	5.41	110.43	106.10
26	BB	1705	A	P-O3'-C3'	5.41	126.19	119.70
26	BB	2170	A	C8-N9-C4	-5.41	103.64	105.80
29	BE	116	LYS	CA-CB-CG	5.41	125.31	113.40
1	AA	66	A	C1'-O4'-C4'	5.41	114.23	109.90
1	AA	112	G	P-O3'-C3'	5.41	126.19	119.70
1	AA	236	A	C6-N1-C2	-5.41	115.36	118.60
1	AA	577	G	C4-C5-C6	5.41	122.05	118.80
1	AA	848	C	C4-C5-C6	5.41	120.10	117.40
1	AA	848	C	C5'-C4'-C3'	-5.41	107.35	116.00
1	AA	890	G	O4'-C1'-N9	5.41	112.53	108.20
1	AA	1378	C	N1-C1'-C2'	-5.41	106.05	112.00
1	AA	1512	U	C1'-O4'-C4'	5.41	114.23	109.90
1	AA	1523	G	C6-C5-N7	-5.41	127.16	130.40
4	AD	38	A	N9-C4-C5	-5.41	103.64	105.80
17	AQ	68	ARG	NE-CZ-NH2	-5.41	117.60	120.30
26	BB	46	G	N3-C4-N9	5.41	129.25	126.00
26	BB	176	A	C6-N1-C2	-5.41	115.36	118.60
26	BB	335	C	C2-N3-C4	5.41	122.61	119.90
26	BB	670	A	O3'-P-O5'	-5.41	93.72	104.00
26	BB	773	U	C4'-C3'-C2'	5.41	108.01	102.60
26	BB	935	C	N3-C2-O2	-5.41	118.11	121.90
26	BB	1670	C	C2-N3-C4	5.41	122.60	119.90
26	BB	1832	C	N3-C2-O2	-5.41	118.11	121.90
26	BB	1998	A	C2-N3-C4	5.41	113.30	110.60
26	BB	2720	U	C5-C4-O4	5.41	129.15	125.90
26	BB	2816	G	C6-N1-C2	-5.41	121.86	125.10
38	BN	21	ARG	NE-CZ-NH2	5.41	123.00	120.30
1	AA	102	G	C5'-C4'-O4'	5.41	115.59	109.10
1	AA	313	A	C5-C6-N6	5.41	128.03	123.70
1	AA	415	A	O4'-C1'-N9	5.41	112.53	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	553	A	C6-N1-C2	-5.41	115.36	118.60
1	AA	634	C	C5-C6-N1	5.41	123.70	121.00
1	AA	1220	G	C3'-C2'-C1'	5.41	105.83	101.50
2	AB	31	U	C5'-C4'-O4'	5.41	115.59	109.10
2	AB	34	C	C6-N1-C1'	-5.41	114.31	120.80
15	AO	51	VAL	CA-CB-CG2	5.41	119.01	110.90
26	BB	417	C	N3-C4-C5	-5.41	119.74	121.90
26	BB	733	G	C5-C6-N1	5.41	114.20	111.50
26	BB	983	A	P-O3'-C3'	5.41	126.19	119.70
26	BB	1391	U	C5-C4-O4	-5.41	122.66	125.90
26	BB	1400	U	C3'-C2'-C1'	5.41	105.83	101.50
26	BB	1756	G	N9-C4-C5	-5.41	103.24	105.40
26	BB	1852	U	C2-N1-C1'	5.41	124.19	117.70
26	BB	2318	G	C8-N9-C4	5.41	108.56	106.40
1	AA	528	C	N3-C2-O2	-5.41	118.12	121.90
1	AA	781	A	C4'-C3'-C2'	-5.41	97.19	102.60
1	AA	1025	U	P-O3'-C3'	5.41	126.19	119.70
1	AA	1183	U	O4'-C1'-C2'	-5.41	100.39	105.80
1	AA	1239	A	C5-C6-N6	-5.41	119.38	123.70
1	AA	1536	C	C4-C5-C6	-5.41	114.70	117.40
26	BB	230	G	N3-C4-N9	5.41	129.24	126.00
26	BB	603	A	C5'-C4'-O4'	5.41	115.59	109.10
26	BB	832	U	C4-C5-C6	5.41	122.94	119.70
26	BB	1512	C	C5-C6-N1	5.41	123.70	121.00
26	BB	2614	A	C8-N9-C4	-5.41	103.64	105.80
1	AA	170	U	C5-C4-O4	-5.40	122.66	125.90
1	AA	998	C	C4-C5-C6	-5.40	114.70	117.40
1	AA	1233	G	C4'-C3'-C2'	-5.40	97.20	102.60
1	AA	1410	A	C6-N1-C2	-5.40	115.36	118.60
25	BA	117	G	C4'-C3'-C2'	-5.40	97.20	102.60
26	BB	448	U	C2-N3-C4	-5.40	123.76	127.00
26	BB	691	C	C3'-C2'-C1'	5.40	105.82	101.50
26	BB	731	C	N3-C4-N4	5.40	121.78	118.00
26	BB	750	A	N1-C2-N3	5.40	132.00	129.30
26	BB	1180	U	C5-C6-N1	5.40	125.40	122.70
26	BB	1590	A	N9-C4-C5	-5.40	103.64	105.80
26	BB	1885	A	C8-N9-C4	-5.40	103.64	105.80
26	BB	2140	G	N7-C8-N9	5.40	115.80	113.10
50	BZ	29	LEU	CB-CG-CD1	5.40	120.19	111.00
1	AA	161	A	O4'-C4'-C3'	5.40	110.42	106.10
1	AA	330	C	N1-C2-O2	5.40	122.14	118.90
1	AA	376	G	C4'-C3'-C2'	-5.40	97.20	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	748	G	C5-C6-N1	5.40	114.20	111.50
1	AA	1217	C	C6-N1-C2	-5.40	118.14	120.30
1	AA	1226	C	C5-C6-N1	5.40	123.70	121.00
18	AR	56	LEU	CB-CG-CD2	-5.40	101.82	111.00
25	BA	9	G	C1'-O4'-C4'	-5.40	105.58	109.90
26	BB	19	A	C4-C5-C6	-5.40	114.30	117.00
26	BB	1022	G	C4-C5-N7	5.40	112.96	110.80
26	BB	1063	G	C6-C5-N7	-5.40	127.16	130.40
26	BB	1168	G	N9-C4-C5	5.40	107.56	105.40
26	BB	2288	A	C4-C5-C6	-5.40	114.30	117.00
26	BB	2321	U	C5-C4-O4	5.40	129.14	125.90
26	BB	2395	C	C5-C6-N1	5.40	123.70	121.00
26	BB	2497	A	O5'-C5'-C4'	-5.40	101.44	111.70
26	BB	2781	A	C4-C5-C6	-5.40	114.30	117.00
1	AA	123	U	C4-C5-C6	5.40	122.94	119.70
1	AA	179	A	N1-C2-N3	-5.40	126.60	129.30
1	AA	445	G	C6-C5-N7	-5.40	127.16	130.40
1	AA	785	G	N1-C2-N2	5.40	121.06	116.20
1	AA	1138	G	C8-N9-C4	-5.40	104.24	106.40
10	AJ	74	VAL	CA-CB-CG1	5.40	119.00	110.90
25	BA	109	A	N3-C4-C5	-5.40	123.02	126.80
26	BB	294	A	C6-N1-C2	-5.40	115.36	118.60
26	BB	504	A	C5-C6-N6	-5.40	119.38	123.70
26	BB	774	G	C8-N9-C4	-5.40	104.24	106.40
26	BB	1033	U	C2-N3-C4	-5.40	123.76	127.00
26	BB	1175	A	C5-C6-N1	-5.40	115.00	117.70
26	BB	1300	G	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	1549	A	N1-C6-N6	5.40	121.84	118.60
26	BB	2173	A	C5-N7-C8	5.40	106.60	103.90
26	BB	2369	A	C5-N7-C8	5.40	106.60	103.90
26	BB	2386	A	O4'-C1'-N9	5.40	112.52	108.20
26	BB	2674	G	O4'-C1'-C2'	5.40	112.46	107.60
1	AA	789	U	C4-C5-C6	5.40	122.94	119.70
7	AG	196	GLU	O-C-N	-5.40	114.06	122.70
25	BA	41	G	O4'-C4'-C3'	5.40	110.42	106.10
25	BA	66	A	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	561	G	C4'-C3'-C2'	-5.40	97.20	102.60
26	BB	1339	G	N9-C1'-C2'	-5.40	106.06	112.00
26	BB	1617	C	O4'-C1'-N1	5.40	112.52	108.20
1	AA	61	G	C3'-C2'-C1'	-5.40	97.18	101.50
1	AA	288	A	C5'-C4'-O4'	5.40	115.58	109.10
1	AA	510	A	C4-C5-C6	-5.40	114.30	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	754	C	C5'-C4'-C3'	-5.40	107.37	116.00
1	AA	930	C	C5-C6-N1	-5.40	118.30	121.00
1	AA	983	A	N9-C4-C5	5.40	107.96	105.80
1	AA	1255	G	N9-C1'-C2'	-5.40	106.06	112.00
1	AA	1383	C	C5-C6-N1	5.40	123.70	121.00
26	BB	522	A	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	1511	G	C8-N9-C1'	5.40	134.02	127.00
26	BB	1646	C	P-O3'-C3'	5.40	126.18	119.70
26	BB	2151	U	C3'-C2'-C1'	5.40	105.82	101.50
26	BB	2294	G	C2-N3-C4	5.40	114.60	111.90
26	BB	2351	G	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	2646	C	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	2669	G	N3-C4-N9	5.40	129.24	126.00
26	BB	2761	A	C3'-C2'-C1'	5.40	105.82	101.50
48	BX	90	ASP	CB-CG-OD1	-5.40	113.44	118.30
1	AA	347	G	P-O5'-C5'	5.40	129.53	120.90
1	AA	694	A	P-O3'-C3'	5.40	126.17	119.70
1	AA	1208	C	C3'-C2'-C1'	-5.40	97.18	101.50
1	AA	1403	C	N3-C4-C5	-5.40	119.74	121.90
1	AA	1429	A	O4'-C1'-N9	5.40	112.52	108.20
4	AD	37	U	N3-C4-O4	5.40	123.18	119.40
25	BA	58	A	C5-N7-C8	-5.40	101.20	103.90
26	BB	42	A	N1-C2-N3	-5.40	126.60	129.30
26	BB	1081	U	N1-C2-N3	5.40	118.14	114.90
26	BB	1104	C	C1'-O4'-C4'	-5.40	105.58	109.90
26	BB	1576	U	C3'-C2'-C1'	5.40	105.82	101.50
26	BB	1689	A	C4-C5-N7	5.40	113.40	110.70
26	BB	1743	G	P-O3'-C3'	5.40	126.18	119.70
26	BB	2003	A	C5-N7-C8	-5.40	101.20	103.90
26	BB	2052	A	C4-C5-C6	-5.40	114.30	117.00
1	AA	5	U	C6-N1-C2	5.39	124.24	121.00
1	AA	1256	A	C1'-O4'-C4'	5.39	114.22	109.90
2	AB	34	C	C6-N1-C2	-5.39	118.14	120.30
7	AG	203	TYR	CB-CG-CD1	-5.39	117.76	121.00
26	BB	298	G	C4-C5-N7	5.39	112.96	110.80
26	BB	413	C	N3-C4-N4	5.39	121.78	118.00
26	BB	500	G	N3-C2-N2	-5.39	116.12	119.90
26	BB	713	G	C8-N9-C1'	5.39	134.01	127.00
26	BB	762	U	N1-C2-N3	5.39	118.14	114.90
26	BB	1052	C	C4'-C3'-O3'	5.39	123.79	113.00
26	BB	1655	A	C5'-C4'-C3'	-5.39	107.37	116.00
26	BB	1710	G	C3'-C2'-C1'	-5.39	97.19	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1730	C	N3-C2-O2	-5.39	118.12	121.90
26	BB	1753	G	C8-N9-C1'	5.39	134.01	127.00
26	BB	2553	G	N9-C4-C5	5.39	107.56	105.40
26	BB	2759	G	N3-C2-N2	-5.39	116.12	119.90
1	AA	64	G	N9-C4-C5	5.39	107.56	105.40
1	AA	65	A	N3-C4-N9	5.39	131.71	127.40
1	AA	241	G	N1-C2-N3	-5.39	120.67	123.90
1	AA	339	C	C4'-C3'-C2'	-5.39	97.21	102.60
1	AA	441	A	C8-N9-C4	-5.39	103.64	105.80
1	AA	1274	A	C5-C6-N1	-5.39	115.00	117.70
1	AA	1372	U	N3-C2-O2	-5.39	118.43	122.20
4	AD	4	G	C4-C5-C6	5.39	122.04	118.80
25	BA	55	U	C3'-C2'-C1'	5.39	105.81	101.50
25	BA	63	C	N3-C2-O2	5.39	125.67	121.90
26	BB	20	C	C4-C5-C6	5.39	120.10	117.40
26	BB	137	U	C4'-C3'-C2'	-5.39	97.21	102.60
26	BB	180	G	N1-C2-N3	5.39	127.14	123.90
26	BB	186	G	N7-C8-N9	5.39	115.80	113.10
26	BB	266	G	N1-C2-N3	-5.39	120.66	123.90
26	BB	272	A	C8-N9-C4	-5.39	103.64	105.80
26	BB	635	C	C5'-C4'-O4'	5.39	115.57	109.10
26	BB	1033	U	N3-C2-O2	-5.39	118.42	122.20
26	BB	1063	G	N1-C2-N2	5.39	121.05	116.20
26	BB	1169	A	N7-C8-N9	-5.39	111.10	113.80
26	BB	1787	A	C6-C5-N7	-5.39	128.53	132.30
26	BB	1928	A	N9-C1'-C2'	-5.39	106.07	112.00
26	BB	2179	C	P-O3'-C3'	-5.39	113.23	119.70
26	BB	2372	U	N1-C1'-C2'	-5.39	106.07	112.00
1	AA	177	G	C5-N7-C8	-5.39	101.61	104.30
1	AA	430	A	N1-C6-N6	5.39	121.83	118.60
1	AA	676	A	O4'-C1'-N9	5.39	112.51	108.20
1	AA	883	C	N3-C4-N4	-5.39	114.23	118.00
1	AA	899	C	P-O3'-C3'	5.39	126.17	119.70
1	AA	1254	A	C2-N3-C4	5.39	113.30	110.60
1	AA	1260	G	N3-C2-N2	5.39	123.67	119.90
26	BB	13	A	N3-C4-C5	-5.39	123.03	126.80
26	BB	135	U	C2-N1-C1'	-5.39	111.23	117.70
26	BB	1665	A	C4-C5-N7	5.39	113.39	110.70
1	AA	228	A	C6-N1-C2	5.39	121.83	118.60
1	AA	389	A	C3'-C2'-C1'	-5.39	97.19	101.50
1	AA	780	A	C2-N3-C4	5.39	113.29	110.60
1	AA	922	G	P-O3'-C3'	5.39	126.17	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1051	C	N1-C2-O2	5.39	122.13	118.90
1	AA	1227	A	C4'-C3'-C2'	-5.39	97.21	102.60
1	AA	1324	A	C4-C5-N7	5.39	113.39	110.70
14	AN	55	ARG	CB-CA-C	5.39	121.18	110.40
24	AX	70	TYR	CD1-CG-CD2	5.39	123.83	117.90
26	BB	540	C	C4-C5-C6	-5.39	114.70	117.40
26	BB	552	U	C5'-C4'-O4'	5.39	115.57	109.10
26	BB	559	G	C8-N9-C1'	5.39	134.01	127.00
26	BB	603	A	C2-N3-C4	5.39	113.29	110.60
26	BB	1160	G	C2-N3-C4	5.39	114.59	111.90
26	BB	1208	C	C2-N3-C4	-5.39	117.20	119.90
26	BB	1679	A	O4'-C1'-C2'	5.39	112.45	107.60
26	BB	1697	G	N3-C2-N2	5.39	123.67	119.90
26	BB	1762	A	N7-C8-N9	-5.39	111.11	113.80
26	BB	1974	C	O4'-C1'-N1	5.39	112.51	108.20
26	BB	2618	G	N3-C2-N2	-5.39	116.13	119.90
26	BB	2864	G	C6-C5-N7	-5.39	127.17	130.40
26	BB	2874	C	C5-C4-N4	5.39	123.97	120.20
48	BX	41	GLU	C-N-CA	5.39	135.18	121.70
56	B5	18	PHE	CB-CG-CD2	-5.39	117.03	120.80
1	AA	27	G	C4-C5-N7	-5.39	108.64	110.80
1	AA	168	G	C5'-C4'-C3'	-5.39	107.38	116.00
1	AA	285	C	N1-C2-N3	-5.39	115.43	119.20
1	AA	807	A	N3-C4-N9	-5.39	123.09	127.40
1	AA	1228	C	N3-C4-C5	-5.39	119.75	121.90
26	BB	325	G	O5'-C5'-C4'	-5.39	101.46	111.70
26	BB	649	G	C6-N1-C2	-5.39	121.87	125.10
26	BB	1543	G	C5'-C4'-O4'	5.39	115.57	109.10
26	BB	1719	G	C2-N3-C4	5.39	114.59	111.90
26	BB	2248	C	C5-C4-N4	-5.39	116.43	120.20
42	BR	54	LEU	CB-CA-C	5.39	120.44	110.20
1	AA	21	G	N3-C2-N2	5.39	123.67	119.90
1	AA	244	U	C3'-C2'-C1'	5.39	105.81	101.50
1	AA	291	U	N1-C2-N3	5.39	118.13	114.90
1	AA	619	U	C5-C6-N1	-5.39	120.01	122.70
1	AA	1156	G	N1-C2-N3	5.39	127.13	123.90
1	AA	1158	C	C3'-C2'-C1'	5.39	105.81	101.50
1	AA	1343	G	C2-N3-C4	5.39	114.59	111.90
1	AA	1373	G	C5-N7-C8	-5.39	101.61	104.30
25	BA	18	G	C5-C6-N1	5.39	114.19	111.50
25	BA	27	C	O4'-C1'-N1	5.39	112.51	108.20
26	BB	63	A	C6-N1-C2	5.39	121.83	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	475	C	N1-C2-N3	-5.39	115.43	119.20
26	BB	684	G	C4'-C3'-C2'	-5.39	97.21	102.60
26	BB	718	A	C5-N7-C8	-5.39	101.21	103.90
26	BB	885	C	C4'-C3'-O3'	5.39	123.77	113.00
26	BB	1262	A	P-O3'-C3'	5.39	126.16	119.70
26	BB	1831	G	C8-N9-C4	-5.39	104.25	106.40
26	BB	1848	A	C1'-O4'-C4'	-5.39	105.59	109.90
26	BB	2334	U	C6-N1-C2	-5.39	117.77	121.00
26	BB	2786	U	C5-C6-N1	-5.39	120.01	122.70
26	BB	2817	U	C5'-C4'-O4'	5.39	115.56	109.10
1	AA	184	G	P-O3'-C3'	5.38	126.16	119.70
1	AA	429	U	O4'-C4'-C3'	5.38	110.41	106.10
1	AA	539	A	O5'-P-OP2	-5.38	100.85	105.70
1	AA	688	G	C3'-C2'-C1'	-5.38	97.19	101.50
1	AA	874	G	P-O3'-C3'	5.38	126.16	119.70
1	AA	1041	G	N1-C6-O6	5.38	123.13	119.90
1	AA	1491	G	C5-C6-N1	5.38	114.19	111.50
2	AB	5	G	C2-N3-C4	5.38	114.59	111.90
26	BB	94	A	N7-C8-N9	-5.38	111.11	113.80
26	BB	128	C	O4'-C4'-C3'	5.38	110.41	106.10
26	BB	556	A	C4-C5-N7	-5.38	108.01	110.70
26	BB	637	A	C6-C5-N7	-5.38	128.53	132.30
26	BB	1046	A	O4'-C1'-N9	5.38	112.51	108.20
26	BB	1083	U	C5-C4-O4	-5.38	122.67	125.90
26	BB	1535	A	C8-N9-C4	5.38	107.95	105.80
26	BB	1704	C	C4-C5-C6	-5.38	114.71	117.40
26	BB	1737	G	P-O3'-C3'	5.38	126.16	119.70
26	BB	2006	C	O4'-C1'-N1	5.38	112.51	108.20
26	BB	2050	C	N3-C4-C5	5.38	124.05	121.90
26	BB	2291	U	C4-C5-C6	5.38	122.93	119.70
26	BB	2343	U	O4'-C1'-N1	5.38	112.51	108.20
26	BB	2441	U	C4-C5-C6	5.38	122.93	119.70
26	BB	2638	G	N7-C8-N9	5.38	115.79	113.10
26	BB	2657	A	C3'-C2'-C1'	-5.38	97.19	101.50
26	BB	2665	A	C5-C6-N1	-5.38	115.01	117.70
1	AA	339	C	N1-C2-O2	5.38	122.13	118.90
1	AA	683	G	N9-C1'-C2'	-5.38	106.08	112.00
1	AA	1336	C	P-O3'-C3'	5.38	126.16	119.70
25	BA	77	U	C6-N1-C2	-5.38	117.77	121.00
26	BB	183	C	O4'-C1'-C2'	5.38	112.44	107.60
26	BB	2248	C	N3-C4-N4	5.38	121.77	118.00
26	BB	2795	C	N1-C2-N3	-5.38	115.43	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	140	U	C4-C5-C6	5.38	122.93	119.70
1	AA	637	C	N3-C4-N4	5.38	121.77	118.00
1	AA	708	C	C5-C6-N1	-5.38	118.31	121.00
1	AA	1394	A	C5-C6-N1	-5.38	115.01	117.70
26	BB	239	C	C6-N1-C2	-5.38	118.15	120.30
26	BB	279	A	N3-C4-N9	5.38	131.71	127.40
26	BB	454	A	N3-C4-N9	5.38	131.71	127.40
26	BB	889	C	N3-C4-N4	5.38	121.77	118.00
26	BB	1045	C	N3-C2-O2	-5.38	118.13	121.90
26	BB	1096	A	O4'-C1'-N9	5.38	112.50	108.20
26	BB	1271	G	P-O5'-C5'	5.38	129.51	120.90
26	BB	1446	C	C2-N3-C4	5.38	122.59	119.90
26	BB	1484	U	C6-N1-C2	-5.38	117.77	121.00
26	BB	2451	A	N9-C4-C5	-5.38	103.65	105.80
26	BB	2535	G	C5-N7-C8	-5.38	101.61	104.30
29	BE	103	ASP	CB-CG-OD1	-5.38	113.46	118.30
30	BF	84	THR	CA-CB-CG2	5.38	119.93	112.40
1	AA	925	G	N3-C4-C5	-5.38	125.91	128.60
1	AA	1030	U	C4'-C3'-C2'	5.38	107.98	102.60
1	AA	1187	G	C4-C5-N7	-5.38	108.65	110.80
1	AA	1379	G	C6-C5-N7	5.38	133.63	130.40
4	AD	5	G	C4-C5-N7	-5.38	108.65	110.80
25	BA	55	U	N3-C4-O4	-5.38	115.63	119.40
26	BB	330	A	C4-C5-C6	-5.38	114.31	117.00
26	BB	1059	G	C1'-O4'-C4'	-5.38	105.60	109.90
26	BB	2160	C	N3-C4-N4	5.38	121.77	118.00
26	BB	2275	C	N1-C2-O2	-5.38	115.67	118.90
1	AA	1211	U	C5-C4-O4	5.38	129.13	125.90
1	AA	1423	G	N1-C2-N2	5.38	121.04	116.20
2	AB	61	C	N3-C4-N4	5.38	121.77	118.00
15	AO	41	PRO	CA-N-CD	-5.38	103.97	111.50
26	BB	636	G	N3-C4-N9	5.38	129.23	126.00
26	BB	686	U	N1-C2-N3	5.38	118.13	114.90
26	BB	983	A	C5'-C4'-O4'	5.38	115.56	109.10
26	BB	1031	G	C2-N3-C4	5.38	114.59	111.90
26	BB	1355	G	C6-N1-C2	-5.38	121.87	125.10
26	BB	1630	A	N3-C4-N9	-5.38	123.10	127.40
26	BB	1765	U	C3'-C2'-C1'	-5.38	97.20	101.50
26	BB	1841	U	N1-C1'-C2'	-5.38	106.08	112.00
26	BB	1936	A	O4'-C4'-C3'	-5.38	98.62	104.00
26	BB	2544	G	C4-C5-C6	5.38	122.03	118.80
26	BB	2791	G	C8-N9-C4	-5.38	104.25	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2841	C	O4'-C4'-C3'	5.38	110.40	106.10
26	BB	2897	U	C4-C5-C6	-5.38	116.47	119.70
29	BE	128	ARG	NE-CZ-NH1	5.38	122.99	120.30
56	B5	28	ARG	CB-CA-C	5.38	121.16	110.40
1	AA	298	A	N7-C8-N9	5.38	116.49	113.80
1	AA	787	A	C8-N9-C4	-5.38	103.65	105.80
11	AK	83	ARG	NE-CZ-NH1	5.38	122.99	120.30
25	BA	74	U	C6-N1-C2	5.38	124.23	121.00
26	BB	19	A	N1-C6-N6	-5.38	115.37	118.60
26	BB	24	G	C5'-C4'-O4'	5.38	115.55	109.10
26	BB	236	C	C6-N1-C2	5.38	122.45	120.30
26	BB	265	A	C6-N1-C2	5.38	121.83	118.60
26	BB	922	C	N3-C2-O2	5.38	125.66	121.90
26	BB	1077	A	N9-C4-C5	5.38	107.95	105.80
26	BB	1514	G	C2'-C3'-O3'	5.38	122.30	113.70
26	BB	1557	C	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	1782	U	C4-C5-C6	5.38	122.93	119.70
26	BB	1853	A	C5-C6-N1	-5.38	115.01	117.70
26	BB	1954	G	C4-C5-N7	5.38	112.95	110.80
26	BB	2510	C	C4-C5-C6	-5.38	114.71	117.40
26	BB	2566	A	C1'-O4'-C4'	-5.38	105.60	109.90
26	BB	2595	G	N3-C2-N2	5.38	123.66	119.90
42	BR	71	ARG	NE-CZ-NH2	5.38	122.99	120.30
1	AA	203	G	C5'-C4'-O4'	5.38	115.55	109.10
1	AA	256	U	N3-C2-O2	-5.38	118.44	122.20
1	AA	1133	G	N1-C6-O6	-5.38	116.67	119.90
1	AA	1184	G	N3-C4-C5	-5.38	125.91	128.60
3	AC	32	U	O4'-C4'-C3'	-5.38	98.62	104.00
6	AF	183	TYR	CB-CG-CD2	5.38	124.22	121.00
21	AU	26	ALA	N-CA-CB	-5.38	102.58	110.10
26	BB	338	G	N7-C8-N9	-5.38	110.41	113.10
26	BB	578	G	O3'-P-O5'	-5.38	93.79	104.00
26	BB	774	G	N9-C4-C5	5.38	107.55	105.40
26	BB	983	A	C1'-O4'-C4'	5.38	114.20	109.90
26	BB	1683	U	C3'-C2'-C1'	5.38	105.80	101.50
1	AA	36	C	C2-N3-C4	5.37	122.59	119.90
1	AA	87	C	C6-N1-C2	5.37	122.45	120.30
1	AA	146	G	N1-C6-O6	5.37	123.12	119.90
1	AA	335	C	P-O3'-C3'	5.37	126.15	119.70
1	AA	709	U	N3-C4-C5	5.37	117.82	114.60
1	AA	1091	U	C5'-C4'-O4'	5.37	115.55	109.10
1	AA	1197	A	O4'-C1'-N9	5.37	112.50	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1323	G	C4'-C3'-C2'	-5.37	97.23	102.60
1	AA	1464	U	C6-N1-C2	-5.37	117.78	121.00
26	BB	27	G	N3-C4-N9	-5.37	122.78	126.00
26	BB	664	G	C5'-C4'-O4'	5.37	115.55	109.10
26	BB	1094	U	C2-N1-C1'	5.37	124.15	117.70
26	BB	1786	A	C2-N3-C4	5.37	113.29	110.60
26	BB	2052	A	P-O3'-C3'	5.37	126.15	119.70
26	BB	2345	G	P-O3'-C3'	5.37	126.15	119.70
26	BB	2696	U	C5'-C4'-O4'	5.37	115.55	109.10
26	BB	2792	A	N1-C6-N6	5.37	121.82	118.60
31	BG	101	ARG	NE-CZ-NH1	5.37	122.99	120.30
53	B2	57	VAL	CA-CB-CG1	5.37	118.96	110.90
1	AA	639	G	N9-C1'-C2'	-5.37	106.09	112.00
1	AA	981	U	N1-C2-O2	-5.37	119.04	122.80
1	AA	1005	A	C2-N3-C4	5.37	113.29	110.60
1	AA	1379	G	C1'-O4'-C4'	-5.37	105.60	109.90
1	AA	1523	G	N1-C2-N3	-5.37	120.68	123.90
1	AA	1529	G	C2-N3-C4	5.37	114.59	111.90
26	BB	539	G	N1-C6-O6	-5.37	116.68	119.90
26	BB	1093	G	C6-N1-C2	-5.37	121.88	125.10
26	BB	1381	G	C2-N3-C4	5.37	114.59	111.90
26	BB	1676	A	C8-N9-C4	-5.37	103.65	105.80
26	BB	1832	C	C1'-O4'-C4'	-5.37	105.60	109.90
26	BB	1978	A	C5-C6-N1	5.37	120.39	117.70
26	BB	2017	U	C3'-C2'-C1'	5.37	105.80	101.50
26	BB	2171	A	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	2781	A	C8-N9-C4	-5.37	103.65	105.80
26	BB	2785	C	N1-C1'-C2'	-5.37	106.09	112.00
1	AA	200	G	C1'-O4'-C4'	5.37	114.20	109.90
1	AA	211	G	N1-C6-O6	5.37	123.12	119.90
1	AA	422	C	C5-C6-N1	5.37	123.69	121.00
1	AA	824	G	C8-N9-C4	-5.37	104.25	106.40
1	AA	981	U	P-O3'-C3'	5.37	126.14	119.70
1	AA	1101	A	O5'-C5'-C4'	5.37	121.90	111.70
1	AA	1466	C	O4'-C1'-N1	5.37	112.50	108.20
2	AB	10	G	N3-C4-C5	-5.37	125.92	128.60
2	AB	42	G	C5-C6-N1	5.37	114.19	111.50
13	AM	102	LEU	CB-CG-CD1	5.37	120.13	111.00
26	BB	908	C	N3-C4-N4	5.37	121.76	118.00
26	BB	1820	U	N1-C1'-C2'	-5.37	106.09	112.00
26	BB	1854	A	C6-C5-N7	5.37	136.06	132.30
26	BB	2896	C	C3'-C2'-C1'	5.37	105.80	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BH	136	ASP	CB-CG-OD1	5.37	123.13	118.30
1	AA	52	C	C5'-C4'-O4'	5.37	115.54	109.10
1	AA	480	U	N1-C2-O2	-5.37	119.04	122.80
1	AA	633	G	O4'-C1'-N9	5.37	112.50	108.20
1	AA	1445	U	C5-C4-O4	-5.37	122.68	125.90
25	BA	43	C	C6-N1-C2	5.37	122.45	120.30
26	BB	339	U	O4'-C1'-C2'	5.37	112.43	107.60
26	BB	385	C	C2-N3-C4	5.37	122.58	119.90
26	BB	574	A	C1'-O4'-C4'	-5.37	105.61	109.90
26	BB	652	U	C2-N3-C4	-5.37	123.78	127.00
26	BB	1268	A	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	1325	U	N1-C1'-C2'	5.37	120.98	114.00
26	BB	1429	G	C4-C5-N7	-5.37	108.65	110.80
26	BB	1744	A	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	2017	U	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	2082	A	N1-C2-N3	-5.37	126.62	129.30
26	BB	2209	G	C5-N7-C8	-5.37	101.62	104.30
26	BB	2870	C	C6-N1-C1'	5.37	127.24	120.80
30	BF	21	ARG	NE-CZ-NH1	-5.37	117.62	120.30
37	BM	61	VAL	CA-CB-CG1	-5.37	102.85	110.90
1	AA	269	C	C2-N3-C4	-5.37	117.22	119.90
1	AA	1056	U	N3-C4-O4	5.37	123.16	119.40
1	AA	1093	A	C5'-C4'-O4'	5.37	115.54	109.10
26	BB	301	G	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	424	G	O4'-C1'-C2'	5.37	112.43	107.60
26	BB	556	A	C2-N3-C4	5.37	113.28	110.60
26	BB	1767	G	N3-C4-C5	-5.37	125.92	128.60
26	BB	1990	C	O4'-C1'-C2'	-5.37	100.43	105.80
26	BB	2296	U	N1-C2-N3	5.37	118.12	114.90
26	BB	2319	G	N9-C4-C5	5.37	107.55	105.40
31	BG	5	ASP	CB-CG-OD2	5.37	123.13	118.30
1	AA	452	A	C4-C5-N7	-5.37	108.02	110.70
1	AA	509	A	N3-C4-C5	-5.37	123.04	126.80
1	AA	750	C	C5-C6-N1	5.37	123.68	121.00
1	AA	871	U	C6-N1-C2	-5.37	117.78	121.00
1	AA	1125	U	C6-N1-C2	-5.37	117.78	121.00
1	AA	1341	U	C5'-C4'-C3'	-5.37	107.42	116.00
26	BB	53	A	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	183	C	C2-N3-C4	5.37	122.58	119.90
26	BB	440	C	N3-C4-C5	-5.37	119.75	121.90
26	BB	453	A	C6-N1-C2	5.37	121.82	118.60
26	BB	539	G	N9-C4-C5	5.37	107.55	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	651	G	N1-C2-N3	-5.37	120.68	123.90
26	BB	804	A	N9-C4-C5	5.37	107.95	105.80
26	BB	1115	G	C4-C5-N7	-5.37	108.65	110.80
26	BB	1404	C	C5-C4-N4	-5.37	116.44	120.20
26	BB	1505	A	C5-C6-N6	-5.37	119.41	123.70
26	BB	2200	C	C1'-O4'-C4'	5.37	114.19	109.90
26	BB	2537	U	C5-C4-O4	-5.37	122.68	125.90
26	BB	2566	A	N1-C6-N6	5.37	121.82	118.60
26	BB	2641	G	N3-C4-C5	-5.37	125.92	128.60
26	BB	2893	A	N1-C2-N3	5.37	131.98	129.30
1	AA	368	U	N3-C2-O2	-5.36	118.45	122.20
1	AA	622	A	C8-N9-C4	-5.36	103.66	105.80
1	AA	689	C	N3-C4-C5	5.36	124.05	121.90
1	AA	1069	C	O4'-C1'-N1	5.36	112.49	108.20
1	AA	1083	U	O4'-C1'-N1	5.36	112.49	108.20
1	AA	1212	U	N1-C2-O2	-5.36	119.05	122.80
1	AA	1439	G	N7-C8-N9	5.36	115.78	113.10
9	AI	112	ARG	NH1-CZ-NH2	5.36	125.30	119.40
26	BB	356	G	C4-C5-C6	-5.36	115.58	118.80
26	BB	1307	A	C4-C5-N7	5.36	113.38	110.70
26	BB	1679	A	C6-N1-C2	-5.36	115.38	118.60
26	BB	2009	A	C1'-O4'-C4'	5.36	114.19	109.90
26	BB	2352	A	C6-N1-C2	-5.36	115.38	118.60
26	BB	2640	G	C1'-O4'-C4'	-5.36	105.61	109.90
26	BB	2709	G	N9-C4-C5	-5.36	103.25	105.40
26	BB	2713	U	N3-C4-C5	-5.36	111.38	114.60
1	AA	553	A	N1-C2-N3	5.36	131.98	129.30
1	AA	1378	C	O4'-C1'-N1	5.36	112.49	108.20
25	BA	109	A	N7-C8-N9	-5.36	111.12	113.80
26	BB	331	C	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	708	G	C4-C5-C6	5.36	122.02	118.80
26	BB	730	A	C3'-C2'-C1'	-5.36	97.21	101.50
26	BB	2367	G	N1-C2-N3	-5.36	120.68	123.90
26	BB	2584	U	C1'-O4'-C4'	5.36	114.19	109.90
26	BB	2604	U	N1-C2-O2	-5.36	119.05	122.80
36	BL	96	ARG	NH1-CZ-NH2	5.36	125.30	119.40
1	AA	14	U	C3'-C2'-C1'	-5.36	97.21	101.50
1	AA	1080	A	O4'-C1'-C2'	5.36	112.42	107.60
1	AA	1246	A	C4'-C3'-C2'	-5.36	97.24	102.60
1	AA	1278	G	P-O5'-C5'	5.36	129.47	120.90
4	AD	76	C	C4'-C3'-C2'	-5.36	97.24	102.60
25	BA	84	G	C4'-C3'-C2'	-5.36	97.24	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	100	G	N9-C4-C5	5.36	107.54	105.40
26	BB	213	A	C2-N3-C4	5.36	113.28	110.60
26	BB	437	U	C4'-C3'-C2'	-5.36	97.24	102.60
26	BB	594	U	N3-C4-O4	5.36	123.15	119.40
26	BB	1032	A	C8-N9-C4	5.36	107.94	105.80
26	BB	1213	A	C4'-C3'-C2'	-5.36	97.24	102.60
26	BB	1500	G	N9-C4-C5	5.36	107.54	105.40
26	BB	1756	G	N3-C4-N9	5.36	129.22	126.00
26	BB	1811	G	N1-C2-N2	5.36	121.03	116.20
26	BB	2005	A	C5'-C4'-C3'	-5.36	107.42	116.00
26	BB	2225	A	C6-N1-C2	-5.36	115.38	118.60
26	BB	2255	G	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	2337	G	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	2549	G	N3-C2-N2	-5.36	116.15	119.90
33	BI	86	ASP	CB-CG-OD1	-5.36	113.48	118.30
55	B4	50	GLU	CB-CA-C	5.36	121.12	110.40
1	AA	219	U	N3-C4-C5	-5.36	111.39	114.60
1	AA	283	U	N3-C4-O4	5.36	123.15	119.40
26	BB	5	A	C5-C6-N6	-5.36	119.41	123.70
26	BB	61	C	N3-C4-C5	-5.36	119.76	121.90
26	BB	560	C	C4-C5-C6	-5.36	114.72	117.40
26	BB	1442	U	N1-C2-N3	5.36	118.12	114.90
26	BB	1688	U	C6-N1-C2	5.36	124.22	121.00
26	BB	2521	C	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	400	C	O4'-C1'-N1	5.36	112.49	108.20
1	AA	531	U	C2-N1-C1'	5.36	124.13	117.70
1	AA	1413	A	O4'-C4'-C3'	5.36	110.39	106.10
1	AA	1414	U	C5-C6-N1	5.36	125.38	122.70
3	AC	56	G	N1-C6-O6	5.36	123.11	119.90
4	AD	37	U	N3-C4-C5	5.36	117.81	114.60
25	BA	107	G	N1-C2-N3	5.36	127.11	123.90
26	BB	67	U	O4'-C1'-N1	5.36	112.49	108.20
26	BB	77	G	N1-C2-N3	-5.36	120.69	123.90
26	BB	292	U	N3-C4-O4	-5.36	115.65	119.40
26	BB	295	G	O4'-C1'-N9	5.36	112.48	108.20
26	BB	1048	A	N3-C4-C5	-5.36	123.05	126.80
26	BB	1140	C	C2-N3-C4	5.36	122.58	119.90
26	BB	1185	G	N3-C4-C5	-5.36	125.92	128.60
26	BB	1596	A	C5'-C4'-O4'	-5.36	102.67	109.10
26	BB	1730	C	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	2029	G	O4'-C1'-C2'	-5.36	100.44	105.80
26	BB	2082	A	N9-C4-C5	-5.36	103.66	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2132	U	O4'-C1'-N1	5.36	112.49	108.20
26	BB	2150	C	C5'-C4'-C3'	5.36	124.57	116.00
26	BB	2231	U	C2-N3-C4	-5.36	123.79	127.00
26	BB	2561	U	N1-C2-N3	5.36	118.11	114.90
43	BS	23	TYR	CG-CD2-CE2	-5.36	117.01	121.30
1	AA	741	G	C2-N3-C4	5.36	114.58	111.90
6	AF	200	TRP	CA-CB-CG	5.36	123.87	113.70
17	AQ	45	LEU	C-N-CA	5.36	135.09	121.70
26	BB	44	A	C4'-C3'-C2'	5.36	107.95	102.60
26	BB	249	C	C3'-C2'-C1'	5.36	105.78	101.50
26	BB	513	A	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	556	A	N3-C4-C5	-5.36	123.05	126.80
26	BB	752	A	C1'-O4'-C4'	-5.36	105.62	109.90
26	BB	937	C	C4'-C3'-C2'	-5.36	97.24	102.60
26	BB	2408	U	O4'-C1'-C2'	-5.36	100.44	105.80
26	BB	2872	A	C4'-C3'-C2'	-5.36	97.25	102.60
56	B5	24	THR	CA-CB-CG2	5.36	119.90	112.40
1	AA	1120	C	N3-C4-C5	-5.35	119.76	121.90
1	AA	1193	G	O4'-C1'-N9	5.35	112.48	108.20
1	AA	1455	G	N3-C4-N9	5.35	129.21	126.00
3	AC	40	G	C8-N9-C4	-5.35	104.26	106.40
26	BB	1281	G	C5'-C4'-O4'	-5.35	102.67	109.10
26	BB	2110	G	C5-C6-O6	-5.35	125.39	128.60
26	BB	2608	G	N1-C6-O6	-5.35	116.69	119.90
1	AA	388	G	O4'-C1'-N9	5.35	112.48	108.20
1	AA	572	A	C5-C6-N6	-5.35	119.42	123.70
1	AA	705	G	C5-N7-C8	-5.35	101.62	104.30
1	AA	714	G	C5-N7-C8	-5.35	101.62	104.30
1	AA	722	G	N9-C4-C5	-5.35	103.26	105.40
1	AA	725	G	C3'-C2'-C1'	5.35	105.78	101.50
1	AA	763	G	C3'-C2'-C1'	-5.35	97.22	101.50
1	AA	1358	U	C2-N3-C4	-5.35	123.79	127.00
1	AA	1485	U	O5'-P-OP1	-5.35	100.88	105.70
25	BA	8	C	C4'-C3'-C2'	-5.35	97.25	102.60
26	BB	99	U	N3-C4-O4	-5.35	115.65	119.40
26	BB	326	G	C2'-C3'-O3'	5.35	122.26	113.70
26	BB	1324	G	C5-C6-N1	5.35	114.18	111.50
26	BB	1400	U	O4'-C1'-C2'	-5.35	100.45	105.80
26	BB	1457	U	C5'-C4'-O4'	5.35	115.52	109.10
26	BB	1916	A	O4'-C4'-C3'	5.35	110.38	106.10
26	BB	1918	A	O4'-C1'-C2'	-5.35	100.45	105.80
26	BB	2017	U	P-O3'-C3'	5.35	126.12	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2186	G	N9-C4-C5	5.35	107.54	105.40
26	BB	2525	G	C4-C5-C6	-5.35	115.59	118.80
26	BB	2708	G	N3-C4-C5	-5.35	125.92	128.60
1	AA	30	U	C1'-O4'-C4'	-5.35	105.62	109.90
1	AA	306	A	C6-C5-N7	5.35	136.05	132.30
1	AA	1092	A	N7-C8-N9	5.35	116.48	113.80
1	AA	1200	C	C4'-C3'-C2'	-5.35	97.25	102.60
26	BB	738	G	P-O3'-C3'	5.35	126.12	119.70
26	BB	1354	A	C5-C6-N6	-5.35	119.42	123.70
26	BB	1608	A	O4'-C1'-N9	5.35	112.48	108.20
26	BB	2473	U	O4'-C4'-C3'	5.35	110.38	106.10
26	BB	2534	A	N9-C1'-C2'	-5.35	106.11	112.00
26	BB	2820	A	O4'-C1'-C2'	-5.35	100.45	105.80
1	AA	623	C	O3'-P-O5'	-5.35	93.84	104.00
1	AA	668	G	N1-C6-O6	5.35	123.11	119.90
1	AA	765	G	C2-N3-C4	5.35	114.58	111.90
1	AA	781	A	C4-C5-N7	-5.35	108.03	110.70
15	AO	116	TYR	CB-CG-CD2	5.35	124.21	121.00
22	AV	33	TRP	NE1-CE2-CZ2	5.35	136.28	130.40
25	BA	59	A	C4-C5-N7	5.35	113.38	110.70
25	BA	96	G	OP1-P-OP2	-5.35	111.58	119.60
26	BB	343	C	N3-C2-O2	-5.35	118.16	121.90
26	BB	834	G	C4-C5-C6	5.35	122.01	118.80
26	BB	926	G	C2-N3-C4	5.35	114.57	111.90
26	BB	1018	U	C2-N3-C4	-5.35	123.79	127.00
26	BB	1018	U	N1-C2-O2	5.35	126.54	122.80
26	BB	1065	U	C5-C4-O4	5.35	129.11	125.90
26	BB	1732	C	N1-C1'-C2'	5.35	120.95	114.00
26	BB	1765	U	N3-C2-O2	-5.35	118.46	122.20
26	BB	2232	C	C4-C5-C6	5.35	120.07	117.40
26	BB	2601	C	N1-C2-N3	5.35	122.94	119.20
26	BB	2890	G	N9-C1'-C2'	-5.35	106.12	112.00
32	BH	51	PHE	CB-CG-CD1	-5.35	117.06	120.80
1	AA	1287	A	N3-C4-N9	-5.35	123.12	127.40
1	AA	1379	G	C5-C6-O6	5.35	131.81	128.60
1	AA	1505	G	C4-C5-C6	-5.35	115.59	118.80
26	BB	50	U	C3'-C2'-C1'	-5.35	97.22	101.50
26	BB	1087	G	C5-N7-C8	5.35	106.97	104.30
26	BB	1234	U	P-O3'-C3'	5.35	126.12	119.70
26	BB	1380	G	C4-C5-C6	5.35	122.01	118.80
26	BB	1381	G	N1-C6-O6	5.35	123.11	119.90
26	BB	1404	C	N1-C2-N3	5.35	122.94	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1717	A	N7-C8-N9	5.35	116.47	113.80
26	BB	1741	C	N3-C4-C5	5.35	124.04	121.90
52	B1	3	THR	CA-CB-CG2	5.35	119.89	112.40
1	AA	5	U	P-O3'-C3'	5.35	126.12	119.70
1	AA	509	A	N7-C8-N9	-5.35	111.13	113.80
5	AE	197	PHE	CB-CG-CD1	-5.35	117.06	120.80
26	BB	1745	A	N3-C4-C5	5.35	130.54	126.80
26	BB	1952	A	N1-C6-N6	5.35	121.81	118.60
26	BB	2091	C	C2-N3-C4	-5.35	117.23	119.90
26	BB	2476	A	O4'-C1'-N9	5.35	112.48	108.20
26	BB	2757	A	N9-C1'-C2'	-5.35	106.12	112.00
26	BB	2832	U	C2-N1-C1'	5.35	124.11	117.70
1	AA	142	G	N1-C6-O6	5.34	123.11	119.90
1	AA	360	G	N9-C4-C5	5.34	107.54	105.40
1	AA	494	G	C4'-C3'-C2'	5.34	107.94	102.60
1	AA	548	G	O5'-P-OP1	-5.34	100.89	105.70
1	AA	761	G	N3-C4-N9	5.34	129.21	126.00
1	AA	1125	U	C4'-C3'-C2'	-5.34	97.25	102.60
1	AA	1219	A	C4'-C3'-C2'	-5.34	97.26	102.60
1	AA	1228	C	C6-N1-C2	5.34	122.44	120.30
1	AA	1298	U	C5-C4-O4	5.34	129.11	125.90
1	AA	1395	C	O4'-C1'-N1	5.34	112.48	108.20
1	AA	1403	C	C5'-C4'-C3'	-5.34	107.45	116.00
1	AA	1454	G	C4-C5-N7	5.34	112.94	110.80
26	BB	252	G	C5'-C4'-O4'	5.34	115.52	109.10
26	BB	743	A	C4'-C3'-O3'	5.34	123.69	113.00
26	BB	863	A	O3'-P-O5'	-5.34	93.84	104.00
26	BB	1343	G	N3-C2-N2	-5.34	116.16	119.90
26	BB	1587	G	N3-C2-N2	-5.34	116.16	119.90
26	BB	1740	G	C5-N7-C8	-5.34	101.63	104.30
26	BB	2222	C	C2-N3-C4	-5.34	117.23	119.90
26	BB	2343	U	O5'-P-OP2	-5.34	100.89	105.70
43	BS	23	TYR	CD1-CE1-CZ	5.34	124.61	119.80
1	AA	124	C	C4-C5-C6	5.34	120.07	117.40
1	AA	161	A	C4-C5-N7	5.34	113.37	110.70
1	AA	597	G	C6-C5-N7	-5.34	127.19	130.40
1	AA	627	G	C8-N9-C4	5.34	108.54	106.40
1	AA	723	U	C4'-C3'-C2'	-5.34	97.26	102.60
1	AA	1132	C	C4'-C3'-C2'	-5.34	97.26	102.60
1	AA	1212	U	C6-N1-C2	-5.34	117.79	121.00
1	AA	1242	G	N3-C4-N9	-5.34	122.79	126.00
2	AB	15	A	C4-C5-N7	5.34	113.37	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1023	U	P-O3'-C3'	5.34	126.11	119.70
26	BB	1262	A	C5-C6-N1	5.34	120.37	117.70
26	BB	1454	C	N3-C2-O2	-5.34	118.16	121.90
26	BB	1680	U	O4'-C1'-N1	5.34	112.47	108.20
26	BB	2749	A	C4-C5-N7	-5.34	108.03	110.70
34	BJ	93	ARG	NH1-CZ-NH2	5.34	125.28	119.40
1	AA	129	A	OP1-P-OP2	-5.34	111.59	119.60
1	AA	165	G	C5-N7-C8	-5.34	101.63	104.30
1	AA	393	A	N7-C8-N9	5.34	116.47	113.80
1	AA	534	U	C5-C6-N1	-5.34	120.03	122.70
1	AA	948	C	C4-C5-C6	5.34	120.07	117.40
1	AA	1072	G	C8-N9-C4	-5.34	104.26	106.40
4	AD	28	U	C5-C4-O4	-5.34	122.69	125.90
4	AD	75	C	C5-C6-N1	5.34	123.67	121.00
5	AE	86	CYS	CA-CB-SG	-5.34	104.39	114.00
8	AH	22	LYS	CA-CB-CG	-5.34	101.65	113.40
26	BB	512	G	C4-C5-C6	-5.34	115.60	118.80
26	BB	780	G	O5'-P-OP2	-5.34	100.89	105.70
26	BB	854	C	C1'-O4'-C4'	-5.34	105.63	109.90
26	BB	1294	U	N3-C4-C5	-5.34	111.39	114.60
26	BB	1328	A	N3-C4-N9	-5.34	123.13	127.40
26	BB	1418	G	N1-C2-N2	-5.34	111.39	116.20
26	BB	1514	G	C4'-C3'-C2'	-5.34	97.26	102.60
26	BB	1855	U	N1-C2-O2	5.34	126.54	122.80
26	BB	2200	C	C4-C5-C6	-5.34	114.73	117.40
26	BB	2241	A	C5'-C4'-O4'	5.34	115.51	109.10
26	BB	2864	G	N3-C4-N9	5.34	129.21	126.00
1	AA	229	U	O4'-C1'-C2'	-5.34	100.46	105.80
1	AA	324	G	N7-C8-N9	-5.34	110.43	113.10
1	AA	379	C	C6-N1-C2	-5.34	118.16	120.30
1	AA	424	G	C6-N1-C2	-5.34	121.90	125.10
1	AA	935	A	C6-N1-C2	-5.34	115.40	118.60
1	AA	972	C	N1-C2-O2	5.34	122.10	118.90
1	AA	1009	U	N3-C4-O4	-5.34	115.66	119.40
1	AA	1333	A	N1-C6-N6	-5.34	115.40	118.60
26	BB	120	U	C4-C5-C6	5.34	122.90	119.70
26	BB	405	U	C5-C6-N1	5.34	125.37	122.70
26	BB	430	A	O4'-C1'-N9	5.34	112.47	108.20
26	BB	538	A	C4'-C3'-C2'	-5.34	97.26	102.60
26	BB	1465	G	C6-C5-N7	-5.34	127.20	130.40
26	BB	1678	A	C3'-C2'-C1'	-5.34	97.23	101.50
26	BB	1980	G	N1-C2-N3	-5.34	120.70	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2099	U	C4'-C3'-C2'	-5.34	97.26	102.60
26	BB	2394	C	N1-C2-O2	5.34	122.10	118.90
26	BB	2651	C	N3-C4-C5	5.34	124.04	121.90
26	BB	2896	C	N1-C2-O2	5.34	122.10	118.90
1	AA	482	A	N1-C6-N6	5.34	121.80	118.60
1	AA	542	G	N1-C2-N3	5.34	127.10	123.90
1	AA	760	G	O4'-C4'-C3'	-5.34	98.66	104.00
1	AA	1338	G	C2'-C3'-O3'	5.34	122.24	113.70
4	AD	51	U	C4-C5-C6	5.34	122.90	119.70
26	BB	152	A	C5'-C4'-C3'	-5.34	107.46	116.00
26	BB	220	G	C6-N1-C2	5.34	128.30	125.10
26	BB	236	C	C5-C4-N4	-5.34	116.46	120.20
26	BB	510	C	C5-C6-N1	-5.34	118.33	121.00
26	BB	1163	G	C4-C5-N7	-5.34	108.67	110.80
26	BB	1689	A	C8-N9-C4	5.34	107.94	105.80
26	BB	2686	G	N1-C2-N2	5.34	121.00	116.20
1	AA	216	U	O4'-C1'-N1	5.34	112.47	108.20
1	AA	269	C	C6-N1-C2	-5.34	118.17	120.30
1	AA	471	U	O4'-C1'-N1	5.34	112.47	108.20
1	AA	565	U	N3-C2-O2	-5.34	118.47	122.20
1	AA	656	G	O4'-C1'-N9	5.34	112.47	108.20
1	AA	1280	A	C6-C5-N7	5.34	136.03	132.30
1	AA	1478	U	C6-N1-C2	5.34	124.20	121.00
26	BB	289	G	C8-N9-C1'	5.34	133.94	127.00
26	BB	469	G	P-O3'-C3'	5.34	126.10	119.70
26	BB	620	G	C8-N9-C4	-5.34	104.27	106.40
26	BB	1036	G	N9-C1'-C2'	-5.34	106.13	112.00
26	BB	1524	G	C2-N3-C4	5.34	114.57	111.90
26	BB	1975	G	O4'-C4'-C3'	5.34	110.37	106.10
26	BB	2241	A	C5-N7-C8	5.34	106.57	103.90
26	BB	2817	U	N1-C1'-C2'	-5.34	106.13	112.00
37	BM	107	LEU	CB-CG-CD1	5.34	120.07	111.00
1	AA	662	U	N3-C2-O2	-5.33	118.47	122.20
1	AA	1419	G	N1-C6-O6	-5.33	116.70	119.90
1	AA	1444	U	N1-C2-O2	-5.33	119.07	122.80
4	AD	54	G	N3-C4-C5	-5.33	125.93	128.60
26	BB	263	G	C4'-C3'-C2'	-5.33	97.27	102.60
26	BB	284	U	N3-C4-O4	-5.33	115.67	119.40
26	BB	533	G	C5-C6-N1	-5.33	108.83	111.50
26	BB	540	C	N1-C2-O2	5.33	122.10	118.90
26	BB	734	A	C8-N9-C4	-5.33	103.67	105.80
26	BB	779	U	N3-C4-O4	5.33	123.13	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1214	A	C6-C5-N7	5.33	136.03	132.30
26	BB	1399	C	C3'-C2'-C1'	-5.33	97.23	101.50
26	BB	2027	G	C4-C5-C6	5.33	122.00	118.80
26	BB	2369	A	N3-C4-N9	-5.33	123.13	127.40
26	BB	2440	C	P-O3'-C3'	5.33	126.10	119.70
26	BB	2857	G	C4-C5-N7	5.33	112.93	110.80
36	BL	15	TRP	NE1-CE2-CD2	-5.33	101.97	107.30
1	AA	192	A	C5-C6-N1	5.33	120.37	117.70
1	AA	375	U	C5'-C4'-C3'	-5.33	107.47	116.00
1	AA	499	A	C4-C5-C6	-5.33	114.33	117.00
1	AA	512	U	O4'-C1'-C2'	-5.33	100.47	105.80
1	AA	817	C	C5-C4-N4	5.33	123.93	120.20
1	AA	825	A	C4-C5-C6	-5.33	114.33	117.00
1	AA	829	G	C1'-O4'-C4'	-5.33	105.63	109.90
1	AA	1270	G	C5'-C4'-O4'	5.33	115.50	109.10
1	AA	1376	U	P-O3'-C3'	5.33	126.10	119.70
17	AQ	19	TYR	CG-CD2-CE2	-5.33	117.03	121.30
25	BA	93	C	C6-N1-C2	-5.33	118.17	120.30
25	BA	113	C	N3-C2-O2	5.33	125.63	121.90
26	BB	772	C	N3-C2-O2	-5.33	118.17	121.90
26	BB	974	G	N1-C6-O6	-5.33	116.70	119.90
26	BB	1867	G	C1'-O4'-C4'	-5.33	105.63	109.90
26	BB	2337	G	C4-C5-C6	5.33	122.00	118.80
26	BB	2388	A	C5-C6-N6	-5.33	119.43	123.70
1	AA	19	A	C5'-C4'-O4'	5.33	115.50	109.10
1	AA	320	A	O4'-C4'-C3'	5.33	110.36	106.10
1	AA	505	G	P-O3'-C3'	5.33	126.10	119.70
1	AA	650	G	C2-N3-C4	5.33	114.56	111.90
1	AA	805	C	C2-N3-C4	5.33	122.57	119.90
1	AA	888	G	C4'-C3'-C2'	-5.33	97.27	102.60
1	AA	1304	G	N3-C4-C5	5.33	131.27	128.60
2	AB	15	A	C8-N9-C4	-5.33	103.67	105.80
25	BA	71	C	C4-C5-C6	-5.33	114.73	117.40
26	BB	21	A	C5'-C4'-O4'	5.33	115.50	109.10
26	BB	48	G	C4'-C3'-C2'	-5.33	97.27	102.60
26	BB	54	G	N9-C4-C5	5.33	107.53	105.40
26	BB	114	U	O4'-C1'-N1	5.33	112.47	108.20
26	BB	505	A	N9-C4-C5	-5.33	103.67	105.80
26	BB	821	A	N1-C2-N3	-5.33	126.63	129.30
26	BB	1062	G	C6-C5-N7	-5.33	127.20	130.40
26	BB	1115	G	N1-C2-N2	-5.33	111.40	116.20
26	BB	1694	C	C6-N1-C1'	-5.33	114.40	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1811	G	C8-N9-C1'	5.33	133.93	127.00
26	BB	1927	A	P-O3'-C3'	5.33	126.10	119.70
53	B2	21	VAL	CA-CB-CG1	5.33	118.90	110.90
1	AA	268	U	C4'-C3'-C2'	-5.33	97.27	102.60
1	AA	604	G	C2-N3-C4	-5.33	109.23	111.90
3	AC	47	C	N3-C2-O2	-5.33	118.17	121.90
26	BB	178	G	N3-C2-N2	-5.33	116.17	119.90
26	BB	1113	U	C6-N1-C2	-5.33	117.80	121.00
26	BB	1192	G	O5'-P-OP2	-5.33	100.90	105.70
26	BB	1582	C	N1-C2-O2	-5.33	115.70	118.90
26	BB	2348	U	N1-C2-O2	5.33	126.53	122.80
46	BV	85	VAL	CA-CB-CG1	-5.33	102.91	110.90
1	AA	397	A	N1-C6-N6	-5.33	115.40	118.60
1	AA	713	G	N3-C2-N2	5.33	123.63	119.90
1	AA	732	C	C5-C4-N4	-5.33	116.47	120.20
1	AA	1248	A	P-O3'-C3'	5.33	126.09	119.70
1	AA	1299	A	C1'-O4'-C4'	-5.33	105.64	109.90
1	AA	1374	A	C5-C6-N1	5.33	120.36	117.70
1	AA	1514	G	N3-C2-N2	-5.33	116.17	119.90
2	AB	2	G	C5-C6-N1	5.33	114.16	111.50
10	AJ	91	ARG	CD-NE-CZ	5.33	131.06	123.60
26	BB	26	G	C5'-C4'-O4'	5.33	115.50	109.10
26	BB	50	U	N1-C2-O2	5.33	126.53	122.80
26	BB	379	G	C6-N1-C2	5.33	128.30	125.10
26	BB	413	C	O3'-P-O5'	-5.33	93.88	104.00
26	BB	474	G	N1-C2-N2	5.33	121.00	116.20
26	BB	584	C	C3'-C2'-C1'	5.33	105.76	101.50
26	BB	1076	C	N3-C4-C5	-5.33	119.77	121.90
26	BB	1198	U	N1-C2-N3	5.33	118.10	114.90
26	BB	1223	G	C4'-C3'-C2'	-5.33	97.27	102.60
26	BB	1262	A	C5'-C4'-O4'	5.33	115.50	109.10
26	BB	1304	A	C8-N9-C4	-5.33	103.67	105.80
26	BB	1463	C	C1'-O4'-C4'	5.33	114.16	109.90
26	BB	1652	A	C6-C5-N7	5.33	136.03	132.30
26	BB	1966	A	C5'-C4'-C3'	-5.33	107.47	116.00
26	BB	2128	G	N3-C4-C5	-5.33	125.94	128.60
26	BB	2270	A	C4-C5-N7	-5.33	108.04	110.70
26	BB	2286	G	C5-N7-C8	5.33	106.97	104.30
26	BB	2540	C	C5'-C4'-O4'	5.33	115.49	109.10
1	AA	487	A	N1-C6-N6	-5.33	115.40	118.60
26	BB	802	A	N7-C8-N9	-5.33	111.14	113.80
26	BB	1438	U	C4-C5-C6	5.33	122.90	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1699	G	N1-C2-N2	5.33	120.99	116.20
26	BB	2036	C	O4'-C1'-N1	5.33	112.46	108.20
26	BB	2105	U	C5-C6-N1	-5.33	120.04	122.70
26	BB	2428	G	C4-C5-C6	5.33	122.00	118.80
1	AA	68	G	C4-C5-C6	5.33	122.00	118.80
1	AA	150	U	N1-C2-O2	-5.33	119.07	122.80
1	AA	266	G	N1-C2-N3	-5.33	120.70	123.90
1	AA	330	C	C5'-C4'-O4'	5.33	115.49	109.10
1	AA	548	G	N1-C2-N3	5.33	127.09	123.90
1	AA	707	U	P-O3'-C3'	5.33	126.09	119.70
3	AC	44	U	O4'-C1'-N1	5.33	112.46	108.20
4	AD	63	C	C5-C6-N1	5.33	123.66	121.00
14	AN	97	ARG	CD-NE-CZ	5.33	131.06	123.60
26	BB	1651	G	C5'-C4'-C3'	-5.33	107.48	116.00
26	BB	2427	C	N3-C4-N4	-5.33	114.27	118.00
1	AA	68	G	C5-N7-C8	5.32	106.96	104.30
1	AA	722	G	C8-N9-C4	-5.32	104.27	106.40
1	AA	1182	G	C4-C5-C6	5.32	122.00	118.80
1	AA	1440	U	N3-C4-C5	5.32	117.79	114.60
2	AB	75	C	C5-C4-N4	5.32	123.93	120.20
3	AC	23	C	C6-N1-C2	-5.32	118.17	120.30
25	BA	79	G	N7-C8-N9	-5.32	110.44	113.10
26	BB	1043	C	C6-N1-C2	5.32	122.43	120.30
26	BB	1051	G	N7-C8-N9	5.32	115.76	113.10
26	BB	1384	A	N3-C4-C5	-5.32	123.07	126.80
26	BB	2141	G	C4-C5-N7	-5.32	108.67	110.80
26	BB	2207	C	C2-N3-C4	5.32	122.56	119.90
26	BB	2370	G	N3-C4-N9	5.32	129.19	126.00
3	AC	49	U	C2-N3-C4	-5.32	123.81	127.00
26	BB	158	U	N1-C2-N3	5.32	118.09	114.90
26	BB	334	C	C6-N1-C1'	5.32	127.19	120.80
26	BB	1056	G	C8-N9-C4	-5.32	104.27	106.40
26	BB	1374	G	N1-C2-N3	5.32	127.09	123.90
26	BB	2796	U	C5-C6-N1	-5.32	120.04	122.70
1	AA	223	A	P-O3'-C3'	5.32	126.08	119.70
1	AA	820	U	O4'-C4'-C3'	5.32	110.36	106.10
1	AA	843	U	C4-C5-C6	-5.32	116.51	119.70
1	AA	1287	A	C4'-C3'-C2'	-5.32	97.28	102.60
1	AA	1450	U	N3-C2-O2	-5.32	118.47	122.20
26	BB	216	A	N9-C4-C5	-5.32	103.67	105.80
26	BB	444	C	C5'-C4'-C3'	-5.32	107.49	116.00
26	BB	474	G	N1-C6-O6	5.32	123.09	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	506	G	C2-N3-C4	5.32	114.56	111.90
26	BB	1049	C	N3-C2-O2	5.32	125.62	121.90
26	BB	1524	G	C1'-O4'-C4'	-5.32	105.64	109.90
26	BB	2092	U	O4'-C1'-C2'	-5.32	100.48	105.80
26	BB	2436	G	N1-C2-N2	5.32	120.99	116.20
26	BB	2649	C	N3-C4-N4	-5.32	114.28	118.00
26	BB	2683	C	N1-C2-N3	5.32	122.92	119.20
26	BB	2807	U	O4'-C1'-N1	5.32	112.46	108.20
26	BB	2855	C	C5-C6-N1	5.32	123.66	121.00
27	BC	94	LEU	CB-CG-CD1	5.32	120.05	111.00
32	BH	146	ASP	CB-CG-OD1	-5.32	113.51	118.30
41	BQ	3	LYS	CA-CB-CG	5.32	125.11	113.40
13	AM	13	PHE	CB-CG-CD2	5.32	124.52	120.80
26	BB	356	G	N1-C2-N3	-5.32	120.71	123.90
26	BB	983	A	C4-C5-C6	5.32	119.66	117.00
26	BB	1014	A	C1'-O4'-C4'	-5.32	105.64	109.90
26	BB	1251	C	O3'-P-O5'	-5.32	93.89	104.00
26	BB	1564	C	C2-N1-C1'	5.32	124.65	118.80
26	BB	1816	C	N1-C2-O2	5.32	122.09	118.90
26	BB	1842	G	C5-C6-N1	5.32	114.16	111.50
26	BB	2161	C	N1-C2-O2	5.32	122.09	118.90
26	BB	2659	G	N1-C2-N2	-5.32	111.41	116.20
36	BL	80	HIS	O-C-N	5.32	131.21	122.70
1	AA	358	U	N3-C4-O4	-5.32	115.68	119.40
1	AA	391	G	C8-N9-C1'	5.32	133.91	127.00
1	AA	481	G	C6-N1-C2	-5.32	121.91	125.10
1	AA	561	U	C5-C4-O4	5.32	129.09	125.90
1	AA	733	G	C6-C5-N7	5.32	133.59	130.40
1	AA	813	U	C5-C6-N1	-5.32	120.04	122.70
1	AA	1121	U	C4'-C3'-C2'	-5.32	97.28	102.60
1	AA	1447	A	N3-C4-C5	5.32	130.52	126.80
15	AO	39	THR	CA-CB-OG1	5.32	120.17	109.00
26	BB	190	A	N1-C2-N3	-5.32	126.64	129.30
26	BB	220	G	C8-N9-C1'	5.32	133.91	127.00
26	BB	340	A	O4'-C1'-N9	-5.32	103.94	108.20
26	BB	1347	A	C4'-C3'-C2'	-5.32	97.28	102.60
26	BB	1384	A	C5-C6-N1	5.32	120.36	117.70
26	BB	1538	G	N1-C6-O6	-5.32	116.71	119.90
26	BB	2178	C	N1-C2-N3	-5.32	115.48	119.20
26	BB	2361	G	C5-C6-O6	-5.32	125.41	128.60
26	BB	2464	G	C4'-C3'-C2'	-5.32	97.28	102.60
26	BB	2878	U	N3-C4-C5	5.32	117.79	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	BD	151	GLY	O-C-N	5.32	131.21	122.70
1	AA	133	U	C6-N1-C2	-5.32	117.81	121.00
1	AA	352	C	C5-C4-N4	-5.32	116.48	120.20
1	AA	380	G	N3-C2-N2	-5.32	116.18	119.90
1	AA	478	A	C6-N1-C2	5.32	121.79	118.60
1	AA	579	A	C5-C6-N6	-5.32	119.45	123.70
1	AA	617	G	C4-C5-C6	-5.32	115.61	118.80
1	AA	1050	G	C3'-C2'-C1'	5.32	105.75	101.50
1	AA	1173	U	N3-C4-O4	5.32	123.12	119.40
1	AA	1253	G	N3-C4-C5	-5.32	125.94	128.60
1	AA	1267	C	C3'-C2'-C1'	-5.32	97.25	101.50
1	AA	1533	C	C2-N3-C4	5.32	122.56	119.90
4	AD	36	A	C6-C5-N7	5.32	136.02	132.30
13	AM	96	VAL	CA-CB-CG1	5.32	118.87	110.90
25	BA	69	G	N3-C4-N9	5.32	129.19	126.00
26	BB	56	A	C4-C5-C6	-5.32	114.34	117.00
26	BB	192	C	N3-C4-C5	-5.32	119.77	121.90
26	BB	387	U	C1'-O4'-C4'	-5.32	105.65	109.90
26	BB	1031	G	N9-C4-C5	5.32	107.53	105.40
26	BB	1050	A	C4-C5-C6	-5.32	114.34	117.00
26	BB	1272	A	C2-N3-C4	5.32	113.26	110.60
26	BB	1542	U	N1-C1'-C2'	-5.32	106.15	112.00
26	BB	1756	G	C5'-C4'-O4'	5.32	115.48	109.10
26	BB	1918	A	C6-N1-C2	-5.32	115.41	118.60
26	BB	1949	G	C4'-C3'-C2'	-5.32	97.28	102.60
26	BB	1959	G	N1-C6-O6	5.32	123.09	119.90
43	BS	31	TYR	CG-CD1-CE1	-5.32	117.05	121.30
1	AA	1398	A	C5-N7-C8	-5.31	101.24	103.90
2	AB	60	U	N3-C2-O2	-5.31	118.48	122.20
12	AL	50	PRO	CA-N-CD	-5.31	104.06	111.50
26	BB	211	C	P-O3'-C3'	5.31	126.08	119.70
26	BB	298	G	C5-C6-N1	5.31	114.16	111.50
26	BB	430	A	O4'-C4'-C3'	5.31	110.35	106.10
26	BB	655	A	O4'-C1'-N9	-5.31	103.95	108.20
26	BB	995	C	C5-C4-N4	-5.31	116.48	120.20
26	BB	1037	G	C5'-C4'-O4'	5.31	115.48	109.10
26	BB	2029	G	N7-C8-N9	5.31	115.76	113.10
26	BB	2329	U	N3-C4-O4	5.31	123.12	119.40
43	BS	49	ARG	CB-CA-C	5.31	121.03	110.40
45	BU	46	LEU	CA-CB-CG	-5.31	103.08	115.30
1	AA	230	G	C3'-C2'-C1'	-5.31	97.25	101.50
1	AA	376	G	C8-N9-C1'	5.31	133.91	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	392	C	N3-C4-N4	5.31	121.72	118.00
1	AA	498	A	P-O3'-C3'	5.31	126.07	119.70
1	AA	572	A	P-O3'-C3'	5.31	126.07	119.70
1	AA	752	G	N3-C4-C5	-5.31	125.94	128.60
1	AA	913	A	N9-C4-C5	5.31	107.92	105.80
1	AA	1466	C	C5-C4-N4	-5.31	116.48	120.20
2	AB	68	C	C5-C6-N1	5.31	123.66	121.00
12	AL	6	TYR	CZ-CE2-CD2	-5.31	115.02	119.80
26	BB	81	G	N3-C2-N2	5.31	123.62	119.90
26	BB	645	C	N3-C4-C5	-5.31	119.78	121.90
26	BB	691	C	C1'-O4'-C4'	5.31	114.15	109.90
26	BB	766	U	C1'-O4'-C4'	5.31	114.15	109.90
26	BB	1002	G	C4-C5-N7	-5.31	108.67	110.80
26	BB	1239	G	C2-N3-C4	5.31	114.56	111.90
26	BB	2035	G	N1-C2-N3	-5.31	120.71	123.90
26	BB	2197	U	C1'-O4'-C4'	5.31	114.15	109.90
26	BB	2482	A	N3-C4-C5	-5.31	123.08	126.80
26	BB	2618	G	C5-N7-C8	-5.31	101.64	104.30
26	BB	2704	C	O4'-C1'-C2'	5.31	112.38	107.60
29	BE	84	LEU	CB-CG-CD1	5.31	120.03	111.00
1	AA	302	G	C6-N1-C2	-5.31	121.91	125.10
1	AA	1395	C	O3'-P-O5'	5.31	114.09	104.00
1	AA	1514	G	N7-C8-N9	5.31	115.76	113.10
2	AB	62	U	O5'-P-OP2	-5.31	100.92	105.70
12	AL	40	ARG	NE-CZ-NH1	5.31	122.96	120.30
26	BB	330	A	C6-C5-N7	5.31	136.02	132.30
26	BB	503	A	C4'-C3'-C2'	5.31	107.91	102.60
26	BB	548	G	N9-C1'-C2'	5.31	120.90	114.00
26	BB	609	A	C5-N7-C8	-5.31	101.24	103.90
26	BB	663	G	N7-C8-N9	-5.31	110.44	113.10
26	BB	677	A	P-O3'-C3'	5.31	126.07	119.70
26	BB	1095	A	C5-C6-N6	5.31	127.95	123.70
26	BB	1696	G	C4-C5-C6	5.31	121.99	118.80
26	BB	1878	G	N3-C4-N9	5.31	129.19	126.00
26	BB	2320	U	O4'-C4'-C3'	5.31	110.35	106.10
26	BB	2633	G	N1-C2-N2	5.31	120.98	116.20
26	BB	2848	G	O4'-C4'-C3'	5.31	110.35	106.10
1	AA	705	G	C5'-C4'-C3'	-5.31	107.51	116.00
1	AA	777	A	N1-C2-N3	5.31	131.95	129.30
1	AA	944	G	C4'-C3'-C2'	-5.31	97.29	102.60
1	AA	1070	U	C4-C5-C6	5.31	122.89	119.70
1	AA	1236	A	N1-C6-N6	5.31	121.78	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1463	U	C2-N1-C1'	5.31	124.07	117.70
1	AA	1513	A	C6-N1-C2	-5.31	115.41	118.60
13	AM	7	ARG	CD-NE-CZ	5.31	131.03	123.60
14	AN	8	ARG	CD-NE-CZ	5.31	131.03	123.60
25	BA	100	G	P-O3'-C3'	5.31	126.07	119.70
26	BB	1614	A	C2'-C3'-O3'	5.31	122.19	113.70
26	BB	1623	G	C6-N1-C2	-5.31	121.92	125.10
26	BB	2289	G	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	2351	G	C5-C6-O6	-5.31	125.41	128.60
26	BB	2582	G	N3-C2-N2	-5.31	116.18	119.90
26	BB	2648	G	C4-C5-C6	5.31	121.98	118.80
36	BL	120	ARG	NE-CZ-NH2	5.31	122.95	120.30
1	AA	145	G	C5-C6-N1	5.31	114.15	111.50
1	AA	164	G	O4'-C4'-C3'	5.31	110.35	106.10
1	AA	374	A	C3'-C2'-C1'	-5.31	97.25	101.50
1	AA	952	U	C4'-C3'-C2'	-5.31	97.29	102.60
1	AA	1032	G	C2-N3-C4	5.31	114.55	111.90
1	AA	1322	C	C6-N1-C1'	-5.31	114.43	120.80
2	AB	30	G	N3-C4-C5	-5.31	125.95	128.60
26	BB	109	C	C2-N3-C4	5.31	122.55	119.90
26	BB	203	A	P-O3'-C3'	5.31	126.07	119.70
26	BB	962	G	C5-C6-O6	5.31	131.78	128.60
26	BB	1081	U	O4'-C4'-C3'	5.31	110.34	106.10
26	BB	1146	C	N1-C2-O2	5.31	122.08	118.90
26	BB	1402	U	P-O3'-C3'	5.31	126.07	119.70
26	BB	1552	A	C5-N7-C8	5.31	106.55	103.90
26	BB	1596	A	C5-C6-N1	5.31	120.35	117.70
26	BB	1927	A	N1-C2-N3	5.31	131.95	129.30
26	BB	2211	A	N1-C6-N6	5.31	121.78	118.60
26	BB	2465	C	O4'-C1'-N1	5.31	112.45	108.20
26	BB	2657	A	C5'-C4'-C3'	-5.31	107.51	116.00
31	BG	133	GLU	OE1-CD-OE2	5.31	129.67	123.30
1	AA	140	U	N3-C4-O4	5.31	123.11	119.40
1	AA	650	G	C5-C6-O6	-5.31	125.42	128.60
1	AA	828	U	N1-C2-N3	5.31	118.08	114.90
1	AA	1073	U	C2-N3-C4	-5.31	123.82	127.00
26	BB	1308	A	N1-C6-N6	5.31	121.78	118.60
26	BB	1337	G	O4'-C1'-N9	5.31	112.44	108.20
26	BB	1396	U	C4-C5-C6	-5.31	116.52	119.70
26	BB	1456	G	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	1938	A	C5-C6-N1	-5.31	115.05	117.70
26	BB	2708	G	C1'-O4'-C4'	-5.31	105.66	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	531	U	N3-C4-O4	5.30	123.11	119.40
1	AA	653	U	O4'-C4'-C3'	5.30	110.34	106.10
1	AA	716	A	C4-C5-C6	-5.30	114.35	117.00
1	AA	808	C	C1'-O4'-C4'	-5.30	105.66	109.90
1	AA	1221	G	O4'-C1'-N9	5.30	112.44	108.20
4	AD	41	C	C4'-C3'-C2'	-5.30	97.30	102.60
4	AD	48	U	C5'-C4'-C3'	5.30	124.49	116.00
26	BB	17	G	N1-C6-O6	-5.30	116.72	119.90
26	BB	84	A	C8-N9-C4	5.30	107.92	105.80
26	BB	130	C	C2-N3-C4	5.30	122.55	119.90
26	BB	172	A	C4'-C3'-C2'	5.30	107.91	102.60
26	BB	1375	U	N3-C4-O4	5.30	123.11	119.40
26	BB	1682	G	N1-C6-O6	5.30	123.08	119.90
26	BB	2010	G	C1'-O4'-C4'	-5.30	105.66	109.90
26	BB	2840	C	O3'-P-O5'	-5.30	93.92	104.00
26	BB	2893	A	O4'-C4'-C3'	5.30	110.34	106.10
30	BF	19	PHE	CB-CG-CD1	-5.30	117.09	120.80
31	BG	83	PRO	N-CD-CG	5.30	111.16	103.20
1	AA	221	C	N1-C2-O2	5.30	122.08	118.90
1	AA	250	A	C6-C5-N7	5.30	136.01	132.30
1	AA	366	A	O4'-C1'-N9	5.30	112.44	108.20
25	BA	28	C	N3-C4-N4	-5.30	114.29	118.00
26	BB	6	A	C6-C5-N7	-5.30	128.59	132.30
26	BB	102	U	C4-C5-C6	5.30	122.88	119.70
26	BB	328	U	N1-C2-N3	5.30	118.08	114.90
26	BB	403	U	N3-C4-C5	-5.30	111.42	114.60
26	BB	554	U	C5-C4-O4	-5.30	122.72	125.90
26	BB	594	U	C5-C4-O4	-5.30	122.72	125.90
26	BB	623	C	N3-C4-N4	5.30	121.71	118.00
26	BB	711	G	N1-C2-N2	5.30	120.97	116.20
26	BB	1106	G	C1'-O4'-C4'	-5.30	105.66	109.90
26	BB	2481	G	O4'-C1'-C2'	5.30	112.37	107.60
1	AA	111	G	C6-N1-C2	-5.30	121.92	125.10
1	AA	596	A	N9-C1'-C2'	5.30	120.89	114.00
1	AA	1043	G	N9-C4-C5	5.30	107.52	105.40
1	AA	1091	U	C4'-C3'-C2'	-5.30	97.30	102.60
24	AX	17	ARG	NH1-CZ-NH2	5.30	125.23	119.40
26	BB	472	A	C6-N1-C2	5.30	121.78	118.60
26	BB	574	A	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	739	A	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	1131	G	C5-N7-C8	-5.30	101.65	104.30
26	BB	1181	U	C4-C5-C6	5.30	122.88	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2072	C	O4'-C4'-C3'	5.30	110.34	106.10
26	BB	2228	G	N3-C4-N9	-5.30	122.82	126.00
1	AA	5	U	C5'-C4'-C3'	-5.30	107.52	116.00
1	AA	9	G	N1-C2-N3	-5.30	120.72	123.90
1	AA	65	A	C5'-C4'-O4'	5.30	115.46	109.10
1	AA	165	G	C6-C5-N7	-5.30	127.22	130.40
1	AA	539	A	C5'-C4'-O4'	-5.30	102.74	109.10
1	AA	888	G	C4-C5-C6	5.30	121.98	118.80
1	AA	1125	U	C3'-C2'-C1'	5.30	105.74	101.50
7	AG	134	TYR	CD1-CG-CD2	5.30	123.73	117.90
26	BB	317	G	C5-N7-C8	-5.30	101.65	104.30
26	BB	524	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	714	U	C6-N1-C2	-5.30	117.82	121.00
26	BB	989	G	N3-C4-N9	-5.30	122.82	126.00
26	BB	1439	A	C5-C6-N1	-5.30	115.05	117.70
26	BB	1649	G	P-O3'-C3'	5.30	126.06	119.70
26	BB	1649	G	C5-C6-N1	-5.30	108.85	111.50
26	BB	1711	A	P-O3'-C3'	5.30	126.06	119.70
26	BB	1716	U	O4'-C1'-N1	5.30	112.44	108.20
26	BB	2135	A	C2-N3-C4	-5.30	107.95	110.60
26	BB	2504	PSU	P-O3'-C3'	5.30	126.06	119.70
26	BB	2819	G	C2-N3-C4	5.30	114.55	111.90
1	AA	52	C	N3-C4-N4	-5.30	114.29	118.00
4	AD	3	C	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	23	G	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	101	A	N1-C6-N6	-5.30	115.42	118.60
26	BB	714	U	N1-C2-O2	5.30	126.51	122.80
26	BB	977	G	C6-N1-C2	5.30	128.28	125.10
26	BB	1651	G	N3-C2-N2	5.30	123.61	119.90
26	BB	2072	C	N3-C4-C5	5.30	124.02	121.90
26	BB	2238	G	C4-C5-C6	5.30	121.98	118.80
26	BB	2725	A	O4'-C1'-N9	5.30	112.44	108.20
26	BB	2757	A	C5'-C4'-O4'	5.30	115.46	109.10
1	AA	82	G	O4'-C1'-N9	5.30	112.44	108.20
1	AA	83	C	N3-C4-C5	5.30	124.02	121.90
1	AA	973	G	O4'-C1'-N9	5.30	112.44	108.20
1	AA	1069	C	C5-C6-N1	-5.30	118.35	121.00
1	AA	1324	A	OP1-P-OP2	-5.30	111.65	119.60
1	AA	1391	U	N3-C4-O4	5.30	123.11	119.40
4	AD	38	A	C5'-C4'-O4'	5.30	115.45	109.10
7	AG	138	PRO	N-CD-CG	5.30	111.14	103.20
26	BB	55	G	C4-C5-C6	5.30	121.98	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	472	A	N3-C4-C5	-5.30	123.09	126.80
26	BB	879	G	N3-C4-N9	5.30	129.18	126.00
26	BB	1229	C	C1'-O4'-C4'	5.30	114.14	109.90
26	BB	1649	G	C4-C5-C6	5.30	121.98	118.80
26	BB	2071	A	O4'-C1'-N9	5.30	112.44	108.20
26	BB	2119	A	O4'-C1'-N9	5.30	112.44	108.20
26	BB	2508	G	N1-C6-O6	5.30	123.08	119.90
26	BB	2598	A	C4-C5-C6	5.30	119.65	117.00
26	BB	2793	C	N1-C1'-C2'	-5.30	106.17	112.00
1	AA	834	U	O4'-C1'-N1	5.29	112.44	108.20
1	AA	1097	C	N3-C4-N4	5.29	121.71	118.00
1	AA	1159	U	C5-C6-N1	-5.29	120.05	122.70
26	BB	323	C	C3'-C2'-C1'	5.29	105.74	101.50
26	BB	355	U	N1-C1'-C2'	-5.29	106.17	112.00
26	BB	547	A	N3-C4-N9	5.29	131.64	127.40
26	BB	636	G	C6-C5-N7	-5.29	127.22	130.40
26	BB	873	C	N3-C4-C5	5.29	124.02	121.90
26	BB	935	C	O4'-C1'-N1	5.29	112.44	108.20
26	BB	1007	C	N3-C4-C5	-5.29	119.78	121.90
27	BC	8	MET	CG-SD-CE	5.29	108.67	100.20
52	B1	39	ASP	CB-CG-OD2	5.29	123.06	118.30
1	AA	261	U	C4'-C3'-C2'	-5.29	97.31	102.60
1	AA	266	G	N9-C4-C5	-5.29	103.28	105.40
1	AA	375	U	C2-N3-C4	-5.29	123.82	127.00
1	AA	557	G	C5-C6-N1	5.29	114.15	111.50
1	AA	845	A	C5-N7-C8	5.29	106.55	103.90
1	AA	1434	A	C6-N1-C2	5.29	121.78	118.60
4	AD	42	C	C4-C5-C6	-5.29	114.75	117.40
26	BB	31	C	C5'-C4'-C3'	-5.29	107.53	116.00
26	BB	226	A	C6-N1-C2	-5.29	115.42	118.60
26	BB	294	A	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	450	G	C8-N9-C4	-5.29	104.28	106.40
26	BB	559	G	N1-C2-N3	-5.29	120.72	123.90
26	BB	710	U	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	839	U	N3-C4-C5	5.29	117.78	114.60
26	BB	1000	A	C6-N1-C2	5.29	121.78	118.60
26	BB	1269	A	C6-C5-N7	-5.29	128.59	132.30
26	BB	1340	U	C5-C6-N1	-5.29	120.05	122.70
26	BB	1645	G	C5-C6-O6	5.29	131.78	128.60
26	BB	1845	G	C5-N7-C8	-5.29	101.65	104.30
26	BB	1880	U	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	1903	G	N3-C2-N2	-5.29	116.19	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2110	G	O4'-C4'-C3'	5.29	110.33	106.10
26	BB	2120	G	N9-C4-C5	5.29	107.52	105.40
26	BB	2357	G	N1-C6-O6	-5.29	116.72	119.90
26	BB	2538	C	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	2703	C	C2-N3-C4	-5.29	117.25	119.90
1	AA	449	G	N3-C4-N9	5.29	129.18	126.00
1	AA	1205	U	C1'-O4'-C4'	-5.29	105.67	109.90
3	AC	41	A	N1-C2-N3	-5.29	126.65	129.30
6	AF	71	ARG	NH1-CZ-NH2	5.29	125.22	119.40
9	AI	38	ARG	CD-NE-CZ	5.29	131.01	123.60
15	AO	44	PRO	CA-N-CD	-5.29	104.09	111.50
25	BA	6	G	N9-C4-C5	-5.29	103.28	105.40
25	BA	32	U	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	1426	G	C2-N3-C4	-5.29	109.25	111.90
26	BB	1564	C	N3-C4-C5	-5.29	119.78	121.90
26	BB	1718	G	N3-C2-N2	5.29	123.60	119.90
26	BB	1747	U	C3'-C2'-C1'	5.29	105.73	101.50
1	AA	180	U	C5-C6-N1	-5.29	120.06	122.70
1	AA	676	A	N3-C4-C5	-5.29	123.10	126.80
1	AA	1176	A	C4-C5-N7	5.29	113.34	110.70
1	AA	1255	G	N3-C2-N2	5.29	123.60	119.90
26	BB	207	A	N9-C4-C5	5.29	107.92	105.80
26	BB	965	C	N3-C2-O2	-5.29	118.20	121.90
26	BB	1393	A	C4-C5-N7	-5.29	108.06	110.70
26	BB	1831	G	C4-C5-N7	-5.29	108.68	110.80
26	BB	2460	U	O4'-C1'-N1	5.29	112.43	108.20
26	BB	2564	A	C2-N3-C4	5.29	113.25	110.60
26	BB	2707	U	C5-C4-O4	-5.29	122.73	125.90
1	AA	192	A	C6-N1-C2	-5.29	115.43	118.60
1	AA	238	A	O4'-C1'-N9	5.29	112.43	108.20
1	AA	859	G	N9-C1'-C2'	-5.29	106.18	112.00
1	AA	1463	U	C4'-C3'-C2'	-5.29	97.31	102.60
1	AA	1526	G	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	79	C	C5-C6-N1	5.29	123.64	121.00
26	BB	232	G	P-O3'-C3'	5.29	126.05	119.70
26	BB	1091	G	P-O3'-C3'	5.29	126.05	119.70
26	BB	1128	G	C8-N9-C4	-5.29	104.28	106.40
26	BB	1217	U	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	1391	U	N1-C2-N3	5.29	118.07	114.90
26	BB	1394	U	N1-C2-O2	5.29	126.50	122.80
26	BB	1417	C	N3-C4-N4	5.29	121.70	118.00
26	BB	1863	G	N9-C4-C5	5.29	107.52	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2106	U	N3-C2-O2	-5.29	118.50	122.20
26	BB	2220	U	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	2375	G	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	2541	A	P-O3'-C3'	5.29	126.05	119.70
26	BB	2591	C	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	2901	C	O4'-C1'-N1	5.29	112.43	108.20
27	BC	164	ARG	NH1-CZ-NH2	5.29	125.22	119.40
28	BD	28	PRO	CA-N-CD	-5.29	104.10	111.50
26	BB	203	A	C5'-C4'-O4'	5.29	115.44	109.10
26	BB	804	A	N1-C6-N6	-5.29	115.43	118.60
26	BB	1744	A	P-O3'-C3'	5.29	126.04	119.70
1	AA	109	A	N1-C2-N3	-5.29	126.66	129.30
1	AA	616	G	C4-C5-C6	5.29	121.97	118.80
1	AA	1019	A	N9-C1'-C2'	-5.29	106.19	112.00
1	AA	1030	U	N1-C2-N3	5.29	118.07	114.90
1	AA	1473	G	C6-N1-C2	-5.29	121.93	125.10
2	AB	7	G	N3-C2-N2	-5.29	116.20	119.90
2	AB	27	C	P-O5'-C5'	5.29	129.35	120.90
2	AB	67	G	C6-C5-N7	5.29	133.57	130.40
4	AD	23	G	N1-C6-O6	-5.29	116.73	119.90
18	AR	13	GLU	OE1-CD-OE2	5.29	129.64	123.30
26	BB	60	G	N3-C4-C5	-5.29	125.96	128.60
26	BB	124	G	C6-N1-C2	-5.29	121.93	125.10
26	BB	229	C	O4'-C1'-N1	5.29	112.43	108.20
26	BB	1172	C	P-O3'-C3'	5.29	126.04	119.70
26	BB	2115	G	C5'-C4'-O4'	5.29	115.44	109.10
26	BB	2234	G	C5'-C4'-O4'	5.29	115.44	109.10
26	BB	2361	G	N1-C2-N2	5.29	120.96	116.20
26	BB	2417	C	N1-C2-O2	5.29	122.07	118.90
26	BB	2514	U	N1-C1'-C2'	-5.29	106.19	112.00
37	BM	80	ASP	CB-CG-OD2	-5.29	113.54	118.30
1	AA	155	A	N1-C6-N6	-5.28	115.43	118.60
1	AA	281	G	O3'-P-O5'	-5.28	93.96	104.00
1	AA	339	C	O4'-C4'-C3'	5.28	110.33	106.10
1	AA	350	G	N3-C4-C5	-5.28	125.96	128.60
1	AA	454	G	P-O3'-C3'	5.28	126.04	119.70
1	AA	606	G	C6-C5-N7	5.28	133.57	130.40
1	AA	736	C	N1-C2-O2	5.28	122.07	118.90
1	AA	1057	G	C4'-C3'-C2'	-5.28	97.32	102.60
1	AA	1290	G	C4-C5-N7	5.28	112.91	110.80
1	AA	1393	U	N1-C1'-C2'	-5.28	106.19	112.00
1	AA	1522	U	O4'-C4'-C3'	5.28	110.33	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	30	ARG	NE-CZ-NH1	5.28	122.94	120.30
26	BB	229	C	C6-N1-C2	5.28	122.41	120.30
26	BB	2204	G	C6-N1-C2	5.28	128.27	125.10
26	BB	2531	A	C3'-C2'-C1'	5.28	105.73	101.50
1	AA	771	G	N3-C4-C5	-5.28	125.96	128.60
1	AA	1114	C	C5'-C4'-C3'	-5.28	107.55	116.00
1	AA	1248	A	O4'-C4'-C3'	5.28	110.33	106.10
2	AB	27	C	P-O3'-C3'	5.28	126.04	119.70
2	AB	53	G	N7-C8-N9	5.28	115.74	113.10
25	BA	43	C	C2-N3-C4	5.28	122.54	119.90
26	BB	1433	A	N7-C8-N9	5.28	116.44	113.80
26	BB	2309	A	C5-C6-N6	5.28	127.92	123.70
26	BB	2537	U	O4'-C1'-N1	5.28	112.42	108.20
48	BX	57	TYR	CG-CD1-CE1	-5.28	117.07	121.30
51	B0	56	LEU	CB-CG-CD2	5.28	119.98	111.00
1	AA	46	G	N9-C1'-C2'	-5.28	106.19	112.00
1	AA	139	A	O4'-C1'-N9	5.28	112.42	108.20
1	AA	181	A	N1-C2-N3	-5.28	126.66	129.30
1	AA	380	G	N1-C2-N2	5.28	120.95	116.20
1	AA	437	U	C5-C6-N1	5.28	125.34	122.70
1	AA	452	A	C5-C6-N1	5.28	120.34	117.70
1	AA	842	U	O4'-C1'-N1	5.28	112.42	108.20
1	AA	969	A	C8-N9-C4	-5.28	103.69	105.80
1	AA	1006	G	C5-C6-O6	-5.28	125.43	128.60
1	AA	1042	A	C3'-C2'-C1'	-5.28	97.28	101.50
1	AA	1073	U	C5-C4-O4	-5.28	122.73	125.90
1	AA	1145	A	C5-N7-C8	-5.28	101.26	103.90
1	AA	1287	A	N1-C6-N6	5.28	121.77	118.60
1	AA	1312	G	C5-C6-N1	5.28	114.14	111.50
1	AA	1535	C	N1-C2-N3	-5.28	115.50	119.20
2	AB	50	G	N3-C2-N2	-5.28	116.20	119.90
26	BB	544	C	N3-C2-O2	-5.28	118.20	121.90
26	BB	777	G	C5-N7-C8	-5.28	101.66	104.30
26	BB	811	U	O4'-C4'-C3'	5.28	110.33	106.10
26	BB	860	U	O4'-C1'-N1	5.28	112.42	108.20
26	BB	1799	G	C5-C6-O6	-5.28	125.43	128.60
26	BB	1920	C	C1'-O4'-C4'	-5.28	105.68	109.90
26	BB	2252	G	C4-C5-C6	5.28	121.97	118.80
26	BB	2676	C	C6-N1-C2	-5.28	118.19	120.30
26	BB	2722	G	C1'-O4'-C4'	5.28	114.12	109.90
26	BB	2811	G	N3-C4-C5	-5.28	125.96	128.60
30	BF	19	PHE	CB-CG-CD2	5.28	124.50	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	64	G	C3'-C2'-C1'	5.28	105.72	101.50
1	AA	968	A	N1-C6-N6	-5.28	115.43	118.60
4	AD	51	U	P-O3'-C3'	5.28	126.03	119.70
26	BB	2	G	O4'-C1'-N9	5.28	112.42	108.20
26	BB	608	A	C5-N7-C8	-5.28	101.26	103.90
26	BB	1021	A	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	2627	G	N3-C4-C5	-5.28	125.96	128.60
1	AA	40	C	C5-C4-N4	-5.28	116.51	120.20
1	AA	119	A	C3'-C2'-C1'	5.28	105.72	101.50
1	AA	191	G	C5-C6-O6	5.28	131.77	128.60
1	AA	296	U	N3-C4-C5	5.28	117.77	114.60
1	AA	457	G	N3-C2-N2	5.28	123.59	119.90
1	AA	600	A	C5-C6-N1	-5.28	115.06	117.70
1	AA	606	G	C5-C6-O6	-5.28	125.43	128.60
1	AA	677	U	N3-C2-O2	-5.28	118.51	122.20
1	AA	1197	A	C5-N7-C8	-5.28	101.26	103.90
26	BB	317	G	C3'-C2'-C1'	5.28	105.72	101.50
26	BB	572	A	N1-C6-N6	5.28	121.77	118.60
26	BB	1823	G	C6-C5-N7	-5.28	127.23	130.40
26	BB	2249	U	N3-C4-O4	5.28	123.09	119.40
26	BB	2336	A	P-O3'-C3'	5.28	126.03	119.70
26	BB	2383	G	N3-C4-C5	-5.28	125.96	128.60
56	B5	27	GLY	O-C-N	-5.28	114.26	122.70
1	AA	41	G	N9-C1'-C2'	-5.28	106.20	112.00
1	AA	768	A	C5-N7-C8	-5.28	101.26	103.90
25	BA	16	G	C6-N1-C2	-5.28	121.94	125.10
25	BA	63	C	N3-C4-N4	5.28	121.69	118.00
26	BB	675	A	P-O3'-C3'	5.28	126.03	119.70
26	BB	952	G	N3-C4-N9	-5.28	122.83	126.00
26	BB	1260	A	C5-N7-C8	-5.28	101.26	103.90
26	BB	1360	G	P-O5'-C5'	5.28	129.34	120.90
26	BB	1874	C	C4'-C3'-C2'	-5.28	97.33	102.60
26	BB	1891	G	N9-C4-C5	5.28	107.51	105.40
26	BB	2800	A	N9-C1'-C2'	-5.28	106.20	112.00
1	AA	912	C	N3-C4-C5	5.27	124.01	121.90
1	AA	1002	G	C6-N1-C2	-5.27	121.94	125.10
25	BA	99	A	C5-C6-N6	5.27	127.92	123.70
26	BB	404	A	C5'-C4'-O4'	-5.27	102.77	109.10
26	BB	614	A	C5'-C4'-C3'	-5.27	107.56	116.00
26	BB	1260	A	C5-C6-N1	5.27	120.34	117.70
26	BB	1545	A	N3-C4-N9	-5.27	123.18	127.40
26	BB	2108	A	N7-C8-N9	5.27	116.44	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	238	A	N3-C4-N9	5.27	131.62	127.40
1	AA	744	C	C2'-C3'-O3'	5.27	122.14	113.70
1	AA	845	A	C6-N1-C2	-5.27	115.44	118.60
1	AA	874	G	N7-C8-N9	5.27	115.74	113.10
1	AA	937	A	O4'-C1'-N9	5.27	112.42	108.20
3	AC	34	U	C6-N1-C2	-5.27	117.84	121.00
6	AF	153	SER	N-CA-CB	-5.27	102.59	110.50
25	BA	57	A	O3'-P-O5'	-5.27	93.98	104.00
26	BB	595	C	N1-C2-O2	5.27	122.06	118.90
26	BB	607	U	N3-C2-O2	5.27	125.89	122.20
26	BB	663	G	N1-C2-N2	5.27	120.94	116.20
26	BB	859	G	C8-N9-C4	-5.27	104.29	106.40
26	BB	896	A	O4'-C1'-C2'	-5.27	100.53	105.80
26	BB	993	G	O4'-C1'-N9	5.27	112.42	108.20
26	BB	993	G	C6-C5-N7	5.27	133.56	130.40
26	BB	1640	A	C5'-C4'-O4'	5.27	115.43	109.10
26	BB	1882	U	C5-C4-O4	5.27	129.06	125.90
26	BB	2146	C	C6-N1-C1'	-5.27	114.47	120.80
26	BB	2809	A	C2-N3-C4	5.27	113.24	110.60
39	BO	93	VAL	CA-CB-CG1	5.27	118.81	110.90
48	BX	77	VAL	CA-CB-CG2	-5.27	102.99	110.90
1	AA	1052	U	N3-C4-C5	5.27	117.76	114.60
1	AA	1143	G	N3-C4-C5	-5.27	125.96	128.60
1	AA	1450	U	C5-C4-O4	5.27	129.06	125.90
25	BA	65	U	C4-C5-C6	5.27	122.86	119.70
26	BB	23	G	N9-C4-C5	5.27	107.51	105.40
26	BB	98	G	N9-C4-C5	5.27	107.51	105.40
26	BB	643	A	N9-C4-C5	5.27	107.91	105.80
26	BB	2095	A	O4'-C4'-C3'	5.27	110.32	106.10
26	BB	2711	A	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	2725	A	C4-C5-C6	-5.27	114.36	117.00
1	AA	445	G	N9-C1'-C2'	-5.27	106.20	112.00
1	AA	462	G	C5-C6-N1	5.27	114.14	111.50
1	AA	1071	C	C1'-O4'-C4'	-5.27	105.68	109.90
1	AA	1240	U	C4-C5-C6	-5.27	116.54	119.70
1	AA	1454	G	C5-C6-O6	-5.27	125.44	128.60
1	AA	1523	G	N9-C4-C5	5.27	107.51	105.40
12	AL	46	VAL	O-C-N	5.27	131.13	122.70
26	BB	45	G	C8-N9-C1'	5.27	133.85	127.00
26	BB	52	A	C5-C6-N1	-5.27	115.07	117.70
26	BB	215	G	O4'-C4'-C3'	-5.27	98.73	104.00
26	BB	885	C	C6-N1-C1'	-5.27	114.48	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1185	G	C2-N3-C4	5.27	114.53	111.90
26	BB	1312	U	C5-C4-O4	-5.27	122.74	125.90
26	BB	1623	G	N3-C4-N9	-5.27	122.84	126.00
26	BB	1687	G	C5'-C4'-O4'	5.27	115.42	109.10
26	BB	1741	C	O4'-C4'-C3'	5.27	110.31	106.10
26	BB	1919	A	N9-C4-C5	-5.27	103.69	105.80
26	BB	2344	U	N1-C2-O2	5.27	126.49	122.80
26	BB	2655	G	C4-C5-N7	5.27	112.91	110.80
26	BB	2787	C	P-O3'-C3'	5.27	126.02	119.70
32	BH	156	TYR	CG-CD2-CE2	-5.27	117.08	121.30
1	AA	230	G	N7-C8-N9	5.27	115.73	113.10
1	AA	548	G	C4-C5-C6	5.27	121.96	118.80
1	AA	553	A	N9-C4-C5	5.27	107.91	105.80
1	AA	864	A	C1'-O4'-C4'	-5.27	105.69	109.90
1	AA	949	A	N1-C2-N3	-5.27	126.67	129.30
1	AA	1009	U	O4'-C1'-N1	5.27	112.41	108.20
1	AA	1462	C	C5-C4-N4	5.27	123.89	120.20
1	AA	1467	C	C4-C5-C6	-5.27	114.77	117.40
1	AA	1473	G	C8-N9-C1'	5.27	133.85	127.00
6	AF	126	ARG	CD-NE-CZ	5.27	130.97	123.60
21	AU	9	PHE	CG-CD1-CE1	-5.27	115.00	120.80
22	AV	31	ARG	NE-CZ-NH2	-5.27	117.67	120.30
26	BB	509	C	O5'-P-OP2	-5.27	100.96	105.70
26	BB	987	C	O4'-C1'-N1	5.27	112.41	108.20
26	BB	1484	U	C2-N3-C4	-5.27	123.84	127.00
26	BB	2139	U	C5-C4-O4	-5.27	122.74	125.90
26	BB	2508	G	C6-C5-N7	-5.27	127.24	130.40
26	BB	2511	U	P-O3'-C3'	5.27	126.02	119.70
26	BB	2638	G	N3-C4-C5	-5.27	125.97	128.60
26	BB	2638	G	C2-N3-C4	5.27	114.53	111.90
26	BB	2852	G	N3-C4-N9	5.27	129.16	126.00
45	BU	17	VAL	CA-CB-CG2	-5.27	103.00	110.90
1	AA	14	U	N3-C2-O2	-5.27	118.51	122.20
1	AA	67	C	C4'-C3'-C2'	-5.27	97.33	102.60
1	AA	482	A	N1-C2-N3	5.27	131.93	129.30
26	BB	392	U	C3'-C2'-C1'	5.27	105.71	101.50
26	BB	452	G	N3-C4-C5	-5.27	125.97	128.60
26	BB	1493	C	C6-N1-C2	-5.27	118.19	120.30
26	BB	1590	A	O4'-C4'-C3'	5.27	110.31	106.10
26	BB	1766	G	C5-C6-O6	-5.27	125.44	128.60
26	BB	2654	A	N3-C4-N9	5.27	131.61	127.40
40	BP	64	ARG	NE-CZ-NH2	-5.27	117.67	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	164	G	C5'-C4'-O4'	5.26	115.42	109.10
1	AA	323	U	C4'-C3'-C2'	-5.26	97.34	102.60
1	AA	738	C	N1-C2-O2	5.26	122.06	118.90
1	AA	768	A	N1-C6-N6	-5.26	115.44	118.60
1	AA	860	A	O4'-C1'-N9	5.26	112.41	108.20
1	AA	915	A	C5-C6-N6	-5.26	119.49	123.70
1	AA	980	C	C5-C6-N1	5.26	123.63	121.00
26	BB	918	A	C3'-C2'-C1'	-5.26	97.29	101.50
26	BB	1299	G	C4'-C3'-C2'	5.26	107.86	102.60
26	BB	1375	U	N1-C2-N3	5.26	118.06	114.90
26	BB	1388	G	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	1845	G	C5-C6-O6	-5.26	125.44	128.60
26	BB	1860	G	C4-C5-C6	-5.26	115.64	118.80
26	BB	1985	C	N1-C2-N3	-5.26	115.52	119.20
26	BB	2010	G	C2-N3-C4	5.26	114.53	111.90
26	BB	2093	G	N1-C2-N2	5.26	120.94	116.20
26	BB	2222	C	N3-C4-C5	5.26	124.01	121.90
26	BB	2270	A	O4'-C1'-C2'	-5.26	100.53	105.80
26	BB	2708	G	P-O5'-C5'	5.26	129.32	120.90
26	BB	2817	U	N3-C2-O2	-5.26	118.52	122.20
26	BB	2892	G	C6-N1-C2	-5.26	121.94	125.10
1	AA	345	C	C6-N1-C2	-5.26	118.19	120.30
1	AA	390	U	C6-N1-C2	-5.26	117.84	121.00
1	AA	757	U	C5-C6-N1	-5.26	120.07	122.70
1	AA	1134	G	C6-N1-C2	-5.26	121.94	125.10
3	AC	43	U	O4'-C4'-C3'	5.26	110.31	106.10
13	AM	84	VAL	CG1-CB-CG2	-5.26	102.48	110.90
25	BA	88	C	C5'-C4'-O4'	5.26	115.42	109.10
26	BB	1303	G	N7-C8-N9	-5.26	110.47	113.10
26	BB	1416	G	C1'-O4'-C4'	-5.26	105.69	109.90
26	BB	1989	G	C8-N9-C4	-5.26	104.30	106.40
26	BB	2750	A	N1-C2-N3	-5.26	126.67	129.30
36	BL	75	TYR	CB-CG-CD2	5.26	124.16	121.00
1	AA	167	A	N9-C1'-C2'	-5.26	106.21	112.00
1	AA	882	C	C6-N1-C2	5.26	122.41	120.30
1	AA	1084	G	C5-C6-O6	5.26	131.76	128.60
1	AA	1227	A	C5-C6-N6	5.26	127.91	123.70
26	BB	405	U	C6-N1-C2	-5.26	117.84	121.00
26	BB	549	G	N1-C2-N2	5.26	120.94	116.20
26	BB	1095	A	N3-C4-N9	-5.26	123.19	127.40
26	BB	1109	C	N3-C4-N4	5.26	121.68	118.00
26	BB	1146	C	P-O3'-C3'	5.26	126.01	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1216	G	C2-N3-C4	-5.26	109.27	111.90
26	BB	1635	A	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	1755	A	C1'-O4'-C4'	-5.26	105.69	109.90
26	BB	1846	G	N1-C2-N3	-5.26	120.74	123.90
26	BB	2099	U	C5-C4-O4	-5.26	122.74	125.90
26	BB	2305	U	C5'-C4'-O4'	5.26	115.42	109.10
35	BK	37	PHE	CB-CG-CD1	-5.26	117.12	120.80
57	B6	44	ARG	NH1-CZ-NH2	-5.26	113.61	119.40
1	AA	235	C	C6-N1-C2	5.26	122.40	120.30
1	AA	586	C	C1'-O4'-C4'	-5.26	105.69	109.90
1	AA	652	U	N3-C4-C5	-5.26	111.44	114.60
1	AA	694	A	C5-C6-N1	5.26	120.33	117.70
1	AA	724	G	N1-C2-N3	-5.26	120.74	123.90
1	AA	844	G	N1-C2-N3	5.26	127.06	123.90
1	AA	1094	G	O5'-C5'-C4'	5.26	121.69	111.70
1	AA	1351	U	C4-C5-C6	5.26	122.86	119.70
1	AA	1388	C	O5'-P-OP2	-5.26	100.97	105.70
1	AA	1477	U	C5'-C4'-O4'	5.26	115.41	109.10
26	BB	210	C	C5-C4-N4	-5.26	116.52	120.20
26	BB	295	G	N9-C4-C5	5.26	107.50	105.40
26	BB	381	G	C5'-C4'-C3'	-5.26	107.59	116.00
26	BB	862	G	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	916	G	C2-N3-C4	5.26	114.53	111.90
26	BB	1395	A	N3-C4-N9	-5.26	123.19	127.40
26	BB	2011	U	C3'-C2'-C1'	5.26	105.71	101.50
26	BB	2162	G	N3-C4-C5	-5.26	125.97	128.60
26	BB	2454	G	C5'-C4'-O4'	5.26	115.41	109.10
26	BB	2729	G	N1-C6-O6	5.26	123.06	119.90
1	AA	399	G	C2-N3-C4	5.26	114.53	111.90
1	AA	858	G	C5'-C4'-O4'	5.26	115.41	109.10
1	AA	941	G	C5-N7-C8	-5.26	101.67	104.30
4	AD	2	G	C5'-C4'-C3'	-5.26	107.59	116.00
26	BB	901	C	C5-C6-N1	-5.26	118.37	121.00
26	BB	1327	A	C3'-C2'-C1'	-5.26	97.29	101.50
1	AA	85	U	C6-N1-C1'	-5.26	113.84	121.20
1	AA	517	G	C5'-C4'-O4'	5.26	115.41	109.10
1	AA	1177	G	N3-C4-C5	-5.26	125.97	128.60
1	AA	1277	C	C4-C5-C6	5.26	120.03	117.40
1	AA	1354	U	C5'-C4'-O4'	5.26	115.41	109.10
1	AA	1395	C	C5-C6-N1	5.26	123.63	121.00
25	BA	68	C	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	49	A	N9-C4-C5	5.26	107.90	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	313	G	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	601	C	C6-N1-C2	-5.26	118.20	120.30
26	BB	606	U	N1-C2-N3	5.26	118.05	114.90
26	BB	684	G	C6-N1-C2	5.26	128.25	125.10
26	BB	769	U	C5'-C4'-O4'	5.26	115.41	109.10
26	BB	1149	G	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	1216	G	C8-N9-C4	5.26	108.50	106.40
26	BB	1326	U	C5-C4-O4	-5.26	122.75	125.90
26	BB	1866	A	C5-C6-N1	5.26	120.33	117.70
26	BB	2013	A	N7-C8-N9	-5.26	111.17	113.80
26	BB	2392	A	O5'-P-OP1	5.26	117.01	110.70
26	BB	2726	A	N7-C8-N9	5.26	116.43	113.80
26	BB	2852	G	O4'-C1'-N9	5.26	112.41	108.20
34	BJ	40	LEU	CB-CG-CD2	5.26	119.94	111.00
1	AA	1370	G	N1-C2-N3	-5.25	120.75	123.90
26	BB	687	C	C3'-C2'-C1'	-5.25	97.30	101.50
26	BB	1270	C	N3-C4-C5	5.25	124.00	121.90
26	BB	2159	G	C1'-O4'-C4'	-5.25	105.70	109.90
1	AA	499	A	C4'-C3'-C2'	-5.25	97.35	102.60
1	AA	1149	C	O4'-C1'-C2'	-5.25	100.55	105.80
1	AA	1282	C	N1-C2-N3	-5.25	115.52	119.20
24	AX	32	ARG	CD-NE-CZ	5.25	130.96	123.60
25	BA	66	A	C6-N1-C2	5.25	121.75	118.60
26	BB	265	A	C4-C5-C6	-5.25	114.37	117.00
26	BB	502	A	P-O3'-C3'	5.25	126.00	119.70
26	BB	1218	G	N1-C6-O6	-5.25	116.75	119.90
26	BB	1333	G	C4-C5-C6	5.25	121.95	118.80
26	BB	1466	U	C2-N3-C4	-5.25	123.85	127.00
26	BB	1482	G	N1-C6-O6	-5.25	116.75	119.90
26	BB	1675	C	C4-C5-C6	-5.25	114.77	117.40
26	BB	1773	A	C4'-C3'-C2'	-5.25	97.35	102.60
26	BB	1990	C	C1'-O4'-C4'	5.25	114.10	109.90
26	BB	2509	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	2568	U	C5'-C4'-O4'	5.25	115.41	109.10
34	BJ	111	ALA	CB-CA-C	5.25	117.98	110.10
45	BU	95	ARG	CB-CG-CD	5.25	125.26	111.60
1	AA	363	A	C4-C5-N7	5.25	113.33	110.70
1	AA	841	C	N1-C1'-C2'	-5.25	106.22	112.00
1	AA	885	G	C6-C5-N7	-5.25	127.25	130.40
1	AA	1092	A	C5-N7-C8	-5.25	101.28	103.90
1	AA	1222	G	N3-C4-C5	-5.25	125.97	128.60
1	AA	1397	C	P-O3'-C3'	5.25	126.00	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	30	U	C4'-C3'-C2'	-5.25	97.35	102.60
26	BB	153	U	C6-N1-C2	-5.25	117.85	121.00
26	BB	221	A	N3-C4-C5	-5.25	123.12	126.80
26	BB	393	C	C4'-C3'-O3'	5.25	123.50	113.00
26	BB	669	G	N1-C2-N2	5.25	120.93	116.20
26	BB	675	A	C4'-C3'-C2'	-5.25	97.35	102.60
26	BB	1030	C	O4'-C1'-N1	5.25	112.40	108.20
26	BB	1069	A	C3'-C2'-C1'	5.25	105.70	101.50
26	BB	1286	A	P-O3'-C3'	5.25	126.00	119.70
26	BB	1315	C	P-O3'-C3'	5.25	126.00	119.70
26	BB	1499	C	C5-C6-N1	5.25	123.63	121.00
26	BB	1548	A	C5-N7-C8	5.25	106.53	103.90
26	BB	1660	G	C4-C5-N7	5.25	112.90	110.80
26	BB	1714	U	C6-N1-C1'	-5.25	113.85	121.20
26	BB	2454	G	C4'-C3'-C2'	-5.25	97.35	102.60
26	BB	2557	G	N1-C2-N2	5.25	120.93	116.20
39	BO	59	ARG	NE-CZ-NH1	5.25	122.93	120.30
41	BQ	64	TYR	CZ-CE2-CD2	5.25	124.53	119.80
41	BQ	99	TYR	CB-CG-CD1	-5.25	117.85	121.00
1	AA	1457	G	C5-N7-C8	-5.25	101.67	104.30
25	BA	104	A	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	68	G	N3-C4-C5	5.25	131.22	128.60
26	BB	585	G	C5-C6-O6	-5.25	125.45	128.60
26	BB	1042	G	N1-C2-N3	-5.25	120.75	123.90
26	BB	2427	C	O5'-C5'-C4'	5.25	121.67	111.70
26	BB	2870	C	C4'-C3'-C2'	5.25	107.85	102.60
1	AA	962	C	N3-C4-C5	5.25	124.00	121.90
1	AA	1284	C	N3-C4-C5	-5.25	119.80	121.90
1	AA	1520	C	N3-C2-O2	-5.25	118.23	121.90
26	BB	215	G	O4'-C1'-N9	5.25	112.40	108.20
26	BB	295	G	C5-C6-N1	5.25	114.12	111.50
26	BB	466	A	O4'-C1'-N9	5.25	112.40	108.20
26	BB	531	C	O3'-P-O5'	-5.25	94.03	104.00
26	BB	883	G	C5-C6-O6	-5.25	125.45	128.60
26	BB	1000	A	N9-C4-C5	5.25	107.90	105.80
26	BB	1346	G	C6-C5-N7	-5.25	127.25	130.40
26	BB	1466	U	C5-C6-N1	-5.25	120.08	122.70
26	BB	1494	A	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	1540	G	C5-N7-C8	-5.25	101.68	104.30
26	BB	1723	G	C5-N7-C8	-5.25	101.68	104.30
26	BB	1747	U	C4-C5-C6	5.25	122.85	119.70
26	BB	1773	A	C5-N7-C8	-5.25	101.28	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1971	U	O4'-C1'-N1	5.25	112.40	108.20
26	BB	2123	G	O4'-C1'-N9	5.25	112.40	108.20
26	BB	2150	C	C2-N1-C1'	-5.25	113.03	118.80
26	BB	2271	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	2651	C	P-O3'-C3'	5.25	126.00	119.70
1	AA	159	G	C3'-C2'-C1'	5.25	105.70	101.50
1	AA	597	G	O4'-C1'-N9	5.25	112.40	108.20
1	AA	794	A	C6-N1-C2	5.25	121.75	118.60
1	AA	814	A	N9-C1'-C2'	-5.25	106.23	112.00
1	AA	1178	G	C6-N1-C2	-5.25	121.95	125.10
1	AA	1304	G	C5-C6-N1	5.25	114.12	111.50
2	AB	51	G	N3-C2-N2	-5.25	116.23	119.90
10	AJ	60	ALA	N-CA-CB	-5.25	102.75	110.10
26	BB	24	G	N3-C2-N2	5.25	123.57	119.90
26	BB	271	G	N1-C2-N2	5.25	120.92	116.20
26	BB	364	C	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	1156	A	C6-C5-N7	5.25	135.97	132.30
26	BB	1431	A	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	1478	G	C2-N3-C4	-5.25	109.28	111.90
26	BB	1485	U	C5-C4-O4	-5.25	122.75	125.90
26	BB	1528	A	N1-C6-N6	5.25	121.75	118.60
26	BB	1536	C	N3-C2-O2	-5.25	118.23	121.90
26	BB	1591	A	N9-C4-C5	5.25	107.90	105.80
26	BB	1613	G	C8-N9-C4	-5.25	104.30	106.40
26	BB	1706	C	O4'-C4'-C3'	5.25	110.30	106.10
26	BB	1712	U	C4'-C3'-C2'	-5.25	97.35	102.60
26	BB	2166	U	N1-C2-N3	5.25	118.05	114.90
26	BB	2542	A	N9-C4-C5	-5.25	103.70	105.80
26	BB	2689	U	C5-C6-N1	-5.25	120.08	122.70
26	BB	2698	U	N3-C4-O4	5.25	123.07	119.40
1	AA	667	G	C6-N1-C2	-5.25	121.95	125.10
4	AD	70	C	C5-C4-N4	-5.25	116.53	120.20
14	AN	57	SER	CB-CA-C	5.25	120.07	110.10
26	BB	613	A	C8-N9-C4	-5.25	103.70	105.80
26	BB	1101	U	N1-C1'-C2'	-5.25	106.23	112.00
26	BB	1744	A	N9-C1'-C2'	-5.25	106.23	112.00
26	BB	2277	G	O4'-C1'-C2'	5.25	112.32	107.60
26	BB	2777	G	N3-C4-N9	5.25	129.15	126.00
26	BB	2836	U	C4-C5-C6	5.25	122.85	119.70
1	AA	164	G	C4'-C3'-C2'	-5.24	97.36	102.60
1	AA	221	C	C5-C6-N1	5.24	123.62	121.00
1	AA	290	C	N1-C2-O2	5.24	122.05	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	299	G	N1-C2-N3	-5.24	120.75	123.90
1	AA	643	C	C5'-C4'-O4'	5.24	115.39	109.10
1	AA	890	G	N3-C4-N9	5.24	129.15	126.00
1	AA	890	G	C5-N7-C8	-5.24	101.68	104.30
1	AA	970	C	N1-C2-O2	5.24	122.05	118.90
1	AA	1258	G	O5'-C5'-C4'	5.24	121.66	111.70
1	AA	1363	A	C5-C6-N1	-5.24	115.08	117.70
6	AF	200	TRP	CE2-CD2-CE3	-5.24	112.41	118.70
7	AG	75	TYR	CB-CG-CD1	-5.24	117.85	121.00
26	BB	368	A	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	454	A	C2-N3-C4	5.24	113.22	110.60
26	BB	607	U	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	641	U	N3-C2-O2	-5.24	118.53	122.20
26	BB	758	C	C2-N3-C4	5.24	122.52	119.90
26	BB	861	A	C4-C5-C6	-5.24	114.38	117.00
26	BB	1072	C	C5-C4-N4	5.24	123.87	120.20
26	BB	1316	U	C2-N3-C4	-5.24	123.85	127.00
26	BB	1373	A	N1-C2-N3	-5.24	126.68	129.30
26	BB	1610	A	C5-C6-N6	5.24	127.89	123.70
26	BB	1642	G	N3-C4-N9	-5.24	122.85	126.00
26	BB	1842	G	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	2294	G	C1'-O4'-C4'	-5.24	105.70	109.90
26	BB	2296	U	C5-C4-O4	5.24	129.05	125.90
26	BB	2326	C	N1-C2-N3	-5.24	115.53	119.20
26	BB	2341	G	N3-C4-C5	-5.24	125.98	128.60
26	BB	2481	G	C5'-C4'-C3'	-5.24	107.61	116.00
26	BB	2698	U	N3-C2-O2	-5.24	118.53	122.20
1	AA	1051	C	C6-N1-C1'	5.24	127.09	120.80
1	AA	1453	G	C4-C5-C6	5.24	121.94	118.80
4	AD	30	G	N3-C4-N9	5.24	129.15	126.00
26	BB	1137	G	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	1589	U	C2-N3-C4	-5.24	123.86	127.00
26	BB	1591	A	C4-C5-C6	5.24	119.62	117.00
26	BB	2287	A	O4'-C4'-C3'	5.24	110.29	106.10
26	BB	2312	U	C5'-C4'-O4'	-5.24	102.81	109.10
1	AA	48	C	OP2-P-O3'	5.24	116.73	105.20
1	AA	268	U	C5'-C4'-O4'	5.24	115.39	109.10
1	AA	535	A	N1-C6-N6	5.24	121.74	118.60
1	AA	1390	U	C6-N1-C2	-5.24	117.86	121.00
2	AB	42	G	O4'-C1'-N9	5.24	112.39	108.20
4	AD	19	G	C4'-C3'-C2'	-5.24	97.36	102.60
25	BA	112	G	N1-C6-O6	-5.24	116.76	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	138	U	O4'-C1'-C2'	-5.24	100.56	105.80
26	BB	145	C	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	196	A	C1'-O4'-C4'	-5.24	105.71	109.90
26	BB	696	G	N3-C2-N2	-5.24	116.23	119.90
26	BB	1444	G	N3-C2-N2	-5.24	116.23	119.90
26	BB	2109	U	C6-N1-C2	-5.24	117.86	121.00
26	BB	2391	G	N1-C2-N3	5.24	127.05	123.90
26	BB	2631	G	N1-C2-N2	5.24	120.92	116.20
1	AA	217	C	C2-N3-C4	-5.24	117.28	119.90
1	AA	1167	A	P-O3'-C3'	5.24	125.99	119.70
1	AA	1482	G	C4-C5-C6	5.24	121.94	118.80
4	AD	54	G	C8-N9-C4	5.24	108.50	106.40
26	BB	17	G	C5-C6-N1	5.24	114.12	111.50
26	BB	64	A	P-O3'-C3'	5.24	125.99	119.70
26	BB	125	A	C8-N9-C4	-5.24	103.70	105.80
26	BB	136	G	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	154	U	C5-C6-N1	-5.24	120.08	122.70
26	BB	303	G	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	537	G	C8-N9-C1'	5.24	133.81	127.00
26	BB	579	G	O4'-C1'-C2'	5.24	112.31	107.60
26	BB	768	G	O5'-P-OP2	-5.24	100.98	105.70
26	BB	873	C	N3-C2-O2	-5.24	118.23	121.90
26	BB	1777	U	C4-C5-C6	5.24	122.84	119.70
26	BB	1826	G	C5'-C4'-O4'	5.24	115.39	109.10
26	BB	1997	C	C5-C4-N4	-5.24	116.53	120.20
26	BB	2467	C	O3'-P-O5'	-5.24	94.05	104.00
26	BB	2536	G	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	2588	G	C2-N3-C4	5.24	114.52	111.90
31	BG	173	ASP	C-N-CA	5.24	134.80	121.70
1	AA	198	G	C4'-C3'-C2'	-5.24	97.36	102.60
1	AA	927	G	N7-C8-N9	-5.24	110.48	113.10
1	AA	1503	A	N3-C4-C5	-5.24	123.13	126.80
4	AD	26	C	P-O3'-C3'	5.24	125.98	119.70
4	AD	48	U	O4'-C1'-C2'	5.24	112.31	107.60
26	BB	159	G	C5-C6-N1	5.24	114.12	111.50
26	BB	286	U	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	688	U	N1-C2-N3	5.24	118.04	114.90
26	BB	1102	C	C5'-C4'-C3'	-5.24	107.62	116.00
26	BB	1605	C	C6-N1-C2	5.24	122.39	120.30
26	BB	2002	G	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	2578	G	C6-N1-C2	-5.24	121.96	125.10
1	AA	237	G	C2-N3-C4	5.24	114.52	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	373	A	C5-N7-C8	-5.24	101.28	103.90
1	AA	443	C	C5-C6-N1	5.24	123.62	121.00
1	AA	1008	U	N1-C2-N3	5.24	118.04	114.90
1	AA	1223	C	C2-N3-C4	-5.24	117.28	119.90
4	AD	5	G	C8-N9-C1'	5.24	133.81	127.00
10	AJ	72	VAL	CA-CB-CG1	5.24	118.75	110.90
12	AL	37	TYR	CD1-CG-CD2	5.24	123.66	117.90
26	BB	298	G	N1-C2-N3	-5.24	120.76	123.90
26	BB	459	U	C5-C6-N1	-5.24	120.08	122.70
26	BB	782	A	N9-C4-C5	-5.24	103.70	105.80
26	BB	841	G	C5-C6-O6	5.24	131.74	128.60
26	BB	886	A	C5'-C4'-C3'	-5.24	107.62	116.00
26	BB	1015	U	N1-C2-O2	5.24	126.47	122.80
26	BB	1151	A	N1-C2-N3	-5.24	126.68	129.30
26	BB	1242	U	C2-N3-C4	-5.24	123.86	127.00
26	BB	2423	U	N3-C4-C5	5.24	117.74	114.60
26	BB	2848	G	C3'-C2'-C1'	-5.24	97.31	101.50
1	AA	554	A	C5-N7-C8	5.23	106.52	103.90
1	AA	647	C	C2-N3-C4	5.23	122.52	119.90
1	AA	689	C	C2-N3-C4	-5.23	117.28	119.90
1	AA	842	U	C5-C4-O4	-5.23	122.76	125.90
3	AC	51	C	O4'-C1'-N1	5.23	112.39	108.20
26	BB	180	G	O4'-C4'-C3'	-5.23	98.77	104.00
26	BB	1541	C	C3'-C2'-C1'	5.23	105.69	101.50
26	BB	2233	U	O4'-C1'-N1	5.23	112.39	108.20
26	BB	2334	U	C5-C4-O4	-5.23	122.76	125.90
26	BB	2340	A	C5-N7-C8	-5.23	101.28	103.90
26	BB	2349	G	C4'-C3'-O3'	5.23	123.47	113.00
26	BB	2791	G	N1-C6-O6	-5.23	116.76	119.90
37	BM	69	VAL	CA-CB-CG2	5.23	118.75	110.90
1	AA	156	C	P-O3'-C3'	5.23	125.98	119.70
1	AA	734	G	N7-C8-N9	5.23	115.72	113.10
1	AA	1275	A	C8-N9-C4	-5.23	103.71	105.80
4	AD	69	C	O4'-C1'-C2'	-5.23	100.57	105.80
26	BB	3	U	N1-C2-O2	5.23	126.46	122.80
26	BB	634	C	O4'-C1'-N1	5.23	112.39	108.20
26	BB	735	A	C5-N7-C8	-5.23	101.28	103.90
26	BB	789	A	O4'-C1'-N9	5.23	112.39	108.20
26	BB	859	G	O3'-P-O5'	-5.23	94.06	104.00
26	BB	1004	U	N1-C1'-C2'	-5.23	106.24	112.00
26	BB	1201	U	O3'-P-O5'	-5.23	94.06	104.00
26	BB	1448	G	C5-C6-N1	5.23	114.12	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1481	U	N1-C2-N3	5.23	118.04	114.90
26	BB	1572	A	N1-C2-N3	-5.23	126.68	129.30
26	BB	1622	G	N1-C6-O6	-5.23	116.76	119.90
26	BB	2461	A	C2-N3-C4	5.23	113.22	110.60
26	BB	2880	C	C3'-C2'-C1'	-5.23	97.31	101.50
1	AA	102	G	C5-C6-N1	5.23	114.11	111.50
1	AA	334	C	C2-N1-C1'	-5.23	113.05	118.80
1	AA	532	A	C4-C5-N7	-5.23	108.08	110.70
1	AA	551	U	O4'-C1'-N1	5.23	112.38	108.20
1	AA	904	U	N1-C2-O2	-5.23	119.14	122.80
1	AA	907	A	C5-C6-N1	-5.23	115.08	117.70
1	AA	962	C	C1'-O4'-C4'	-5.23	105.72	109.90
1	AA	1030	U	P-O3'-C3'	5.23	125.98	119.70
1	AA	1160	G	C8-N9-C4	-5.23	104.31	106.40
1	AA	1201	A	C5'-C4'-C3'	-5.23	107.63	116.00
1	AA	1411	C	P-O3'-C3'	5.23	125.98	119.70
1	AA	1471	U	N3-C4-O4	-5.23	115.74	119.40
2	AB	53	G	N3-C4-C5	-5.23	125.98	128.60
25	BA	56	G	N1-C6-O6	-5.23	116.76	119.90
26	BB	262	A	C6-C5-N7	5.23	135.96	132.30
26	BB	766	U	N3-C2-O2	5.23	125.86	122.20
26	BB	1021	A	C6-C5-N7	5.23	135.96	132.30
26	BB	1039	A	C8-N9-C4	-5.23	103.71	105.80
26	BB	1092	C	C5'-C4'-O4'	5.23	115.38	109.10
26	BB	1272	A	P-O3'-C3'	5.23	125.98	119.70
26	BB	1734	G	O4'-C1'-N9	5.23	112.38	108.20
26	BB	2055	C	C1'-O4'-C4'	-5.23	105.72	109.90
26	BB	2071	A	N1-C2-N3	5.23	131.91	129.30
26	BB	2228	G	N9-C4-C5	5.23	107.49	105.40
26	BB	2255	G	N7-C8-N9	5.23	115.72	113.10
26	BB	2312	U	P-O3'-C3'	5.23	125.98	119.70
26	BB	2397	G	N3-C4-N9	5.23	129.14	126.00
1	AA	236	A	C5'-C4'-O4'	5.23	115.38	109.10
1	AA	911	U	C4'-C3'-C2'	5.23	107.83	102.60
5	AE	14	HIS	N-CA-CB	-5.23	101.19	110.60
9	AI	89	VAL	CB-CA-C	5.23	121.33	111.40
25	BA	24	G	P-O3'-C3'	5.23	125.97	119.70
26	BB	553	G	N1-C2-N2	5.23	120.91	116.20
26	BB	1448	G	P-O3'-C3'	5.23	125.97	119.70
26	BB	1797	G	N7-C8-N9	5.23	115.71	113.10
26	BB	1938	A	N9-C1'-C2'	5.23	120.80	114.00
26	BB	2047	C	P-O3'-C3'	5.23	125.97	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2209	G	O4'-C1'-N9	5.23	112.38	108.20
26	BB	2221	G	C5-N7-C8	-5.23	101.69	104.30
26	BB	2236	U	C1'-O4'-C4'	5.23	114.08	109.90
26	BB	2650	U	O4'-C1'-C2'	-5.23	100.57	105.80
1	AA	573	A	C5-N7-C8	-5.23	101.29	103.90
1	AA	757	U	C4-C5-C6	5.23	122.84	119.70
1	AA	1084	G	C5-N7-C8	5.23	106.91	104.30
1	AA	1104	G	N7-C8-N9	-5.23	110.49	113.10
1	AA	1278	G	C5'-C4'-O4'	5.23	115.37	109.10
1	AA	1389	C	C4-C5-C6	5.23	120.01	117.40
7	AG	46	ARG	NE-CZ-NH1	-5.23	117.69	120.30
26	BB	1	G	C6-C5-N7	5.23	133.54	130.40
26	BB	292	U	C1'-O4'-C4'	-5.23	105.72	109.90
26	BB	660	C	O3'-P-O5'	-5.23	94.07	104.00
26	BB	1087	G	N3-C4-N9	-5.23	122.86	126.00
26	BB	1182	G	N3-C4-N9	5.23	129.14	126.00
26	BB	1519	G	C1'-O4'-C4'	5.23	114.08	109.90
26	BB	2155	U	C5-C4-O4	-5.23	122.76	125.90
26	BB	2633	G	C5-C6-N1	5.23	114.11	111.50
40	BP	120	GLU	OE1-CD-OE2	5.23	129.57	123.30
43	BS	116	LEU	CB-CG-CD2	-5.23	102.11	111.00
1	AA	200	G	C8-N9-C4	-5.23	104.31	106.40
1	AA	501	C	C6-N1-C2	-5.23	118.21	120.30
1	AA	753	A	N1-C2-N3	-5.23	126.69	129.30
1	AA	979	C	N1-C2-O2	5.23	122.04	118.90
1	AA	1255	G	C4-C5-N7	5.23	112.89	110.80
25	BA	46	A	C5'-C4'-O4'	5.23	115.37	109.10
26	BB	467	G	C1'-O4'-C4'	5.23	114.08	109.90
26	BB	1426	G	O4'-C1'-C2'	-5.23	100.57	105.80
26	BB	2022	U	N1-C2-N3	5.23	118.03	114.90
26	BB	2581	G	C4-C5-C6	5.23	121.94	118.80
47	BW	5	ARG	NE-CZ-NH1	5.23	122.91	120.30
1	AA	852	G	C2-N3-C4	5.22	114.51	111.90
1	AA	987	G	P-O3'-C3'	5.22	125.97	119.70
1	AA	1006	G	C1'-O4'-C4'	5.22	114.08	109.90
1	AA	1238	A	C5-C6-N6	-5.22	119.52	123.70
1	AA	1289	A	N1-C6-N6	-5.22	115.47	118.60
1	AA	1528	U	C2-N1-C1'	5.22	123.97	117.70
1	AA	1542	A	N9-C1'-C2'	5.22	120.79	114.00
4	AD	18	U	C5-C4-O4	5.22	129.03	125.90
4	AD	22	A	P-O3'-C3'	5.22	125.97	119.70
26	BB	21	A	C6-N1-C2	-5.22	115.47	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	30	G	C5-N7-C8	-5.22	101.69	104.30
26	BB	75	G	N1-C2-N2	5.22	120.90	116.20
26	BB	109	C	N1-C2-N3	-5.22	115.54	119.20
26	BB	255	A	C2-N3-C4	-5.22	107.99	110.60
26	BB	674	G	N3-C4-N9	-5.22	122.86	126.00
26	BB	1095	A	N9-C4-C5	5.22	107.89	105.80
26	BB	1258	U	O4'-C1'-N1	5.22	112.38	108.20
26	BB	1315	C	C3'-C2'-C1'	-5.22	97.32	101.50
26	BB	1378	A	N9-C4-C5	5.22	107.89	105.80
26	BB	1393	A	N1-C6-N6	-5.22	115.47	118.60
26	BB	1503	A	C3'-C2'-C1'	5.22	105.68	101.50
26	BB	1577	C	N1-C2-O2	5.22	122.03	118.90
26	BB	1677	A	C5-N7-C8	-5.22	101.29	103.90
26	BB	1840	G	N9-C4-C5	-5.22	103.31	105.40
26	BB	1895	C	C3'-C2'-C1'	5.22	105.68	101.50
26	BB	2642	G	C8-N9-C4	-5.22	104.31	106.40
26	BB	2849	U	N3-C4-C5	-5.22	111.47	114.60
32	BH	75	VAL	CG1-CB-CG2	-5.22	102.54	110.90
35	BK	100	ILE	CA-CB-CG2	5.22	121.35	110.90
1	AA	208	U	C5-C6-N1	-5.22	120.09	122.70
1	AA	227	G	N3-C2-N2	5.22	123.56	119.90
1	AA	378	G	C4-C5-N7	-5.22	108.71	110.80
1	AA	781	A	O5'-C5'-C4'	5.22	121.62	111.70
1	AA	1136	C	N3-C4-C5	-5.22	119.81	121.90
1	AA	1317	C	N3-C2-O2	-5.22	118.24	121.90
1	AA	1322	C	C2-N3-C4	5.22	122.51	119.90
1	AA	1349	A	N1-C6-N6	-5.22	115.47	118.60
4	AD	69	C	C3'-C2'-C1'	5.22	105.68	101.50
26	BB	234	U	C5'-C4'-C3'	5.22	124.36	116.00
26	BB	583	G	N1-C6-O6	-5.22	116.77	119.90
26	BB	1109	C	N3-C4-C5	-5.22	119.81	121.90
26	BB	1261	C	N3-C4-N4	5.22	121.66	118.00
26	BB	1406	U	C5-C6-N1	-5.22	120.09	122.70
26	BB	1758	U	C6-N1-C2	-5.22	117.87	121.00
26	BB	1988	G	C5-C6-N1	5.22	114.11	111.50
26	BB	2316	G	N3-C2-N2	5.22	123.56	119.90
26	BB	2784	U	C5-C6-N1	-5.22	120.09	122.70
26	BB	2818	U	N1-C2-N3	5.22	118.03	114.90
26	BB	2862	G	N9-C4-C5	5.22	107.49	105.40
44	BT	51	VAL	CA-CB-CG2	5.22	118.73	110.90
1	AA	652	U	O4'-C1'-C2'	-5.22	100.58	105.80
1	AA	685	G	N7-C8-N9	5.22	115.71	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	893	C	C5-C4-N4	-5.22	116.55	120.20
18	AR	20	ASP	O-C-N	5.22	131.05	122.70
25	BA	55	U	C5'-C4'-C3'	-5.22	107.65	116.00
26	BB	1168	G	C4'-C3'-C2'	5.22	107.82	102.60
26	BB	2306	C	N1-C2-N3	5.22	122.86	119.20
26	BB	2772	C	C5-C4-N4	-5.22	116.55	120.20
1	AA	457	G	N1-C2-N3	5.22	127.03	123.90
1	AA	1081	A	N9-C1'-C2'	-5.22	106.26	112.00
1	AA	1180	A	C2-N3-C4	5.22	113.21	110.60
1	AA	1297	G	C4-C5-N7	-5.22	108.71	110.80
1	AA	1300	G	OP1-P-O3'	5.22	116.69	105.20
1	AA	1348	U	N1-C2-O2	5.22	126.45	122.80
4	AD	65	G	C5'-C4'-O4'	-5.22	102.84	109.10
22	AV	47	THR	CA-CB-CG2	5.22	119.71	112.40
26	BB	403	U	C2-N3-C4	5.22	130.13	127.00
26	BB	548	G	C8-N9-C4	-5.22	104.31	106.40
26	BB	792	A	O4'-C4'-C3'	5.22	110.28	106.10
26	BB	908	C	C6-N1-C1'	-5.22	114.54	120.80
26	BB	1082	U	C5-C4-O4	5.22	129.03	125.90
26	BB	1093	G	N1-C2-N3	5.22	127.03	123.90
26	BB	1474	U	N1-C2-N3	5.22	118.03	114.90
26	BB	1489	C	C6-N1-C2	-5.22	118.21	120.30
26	BB	1770	G	C4-C5-N7	-5.22	108.71	110.80
26	BB	1798	U	N3-C2-O2	-5.22	118.55	122.20
26	BB	2143	C	C5-C6-N1	5.22	123.61	121.00
26	BB	2280	G	C2-N3-C4	-5.22	109.29	111.90
26	BB	2745	C	C5'-C4'-O4'	5.22	115.36	109.10
1	AA	729	A	N9-C4-C5	5.22	107.89	105.80
1	AA	805	C	N1-C1'-C2'	-5.22	106.26	112.00
1	AA	879	C	O4'-C1'-N1	5.22	112.37	108.20
1	AA	1316	G	C6-N1-C2	-5.22	121.97	125.10
2	AB	19	G	C2-N3-C4	5.22	114.51	111.90
26	BB	778	G	N3-C2-N2	-5.22	116.25	119.90
26	BB	973	A	C3'-C2'-C1'	5.22	105.67	101.50
26	BB	1261	C	C2-N3-C4	5.22	122.51	119.90
26	BB	1602	U	C6-N1-C2	5.22	124.13	121.00
26	BB	1819	A	N1-C2-N3	5.22	131.91	129.30
26	BB	2850	A	C4'-C3'-C2'	-5.22	97.38	102.60
43	BS	23	TYR	CZ-CE2-CD2	5.22	124.50	119.80
1	AA	322	C	C4'-C3'-C2'	-5.22	97.38	102.60
1	AA	358	U	C3'-C2'-C1'	-5.22	97.33	101.50
1	AA	432	A	N7-C8-N9	5.22	116.41	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1094	G	C6-C5-N7	5.22	133.53	130.40
1	AA	1294	G	O4'-C1'-N9	5.22	112.37	108.20
1	AA	1302	C	O3'-P-O5'	-5.22	94.09	104.00
3	AC	21	U	N1-C2-O2	5.22	126.45	122.80
26	BB	484	C	C2-N3-C4	-5.22	117.29	119.90
26	BB	783	A	N3-C4-C5	-5.22	123.15	126.80
26	BB	1266	G	N1-C6-O6	-5.22	116.77	119.90
26	BB	1299	G	O4'-C1'-N9	5.22	112.37	108.20
26	BB	1464	G	C5-C6-O6	5.22	131.73	128.60
26	BB	1535	A	C4-C5-N7	5.22	113.31	110.70
26	BB	1922	G	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	1922	G	C6-C5-N7	-5.22	127.27	130.40
26	BB	2247	A	C5-C6-N1	5.22	120.31	117.70
26	BB	2252	G	N9-C4-C5	5.22	107.49	105.40
26	BB	2548	U	C4-C5-C6	-5.22	116.57	119.70
26	BB	2755	C	C1'-O4'-C4'	5.22	114.07	109.90
26	BB	2819	G	O4'-C1'-N9	5.22	112.37	108.20
1	AA	559	A	C4-C5-C6	-5.21	114.39	117.00
1	AA	764	C	OP1-P-O3'	5.21	116.67	105.20
1	AA	862	C	N1-C2-N3	-5.21	115.55	119.20
1	AA	985	C	C4-C5-C6	-5.21	114.79	117.40
1	AA	1171	A	C5'-C4'-C3'	-5.21	107.66	116.00
3	AC	55	A	O4'-C1'-N9	5.21	112.37	108.20
6	AF	192	TYR	CB-CG-CD2	-5.21	117.87	121.00
17	AQ	23	ARG	CD-NE-CZ	5.21	130.90	123.60
26	BB	663	G	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	844	A	N1-C6-N6	5.21	121.73	118.60
26	BB	866	A	N9-C4-C5	-5.21	103.71	105.80
26	BB	1098	A	C5'-C4'-O4'	5.21	115.36	109.10
26	BB	1280	G	O4'-C1'-N9	5.21	112.37	108.20
26	BB	1316	U	N3-C2-O2	-5.21	118.55	122.20
26	BB	1497	U	C6-N1-C1'	-5.21	113.90	121.20
26	BB	1737	G	C8-N9-C4	-5.21	104.31	106.40
26	BB	1775	U	C6-N1-C2	-5.21	117.87	121.00
26	BB	1871	A	C5'-C4'-O4'	5.21	115.36	109.10
26	BB	2042	A	N1-C2-N3	-5.21	126.69	129.30
26	BB	2615	U	N3-C4-O4	5.21	123.05	119.40
38	BN	41	ARG	CA-CB-CG	5.21	124.87	113.40
1	AA	271	C	N1-C2-N3	5.21	122.85	119.20
1	AA	477	C	O4'-C1'-N1	5.21	112.37	108.20
1	AA	1033	G	C4-N9-C1'	-5.21	119.72	126.50
3	AC	32	U	N1-C2-N3	5.21	118.03	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	59	U	O4'-C1'-N1	5.21	112.37	108.20
26	BB	359	G	O4'-C1'-N9	5.21	112.37	108.20
26	BB	471	A	N1-C6-N6	5.21	121.73	118.60
26	BB	834	G	C8-N9-C1'	5.21	133.78	127.00
26	BB	873	C	C2-N1-C1'	5.21	124.53	118.80
49	BY	23	LYS	CA-C-N	-5.21	105.73	117.20
1	AA	38	G	N9-C1'-C2'	-5.21	106.27	112.00
1	AA	592	G	C5'-C4'-O4'	5.21	115.35	109.10
1	AA	1447	A	P-O5'-C5'	5.21	129.24	120.90
26	BB	112	U	C5-C6-N1	5.21	125.31	122.70
26	BB	188	G	C6-C5-N7	5.21	133.53	130.40
26	BB	300	A	N3-C4-N9	5.21	131.57	127.40
26	BB	390	U	N1-C1'-C2'	5.21	120.77	114.00
26	BB	885	C	O4'-C1'-C2'	-5.21	100.59	105.80
26	BB	1175	A	C3'-C2'-C1'	-5.21	97.33	101.50
26	BB	1792	G	N1-C2-N3	-5.21	120.77	123.90
26	BB	1801	A	C5'-C4'-O4'	5.21	115.35	109.10
26	BB	2411	A	N9-C4-C5	-5.21	103.72	105.80
26	BB	2533	U	C6-N1-C2	-5.21	117.87	121.00
26	BB	2726	A	C6-C5-N7	-5.21	128.65	132.30
26	BB	2827	C	C6-N1-C2	-5.21	118.22	120.30
50	BZ	50	VAL	CG1-CB-CG2	-5.21	102.56	110.90
58	B7	30	GLU	CA-CB-CG	5.21	124.87	113.40
1	AA	1472	U	P-O3'-C3'	5.21	125.95	119.70
3	AC	41	A	N3-C4-C5	-5.21	123.15	126.80
4	AD	39	A	O4'-C1'-C2'	5.21	112.29	107.60
26	BB	302	C	C2-N1-C1'	-5.21	113.07	118.80
26	BB	387	U	N1-C2-N3	5.21	118.03	114.90
26	BB	672	C	N3-C4-C5	-5.21	119.82	121.90
26	BB	1288	G	N1-C6-O6	-5.21	116.77	119.90
26	BB	1385	A	N1-C2-N3	-5.21	126.69	129.30
26	BB	2885	G	C5-C6-O6	-5.21	125.47	128.60
1	AA	36	C	N1-C2-N3	-5.21	115.55	119.20
1	AA	95	C	C5'-C4'-C3'	-5.21	107.67	116.00
1	AA	182	A	C4-C5-C6	5.21	119.60	117.00
1	AA	364	A	C5-N7-C8	-5.21	101.30	103.90
2	AB	61	C	N3-C2-O2	-5.21	118.25	121.90
4	AD	4	G	P-O3'-C3'	5.21	125.95	119.70
26	BB	255	A	C4-C5-C6	5.21	119.60	117.00
26	BB	716	A	C6-C5-N7	5.21	135.94	132.30
26	BB	723	C	C5-C6-N1	-5.21	118.40	121.00
26	BB	1280	G	C4-C5-C6	5.21	121.93	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1391	U	C3'-C2'-C1'	-5.21	97.33	101.50
26	BB	1719	G	N3-C4-C5	-5.21	126.00	128.60
26	BB	1867	G	O4'-C1'-N9	-5.21	104.03	108.20
26	BB	1884	G	N7-C8-N9	5.21	115.70	113.10
26	BB	2639	A	C5-C6-N6	-5.21	119.53	123.70
1	AA	168	G	N7-C8-N9	5.21	115.70	113.10
1	AA	1094	G	O4'-C1'-N9	5.21	112.37	108.20
1	AA	1171	A	O4'-C1'-C2'	5.21	112.28	107.60
4	AD	63	C	C2-N3-C4	5.21	122.50	119.90
26	BB	10	A	P-O5'-C5'	5.21	129.23	120.90
26	BB	86	G	O4'-C4'-C3'	-5.21	98.79	104.00
26	BB	512	G	N3-C4-C5	5.21	131.20	128.60
26	BB	705	A	C5-C6-N1	5.21	120.30	117.70
26	BB	818	G	N3-C4-C5	-5.21	126.00	128.60
26	BB	904	G	C8-N9-C1'	5.21	133.77	127.00
26	BB	1747	U	N3-C4-O4	5.21	123.05	119.40
26	BB	2031	A	C2-N3-C4	5.21	113.20	110.60
26	BB	2057	G	N3-C4-C5	-5.21	126.00	128.60
26	BB	2074	U	C5'-C4'-C3'	-5.21	107.67	116.00
26	BB	2322	A	C2-N3-C4	5.21	113.20	110.60
26	BB	2668	G	N7-C8-N9	5.21	115.70	113.10
26	BB	2887	A	C5'-C4'-C3'	-5.21	107.67	116.00
1	AA	335	C	N1-C2-O2	5.21	122.02	118.90
1	AA	490	C	C6-N1-C2	-5.21	118.22	120.30
25	BA	12	C	C5-C4-N4	-5.21	116.56	120.20
26	BB	920	A	C2-N3-C4	-5.21	108.00	110.60
26	BB	1051	G	N3-C4-N9	-5.21	122.88	126.00
26	BB	1925	C	O4'-C1'-N1	5.21	112.36	108.20
26	BB	2009	A	C5-C6-N1	5.21	120.30	117.70
26	BB	2584	U	N3-C2-O2	5.21	125.84	122.20
43	BS	24	TYR	CG-CD1-CE1	5.21	125.46	121.30
1	AA	772	U	C4'-C3'-C2'	-5.20	97.40	102.60
1	AA	1224	U	C2-N3-C4	-5.20	123.88	127.00
25	BA	115	A	C5-C6-N1	-5.20	115.10	117.70
26	BB	61	C	C2-N3-C4	5.20	122.50	119.90
26	BB	479	A	P-O3'-C3'	5.20	125.94	119.70
26	BB	703	U	O4'-C1'-N1	5.20	112.36	108.20
26	BB	811	U	C2-N3-C4	-5.20	123.88	127.00
26	BB	2267	A	P-O3'-C3'	5.20	125.94	119.70
26	BB	2572	A	C5-C6-N1	5.20	120.30	117.70
26	BB	2715	C	C6-N1-C2	-5.20	118.22	120.30
26	BB	2804	U	N1-C2-O2	-5.20	119.16	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	BJ	61	ARG	NE-CZ-NH1	-5.20	117.70	120.30
1	AA	148	G	P-O3'-C3'	5.20	125.94	119.70
1	AA	487	A	C5-N7-C8	5.20	106.50	103.90
1	AA	648	A	P-O3'-C3'	5.20	125.94	119.70
1	AA	1342	C	C4'-C3'-C2'	-5.20	97.40	102.60
1	AA	1528	U	N3-C4-C5	-5.20	111.48	114.60
25	BA	60	C	C5-C4-N4	5.20	123.84	120.20
26	BB	124	G	O4'-C1'-N9	-5.20	104.04	108.20
26	BB	337	C	N1-C2-O2	5.20	122.02	118.90
26	BB	481	G	C5'-C4'-O4'	-5.20	102.86	109.10
26	BB	481	G	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	1324	G	N3-C2-N2	-5.20	116.26	119.90
26	BB	2249	U	C4-C5-C6	-5.20	116.58	119.70
26	BB	2256	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	2511	U	O5'-C5'-C4'	5.20	121.58	111.70
1	AA	114	U	N3-C4-C5	-5.20	111.48	114.60
1	AA	125	U	C2-N3-C4	-5.20	123.88	127.00
1	AA	329	A	N7-C8-N9	5.20	116.40	113.80
1	AA	550	G	N3-C2-N2	5.20	123.54	119.90
1	AA	628	G	C5'-C4'-O4'	5.20	115.34	109.10
1	AA	903	G	N3-C4-N9	-5.20	122.88	126.00
1	AA	955	U	C5-C6-N1	-5.20	120.10	122.70
1	AA	1128	C	C2-N3-C4	-5.20	117.30	119.90
1	AA	1316	G	N3-C2-N2	-5.20	116.26	119.90
1	AA	1524	C	C4'-C3'-C2'	-5.20	97.40	102.60
6	AF	69	THR	CA-CB-CG2	5.20	119.68	112.40
7	AG	135	GLN	CB-CA-C	5.20	120.80	110.40
20	AT	31	PRO	N-CA-CB	5.20	109.54	103.30
23	AW	63	LYS	C-N-CA	5.20	133.22	122.30
25	BA	99	A	N9-C4-C5	-5.20	103.72	105.80
25	BA	108	A	C5-C6-N1	5.20	120.30	117.70
26	BB	256	A	O4'-C1'-C2'	5.20	112.28	107.60
26	BB	467	G	O4'-C1'-N9	5.20	112.36	108.20
26	BB	553	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	770	G	O4'-C1'-N9	5.20	112.36	108.20
26	BB	1037	G	C5-N7-C8	-5.20	101.70	104.30
26	BB	1460	U	N3-C4-C5	5.20	117.72	114.60
26	BB	1983	G	C5'-C4'-C3'	-5.20	107.68	116.00
26	BB	2139	U	O4'-C1'-N1	5.20	112.36	108.20
26	BB	2543	G	C5-N7-C8	-5.20	101.70	104.30
1	AA	102	G	N1-C2-N3	5.20	127.02	123.90
1	AA	252	U	C3'-C2'-C1'	5.20	105.66	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	529	G	C4-C5-C6	5.20	121.92	118.80
1	AA	628	G	C5-N7-C8	-5.20	101.70	104.30
1	AA	948	C	N3-C4-N4	5.20	121.64	118.00
1	AA	1043	G	C4-C5-N7	-5.20	108.72	110.80
1	AA	1467	C	C2-N3-C4	5.20	122.50	119.90
1	AA	1491	G	C3'-C2'-C1'	5.20	105.66	101.50
2	AB	47	U	C5'-C4'-C3'	-5.20	107.68	116.00
19	AS	44	SER	CB-CA-C	5.20	119.98	110.10
26	BB	243	U	C2-N3-C4	5.20	130.12	127.00
26	BB	306	U	C5-C4-O4	5.20	129.02	125.90
26	BB	591	U	C4-C5-C6	-5.20	116.58	119.70
26	BB	712	G	C1'-O4'-C4'	-5.20	105.74	109.90
26	BB	964	C	C6-N1-C2	-5.20	118.22	120.30
26	BB	1193	G	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	1225	G	O4'-C4'-C3'	5.20	110.26	106.10
26	BB	1280	G	N1-C6-O6	5.20	123.02	119.90
26	BB	1555	G	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	1690	A	C4-C5-N7	5.20	113.30	110.70
26	BB	1705	A	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	1781	U	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1989	G	N9-C4-C5	5.20	107.48	105.40
26	BB	2317	A	C5-N7-C8	-5.20	101.30	103.90
26	BB	2352	A	C3'-C2'-C1'	5.20	105.66	101.50
1	AA	106	C	C5-C6-N1	5.20	123.60	121.00
1	AA	126	G	O4'-C1'-C2'	5.20	112.28	107.60
1	AA	1196	A	N1-C2-N3	5.20	131.90	129.30
26	BB	640	C	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1160	G	C8-N9-C4	5.20	108.48	106.40
26	BB	1190	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	1438	U	O4'-C1'-N1	5.20	112.36	108.20
26	BB	1487	U	N3-C4-C5	5.20	117.72	114.60
26	BB	1794	A	C3'-C2'-C1'	-5.20	97.34	101.50
26	BB	2374	C	OP2-P-O3'	5.20	116.63	105.20
26	BB	2572	A	N9-C4-C5	5.20	107.88	105.80
26	BB	2873	A	N3-C4-C5	-5.20	123.16	126.80
26	BB	2892	G	N3-C4-C5	-5.20	126.00	128.60
43	BS	9	ALA	N-CA-CB	-5.20	102.83	110.10
1	AA	155	A	C6-C5-N7	5.20	135.94	132.30
1	AA	387	U	C1'-O4'-C4'	-5.20	105.74	109.90
1	AA	388	G	P-O3'-C3'	5.20	125.93	119.70
1	AA	459	A	N3-C4-N9	-5.20	123.24	127.40
1	AA	799	G	C4-C5-N7	5.20	112.88	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	812	G	N3-C4-N9	-5.20	122.88	126.00
1	AA	855	U	C1'-O4'-C4'	5.20	114.06	109.90
4	AD	52	C	C5-C6-N1	5.20	123.60	121.00
5	AE	161	PHE	CB-CG-CD2	-5.20	117.16	120.80
25	BA	107	G	C4-C5-C6	5.20	121.92	118.80
26	BB	170	U	C2-N3-C4	-5.20	123.88	127.00
26	BB	266	G	N3-C2-N2	5.20	123.54	119.90
26	BB	390	U	P-O3'-C3'	5.20	125.94	119.70
26	BB	805	G	C6-N1-C2	5.20	128.22	125.10
26	BB	1102	C	C2-N1-C1'	-5.20	113.08	118.80
26	BB	1263	U	P-O3'-C3'	5.20	125.93	119.70
26	BB	1505	A	C3'-C2'-C1'	-5.20	97.34	101.50
26	BB	2237	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	2610	C	C3'-C2'-C1'	5.20	105.66	101.50
26	BB	2691	C	C5-C6-N1	-5.20	118.40	121.00
26	BB	2755	C	C3'-C2'-C1'	-5.20	97.34	101.50
26	BB	2785	C	P-O3'-C3'	5.20	125.93	119.70
26	BB	2842	G	C4'-C3'-O3'	5.20	123.39	113.00
33	BI	50	ARG	NE-CZ-NH2	5.20	122.90	120.30
1	AA	305	G	C5-C6-N1	5.19	114.10	111.50
1	AA	1036	A	C6-N1-C2	5.19	121.72	118.60
4	AD	73	A	N3-C4-C5	-5.19	123.16	126.80
26	BB	1121	C	C5-C4-N4	-5.19	116.56	120.20
26	BB	1981	A	C5'-C4'-O4'	5.19	115.33	109.10
37	BM	31	ARG	NH1-CZ-NH2	-5.19	113.69	119.40
41	BQ	64	TYR	CB-CG-CD1	5.19	124.12	121.00
1	AA	178	C	C5'-C4'-O4'	5.19	115.33	109.10
1	AA	722	G	C5-N7-C8	-5.19	101.70	104.30
1	AA	765	G	O5'-P-OP2	-5.19	101.03	105.70
1	AA	774	G	C4-N9-C1'	-5.19	119.75	126.50
1	AA	865	A	N1-C2-N3	5.19	131.90	129.30
1	AA	1138	G	N1-C2-N3	-5.19	120.78	123.90
1	AA	1270	G	N9-C4-C5	5.19	107.48	105.40
3	AC	18	A	O3'-P-O5'	-5.19	94.14	104.00
7	AG	160	LEU	CB-CG-CD2	5.19	119.83	111.00
17	AQ	85	GLU	OE1-CD-OE2	5.19	129.53	123.30
26	BB	175	G	C8-N9-C4	-5.19	104.32	106.40
26	BB	428	A	C4-C5-N7	5.19	113.30	110.70
26	BB	575	A	C1'-O4'-C4'	-5.19	105.75	109.90
26	BB	626	A	C5-C6-N1	5.19	120.30	117.70
26	BB	797	G	C3'-C2'-C1'	5.19	105.65	101.50
26	BB	1127	A	C5-N7-C8	-5.19	101.30	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1282	U	C6-N1-C2	-5.19	117.89	121.00
26	BB	1488	C	N1-C2-N3	5.19	122.83	119.20
26	BB	1498	C	C5-C4-N4	-5.19	116.57	120.20
26	BB	1546	G	O4'-C1'-N9	5.19	112.35	108.20
26	BB	1549	A	P-O3'-C3'	5.19	125.93	119.70
26	BB	1645	G	N3-C2-N2	-5.19	116.27	119.90
26	BB	2138	G	P-O5'-C5'	5.19	129.21	120.90
26	BB	2464	G	O4'-C4'-C3'	-5.19	98.81	104.00
26	BB	2744	G	N1-C6-O6	-5.19	116.78	119.90
56	B5	44	VAL	CG1-CB-CG2	-5.19	102.59	110.90
1	AA	998	C	C1'-O4'-C4'	-5.19	105.75	109.90
1	AA	1147	C	N3-C4-C5	-5.19	119.82	121.90
1	AA	1237	C	C5-C4-N4	-5.19	116.57	120.20
1	AA	1492	A	C5-N7-C8	5.19	106.50	103.90
2	AB	43	G	O4'-C1'-C2'	-5.19	100.61	105.80
25	BA	34	A	C4'-C3'-O3'	5.19	123.38	113.00
26	BB	86	G	N1-C6-O6	-5.19	116.79	119.90
26	BB	188	G	C2-N3-C4	5.19	114.50	111.90
26	BB	669	G	C5'-C4'-O4'	5.19	115.33	109.10
26	BB	938	G	N9-C4-C5	5.19	107.48	105.40
26	BB	1292	G	C5-C6-N1	5.19	114.09	111.50
26	BB	1486	U	C5-C4-O4	5.19	129.01	125.90
26	BB	1650	A	N1-C6-N6	-5.19	115.49	118.60
26	BB	1781	U	P-O3'-C3'	5.19	125.93	119.70
26	BB	2022	U	P-O3'-C3'	5.19	125.93	119.70
26	BB	2124	G	N7-C8-N9	-5.19	110.50	113.10
26	BB	2708	G	C3'-C2'-C1'	5.19	105.65	101.50
30	BF	67	ARG	NH1-CZ-NH2	-5.19	113.69	119.40
1	AA	109	A	C4-C5-C6	-5.19	114.41	117.00
1	AA	237	G	N3-C4-C5	-5.19	126.00	128.60
1	AA	493	A	C2-N3-C4	5.19	113.19	110.60
1	AA	647	C	N3-C2-O2	-5.19	118.27	121.90
1	AA	872	A	C6-N1-C2	5.19	121.71	118.60
1	AA	940	C	C5'-C4'-O4'	5.19	115.33	109.10
25	BA	35	C	C4-C5-C6	-5.19	114.81	117.40
26	BB	363	G	C5'-C4'-C3'	-5.19	107.70	116.00
26	BB	682	G	C6-C5-N7	-5.19	127.29	130.40
26	BB	1100	C	N3-C4-N4	-5.19	114.37	118.00
26	BB	1844	C	C2-N3-C4	5.19	122.50	119.90
26	BB	1888	G	N7-C8-N9	5.19	115.69	113.10
26	BB	1888	G	N9-C4-C5	5.19	107.48	105.40
26	BB	2391	G	N1-C2-N2	-5.19	111.53	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2720	U	C5'-C4'-C3'	-5.19	107.70	116.00
27	BC	166	ASP	CB-CG-OD1	-5.19	113.63	118.30
1	AA	181	A	C1'-O4'-C4'	-5.19	105.75	109.90
1	AA	217	C	C5-C4-N4	-5.19	116.57	120.20
1	AA	332	G	C8-N9-C4	-5.19	104.33	106.40
1	AA	380	G	N3-C4-C5	-5.19	126.01	128.60
1	AA	598	U	O3'-P-O5'	-5.19	94.14	104.00
1	AA	704	A	N3-C4-C5	5.19	130.43	126.80
1	AA	1257	A	C6-N1-C2	-5.19	115.49	118.60
4	AD	53	G	C5'-C4'-O4'	5.19	115.32	109.10
25	BA	115	A	C1'-O4'-C4'	-5.19	105.75	109.90
26	BB	165	A	C5'-C4'-O4'	5.19	115.32	109.10
26	BB	214	G	C4-C5-N7	5.19	112.88	110.80
26	BB	896	A	N1-C2-N3	-5.19	126.71	129.30
26	BB	930	G	N1-C6-O6	5.19	123.01	119.90
26	BB	979	A	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	1013	C	C1'-O4'-C4'	-5.19	105.75	109.90
26	BB	1190	G	O4'-C1'-C2'	5.19	112.27	107.60
26	BB	2017	U	C2-N3-C4	5.19	130.11	127.00
26	BB	2055	C	O5'-C5'-C4'	5.19	121.56	111.70
26	BB	2482	A	C2-N3-C4	5.19	113.19	110.60
38	BN	27	LEU	CB-CG-CD2	-5.19	102.18	111.00
1	AA	579	A	N3-C4-C5	-5.19	123.17	126.80
26	BB	136	G	N1-C2-N3	-5.19	120.79	123.90
26	BB	1563	U	C3'-C2'-C1'	5.19	105.65	101.50
26	BB	1578	U	P-O3'-C3'	5.19	125.92	119.70
26	BB	1631	G	C2-N3-C4	5.19	114.49	111.90
26	BB	1862	G	C5-C6-O6	-5.19	125.49	128.60
26	BB	1931	U	C3'-C2'-C1'	5.19	105.65	101.50
32	BH	71	LEU	CB-CG-CD2	5.19	119.82	111.00
1	AA	160	A	C1'-O4'-C4'	-5.18	105.75	109.90
1	AA	561	U	O4'-C1'-N1	5.18	112.35	108.20
1	AA	878	A	C5'-C4'-C3'	-5.18	107.70	116.00
1	AA	928	G	N3-C2-N2	5.18	123.53	119.90
1	AA	1102	A	N3-C4-N9	5.18	131.55	127.40
1	AA	1360	A	N9-C4-C5	5.18	107.87	105.80
1	AA	1431	A	O4'-C1'-N9	5.18	112.35	108.20
4	AD	9	G	C6-N1-C2	-5.18	121.99	125.10
25	BA	60	C	N1-C2-O2	-5.18	115.79	118.90
26	BB	203	A	C2-N3-C4	5.18	113.19	110.60
26	BB	363	G	N9-C4-C5	5.18	107.47	105.40
26	BB	496	G	O4'-C1'-N9	5.18	112.35	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	579	G	N3-C2-N2	-5.18	116.27	119.90
26	BB	587	C	N3-C4-C5	-5.18	119.83	121.90
26	BB	738	G	C4-C5-N7	-5.18	108.73	110.80
26	BB	760	G	C5'-C4'-O4'	5.18	115.32	109.10
26	BB	782	A	C6-N1-C2	5.18	121.71	118.60
26	BB	909	A	N1-C2-N3	-5.18	126.71	129.30
26	BB	1144	A	C4'-C3'-C2'	5.18	107.78	102.60
26	BB	1493	C	P-O5'-C5'	5.18	129.19	120.90
26	BB	1807	G	C6-C5-N7	-5.18	127.29	130.40
26	BB	1936	A	C6-C5-N7	5.18	135.93	132.30
26	BB	2008	C	N3-C4-C5	5.18	123.97	121.90
26	BB	2101	A	N1-C6-N6	5.18	121.71	118.60
26	BB	2116	G	N7-C8-N9	5.18	115.69	113.10
26	BB	2180	U	N1-C2-O2	-5.18	119.17	122.80
26	BB	2839	G	N3-C4-C5	-5.18	126.01	128.60
26	BB	2854	G	N3-C4-N9	-5.18	122.89	126.00
52	B1	57	GLU	CA-CB-CG	5.18	124.81	113.40
56	B5	22	MET	CA-CB-CG	5.18	122.11	113.30
1	AA	326	G	N7-C8-N9	5.18	115.69	113.10
1	AA	336	A	N9-C4-C5	5.18	107.87	105.80
1	AA	1183	U	N1-C2-O2	5.18	126.43	122.80
1	AA	1215	G	C6-N1-C2	5.18	128.21	125.10
1	AA	1358	U	N1-C2-O2	-5.18	119.17	122.80
2	AB	47	U	C6-N1-C2	5.18	124.11	121.00
26	BB	183	C	C1'-O4'-C4'	-5.18	105.75	109.90
26	BB	282	A	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	1083	U	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	1111	A	N9-C1'-C2'	-5.18	106.30	112.00
26	BB	1563	U	C5'-C4'-C3'	-5.18	107.71	116.00
26	BB	1776	G	N9-C4-C5	5.18	107.47	105.40
26	BB	2087	G	C4-C5-C6	-5.18	115.69	118.80
26	BB	2555	U	C6-N1-C2	-5.18	117.89	121.00
26	BB	2782	G	N3-C2-N2	-5.18	116.27	119.90
1	AA	161	A	C4-C5-C6	-5.18	114.41	117.00
1	AA	454	G	C5'-C4'-O4'	5.18	115.32	109.10
1	AA	1385	G	C4-C5-C6	5.18	121.91	118.80
15	AO	46	SER	C-N-CA	5.18	134.65	121.70
26	BB	164	C	C4-C5-C6	-5.18	114.81	117.40
26	BB	2087	G	C2'-C3'-O3'	5.18	121.99	113.70
26	BB	2363	G	N9-C1'-C2'	-5.18	106.30	112.00
26	BB	2364	C	P-O3'-C3'	5.18	125.92	119.70
26	BB	2411	A	O5'-P-OP1	-5.18	101.04	105.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2579	C	C4'-C3'-O3'	5.18	123.36	113.00
1	AA	549	C	C5'-C4'-C3'	-5.18	107.71	116.00
1	AA	784	A	C4-C5-C6	-5.18	114.41	117.00
1	AA	822	U	C5-C4-O4	-5.18	122.79	125.90
1	AA	921	U	P-O5'-C5'	5.18	129.19	120.90
6	AF	17	TRP	NE1-CE2-CD2	-5.18	102.12	107.30
9	AI	123	ASP	CB-CG-OD2	-5.18	113.64	118.30
26	BB	25	U	C2-N3-C4	-5.18	123.89	127.00
26	BB	1651	G	O4'-C1'-C2'	5.18	112.26	107.60
26	BB	1653	G	C2-N3-C4	5.18	114.49	111.90
1	AA	521	G	N1-C2-N2	5.18	120.86	116.20
1	AA	532	A	O3'-P-O5'	-5.18	94.16	104.00
1	AA	667	G	C1'-O4'-C4'	5.18	114.04	109.90
1	AA	839	C	O3'-P-O5'	5.18	113.84	104.00
1	AA	880	C	C2-N3-C4	5.18	122.49	119.90
1	AA	1114	C	O4'-C1'-N1	5.18	112.34	108.20
1	AA	1253	G	C1'-O4'-C4'	-5.18	105.76	109.90
26	BB	707	G	O4'-C1'-N9	5.18	112.34	108.20
26	BB	924	G	C6-N1-C2	-5.18	121.99	125.10
26	BB	1483	G	C6-C5-N7	-5.18	127.29	130.40
26	BB	1862	G	N3-C4-C5	-5.18	126.01	128.60
26	BB	1999	C	C4-C5-C6	5.18	119.99	117.40
26	BB	2009	A	C5-N7-C8	-5.18	101.31	103.90
26	BB	2469	A	P-O3'-C3'	5.18	125.91	119.70
26	BB	2469	A	N3-C4-N9	-5.18	123.26	127.40
27	BC	84	ALA	CB-CA-C	5.18	117.87	110.10
1	AA	10	A	C8-N9-C1'	5.18	137.02	127.70
1	AA	23	C	C4-C5-C6	-5.18	114.81	117.40
1	AA	229	U	N1-C2-O2	5.18	126.42	122.80
1	AA	346	G	N7-C8-N9	5.18	115.69	113.10
1	AA	829	G	C6-N1-C2	-5.18	122.00	125.10
2	AB	70	C	N3-C2-O2	-5.18	118.28	121.90
4	AD	3	C	N3-C2-O2	-5.18	118.28	121.90
18	AR	48	ASP	CB-CG-OD1	-5.18	113.64	118.30
21	AU	72	ARG	NE-CZ-NH2	5.18	122.89	120.30
26	BB	144	A	N3-C4-N9	-5.18	123.26	127.40
26	BB	501	A	N3-C4-C5	5.18	130.42	126.80
26	BB	554	U	O4'-C4'-C3'	5.18	110.24	106.10
26	BB	632	A	C5-C6-N1	-5.18	115.11	117.70
26	BB	879	G	C8-N9-C4	-5.18	104.33	106.40
26	BB	1148	U	N3-C4-C5	-5.18	111.49	114.60
26	BB	1423	G	C4-N9-C1'	-5.18	119.77	126.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1750	G	C5'-C4'-O4'	5.18	115.31	109.10
26	BB	1820	U	C3'-C2'-C1'	-5.18	97.36	101.50
26	BB	1844	C	N3-C2-O2	-5.18	118.28	121.90
26	BB	2211	A	O4'-C1'-C2'	-5.18	100.62	105.80
26	BB	2315	G	C6-N1-C2	-5.18	122.00	125.10
26	BB	2324	U	C2-N3-C4	-5.18	123.89	127.00
26	BB	2776	A	N3-C4-C5	-5.18	123.18	126.80
1	AA	152	A	N9-C4-C5	5.17	107.87	105.80
1	AA	178	C	C5'-C4'-C3'	5.17	124.28	116.00
1	AA	786	G	P-O3'-C3'	5.17	125.91	119.70
1	AA	886	G	N1-C2-N3	-5.17	120.80	123.90
1	AA	948	C	C4'-C3'-C2'	-5.17	97.43	102.60
1	AA	1525	G	C5-C6-O6	-5.17	125.50	128.60
25	BA	112	G	N1-C2-N2	-5.17	111.54	116.20
26	BB	227	A	C5-N7-C8	-5.17	101.31	103.90
26	BB	377	G	O4'-C1'-N9	5.17	112.34	108.20
26	BB	760	G	N1-C2-N2	-5.17	111.54	116.20
26	BB	1190	G	N3-C2-N2	-5.17	116.28	119.90
26	BB	1317	G	N1-C6-O6	-5.17	116.80	119.90
26	BB	1366	A	N1-C2-N3	-5.17	126.71	129.30
26	BB	1603	A	C4'-C3'-C2'	-5.17	97.42	102.60
26	BB	1674	G	C6-N1-C2	-5.17	122.00	125.10
26	BB	1699	G	C4'-C3'-O3'	-5.17	98.53	109.40
26	BB	2036	C	C5'-C4'-O4'	5.17	115.31	109.10
26	BB	2678	C	O4'-C4'-C3'	-5.17	98.83	104.00
26	BB	2773	C	C5-C6-N1	-5.17	118.41	121.00
34	BJ	83	TYR	CB-CG-CD1	-5.17	117.89	121.00
49	BY	18	LYS	C-N-CA	5.17	134.64	121.70
1	AA	31	G	N3-C4-N9	5.17	129.10	126.00
1	AA	68	G	O4'-C1'-N9	5.17	112.34	108.20
1	AA	932	C	C2-N3-C4	-5.17	117.31	119.90
1	AA	1275	A	C5-N7-C8	-5.17	101.31	103.90
2	AB	75	C	O5'-P-OP1	-5.17	101.04	105.70
3	AC	33	A	N1-C6-N6	-5.17	115.50	118.60
25	BA	68	C	C4-C5-C6	5.17	119.99	117.40
26	BB	340	A	N3-C4-N9	5.17	131.54	127.40
26	BB	785	G	N3-C4-C5	-5.17	126.01	128.60
26	BB	929	U	O4'-C1'-N1	5.17	112.34	108.20
26	BB	1222	U	C4'-C3'-C2'	-5.17	97.43	102.60
26	BB	1374	G	C4-C5-N7	5.17	112.87	110.80
26	BB	1844	C	N1-C2-O2	5.17	122.00	118.90
26	BB	1963	U	N1-C1'-C2'	-5.17	106.31	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2022	U	C5-C4-O4	-5.17	122.80	125.90
1	AA	404	G	C5-C6-N1	-5.17	108.91	111.50
1	AA	666	G	C5-N7-C8	-5.17	101.71	104.30
1	AA	781	A	P-O3'-C3'	5.17	125.91	119.70
1	AA	819	A	C3'-C2'-C1'	5.17	105.64	101.50
1	AA	1204	A	C4-C5-C6	-5.17	114.42	117.00
26	BB	899	A	N7-C8-N9	-5.17	111.21	113.80
26	BB	1054	A	C5-C6-N6	-5.17	119.56	123.70
26	BB	1102	C	N1-C1'-C2'	-5.17	106.31	112.00
26	BB	1105	U	C4'-C3'-C2'	-5.17	97.43	102.60
26	BB	1304	A	C4-C5-N7	-5.17	108.11	110.70
26	BB	1346	G	N1-C2-N3	5.17	127.00	123.90
26	BB	1462	C	P-O3'-C3'	5.17	125.91	119.70
26	BB	1718	G	N1-C2-N2	-5.17	111.55	116.20
26	BB	2380	C	C5'-C4'-O4'	5.17	115.31	109.10
25	BA	78	A	N7-C8-N9	5.17	116.39	113.80
26	BB	1617	C	C5-C4-N4	5.17	123.82	120.20
26	BB	2817	U	N1-C2-O2	5.17	126.42	122.80
1	AA	183	C	N3-C4-C5	5.17	123.97	121.90
1	AA	197	A	C4'-C3'-O3'	-5.17	98.55	109.40
1	AA	445	G	N9-C4-C5	5.17	107.47	105.40
3	AC	44	U	C4'-C3'-C2'	-5.17	97.43	102.60
26	BB	44	A	N7-C8-N9	-5.17	111.22	113.80
26	BB	575	A	N9-C1'-C2'	-5.17	106.31	112.00
26	BB	577	G	N3-C2-N2	-5.17	116.28	119.90
26	BB	639	U	C4'-C3'-C2'	5.17	107.77	102.60
26	BB	907	G	C8-N9-C4	5.17	108.47	106.40
26	BB	1226	A	C5-C6-N1	-5.17	115.12	117.70
26	BB	1798	U	N1-C1'-C2'	-5.17	106.31	112.00
26	BB	1926	U	C4'-C3'-C2'	-5.17	97.43	102.60
26	BB	2375	G	N3-C4-N9	5.17	129.10	126.00
26	BB	2528	U	C4'-C3'-C2'	-5.17	97.43	102.60
26	BB	2739	U	C1'-O4'-C4'	5.17	114.03	109.90
26	BB	2899	A	N3-C4-C5	-5.17	123.18	126.80
1	AA	194	C	O4'-C1'-N1	5.17	112.33	108.20
1	AA	514	C	C2-N3-C4	-5.17	117.32	119.90
1	AA	562	U	C3'-C2'-C1'	5.17	105.63	101.50
1	AA	612	C	C5-C6-N1	-5.17	118.42	121.00
1	AA	785	G	N7-C8-N9	5.17	115.68	113.10
1	AA	1064	G	C5'-C4'-C3'	-5.17	107.73	116.00
1	AA	1150	A	C1'-O4'-C4'	-5.17	105.77	109.90
1	AA	1209	C	N3-C2-O2	-5.17	118.28	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1264	U	C2-N3-C4	-5.17	123.90	127.00
1	AA	1294	G	C8-N9-C4	-5.17	104.33	106.40
25	BA	85	G	N3-C4-N9	5.17	129.10	126.00
26	BB	92	U	O4'-C4'-C3'	5.17	110.23	106.10
26	BB	164	C	N3-C2-O2	-5.17	118.28	121.90
26	BB	432	A	N9-C4-C5	5.17	107.87	105.80
26	BB	492	A	C4'-C3'-C2'	-5.17	97.43	102.60
26	BB	543	G	O4'-C1'-N9	5.17	112.33	108.20
26	BB	651	G	C6-N1-C2	-5.17	122.00	125.10
26	BB	739	A	N7-C8-N9	5.17	116.38	113.80
26	BB	974	G	C4-C5-C6	5.17	121.90	118.80
26	BB	979	A	N1-C6-N6	5.17	121.70	118.60
26	BB	1105	U	N3-C2-O2	-5.17	118.58	122.20
26	BB	1671	U	C4-C5-C6	5.17	122.80	119.70
26	BB	2070	A	C5-C6-N1	5.17	120.28	117.70
26	BB	8	C	N3-C4-C5	-5.17	119.83	121.90
26	BB	134	G	C3'-C2'-C1'	5.17	105.63	101.50
26	BB	152	A	C6-C5-N7	-5.17	128.69	132.30
26	BB	161	A	N9-C1'-C2'	-5.17	106.32	112.00
26	BB	232	G	N1-C2-N2	-5.17	111.55	116.20
26	BB	300	A	N9-C1'-C2'	-5.17	106.32	112.00
26	BB	777	G	C6-C5-N7	-5.17	127.30	130.40
26	BB	1391	U	C1'-O4'-C4'	-5.17	105.77	109.90
26	BB	1644	C	N1-C2-N3	-5.17	115.58	119.20
26	BB	1960	A	C1'-O4'-C4'	5.17	114.03	109.90
26	BB	2894	G	C3'-C2'-C1'	-5.17	97.37	101.50
1	AA	246	A	C2-N3-C4	-5.16	108.02	110.60
1	AA	345	C	O4'-C1'-N1	5.16	112.33	108.20
1	AA	537	G	C4'-C3'-C2'	-5.16	97.44	102.60
1	AA	819	A	C5'-C4'-O4'	5.16	115.30	109.10
1	AA	1088	G	N1-C6-O6	-5.16	116.80	119.90
1	AA	1177	G	C6-C5-N7	-5.16	127.30	130.40
1	AA	1508	A	C5-C6-N1	5.16	120.28	117.70
3	AC	13	A	C4'-C3'-C2'	-5.16	97.44	102.60
25	BA	119	A	N3-C4-C5	-5.16	123.19	126.80
26	BB	510	C	P-O3'-C3'	5.16	125.90	119.70
26	BB	692	C	C5-C4-N4	5.16	123.81	120.20
26	BB	837	C	C5'-C4'-O4'	5.16	115.30	109.10
26	BB	1017	G	N3-C4-C5	5.16	131.18	128.60
26	BB	1128	G	C4-C5-C6	5.16	121.90	118.80
26	BB	1162	G	N3-C4-N9	5.16	129.10	126.00
26	BB	1477	A	C6-N1-C2	5.16	121.70	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1811	G	N7-C8-N9	-5.16	110.52	113.10
26	BB	1961	C	C1'-O4'-C4'	-5.16	105.77	109.90
26	BB	2065	C	C2-N1-C1'	-5.16	113.12	118.80
26	BB	2105	U	O3'-P-O5'	-5.16	94.19	104.00
26	BB	2344	U	N1-C1'-C2'	5.16	120.71	114.00
26	BB	2648	G	C6-C5-N7	-5.16	127.30	130.40
1	AA	834	U	P-O3'-C3'	5.16	125.89	119.70
1	AA	1027	C	C2-N1-C1'	-5.16	113.12	118.80
1	AA	1218	C	N3-C2-O2	-5.16	118.29	121.90
1	AA	1294	G	C8-N9-C1'	5.16	133.71	127.00
1	AA	1494	G	C5-C6-N1	-5.16	108.92	111.50
4	AD	71	G	N7-C8-N9	5.16	115.68	113.10
26	BB	11	C	C5-C6-N1	-5.16	118.42	121.00
26	BB	259	G	C2-N3-C4	-5.16	109.32	111.90
26	BB	1058	U	N3-C4-O4	-5.16	115.79	119.40
26	BB	1574	C	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	1989	G	C2-N3-C4	5.16	114.48	111.90
1	AA	288	A	C1'-O4'-C4'	-5.16	105.77	109.90
1	AA	428	G	C5'-C4'-O4'	5.16	115.29	109.10
1	AA	499	A	O3'-P-O5'	-5.16	94.20	104.00
1	AA	506	G	C5-C6-O6	-5.16	125.50	128.60
1	AA	583	A	C1'-O4'-C4'	-5.16	105.77	109.90
1	AA	633	G	C5'-C4'-O4'	5.16	115.29	109.10
1	AA	643	C	N3-C4-N4	5.16	121.61	118.00
1	AA	888	G	P-O3'-C3'	5.16	125.89	119.70
1	AA	963	G	N9-C1'-C2'	-5.16	106.32	112.00
1	AA	1338	G	N9-C4-C5	5.16	107.46	105.40
1	AA	1485	U	C2-N3-C4	-5.16	123.90	127.00
25	BA	115	A	C2-N3-C4	5.16	113.18	110.60
25	BA	119	A	O4'-C4'-C3'	5.16	110.23	106.10
26	BB	452	G	C6-C5-N7	-5.16	127.30	130.40
26	BB	597	G	N7-C8-N9	5.16	115.68	113.10
26	BB	780	G	C4-C5-N7	5.16	112.86	110.80
26	BB	784	G	C5'-C4'-C3'	-5.16	107.74	116.00
26	BB	1010	A	C6-C5-N7	-5.16	128.69	132.30
26	BB	1140	C	C5'-C4'-O4'	5.16	115.29	109.10
26	BB	1432	G	C3'-C2'-C1'	-5.16	97.37	101.50
26	BB	1631	G	N9-C1'-C2'	-5.16	106.32	112.00
26	BB	1796	U	C2-N3-C4	-5.16	123.90	127.00
26	BB	1908	C	C5'-C4'-C3'	-5.16	107.74	116.00
26	BB	1969	A	O5'-P-OP2	-5.16	101.06	105.70
26	BB	2489	U	O4'-C1'-C2'	-5.16	100.64	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2644	G	C4'-C3'-C2'	-5.16	97.44	102.60
50	BZ	44	ARG	N-CA-CB	-5.16	101.31	110.60
1	AA	360	G	C4'-C3'-C2'	-5.16	97.44	102.60
1	AA	1221	G	C8-N9-C4	-5.16	104.34	106.40
1	AA	1277	C	O3'-P-O5'	-5.16	94.20	104.00
1	AA	1388	C	N1-C2-O2	5.16	122.00	118.90
1	AA	1534	A	N7-C8-N9	5.16	116.38	113.80
4	AD	15	G	N1-C2-N2	-5.16	111.56	116.20
6	AF	218	LYS	CB-CA-C	5.16	120.72	110.40
26	BB	140	C	O5'-P-OP2	-5.16	101.06	105.70
26	BB	200	U	N3-C2-O2	-5.16	118.59	122.20
26	BB	321	U	N3-C4-O4	-5.16	115.79	119.40
26	BB	925	A	C5-N7-C8	-5.16	101.32	103.90
26	BB	1084	A	C4-C5-N7	-5.16	108.12	110.70
26	BB	1500	G	C6-C5-N7	-5.16	127.31	130.40
26	BB	1861	G	N3-C2-N2	-5.16	116.29	119.90
26	BB	2010	G	N9-C4-C5	5.16	107.46	105.40
26	BB	2077	A	P-O3'-C3'	5.16	125.89	119.70
26	BB	2304	G	N3-C4-N9	5.16	129.09	126.00
27	BC	204	ALA	CB-CA-C	5.16	117.84	110.10
28	BD	247	TRP	CG-CD2-CE3	-5.16	129.26	133.90
33	BI	75	LEU	CB-CG-CD2	5.16	119.77	111.00
1	AA	1323	G	C5-C6-O6	-5.16	125.51	128.60
26	BB	125	A	C5-C6-N6	-5.16	119.58	123.70
26	BB	221	A	O5'-P-OP2	-5.16	101.06	105.70
26	BB	271	G	C5-C6-O6	-5.16	125.51	128.60
26	BB	776	G	C2-N3-C4	5.16	114.48	111.90
26	BB	1171	G	C1'-O4'-C4'	-5.16	105.77	109.90
26	BB	1269	A	C5'-C4'-O4'	5.16	115.29	109.10
26	BB	2080	A	C2-N3-C4	5.16	113.18	110.60
26	BB	2277	G	C2'-C3'-O3'	5.16	121.95	113.70
26	BB	2388	A	C8-N9-C4	5.16	107.86	105.80
26	BB	2418	A	O4'-C1'-N9	5.16	112.33	108.20
27	BC	178	VAL	CA-CB-CG2	5.16	118.64	110.90
1	AA	20	U	C4-C5-C6	-5.16	116.61	119.70
1	AA	171	A	C5-C6-N1	5.16	120.28	117.70
1	AA	276	G	N3-C4-C5	5.16	131.18	128.60
1	AA	387	U	C6-N1-C2	-5.16	117.91	121.00
1	AA	592	G	C6-N1-C2	-5.16	122.01	125.10
1	AA	1379	G	N1-C6-O6	-5.16	116.81	119.90
3	AC	42	U	C1'-O4'-C4'	5.16	114.03	109.90
11	AK	80	PRO	N-CD-CG	5.16	110.93	103.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	64	SER	CB-CA-C	5.16	119.89	110.10
26	BB	295	G	C5-N7-C8	-5.16	101.72	104.30
26	BB	554	U	C3'-C2'-C1'	5.16	105.62	101.50
26	BB	658	U	N1-C2-O2	5.16	126.41	122.80
26	BB	700	G	P-O3'-C3'	5.16	125.89	119.70
26	BB	1178	C	N1-C2-N3	5.16	122.81	119.20
26	BB	1411	U	O4'-C1'-N1	5.16	112.32	108.20
26	BB	1752	C	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	2258	C	C4-C5-C6	5.16	119.98	117.40
26	BB	2385	C	C1'-O4'-C4'	-5.16	105.78	109.90
26	BB	2474	U	N3-C2-O2	5.16	125.81	122.20
26	BB	2641	G	C1'-O4'-C4'	5.16	114.02	109.90
26	BB	2655	G	C1'-O4'-C4'	-5.16	105.78	109.90
26	BB	2712	C	C5-C6-N1	5.16	123.58	121.00
26	BB	2764	A	N1-C2-N3	-5.16	126.72	129.30
26	BB	2788	C	N1-C1'-C2'	-5.16	106.33	112.00
26	BB	2892	G	C6-C5-N7	5.16	133.49	130.40
45	BU	14	ALA	N-CA-CB	-5.16	102.88	110.10
2	AB	44	G	N3-C2-N2	5.15	123.51	119.90
7	AG	17	ASP	CB-CG-OD1	-5.15	113.66	118.30
10	AJ	111	GLY	O-C-N	5.15	130.95	122.70
26	BB	921	C	N3-C4-N4	5.15	121.61	118.00
26	BB	1530	G	C6-C5-N7	-5.15	127.31	130.40
26	BB	1659	G	C5-C6-O6	-5.15	125.51	128.60
26	BB	2430	A	C6-N1-C2	-5.15	115.51	118.60
26	BB	2551	C	C5-C4-N4	-5.15	116.59	120.20
26	BB	2738	A	C2-N3-C4	5.15	113.18	110.60
28	BD	263	ASP	CB-CG-OD2	-5.15	113.66	118.30
1	AA	362	G	P-O5'-C5'	5.15	129.14	120.90
1	AA	703	G	N7-C8-N9	5.15	115.68	113.10
2	AB	67	G	P-O3'-C3'	5.15	125.88	119.70
4	AD	19	G	O4'-C1'-N9	-5.15	104.08	108.20
26	BB	215	G	C6-N1-C2	-5.15	122.01	125.10
26	BB	364	C	O4'-C1'-N1	5.15	112.32	108.20
26	BB	727	A	N1-C6-N6	5.15	121.69	118.60
26	BB	900	A	C5-N7-C8	5.15	106.48	103.90
26	BB	924	G	O4'-C1'-N9	5.15	112.32	108.20
26	BB	1044	C	C4-C5-C6	-5.15	114.82	117.40
26	BB	1120	G	O4'-C1'-N9	5.15	112.32	108.20
26	BB	1158	C	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	1207	C	C2'-C3'-O3'	5.15	121.94	113.70
26	BB	1211	C	C5-C6-N1	-5.15	118.42	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1261	C	N1-C2-O2	5.15	121.99	118.90
26	BB	1439	A	N3-C4-C5	-5.15	123.19	126.80
26	BB	1445	G	N7-C8-N9	-5.15	110.52	113.10
26	BB	1543	G	N1-C6-O6	-5.15	116.81	119.90
26	BB	2584	U	O4'-C1'-C2'	-5.15	100.65	105.80
26	BB	2837	A	N1-C6-N6	-5.15	115.51	118.60
1	AA	94	G	N1-C2-N3	-5.15	120.81	123.90
1	AA	194	C	C5-C4-N4	-5.15	116.59	120.20
1	AA	796	C	N1-C2-O2	-5.15	115.81	118.90
1	AA	941	G	N9-C1'-C2'	-5.15	106.33	112.00
1	AA	969	A	C2-N3-C4	-5.15	108.03	110.60
2	AB	64	U	O4'-C4'-C3'	5.15	110.22	106.10
4	AD	28	U	N3-C4-O4	5.15	123.00	119.40
7	AG	103	ARG	NH1-CZ-NH2	5.15	125.06	119.40
26	BB	37	C	OP1-P-OP2	-5.15	111.87	119.60
26	BB	210	C	O4'-C1'-N1	5.15	112.32	108.20
26	BB	867	C	C2-N3-C4	5.15	122.47	119.90
26	BB	1932	A	C6-N1-C2	-5.15	115.51	118.60
26	BB	2308	G	C2-N3-C4	5.15	114.48	111.90
26	BB	2607	G	N3-C4-C5	-5.15	126.03	128.60
26	BB	2724	U	N1-C2-O2	-5.15	119.19	122.80
26	BB	2828	G	N9-C1'-C2'	-5.15	106.33	112.00
39	BO	10	ARG	NH1-CZ-NH2	5.15	125.07	119.40
1	AA	92	U	C5-C6-N1	-5.15	120.13	122.70
1	AA	611	C	C1'-O4'-C4'	-5.15	105.78	109.90
1	AA	1262	C	O5'-C5'-C4'	-5.15	101.92	111.70
3	AC	24	A	C6-C5-N7	5.15	135.90	132.30
4	AD	39	A	C5-N7-C8	-5.15	101.33	103.90
26	BB	954	G	N1-C6-O6	-5.15	116.81	119.90
26	BB	1281	G	N9-C4-C5	5.15	107.46	105.40
26	BB	1502	A	N1-C2-N3	-5.15	126.73	129.30
26	BB	1811	G	O4'-C1'-N9	5.15	112.32	108.20
26	BB	1886	U	O4'-C1'-N1	5.15	112.32	108.20
26	BB	2499	C	C6-N1-C2	-5.15	118.24	120.30
26	BB	2759	G	N7-C8-N9	5.15	115.67	113.10
1	AA	467	U	N3-C4-C5	-5.15	111.51	114.60
1	AA	650	G	C4'-C3'-C2'	-5.15	97.45	102.60
1	AA	779	C	C3'-C2'-C1'	-5.15	97.38	101.50
1	AA	828	U	C6-N1-C2	-5.15	117.91	121.00
1	AA	1437	A	C5-C6-N6	-5.15	119.58	123.70
1	AA	1469	C	O4'-C1'-C2'	5.15	112.23	107.60
2	AB	10	G	C4-C5-N7	-5.15	108.74	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	AU	72	ARG	CA-CB-CG	5.15	124.72	113.40
25	BA	71	C	C5-C4-N4	-5.15	116.60	120.20
26	BB	180	G	C6-C5-N7	-5.15	127.31	130.40
26	BB	292	U	C2-N3-C4	-5.15	123.91	127.00
26	BB	619	G	N9-C1'-C2'	-5.15	106.34	112.00
26	BB	976	G	N3-C2-N2	-5.15	116.30	119.90
26	BB	1097	U	C3'-C2'-C1'	-5.15	97.38	101.50
26	BB	1189	A	C1'-O4'-C4'	5.15	114.02	109.90
26	BB	1270	C	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	1869	G	C5-C6-O6	-5.15	125.51	128.60
26	BB	2117	A	N9-C4-C5	-5.15	103.74	105.80
26	BB	2252	G	N3-C2-N2	-5.15	116.30	119.90
26	BB	2294	G	P-O3'-C3'	5.15	125.88	119.70
26	BB	2302	U	O4'-C1'-N1	5.15	112.32	108.20
26	BB	2401	U	N3-C2-O2	-5.15	118.60	122.20
26	BB	2530	A	N9-C4-C5	5.15	107.86	105.80
26	BB	2540	C	C4'-C3'-C2'	-5.15	97.45	102.60
26	BB	2760	C	O5'-P-OP2	-5.15	101.07	105.70
26	BB	2786	U	OP2-P-O3'	5.15	116.53	105.20
48	BX	56	PHE	CB-CG-CD1	-5.15	117.20	120.80
51	B0	52	ARG	CD-NE-CZ	5.15	130.81	123.60
1	AA	814	A	O4'-C1'-C2'	-5.15	100.65	105.80
1	AA	1142	G	N1-C6-O6	-5.15	116.81	119.90
1	AA	1300	G	P-O3'-C3'	5.15	125.88	119.70
4	AD	28	U	C5'-C4'-C3'	-5.15	107.77	116.00
4	AD	44	A	N7-C8-N9	-5.15	111.23	113.80
26	BB	651	G	P-O3'-C3'	5.15	125.88	119.70
26	BB	898	C	C5-C4-N4	-5.15	116.60	120.20
26	BB	1966	A	O4'-C1'-C2'	-5.15	100.65	105.80
1	AA	557	G	C2-N3-C4	5.14	114.47	111.90
1	AA	667	G	C5-C6-N1	5.14	114.07	111.50
1	AA	888	G	N3-C4-C5	-5.14	126.03	128.60
1	AA	1050	G	N1-C2-N2	-5.14	111.57	116.20
1	AA	1087	G	C5'-C4'-O4'	5.14	115.27	109.10
1	AA	1325	C	C2-N3-C4	-5.14	117.33	119.90
2	AB	52	A	C8-N9-C4	5.14	107.86	105.80
3	AC	21	U	C2-N3-C4	5.14	130.09	127.00
26	BB	424	G	C5-C6-O6	-5.14	125.51	128.60
26	BB	485	C	O4'-C4'-C3'	-5.14	98.86	104.00
26	BB	495	G	P-O3'-C3'	5.14	125.87	119.70
26	BB	557	C	C4'-C3'-C2'	-5.14	97.45	102.60
26	BB	564	C	C4-C5-C6	-5.14	114.83	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1263	U	C4'-C3'-C2'	5.14	107.75	102.60
26	BB	1349	C	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	1425	G	O4'-C1'-C2'	5.14	112.23	107.60
26	BB	1501	G	C4-C5-N7	5.14	112.86	110.80
26	BB	2116	G	C6-N1-C2	5.14	128.19	125.10
26	BB	2645	G	N1-C2-N2	5.14	120.83	116.20
26	BB	2841	C	N3-C2-O2	-5.14	118.30	121.90
29	BE	90	PHE	N-CA-CB	5.14	119.86	110.60
1	AA	34	C	C2-N3-C4	-5.14	117.33	119.90
1	AA	99	C	C2-N3-C4	5.14	122.47	119.90
1	AA	127	G	C4-N9-C1'	-5.14	119.81	126.50
1	AA	330	C	C2-N3-C4	5.14	122.47	119.90
1	AA	481	G	N1-C2-N2	-5.14	111.57	116.20
1	AA	633	G	N1-C6-O6	5.14	122.99	119.90
1	AA	666	G	O4'-C4'-C3'	5.14	110.21	106.10
1	AA	670	G	C5-N7-C8	5.14	106.87	104.30
1	AA	733	G	N3-C4-C5	-5.14	126.03	128.60
1	AA	953	G	C2-N3-C4	5.14	114.47	111.90
1	AA	1429	A	C2-N3-C4	5.14	113.17	110.60
1	AA	1536	C	C4'-C3'-C2'	-5.14	97.46	102.60
22	AV	35	ARG	NE-CZ-NH1	-5.14	117.73	120.30
26	BB	568	U	O4'-C1'-C2'	5.14	112.23	107.60
26	BB	954	G	C5-N7-C8	-5.14	101.73	104.30
26	BB	1479	G	P-O3'-C3'	5.14	125.87	119.70
26	BB	1710	G	O4'-C1'-N9	5.14	112.31	108.20
26	BB	1766	G	N3-C4-C5	-5.14	126.03	128.60
26	BB	1938	A	O4'-C1'-N9	5.14	112.31	108.20
26	BB	2133	G	C2-N3-C4	5.14	114.47	111.90
26	BB	2430	A	C1'-O4'-C4'	-5.14	105.79	109.90
26	BB	2473	U	C2'-C3'-O3'	5.14	121.93	113.70
26	BB	2493	U	N3-C2-O2	-5.14	118.60	122.20
26	BB	2650	U	C1'-O4'-C4'	5.14	114.01	109.90
26	BB	2717	C	N1-C1'-C2'	-5.14	106.34	112.00
1	AA	17	U	C1'-O4'-C4'	5.14	114.01	109.90
1	AA	51	A	C6-N1-C2	-5.14	115.52	118.60
1	AA	531	U	N1-C2-N3	5.14	117.98	114.90
1	AA	566	G	N1-C6-O6	5.14	122.98	119.90
1	AA	733	G	C5-C6-O6	-5.14	125.52	128.60
1	AA	1186	G	C5-N7-C8	-5.14	101.73	104.30
1	AA	1511	G	C5'-C4'-O4'	5.14	115.27	109.10
1	AA	1540	U	N1-C2-N3	5.14	117.98	114.90
26	BB	421	C	N3-C4-C5	5.14	123.96	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	572	A	O4'-C1'-C2'	-5.14	100.66	105.80
26	BB	678	C	C4-C5-C6	-5.14	114.83	117.40
26	BB	763	G	C2'-C3'-O3'	5.14	121.93	113.70
26	BB	1026	G	C6-N1-C2	-5.14	122.02	125.10
26	BB	1126	A	P-O3'-C3'	5.14	125.87	119.70
26	BB	1497	U	C2-N3-C4	5.14	130.08	127.00
26	BB	1617	C	C4-C5-C6	5.14	119.97	117.40
26	BB	2395	C	N3-C2-O2	-5.14	118.30	121.90
26	BB	2574	G	N3-C4-C5	-5.14	126.03	128.60
1	AA	94	G	C5-N7-C8	-5.14	101.73	104.30
1	AA	160	A	C6-N1-C2	-5.14	115.52	118.60
1	AA	409	U	C5-C6-N1	5.14	125.27	122.70
1	AA	460	A	C2-N3-C4	-5.14	108.03	110.60
1	AA	476	U	OP2-P-O3'	5.14	116.51	105.20
1	AA	580	C	N1-C2-O2	5.14	121.98	118.90
4	AD	43	G	C4-N9-C1'	-5.14	119.82	126.50
25	BA	51	G	N3-C4-N9	5.14	129.08	126.00
26	BB	548	G	O5'-P-OP2	-5.14	101.08	105.70
26	BB	724	U	C5-C4-O4	-5.14	122.82	125.90
26	BB	818	G	N9-C1'-C2'	-5.14	106.35	112.00
26	BB	1685	C	O3'-P-O5'	5.14	113.77	104.00
26	BB	1818	U	C6-N1-C1'	-5.14	114.00	121.20
26	BB	1859	U	C5'-C4'-O4'	5.14	115.27	109.10
26	BB	2310	C	N1-C1'-C2'	5.14	120.68	114.00
26	BB	2624	G	N3-C4-C5	-5.14	126.03	128.60
26	BB	2702	G	C5-C6-O6	5.14	131.68	128.60
1	AA	120	A	C5-N7-C8	5.14	106.47	103.90
1	AA	641	U	C5-C4-O4	5.14	128.98	125.90
1	AA	977	A	O4'-C1'-N9	5.14	112.31	108.20
1	AA	1521	C	C1'-O4'-C4'	-5.14	105.79	109.90
12	AL	17	ARG	NE-CZ-NH2	-5.14	117.73	120.30
18	AR	56	LEU	CB-CG-CD1	5.14	119.73	111.00
25	BA	52	A	C5-N7-C8	5.14	106.47	103.90
26	BB	2049	G	C5-C6-N1	5.14	114.07	111.50
26	BB	2486	C	C4'-C3'-C2'	-5.14	97.46	102.60
26	BB	2728	U	N3-C2-O2	-5.14	118.60	122.20
1	AA	60	A	C8-N9-C4	-5.14	103.75	105.80
1	AA	348	G	C6-N1-C2	-5.14	122.02	125.10
1	AA	614	C	O4'-C4'-C3'	-5.14	98.86	104.00
1	AA	1090	U	C5-C6-N1	-5.14	120.13	122.70
1	AA	1343	G	C4-C5-C6	5.14	121.88	118.80
1	AA	1475	G	O4'-C1'-N9	5.14	112.31	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	16	A	C4'-C3'-C2'	-5.14	97.46	102.60
4	AD	68	C	O5'-P-OP2	-5.14	101.08	105.70
4	AD	71	G	C5-C6-N1	-5.14	108.93	111.50
23	AW	14	GLU	OE1-CD-OE2	5.14	129.46	123.30
26	BB	532	A	C5'-C4'-C3'	-5.14	107.78	116.00
26	BB	686	U	C6-N1-C2	-5.14	117.92	121.00
26	BB	1074	G	N1-C6-O6	5.14	122.98	119.90
26	BB	1082	U	C5'-C4'-C3'	-5.14	107.78	116.00
26	BB	1250	G	C1'-O4'-C4'	5.14	114.01	109.90
26	BB	1260	A	C5'-C4'-O4'	5.14	115.26	109.10
26	BB	1590	A	C5-N7-C8	-5.14	101.33	103.90
26	BB	2505	G	OP2-P-O3'	5.14	116.50	105.20
26	BB	2808	G	N3-C4-C5	5.14	131.17	128.60
31	BG	166	ARG	NH1-CZ-NH2	-5.14	113.75	119.40
1	AA	13	U	N3-C4-C5	5.13	117.68	114.60
1	AA	33	A	P-O3'-C3'	5.13	125.86	119.70
1	AA	67	C	N3-C2-O2	-5.13	118.31	121.90
1	AA	156	C	N1-C2-O2	5.13	121.98	118.90
1	AA	293	G	C5-C6-O6	5.13	131.68	128.60
1	AA	377	G	P-O5'-C5'	5.13	129.12	120.90
1	AA	538	G	N7-C8-N9	5.13	115.67	113.10
1	AA	637	C	N3-C2-O2	-5.13	118.31	121.90
1	AA	812	G	O3'-P-O5'	-5.13	94.25	104.00
1	AA	912	C	O4'-C4'-C3'	-5.13	98.86	104.00
1	AA	990	C	P-O3'-C3'	5.13	125.86	119.70
1	AA	1248	A	C3'-C2'-C1'	5.13	105.61	101.50
1	AA	1419	G	N1-C2-N2	5.13	120.82	116.20
1	AA	1494	G	C6-N1-C2	5.13	128.18	125.10
26	BB	126	A	C2'-C3'-O3'	5.13	121.92	113.70
26	BB	466	A	C5-N7-C8	-5.13	101.33	103.90
26	BB	1330	C	O4'-C1'-N1	5.13	112.31	108.20
26	BB	1408	G	C6-N1-C2	-5.13	122.02	125.10
26	BB	1610	A	C8-N9-C4	-5.13	103.75	105.80
26	BB	2557	G	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	2739	U	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	2743	U	C2-N3-C4	-5.13	123.92	127.00
26	BB	2756	U	N1-C2-O2	5.13	126.39	122.80
44	BT	38	VAL	CB-CA-C	5.13	121.16	111.40
52	B1	37	ARG	NE-CZ-NH1	5.13	122.87	120.30
1	AA	548	G	C5-N7-C8	-5.13	101.73	104.30
1	AA	746	A	C4-C5-C6	-5.13	114.43	117.00
15	AO	114	SER	O-C-N	5.13	130.91	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	32	C	C5-C4-N4	-5.13	116.61	120.20
26	BB	122	G	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	503	A	C3'-C2'-C1'	-5.13	97.39	101.50
26	BB	725	G	C5-C6-O6	5.13	131.68	128.60
26	BB	888	C	N1-C1'-C2'	-5.13	106.35	112.00
26	BB	989	G	C1'-O4'-C4'	-5.13	105.79	109.90
26	BB	2321	U	N1-C2-O2	-5.13	119.21	122.80
26	BB	2699	C	N3-C4-N4	5.13	121.59	118.00
1	AA	201	G	N9-C1'-C2'	-5.13	106.36	112.00
1	AA	380	G	C5-C6-N1	-5.13	108.93	111.50
1	AA	407	U	C5'-C4'-C3'	-5.13	107.79	116.00
1	AA	410	G	O4'-C1'-C2'	-5.13	100.67	105.80
1	AA	471	U	O3'-P-O5'	5.13	113.75	104.00
1	AA	879	C	C6-N1-C2	-5.13	118.25	120.30
1	AA	1151	A	C8-N9-C4	-5.13	103.75	105.80
1	AA	1418	A	N1-C6-N6	5.13	121.68	118.60
26	BB	218	A	N1-C6-N6	5.13	121.68	118.60
26	BB	354	A	N7-C8-N9	5.13	116.36	113.80
26	BB	467	G	C5-C6-N1	-5.13	108.93	111.50
26	BB	642	U	N3-C4-O4	-5.13	115.81	119.40
26	BB	1077	A	C3'-C2'-C1'	-5.13	97.39	101.50
26	BB	1106	G	N3-C4-C5	-5.13	126.03	128.60
26	BB	1272	A	C3'-C2'-C1'	5.13	105.61	101.50
26	BB	1431	A	C1'-O4'-C4'	5.13	114.00	109.90
26	BB	1797	G	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	1844	C	O4'-C4'-C3'	-5.13	98.87	104.00
26	BB	2065	C	C5-C6-N1	-5.13	118.43	121.00
30	BF	186	VAL	CB-CA-C	5.13	121.15	111.40
31	BG	158	THR	CA-CB-OG1	5.13	119.78	109.00
36	BL	99	ARG	CD-NE-CZ	5.13	130.78	123.60
1	AA	422	C	N1-C2-N3	-5.13	115.61	119.20
1	AA	585	G	O4'-C1'-N9	5.13	112.30	108.20
1	AA	876	C	C6-N1-C1'	5.13	126.96	120.80
1	AA	1009	U	C2-N3-C4	-5.13	123.92	127.00
1	AA	1441	A	C5'-C4'-O4'	5.13	115.26	109.10
18	AR	62	ARG	NE-CZ-NH1	-5.13	117.73	120.30
26	BB	531	C	N3-C2-O2	-5.13	118.31	121.90
26	BB	538	A	C5'-C4'-C3'	-5.13	107.79	116.00
26	BB	573	U	N3-C4-O4	-5.13	115.81	119.40
26	BB	781	A	C5-N7-C8	-5.13	101.33	103.90
26	BB	1653	G	N1-C6-O6	-5.13	116.82	119.90
26	BB	2447	G	N9-C1'-C2'	5.13	120.67	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2903	U	C2-N3-C4	-5.13	123.92	127.00
33	BI	63	ALA	CB-CA-C	5.13	117.79	110.10
34	BJ	63	VAL	CG1-CB-CG2	5.13	119.11	110.90
1	AA	38	G	N1-C2-N2	-5.13	111.58	116.20
1	AA	89	U	N3-C4-C5	-5.13	111.52	114.60
1	AA	155	A	C5-N7-C8	-5.13	101.34	103.90
1	AA	155	A	O5'-P-OP2	-5.13	101.08	105.70
1	AA	222	C	C5-C4-N4	-5.13	116.61	120.20
1	AA	491	G	P-O3'-C3'	5.13	125.86	119.70
1	AA	985	C	C3'-C2'-C1'	-5.13	97.40	101.50
1	AA	1380	U	C3'-C2'-C1'	-5.13	97.40	101.50
4	AD	57	C	C2-N3-C4	5.13	122.46	119.90
26	BB	262	A	N1-C2-N3	5.13	131.87	129.30
26	BB	392	U	C4-C5-C6	5.13	122.78	119.70
26	BB	772	C	O4'-C1'-N1	5.13	112.30	108.20
26	BB	1555	G	C2-N3-C4	5.13	114.46	111.90
26	BB	1654	A	N1-C2-N3	5.13	131.86	129.30
26	BB	1786	A	C4-C5-N7	5.13	113.26	110.70
26	BB	1860	G	C4-C5-N7	5.13	112.85	110.80
26	BB	2331	G	C6-N1-C2	-5.13	122.02	125.10
26	BB	2373	G	O4'-C1'-N9	5.13	112.30	108.20
26	BB	2545	G	N1-C6-O6	-5.13	116.82	119.90
26	BB	2756	U	P-O3'-C3'	5.13	125.85	119.70
26	BB	2773	C	N1-C2-O2	5.13	121.98	118.90
26	BB	2807	U	N3-C4-C5	5.13	117.68	114.60
26	BB	2846	G	C5'-C4'-O4'	5.13	115.25	109.10
49	BY	38	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	AA	119	A	O4'-C4'-C3'	5.13	110.20	106.10
1	AA	187	G	C2'-C3'-O3'	5.13	121.90	113.70
1	AA	209	U	C4-C5-C6	5.13	122.78	119.70
1	AA	349	A	C4-C5-N7	-5.13	108.14	110.70
1	AA	356	A	C5'-C4'-O4'	5.13	115.25	109.10
18	AR	7	THR	CA-CB-CG2	5.13	119.58	112.40
26	BB	156	A	C3'-C2'-C1'	-5.13	97.40	101.50
26	BB	192	C	N1-C2-N3	-5.13	115.61	119.20
26	BB	385	C	O4'-C4'-C3'	5.13	110.20	106.10
26	BB	408	G	C4-C5-N7	5.13	112.85	110.80
26	BB	717	C	N1-C2-N3	5.13	122.79	119.20
26	BB	839	U	N3-C4-O4	-5.13	115.81	119.40
26	BB	840	C	N3-C2-O2	-5.13	118.31	121.90
26	BB	1660	G	N7-C8-N9	5.13	115.66	113.10
26	BB	1669	A	C8-N9-C4	-5.13	103.75	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2181	U	N3-C2-O2	-5.13	118.61	122.20
26	BB	2295	C	C4-C5-C6	5.13	119.96	117.40
26	BB	2344	U	O4'-C1'-C2'	-5.13	100.67	105.80
26	BB	2560	A	O4'-C1'-C2'	5.13	112.21	107.60
26	BB	2625	G	C6-N1-C2	-5.13	122.02	125.10
32	BH	96	ALA	N-CA-CB	-5.13	102.92	110.10
2	AB	73	G	C2-N3-C4	5.12	114.46	111.90
26	BB	1020	A	N1-C2-N3	-5.12	126.74	129.30
26	BB	1022	G	C5'-C4'-C3'	-5.12	107.80	116.00
26	BB	2268	A	C4'-C3'-C2'	-5.12	97.47	102.60
1	AA	62	U	C2'-C3'-O3'	5.12	121.90	113.70
1	AA	605	U	N1-C1'-C2'	-5.12	106.36	112.00
1	AA	724	G	O5'-P-OP2	-5.12	101.09	105.70
1	AA	840	C	N1-C2-O2	5.12	121.97	118.90
1	AA	997	U	P-O3'-C3'	5.12	125.85	119.70
1	AA	1033	G	C4-C5-C6	5.12	121.88	118.80
1	AA	1046	A	N3-C4-C5	-5.12	123.21	126.80
1	AA	1292	G	C4'-C3'-C2'	-5.12	97.48	102.60
2	AB	71	C	O4'-C1'-N1	5.12	112.30	108.20
7	AG	125	ASN	N-CA-CB	5.12	119.82	110.60
9	AI	123	ASP	CB-CG-OD1	5.12	122.91	118.30
12	AL	6	TYR	CG-CD2-CE2	5.12	125.40	121.30
26	BB	1544	A	C8-N9-C4	-5.12	103.75	105.80
26	BB	1727	C	N3-C2-O2	-5.12	118.31	121.90
26	BB	1785	A	N3-C4-C5	-5.12	123.21	126.80
26	BB	1992	G	N3-C2-N2	-5.12	116.31	119.90
26	BB	2424	C	N3-C2-O2	-5.12	118.31	121.90
26	BB	2831	G	N3-C4-C5	-5.12	126.04	128.60
1	AA	122	G	N1-C2-N2	-5.12	111.59	116.20
1	AA	704	A	C1'-O4'-C4'	5.12	114.00	109.90
1	AA	926	G	N1-C2-N2	-5.12	111.59	116.20
1	AA	1184	G	N1-C2-N2	5.12	120.81	116.20
1	AA	1280	A	C5-C6-N6	-5.12	119.60	123.70
1	AA	1327	C	C2-N1-C1'	-5.12	113.17	118.80
1	AA	1429	A	N3-C4-C5	-5.12	123.22	126.80
25	BA	117	G	N1-C2-N2	5.12	120.81	116.20
26	BB	152	A	C8-N9-C4	-5.12	103.75	105.80
26	BB	250	G	C8-N9-C1'	5.12	133.66	127.00
26	BB	277	G	N1-C6-O6	5.12	122.97	119.90
26	BB	626	A	N1-C6-N6	5.12	121.67	118.60
26	BB	905	A	C5-N7-C8	5.12	106.46	103.90
26	BB	1321	A	N1-C2-N3	-5.12	126.74	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1599	U	O4'-C4'-C3'	5.12	110.20	106.10
26	BB	1699	G	N3-C4-N9	5.12	129.07	126.00
26	BB	1965	C	C5-C6-N1	5.12	123.56	121.00
26	BB	1980	G	N3-C4-N9	5.12	129.07	126.00
26	BB	2001	C	C5-C6-N1	-5.12	118.44	121.00
26	BB	2001	C	N3-C4-C5	-5.12	119.85	121.90
26	BB	2182	U	C1'-O4'-C4'	-5.12	105.80	109.90
26	BB	2342	C	C5-C4-N4	-5.12	116.61	120.20
26	BB	2493	U	P-O3'-C3'	-5.12	113.55	119.70
26	BB	2749	A	OP2-P-O3'	5.12	116.47	105.20
57	B6	22	LYS	CA-CB-CG	5.12	124.67	113.40
1	AA	881	G	N3-C4-N9	5.12	129.07	126.00
1	AA	1130	A	C6-C5-N7	5.12	135.88	132.30
1	AA	1508	A	C5-C6-N6	-5.12	119.60	123.70
2	AB	11	U	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	295	G	C1'-O4'-C4'	-5.12	105.80	109.90
26	BB	413	C	N3-C4-C5	-5.12	119.85	121.90
26	BB	670	A	C8-N9-C4	-5.12	103.75	105.80
26	BB	871	U	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	898	C	N1-C2-O2	5.12	121.97	118.90
26	BB	2160	C	C5'-C4'-O4'	5.12	115.24	109.10
39	BO	96	ILE	CA-CB-CG1	5.12	120.73	111.00
1	AA	113	G	C4'-C3'-C2'	-5.12	97.48	102.60
1	AA	135	C	C5'-C4'-O4'	5.12	115.24	109.10
1	AA	198	G	C5-C6-N1	5.12	114.06	111.50
1	AA	265	G	C4'-C3'-C2'	5.12	107.72	102.60
1	AA	1114	C	P-O3'-C3'	5.12	125.84	119.70
1	AA	1181	G	C4'-C3'-C2'	-5.12	97.48	102.60
1	AA	1336	C	N1-C2-N3	5.12	122.78	119.20
1	AA	1404	C	C3'-C2'-C1'	5.12	105.59	101.50
1	AA	1502	A	C5-C6-N1	5.12	120.26	117.70
6	AF	137	VAL	CA-CB-CG1	5.12	118.58	110.90
26	BB	216	A	C4-C5-N7	5.12	113.26	110.70
26	BB	594	U	C2-N3-C4	-5.12	123.93	127.00
26	BB	696	G	C3'-C2'-C1'	5.12	105.59	101.50
26	BB	743	A	C3'-C2'-C1'	-5.12	97.41	101.50
26	BB	1194	A	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	1271	G	C5-C6-N1	-5.12	108.94	111.50
26	BB	1845	G	C2'-C3'-O3'	5.12	121.89	113.70
26	BB	1850	G	C4-C5-N7	-5.12	108.75	110.80
26	BB	2446	G	N1-C2-N3	-5.12	120.83	123.90
26	BB	2493	U	N1-C2-N3	5.12	117.97	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2582	G	C5-C6-N1	-5.12	108.94	111.50
1	AA	150	U	C5'-C4'-C3'	5.12	124.19	116.00
1	AA	742	G	C8-N9-C1'	5.12	133.65	127.00
1	AA	1193	G	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	862	G	P-O3'-C3'	5.12	125.84	119.70
26	BB	1129	A	C4-C5-N7	-5.12	108.14	110.70
26	BB	2725	A	N9-C4-C5	-5.12	103.75	105.80
26	BB	2808	G	C6-C5-N7	-5.12	127.33	130.40
50	BZ	38	TRP	NE1-CE2-CD2	-5.12	102.18	107.30
1	AA	192	A	N1-C6-N6	5.12	121.67	118.60
1	AA	290	C	N3-C4-N4	5.12	121.58	118.00
1	AA	494	G	N1-C6-O6	-5.12	116.83	119.90
1	AA	560	A	N3-C4-C5	5.12	130.38	126.80
1	AA	689	C	N3-C2-O2	-5.12	118.32	121.90
1	AA	933	G	C4'-C3'-C2'	-5.12	97.48	102.60
1	AA	1381	U	C2-N3-C4	-5.12	123.93	127.00
6	AF	166	TRP	CZ3-CH2-CZ2	-5.12	115.46	121.60
22	AV	13	HIS	CA-C-O	-5.12	109.36	120.10
26	BB	11	C	C3'-C2'-C1'	5.12	105.59	101.50
26	BB	382	A	P-O3'-C3'	5.12	125.84	119.70
26	BB	2398	U	C6-N1-C2	-5.12	117.93	121.00
26	BB	2732	G	C5-C6-O6	-5.12	125.53	128.60
31	BG	98	PHE	CB-CG-CD1	5.12	124.38	120.80
45	BU	59	GLU	OE1-CD-OE2	5.12	129.44	123.30
1	AA	142	G	C5-C6-N1	5.11	114.06	111.50
1	AA	287	U	C4-C5-C6	5.11	122.77	119.70
1	AA	369	G	C4-C5-N7	-5.11	108.75	110.80
1	AA	422	C	O4'-C1'-C2'	-5.11	100.69	105.80
1	AA	500	G	C2-N3-C4	5.11	114.46	111.90
1	AA	590	U	C5'-C4'-O4'	5.11	115.24	109.10
1	AA	788	U	N3-C4-O4	-5.11	115.82	119.40
1	AA	814	A	C1'-O4'-C4'	5.11	113.99	109.90
1	AA	1158	C	C5-C4-N4	-5.11	116.62	120.20
1	AA	1484	C	C5-C4-N4	-5.11	116.62	120.20
14	AN	74	LYS	CB-CA-C	5.11	120.63	110.40
21	AU	69	TYR	CG-CD2-CE2	-5.11	117.21	121.30
25	BA	106	G	C4-C5-N7	5.11	112.84	110.80
26	BB	255	A	C5-C6-N1	5.11	120.26	117.70
26	BB	667	U	N3-C4-C5	5.11	117.67	114.60
26	BB	1086	A	P-O3'-C3'	5.11	125.84	119.70
26	BB	1117	C	P-O3'-C3'	5.11	125.83	119.70
26	BB	1275	A	C5-N7-C8	5.11	106.46	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1324	G	N1-C2-N2	5.11	120.80	116.20
26	BB	1342	A	C5-N7-C8	5.11	106.46	103.90
26	BB	1814	G	C6-C5-N7	-5.11	127.33	130.40
26	BB	1949	G	C5'-C4'-O4'	5.11	115.24	109.10
26	BB	1967	C	N1-C2-O2	5.11	121.97	118.90
26	BB	2322	A	P-O3'-C3'	5.11	125.84	119.70
26	BB	2450	A	C5-C6-N6	-5.11	119.61	123.70
26	BB	2692	G	O4'-C1'-N9	5.11	112.29	108.20
1	AA	1186	G	O4'-C4'-C3'	5.11	110.19	106.10
14	AN	15	VAL	CG1-CB-CG2	-5.11	102.72	110.90
26	BB	545	U	C2-N1-C1'	5.11	123.83	117.70
26	BB	780	G	C5-C6-N1	5.11	114.06	111.50
26	BB	1280	G	N1-C2-N3	-5.11	120.83	123.90
26	BB	1396	U	C5'-C4'-C3'	5.11	124.18	116.00
1	AA	251	G	N9-C4-C5	5.11	107.44	105.40
1	AA	413	G	C8-N9-C1'	5.11	133.64	127.00
1	AA	958	A	C4-C5-C6	-5.11	114.44	117.00
1	AA	1165	U	C4'-C3'-C2'	-5.11	97.49	102.60
1	AA	1245	C	C5-C4-N4	5.11	123.78	120.20
4	AD	30	G	C6-N1-C2	-5.11	122.03	125.10
24	AX	9	GLU	OE1-CD-OE2	5.11	129.43	123.30
26	BB	81	G	C4-C5-C6	5.11	121.87	118.80
26	BB	463	G	C8-N9-C4	-5.11	104.36	106.40
26	BB	700	G	N3-C2-N2	-5.11	116.32	119.90
26	BB	789	A	C4-C5-N7	-5.11	108.14	110.70
26	BB	865	C	C6-N1-C2	-5.11	118.26	120.30
26	BB	892	A	N1-C2-N3	-5.11	126.75	129.30
26	BB	1012	U	N3-C4-O4	5.11	122.98	119.40
26	BB	1041	G	C4-C5-N7	5.11	112.84	110.80
26	BB	1972	G	C6-N1-C2	-5.11	122.03	125.10
26	BB	2485	G	C4'-C3'-C2'	-5.11	97.49	102.60
30	BF	83	VAL	CA-CB-CG1	5.11	118.56	110.90
41	BQ	30	ARG	NE-CZ-NH1	5.11	122.86	120.30
42	BR	106	ALA	CB-CA-C	5.11	117.77	110.10
1	AA	616	G	C8-N9-C1'	5.11	133.64	127.00
1	AA	1515	G	N9-C1'-C2'	-5.11	106.38	112.00
26	BB	187	G	N9-C1'-C2'	-5.11	106.38	112.00
26	BB	342	A	N9-C4-C5	-5.11	103.76	105.80
26	BB	565	C	N1-C2-O2	5.11	121.97	118.90
26	BB	607	U	P-O3'-C3'	5.11	125.83	119.70
26	BB	2540	C	C6-N1-C2	-5.11	118.26	120.30
26	BB	2583	G	C5'-C4'-O4'	5.11	115.23	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	55	A	N3-C4-N9	-5.11	123.31	127.40
1	AA	116	A	N1-C6-N6	5.11	121.66	118.60
1	AA	215	C	N3-C2-O2	-5.11	118.32	121.90
1	AA	316	C	C4'-C3'-C2'	5.11	107.71	102.60
1	AA	886	G	C3'-C2'-C1'	5.11	105.59	101.50
1	AA	1115	U	C4'-C3'-C2'	-5.11	97.49	102.60
4	AD	49	C	C6-N1-C1'	-5.11	114.67	120.80
8	AH	143	LEU	CB-CA-C	5.11	119.90	110.20
26	BB	298	G	C2-N3-C4	5.11	114.45	111.90
26	BB	1291	C	N1-C2-O2	5.11	121.96	118.90
26	BB	1398	C	C4-C5-C6	5.11	119.95	117.40
26	BB	1862	G	N9-C4-C5	5.11	107.44	105.40
26	BB	2525	G	N3-C4-N9	-5.11	122.94	126.00
1	AA	108	G	C2-N3-C4	5.11	114.45	111.90
1	AA	285	C	C4'-C3'-C2'	-5.11	97.50	102.60
1	AA	670	G	P-O3'-C3'	5.11	125.83	119.70
1	AA	844	G	P-O3'-C3'	5.11	125.83	119.70
1	AA	1072	G	N3-C4-N9	5.11	129.06	126.00
1	AA	1162	C	N3-C2-O2	-5.11	118.33	121.90
1	AA	1494	G	C5'-C4'-C3'	-5.11	107.83	116.00
2	AB	28	C	C5-C4-N4	5.11	123.77	120.20
3	AC	25	U	N1-C1'-C2'	-5.11	106.39	112.00
25	BA	65	U	N3-C4-O4	-5.11	115.83	119.40
26	BB	80	G	C2-N3-C4	5.11	114.45	111.90
26	BB	441	U	P-O3'-C3'	5.11	125.83	119.70
26	BB	722	A	C3'-C2'-C1'	-5.11	97.42	101.50
26	BB	920	A	N1-C6-N6	5.11	121.66	118.60
26	BB	1016	G	C5'-C4'-O4'	5.11	115.23	109.10
26	BB	1289	C	C2-N3-C4	5.11	122.45	119.90
26	BB	1309	G	N3-C4-C5	-5.11	126.05	128.60
26	BB	1419	A	O4'-C1'-C2'	5.11	112.19	107.60
26	BB	1599	U	C1'-O4'-C4'	-5.11	105.82	109.90
26	BB	2145	C	C5'-C4'-C3'	-5.11	107.83	116.00
26	BB	2365	G	O4'-C1'-N9	5.11	112.28	108.20
26	BB	2427	C	P-O5'-C5'	5.11	129.07	120.90
26	BB	2472	G	N9-C4-C5	5.11	107.44	105.40
26	BB	2865	U	C4-C5-C6	5.11	122.76	119.70
1	AA	204	G	P-O3'-C3'	5.10	125.83	119.70
1	AA	248	C	N1-C2-O2	5.10	121.96	118.90
1	AA	514	C	N1-C2-O2	-5.10	115.84	118.90
1	AA	534	U	OP2-P-O3'	5.10	116.43	105.20
1	AA	793	U	C5'-C4'-O4'	5.10	115.22	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1227	A	C4-C5-C6	5.10	119.55	117.00
26	BB	2204	G	C5'-C4'-O4'	5.10	115.22	109.10
1	AA	87	C	N3-C4-C5	-5.10	119.86	121.90
1	AA	338	A	C8-N9-C4	-5.10	103.76	105.80
1	AA	433	G	C8-N9-C4	-5.10	104.36	106.40
1	AA	627	G	C8-N9-C1'	5.10	133.63	127.00
1	AA	740	U	C6-N1-C2	5.10	124.06	121.00
1	AA	791	G	N9-C4-C5	5.10	107.44	105.40
2	AB	51	G	C2-N3-C4	5.10	114.45	111.90
2	AB	61	C	C2-N3-C4	5.10	122.45	119.90
12	AL	54	VAL	CG1-CB-CG2	5.10	119.06	110.90
25	BA	88	C	P-O5'-C5'	5.10	129.06	120.90
25	BA	102	G	O4'-C1'-C2'	-5.10	100.70	105.80
26	BB	55	G	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	453	A	C4'-C3'-O3'	5.10	123.21	113.00
26	BB	512	G	C8-N9-C4	-5.10	104.36	106.40
26	BB	934	U	N3-C2-O2	-5.10	118.63	122.20
26	BB	1011	G	C4-N9-C1'	-5.10	119.87	126.50
26	BB	2200	C	N1-C2-O2	5.10	121.96	118.90
26	BB	2376	A	N1-C2-N3	5.10	131.85	129.30
26	BB	2523	G	C2-N3-C4	5.10	114.45	111.90
1	AA	867	G	N7-C8-N9	-5.10	110.55	113.10
1	AA	900	A	C5-C6-N1	5.10	120.25	117.70
1	AA	1337	G	C4-C5-N7	-5.10	108.76	110.80
25	BA	34	A	N7-C8-N9	-5.10	111.25	113.80
28	BD	3	VAL	CG1-CB-CG2	-5.10	102.74	110.90
1	AA	488	C	C5-C6-N1	5.10	123.55	121.00
1	AA	821	G	C4-C5-N7	5.10	112.84	110.80
1	AA	946	A	N1-C2-N3	-5.10	126.75	129.30
9	AI	64	VAL	O-C-N	5.10	130.86	122.70
25	BA	38	C	O4'-C1'-N1	5.10	112.28	108.20
26	BB	134	G	C6-C5-N7	5.10	133.46	130.40
26	BB	161	A	C4-C5-C6	5.10	119.55	117.00
26	BB	204	A	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	267	C	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	513	A	O3'-P-O5'	-5.10	94.31	104.00
26	BB	739	A	O4'-C4'-C3'	5.10	110.18	106.10
26	BB	742	A	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	915	C	N3-C2-O2	-5.10	118.33	121.90
26	BB	998	C	C2'-C3'-O3'	5.10	121.86	113.70
26	BB	1633	G	N1-C2-N3	5.10	126.96	123.90
26	BB	1890	A	N9-C4-C5	5.10	107.84	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2173	A	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	2604	U	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	2657	A	C1'-O4'-C4'	-5.10	105.82	109.90
1	AA	200	G	N7-C8-N9	5.10	115.65	113.10
1	AA	297	G	N3-C4-N9	-5.10	122.94	126.00
1	AA	605	U	C4-C5-C6	-5.10	116.64	119.70
1	AA	801	U	N1-C2-O2	-5.10	119.23	122.80
1	AA	1281	C	C2-N3-C4	5.10	122.45	119.90
25	BA	45	A	N1-C6-N6	5.10	121.66	118.60
26	BB	318	C	O4'-C1'-C2'	-5.10	100.70	105.80
26	BB	825	A	C4-C5-N7	-5.10	108.15	110.70
26	BB	928	A	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	1019	U	P-O3'-C3'	5.10	125.82	119.70
26	BB	1040	A	N1-C2-N3	-5.10	126.75	129.30
26	BB	1257	C	N3-C4-C5	-5.10	119.86	121.90
26	BB	1437	C	C4-C5-C6	-5.10	114.85	117.40
26	BB	1523	U	C5-C4-O4	-5.10	122.84	125.90
26	BB	1954	G	O3'-P-O5'	-5.10	94.31	104.00
26	BB	1974	C	N1-C2-N3	-5.10	115.63	119.20
26	BB	2475	C	N3-C4-N4	5.10	121.57	118.00
26	BB	2667	C	N1-C2-O2	-5.10	115.84	118.90
1	AA	496	A	N9-C1'-C2'	5.10	120.62	114.00
1	AA	918	A	C6-C5-N7	5.10	135.87	132.30
1	AA	1035	A	N9-C4-C5	5.10	107.84	105.80
26	BB	916	G	N3-C4-N9	5.10	129.06	126.00
1	AA	79	G	C4-N9-C1'	-5.09	119.88	126.50
1	AA	293	G	O4'-C1'-N9	5.09	112.28	108.20
1	AA	369	G	C4-C5-C6	5.09	121.86	118.80
1	AA	596	A	C5'-C4'-O4'	5.09	115.21	109.10
1	AA	907	A	OP2-P-O3'	5.09	116.41	105.20
1	AA	1167	A	N1-C2-N3	-5.09	126.75	129.30
23	AW	28	ARG	NE-CZ-NH1	5.09	122.85	120.30
25	BA	34	A	C4-C5-N7	-5.09	108.15	110.70
25	BA	87	U	N1-C1'-C2'	5.09	120.62	114.00
26	BB	185	G	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	295	G	N3-C4-C5	-5.09	126.05	128.60
26	BB	583	G	C4-C5-C6	5.09	121.86	118.80
26	BB	709	U	N3-C2-O2	-5.09	118.63	122.20
26	BB	953	G	C5-N7-C8	-5.09	101.75	104.30
26	BB	1050	A	C4'-C3'-C2'	-5.09	97.50	102.60
26	BB	1071	G	P-O3'-C3'	5.09	125.81	119.70
26	BB	1227	G	N3-C4-C5	-5.09	126.05	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1367	A	O4'-C1'-C2'	-5.09	100.70	105.80
26	BB	1369	G	C5-C6-O6	5.09	131.66	128.60
26	BB	2035	G	C6-C5-N7	5.09	133.46	130.40
26	BB	2081	U	N3-C2-O2	-5.09	118.63	122.20
26	BB	2824	C	C2-N1-C1'	-5.09	113.20	118.80
38	BN	58	TYR	CG-CD1-CE1	5.09	125.38	121.30
48	BX	66	ASP	CB-CG-OD1	-5.09	113.71	118.30
51	B0	56	LEU	C-N-CA	5.09	134.44	121.70
1	AA	1426	G	C2-N3-C4	5.09	114.45	111.90
26	BB	710	U	C2-N3-C4	-5.09	123.94	127.00
26	BB	789	A	C2-N3-C4	-5.09	108.05	110.60
26	BB	875	G	O5'-P-OP2	-5.09	101.12	105.70
26	BB	883	G	N1-C6-O6	-5.09	116.84	119.90
26	BB	964	C	C6-N1-C1'	5.09	126.91	120.80
26	BB	1063	G	P-O5'-C5'	5.09	129.05	120.90
26	BB	1348	C	P-O3'-C3'	5.09	125.81	119.70
26	BB	2337	G	N1-C2-N2	-5.09	111.62	116.20
26	BB	2403	C	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	2597	G	C2-N3-C4	5.09	114.45	111.90
26	BB	2858	C	C5'-C4'-C3'	-5.09	107.85	116.00
34	BJ	59	LEU	CB-CA-C	5.09	119.88	110.20
51	B0	29	ARG	NE-CZ-NH2	5.09	122.85	120.30
1	AA	68	G	N1-C2-N2	5.09	120.78	116.20
1	AA	470	C	C5'-C4'-C3'	-5.09	107.85	116.00
1	AA	493	A	C4-C5-C6	5.09	119.55	117.00
1	AA	578	C	C3'-C2'-C1'	-5.09	97.43	101.50
1	AA	783	C	C2-N3-C4	5.09	122.44	119.90
1	AA	832	G	O4'-C1'-N9	5.09	112.27	108.20
1	AA	847	G	C4'-C3'-O3'	5.09	123.18	113.00
1	AA	1020	G	C3'-C2'-C1'	5.09	105.57	101.50
1	AA	1026	G	C6-C5-N7	-5.09	127.34	130.40
1	AA	1323	G	N9-C1'-C2'	-5.09	106.40	112.00
26	BB	74	A	N9-C4-C5	5.09	107.84	105.80
26	BB	285	G	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	1305	C	O4'-C1'-C2'	5.09	112.18	107.60
26	BB	1398	C	C4'-C3'-O3'	5.09	123.18	113.00
26	BB	1472	C	C3'-C2'-C1'	5.09	105.57	101.50
26	BB	1496	A	N9-C4-C5	-5.09	103.76	105.80
26	BB	1548	A	C5-C6-N1	5.09	120.25	117.70
26	BB	1579	A	N1-C2-N3	5.09	131.84	129.30
26	BB	1702	G	C5'-C4'-C3'	-5.09	107.85	116.00
26	BB	1749	A	C4-C5-N7	-5.09	108.15	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1989	G	N3-C4-N9	5.09	129.06	126.00
26	BB	2279	G	N9-C4-C5	5.09	107.44	105.40
26	BB	2515	C	C5'-C4'-O4'	5.09	115.21	109.10
31	BG	30	VAL	CA-CB-CG2	5.09	118.54	110.90
38	BN	74	THR	CA-CB-CG2	5.09	119.53	112.40
1	AA	131	A	N3-C4-N9	-5.09	123.33	127.40
1	AA	178	C	N3-C2-O2	-5.09	118.34	121.90
13	AM	57	VAL	O-C-N	5.09	130.84	122.70
25	BA	17	C	C5-C6-N1	5.09	123.55	121.00
26	BB	73	A	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	122	G	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	134	G	N7-C8-N9	5.09	115.64	113.10
26	BB	390	U	P-O5'-C5'	5.09	129.04	120.90
26	BB	440	C	O4'-C1'-N1	5.09	112.27	108.20
26	BB	442	G	C6-N1-C2	-5.09	122.05	125.10
26	BB	488	G	C6-C5-N7	-5.09	127.35	130.40
26	BB	1848	A	N3-C4-C5	-5.09	123.24	126.80
26	BB	2107	G	O4'-C1'-N9	5.09	112.27	108.20
26	BB	2223	G	N3-C2-N2	-5.09	116.34	119.90
26	BB	2227	A	O4'-C1'-C2'	5.09	112.18	107.60
26	BB	2604	U	C1'-O4'-C4'	-5.09	105.83	109.90
30	BF	7	ASP	C-N-CA	5.09	134.43	121.70
50	BZ	70	LEU	CB-CG-CD1	-5.09	102.35	111.00
1	AA	504	C	C1'-O4'-C4'	5.09	113.97	109.90
1	AA	1143	G	C1'-O4'-C4'	5.09	113.97	109.90
26	BB	89	A	C5-N7-C8	-5.09	101.36	103.90
26	BB	1183	U	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	1214	A	C2-N3-C4	5.09	113.14	110.60
26	BB	1331	G	C5-C6-N1	5.09	114.04	111.50
26	BB	1434	A	C6-N1-C2	-5.09	115.55	118.60
26	BB	1564	C	P-O3'-C3'	5.09	125.81	119.70
26	BB	2528	U	C5-C4-O4	-5.09	122.85	125.90
27	BC	180	PHE	CB-CG-CD1	-5.09	117.24	120.80
1	AA	99	C	C5-C4-N4	-5.09	116.64	120.20
1	AA	412	A	C3'-C2'-C1'	-5.09	97.43	101.50
1	AA	457	G	N1-C6-O6	-5.09	116.85	119.90
1	AA	775	G	C6-N1-C2	-5.09	122.05	125.10
1	AA	847	G	C8-N9-C1'	5.09	133.61	127.00
1	AA	938	A	C6-N1-C2	-5.09	115.55	118.60
1	AA	1031	C	O4'-C1'-N1	5.09	112.27	108.20
1	AA	1224	U	N3-C4-C5	-5.09	111.55	114.60
1	AA	1261	A	C3'-C2'-C1'	5.09	105.57	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1326	U	C5-C6-N1	-5.09	120.16	122.70
4	AD	43	G	C4'-C3'-O3'	5.09	123.17	113.00
25	BA	78	A	O5'-P-OP1	5.09	116.80	110.70
26	BB	114	U	N3-C4-O4	5.09	122.96	119.40
26	BB	482	A	C2-N3-C4	5.09	113.14	110.60
26	BB	640	C	N1-C2-N3	-5.09	115.64	119.20
26	BB	949	G	C6-N1-C2	-5.09	122.05	125.10
26	BB	1177	G	C3'-C2'-C1'	5.09	105.57	101.50
26	BB	1328	A	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	1338	G	C5-C6-O6	5.09	131.65	128.60
26	BB	1904	G	N1-C6-O6	-5.09	116.85	119.90
26	BB	2211	A	OP1-P-OP2	5.09	127.23	119.60
26	BB	2217	G	C4-C5-C6	5.09	121.85	118.80
26	BB	2288	A	C5-N7-C8	5.09	106.44	103.90
26	BB	2309	A	C5'-C4'-C3'	-5.09	107.86	116.00
26	BB	2390	U	N3-C4-C5	-5.09	111.55	114.60
26	BB	2639	A	N1-C6-N6	-5.09	115.55	118.60
26	BB	2765	A	N3-C4-C5	-5.09	123.24	126.80
26	BB	2876	G	C5-N7-C8	5.09	106.84	104.30
46	BV	41	ALA	CA-C-N	-5.09	106.01	117.20
1	AA	137	U	C5-C4-O4	-5.08	122.85	125.90
1	AA	739	C	C4'-C3'-C2'	-5.08	97.52	102.60
1	AA	1035	A	C6-N1-C2	5.08	121.65	118.60
26	BB	180	G	C4'-C3'-C2'	5.08	107.69	102.60
26	BB	1347	A	O4'-C1'-N9	5.08	112.27	108.20
26	BB	2649	C	N3-C2-O2	-5.08	118.34	121.90
26	BB	2821	A	C3'-C2'-C1'	-5.08	97.43	101.50
28	BD	120	ASP	CB-CG-OD2	5.08	122.88	118.30
43	BS	100	PHE	CB-CG-CD1	5.08	124.36	120.80
1	AA	114	U	C2-N3-C4	5.08	130.05	127.00
1	AA	777	A	C5'-C4'-C3'	-5.08	107.87	116.00
1	AA	1026	G	C1'-O4'-C4'	-5.08	105.83	109.90
1	AA	1215	G	C5-C6-N1	-5.08	108.96	111.50
1	AA	1321	U	N1-C1'-C2'	5.08	120.61	114.00
1	AA	1362	A	C5-C6-N1	-5.08	115.16	117.70
1	AA	1458	G	C4'-C3'-C2'	-5.08	97.52	102.60
26	BB	311	A	C5'-C4'-O4'	5.08	115.20	109.10
26	BB	479	A	C5-C6-N1	-5.08	115.16	117.70
26	BB	885	C	C6-N1-C2	5.08	122.33	120.30
26	BB	1146	C	C5'-C4'-O4'	5.08	115.20	109.10
26	BB	1238	G	N3-C4-N9	5.08	129.05	126.00
26	BB	1413	A	C5'-C4'-C3'	5.08	124.13	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2399	G	C8-N9-C4	-5.08	104.37	106.40
26	BB	2473	U	C4-C5-C6	5.08	122.75	119.70
26	BB	2553	G	C5'-C4'-O4'	5.08	115.20	109.10
26	BB	2722	G	P-O5'-C5'	5.08	129.03	120.90
40	BP	95	THR	O-C-N	5.08	130.83	122.70
1	AA	28	A	N1-C2-N3	5.08	131.84	129.30
1	AA	166	U	C4-C5-C6	-5.08	116.65	119.70
1	AA	251	G	N9-C1'-C2'	5.08	120.61	114.00
1	AA	929	G	C3'-C2'-C1'	5.08	105.57	101.50
1	AA	1021	A	C5'-C4'-O4'	5.08	115.20	109.10
1	AA	1047	G	C8-N9-C4	-5.08	104.37	106.40
1	AA	1072	G	C5'-C4'-O4'	5.08	115.20	109.10
1	AA	1101	A	C4-C5-N7	-5.08	108.16	110.70
1	AA	1156	G	C6-N1-C2	-5.08	122.05	125.10
1	AA	1186	G	C4-N9-C1'	-5.08	119.89	126.50
1	AA	1204	A	C5-N7-C8	-5.08	101.36	103.90
1	AA	1222	G	C4'-C3'-C2'	5.08	107.68	102.60
1	AA	1261	A	C1'-O4'-C4'	5.08	113.97	109.90
1	AA	1332	A	N9-C4-C5	5.08	107.83	105.80
1	AA	1499	A	N7-C8-N9	5.08	116.34	113.80
2	AB	22	G	N3-C2-N2	-5.08	116.34	119.90
26	BB	806	C	N1-C2-O2	5.08	121.95	118.90
26	BB	809	G	P-O5'-C5'	5.08	129.03	120.90
26	BB	1126	A	C6-C5-N7	5.08	135.86	132.30
26	BB	1380	G	N7-C8-N9	5.08	115.64	113.10
26	BB	1432	G	C1'-O4'-C4'	-5.08	105.83	109.90
26	BB	1838	C	C4'-C3'-O3'	-5.08	98.73	109.40
26	BB	2027	G	N1-C2-N3	-5.08	120.85	123.90
26	BB	2144	G	C6-C5-N7	5.08	133.45	130.40
26	BB	2751	G	C6-C5-N7	-5.08	127.35	130.40
26	BB	2805	C	N1-C2-O2	5.08	121.95	118.90
57	B6	1	PRO	CA-N-CD	-5.08	104.39	111.50
1	AA	26	A	C5-C6-N1	5.08	120.24	117.70
1	AA	121	U	O4'-C1'-C2'	-5.08	100.72	105.80
1	AA	357	G	N3-C4-N9	5.08	129.05	126.00
1	AA	691	G	C6-N1-C2	-5.08	122.05	125.10
1	AA	1467	C	C2-N1-C1'	-5.08	113.21	118.80
5	AE	94	ARG	CD-NE-CZ	5.08	130.71	123.60
25	BA	44	G	C4'-C3'-C2'	5.08	107.68	102.60
26	BB	99	U	C4'-C3'-C2'	-5.08	97.52	102.60
26	BB	1265	A	O5'-C5'-C4'	-5.08	102.05	111.70
26	BB	1451	C	O4'-C1'-N1	5.08	112.26	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2746	U	P-O3'-C3'	5.08	125.80	119.70
28	BD	216	ARG	NE-CZ-NH2	-5.08	117.76	120.30
53	B2	49	ARG	NH1-CZ-NH2	5.08	124.99	119.40
1	AA	81	A	N7-C8-N9	5.08	116.34	113.80
1	AA	523	A	C8-N9-C4	-5.08	103.77	105.80
1	AA	753	A	N9-C4-C5	5.08	107.83	105.80
1	AA	1121	U	P-O3'-C3'	5.08	125.80	119.70
10	AJ	101	ARG	NE-CZ-NH2	-5.08	117.76	120.30
25	BA	30	C	C4'-C3'-C2'	-5.08	97.52	102.60
26	BB	13	A	N3-C4-N9	5.08	131.46	127.40
26	BB	294	A	P-O3'-C3'	5.08	125.80	119.70
26	BB	721	A	N3-C4-N9	5.08	131.46	127.40
26	BB	735	A	C6-N1-C2	-5.08	115.55	118.60
26	BB	1268	A	O5'-P-OP2	-5.08	101.13	105.70
26	BB	1287	A	N1-C2-N3	-5.08	126.76	129.30
26	BB	1632	A	C5-N7-C8	5.08	106.44	103.90
26	BB	1794	A	C6-N1-C2	-5.08	115.55	118.60
26	BB	1913	A	N9-C4-C5	5.08	107.83	105.80
26	BB	2340	A	C8-N9-C4	-5.08	103.77	105.80
26	BB	2399	G	C5-C6-N1	5.08	114.04	111.50
26	BB	2519	U	O4'-C4'-C3'	5.08	110.16	106.10
26	BB	2549	G	C5-N7-C8	5.08	106.84	104.30
26	BB	2794	C	N1-C2-O2	5.08	121.95	118.90
4	AD	53	G	C4'-C3'-C2'	-5.08	97.52	102.60
26	BB	159	G	N9-C4-C5	5.08	107.43	105.40
26	BB	346	A	N1-C2-N3	5.08	131.84	129.30
26	BB	681	G	C3'-C2'-C1'	5.08	105.56	101.50
26	BB	1029	A	O4'-C1'-N9	5.08	112.26	108.20
26	BB	1907	G	N1-C6-O6	-5.08	116.85	119.90
26	BB	2231	U	C1'-O4'-C4'	-5.08	105.84	109.90
26	BB	2240	U	C5-C4-O4	5.08	128.95	125.90
26	BB	2788	C	O3'-P-O5'	5.08	113.65	104.00
1	AA	196	A	C5-N7-C8	-5.08	101.36	103.90
1	AA	408	A	C5-C6-N1	5.08	120.24	117.70
1	AA	556	C	O4'-C4'-C3'	5.08	110.16	106.10
1	AA	646	G	C8-N9-C1'	5.08	133.60	127.00
1	AA	733	G	C2-N3-C4	5.08	114.44	111.90
1	AA	1360	A	N1-C6-N6	-5.08	115.55	118.60
25	BA	9	G	C2-N3-C4	-5.08	109.36	111.90
26	BB	11	C	C5-C4-N4	-5.08	116.65	120.20
26	BB	270	A	C4-C5-C6	-5.08	114.46	117.00
26	BB	405	U	C5-C4-O4	5.08	128.94	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	422	A	C2-N3-C4	5.08	113.14	110.60
26	BB	466	A	C5-C6-N1	5.08	120.24	117.70
26	BB	561	G	C8-N9-C4	5.08	108.43	106.40
26	BB	834	G	C2-N3-C4	5.08	114.44	111.90
26	BB	879	G	C2-N3-C4	5.08	114.44	111.90
26	BB	883	G	C4'-C3'-C2'	-5.08	97.53	102.60
26	BB	976	G	C5'-C4'-O4'	5.08	115.19	109.10
26	BB	2027	G	C4-C5-N7	-5.08	108.77	110.80
26	BB	2164	C	N1-C1'-C2'	-5.08	106.42	112.00
26	BB	2464	G	C6-C5-N7	5.08	133.45	130.40
26	BB	2743	U	C4'-C3'-C2'	-5.08	97.52	102.60
26	BB	2844	G	C5-N7-C8	-5.08	101.76	104.30
52	B1	54	VAL	CB-CA-C	-5.08	101.75	111.40
53	B2	56	ARG	CG-CD-NE	-5.08	101.14	111.80
1	AA	17	U	C5'-C4'-O4'	5.07	115.19	109.10
1	AA	57	G	O4'-C1'-N9	-5.07	104.14	108.20
1	AA	491	G	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	745	G	O3'-P-O5'	-5.07	94.36	104.00
1	AA	939	G	O4'-C1'-N9	5.07	112.26	108.20
1	AA	1413	A	O4'-C1'-N9	5.07	112.26	108.20
26	BB	350	G	C4-N9-C1'	5.07	133.09	126.50
26	BB	830	G	N1-C6-O6	5.07	122.94	119.90
26	BB	1223	G	N3-C4-N9	5.07	129.04	126.00
26	BB	1580	A	C1'-O4'-C4'	-5.07	105.84	109.90
26	BB	1585	C	P-O3'-C3'	5.07	125.79	119.70
26	BB	1626	A	C5-C6-N6	-5.07	119.64	123.70
26	BB	2211	A	C2-N3-C4	5.07	113.14	110.60
26	BB	2239	G	N3-C4-C5	-5.07	126.06	128.60
26	BB	2307	G	N7-C8-N9	-5.07	110.56	113.10
26	BB	2496	C	N1-C2-N3	-5.07	115.65	119.20
26	BB	2773	C	N3-C2-O2	-5.07	118.35	121.90
26	BB	2777	G	OP2-P-O3'	5.07	116.36	105.20
41	BQ	117	PHE	CB-CG-CD2	-5.07	117.25	120.80
1	AA	187	G	N1-C6-O6	-5.07	116.86	119.90
1	AA	255	G	N9-C1'-C2'	-5.07	106.42	112.00
1	AA	693	G	C1'-O4'-C4'	-5.07	105.84	109.90
25	BA	9	G	C5-C6-O6	-5.07	125.56	128.60
26	BB	446	G	N3-C4-C5	-5.07	126.06	128.60
26	BB	721	A	N3-C4-C5	-5.07	123.25	126.80
26	BB	1853	A	C4-C5-C6	5.07	119.54	117.00
26	BB	2692	G	C2-N3-C4	-5.07	109.36	111.90
26	BB	2700	A	N1-C2-N3	-5.07	126.76	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	48	C	C6-N1-C1'	5.07	126.89	120.80
1	AA	253	A	C5'-C4'-O4'	5.07	115.19	109.10
1	AA	593	U	C3'-C2'-C1'	5.07	105.56	101.50
1	AA	829	G	N3-C4-N9	5.07	129.04	126.00
1	AA	1143	G	N3-C2-N2	5.07	123.45	119.90
1	AA	1173	U	C5-C4-O4	-5.07	122.86	125.90
1	AA	1265	C	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	1391	U	C4'-C3'-C2'	-5.07	97.53	102.60
2	AB	19	G	N9-C4-C5	5.07	107.43	105.40
26	BB	918	A	N1-C2-N3	-5.07	126.76	129.30
26	BB	1285	A	O5'-P-OP1	-5.07	101.14	105.70
26	BB	1413	A	C2-N3-C4	-5.07	108.06	110.60
26	BB	1423	G	N3-C4-C5	-5.07	126.06	128.60
26	BB	1631	G	N1-C2-N2	-5.07	111.64	116.20
26	BB	2104	C	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	2312	U	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	2407	A	N7-C8-N9	5.07	116.33	113.80
26	BB	2772	C	N3-C4-C5	5.07	123.93	121.90
26	BB	2828	G	P-O3'-C3'	5.07	125.78	119.70
1	AA	1331	G	C5-C6-O6	5.07	131.64	128.60
26	BB	1026	G	C5-C6-O6	-5.07	125.56	128.60
26	BB	1264	A	N3-C4-C5	-5.07	123.25	126.80
26	BB	1288	G	N9-C4-C5	-5.07	103.37	105.40
26	BB	1954	G	O4'-C1'-C2'	5.07	112.16	107.60
26	BB	2693	G	C4-C5-N7	5.07	112.83	110.80
33	BI	21	VAL	CA-CB-CG1	5.07	118.50	110.90
1	AA	116	A	C6-C5-N7	5.07	135.85	132.30
1	AA	319	G	C8-N9-C1'	5.07	133.59	127.00
1	AA	533	A	O4'-C1'-C2'	-5.07	100.73	105.80
1	AA	1047	G	C2'-C3'-O3'	5.07	121.81	113.70
1	AA	1081	A	C8-N9-C4	-5.07	103.77	105.80
1	AA	1357	A	C5-C6-N6	5.07	127.75	123.70
2	AB	28	C	O5'-P-OP1	-5.07	101.14	105.70
3	AC	55	A	C1'-O4'-C4'	-5.07	105.85	109.90
26	BB	786	C	C5-C4-N4	-5.07	116.65	120.20
26	BB	972	A	C5-C6-N6	-5.07	119.65	123.70
26	BB	1338	G	C6-N1-C2	-5.07	122.06	125.10
26	BB	1459	G	C5-N7-C8	-5.07	101.77	104.30
26	BB	1666	G	N9-C4-C5	-5.07	103.37	105.40
26	BB	2250	G	C8-N9-C1'	5.07	133.59	127.00
26	BB	2358	A	C4-C5-N7	-5.07	108.17	110.70
26	BB	2438	U	P-O3'-C3'	5.07	125.78	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	BG	169	LEU	CB-CA-C	5.07	119.83	110.20
34	BJ	99	ALA	N-CA-CB	-5.07	103.01	110.10
1	AA	18	C	C5-C4-N4	5.07	123.75	120.20
1	AA	35	G	O3'-P-O5'	-5.07	94.38	104.00
1	AA	71	A	O5'-C5'-C4'	-5.07	102.08	111.70
1	AA	257	G	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	517	G	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	807	A	N1-C2-N3	-5.07	126.77	129.30
1	AA	993	G	P-O3'-C3'	5.07	125.78	119.70
1	AA	1095	U	O4'-C4'-C3'	5.07	110.15	106.10
1	AA	1386	G	N7-C8-N9	-5.07	110.57	113.10
4	AD	41	C	C6-N1-C2	5.07	122.33	120.30
10	AJ	67	ASN	N-CA-CB	-5.07	101.48	110.60
25	BA	91	C	N3-C2-O2	-5.07	118.36	121.90
26	BB	66	C	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	369	U	O4'-C4'-C3'	5.07	110.15	106.10
26	BB	511	U	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	615	U	C3'-C2'-C1'	5.07	105.55	101.50
26	BB	617	G	C2-N3-C4	5.07	114.43	111.90
26	BB	621	A	C5-N7-C8	-5.07	101.37	103.90
26	BB	992	C	C6-N1-C2	-5.07	118.27	120.30
26	BB	1252	G	C4-C5-C6	5.07	121.84	118.80
26	BB	1515	A	C4-C5-N7	5.07	113.23	110.70
26	BB	1785	A	C5'-C4'-O4'	5.07	115.18	109.10
26	BB	2034	U	O4'-C1'-C2'	5.07	112.16	107.60
26	BB	2067	G	N9-C1'-C2'	-5.07	106.43	112.00
26	BB	2148	G	P-O3'-C3'	5.07	125.78	119.70
26	BB	2356	U	C5-C4-O4	-5.07	122.86	125.90
26	BB	2372	U	N3-C2-O2	-5.07	118.65	122.20
26	BB	2899	A	C6-C5-N7	-5.07	128.75	132.30
30	BF	154	ASP	CB-CG-OD2	-5.07	113.74	118.30
1	AA	237	G	N1-C2-N2	5.06	120.76	116.20
1	AA	295	C	C1'-O4'-C4'	5.06	113.95	109.90
1	AA	932	C	C5-C6-N1	-5.06	118.47	121.00
1	AA	1074	G	O4'-C1'-N9	5.06	112.25	108.20
1	AA	1222	G	N7-C8-N9	5.06	115.63	113.10
25	BA	113	C	C4-C5-C6	5.06	119.93	117.40
26	BB	215	G	P-O3'-C3'	5.06	125.78	119.70
26	BB	1194	A	OP1-P-OP2	-5.06	112.00	119.60
26	BB	1815	A	C1'-O4'-C4'	5.06	113.95	109.90
26	BB	1957	C	C5'-C4'-C3'	-5.06	107.90	116.00
26	BB	2020	A	C8-N9-C4	-5.06	103.77	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2660	A	C3'-C2'-C1'	5.06	105.55	101.50
26	BB	2784	U	C5'-C4'-O4'	5.06	115.18	109.10
43	BS	101	ASP	OD1-CG-OD2	5.06	132.92	123.30
1	AA	234	C	C3'-C2'-C1'	-5.06	97.45	101.50
1	AA	376	G	N3-C4-C5	-5.06	126.07	128.60
1	AA	399	G	C5'-C4'-O4'	5.06	115.17	109.10
1	AA	447	G	N3-C4-C5	-5.06	126.07	128.60
1	AA	482	A	C5-C6-N6	-5.06	119.65	123.70
1	AA	672	U	N3-C4-C5	-5.06	111.56	114.60
1	AA	790	A	C5-N7-C8	5.06	106.43	103.90
1	AA	849	G	N3-C4-N9	5.06	129.04	126.00
1	AA	1122	U	C3'-C2'-C1'	-5.06	97.45	101.50
2	AB	76	A	C8-N9-C4	-5.06	103.78	105.80
3	AC	51	C	C2-N1-C1'	5.06	124.37	118.80
25	BA	66	A	C4'-C3'-O3'	5.06	123.12	113.00
26	BB	230	G	N1-C2-N2	5.06	120.76	116.20
26	BB	324	A	N1-C6-N6	5.06	121.64	118.60
26	BB	343	C	N1-C2-O2	5.06	121.94	118.90
26	BB	837	C	N1-C2-N3	5.06	122.74	119.20
26	BB	971	G	C8-N9-C1'	5.06	133.58	127.00
26	BB	1038	G	C5-N7-C8	-5.06	101.77	104.30
26	BB	1434	A	N9-C1'-C2'	-5.06	106.43	112.00
26	BB	1757	A	N7-C8-N9	5.06	116.33	113.80
26	BB	1775	U	C5-C4-O4	5.06	128.94	125.90
26	BB	1899	A	N3-C4-N9	-5.06	123.35	127.40
26	BB	1907	G	C4-C5-C6	5.06	121.84	118.80
26	BB	2262	U	N1-C2-N3	5.06	117.94	114.90
26	BB	2689	U	C5-C4-O4	-5.06	122.86	125.90
33	BI	108	VAL	CB-CA-C	5.06	121.02	111.40
38	BN	105	ILE	O-C-N	5.06	130.80	122.70
1	AA	924	C	C2-N1-C1'	-5.06	113.23	118.80
1	AA	1260	G	C5'-C4'-O4'	5.06	115.17	109.10
26	BB	89	A	C6-N1-C2	-5.06	115.56	118.60
26	BB	720	U	N1-C1'-C2'	-5.06	106.43	112.00
26	BB	1359	A	C6-N1-C2	-5.06	115.56	118.60
26	BB	1456	G	C6-N1-C2	-5.06	122.06	125.10
26	BB	2127	G	C5'-C4'-O4'	5.06	115.17	109.10
26	BB	2622	U	N1-C2-O2	-5.06	119.26	122.80
1	AA	187	G	C4-C5-C6	-5.06	115.76	118.80
1	AA	197	A	C5'-C4'-O4'	5.06	115.17	109.10
1	AA	206	C	C6-N1-C2	-5.06	118.28	120.30
1	AA	673	A	N9-C4-C5	5.06	107.82	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	956	U	O4'-C4'-C3'	5.06	110.15	106.10
1	AA	1011	C	C5-C6-N1	-5.06	118.47	121.00
1	AA	1164	G	C5-N7-C8	-5.06	101.77	104.30
1	AA	1194	U	C1'-O4'-C4'	5.06	113.95	109.90
1	AA	1333	A	C3'-C2'-C1'	-5.06	97.45	101.50
1	AA	1405	G	C8-N9-C4	-5.06	104.38	106.40
1	AA	1522	U	C5-C4-O4	5.06	128.94	125.90
26	BB	79	C	C5-C4-N4	-5.06	116.66	120.20
26	BB	257	C	C1'-O4'-C4'	5.06	113.95	109.90
26	BB	332	A	C1'-O4'-C4'	5.06	113.95	109.90
26	BB	388	G	N1-C6-O6	5.06	122.94	119.90
26	BB	410	G	C5'-C4'-C3'	5.06	124.10	116.00
26	BB	532	A	C5-C6-N6	5.06	127.75	123.70
26	BB	622	G	C8-N9-C4	-5.06	104.38	106.40
26	BB	700	G	C8-N9-C4	-5.06	104.38	106.40
26	BB	843	G	N9-C4-C5	5.06	107.42	105.40
26	BB	970	U	C5-C6-N1	-5.06	120.17	122.70
26	BB	1459	G	N7-C8-N9	5.06	115.63	113.10
26	BB	1615	C	O4'-C1'-C2'	-5.06	100.74	105.80
26	BB	1680	U	N3-C4-O4	5.06	122.94	119.40
26	BB	1933	G	C5-N7-C8	5.06	106.83	104.30
26	BB	2145	C	O4'-C1'-N1	5.06	112.25	108.20
26	BB	2376	A	C6-C5-N7	-5.06	128.76	132.30
26	BB	2560	A	OP2-P-O3'	5.06	116.33	105.20
28	BD	101	ARG	NE-CZ-NH1	5.06	122.83	120.30
30	BF	119	ILE	CA-CB-CG2	5.06	121.02	110.90
1	AA	172	A	C5-N7-C8	5.06	106.43	103.90
1	AA	432	A	O5'-C5'-C4'	5.06	121.31	111.70
1	AA	665	A	N1-C2-N3	-5.06	126.77	129.30
1	AA	884	U	C6-N1-C2	-5.06	117.97	121.00
1	AA	1072	G	O4'-C1'-N9	5.06	112.25	108.20
1	AA	1269	A	C6-C5-N7	5.06	135.84	132.30
26	BB	6	A	N9-C4-C5	-5.06	103.78	105.80
26	BB	105	C	C5-C6-N1	5.06	123.53	121.00
26	BB	150	U	C2-N3-C4	-5.06	123.97	127.00
26	BB	245	G	O4'-C1'-N9	5.06	112.25	108.20
26	BB	386	G	C4-N9-C1'	-5.06	119.92	126.50
26	BB	546	U	C3'-C2'-C1'	5.06	105.55	101.50
26	BB	693	A	C5-N7-C8	-5.06	101.37	103.90
26	BB	804	A	N7-C8-N9	5.06	116.33	113.80
26	BB	815	C	C4-C5-C6	5.06	119.93	117.40
26	BB	999	U	C4'-C3'-C2'	-5.06	97.54	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1243	C	C6-N1-C2	5.06	122.32	120.30
26	BB	1354	A	N1-C6-N6	5.06	121.64	118.60
26	BB	1726	C	O4'-C1'-N1	5.06	112.25	108.20
26	BB	1763	G	C2'-C3'-O3'	5.06	121.79	113.70
26	BB	1767	G	O4'-C1'-N9	5.06	112.25	108.20
26	BB	2077	A	N9-C1'-C2'	-5.06	106.44	112.00
26	BB	2155	U	C2-N3-C4	-5.06	123.97	127.00
26	BB	2385	C	N3-C4-N4	5.06	121.54	118.00
26	BB	2473	U	N3-C4-O4	5.06	122.94	119.40
26	BB	2733	A	C4-C5-N7	-5.06	108.17	110.70
26	BB	2841	C	O5'-C5'-C4'	-5.06	102.09	111.70
33	BI	3	VAL	CA-CB-CG2	5.06	118.48	110.90
34	BJ	54	VAL	CG1-CB-CG2	-5.06	102.81	110.90
47	BW	99	SER	CB-CA-C	5.06	119.71	110.10
54	B3	9	ARG	NE-CZ-NH1	-5.06	117.77	120.30
1	AA	570	G	C4-C5-C6	5.06	121.83	118.80
1	AA	1247	U	C5'-C4'-O4'	5.06	115.17	109.10
3	AC	45	G	C5-C6-O6	5.06	131.63	128.60
26	BB	486	C	N3-C4-C5	5.06	123.92	121.90
26	BB	1817	G	C8-N9-C1'	5.06	133.57	127.00
1	AA	38	G	N1-C2-N3	5.05	126.93	123.90
1	AA	146	G	C4'-C3'-C2'	-5.05	97.55	102.60
1	AA	181	A	N9-C4-C5	5.05	107.82	105.80
1	AA	939	G	P-O3'-C3'	5.05	125.77	119.70
1	AA	970	C	C5-C4-N4	-5.05	116.66	120.20
1	AA	1472	U	C6-N1-C2	-5.05	117.97	121.00
2	AB	9	A	C4'-C3'-O3'	5.05	123.11	113.00
25	BA	107	G	N7-C8-N9	5.05	115.63	113.10
26	BB	203	A	N9-C4-C5	5.05	107.82	105.80
26	BB	387	U	C2-N3-C4	-5.05	123.97	127.00
26	BB	551	G	C5-C6-N1	5.05	114.03	111.50
26	BB	895	U	C3'-C2'-C1'	5.05	105.54	101.50
26	BB	1173	U	O4'-C1'-N1	5.05	112.24	108.20
26	BB	1528	A	C8-N9-C1'	-5.05	118.60	127.70
26	BB	1764	C	P-O3'-C3'	5.05	125.77	119.70
26	BB	1784	A	C5-C6-N1	5.05	120.23	117.70
26	BB	1906	G	C5-C6-O6	-5.05	125.57	128.60
26	BB	2054	A	C5'-C4'-O4'	5.05	115.17	109.10
26	BB	2128	G	C6-C5-N7	-5.05	127.37	130.40
26	BB	2235	G	N1-C6-O6	-5.05	116.87	119.90
26	BB	2326	C	C5-C4-N4	-5.05	116.66	120.20
26	BB	2382	G	O5'-P-OP1	5.05	116.77	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2459	A	O4'-C1'-N9	5.05	112.24	108.20
26	BB	2467	C	O5'-P-OP2	-5.05	101.15	105.70
26	BB	2522	U	N1-C2-O2	-5.05	119.26	122.80
26	BB	2649	C	OP2-P-O3'	5.05	116.32	105.20
36	BL	113	PRO	N-CD-CG	5.05	110.78	103.20
1	AA	1401	G	C4-N9-C1'	5.05	133.07	126.50
26	BB	652	U	N3-C2-O2	-5.05	118.66	122.20
26	BB	705	A	C8-N9-C4	-5.05	103.78	105.80
26	BB	716	A	C4-C5-N7	-5.05	108.17	110.70
26	BB	1070	A	C4-C5-N7	-5.05	108.17	110.70
26	BB	1728	C	C6-N1-C2	5.05	122.32	120.30
26	BB	2194	U	N3-C4-O4	-5.05	115.86	119.40
26	BB	2408	U	C4-C5-C6	5.05	122.73	119.70
26	BB	2892	G	C8-N9-C1'	5.05	133.57	127.00
1	AA	239	U	O4'-C4'-C3'	5.05	110.14	106.10
1	AA	325	A	N9-C1'-C2'	-5.05	106.44	112.00
1	AA	351	G	N1-C6-O6	-5.05	116.87	119.90
1	AA	444	G	N3-C4-C5	5.05	131.13	128.60
1	AA	691	G	O5'-C5'-C4'	-5.05	102.10	111.70
1	AA	1040	U	C2-N3-C4	-5.05	123.97	127.00
1	AA	1064	G	O4'-C1'-N9	5.05	112.24	108.20
1	AA	1166	G	N7-C8-N9	5.05	115.63	113.10
1	AA	1416	G	O5'-C5'-C4'	5.05	121.30	111.70
2	AB	45	U	C2-N3-C4	-5.05	123.97	127.00
25	BA	23	G	C2-N3-C4	-5.05	109.37	111.90
25	BA	69	G	C5-C6-N1	5.05	114.03	111.50
26	BB	163	C	C6-N1-C2	-5.05	118.28	120.30
26	BB	325	G	C3'-C2'-C1'	-5.05	97.46	101.50
26	BB	553	G	N3-C2-N2	-5.05	116.36	119.90
26	BB	1301	A	C4-C5-C6	5.05	119.53	117.00
26	BB	1939	5MU	OP2-P-O3'	5.05	116.31	105.20
26	BB	1956	U	C4-C5-C6	5.05	122.73	119.70
26	BB	2025	C	O3'-P-O5'	5.05	113.60	104.00
26	BB	2702	G	N3-C4-N9	5.05	129.03	126.00
26	BB	2726	A	N9-C4-C5	5.05	107.82	105.80
1	AA	62	U	N1-C2-O2	-5.05	119.27	122.80
1	AA	179	A	N9-C4-C5	5.05	107.82	105.80
1	AA	419	C	C6-N1-C1'	5.05	126.86	120.80
1	AA	496	A	C5'-C4'-O4'	5.05	115.16	109.10
1	AA	922	G	C8-N9-C1'	5.05	133.56	127.00
1	AA	1117	A	C2-N3-C4	5.05	113.12	110.60
1	AA	1231	G	C4-C5-C6	5.05	121.83	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1460	C	N3-C4-C5	-5.05	119.88	121.90
4	AD	23	G	C8-N9-C1'	5.05	133.56	127.00
4	AD	36	A	C4'-C3'-C2'	5.05	107.65	102.60
26	BB	157	C	O5'-P-OP2	-5.05	101.16	105.70
26	BB	609	A	OP1-P-O3'	5.05	116.31	105.20
26	BB	660	C	O4'-C1'-N1	5.05	112.24	108.20
26	BB	1102	C	C6-N1-C1'	5.05	126.86	120.80
26	BB	1253	A	C5-C6-N1	5.05	120.22	117.70
26	BB	1325	U	N3-C2-O2	-5.05	118.67	122.20
26	BB	1381	G	C8-N9-C4	-5.05	104.38	106.40
26	BB	1408	G	C5-C6-O6	-5.05	125.57	128.60
26	BB	1613	G	N1-C2-N3	-5.05	120.87	123.90
26	BB	1632	A	C5-C6-N1	5.05	120.22	117.70
26	BB	1745	A	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	1778	U	C5'-C4'-C3'	-5.05	107.92	116.00
26	BB	1910	G	C3'-C2'-C1'	-5.05	97.46	101.50
26	BB	2596	U	N3-C2-O2	-5.05	118.67	122.20
1	AA	71	A	C5-C6-N6	5.05	127.74	123.70
1	AA	148	G	N1-C6-O6	5.05	122.93	119.90
1	AA	615	G	C6-N1-C2	-5.05	122.07	125.10
1	AA	711	G	C5'-C4'-C3'	-5.05	107.92	116.00
1	AA	1472	U	C4-C5-C6	5.05	122.73	119.70
25	BA	46	A	C2-N3-C4	-5.05	108.08	110.60
26	BB	841	G	C2-N3-C4	5.05	114.42	111.90
26	BB	917	A	C4-C5-C6	-5.05	114.48	117.00
26	BB	1063	G	N3-C2-N2	-5.05	116.37	119.90
26	BB	1125	G	C5-N7-C8	-5.05	101.78	104.30
26	BB	1491	G	C1'-O4'-C4'	5.05	113.94	109.90
26	BB	1734	G	N1-C2-N3	-5.05	120.87	123.90
26	BB	2886	A	N9-C1'-C2'	-5.05	106.45	112.00
1	AA	34	C	C3'-C2'-C1'	5.05	105.54	101.50
1	AA	303	A	C6-N1-C2	-5.05	115.57	118.60
1	AA	874	G	C2-N3-C4	5.05	114.42	111.90
1	AA	1389	C	N3-C4-N4	5.05	121.53	118.00
7	AG	14	GLU	OE1-CD-OE2	5.05	129.35	123.30
25	BA	116	G	N9-C4-C5	5.05	107.42	105.40
26	BB	48	G	C4-N9-C1'	-5.05	119.94	126.50
26	BB	55	G	O4'-C1'-N9	5.05	112.24	108.20
26	BB	346	A	O4'-C1'-N9	5.05	112.24	108.20
26	BB	453	A	C3'-C2'-C1'	-5.05	97.46	101.50
26	BB	544	C	C1'-O4'-C4'	-5.05	105.86	109.90
26	BB	716	A	O4'-C1'-C2'	-5.05	100.75	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1559	U	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	1847	A	P-O3'-C3'	5.05	125.76	119.70
26	BB	1945	G	N3-C4-C5	-5.05	126.08	128.60
26	BB	2067	G	N1-C6-O6	-5.05	116.87	119.90
26	BB	2082	A	C5-C6-N6	-5.05	119.66	123.70
26	BB	2288	A	N3-C4-N9	-5.05	123.36	127.40
26	BB	2619	C	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	2780	G	O4'-C1'-C2'	-5.05	100.75	105.80
43	BS	41	ALA	CB-CA-C	5.05	117.67	110.10
49	BY	10	ARG	NE-CZ-NH1	5.05	122.82	120.30
1	AA	98	A	N1-C2-N3	-5.04	126.78	129.30
1	AA	606	G	C4-C5-N7	-5.04	108.78	110.80
1	AA	1401	G	C3'-C2'-C1'	-5.04	97.46	101.50
26	BB	411	G	N1-C2-N3	-5.04	120.87	123.90
26	BB	973	A	C4-C5-C6	5.04	119.52	117.00
26	BB	977	G	C5-C6-N1	-5.04	108.98	111.50
26	BB	1633	G	C1'-O4'-C4'	5.04	113.94	109.90
26	BB	1672	A	N3-C4-C5	-5.04	123.27	126.80
26	BB	1817	G	C4-C5-C6	5.04	121.83	118.80
26	BB	2880	C	C2-N3-C4	5.04	122.42	119.90
1	AA	90	C	N1-C1'-C2'	-5.04	106.45	112.00
1	AA	198	G	N1-C2-N2	5.04	120.74	116.20
1	AA	304	U	C6-N1-C2	-5.04	117.97	121.00
1	AA	346	G	N9-C4-C5	-5.04	103.38	105.40
1	AA	438	U	N3-C4-O4	5.04	122.93	119.40
1	AA	548	G	C6-N1-C2	-5.04	122.07	125.10
1	AA	894	G	C5'-C4'-C3'	-5.04	107.93	116.00
1	AA	1049	U	C3'-C2'-C1'	-5.04	97.47	101.50
1	AA	1356	G	C5-N7-C8	-5.04	101.78	104.30
1	AA	1431	A	C5-C6-N6	-5.04	119.67	123.70
4	AD	42	C	N3-C4-C5	-5.04	119.88	121.90
26	BB	7	G	N7-C8-N9	5.04	115.62	113.10
26	BB	247	G	N1-C2-N2	-5.04	111.66	116.20
26	BB	748	G	C1'-O4'-C4'	-5.04	105.86	109.90
26	BB	826	U	N1-C2-O2	5.04	126.33	122.80
26	BB	933	A	N9-C4-C5	-5.04	103.78	105.80
26	BB	1149	G	C5-C6-O6	5.04	131.63	128.60
26	BB	1304	A	C5-C6-N1	5.04	120.22	117.70
26	BB	1451	C	C4-C5-C6	-5.04	114.88	117.40
26	BB	1675	C	C5'-C4'-C3'	-5.04	107.93	116.00
26	BB	1710	G	C5-C6-N1	-5.04	108.98	111.50
26	BB	1859	U	C5-C4-O4	-5.04	122.87	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2105	U	OP1-P-O3'	5.04	116.29	105.20
26	BB	2109	U	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	2134	A	O4'-C4'-C3'	5.04	110.13	106.10
26	BB	2248	C	O4'-C1'-C2'	-5.04	100.76	105.80
26	BB	2314	A	C5-N7-C8	-5.04	101.38	103.90
26	BB	2437	G	N3-C2-N2	5.04	123.43	119.90
26	BB	2621	G	C4-C5-N7	-5.04	108.78	110.80
26	BB	2761	A	C6-C5-N7	-5.04	128.77	132.30
54	B3	52	LYS	CB-CA-C	5.04	120.49	110.40
1	AA	271	C	C3'-C2'-C1'	-5.04	97.47	101.50
1	AA	408	A	O4'-C1'-N9	5.04	112.23	108.20
1	AA	889	A	N7-C8-N9	-5.04	111.28	113.80
1	AA	941	G	C4'-C3'-C2'	-5.04	97.56	102.60
1	AA	1017	U	C4-C5-C6	-5.04	116.67	119.70
1	AA	1171	A	C8-N9-C4	5.04	107.82	105.80
1	AA	1329	A	C5-C6-N1	-5.04	115.18	117.70
1	AA	1456	A	C5'-C4'-O4'	5.04	115.15	109.10
1	AA	1486	G	C4-C5-C6	5.04	121.83	118.80
2	AB	22	G	C5-C6-N1	-5.04	108.98	111.50
25	BA	97	C	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	14	A	C5-C6-N1	5.04	120.22	117.70
26	BB	167	A	C5-C6-N6	5.04	127.73	123.70
26	BB	400	G	C5-C6-N1	5.04	114.02	111.50
26	BB	674	G	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	717	C	C5-C4-N4	5.04	123.73	120.20
26	BB	767	U	C6-N1-C2	-5.04	117.97	121.00
26	BB	814	C	N1-C1'-C2'	-5.04	106.45	112.00
26	BB	887	U	N3-C4-C5	-5.04	111.58	114.60
26	BB	1010	A	C8-N9-C1'	5.04	136.77	127.70
26	BB	1423	G	C6-C5-N7	5.04	133.42	130.40
26	BB	1595	C	C5-C6-N1	-5.04	118.48	121.00
26	BB	2688	G	C8-N9-C1'	5.04	133.56	127.00
26	BB	2838	G	C2'-C3'-O3'	5.04	121.77	113.70
30	BF	101	TYR	CA-CB-CG	5.04	122.98	113.40
1	AA	86	G	N3-C4-C5	5.04	131.12	128.60
1	AA	592	G	C4-C5-C6	5.04	121.82	118.80
1	AA	650	G	N7-C8-N9	5.04	115.62	113.10
1	AA	1501	C	N3-C4-C5	5.04	123.92	121.90
26	BB	519	U	N3-C4-O4	5.04	122.93	119.40
26	BB	1154	G	C4'-C3'-O3'	5.04	123.08	113.00
26	BB	1985	C	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	2255	G	C8-N9-C1'	5.04	133.55	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2599	G	C4-N9-C1'	-5.04	119.95	126.50
26	BB	2707	U	N3-C4-O4	5.04	122.93	119.40
1	AA	59	A	C2-N3-C4	-5.04	108.08	110.60
1	AA	356	A	P-O5'-C5'	5.04	128.96	120.90
1	AA	413	G	N9-C1'-C2'	5.04	120.55	114.00
1	AA	825	A	C6-C5-N7	5.04	135.83	132.30
1	AA	964	A	C8-N9-C4	-5.04	103.78	105.80
1	AA	1015	G	C6-C5-N7	-5.04	127.38	130.40
1	AA	1094	G	N1-C6-O6	-5.04	116.88	119.90
1	AA	1478	U	C4-C5-C6	5.04	122.72	119.70
1	AA	1488	G	C5-C6-N1	5.04	114.02	111.50
2	AB	65	C	N1-C2-O2	5.04	121.92	118.90
26	BB	255	A	N9-C4-C5	5.04	107.81	105.80
26	BB	271	G	C4-C5-N7	-5.04	108.78	110.80
26	BB	292	U	N1-C1'-C2'	-5.04	106.46	112.00
26	BB	376	G	C5-C6-N1	5.04	114.02	111.50
26	BB	1029	A	C5-C6-N6	-5.04	119.67	123.70
26	BB	1109	C	C2-N3-C4	5.04	122.42	119.90
26	BB	1328	A	C2-N3-C4	-5.04	108.08	110.60
26	BB	1416	G	C4-C5-N7	-5.04	108.78	110.80
26	BB	2224	G	C2-N3-C4	-5.04	109.38	111.90
26	BB	2570	G	C5-C6-O6	-5.04	125.58	128.60
26	BB	2809	A	C5-C6-N1	-5.04	115.18	117.70
1	AA	64	G	O4'-C4'-C3'	5.04	110.13	106.10
1	AA	159	G	N1-C2-N3	-5.04	120.88	123.90
1	AA	1357	A	O5'-P-OP2	5.04	116.75	110.70
1	AA	1529	G	O4'-C4'-C3'	5.04	110.13	106.10
3	AC	29	G	O4'-C4'-C3'	-5.04	98.96	104.00
25	BA	5	U	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	1253	A	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	1741	C	N1-C1'-C2'	-5.04	106.46	112.00
26	BB	2330	G	C8-N9-C1'	5.04	133.55	127.00
1	AA	773	G	N3-C4-C5	-5.04	126.08	128.60
1	AA	810	C	N3-C2-O2	-5.04	118.38	121.90
1	AA	1289	A	P-O3'-C3'	5.04	125.74	119.70
1	AA	1500	A	C5'-C4'-C3'	-5.04	107.94	116.00
1	AA	1531	A	C4'-C3'-C2'	-5.04	97.56	102.60
2	AB	39	A	C2-N3-C4	5.04	113.12	110.60
25	BA	22	U	P-O5'-C5'	5.04	128.96	120.90
25	BA	69	G	O4'-C1'-N9	5.04	112.23	108.20
26	BB	54	G	C2-N3-C4	-5.04	109.38	111.90
26	BB	367	G	P-O3'-C3'	5.04	125.74	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	499	U	C4-C5-C6	-5.04	116.68	119.70
26	BB	788	A	O5'-P-OP1	-5.04	101.17	105.70
26	BB	890	C	C5-C4-N4	5.04	123.72	120.20
26	BB	1065	U	N3-C4-C5	-5.04	111.58	114.60
26	BB	1309	G	C6-N1-C2	-5.04	122.08	125.10
26	BB	1360	G	N3-C2-N2	-5.04	116.38	119.90
26	BB	2340	A	P-O3'-C3'	5.04	125.74	119.70
26	BB	2785	C	C5'-C4'-O4'	5.04	115.14	109.10
26	BB	2814	A	C4-C5-N7	-5.04	108.18	110.70
26	BB	2823	A	O3'-P-O5'	5.04	113.57	104.00
1	AA	444	G	O4'-C1'-N9	5.03	112.23	108.20
1	AA	540	G	N1-C2-N2	5.03	120.73	116.20
1	AA	630	A	C5-N7-C8	-5.03	101.38	103.90
2	AB	44	G	C4-N9-C1'	-5.03	119.95	126.50
3	AC	41	A	N7-C8-N9	5.03	116.32	113.80
4	AD	77	A	C5-C6-N1	-5.03	115.18	117.70
20	AT	72	TRP	CH2-CZ2-CE2	5.03	122.43	117.40
21	AU	71	ASP	OD1-CG-OD2	5.03	132.86	123.30
26	BB	145	C	C2-N3-C4	5.03	122.42	119.90
26	BB	582	A	P-O5'-C5'	5.03	128.95	120.90
26	BB	734	A	C5-C6-N6	5.03	127.73	123.70
26	BB	963	U	C5'-C4'-C3'	-5.03	107.95	116.00
26	BB	1312	U	P-O3'-C3'	5.03	125.74	119.70
26	BB	1408	G	C5-N7-C8	5.03	106.82	104.30
26	BB	2202	U	N1-C1'-C2'	-5.03	106.46	112.00
26	BB	2413	G	C8-N9-C4	5.03	108.41	106.40
26	BB	2594	C	C2-N3-C4	5.03	122.42	119.90
26	BB	2819	G	C4-C5-N7	-5.03	108.79	110.80
33	BI	68	ARG	NE-CZ-NH1	5.03	122.82	120.30
40	BP	109	PRO	N-CA-CB	5.03	109.34	103.30
1	AA	144	G	C5-C6-N1	5.03	114.02	111.50
1	AA	213	G	C5'-C4'-O4'	5.03	115.14	109.10
3	AC	49	U	C1'-O4'-C4'	-5.03	105.87	109.90
25	BA	54	G	C5-C6-O6	-5.03	125.58	128.60
26	BB	122	G	C1'-O4'-C4'	-5.03	105.87	109.90
26	BB	1102	C	N3-C4-C5	-5.03	119.89	121.90
26	BB	2416	C	N3-C4-N4	5.03	121.52	118.00
26	BB	2892	G	N7-C8-N9	5.03	115.62	113.10
1	AA	185	U	C5'-C4'-C3'	-5.03	107.95	116.00
1	AA	242	G	C4-C5-N7	5.03	112.81	110.80
1	AA	530	G	C5-C6-N1	-5.03	108.98	111.50
1	AA	541	G	N9-C1'-C2'	-5.03	106.47	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	732	C	O5'-C5'-C4'	-5.03	102.14	111.70
1	AA	777	A	N7-C8-N9	-5.03	111.28	113.80
1	AA	821	G	C6-C5-N7	-5.03	127.38	130.40
1	AA	915	A	C5'-C4'-O4'	5.03	115.14	109.10
1	AA	1265	C	N3-C4-C5	-5.03	119.89	121.90
1	AA	1268	G	P-O3'-C3'	5.03	125.74	119.70
2	AB	7	G	N1-C2-N2	5.03	120.73	116.20
2	AB	58	A	C5-N7-C8	-5.03	101.39	103.90
9	AI	121	ALA	N-CA-CB	5.03	117.14	110.10
26	BB	612	G	N1-C2-N2	5.03	120.73	116.20
26	BB	674	G	N9-C4-C5	5.03	107.41	105.40
26	BB	888	C	N3-C4-N4	-5.03	114.48	118.00
26	BB	1053	C	C1'-O4'-C4'	-5.03	105.88	109.90
26	BB	1171	G	C8-N9-C4	-5.03	104.39	106.40
26	BB	1218	G	C5-C6-N1	5.03	114.02	111.50
26	BB	1482	G	C5-C6-O6	5.03	131.62	128.60
26	BB	1487	U	N1-C1'-C2'	-5.03	106.47	112.00
26	BB	1546	G	N1-C2-N2	5.03	120.73	116.20
26	BB	1806	C	C1'-O4'-C4'	5.03	113.92	109.90
26	BB	2033	A	O4'-C1'-N9	-5.03	104.18	108.20
26	BB	2047	C	C5'-C4'-O4'	5.03	115.14	109.10
26	BB	2056	G	C5-N7-C8	5.03	106.82	104.30
26	BB	2242	G	P-O3'-C3'	5.03	125.74	119.70
26	BB	2257	U	C5-C4-O4	5.03	128.92	125.90
26	BB	2267	A	N9-C4-C5	5.03	107.81	105.80
26	BB	2782	G	C6-N1-C2	-5.03	122.08	125.10
26	BB	2844	G	C5'-C4'-O4'	5.03	115.14	109.10
28	BD	170	TYR	CG-CD1-CE1	-5.03	117.28	121.30
32	BH	108	PHE	CD1-CE1-CZ	-5.03	114.06	120.10
1	AA	343	U	C5-C6-N1	-5.03	120.19	122.70
1	AA	529	G	O4'-C4'-C3'	5.03	110.12	106.10
1	AA	582	C	C2'-C3'-O3'	5.03	121.75	113.70
1	AA	642	A	C4'-C3'-C2'	-5.03	97.57	102.60
1	AA	826	C	C2-N3-C4	-5.03	117.39	119.90
1	AA	1188	A	C5-C6-N6	-5.03	119.68	123.70
1	AA	1455	G	C5-C6-O6	-5.03	125.58	128.60
26	BB	41	C	P-O3'-C3'	5.03	125.73	119.70
26	BB	529	A	C3'-C2'-C1'	-5.03	97.48	101.50
26	BB	849	A	N1-C2-N3	-5.03	126.78	129.30
26	BB	1215	G	C5'-C4'-O4'	5.03	115.14	109.10
26	BB	1548	A	C4'-C3'-C2'	-5.03	97.57	102.60
26	BB	2718	G	N3-C4-N9	5.03	129.02	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2816	G	N1-C2-N2	5.03	120.73	116.20
1	AA	328	C	C3'-C2'-C1'	5.03	105.52	101.50
1	AA	383	A	N9-C1'-C2'	-5.03	106.47	112.00
1	AA	413	G	N3-C2-N2	-5.03	116.38	119.90
1	AA	983	A	C3'-C2'-C1'	5.03	105.52	101.50
25	BA	86	G	C4'-C3'-C2'	-5.03	97.57	102.60
26	BB	409	G	N3-C2-N2	-5.03	116.38	119.90
26	BB	899	A	P-O5'-C5'	5.03	128.94	120.90
26	BB	1072	C	C4'-C3'-C2'	5.03	107.63	102.60
26	BB	1117	C	N1-C2-O2	5.03	121.92	118.90
26	BB	1182	G	C4-C5-N7	-5.03	108.79	110.80
26	BB	1521	G	C5-C6-N1	5.03	114.01	111.50
26	BB	1609	A	C4'-C3'-C2'	-5.03	97.57	102.60
26	BB	1741	C	P-O3'-C3'	5.03	125.73	119.70
26	BB	1849	G	C5'-C4'-O4'	5.03	115.13	109.10
26	BB	1977	A	C5-N7-C8	-5.03	101.39	103.90
26	BB	2115	G	C2-N3-C4	5.03	114.41	111.90
26	BB	2140	G	C4-N9-C1'	-5.03	119.97	126.50
26	BB	2526	G	N3-C4-N9	-5.03	122.98	126.00
26	BB	2587	A	C4-C5-C6	-5.03	114.49	117.00
26	BB	2879	A	C5'-C4'-O4'	5.03	115.13	109.10
28	BD	202	ARG	CD-NE-CZ	5.03	130.64	123.60
39	BO	103	TYR	CB-CG-CD1	-5.03	117.98	121.00
1	AA	83	C	C4'-C3'-C2'	-5.03	97.57	102.60
1	AA	261	U	O4'-C1'-N1	5.03	112.22	108.20
1	AA	271	C	C2-N3-C4	-5.03	117.39	119.90
1	AA	454	G	C4-C5-C6	-5.03	115.78	118.80
1	AA	1294	G	C4-C5-C6	5.03	121.81	118.80
1	AA	1386	G	C6-N1-C2	5.03	128.12	125.10
1	AA	1444	U	N1-C2-N3	5.03	117.92	114.90
25	BA	74	U	N1-C2-O2	5.03	126.32	122.80
26	BB	28	A	C1'-O4'-C4'	-5.03	105.88	109.90
26	BB	156	A	C1'-O4'-C4'	-5.03	105.88	109.90
26	BB	308	G	N3-C4-N9	-5.03	122.98	126.00
26	BB	437	U	C5'-C4'-C3'	-5.03	107.96	116.00
26	BB	477	A	C5-N7-C8	-5.03	101.39	103.90
26	BB	696	G	C6-N1-C2	-5.03	122.08	125.10
26	BB	878	A	N1-C2-N3	5.03	131.81	129.30
26	BB	907	G	N9-C1'-C2'	-5.03	106.47	112.00
26	BB	978	G	C5-N7-C8	-5.03	101.79	104.30
26	BB	1036	G	N1-C6-O6	5.03	122.92	119.90
26	BB	1259	G	C3'-C2'-C1'	5.03	105.52	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1604	C	C5'-C4'-C3'	-5.03	107.96	116.00
26	BB	1607	C	N3-C2-O2	-5.03	118.38	121.90
26	BB	1781	U	N1-C2-O2	5.03	126.32	122.80
26	BB	2358	A	N3-C4-C5	-5.03	123.28	126.80
33	BI	56	ALA	N-CA-CB	5.03	117.14	110.10
1	AA	172	A	N3-C4-N9	-5.02	123.38	127.40
1	AA	436	C	C5-C4-N4	5.02	123.72	120.20
1	AA	1448	C	C1'-O4'-C4'	-5.02	105.88	109.90
26	BB	83	A	N9-C4-C5	5.02	107.81	105.80
26	BB	2363	G	O4'-C1'-N9	-5.02	104.18	108.20
26	BB	2866	U	N3-C4-C5	-5.02	111.58	114.60
1	AA	88	U	P-O3'-C3'	5.02	125.73	119.70
1	AA	154	U	N1-C2-N3	5.02	117.91	114.90
1	AA	397	A	C3'-C2'-C1'	5.02	105.52	101.50
1	AA	403	C	C5-C4-N4	-5.02	116.69	120.20
1	AA	533	A	C4'-C3'-C2'	-5.02	97.58	102.60
1	AA	587	G	N7-C8-N9	5.02	115.61	113.10
1	AA	662	U	C5'-C4'-O4'	5.02	115.13	109.10
1	AA	733	G	N7-C8-N9	5.02	115.61	113.10
1	AA	874	G	O4'-C1'-N9	5.02	112.22	108.20
1	AA	913	A	C4'-C3'-C2'	-5.02	97.58	102.60
1	AA	1278	G	C1'-O4'-C4'	-5.02	105.88	109.90
1	AA	1297	G	P-O3'-C3'	5.02	125.73	119.70
1	AA	1435	G	N9-C4-C5	-5.02	103.39	105.40
1	AA	1479	C	C4-C5-C6	5.02	119.91	117.40
14	AN	14	GLN	CB-CA-C	5.02	120.44	110.40
25	BA	63	C	C1'-O4'-C4'	-5.02	105.88	109.90
26	BB	2	G	N1-C6-O6	-5.02	116.89	119.90
26	BB	235	U	C1'-O4'-C4'	5.02	113.92	109.90
26	BB	336	C	N1-C2-N3	-5.02	115.69	119.20
26	BB	394	C	C5-C4-N4	-5.02	116.68	120.20
26	BB	842	U	C4-C5-C6	5.02	122.71	119.70
26	BB	1313	U	C3'-C2'-C1'	5.02	105.52	101.50
26	BB	1775	U	N3-C4-C5	-5.02	111.59	114.60
26	BB	1855	U	N3-C4-C5	-5.02	111.59	114.60
26	BB	2117	A	C5'-C4'-C3'	5.02	124.04	116.00
26	BB	2310	C	C4-C5-C6	5.02	119.91	117.40
26	BB	2719	G	C1'-O4'-C4'	-5.02	105.88	109.90
26	BB	2719	G	C6-C5-N7	-5.02	127.39	130.40
44	BT	84	ARG	CB-CA-C	5.02	120.44	110.40
1	AA	789	U	N3-C2-O2	-5.02	118.69	122.20
1	AA	988	G	C6-C5-N7	-5.02	127.39	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1456	A	C1'-O4'-C4'	-5.02	105.88	109.90
25	BA	51	G	N1-C6-O6	-5.02	116.89	119.90
25	BA	66	A	C5-N7-C8	-5.02	101.39	103.90
26	BB	1190	G	N1-C2-N2	5.02	120.72	116.20
26	BB	1462	C	C1'-O4'-C4'	-5.02	105.88	109.90
26	BB	2221	G	N1-C2-N3	-5.02	120.89	123.90
26	BB	2361	G	C5-N7-C8	-5.02	101.79	104.30
1	AA	186	C	N3-C4-N4	5.02	121.51	118.00
1	AA	297	G	C6-N1-C2	-5.02	122.09	125.10
1	AA	1015	G	O4'-C1'-N9	5.02	112.22	108.20
1	AA	1185	G	C8-N9-C1'	5.02	133.53	127.00
1	AA	1203	C	C5-C6-N1	5.02	123.51	121.00
1	AA	1437	A	P-O3'-C3'	5.02	125.72	119.70
2	AB	35	C	C5-C6-N1	5.02	123.51	121.00
10	AJ	3	ARG	NH1-CZ-NH2	-5.02	113.88	119.40
25	BA	52	A	O4'-C1'-N9	5.02	112.22	108.20
25	BA	95	U	C2-N3-C4	5.02	130.01	127.00
26	BB	228	C	P-O3'-C3'	5.02	125.72	119.70
26	BB	443	A	C5-C6-N6	5.02	127.72	123.70
26	BB	938	G	C8-N9-C4	-5.02	104.39	106.40
26	BB	950	G	N3-C2-N2	-5.02	116.39	119.90
26	BB	1179	G	N1-C2-N3	-5.02	120.89	123.90
26	BB	1462	C	O4'-C1'-N1	5.02	112.22	108.20
26	BB	1511	G	N1-C6-O6	-5.02	116.89	119.90
26	BB	1733	G	C5'-C4'-O4'	5.02	115.12	109.10
26	BB	1944	U	C4-C5-C6	5.02	122.71	119.70
26	BB	1961	C	C5-C6-N1	-5.02	118.49	121.00
26	BB	2556	C	C2-N3-C4	5.02	122.41	119.90
1	AA	261	U	P-O3'-C3'	5.02	125.72	119.70
1	AA	428	G	C8-N9-C4	5.02	108.41	106.40
1	AA	823	C	C6-N1-C2	-5.02	118.29	120.30
1	AA	991	U	N1-C2-O2	5.02	126.31	122.80
25	BA	102	G	O4'-C1'-N9	5.02	112.21	108.20
26	BB	398	C	C2-N3-C4	-5.02	117.39	119.90
26	BB	911	A	C5-C6-N6	-5.02	119.69	123.70
26	BB	1193	G	C4-N9-C1'	-5.02	119.98	126.50
26	BB	1226	A	C5-N7-C8	-5.02	101.39	103.90
26	BB	1469	A	O4'-C4'-C3'	5.02	110.11	106.10
26	BB	1936	A	C5'-C4'-O4'	5.02	115.12	109.10
26	BB	2004	G	C5'-C4'-C3'	-5.02	107.97	116.00
26	BB	2006	C	C5'-C4'-O4'	5.02	115.12	109.10
26	BB	2436	G	N1-C6-O6	-5.02	116.89	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
35	BK	84	GLY	CA-C-O	-5.02	111.57	120.60
1	AA	711	G	N7-C8-N9	5.02	115.61	113.10
1	AA	1044	A	C6-N1-C2	5.02	121.61	118.60
1	AA	1075	U	C5-C6-N1	-5.02	120.19	122.70
1	AA	1277	C	C6-N1-C2	5.02	122.31	120.30
1	AA	1432	G	O4'-C1'-C2'	-5.02	100.78	105.80
3	AC	18	A	N1-C6-N6	5.02	121.61	118.60
3	AC	23	C	O4'-C4'-C3'	5.02	110.11	106.10
4	AD	26	C	C5-C4-N4	-5.02	116.69	120.20
26	BB	698	C	O5'-C5'-C4'	-5.02	102.17	111.70
26	BB	931	U	C4'-C3'-O3'	-5.02	98.87	109.40
26	BB	1622	G	C3'-C2'-C1'	-5.02	97.49	101.50
26	BB	1679	A	C3'-C2'-C1'	-5.02	97.49	101.50
26	BB	1949	G	N9-C1'-C2'	-5.02	106.48	112.00
26	BB	2464	G	N9-C4-C5	5.02	107.41	105.40
26	BB	2600	A	C4-C5-C6	-5.02	114.49	117.00
26	BB	2791	G	C4-C5-C6	-5.02	115.79	118.80
1	AA	82	G	C4-C5-C6	5.01	121.81	118.80
1	AA	258	G	C8-N9-C1'	5.01	133.52	127.00
1	AA	794	A	N3-C4-N9	-5.01	123.39	127.40
1	AA	897	C	C4'-C3'-C2'	-5.01	97.59	102.60
24	AX	6	ARG	CA-CB-CG	5.01	124.43	113.40
25	BA	73	A	N7-C8-N9	5.01	116.31	113.80
26	BB	141	G	N3-C4-C5	-5.01	126.09	128.60
26	BB	527	C	C4-C5-C6	-5.01	114.89	117.40
26	BB	917	A	C5-C6-N1	5.01	120.21	117.70
26	BB	1032	A	C4'-C3'-O3'	5.01	123.03	113.00
26	BB	1523	U	C5'-C4'-C3'	-5.01	107.98	116.00
26	BB	1830	C	C6-N1-C2	5.01	122.31	120.30
26	BB	2052	A	N1-C6-N6	-5.01	115.59	118.60
26	BB	2072	C	N3-C4-N4	5.01	121.51	118.00
26	BB	2345	G	C5-C6-O6	-5.01	125.59	128.60
26	BB	2711	A	C3'-C2'-C1'	5.01	105.51	101.50
1	AA	16	A	C5-N7-C8	5.01	106.41	103.90
1	AA	423	G	N7-C8-N9	5.01	115.61	113.10
1	AA	1015	G	C8-N9-C1'	5.01	133.52	127.00
1	AA	1348	U	C5-C4-O4	-5.01	122.89	125.90
11	AK	83	ARG	NE-CZ-NH2	-5.01	117.79	120.30
26	BB	340	A	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	406	G	N3-C4-N9	-5.01	122.99	126.00
26	BB	1024	G	C1'-O4'-C4'	5.01	113.91	109.90
26	BB	1130	U	N1-C1'-C2'	5.01	120.52	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1190	G	C2-N3-C4	5.01	114.41	111.90
26	BB	1729	U	C6-N1-C2	-5.01	117.99	121.00
26	BB	1858	A	N9-C1'-C2'	-5.01	106.48	112.00
26	BB	2192	U	O4'-C1'-C2'	-5.01	100.79	105.80
26	BB	2356	U	C2'-C3'-O3'	5.01	121.72	113.70
26	BB	2601	C	C6-N1-C1'	5.01	126.82	120.80
41	BQ	49	VAL	CG1-CB-CG2	5.01	118.92	110.90
1	AA	92	U	C5'-C4'-C3'	-5.01	107.98	116.00
1	AA	326	G	N3-C2-N2	5.01	123.41	119.90
1	AA	442	G	N3-C4-C5	-5.01	126.09	128.60
1	AA	616	G	O4'-C1'-C2'	5.01	112.11	107.60
1	AA	758	C	N1-C2-O2	5.01	121.91	118.90
1	AA	884	U	O4'-C1'-N1	5.01	112.21	108.20
1	AA	897	C	C3'-C2'-C1'	5.01	105.51	101.50
1	AA	1181	G	C5-N7-C8	5.01	106.81	104.30
3	AC	57	C	N1-C2-N3	5.01	122.71	119.20
4	AD	10	G	C6-N1-C2	-5.01	122.09	125.10
25	BA	39	A	C8-N9-C4	-5.01	103.80	105.80
26	BB	364	C	C2-N3-C4	-5.01	117.39	119.90
26	BB	1015	U	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	1026	G	C4-N9-C1'	-5.01	119.98	126.50
26	BB	1153	C	N3-C2-O2	-5.01	118.39	121.90
26	BB	1179	G	C2-N3-C4	5.01	114.41	111.90
26	BB	1325	U	C2-N3-C4	-5.01	123.99	127.00
26	BB	1358	G	C6-N1-C2	-5.01	122.09	125.10
26	BB	1675	C	C5-C4-N4	5.01	123.71	120.20
26	BB	1950	G	N1-C2-N3	-5.01	120.89	123.90
26	BB	2042	A	N3-C4-C5	-5.01	123.29	126.80
26	BB	2254	C	C2-N3-C4	5.01	122.41	119.90
26	BB	2260	C	C3'-C2'-C1'	-5.01	97.49	101.50
26	BB	2627	G	C6-N1-C2	-5.01	122.09	125.10
26	BB	2654	A	C4-C5-N7	5.01	113.21	110.70
26	BB	2785	C	O4'-C1'-N1	5.01	112.21	108.20
1	AA	129	A	C6-C5-N7	5.01	135.81	132.30
1	AA	222	C	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	314	C	N3-C4-C5	-5.01	119.90	121.90
1	AA	575	G	P-O3'-C3'	5.01	125.71	119.70
1	AA	1093	A	C1'-O4'-C4'	-5.01	105.89	109.90
2	AB	18	G	C4-C5-C6	5.01	121.81	118.80
3	AC	24	A	O4'-C4'-C3'	-5.01	98.99	104.00
25	BA	36	C	N3-C4-N4	5.01	121.51	118.00
25	BA	95	U	C4-C5-C6	5.01	122.71	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	44	A	C4-C5-C6	5.01	119.50	117.00
26	BB	46	G	C6-N1-C2	-5.01	122.09	125.10
26	BB	382	A	O4'-C4'-C3'	-5.01	98.99	104.00
26	BB	477	A	C4-C5-N7	5.01	113.20	110.70
26	BB	655	A	C1'-O4'-C4'	-5.01	105.89	109.90
26	BB	1011	G	N1-C2-N3	-5.01	120.89	123.90
26	BB	1485	U	C4-C5-C6	5.01	122.70	119.70
26	BB	1657	U	C5-C4-O4	5.01	128.91	125.90
26	BB	1695	G	C8-N9-C1'	-5.01	120.49	127.00
26	BB	1938	A	C5-C6-N6	5.01	127.71	123.70
26	BB	2181	U	C5-C6-N1	-5.01	120.20	122.70
26	BB	2265	U	C2-N3-C4	5.01	130.00	127.00
26	BB	2328	A	P-O3'-C3'	5.01	125.71	119.70
26	BB	2694	G	C4'-C3'-C2'	5.01	107.61	102.60
26	BB	2762	C	N3-C4-N4	-5.01	114.49	118.00
28	BD	2	VAL	CA-CB-CG2	5.01	118.42	110.90
29	BE	46	ARG	NH1-CZ-NH2	-5.01	113.89	119.40
49	BY	22	VAL	CA-CB-CG1	5.01	118.41	110.90
1	AA	617	G	C1'-O4'-C4'	5.01	113.91	109.90
25	BA	69	G	C4-C5-C6	-5.01	115.80	118.80
26	BB	194	G	N3-C4-C5	-5.01	126.10	128.60
26	BB	235	U	N1-C2-O2	5.01	126.31	122.80
26	BB	958	U	P-O3'-C3'	5.01	125.71	119.70
1	AA	682	G	C2'-C3'-O3'	5.01	121.71	113.70
1	AA	1536	C	O4'-C4'-C3'	5.01	110.11	106.10
7	AG	64	TYR	CZ-CE2-CD2	5.01	124.31	119.80
9	AI	110	ARG	CD-NE-CZ	5.01	130.61	123.60
9	AI	121	ALA	C-N-CA	5.01	134.22	121.70
26	BB	227	A	N3-C4-N9	5.01	131.41	127.40
26	BB	421	C	N1-C2-O2	5.01	121.90	118.90
26	BB	466	A	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	586	A	C6-C5-N7	-5.01	128.79	132.30
26	BB	765	C	P-O3'-C3'	5.01	125.71	119.70
26	BB	981	A	C1'-O4'-C4'	-5.01	105.89	109.90
26	BB	1013	C	O4'-C4'-C3'	5.01	110.11	106.10
26	BB	1149	G	C8-N9-C4	-5.01	104.40	106.40
26	BB	1501	G	N3-C4-C5	-5.01	126.10	128.60
26	BB	2110	G	O5'-P-OP2	5.01	116.71	110.70
26	BB	2196	C	O4'-C1'-N1	5.01	112.20	108.20
26	BB	2314	A	N7-C8-N9	5.01	116.30	113.80
26	BB	2574	G	C8-N9-C1'	5.01	133.51	127.00
1	AA	92	U	O4'-C4'-C3'	-5.00	99.00	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	58	A	C4-C5-C6	-5.00	114.50	117.00
25	BA	48	U	C6-N1-C2	5.00	124.00	121.00
26	BB	1103	A	N7-C8-N9	-5.00	111.30	113.80
26	BB	1250	G	C6-C5-N7	-5.00	127.40	130.40
26	BB	1803	A	N1-C2-N3	-5.00	126.80	129.30
26	BB	2831	G	O3'-P-O5'	-5.00	94.49	104.00
1	AA	17	U	C5'-C4'-C3'	-5.00	107.99	116.00
1	AA	208	U	C5'-C4'-O4'	5.00	115.10	109.10
1	AA	610	U	C5-C6-N1	5.00	125.20	122.70
1	AA	1047	G	C5-C6-N1	5.00	114.00	111.50
1	AA	1085	U	C6-N1-C2	5.00	124.00	121.00
4	AD	5	G	C8-N9-C4	-5.00	104.40	106.40
25	BA	28	C	C4'-C3'-C2'	-5.00	97.60	102.60
26	BB	439	A	O4'-C1'-C2'	5.00	112.10	107.60
26	BB	612	G	C5-N7-C8	-5.00	101.80	104.30
26	BB	662	G	N1-C6-O6	-5.00	116.90	119.90
26	BB	1375	U	N1-C2-O2	-5.00	119.30	122.80
26	BB	1461	C	N3-C4-C5	5.00	123.90	121.90
26	BB	1709	U	C5-C4-O4	-5.00	122.90	125.90
26	BB	1972	G	O4'-C1'-N9	5.00	112.20	108.20
26	BB	2032	G	C4-N9-C1'	5.00	133.00	126.50
26	BB	2404	U	C5-C4-O4	5.00	128.90	125.90
26	BB	2501	C	C5'-C4'-C3'	5.00	124.01	116.00
35	BK	115	ASP	CB-CG-OD2	-5.00	113.80	118.30
1	AA	144	G	N1-C6-O6	-5.00	116.90	119.90
1	AA	393	A	C4-C5-C6	-5.00	114.50	117.00
1	AA	398	U	C1'-O4'-C4'	-5.00	105.90	109.90
1	AA	433	G	C5-C6-O6	-5.00	125.60	128.60
1	AA	872	A	C2-N3-C4	-5.00	108.10	110.60
1	AA	1131	G	N1-C6-O6	-5.00	116.90	119.90
2	AB	33	U	C5'-C4'-O4'	5.00	115.10	109.10
4	AD	36	A	N3-C4-N9	-5.00	123.40	127.40
26	BB	325	G	O3'-P-O5'	5.00	113.50	104.00
26	BB	339	U	C3'-C2'-C1'	-5.00	97.50	101.50
26	BB	1133	A	C5-N7-C8	5.00	106.40	103.90
26	BB	1251	C	N1-C1'-C2'	5.00	120.50	114.00
26	BB	1742	U	C2-N3-C4	5.00	130.00	127.00
26	BB	1969	A	C4-C5-N7	-5.00	108.20	110.70
26	BB	2158	A	O5'-C5'-C4'	5.00	121.20	111.70
26	BB	2228	G	N1-C2-N2	-5.00	111.70	116.20
26	BB	2534	A	C1'-O4'-C4'	-5.00	105.90	109.90
26	BB	2633	G	N3-C2-N2	-5.00	116.40	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	BL	69	ARG	NE-CZ-NH1	5.00	122.80	120.30
47	BW	98	ASN	N-CA-CB	-5.00	101.60	110.60

There are no chirality outliers.

All (2927) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	100	G	Sidechain
1	AA	1002	G	Sidechain
1	AA	1004	A	Sidechain
1	AA	1005	A	Sidechain
1	AA	1006	G	Sidechain
1	AA	1008	U	Sidechain
1	AA	1009	U	Sidechain
1	AA	101	A	Sidechain
1	AA	1010	U	Sidechain
1	AA	1012	A	Sidechain
1	AA	1013	G	Sidechain
1	AA	1014	A	Sidechain
1	AA	1017	U	Sidechain
1	AA	1018	G	Sidechain
1	AA	102	G	Sidechain
1	AA	1029	U	Sidechain
1	AA	1032	G	Sidechain
1	AA	1033	G	Sidechain
1	AA	1037	C	Sidechain
1	AA	1040	U	Sidechain
1	AA	1042	A	Sidechain
1	AA	1045	C	Sidechain
1	AA	1046	A	Sidechain
1	AA	1047	G	Sidechain
1	AA	1048	G	Sidechain
1	AA	1049	U	Sidechain
1	AA	1050	G	Sidechain
1	AA	1051	C	Sidechain
1	AA	1054	C	Sidechain
1	AA	1057	G	Sidechain
1	AA	1061	G	Sidechain
1	AA	1064	G	Sidechain
1	AA	1066	C	Sidechain
1	AA	1067	A	Sidechain
1	AA	1068	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1069	C	Sidechain
1	AA	107	G	Sidechain
1	AA	1070	U	Sidechain
1	AA	1073	U	Sidechain
1	AA	1075	U	Sidechain
1	AA	1077	G	Sidechain
1	AA	1079	G	Sidechain
1	AA	108	G	Sidechain
1	AA	1081	A	Sidechain
1	AA	1082	A	Sidechain
1	AA	1085	U	Sidechain
1	AA	1089	G	Sidechain
1	AA	1092	A	Sidechain
1	AA	1093	A	Sidechain
1	AA	1094	G	Sidechain
1	AA	1095	U	Sidechain
1	AA	1096	C	Sidechain
1	AA	1097	C	Sidechain
1	AA	1099	G	Sidechain
1	AA	11	G	Sidechain
1	AA	110	C	Sidechain
1	AA	1101	A	Sidechain
1	AA	1104	G	Sidechain
1	AA	1105	A	Sidechain
1	AA	1106	G	Sidechain
1	AA	1108	G	Sidechain
1	AA	1109	C	Sidechain
1	AA	111	G	Sidechain
1	AA	1110	A	Sidechain
1	AA	1112	C	Sidechain
1	AA	1113	C	Sidechain
1	AA	1117	A	Sidechain
1	AA	1118	U	Sidechain
1	AA	1120	C	Sidechain
1	AA	1122	U	Sidechain
1	AA	1124	G	Sidechain
1	AA	1125	U	Sidechain
1	AA	1127	G	Sidechain
1	AA	113	G	Sidechain
1	AA	1130	A	Sidechain
1	AA	1131	G	Sidechain
1	AA	1132	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1133	G	Sidechain
1	AA	1134	G	Sidechain
1	AA	1136	C	Sidechain
1	AA	1137	C	Sidechain
1	AA	1138	G	Sidechain
1	AA	1139	G	Sidechain
1	AA	1141	C	Sidechain
1	AA	1143	G	Sidechain
1	AA	1144	G	Sidechain
1	AA	1148	U	Sidechain
1	AA	1149	C	Sidechain
1	AA	115	G	Sidechain
1	AA	1151	A	Sidechain
1	AA	1152	A	Sidechain
1	AA	1153	G	Sidechain
1	AA	1155	A	Sidechain
1	AA	1156	G	Sidechain
1	AA	1157	A	Sidechain
1	AA	116	A	Sidechain
1	AA	1162	C	Sidechain
1	AA	1164	G	Sidechain
1	AA	1166	G	Sidechain
1	AA	1168	U	Sidechain
1	AA	1169	A	Sidechain
1	AA	1170	A	Sidechain
1	AA	1171	A	Sidechain
1	AA	1173	U	Sidechain
1	AA	1174	G	Sidechain
1	AA	1175	G	Sidechain
1	AA	1177	G	Sidechain
1	AA	1178	G	Sidechain
1	AA	1180	A	Sidechain
1	AA	1182	G	Sidechain
1	AA	1183	U	Sidechain
1	AA	1184	G	Sidechain
1	AA	1185	G	Sidechain
1	AA	1186	G	Sidechain
1	AA	1187	G	Sidechain
1	AA	1188	A	Sidechain
1	AA	1189	U	Sidechain
1	AA	1190	G	Sidechain
1	AA	1191	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1193	G	Sidechain
1	AA	1194	U	Sidechain
1	AA	1198	G	Sidechain
1	AA	1199	U	Sidechain
1	AA	12	U	Sidechain
1	AA	1200	C	Sidechain
1	AA	1201	A	Sidechain
1	AA	1202	U	Sidechain
1	AA	1204	A	Sidechain
1	AA	1205	U	Sidechain
1	AA	1206	G	Sidechain
1	AA	121	U	Sidechain
1	AA	1210	C	Sidechain
1	AA	1212	U	Sidechain
1	AA	1213	A	Sidechain
1	AA	1214	C	Sidechain
1	AA	1215	G	Sidechain
1	AA	1216	A	Sidechain
1	AA	1217	C	Sidechain
1	AA	1219	A	Sidechain
1	AA	122	G	Sidechain
1	AA	1220	G	Sidechain
1	AA	1221	G	Sidechain
1	AA	1222	G	Sidechain
1	AA	1225	A	Sidechain
1	AA	1226	C	Sidechain
1	AA	123	U	Sidechain
1	AA	1230	C	Sidechain
1	AA	1232	U	Sidechain
1	AA	1233	G	Sidechain
1	AA	1234	C	Sidechain
1	AA	1236	A	Sidechain
1	AA	1237	C	Sidechain
1	AA	1239	A	Sidechain
1	AA	1240	U	Sidechain
1	AA	1241	G	Sidechain
1	AA	1243	C	Sidechain
1	AA	1244	G	Sidechain
1	AA	1247	U	Sidechain
1	AA	125	U	Sidechain
1	AA	1253	G	Sidechain
1	AA	1255	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1257	A	Sidechain
1	AA	1258	G	Sidechain
1	AA	126	G	Sidechain
1	AA	1261	A	Sidechain
1	AA	1263	C	Sidechain
1	AA	1264	U	Sidechain
1	AA	1266	G	Sidechain
1	AA	1268	G	Sidechain
1	AA	1269	A	Sidechain
1	AA	127	G	Sidechain
1	AA	1270	G	Sidechain
1	AA	1274	A	Sidechain
1	AA	1275	A	Sidechain
1	AA	1276	G	Sidechain
1	AA	1278	G	Sidechain
1	AA	128	G	Sidechain
1	AA	1280	A	Sidechain
1	AA	1281	C	Sidechain
1	AA	1284	C	Sidechain
1	AA	1286	U	Sidechain
1	AA	1289	A	Sidechain
1	AA	129	A	Sidechain
1	AA	1290	G	Sidechain
1	AA	1291	U	Sidechain
1	AA	1292	G	Sidechain
1	AA	1293	C	Sidechain
1	AA	1295	U	Sidechain
1	AA	1297	G	Sidechain
1	AA	1298	U	Sidechain
1	AA	1302	C	Sidechain
1	AA	1304	G	Sidechain
1	AA	1308	U	Sidechain
1	AA	1309	G	Sidechain
1	AA	131	A	Sidechain
1	AA	1310	G	Sidechain
1	AA	1312	G	Sidechain
1	AA	1313	U	Sidechain
1	AA	1315	U	Sidechain
1	AA	1316	G	Sidechain
1	AA	1317	C	Sidechain
1	AA	1318	A	Sidechain
1	AA	132	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1320	C	Sidechain
1	AA	1321	U	Sidechain
1	AA	1328	C	Sidechain
1	AA	133	U	Sidechain
1	AA	1330	U	Sidechain
1	AA	1333	A	Sidechain
1	AA	1334	G	Sidechain
1	AA	1336	C	Sidechain
1	AA	134	G	Sidechain
1	AA	1340	A	Sidechain
1	AA	1343	G	Sidechain
1	AA	1344	C	Sidechain
1	AA	1346	A	Sidechain
1	AA	1347	G	Sidechain
1	AA	1348	U	Sidechain
1	AA	135	C	Sidechain
1	AA	1351	U	Sidechain
1	AA	1353	G	Sidechain
1	AA	1356	G	Sidechain
1	AA	1357	A	Sidechain
1	AA	1358	U	Sidechain
1	AA	136	C	Sidechain
1	AA	1360	A	Sidechain
1	AA	1361	G	Sidechain
1	AA	1362	A	Sidechain
1	AA	1363	A	Sidechain
1	AA	1364	U	Sidechain
1	AA	1366	C	Sidechain
1	AA	1368	A	Sidechain
1	AA	1369	C	Sidechain
1	AA	1370	G	Sidechain
1	AA	1371	G	Sidechain
1	AA	1373	G	Sidechain
1	AA	1375	A	Sidechain
1	AA	1376	U	Sidechain
1	AA	1377	A	Sidechain
1	AA	1379	G	Sidechain
1	AA	1381	U	Sidechain
1	AA	1382	C	Sidechain
1	AA	1383	C	Sidechain
1	AA	1385	G	Sidechain
1	AA	139	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1391	U	Sidechain
1	AA	1392	G	Sidechain
1	AA	1393	U	Sidechain
1	AA	1394	A	Sidechain
1	AA	1395	C	Sidechain
1	AA	1399	C	Sidechain
1	AA	14	U	Sidechain
1	AA	140	U	Sidechain
1	AA	1403	C	Sidechain
1	AA	1405	G	Sidechain
1	AA	1406	U	Sidechain
1	AA	141	G	Sidechain
1	AA	1411	C	Sidechain
1	AA	1412	C	Sidechain
1	AA	1413	A	Sidechain
1	AA	1415	G	Sidechain
1	AA	1416	G	Sidechain
1	AA	1417	G	Sidechain
1	AA	1419	G	Sidechain
1	AA	142	G	Sidechain
1	AA	1420	U	Sidechain
1	AA	1421	G	Sidechain
1	AA	1425	U	Sidechain
1	AA	1428	A	Sidechain
1	AA	143	A	Sidechain
1	AA	1430	A	Sidechain
1	AA	1432	G	Sidechain
1	AA	1433	A	Sidechain
1	AA	1434	A	Sidechain
1	AA	1436	U	Sidechain
1	AA	1437	A	Sidechain
1	AA	144	G	Sidechain
1	AA	1440	U	Sidechain
1	AA	1443	C	Sidechain
1	AA	1445	U	Sidechain
1	AA	1450	U	Sidechain
1	AA	1452	C	Sidechain
1	AA	1453	G	Sidechain
1	AA	1454	G	Sidechain
1	AA	1455	G	Sidechain
1	AA	1456	A	Sidechain
1	AA	1457	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1458	G	Sidechain
1	AA	146	G	Sidechain
1	AA	1460	C	Sidechain
1	AA	1461	G	Sidechain
1	AA	1463	U	Sidechain
1	AA	1464	U	Sidechain
1	AA	1465	A	Sidechain
1	AA	1466	C	Sidechain
1	AA	1467	C	Sidechain
1	AA	1469	C	Sidechain
1	AA	147	G	Sidechain
1	AA	1470	U	Sidechain
1	AA	1471	U	Sidechain
1	AA	1472	U	Sidechain
1	AA	1473	G	Sidechain
1	AA	1475	G	Sidechain
1	AA	1477	U	Sidechain
1	AA	148	G	Sidechain
1	AA	1480	A	Sidechain
1	AA	1481	U	Sidechain
1	AA	1482	G	Sidechain
1	AA	1483	A	Sidechain
1	AA	1485	U	Sidechain
1	AA	1486	G	Sidechain
1	AA	1487	G	Sidechain
1	AA	1488	G	Sidechain
1	AA	1489	G	Sidechain
1	AA	1490	U	Sidechain
1	AA	1494	G	Sidechain
1	AA	1499	A	Sidechain
1	AA	1501	C	Sidechain
1	AA	1503	A	Sidechain
1	AA	1504	G	Sidechain
1	AA	1506	U	Sidechain
1	AA	1508	A	Sidechain
1	AA	151	A	Sidechain
1	AA	1513	A	Sidechain
1	AA	1514	G	Sidechain
1	AA	1517	G	Sidechain
1	AA	152	A	Sidechain
1	AA	1521	C	Sidechain
1	AA	1522	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1523	G	Sidechain
1	AA	1525	G	Sidechain
1	AA	1527	U	Sidechain
1	AA	1528	U	Sidechain
1	AA	153	C	Sidechain
1	AA	1530	G	Sidechain
1	AA	1531	A	Sidechain
1	AA	1535	C	Sidechain
1	AA	1536	C	Sidechain
1	AA	1541	U	Sidechain
1	AA	156	C	Sidechain
1	AA	157	U	Sidechain
1	AA	158	G	Sidechain
1	AA	159	G	Sidechain
1	AA	160	A	Sidechain
1	AA	161	A	Sidechain
1	AA	165	G	Sidechain
1	AA	166	U	Sidechain
1	AA	168	G	Sidechain
1	AA	171	A	Sidechain
1	AA	172	A	Sidechain
1	AA	173	U	Sidechain
1	AA	174	A	Sidechain
1	AA	176	C	Sidechain
1	AA	177	G	Sidechain
1	AA	178	C	Sidechain
1	AA	179	A	Sidechain
1	AA	180	U	Sidechain
1	AA	182	A	Sidechain
1	AA	183	C	Sidechain
1	AA	184	G	Sidechain
1	AA	186	C	Sidechain
1	AA	191	G	Sidechain
1	AA	195	A	Sidechain
1	AA	196	A	Sidechain
1	AA	198	G	Sidechain
1	AA	199	A	Sidechain
1	AA	200	G	Sidechain
1	AA	201	G	Sidechain
1	AA	202	G	Sidechain
1	AA	203	G	Sidechain
1	AA	204	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	208	U	Sidechain
1	AA	21	G	Sidechain
1	AA	210	C	Sidechain
1	AA	211	G	Sidechain
1	AA	212	G	Sidechain
1	AA	213	G	Sidechain
1	AA	214	C	Sidechain
1	AA	215	C	Sidechain
1	AA	217	C	Sidechain
1	AA	219	U	Sidechain
1	AA	22	G	Sidechain
1	AA	220	G	Sidechain
1	AA	221	C	Sidechain
1	AA	224	U	Sidechain
1	AA	225	C	Sidechain
1	AA	228	A	Sidechain
1	AA	229	U	Sidechain
1	AA	23	C	Sidechain
1	AA	230	G	Sidechain
1	AA	231	U	Sidechain
1	AA	232	G	Sidechain
1	AA	233	C	Sidechain
1	AA	236	A	Sidechain
1	AA	237	G	Sidechain
1	AA	238	A	Sidechain
1	AA	24	U	Sidechain
1	AA	240	G	Sidechain
1	AA	241	G	Sidechain
1	AA	242	G	Sidechain
1	AA	244	U	Sidechain
1	AA	245	U	Sidechain
1	AA	246	A	Sidechain
1	AA	247	G	Sidechain
1	AA	249	U	Sidechain
1	AA	250	A	Sidechain
1	AA	251	G	Sidechain
1	AA	252	U	Sidechain
1	AA	253	A	Sidechain
1	AA	254	G	Sidechain
1	AA	256	U	Sidechain
1	AA	257	G	Sidechain
1	AA	258	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	259	G	Sidechain
1	AA	260	G	Sidechain
1	AA	261	U	Sidechain
1	AA	265	G	Sidechain
1	AA	266	G	Sidechain
1	AA	267	C	Sidechain
1	AA	27	G	Sidechain
1	AA	271	C	Sidechain
1	AA	272	C	Sidechain
1	AA	275	G	Sidechain
1	AA	279	A	Sidechain
1	AA	280	C	Sidechain
1	AA	281	G	Sidechain
1	AA	283	U	Sidechain
1	AA	284	C	Sidechain
1	AA	285	C	Sidechain
1	AA	288	A	Sidechain
1	AA	293	G	Sidechain
1	AA	294	U	Sidechain
1	AA	297	G	Sidechain
1	AA	298	A	Sidechain
1	AA	299	G	Sidechain
1	AA	3	A	Sidechain
1	AA	300	A	Sidechain
1	AA	301	G	Sidechain
1	AA	304	U	Sidechain
1	AA	306	A	Sidechain
1	AA	308	C	Sidechain
1	AA	310	G	Sidechain
1	AA	312	C	Sidechain
1	AA	313	A	Sidechain
1	AA	315	A	Sidechain
1	AA	316	C	Sidechain
1	AA	317	U	Sidechain
1	AA	318	G	Sidechain
1	AA	320	A	Sidechain
1	AA	321	A	Sidechain
1	AA	322	C	Sidechain
1	AA	323	U	Sidechain
1	AA	324	G	Sidechain
1	AA	326	G	Sidechain
1	AA	328	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	329	A	Sidechain
1	AA	33	A	Sidechain
1	AA	331	G	Sidechain
1	AA	332	G	Sidechain
1	AA	334	C	Sidechain
1	AA	335	C	Sidechain
1	AA	337	G	Sidechain
1	AA	338	A	Sidechain
1	AA	342	C	Sidechain
1	AA	343	U	Sidechain
1	AA	345	C	Sidechain
1	AA	346	G	Sidechain
1	AA	348	G	Sidechain
1	AA	35	G	Sidechain
1	AA	350	G	Sidechain
1	AA	352	C	Sidechain
1	AA	355	C	Sidechain
1	AA	356	A	Sidechain
1	AA	357	G	Sidechain
1	AA	358	U	Sidechain
1	AA	359	G	Sidechain
1	AA	360	G	Sidechain
1	AA	362	G	Sidechain
1	AA	364	A	Sidechain
1	AA	365	U	Sidechain
1	AA	367	U	Sidechain
1	AA	37	U	Sidechain
1	AA	371	A	Sidechain
1	AA	373	A	Sidechain
1	AA	375	U	Sidechain
1	AA	376	G	Sidechain
1	AA	378	G	Sidechain
1	AA	379	C	Sidechain
1	AA	38	G	Sidechain
1	AA	380	G	Sidechain
1	AA	381	C	Sidechain
1	AA	382	A	Sidechain
1	AA	383	A	Sidechain
1	AA	387	U	Sidechain
1	AA	388	G	Sidechain
1	AA	39	G	Sidechain
1	AA	390	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	391	G	Sidechain
1	AA	394	G	Sidechain
1	AA	395	C	Sidechain
1	AA	399	G	Sidechain
1	AA	4	U	Sidechain
1	AA	40	C	Sidechain
1	AA	401	C	Sidechain
1	AA	402	G	Sidechain
1	AA	403	C	Sidechain
1	AA	404	G	Sidechain
1	AA	409	U	Sidechain
1	AA	41	G	Sidechain
1	AA	411	A	Sidechain
1	AA	413	G	Sidechain
1	AA	416	G	Sidechain
1	AA	417	G	Sidechain
1	AA	418	C	Sidechain
1	AA	42	G	Sidechain
1	AA	420	U	Sidechain
1	AA	421	U	Sidechain
1	AA	423	G	Sidechain
1	AA	424	G	Sidechain
1	AA	425	G	Sidechain
1	AA	426	U	Sidechain
1	AA	427	U	Sidechain
1	AA	429	U	Sidechain
1	AA	43	C	Sidechain
1	AA	430	A	Sidechain
1	AA	432	A	Sidechain
1	AA	433	G	Sidechain
1	AA	434	U	Sidechain
1	AA	437	U	Sidechain
1	AA	44	A	Sidechain
1	AA	440	C	Sidechain
1	AA	442	G	Sidechain
1	AA	445	G	Sidechain
1	AA	446	G	Sidechain
1	AA	449	G	Sidechain
1	AA	450	G	Sidechain
1	AA	457	G	Sidechain
1	AA	459	A	Sidechain
1	AA	46	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	461	A	Sidechain
1	AA	463	U	Sidechain
1	AA	464	U	Sidechain
1	AA	466	A	Sidechain
1	AA	468	A	Sidechain
1	AA	469	C	Sidechain
1	AA	47	C	Sidechain
1	AA	470	C	Sidechain
1	AA	474	G	Sidechain
1	AA	476	U	Sidechain
1	AA	478	A	Sidechain
1	AA	481	G	Sidechain
1	AA	483	C	Sidechain
1	AA	484	G	Sidechain
1	AA	488	C	Sidechain
1	AA	489	C	Sidechain
1	AA	49	U	Sidechain
1	AA	493	A	Sidechain
1	AA	495	A	Sidechain
1	AA	499	A	Sidechain
1	AA	50	A	Sidechain
1	AA	500	G	Sidechain
1	AA	504	C	Sidechain
1	AA	505	G	Sidechain
1	AA	508	U	Sidechain
1	AA	509	A	Sidechain
1	AA	511	C	Sidechain
1	AA	517	G	Sidechain
1	AA	519	C	Sidechain
1	AA	520	A	Sidechain
1	AA	521	G	Sidechain
1	AA	523	A	Sidechain
1	AA	524	G	Sidechain
1	AA	528	C	Sidechain
1	AA	529	G	Sidechain
1	AA	53	A	Sidechain
1	AA	530	G	Sidechain
1	AA	534	U	Sidechain
1	AA	536	C	Sidechain
1	AA	537	G	Sidechain
1	AA	538	G	Sidechain
1	AA	539	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	540	G	Sidechain
1	AA	541	G	Sidechain
1	AA	542	G	Sidechain
1	AA	543	U	Sidechain
1	AA	545	C	Sidechain
1	AA	548	G	Sidechain
1	AA	550	G	Sidechain
1	AA	551	U	Sidechain
1	AA	552	U	Sidechain
1	AA	553	A	Sidechain
1	AA	554	A	Sidechain
1	AA	557	G	Sidechain
1	AA	558	G	Sidechain
1	AA	56	U	Sidechain
1	AA	560	A	Sidechain
1	AA	562	U	Sidechain
1	AA	566	G	Sidechain
1	AA	574	A	Sidechain
1	AA	578	C	Sidechain
1	AA	579	A	Sidechain
1	AA	58	C	Sidechain
1	AA	580	C	Sidechain
1	AA	581	G	Sidechain
1	AA	584	G	Sidechain
1	AA	585	G	Sidechain
1	AA	587	G	Sidechain
1	AA	588	G	Sidechain
1	AA	590	U	Sidechain
1	AA	592	G	Sidechain
1	AA	598	U	Sidechain
1	AA	6	G	Sidechain
1	AA	600	A	Sidechain
1	AA	602	A	Sidechain
1	AA	603	U	Sidechain
1	AA	604	G	Sidechain
1	AA	606	G	Sidechain
1	AA	609	A	Sidechain
1	AA	61	G	Sidechain
1	AA	610	U	Sidechain
1	AA	611	C	Sidechain
1	AA	612	C	Sidechain
1	AA	614	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	615	G	Sidechain
1	AA	616	G	Sidechain
1	AA	617	G	Sidechain
1	AA	618	C	Sidechain
1	AA	620	C	Sidechain
1	AA	621	A	Sidechain
1	AA	622	A	Sidechain
1	AA	623	C	Sidechain
1	AA	624	C	Sidechain
1	AA	625	U	Sidechain
1	AA	628	G	Sidechain
1	AA	63	C	Sidechain
1	AA	630	A	Sidechain
1	AA	631	C	Sidechain
1	AA	633	G	Sidechain
1	AA	634	C	Sidechain
1	AA	635	A	Sidechain
1	AA	637	C	Sidechain
1	AA	639	G	Sidechain
1	AA	64	G	Sidechain
1	AA	644	U	Sidechain
1	AA	645	G	Sidechain
1	AA	646	G	Sidechain
1	AA	648	A	Sidechain
1	AA	65	A	Sidechain
1	AA	650	G	Sidechain
1	AA	652	U	Sidechain
1	AA	654	G	Sidechain
1	AA	656	G	Sidechain
1	AA	657	U	Sidechain
1	AA	659	U	Sidechain
1	AA	66	A	Sidechain
1	AA	666	G	Sidechain
1	AA	668	G	Sidechain
1	AA	669	G	Sidechain
1	AA	670	G	Sidechain
1	AA	671	G	Sidechain
1	AA	674	G	Sidechain
1	AA	676	A	Sidechain
1	AA	677	U	Sidechain
1	AA	678	U	Sidechain
1	AA	679	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	68	G	Sidechain
1	AA	680	C	Sidechain
1	AA	681	A	Sidechain
1	AA	684	U	Sidechain
1	AA	685	G	Sidechain
1	AA	686	U	Sidechain
1	AA	69	G	Sidechain
1	AA	690	G	Sidechain
1	AA	691	G	Sidechain
1	AA	692	U	Sidechain
1	AA	695	A	Sidechain
1	AA	696	A	Sidechain
1	AA	697	U	Sidechain
1	AA	698	G	Sidechain
1	AA	7	A	Sidechain
1	AA	70	U	Sidechain
1	AA	700	G	Sidechain
1	AA	702	A	Sidechain
1	AA	703	G	Sidechain
1	AA	704	A	Sidechain
1	AA	705	G	Sidechain
1	AA	706	A	Sidechain
1	AA	707	U	Sidechain
1	AA	708	C	Sidechain
1	AA	71	A	Sidechain
1	AA	711	G	Sidechain
1	AA	713	G	Sidechain
1	AA	717	U	Sidechain
1	AA	718	A	Sidechain
1	AA	719	C	Sidechain
1	AA	72	A	Sidechain
1	AA	720	C	Sidechain
1	AA	723	U	Sidechain
1	AA	724	G	Sidechain
1	AA	726	C	Sidechain
1	AA	727	G	Sidechain
1	AA	729	A	Sidechain
1	AA	730	G	Sidechain
1	AA	731	G	Sidechain
1	AA	734	G	Sidechain
1	AA	74	A	Sidechain
1	AA	740	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	741	G	Sidechain
1	AA	744	C	Sidechain
1	AA	747	A	Sidechain
1	AA	749	A	Sidechain
1	AA	75	G	Sidechain
1	AA	750	C	Sidechain
1	AA	751	U	Sidechain
1	AA	752	G	Sidechain
1	AA	753	A	Sidechain
1	AA	755	G	Sidechain
1	AA	757	U	Sidechain
1	AA	758	C	Sidechain
1	AA	759	A	Sidechain
1	AA	76	G	Sidechain
1	AA	762	U	Sidechain
1	AA	763	G	Sidechain
1	AA	764	C	Sidechain
1	AA	765	G	Sidechain
1	AA	766	A	Sidechain
1	AA	77	A	Sidechain
1	AA	770	C	Sidechain
1	AA	771	G	Sidechain
1	AA	773	G	Sidechain
1	AA	774	G	Sidechain
1	AA	775	G	Sidechain
1	AA	778	G	Sidechain
1	AA	78	A	Sidechain
1	AA	781	A	Sidechain
1	AA	785	G	Sidechain
1	AA	786	G	Sidechain
1	AA	787	A	Sidechain
1	AA	789	U	Sidechain
1	AA	79	G	Sidechain
1	AA	791	G	Sidechain
1	AA	793	U	Sidechain
1	AA	794	A	Sidechain
1	AA	795	C	Sidechain
1	AA	796	C	Sidechain
1	AA	80	A	Sidechain
1	AA	800	G	Sidechain
1	AA	801	U	Sidechain
1	AA	802	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	803	G	Sidechain
1	AA	804	U	Sidechain
1	AA	805	C	Sidechain
1	AA	81	A	Sidechain
1	AA	810	C	Sidechain
1	AA	811	C	Sidechain
1	AA	812	G	Sidechain
1	AA	813	U	Sidechain
1	AA	815	A	Sidechain
1	AA	816	A	Sidechain
1	AA	818	G	Sidechain
1	AA	819	A	Sidechain
1	AA	820	U	Sidechain
1	AA	821	G	Sidechain
1	AA	822	U	Sidechain
1	AA	825	A	Sidechain
1	AA	829	G	Sidechain
1	AA	83	C	Sidechain
1	AA	830	G	Sidechain
1	AA	832	G	Sidechain
1	AA	833	G	Sidechain
1	AA	835	U	Sidechain
1	AA	842	U	Sidechain
1	AA	843	U	Sidechain
1	AA	844	G	Sidechain
1	AA	846	G	Sidechain
1	AA	847	G	Sidechain
1	AA	849	G	Sidechain
1	AA	85	U	Sidechain
1	AA	854	U	Sidechain
1	AA	855	U	Sidechain
1	AA	856	C	Sidechain
1	AA	858	G	Sidechain
1	AA	859	G	Sidechain
1	AA	86	G	Sidechain
1	AA	860	A	Sidechain
1	AA	861	G	Sidechain
1	AA	862	C	Sidechain
1	AA	863	U	Sidechain
1	AA	864	A	Sidechain
1	AA	866	C	Sidechain
1	AA	869	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	87	C	Sidechain
1	AA	870	U	Sidechain
1	AA	871	U	Sidechain
1	AA	872	A	Sidechain
1	AA	874	G	Sidechain
1	AA	875	U	Sidechain
1	AA	877	G	Sidechain
1	AA	878	A	Sidechain
1	AA	879	C	Sidechain
1	AA	88	U	Sidechain
1	AA	881	G	Sidechain
1	AA	883	C	Sidechain
1	AA	884	U	Sidechain
1	AA	885	G	Sidechain
1	AA	886	G	Sidechain
1	AA	887	G	Sidechain
1	AA	888	G	Sidechain
1	AA	889	A	Sidechain
1	AA	89	U	Sidechain
1	AA	890	G	Sidechain
1	AA	895	G	Sidechain
1	AA	898	G	Sidechain
1	AA	9	G	Sidechain
1	AA	90	C	Sidechain
1	AA	900	A	Sidechain
1	AA	901	A	Sidechain
1	AA	902	G	Sidechain
1	AA	903	G	Sidechain
1	AA	905	U	Sidechain
1	AA	906	A	Sidechain
1	AA	907	A	Sidechain
1	AA	908	A	Sidechain
1	AA	910	C	Sidechain
1	AA	914	A	Sidechain
1	AA	916	U	Sidechain
1	AA	919	A	Sidechain
1	AA	92	U	Sidechain
1	AA	920	U	Sidechain
1	AA	922	G	Sidechain
1	AA	923	A	Sidechain
1	AA	924	C	Sidechain
1	AA	925	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	926	G	Sidechain
1	AA	928	G	Sidechain
1	AA	929	G	Sidechain
1	AA	933	G	Sidechain
1	AA	934	C	Sidechain
1	AA	937	A	Sidechain
1	AA	938	A	Sidechain
1	AA	939	G	Sidechain
1	AA	94	G	Sidechain
1	AA	941	G	Sidechain
1	AA	942	G	Sidechain
1	AA	943	U	Sidechain
1	AA	944	G	Sidechain
1	AA	945	G	Sidechain
1	AA	946	A	Sidechain
1	AA	947	G	Sidechain
1	AA	949	A	Sidechain
1	AA	95	C	Sidechain
1	AA	950	U	Sidechain
1	AA	951	G	Sidechain
1	AA	953	G	Sidechain
1	AA	954	G	Sidechain
1	AA	957	U	Sidechain
1	AA	958	A	Sidechain
1	AA	960	U	Sidechain
1	AA	961	U	Sidechain
1	AA	962	C	Sidechain
1	AA	963	G	Sidechain
1	AA	965	U	Sidechain
1	AA	968	A	Sidechain
1	AA	97	G	Sidechain
1	AA	970	C	Sidechain
1	AA	971	G	Sidechain
1	AA	972	C	Sidechain
1	AA	973	G	Sidechain
1	AA	974	A	Sidechain
1	AA	975	A	Sidechain
1	AA	976	G	Sidechain
1	AA	977	A	Sidechain
1	AA	978	A	Sidechain
1	AA	98	A	Sidechain
1	AA	981	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	982	U	Sidechain
1	AA	983	A	Sidechain
1	AA	984	C	Sidechain
1	AA	986	U	Sidechain
1	AA	987	G	Sidechain
1	AA	989	U	Sidechain
1	AA	99	C	Sidechain
1	AA	991	U	Sidechain
1	AA	992	U	Sidechain
1	AA	994	A	Sidechain
1	AA	995	C	Sidechain
1	AA	996	A	Sidechain
1	AA	998	C	Sidechain
2	AB	1	A	Sidechain
2	AB	10	G	Sidechain
2	AB	11	U	Sidechain
2	AB	12	U	Sidechain
2	AB	13	C	Sidechain
2	AB	15	A	Sidechain
2	AB	19	G	Sidechain
2	AB	2	G	Sidechain
2	AB	21	A	Sidechain
2	AB	22	G	Sidechain
2	AB	23	A	Sidechain
2	AB	24	G	Sidechain
2	AB	26	A	Sidechain
2	AB	27	C	Sidechain
2	AB	29	G	Sidechain
2	AB	31	U	Sidechain
2	AB	34	C	Sidechain
2	AB	35	C	Sidechain
2	AB	36	A	Sidechain
2	AB	4	G	Sidechain
2	AB	41	C	Sidechain
2	AB	43	G	Sidechain
2	AB	44	G	Sidechain
2	AB	45	U	Sidechain
2	AB	47	U	Sidechain
2	AB	49	G	Sidechain
2	AB	50	G	Sidechain
2	AB	56	C	Sidechain
2	AB	58	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	AB	60	U	Sidechain
2	AB	61	C	Sidechain
2	AB	62	U	Sidechain
2	AB	63	C	Sidechain
2	AB	65	C	Sidechain
2	AB	66	C	Sidechain
2	AB	67	G	Sidechain
2	AB	7	G	Sidechain
2	AB	72	U	Sidechain
2	AB	9	A	Sidechain
3	AC	14	G	Sidechain
3	AC	17	U	Sidechain
3	AC	18	A	Sidechain
3	AC	22	G	Sidechain
3	AC	25	U	Sidechain
3	AC	26	U	Sidechain
3	AC	27	A	Sidechain
3	AC	28	U	Sidechain
3	AC	31	U	Sidechain
3	AC	33	A	Sidechain
3	AC	35	G	Sidechain
3	AC	37	G	Sidechain
3	AC	38	G	Sidechain
3	AC	40	G	Sidechain
3	AC	42	U	Sidechain
3	AC	49	U	Sidechain
3	AC	51	C	Sidechain
3	AC	52	U	Sidechain
3	AC	53	G	Sidechain
3	AC	54	U	Sidechain
3	AC	55	A	Sidechain
3	AC	56	G	Sidechain
3	AC	59	A	Sidechain
4	AD	10	G	Sidechain
4	AD	14	A	Sidechain
4	AD	15	G	Sidechain
4	AD	17	C	Sidechain
4	AD	19	G	Sidechain
4	AD	20	G	Sidechain
4	AD	22	A	Sidechain
4	AD	23	G	Sidechain
4	AD	27	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
4	AD	28	U	Sidechain
4	AD	29	C	Sidechain
4	AD	3	C	Sidechain
4	AD	30	G	Sidechain
4	AD	31	G	Sidechain
4	AD	32	G	Sidechain
4	AD	35	C	Sidechain
4	AD	36	A	Sidechain
4	AD	38	A	Sidechain
4	AD	4	G	Sidechain
4	AD	46	G	Sidechain
4	AD	47	A	Sidechain
4	AD	49	C	Sidechain
4	AD	50	G	Sidechain
4	AD	52	C	Sidechain
4	AD	54	G	Sidechain
4	AD	58	A	Sidechain
4	AD	6	G	Sidechain
4	AD	60	A	Sidechain
4	AD	7	G	Sidechain
4	AD	70	C	Sidechain
4	AD	74	A	Sidechain
4	AD	75	C	Sidechain
4	AD	76	C	Sidechain
4	AD	9	G	Sidechain
5	AE	212	TYR	Sidechain
5	AE	221	ARG	Sidechain
5	AE	29	PHE	Sidechain
5	AE	34	ARG	Sidechain
5	AE	85	SER	Mainchain
5	AE	86	CYS	Peptide
6	AF	10	ARG	Peptide
6	AF	112	ALA	Mainchain
6	AF	125	ARG	Sidechain
6	AF	168	ARG	Sidechain
6	AF	183	TYR	Sidechain
6	AF	202	PHE	Sidechain
6	AF	228	ARG	Sidechain
6	AF	39	ARG	Sidechain
7	AG	102	TYR	Sidechain
7	AG	106	PHE	Mainchain,Peptide
7	AG	12	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
7	AG	13	ARG	Sidechain
7	AG	187	ARG	Sidechain
7	AG	50	TYR	Sidechain
7	AG	62	ARG	Sidechain
7	AG	67	LEU	Mainchain
7	AG	75	TYR	Sidechain
7	AG	81	LEU	Peptide
8	AH	127	TYR	Mainchain
8	AH	19	ARG	Sidechain
8	AH	49	TYR	Sidechain
8	AH	67	ARG	Sidechain
8	AH	92	ARG	Sidechain
9	AI	109	ARG	Sidechain
9	AI	111	GLU	Peptide
9	AI	113	ARG	Sidechain
9	AI	25	TYR	Sidechain
9	AI	38	ARG	Sidechain
9	AI	49	TYR	Sidechain
9	AI	59	TYR	Sidechain
9	AI	79	ARG	Sidechain
9	AI	80	PHE	Sidechain
9	AI	86	ARG	Sidechain
9	AI	91	ARG	Sidechain
10	AJ	101	ARG	Sidechain
10	AJ	141	HIS	Sidechain
10	AJ	142	ARG	Sidechain
10	AJ	153	TYR	Sidechain
10	AJ	154	ARG	Sidechain
10	AJ	163	HIS	Sidechain
11	AK	127	TYR	Sidechain
11	AK	14	ARG	Sidechain
11	AK	79	ARG	Peptide
12	AL	108	ARG	Sidechain
12	AL	123	ARG	Sidechain
12	AL	126	PHE	Sidechain
12	AL	89	TYR	Sidechain
12	AL	94	ARG	Sidechain
13	AM	53	ILE	Mainchain
13	AM	65	TYR	Sidechain
13	AM	89	ARG	Sidechain
13	AM	9	ARG	Sidechain
14	AN	10	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
14	AN	12	ARG	Sidechain
14	AN	37	GLN	Peptide
14	AN	52	ARG	Sidechain
14	AN	68	ARG	Sidechain
15	AO	11	ARG	Sidechain
15	AO	37	TYR	Sidechain
16	AP	13	HIS	Sidechain
16	AP	56	ARG	Sidechain
16	AP	69	ARG	Sidechain
17	AQ	99	SER	Mainchain
19	AS	17	TYR	Sidechain
19	AS	28	ARG	Sidechain
19	AS	33	ILE	Mainchain
20	AT	39	ARG	Sidechain
21	AU	10	CYS	Peptide
21	AU	11	ARG	Sidechain
21	AU	3	TYR	Sidechain
21	AU	4	PHE	Sidechain
21	AU	62	ARG	Sidechain
21	AU	7	ARG	Sidechain
23	AW	23	ARG	Sidechain
23	AW	28	ARG	Sidechain
24	AX	17	ARG	Sidechain
51	B0	21	LEU	Mainchain
51	B0	46	VAL	Mainchain
52	B1	30	ARG	Sidechain
52	B1	52	PHE	Sidechain
53	B2	63	ARG	Sidechain
55	B4	20	TYR	Sidechain
55	B4	38	PHE	Sidechain
55	B4	48	TYR	Sidechain
56	B5	28	ARG	Sidechain
57	B6	13	PHE	Sidechain
57	B6	21	PHE	Sidechain
57	B6	63	TYR	Sidechain
58	B7	19	ARG	Sidechain
25	BA	10	G	Sidechain
25	BA	100	G	Sidechain
25	BA	104	A	Sidechain
25	BA	105	G	Sidechain
25	BA	106	G	Sidechain
25	BA	108	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BA	109	A	Sidechain
25	BA	11	C	Sidechain
25	BA	110	C	Sidechain
25	BA	114	C	Sidechain
25	BA	117	G	Sidechain
25	BA	119	A	Sidechain
25	BA	12	C	Sidechain
25	BA	120	U	Sidechain
25	BA	13	G	Sidechain
25	BA	14	U	Sidechain
25	BA	15	A	Sidechain
25	BA	18	G	Sidechain
25	BA	19	C	Sidechain
25	BA	2	G	Sidechain
25	BA	20	G	Sidechain
25	BA	24	G	Sidechain
25	BA	25	U	Sidechain
25	BA	26	C	Sidechain
25	BA	27	C	Sidechain
25	BA	30	C	Sidechain
25	BA	32	U	Sidechain
25	BA	33	G	Sidechain
25	BA	34	A	Sidechain
25	BA	35	C	Sidechain
25	BA	37	C	Sidechain
25	BA	39	A	Sidechain
25	BA	41	G	Sidechain
25	BA	42	C	Sidechain
25	BA	44	G	Sidechain
25	BA	45	A	Sidechain
25	BA	47	C	Sidechain
25	BA	48	U	Sidechain
25	BA	5	U	Sidechain
25	BA	50	A	Sidechain
25	BA	52	A	Sidechain
25	BA	53	A	Sidechain
25	BA	54	G	Sidechain
25	BA	55	U	Sidechain
25	BA	6	G	Sidechain
25	BA	60	C	Sidechain
25	BA	61	G	Sidechain
25	BA	64	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BA	66	A	Sidechain
25	BA	67	G	Sidechain
25	BA	69	G	Sidechain
25	BA	72	G	Sidechain
25	BA	73	A	Sidechain
25	BA	74	U	Sidechain
25	BA	76	G	Sidechain
25	BA	78	A	Sidechain
25	BA	8	C	Sidechain
25	BA	81	G	Sidechain
25	BA	82	U	Sidechain
25	BA	83	G	Sidechain
25	BA	84	G	Sidechain
25	BA	85	G	Sidechain
25	BA	86	G	Sidechain
25	BA	87	U	Sidechain
25	BA	88	C	Sidechain
25	BA	89	U	Sidechain
25	BA	91	C	Sidechain
25	BA	95	U	Sidechain
25	BA	96	G	Sidechain
25	BA	97	C	Sidechain
25	BA	98	G	Sidechain
26	BB	1	G	Sidechain
26	BB	100	U	Sidechain
26	BB	1000	A	Sidechain
26	BB	1001	A	Sidechain
26	BB	1002	G	Sidechain
26	BB	1004	U	Sidechain
26	BB	1005	C	Sidechain
26	BB	1007	C	Sidechain
26	BB	1008	A	Sidechain
26	BB	1010	A	Sidechain
26	BB	1011	G	Sidechain
26	BB	1012	U	Sidechain
26	BB	1013	C	Sidechain
26	BB	1014	A	Sidechain
26	BB	1015	U	Sidechain
26	BB	1016	G	Sidechain
26	BB	1019	U	Sidechain
26	BB	1020	A	Sidechain
26	BB	1021	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1022	G	Sidechain
26	BB	1023	U	Sidechain
26	BB	1024	G	Sidechain
26	BB	1025	G	Sidechain
26	BB	1027	A	Sidechain
26	BB	1028	A	Sidechain
26	BB	1031	G	Sidechain
26	BB	1037	G	Sidechain
26	BB	1038	G	Sidechain
26	BB	1039	A	Sidechain
26	BB	1040	A	Sidechain
26	BB	1041	G	Sidechain
26	BB	1043	C	Sidechain
26	BB	1045	C	Sidechain
26	BB	1047	G	Sidechain
26	BB	1050	A	Sidechain
26	BB	1053	C	Sidechain
26	BB	1055	G	Sidechain
26	BB	1056	G	Sidechain
26	BB	1057	A	Sidechain
26	BB	1058	U	Sidechain
26	BB	1059	G	Sidechain
26	BB	106	C	Sidechain
26	BB	1060	U	Sidechain
26	BB	1061	U	Sidechain
26	BB	1062	G	Sidechain
26	BB	1063	G	Sidechain
26	BB	1065	U	Sidechain
26	BB	1066	U	Sidechain
26	BB	1068	G	Sidechain
26	BB	107	G	Sidechain
26	BB	1072	C	Sidechain
26	BB	1073	A	Sidechain
26	BB	1078	U	Sidechain
26	BB	1079	C	Sidechain
26	BB	1080	A	Sidechain
26	BB	1081	U	Sidechain
26	BB	1083	U	Sidechain
26	BB	1084	A	Sidechain
26	BB	1087	G	Sidechain
26	BB	1089	A	Sidechain
26	BB	109	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1090	A	Sidechain
26	BB	1092	C	Sidechain
26	BB	1093	G	Sidechain
26	BB	1094	U	Sidechain
26	BB	1096	A	Sidechain
26	BB	1097	U	Sidechain
26	BB	1099	G	Sidechain
26	BB	11	C	Sidechain
26	BB	110	G	Sidechain
26	BB	1100	C	Sidechain
26	BB	1106	G	Sidechain
26	BB	1107	G	Sidechain
26	BB	1109	C	Sidechain
26	BB	1110	G	Sidechain
26	BB	1111	A	Sidechain
26	BB	1112	G	Sidechain
26	BB	1113	U	Sidechain
26	BB	1115	G	Sidechain
26	BB	1116	G	Sidechain
26	BB	1119	U	Sidechain
26	BB	1121	C	Sidechain
26	BB	1122	G	Sidechain
26	BB	1125	G	Sidechain
26	BB	1126	A	Sidechain
26	BB	1127	A	Sidechain
26	BB	113	U	Sidechain
26	BB	1131	G	Sidechain
26	BB	1132	U	Sidechain
26	BB	1134	A	Sidechain
26	BB	1136	G	Sidechain
26	BB	1137	G	Sidechain
26	BB	1138	G	Sidechain
26	BB	1139	G	Sidechain
26	BB	114	U	Sidechain
26	BB	1141	U	Sidechain
26	BB	1142	A	Sidechain
26	BB	1143	A	Sidechain
26	BB	1149	G	Sidechain
26	BB	115	C	Sidechain
26	BB	1152	C	Sidechain
26	BB	1155	A	Sidechain
26	BB	1156	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1157	G	Sidechain
26	BB	1162	G	Sidechain
26	BB	1165	A	Sidechain
26	BB	1167	C	Sidechain
26	BB	1168	G	Sidechain
26	BB	1169	A	Sidechain
26	BB	1170	C	Sidechain
26	BB	1171	G	Sidechain
26	BB	1173	U	Sidechain
26	BB	1175	A	Sidechain
26	BB	1176	U	Sidechain
26	BB	1177	G	Sidechain
26	BB	1178	C	Sidechain
26	BB	1179	G	Sidechain
26	BB	118	A	Sidechain
26	BB	1181	U	Sidechain
26	BB	1182	G	Sidechain
26	BB	1183	U	Sidechain
26	BB	1185	G	Sidechain
26	BB	1186	G	Sidechain
26	BB	1187	G	Sidechain
26	BB	1190	G	Sidechain
26	BB	1192	G	Sidechain
26	BB	1193	G	Sidechain
26	BB	1194	A	Sidechain
26	BB	1195	G	Sidechain
26	BB	1197	G	Sidechain
26	BB	1198	U	Sidechain
26	BB	12	U	Sidechain
26	BB	120	U	Sidechain
26	BB	1200	C	Sidechain
26	BB	1201	U	Sidechain
26	BB	1202	G	Sidechain
26	BB	1203	U	Sidechain
26	BB	1205	A	Sidechain
26	BB	1206	G	Sidechain
26	BB	1208	C	Sidechain
26	BB	1209	U	Sidechain
26	BB	1210	G	Sidechain
26	BB	1211	C	Sidechain
26	BB	1212	G	Sidechain
26	BB	1213	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1214	A	Sidechain
26	BB	1215	G	Sidechain
26	BB	1218	G	Sidechain
26	BB	1220	G	Sidechain
26	BB	1221	C	Sidechain
26	BB	1222	U	Sidechain
26	BB	1223	G	Sidechain
26	BB	1226	A	Sidechain
26	BB	1227	G	Sidechain
26	BB	1228	G	Sidechain
26	BB	1229	C	Sidechain
26	BB	123	G	Sidechain
26	BB	1230	A	Sidechain
26	BB	1231	U	Sidechain
26	BB	1235	G	Sidechain
26	BB	1236	G	Sidechain
26	BB	1238	G	Sidechain
26	BB	124	G	Sidechain
26	BB	1242	U	Sidechain
26	BB	1243	C	Sidechain
26	BB	1244	A	Sidechain
26	BB	1245	G	Sidechain
26	BB	1246	A	Sidechain
26	BB	1248	G	Sidechain
26	BB	1249	U	Sidechain
26	BB	125	A	Sidechain
26	BB	1250	G	Sidechain
26	BB	1252	G	Sidechain
26	BB	1253	A	Sidechain
26	BB	1254	A	Sidechain
26	BB	1255	U	Sidechain
26	BB	1256	G	Sidechain
26	BB	1258	U	Sidechain
26	BB	1259	G	Sidechain
26	BB	126	A	Sidechain
26	BB	1261	C	Sidechain
26	BB	1262	A	Sidechain
26	BB	1263	U	Sidechain
26	BB	1264	A	Sidechain
26	BB	1265	A	Sidechain
26	BB	1266	G	Sidechain
26	BB	1267	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1268	A	Sidechain
26	BB	127	A	Sidechain
26	BB	1271	G	Sidechain
26	BB	1273	U	Sidechain
26	BB	1275	A	Sidechain
26	BB	1276	A	Sidechain
26	BB	1277	G	Sidechain
26	BB	1279	G	Sidechain
26	BB	1280	G	Sidechain
26	BB	1281	G	Sidechain
26	BB	1282	U	Sidechain
26	BB	1283	G	Sidechain
26	BB	1284	A	Sidechain
26	BB	1287	A	Sidechain
26	BB	1288	G	Sidechain
26	BB	129	C	Sidechain
26	BB	1290	C	Sidechain
26	BB	1292	G	Sidechain
26	BB	1293	C	Sidechain
26	BB	1294	U	Sidechain
26	BB	1295	C	Sidechain
26	BB	1296	G	Sidechain
26	BB	1297	C	Sidechain
26	BB	1298	C	Sidechain
26	BB	1299	G	Sidechain
26	BB	1300	G	Sidechain
26	BB	1301	A	Sidechain
26	BB	1302	A	Sidechain
26	BB	1305	C	Sidechain
26	BB	1306	C	Sidechain
26	BB	1307	A	Sidechain
26	BB	1309	G	Sidechain
26	BB	1311	G	Sidechain
26	BB	1313	U	Sidechain
26	BB	1316	U	Sidechain
26	BB	1317	G	Sidechain
26	BB	1319	C	Sidechain
26	BB	132	G	Sidechain
26	BB	1321	A	Sidechain
26	BB	1325	U	Sidechain
26	BB	1326	U	Sidechain
26	BB	1327	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	133	U	Sidechain
26	BB	1332	G	Sidechain
26	BB	1334	G	Sidechain
26	BB	1336	A	Sidechain
26	BB	1338	G	Sidechain
26	BB	1339	G	Sidechain
26	BB	1340	U	Sidechain
26	BB	1341	G	Sidechain
26	BB	1343	G	Sidechain
26	BB	1345	C	Sidechain
26	BB	1349	C	Sidechain
26	BB	135	U	Sidechain
26	BB	1350	C	Sidechain
26	BB	1353	A	Sidechain
26	BB	1354	A	Sidechain
26	BB	1355	G	Sidechain
26	BB	1356	G	Sidechain
26	BB	1359	A	Sidechain
26	BB	136	G	Sidechain
26	BB	1360	G	Sidechain
26	BB	1361	G	Sidechain
26	BB	1362	C	Sidechain
26	BB	1365	A	Sidechain
26	BB	1366	A	Sidechain
26	BB	1367	A	Sidechain
26	BB	1368	G	Sidechain
26	BB	1369	G	Sidechain
26	BB	137	U	Sidechain
26	BB	1370	C	Sidechain
26	BB	1371	G	Sidechain
26	BB	1374	G	Sidechain
26	BB	1375	U	Sidechain
26	BB	1376	C	Sidechain
26	BB	1377	G	Sidechain
26	BB	1380	G	Sidechain
26	BB	1381	G	Sidechain
26	BB	1382	G	Sidechain
26	BB	1383	A	Sidechain
26	BB	1385	A	Sidechain
26	BB	1386	C	Sidechain
26	BB	1388	G	Sidechain
26	BB	1389	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1390	U	Sidechain
26	BB	1392	A	Sidechain
26	BB	1393	A	Sidechain
26	BB	1394	U	Sidechain
26	BB	1395	A	Sidechain
26	BB	1396	U	Sidechain
26	BB	1397	U	Sidechain
26	BB	1398	C	Sidechain
26	BB	14	A	Sidechain
26	BB	1401	G	Sidechain
26	BB	1402	U	Sidechain
26	BB	1404	C	Sidechain
26	BB	1405	U	Sidechain
26	BB	1406	U	Sidechain
26	BB	1407	G	Sidechain
26	BB	1408	G	Sidechain
26	BB	1409	U	Sidechain
26	BB	141	G	Sidechain
26	BB	1410	G	Sidechain
26	BB	1411	U	Sidechain
26	BB	1412	U	Sidechain
26	BB	1413	A	Sidechain
26	BB	1414	C	Sidechain
26	BB	1416	G	Sidechain
26	BB	1417	C	Sidechain
26	BB	1418	G	Sidechain
26	BB	1419	A	Sidechain
26	BB	1420	A	Sidechain
26	BB	1423	G	Sidechain
26	BB	1424	G	Sidechain
26	BB	1426	G	Sidechain
26	BB	1427	A	Sidechain
26	BB	1428	C	Sidechain
26	BB	1429	G	Sidechain
26	BB	143	C	Sidechain
26	BB	1430	G	Sidechain
26	BB	1432	G	Sidechain
26	BB	1433	A	Sidechain
26	BB	1434	A	Sidechain
26	BB	1435	G	Sidechain
26	BB	1436	G	Sidechain
26	BB	1438	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1439	A	Sidechain
26	BB	144	A	Sidechain
26	BB	1440	U	Sidechain
26	BB	1443	U	Sidechain
26	BB	1444	G	Sidechain
26	BB	1448	G	Sidechain
26	BB	1452	G	Sidechain
26	BB	1453	A	Sidechain
26	BB	1454	C	Sidechain
26	BB	1457	U	Sidechain
26	BB	1459	G	Sidechain
26	BB	1460	U	Sidechain
26	BB	1461	C	Sidechain
26	BB	1464	G	Sidechain
26	BB	1466	U	Sidechain
26	BB	1467	U	Sidechain
26	BB	1468	U	Sidechain
26	BB	1470	A	Sidechain
26	BB	1471	G	Sidechain
26	BB	1473	G	Sidechain
26	BB	1474	U	Sidechain
26	BB	1477	A	Sidechain
26	BB	1478	G	Sidechain
26	BB	148	U	Sidechain
26	BB	1480	C	Sidechain
26	BB	1482	G	Sidechain
26	BB	1483	G	Sidechain
26	BB	1484	U	Sidechain
26	BB	1485	U	Sidechain
26	BB	1487	U	Sidechain
26	BB	1488	C	Sidechain
26	BB	1491	G	Sidechain
26	BB	1492	G	Sidechain
26	BB	1493	C	Sidechain
26	BB	1494	A	Sidechain
26	BB	1495	A	Sidechain
26	BB	1498	C	Sidechain
26	BB	150	U	Sidechain
26	BB	1507	C	Sidechain
26	BB	1510	G	Sidechain
26	BB	1511	G	Sidechain
26	BB	1513	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1514	G	Sidechain
26	BB	1518	C	Sidechain
26	BB	1522	A	Sidechain
26	BB	1523	U	Sidechain
26	BB	1524	G	Sidechain
26	BB	1528	A	Sidechain
26	BB	1529	G	Sidechain
26	BB	1533	C	Sidechain
26	BB	1535	A	Sidechain
26	BB	1536	C	Sidechain
26	BB	1538	G	Sidechain
26	BB	1539	U	Sidechain
26	BB	154	U	Sidechain
26	BB	1540	G	Sidechain
26	BB	1542	U	Sidechain
26	BB	1544	A	Sidechain
26	BB	1546	G	Sidechain
26	BB	1548	A	Sidechain
26	BB	155	A	Sidechain
26	BB	1551	A	Sidechain
26	BB	1552	A	Sidechain
26	BB	1553	A	Sidechain
26	BB	1556	C	Sidechain
26	BB	1559	U	Sidechain
26	BB	1560	G	Sidechain
26	BB	1563	U	Sidechain
26	BB	1565	C	Sidechain
26	BB	1566	A	Sidechain
26	BB	1567	G	Sidechain
26	BB	1569	A	Sidechain
26	BB	157	C	Sidechain
26	BB	1572	A	Sidechain
26	BB	1574	C	Sidechain
26	BB	1577	C	Sidechain
26	BB	158	U	Sidechain
26	BB	1580	A	Sidechain
26	BB	1581	G	Sidechain
26	BB	1583	A	Sidechain
26	BB	1584	U	Sidechain
26	BB	1587	G	Sidechain
26	BB	1588	G	Sidechain
26	BB	1589	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1590	A	Sidechain
26	BB	1591	A	Sidechain
26	BB	1594	U	Sidechain
26	BB	1598	A	Sidechain
26	BB	1599	U	Sidechain
26	BB	16	C	Sidechain
26	BB	160	A	Sidechain
26	BB	1601	G	Sidechain
26	BB	1603	A	Sidechain
26	BB	1604	C	Sidechain
26	BB	1605	C	Sidechain
26	BB	1607	C	Sidechain
26	BB	1608	A	Sidechain
26	BB	1612	C	Sidechain
26	BB	1617	C	Sidechain
26	BB	1619	G	Sidechain
26	BB	162	U	Sidechain
26	BB	1620	G	Sidechain
26	BB	1622	G	Sidechain
26	BB	1623	G	Sidechain
26	BB	1624	U	Sidechain
26	BB	1626	A	Sidechain
26	BB	1627	G	Sidechain
26	BB	1628	G	Sidechain
26	BB	1631	G	Sidechain
26	BB	1633	G	Sidechain
26	BB	1634	A	Sidechain
26	BB	1635	A	Sidechain
26	BB	1636	U	Sidechain
26	BB	1637	A	Sidechain
26	BB	1638	C	Sidechain
26	BB	1639	C	Sidechain
26	BB	1640	A	Sidechain
26	BB	1641	A	Sidechain
26	BB	1645	G	Sidechain
26	BB	1646	C	Sidechain
26	BB	1648	U	Sidechain
26	BB	165	A	Sidechain
26	BB	1651	G	Sidechain
26	BB	1652	A	Sidechain
26	BB	1654	A	Sidechain
26	BB	1655	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1656	C	Sidechain
26	BB	1658	C	Sidechain
26	BB	1659	G	Sidechain
26	BB	166	U	Sidechain
26	BB	1660	G	Sidechain
26	BB	1661	G	Sidechain
26	BB	1662	U	Sidechain
26	BB	1663	G	Sidechain
26	BB	1664	A	Sidechain
26	BB	1665	A	Sidechain
26	BB	1666	G	Sidechain
26	BB	1667	G	Sidechain
26	BB	1668	A	Sidechain
26	BB	1669	A	Sidechain
26	BB	1671	U	Sidechain
26	BB	1672	A	Sidechain
26	BB	1678	A	Sidechain
26	BB	1680	U	Sidechain
26	BB	1681	G	Sidechain
26	BB	1682	G	Sidechain
26	BB	1687	G	Sidechain
26	BB	1691	C	Sidechain
26	BB	1693	U	Sidechain
26	BB	1694	C	Sidechain
26	BB	1695	G	Sidechain
26	BB	1696	G	Sidechain
26	BB	170	U	Sidechain
26	BB	1700	A	Sidechain
26	BB	1703	G	Sidechain
26	BB	1706	C	Sidechain
26	BB	1708	C	Sidechain
26	BB	1709	U	Sidechain
26	BB	171	U	Sidechain
26	BB	1713	A	Sidechain
26	BB	1715	G	Sidechain
26	BB	172	A	Sidechain
26	BB	1720	U	Sidechain
26	BB	1721	G	Sidechain
26	BB	1724	G	Sidechain
26	BB	1725	U	Sidechain
26	BB	1727	C	Sidechain
26	BB	1728	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1729	U	Sidechain
26	BB	1735	A	Sidechain
26	BB	1736	U	Sidechain
26	BB	1737	G	Sidechain
26	BB	1738	G	Sidechain
26	BB	1739	A	Sidechain
26	BB	174	U	Sidechain
26	BB	1740	G	Sidechain
26	BB	1745	A	Sidechain
26	BB	1746	A	Sidechain
26	BB	1747	U	Sidechain
26	BB	1748	C	Sidechain
26	BB	175	G	Sidechain
26	BB	1750	G	Sidechain
26	BB	1751	U	Sidechain
26	BB	1752	C	Sidechain
26	BB	1753	G	Sidechain
26	BB	1754	A	Sidechain
26	BB	1755	A	Sidechain
26	BB	1756	G	Sidechain
26	BB	1758	U	Sidechain
26	BB	1759	A	Sidechain
26	BB	176	A	Sidechain
26	BB	1761	C	Sidechain
26	BB	1764	C	Sidechain
26	BB	1765	U	Sidechain
26	BB	1766	G	Sidechain
26	BB	1768	C	Sidechain
26	BB	1769	U	Sidechain
26	BB	177	G	Sidechain
26	BB	1770	G	Sidechain
26	BB	1772	A	Sidechain
26	BB	1773	A	Sidechain
26	BB	1775	U	Sidechain
26	BB	1777	U	Sidechain
26	BB	1778	U	Sidechain
26	BB	178	G	Sidechain
26	BB	1780	A	Sidechain
26	BB	1782	U	Sidechain
26	BB	1784	A	Sidechain
26	BB	1789	A	Sidechain
26	BB	179	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1792	G	Sidechain
26	BB	1795	C	Sidechain
26	BB	1796	U	Sidechain
26	BB	1797	G	Sidechain
26	BB	18	U	Sidechain
26	BB	180	G	Sidechain
26	BB	1800	C	Sidechain
26	BB	1801	A	Sidechain
26	BB	1802	A	Sidechain
26	BB	1803	A	Sidechain
26	BB	1805	A	Sidechain
26	BB	1808	A	Sidechain
26	BB	1810	A	Sidechain
26	BB	1811	G	Sidechain
26	BB	1812	U	Sidechain
26	BB	1813	G	Sidechain
26	BB	1814	G	Sidechain
26	BB	1815	A	Sidechain
26	BB	1817	G	Sidechain
26	BB	182	A	Sidechain
26	BB	1820	U	Sidechain
26	BB	1822	C	Sidechain
26	BB	1823	G	Sidechain
26	BB	1824	G	Sidechain
26	BB	1826	G	Sidechain
26	BB	1828	G	Sidechain
26	BB	1829	A	Sidechain
26	BB	183	C	Sidechain
26	BB	1831	G	Sidechain
26	BB	1832	C	Sidechain
26	BB	1833	C	Sidechain
26	BB	1836	C	Sidechain
26	BB	1837	C	Sidechain
26	BB	1838	C	Sidechain
26	BB	184	C	Sidechain
26	BB	1840	G	Sidechain
26	BB	1841	U	Sidechain
26	BB	1842	G	Sidechain
26	BB	1845	G	Sidechain
26	BB	1846	G	Sidechain
26	BB	1849	G	Sidechain
26	BB	185	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1850	G	Sidechain
26	BB	1851	U	Sidechain
26	BB	1853	A	Sidechain
26	BB	1855	U	Sidechain
26	BB	1857	G	Sidechain
26	BB	1859	U	Sidechain
26	BB	186	G	Sidechain
26	BB	1863	G	Sidechain
26	BB	1865	U	Sidechain
26	BB	1867	G	Sidechain
26	BB	1868	C	Sidechain
26	BB	1869	G	Sidechain
26	BB	1871	A	Sidechain
26	BB	1872	A	Sidechain
26	BB	1875	G	Sidechain
26	BB	188	G	Sidechain
26	BB	1884	G	Sidechain
26	BB	1885	A	Sidechain
26	BB	1886	U	Sidechain
26	BB	1888	G	Sidechain
26	BB	1889	A	Sidechain
26	BB	189	G	Sidechain
26	BB	1890	A	Sidechain
26	BB	1891	G	Sidechain
26	BB	1894	C	Sidechain
26	BB	1895	C	Sidechain
26	BB	1897	G	Sidechain
26	BB	1898	U	Sidechain
26	BB	1899	A	Sidechain
26	BB	190	A	Sidechain
26	BB	1901	A	Sidechain
26	BB	1902	C	Sidechain
26	BB	1904	G	Sidechain
26	BB	1907	G	Sidechain
26	BB	1908	C	Sidechain
26	BB	1909	C	Sidechain
26	BB	1910	G	Sidechain
26	BB	1912	A	Sidechain
26	BB	1913	A	Sidechain
26	BB	1914	C	Sidechain
26	BB	1918	A	Sidechain
26	BB	1919	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1920	C	Sidechain
26	BB	1921	G	Sidechain
26	BB	1923	U	Sidechain
26	BB	1924	C	Sidechain
26	BB	1929	G	Sidechain
26	BB	193	U	Sidechain
26	BB	1930	G	Sidechain
26	BB	1931	U	Sidechain
26	BB	1932	A	Sidechain
26	BB	1934	C	Sidechain
26	BB	1935	G	Sidechain
26	BB	1936	A	Sidechain
26	BB	1938	A	Sidechain
26	BB	194	G	Sidechain
26	BB	1944	U	Sidechain
26	BB	1948	G	Sidechain
26	BB	1949	G	Sidechain
26	BB	195	A	Sidechain
26	BB	1952	A	Sidechain
26	BB	1954	G	Sidechain
26	BB	1955	U	Sidechain
26	BB	1959	G	Sidechain
26	BB	196	A	Sidechain
26	BB	1960	A	Sidechain
26	BB	1963	U	Sidechain
26	BB	1964	G	Sidechain
26	BB	1968	G	Sidechain
26	BB	1969	A	Sidechain
26	BB	1970	A	Sidechain
26	BB	1971	U	Sidechain
26	BB	1975	G	Sidechain
26	BB	1976	U	Sidechain
26	BB	1980	G	Sidechain
26	BB	1983	G	Sidechain
26	BB	1984	G	Sidechain
26	BB	1987	A	Sidechain
26	BB	1988	G	Sidechain
26	BB	1989	G	Sidechain
26	BB	199	A	Sidechain
26	BB	1990	C	Sidechain
26	BB	1991	U	Sidechain
26	BB	1992	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1994	C	Sidechain
26	BB	1995	U	Sidechain
26	BB	1997	C	Sidechain
26	BB	1999	C	Sidechain
26	BB	2	G	Sidechain
26	BB	20	C	Sidechain
26	BB	200	U	Sidechain
26	BB	2000	C	Sidechain
26	BB	2002	G	Sidechain
26	BB	2005	A	Sidechain
26	BB	2008	C	Sidechain
26	BB	201	C	Sidechain
26	BB	2010	G	Sidechain
26	BB	2016	U	Sidechain
26	BB	202	U	Sidechain
26	BB	2021	C	Sidechain
26	BB	2022	U	Sidechain
26	BB	2023	C	Sidechain
26	BB	2024	G	Sidechain
26	BB	2026	U	Sidechain
26	BB	2027	G	Sidechain
26	BB	2029	G	Sidechain
26	BB	2031	A	Sidechain
26	BB	2034	U	Sidechain
26	BB	2036	C	Sidechain
26	BB	2037	A	Sidechain
26	BB	204	A	Sidechain
26	BB	2040	G	Sidechain
26	BB	2042	A	Sidechain
26	BB	2043	C	Sidechain
26	BB	2044	C	Sidechain
26	BB	2048	G	Sidechain
26	BB	2049	G	Sidechain
26	BB	205	G	Sidechain
26	BB	2055	C	Sidechain
26	BB	2056	G	Sidechain
26	BB	2057	G	Sidechain
26	BB	2059	A	Sidechain
26	BB	206	U	Sidechain
26	BB	2060	A	Sidechain
26	BB	2061	G	Sidechain
26	BB	2064	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2065	C	Sidechain
26	BB	2066	C	Sidechain
26	BB	2068	U	Sidechain
26	BB	207	A	Sidechain
26	BB	2070	A	Sidechain
26	BB	2071	A	Sidechain
26	BB	2072	C	Sidechain
26	BB	2073	C	Sidechain
26	BB	2074	U	Sidechain
26	BB	2076	U	Sidechain
26	BB	208	C	Sidechain
26	BB	2086	U	Sidechain
26	BB	2087	G	Sidechain
26	BB	2090	A	Sidechain
26	BB	2091	C	Sidechain
26	BB	2092	U	Sidechain
26	BB	2093	G	Sidechain
26	BB	2094	A	Sidechain
26	BB	2098	U	Sidechain
26	BB	2099	U	Sidechain
26	BB	21	A	Sidechain
26	BB	210	C	Sidechain
26	BB	2102	G	Sidechain
26	BB	2103	C	Sidechain
26	BB	2105	U	Sidechain
26	BB	2106	U	Sidechain
26	BB	2107	G	Sidechain
26	BB	2108	A	Sidechain
26	BB	211	C	Sidechain
26	BB	2111	U	Sidechain
26	BB	2112	G	Sidechain
26	BB	2113	U	Sidechain
26	BB	2114	A	Sidechain
26	BB	2115	G	Sidechain
26	BB	2117	A	Sidechain
26	BB	2118	U	Sidechain
26	BB	212	G	Sidechain
26	BB	2120	G	Sidechain
26	BB	2121	G	Sidechain
26	BB	2122	U	Sidechain
26	BB	2124	G	Sidechain
26	BB	2125	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2126	A	Sidechain
26	BB	2128	G	Sidechain
26	BB	2129	C	Sidechain
26	BB	2130	U	Sidechain
26	BB	2131	U	Sidechain
26	BB	2132	U	Sidechain
26	BB	2133	G	Sidechain
26	BB	2134	A	Sidechain
26	BB	2136	G	Sidechain
26	BB	2138	G	Sidechain
26	BB	214	G	Sidechain
26	BB	2143	C	Sidechain
26	BB	2144	G	Sidechain
26	BB	2146	C	Sidechain
26	BB	2147	A	Sidechain
26	BB	2150	C	Sidechain
26	BB	2151	U	Sidechain
26	BB	2152	G	Sidechain
26	BB	2153	C	Sidechain
26	BB	2156	G	Sidechain
26	BB	2157	G	Sidechain
26	BB	2160	C	Sidechain
26	BB	2163	A	Sidechain
26	BB	2166	U	Sidechain
26	BB	2167	U	Sidechain
26	BB	2168	G	Sidechain
26	BB	2169	A	Sidechain
26	BB	2174	C	Sidechain
26	BB	2181	U	Sidechain
26	BB	2183	A	Sidechain
26	BB	2184	A	Sidechain
26	BB	2186	G	Sidechain
26	BB	2188	U	Sidechain
26	BB	219	A	Sidechain
26	BB	2190	G	Sidechain
26	BB	2191	A	Sidechain
26	BB	2193	G	Sidechain
26	BB	2196	C	Sidechain
26	BB	2197	U	Sidechain
26	BB	2198	A	Sidechain
26	BB	2200	C	Sidechain
26	BB	2204	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2209	G	Sidechain
26	BB	221	A	Sidechain
26	BB	2210	U	Sidechain
26	BB	2213	U	Sidechain
26	BB	2214	C	Sidechain
26	BB	2216	G	Sidechain
26	BB	2217	G	Sidechain
26	BB	2218	G	Sidechain
26	BB	2221	G	Sidechain
26	BB	2224	G	Sidechain
26	BB	2228	G	Sidechain
26	BB	2229	U	Sidechain
26	BB	2233	U	Sidechain
26	BB	2234	G	Sidechain
26	BB	2237	G	Sidechain
26	BB	2239	G	Sidechain
26	BB	2242	G	Sidechain
26	BB	2243	U	Sidechain
26	BB	2244	U	Sidechain
26	BB	2246	G	Sidechain
26	BB	2248	C	Sidechain
26	BB	225	C	Sidechain
26	BB	2250	G	Sidechain
26	BB	2252	G	Sidechain
26	BB	2253	G	Sidechain
26	BB	2255	G	Sidechain
26	BB	2257	U	Sidechain
26	BB	2258	C	Sidechain
26	BB	2259	U	Sidechain
26	BB	226	A	Sidechain
26	BB	2264	C	Sidechain
26	BB	2267	A	Sidechain
26	BB	2268	A	Sidechain
26	BB	2269	G	Sidechain
26	BB	227	A	Sidechain
26	BB	2270	A	Sidechain
26	BB	2273	A	Sidechain
26	BB	2277	G	Sidechain
26	BB	2279	G	Sidechain
26	BB	2281	A	Sidechain
26	BB	2282	G	Sidechain
26	BB	2283	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2284	A	Sidechain
26	BB	2285	C	Sidechain
26	BB	2289	G	Sidechain
26	BB	229	C	Sidechain
26	BB	2290	G	Sidechain
26	BB	2291	U	Sidechain
26	BB	2293	G	Sidechain
26	BB	2296	U	Sidechain
26	BB	2297	A	Sidechain
26	BB	2298	A	Sidechain
26	BB	2299	U	Sidechain
26	BB	230	G	Sidechain
26	BB	2300	C	Sidechain
26	BB	2303	G	Sidechain
26	BB	2304	G	Sidechain
26	BB	2305	U	Sidechain
26	BB	2306	C	Sidechain
26	BB	2308	G	Sidechain
26	BB	2309	A	Sidechain
26	BB	2311	A	Sidechain
26	BB	2312	U	Sidechain
26	BB	2313	C	Sidechain
26	BB	2315	G	Sidechain
26	BB	2316	G	Sidechain
26	BB	2318	G	Sidechain
26	BB	232	G	Sidechain
26	BB	2320	U	Sidechain
26	BB	2321	U	Sidechain
26	BB	2323	G	Sidechain
26	BB	2325	G	Sidechain
26	BB	2326	C	Sidechain
26	BB	2327	A	Sidechain
26	BB	2328	A	Sidechain
26	BB	2329	U	Sidechain
26	BB	2330	G	Sidechain
26	BB	2332	C	Sidechain
26	BB	2333	A	Sidechain
26	BB	2334	U	Sidechain
26	BB	2336	A	Sidechain
26	BB	2339	C	Sidechain
26	BB	234	U	Sidechain
26	BB	2340	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2341	G	Sidechain
26	BB	2344	U	Sidechain
26	BB	2345	G	Sidechain
26	BB	2348	U	Sidechain
26	BB	2349	G	Sidechain
26	BB	2350	C	Sidechain
26	BB	2353	G	Sidechain
26	BB	2355	G	Sidechain
26	BB	2358	A	Sidechain
26	BB	2360	G	Sidechain
26	BB	2361	G	Sidechain
26	BB	2363	G	Sidechain
26	BB	2364	C	Sidechain
26	BB	2365	G	Sidechain
26	BB	2366	A	Sidechain
26	BB	2367	G	Sidechain
26	BB	2368	C	Sidechain
26	BB	237	C	Sidechain
26	BB	2370	G	Sidechain
26	BB	2371	G	Sidechain
26	BB	2373	G	Sidechain
26	BB	2375	G	Sidechain
26	BB	2376	A	Sidechain
26	BB	2377	A	Sidechain
26	BB	2379	G	Sidechain
26	BB	238	C	Sidechain
26	BB	2383	G	Sidechain
26	BB	2385	C	Sidechain
26	BB	2386	A	Sidechain
26	BB	2388	A	Sidechain
26	BB	2390	U	Sidechain
26	BB	2391	G	Sidechain
26	BB	2393	U	Sidechain
26	BB	2396	G	Sidechain
26	BB	240	C	Sidechain
26	BB	2401	U	Sidechain
26	BB	2404	U	Sidechain
26	BB	2405	G	Sidechain
26	BB	2408	U	Sidechain
26	BB	2409	G	Sidechain
26	BB	2410	G	Sidechain
26	BB	2411	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2412	A	Sidechain
26	BB	2413	G	Sidechain
26	BB	2414	G	Sidechain
26	BB	2418	A	Sidechain
26	BB	2419	U	Sidechain
26	BB	242	G	Sidechain
26	BB	2421	G	Sidechain
26	BB	2423	U	Sidechain
26	BB	2425	A	Sidechain
26	BB	2427	C	Sidechain
26	BB	2428	G	Sidechain
26	BB	2429	G	Sidechain
26	BB	2432	A	Sidechain
26	BB	2433	A	Sidechain
26	BB	2435	A	Sidechain
26	BB	2436	G	Sidechain
26	BB	2437	G	Sidechain
26	BB	2438	U	Sidechain
26	BB	2439	A	Sidechain
26	BB	2440	C	Sidechain
26	BB	2443	C	Sidechain
26	BB	2444	G	Sidechain
26	BB	2447	G	Sidechain
26	BB	2448	A	Sidechain
26	BB	245	G	Sidechain
26	BB	2450	A	Sidechain
26	BB	2451	A	Sidechain
26	BB	2456	C	Sidechain
26	BB	2458	G	Sidechain
26	BB	2459	A	Sidechain
26	BB	246	C	Sidechain
26	BB	2462	C	Sidechain
26	BB	2464	G	Sidechain
26	BB	2466	C	Sidechain
26	BB	2468	A	Sidechain
26	BB	2469	A	Sidechain
26	BB	247	G	Sidechain
26	BB	2470	G	Sidechain
26	BB	2471	A	Sidechain
26	BB	2474	U	Sidechain
26	BB	2476	A	Sidechain
26	BB	2478	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2479	U	Sidechain
26	BB	248	G	Sidechain
26	BB	2480	C	Sidechain
26	BB	2485	G	Sidechain
26	BB	2486	C	Sidechain
26	BB	2487	G	Sidechain
26	BB	2488	G	Sidechain
26	BB	2489	U	Sidechain
26	BB	2490	G	Sidechain
26	BB	2491	U	Sidechain
26	BB	2492	U	Sidechain
26	BB	2493	U	Sidechain
26	BB	2495	G	Sidechain
26	BB	2499	C	Sidechain
26	BB	25	U	Sidechain
26	BB	250	G	Sidechain
26	BB	2500	U	Sidechain
26	BB	2502	G	Sidechain
26	BB	2505	G	Sidechain
26	BB	2506	U	Sidechain
26	BB	2508	G	Sidechain
26	BB	2509	G	Sidechain
26	BB	251	A	Sidechain
26	BB	2510	C	Sidechain
26	BB	2512	C	Sidechain
26	BB	2514	U	Sidechain
26	BB	2515	C	Sidechain
26	BB	2517	C	Sidechain
26	BB	2519	U	Sidechain
26	BB	252	G	Sidechain
26	BB	2521	C	Sidechain
26	BB	2525	G	Sidechain
26	BB	2526	G	Sidechain
26	BB	2528	U	Sidechain
26	BB	253	C	Sidechain
26	BB	2530	A	Sidechain
26	BB	2532	G	Sidechain
26	BB	2533	U	Sidechain
26	BB	2535	G	Sidechain
26	BB	2537	U	Sidechain
26	BB	2538	C	Sidechain
26	BB	2539	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	254	G	Sidechain
26	BB	2540	C	Sidechain
26	BB	2543	G	Sidechain
26	BB	2544	G	Sidechain
26	BB	2547	A	Sidechain
26	BB	2548	U	Sidechain
26	BB	2549	G	Sidechain
26	BB	2550	G	Sidechain
26	BB	2553	G	Sidechain
26	BB	2555	U	Sidechain
26	BB	2556	C	Sidechain
26	BB	2559	C	Sidechain
26	BB	2561	U	Sidechain
26	BB	2562	U	Sidechain
26	BB	2563	U	Sidechain
26	BB	2564	A	Sidechain
26	BB	2569	G	Sidechain
26	BB	257	C	Sidechain
26	BB	2570	G	Sidechain
26	BB	2572	A	Sidechain
26	BB	2574	G	Sidechain
26	BB	2576	G	Sidechain
26	BB	2582	G	Sidechain
26	BB	2583	G	Sidechain
26	BB	2584	U	Sidechain
26	BB	2585	U	Sidechain
26	BB	2586	U	Sidechain
26	BB	2588	G	Sidechain
26	BB	259	G	Sidechain
26	BB	2592	G	Sidechain
26	BB	2593	U	Sidechain
26	BB	2596	U	Sidechain
26	BB	2597	G	Sidechain
26	BB	2598	A	Sidechain
26	BB	2599	G	Sidechain
26	BB	260	G	Sidechain
26	BB	2600	A	Sidechain
26	BB	2603	G	Sidechain
26	BB	2606	C	Sidechain
26	BB	2607	G	Sidechain
26	BB	261	G	Sidechain
26	BB	2610	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2611	C	Sidechain
26	BB	2613	U	Sidechain
26	BB	2615	U	Sidechain
26	BB	2616	C	Sidechain
26	BB	2618	G	Sidechain
26	BB	262	A	Sidechain
26	BB	2620	C	Sidechain
26	BB	2621	G	Sidechain
26	BB	2624	G	Sidechain
26	BB	2626	C	Sidechain
26	BB	2628	C	Sidechain
26	BB	263	G	Sidechain
26	BB	2630	G	Sidechain
26	BB	2631	G	Sidechain
26	BB	2633	G	Sidechain
26	BB	2634	A	Sidechain
26	BB	2637	U	Sidechain
26	BB	2638	G	Sidechain
26	BB	2639	A	Sidechain
26	BB	264	C	Sidechain
26	BB	2640	G	Sidechain
26	BB	2641	G	Sidechain
26	BB	2642	G	Sidechain
26	BB	2643	G	Sidechain
26	BB	2644	G	Sidechain
26	BB	2645	G	Sidechain
26	BB	2647	U	Sidechain
26	BB	265	A	Sidechain
26	BB	2655	G	Sidechain
26	BB	2657	A	Sidechain
26	BB	2658	C	Sidechain
26	BB	2659	G	Sidechain
26	BB	266	G	Sidechain
26	BB	2660	A	Sidechain
26	BB	2661	G	Sidechain
26	BB	2662	A	Sidechain
26	BB	2663	G	Sidechain
26	BB	2664	G	Sidechain
26	BB	2665	A	Sidechain
26	BB	2668	G	Sidechain
26	BB	2669	G	Sidechain
26	BB	267	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2671	G	Sidechain
26	BB	2672	U	Sidechain
26	BB	2673	G	Sidechain
26	BB	2674	G	Sidechain
26	BB	2675	A	Sidechain
26	BB	2676	C	Sidechain
26	BB	2681	C	Sidechain
26	BB	2683	C	Sidechain
26	BB	2684	U	Sidechain
26	BB	2685	G	Sidechain
26	BB	2686	G	Sidechain
26	BB	2687	U	Sidechain
26	BB	2688	G	Sidechain
26	BB	2689	U	Sidechain
26	BB	269	C	Sidechain
26	BB	2690	U	Sidechain
26	BB	2691	C	Sidechain
26	BB	2692	G	Sidechain
26	BB	2694	G	Sidechain
26	BB	2696	U	Sidechain
26	BB	2697	G	Sidechain
26	BB	2698	U	Sidechain
26	BB	2699	C	Sidechain
26	BB	27	G	Sidechain
26	BB	270	A	Sidechain
26	BB	2702	G	Sidechain
26	BB	2704	C	Sidechain
26	BB	2706	A	Sidechain
26	BB	2707	U	Sidechain
26	BB	2708	G	Sidechain
26	BB	2709	G	Sidechain
26	BB	271	G	Sidechain
26	BB	2710	C	Sidechain
26	BB	2712	C	Sidechain
26	BB	2713	U	Sidechain
26	BB	2717	C	Sidechain
26	BB	2718	G	Sidechain
26	BB	2719	G	Sidechain
26	BB	272	A	Sidechain
26	BB	2721	A	Sidechain
26	BB	2722	G	Sidechain
26	BB	2723	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2724	U	Sidechain
26	BB	2725	A	Sidechain
26	BB	2726	A	Sidechain
26	BB	2728	U	Sidechain
26	BB	2729	G	Sidechain
26	BB	273	G	Sidechain
26	BB	2730	C	Sidechain
26	BB	2731	G	Sidechain
26	BB	2732	G	Sidechain
26	BB	2733	A	Sidechain
26	BB	2734	A	Sidechain
26	BB	2737	G	Sidechain
26	BB	2740	A	Sidechain
26	BB	2742	G	Sidechain
26	BB	2744	G	Sidechain
26	BB	2745	C	Sidechain
26	BB	2751	G	Sidechain
26	BB	2752	C	Sidechain
26	BB	2753	A	Sidechain
26	BB	2754	U	Sidechain
26	BB	2755	C	Sidechain
26	BB	2756	U	Sidechain
26	BB	2757	A	Sidechain
26	BB	2758	A	Sidechain
26	BB	2759	G	Sidechain
26	BB	2760	C	Sidechain
26	BB	2761	A	Sidechain
26	BB	2762	C	Sidechain
26	BB	2763	G	Sidechain
26	BB	2764	A	Sidechain
26	BB	2767	C	Sidechain
26	BB	2769	U	Sidechain
26	BB	277	G	Sidechain
26	BB	2770	G	Sidechain
26	BB	2771	C	Sidechain
26	BB	2773	C	Sidechain
26	BB	2776	A	Sidechain
26	BB	2777	G	Sidechain
26	BB	2778	A	Sidechain
26	BB	278	A	Sidechain
26	BB	2780	G	Sidechain
26	BB	2781	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2782	G	Sidechain
26	BB	2783	U	Sidechain
26	BB	2784	U	Sidechain
26	BB	2785	C	Sidechain
26	BB	2786	U	Sidechain
26	BB	2787	C	Sidechain
26	BB	2791	G	Sidechain
26	BB	2793	C	Sidechain
26	BB	2794	C	Sidechain
26	BB	2795	C	Sidechain
26	BB	2797	U	Sidechain
26	BB	2798	U	Sidechain
26	BB	2802	G	Sidechain
26	BB	2804	U	Sidechain
26	BB	2806	C	Sidechain
26	BB	2807	U	Sidechain
26	BB	2808	G	Sidechain
26	BB	2809	A	Sidechain
26	BB	2810	A	Sidechain
26	BB	2816	G	Sidechain
26	BB	2819	G	Sidechain
26	BB	282	A	Sidechain
26	BB	2820	A	Sidechain
26	BB	2822	G	Sidechain
26	BB	2823	A	Sidechain
26	BB	2824	C	Sidechain
26	BB	2828	G	Sidechain
26	BB	2831	G	Sidechain
26	BB	2832	U	Sidechain
26	BB	2834	G	Sidechain
26	BB	2835	A	Sidechain
26	BB	2836	U	Sidechain
26	BB	2838	G	Sidechain
26	BB	2839	G	Sidechain
26	BB	2842	G	Sidechain
26	BB	2844	G	Sidechain
26	BB	2846	G	Sidechain
26	BB	2848	G	Sidechain
26	BB	2849	U	Sidechain
26	BB	285	G	Sidechain
26	BB	2853	C	Sidechain
26	BB	2854	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2857	G	Sidechain
26	BB	2858	C	Sidechain
26	BB	2859	G	Sidechain
26	BB	2860	A	Sidechain
26	BB	2861	U	Sidechain
26	BB	2863	C	Sidechain
26	BB	2864	G	Sidechain
26	BB	2865	U	Sidechain
26	BB	2867	G	Sidechain
26	BB	287	G	Sidechain
26	BB	2871	U	Sidechain
26	BB	2873	A	Sidechain
26	BB	2876	G	Sidechain
26	BB	2877	G	Sidechain
26	BB	2887	A	Sidechain
26	BB	2888	C	Sidechain
26	BB	2890	G	Sidechain
26	BB	2891	U	Sidechain
26	BB	2892	G	Sidechain
26	BB	2894	G	Sidechain
26	BB	2895	G	Sidechain
26	BB	2896	C	Sidechain
26	BB	2897	U	Sidechain
26	BB	2898	U	Sidechain
26	BB	2899	A	Sidechain
26	BB	2900	A	Sidechain
26	BB	2903	U	Sidechain
26	BB	291	G	Sidechain
26	BB	293	U	Sidechain
26	BB	295	G	Sidechain
26	BB	297	G	Sidechain
26	BB	30	G	Sidechain
26	BB	300	A	Sidechain
26	BB	302	C	Sidechain
26	BB	303	G	Sidechain
26	BB	304	U	Sidechain
26	BB	308	G	Sidechain
26	BB	31	C	Sidechain
26	BB	310	A	Sidechain
26	BB	311	A	Sidechain
26	BB	312	G	Sidechain
26	BB	313	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	314	C	Sidechain
26	BB	315	G	Sidechain
26	BB	317	G	Sidechain
26	BB	32	C	Sidechain
26	BB	320	A	Sidechain
26	BB	321	U	Sidechain
26	BB	322	A	Sidechain
26	BB	325	G	Sidechain
26	BB	327	G	Sidechain
26	BB	329	G	Sidechain
26	BB	330	A	Sidechain
26	BB	331	C	Sidechain
26	BB	333	G	Sidechain
26	BB	334	C	Sidechain
26	BB	336	C	Sidechain
26	BB	337	C	Sidechain
26	BB	338	G	Sidechain
26	BB	339	U	Sidechain
26	BB	340	A	Sidechain
26	BB	341	C	Sidechain
26	BB	342	A	Sidechain
26	BB	343	C	Sidechain
26	BB	346	A	Sidechain
26	BB	347	A	Sidechain
26	BB	348	A	Sidechain
26	BB	349	U	Sidechain
26	BB	35	G	Sidechain
26	BB	350	G	Sidechain
26	BB	352	A	Sidechain
26	BB	353	C	Sidechain
26	BB	355	U	Sidechain
26	BB	356	G	Sidechain
26	BB	358	U	Sidechain
26	BB	359	G	Sidechain
26	BB	360	U	Sidechain
26	BB	361	G	Sidechain
26	BB	362	A	Sidechain
26	BB	365	U	Sidechain
26	BB	366	C	Sidechain
26	BB	368	A	Sidechain
26	BB	370	G	Sidechain
26	BB	372	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	373	U	Sidechain
26	BB	376	G	Sidechain
26	BB	377	G	Sidechain
26	BB	379	G	Sidechain
26	BB	38	A	Sidechain
26	BB	380	G	Sidechain
26	BB	381	G	Sidechain
26	BB	383	C	Sidechain
26	BB	386	G	Sidechain
26	BB	387	U	Sidechain
26	BB	389	G	Sidechain
26	BB	39	G	Sidechain
26	BB	392	U	Sidechain
26	BB	393	C	Sidechain
26	BB	395	U	Sidechain
26	BB	396	G	Sidechain
26	BB	397	U	Sidechain
26	BB	398	C	Sidechain
26	BB	4	U	Sidechain
26	BB	40	U	Sidechain
26	BB	403	U	Sidechain
26	BB	404	A	Sidechain
26	BB	406	G	Sidechain
26	BB	407	G	Sidechain
26	BB	408	G	Sidechain
26	BB	409	G	Sidechain
26	BB	41	C	Sidechain
26	BB	412	A	Sidechain
26	BB	418	C	Sidechain
26	BB	42	A	Sidechain
26	BB	420	C	Sidechain
26	BB	424	G	Sidechain
26	BB	425	G	Sidechain
26	BB	426	C	Sidechain
26	BB	428	A	Sidechain
26	BB	43	G	Sidechain
26	BB	430	A	Sidechain
26	BB	431	U	Sidechain
26	BB	432	A	Sidechain
26	BB	434	U	Sidechain
26	BB	436	C	Sidechain
26	BB	44	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	441	U	Sidechain
26	BB	443	A	Sidechain
26	BB	448	U	Sidechain
26	BB	449	A	Sidechain
26	BB	45	G	Sidechain
26	BB	450	G	Sidechain
26	BB	451	U	Sidechain
26	BB	452	G	Sidechain
26	BB	453	A	Sidechain
26	BB	454	A	Sidechain
26	BB	455	C	Sidechain
26	BB	457	A	Sidechain
26	BB	458	G	Sidechain
26	BB	461	C	Sidechain
26	BB	462	C	Sidechain
26	BB	464	U	Sidechain
26	BB	465	G	Sidechain
26	BB	467	G	Sidechain
26	BB	468	G	Sidechain
26	BB	469	G	Sidechain
26	BB	47	C	Sidechain
26	BB	471	A	Sidechain
26	BB	474	G	Sidechain
26	BB	475	C	Sidechain
26	BB	476	G	Sidechain
26	BB	477	A	Sidechain
26	BB	479	A	Sidechain
26	BB	48	G	Sidechain
26	BB	480	A	Sidechain
26	BB	481	G	Sidechain
26	BB	483	A	Sidechain
26	BB	484	C	Sidechain
26	BB	488	G	Sidechain
26	BB	489	G	Sidechain
26	BB	49	A	Sidechain
26	BB	490	C	Sidechain
26	BB	491	G	Sidechain
26	BB	493	G	Sidechain
26	BB	494	G	Sidechain
26	BB	496	G	Sidechain
26	BB	497	A	Sidechain
26	BB	498	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	499	U	Sidechain
26	BB	5	A	Sidechain
26	BB	50	U	Sidechain
26	BB	500	G	Sidechain
26	BB	501	A	Sidechain
26	BB	504	A	Sidechain
26	BB	505	A	Sidechain
26	BB	506	G	Sidechain
26	BB	509	C	Sidechain
26	BB	51	G	Sidechain
26	BB	510	C	Sidechain
26	BB	512	G	Sidechain
26	BB	514	A	Sidechain
26	BB	516	C	Sidechain
26	BB	518	G	Sidechain
26	BB	519	U	Sidechain
26	BB	522	A	Sidechain
26	BB	523	C	Sidechain
26	BB	524	G	Sidechain
26	BB	525	U	Sidechain
26	BB	526	A	Sidechain
26	BB	53	A	Sidechain
26	BB	530	G	Sidechain
26	BB	532	A	Sidechain
26	BB	533	G	Sidechain
26	BB	534	U	Sidechain
26	BB	535	G	Sidechain
26	BB	54	G	Sidechain
26	BB	540	C	Sidechain
26	BB	541	A	Sidechain
26	BB	542	C	Sidechain
26	BB	543	G	Sidechain
26	BB	544	C	Sidechain
26	BB	547	A	Sidechain
26	BB	548	G	Sidechain
26	BB	549	G	Sidechain
26	BB	55	G	Sidechain
26	BB	550	C	Sidechain
26	BB	551	G	Sidechain
26	BB	553	G	Sidechain
26	BB	554	U	Sidechain
26	BB	556	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	558	U	Sidechain
26	BB	559	G	Sidechain
26	BB	56	A	Sidechain
26	BB	561	G	Sidechain
26	BB	563	A	Sidechain
26	BB	566	U	Sidechain
26	BB	57	C	Sidechain
26	BB	570	G	Sidechain
26	BB	571	U	Sidechain
26	BB	572	A	Sidechain
26	BB	573	U	Sidechain
26	BB	574	A	Sidechain
26	BB	576	U	Sidechain
26	BB	577	G	Sidechain
26	BB	579	G	Sidechain
26	BB	580	U	Sidechain
26	BB	583	G	Sidechain
26	BB	586	A	Sidechain
26	BB	589	U	Sidechain
26	BB	59	U	Sidechain
26	BB	590	A	Sidechain
26	BB	591	U	Sidechain
26	BB	595	C	Sidechain
26	BB	598	U	Sidechain
26	BB	599	A	Sidechain
26	BB	60	G	Sidechain
26	BB	601	C	Sidechain
26	BB	604	G	Sidechain
26	BB	605	G	Sidechain
26	BB	606	U	Sidechain
26	BB	607	U	Sidechain
26	BB	608	A	Sidechain
26	BB	614	A	Sidechain
26	BB	615	U	Sidechain
26	BB	617	G	Sidechain
26	BB	618	G	Sidechain
26	BB	619	G	Sidechain
26	BB	62	U	Sidechain
26	BB	620	G	Sidechain
26	BB	623	C	Sidechain
26	BB	624	C	Sidechain
26	BB	625	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	626	A	Sidechain
26	BB	628	G	Sidechain
26	BB	630	G	Sidechain
26	BB	631	A	Sidechain
26	BB	632	A	Sidechain
26	BB	633	A	Sidechain
26	BB	636	G	Sidechain
26	BB	637	A	Sidechain
26	BB	638	G	Sidechain
26	BB	64	A	Sidechain
26	BB	640	C	Sidechain
26	BB	641	U	Sidechain
26	BB	642	U	Sidechain
26	BB	643	A	Sidechain
26	BB	644	A	Sidechain
26	BB	647	G	Sidechain
26	BB	648	G	Sidechain
26	BB	652	U	Sidechain
26	BB	654	A	Sidechain
26	BB	655	A	Sidechain
26	BB	656	G	Sidechain
26	BB	659	G	Sidechain
26	BB	660	C	Sidechain
26	BB	662	G	Sidechain
26	BB	664	G	Sidechain
26	BB	665	U	Sidechain
26	BB	666	A	Sidechain
26	BB	67	U	Sidechain
26	BB	674	G	Sidechain
26	BB	676	A	Sidechain
26	BB	677	A	Sidechain
26	BB	678	C	Sidechain
26	BB	68	G	Sidechain
26	BB	683	U	Sidechain
26	BB	684	G	Sidechain
26	BB	689	A	Sidechain
26	BB	69	C	Sidechain
26	BB	690	G	Sidechain
26	BB	691	C	Sidechain
26	BB	694	U	Sidechain
26	BB	695	G	Sidechain
26	BB	697	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	698	C	Sidechain
26	BB	699	A	Sidechain
26	BB	70	G	Sidechain
26	BB	700	G	Sidechain
26	BB	701	G	Sidechain
26	BB	702	U	Sidechain
26	BB	705	A	Sidechain
26	BB	706	A	Sidechain
26	BB	707	G	Sidechain
26	BB	708	G	Sidechain
26	BB	709	U	Sidechain
26	BB	711	G	Sidechain
26	BB	712	G	Sidechain
26	BB	713	G	Sidechain
26	BB	715	A	Sidechain
26	BB	716	A	Sidechain
26	BB	717	C	Sidechain
26	BB	718	A	Sidechain
26	BB	720	U	Sidechain
26	BB	726	G	Sidechain
26	BB	729	G	Sidechain
26	BB	731	C	Sidechain
26	BB	736	C	Sidechain
26	BB	737	C	Sidechain
26	BB	739	A	Sidechain
26	BB	741	U	Sidechain
26	BB	744	U	Sidechain
26	BB	749	A	Sidechain
26	BB	75	G	Sidechain
26	BB	750	A	Sidechain
26	BB	752	A	Sidechain
26	BB	756	A	Sidechain
26	BB	757	G	Sidechain
26	BB	758	C	Sidechain
26	BB	759	G	Sidechain
26	BB	760	G	Sidechain
26	BB	761	A	Sidechain
26	BB	762	U	Sidechain
26	BB	763	G	Sidechain
26	BB	764	A	Sidechain
26	BB	765	C	Sidechain
26	BB	766	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	767	U	Sidechain
26	BB	768	G	Sidechain
26	BB	77	G	Sidechain
26	BB	771	G	Sidechain
26	BB	772	C	Sidechain
26	BB	774	G	Sidechain
26	BB	775	G	Sidechain
26	BB	776	G	Sidechain
26	BB	777	G	Sidechain
26	BB	778	G	Sidechain
26	BB	780	G	Sidechain
26	BB	781	A	Sidechain
26	BB	783	A	Sidechain
26	BB	785	G	Sidechain
26	BB	788	A	Sidechain
26	BB	789	A	Sidechain
26	BB	799	G	Sidechain
26	BB	800	A	Sidechain
26	BB	801	G	Sidechain
26	BB	802	A	Sidechain
26	BB	804	A	Sidechain
26	BB	805	G	Sidechain
26	BB	806	C	Sidechain
26	BB	807	U	Sidechain
26	BB	809	G	Sidechain
26	BB	81	G	Sidechain
26	BB	811	U	Sidechain
26	BB	812	C	Sidechain
26	BB	814	C	Sidechain
26	BB	817	C	Sidechain
26	BB	818	G	Sidechain
26	BB	819	A	Sidechain
26	BB	820	A	Sidechain
26	BB	821	A	Sidechain
26	BB	824	U	Sidechain
26	BB	826	U	Sidechain
26	BB	828	U	Sidechain
26	BB	829	A	Sidechain
26	BB	83	A	Sidechain
26	BB	830	G	Sidechain
26	BB	831	G	Sidechain
26	BB	832	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	834	G	Sidechain
26	BB	835	C	Sidechain
26	BB	836	G	Sidechain
26	BB	838	C	Sidechain
26	BB	839	U	Sidechain
26	BB	84	A	Sidechain
26	BB	840	C	Sidechain
26	BB	841	G	Sidechain
26	BB	842	U	Sidechain
26	BB	844	A	Sidechain
26	BB	845	A	Sidechain
26	BB	846	U	Sidechain
26	BB	847	U	Sidechain
26	BB	848	C	Sidechain
26	BB	849	A	Sidechain
26	BB	850	U	Sidechain
26	BB	851	C	Sidechain
26	BB	852	U	Sidechain
26	BB	853	C	Sidechain
26	BB	856	G	Sidechain
26	BB	857	G	Sidechain
26	BB	860	U	Sidechain
26	BB	861	A	Sidechain
26	BB	865	C	Sidechain
26	BB	866	A	Sidechain
26	BB	867	C	Sidechain
26	BB	868	U	Sidechain
26	BB	869	G	Sidechain
26	BB	87	U	Sidechain
26	BB	870	U	Sidechain
26	BB	871	U	Sidechain
26	BB	875	G	Sidechain
26	BB	876	C	Sidechain
26	BB	877	A	Sidechain
26	BB	879	G	Sidechain
26	BB	88	G	Sidechain
26	BB	881	G	Sidechain
26	BB	883	G	Sidechain
26	BB	886	A	Sidechain
26	BB	889	C	Sidechain
26	BB	893	C	Sidechain
26	BB	894	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	896	A	Sidechain
26	BB	897	C	Sidechain
26	BB	898	C	Sidechain
26	BB	9	G	Sidechain
26	BB	900	A	Sidechain
26	BB	901	C	Sidechain
26	BB	902	C	Sidechain
26	BB	903	C	Sidechain
26	BB	904	G	Sidechain
26	BB	907	G	Sidechain
26	BB	91	A	Sidechain
26	BB	910	A	Sidechain
26	BB	912	C	Sidechain
26	BB	914	G	Sidechain
26	BB	916	G	Sidechain
26	BB	918	A	Sidechain
26	BB	92	U	Sidechain
26	BB	920	A	Sidechain
26	BB	923	G	Sidechain
26	BB	924	G	Sidechain
26	BB	926	G	Sidechain
26	BB	927	A	Sidechain
26	BB	930	G	Sidechain
26	BB	931	U	Sidechain
26	BB	932	U	Sidechain
26	BB	934	U	Sidechain
26	BB	936	A	Sidechain
26	BB	937	C	Sidechain
26	BB	938	G	Sidechain
26	BB	94	A	Sidechain
26	BB	940	G	Sidechain
26	BB	941	A	Sidechain
26	BB	943	A	Sidechain
26	BB	944	C	Sidechain
26	BB	946	C	Sidechain
26	BB	950	G	Sidechain
26	BB	951	C	Sidechain
26	BB	952	G	Sidechain
26	BB	953	G	Sidechain
26	BB	954	G	Sidechain
26	BB	957	C	Sidechain
26	BB	958	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	959	A	Sidechain
26	BB	961	C	Sidechain
26	BB	962	G	Sidechain
26	BB	963	U	Sidechain
26	BB	966	G	Sidechain
26	BB	968	C	Sidechain
26	BB	969	G	Sidechain
26	BB	97	C	Sidechain
26	BB	970	U	Sidechain
26	BB	971	G	Sidechain
26	BB	975	A	Sidechain
26	BB	976	G	Sidechain
26	BB	977	G	Sidechain
26	BB	978	G	Sidechain
26	BB	98	G	Sidechain
26	BB	984	A	Sidechain
26	BB	985	C	Sidechain
26	BB	989	G	Sidechain
26	BB	99	U	Sidechain
26	BB	990	A	Sidechain
26	BB	991	C	Sidechain
26	BB	993	G	Sidechain
26	BB	997	G	Sidechain
27	BC	177	LYS	Mainchain,Peptide
27	BC	220	ALA	Peptide
27	BC	7	ARG	Sidechain
28	BD	101	ARG	Sidechain
28	BD	12	ARG	Sidechain
28	BD	199	HIS	Sidechain
28	BD	229	HIS	Sidechain
28	BD	232	GLY	Peptide
28	BD	24	HIS	Sidechain
28	BD	261	ARG	Sidechain
28	BD	50	THR	Mainchain
28	BD	51	ARG	Sidechain
28	BD	57	HIS	Sidechain
28	BD	95	TYR	Sidechain
29	BE	113	SER	Peptide
29	BE	119	ALA	Peptide
29	BE	124	ARG	Sidechain
29	BE	179	ARG	Peptide
29	BE	59	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
29	BE	77	ARG	Sidechain
29	BE	83	ARG	Sidechain
30	BF	102	ARG	Sidechain
30	BF	119	ILE	Peptide
30	BF	162	ARG	Sidechain
30	BF	23	PHE	Sidechain
30	BF	35	TYR	Sidechain
30	BF	85	PHE	Sidechain
31	BG	109	ARG	Sidechain
31	BG	149	ARG	Peptide
31	BG	151	LEU	Peptide
31	BG	176	PHE	Sidechain
31	BG	21	TYR	Sidechain
31	BG	7	TYR	Sidechain
31	BG	82	TYR	Sidechain
31	BG	87	LYS	Peptide
32	BH	108	PHE	Sidechain
32	BH	2	ARG	Sidechain
32	BH	57	TYR	Sidechain
34	BJ	129	PRO	Peptide
34	BJ	131	TYR	Sidechain
34	BJ	137	ARG	Sidechain
34	BJ	18	ALA	Peptide
34	BJ	50	TYR	Sidechain
34	BJ	53	VAL	Peptide
36	BL	125	TYR	Sidechain
36	BL	35	ARG	Sidechain
36	BL	53	TYR	Sidechain
36	BL	7	LYS	Mainchain
36	BL	75	TYR	Sidechain
36	BL	98	GLU	Peptide
37	BM	31	ARG	Sidechain
37	BM	41	ILE	Peptide
37	BM	98	ARG	Peptide
38	BN	47	ARG	Sidechain
38	BN	60	ARG	Sidechain
38	BN	66	PHE	Sidechain
39	BO	117	PHE	Sidechain
39	BO	40	ARG	Sidechain
40	BP	112	TYR	Sidechain
40	BP	119	SER	Mainchain
40	BP	3	HIS	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
40	BP	45	ARG	Sidechain
40	BP	94	TYR	Sidechain
40	BP	96	ARG	Sidechain
41	BQ	111	ARG	Sidechain
41	BQ	13	ARG	Sidechain
41	BQ	34	HIS	Sidechain
41	BQ	36	TYR	Sidechain
42	BR	104	GLY	Mainchain,Peptide
42	BR	38	ARG	Sidechain
42	BR	97	TYR	Sidechain
43	BS	44	TYR	Sidechain
43	BS	49	ARG	Sidechain
43	BS	5	ARG	Peptide
43	BS	63	ARG	Sidechain
43	BS	75	TYR	Sidechain
44	BT	93	PHE	Sidechain
45	BU	4	ILE	Peptide
45	BU	88	ARG	Sidechain
45	BU	92	ARG	Sidechain
47	BW	10	VAL	Mainchain,Peptide
48	BX	21	ARG	Sidechain
48	BX	31	TYR	Sidechain
48	BX	56	PHE	Sidechain
49	BY	13	ARG	Peptide
49	BY	14	ASP	Peptide
49	BY	16	GLU	Peptide
49	BY	38	ARG	Sidechain
49	BY	81	ILE	Peptide
50	BZ	27	ARG	Sidechain
50	BZ	44	ARG	Sidechain
50	BZ	73	ARG	Sidechain
50	BZ	77	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	33089	0	16610	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	AB	1627	0	843	0	0
3	AC	993	0	497	0	0
4	AD	1641	0	841	0	0
5	AE	1872	0	1885	0	0
6	AF	1822	0	1913	0	0
7	AG	1643	0	1710	0	0
8	AH	1225	0	1273	0	0
9	AI	1101	0	1050	0	0
10	AJ	1400	0	1449	0	0
11	AK	979	0	1034	0	0
12	AL	1036	0	1084	0	0
13	AM	825	0	865	0	0
14	AN	965	0	997	0	0
15	AO	955	0	1019	0	0
16	AP	910	0	981	0	0
17	AQ	805	0	847	0	0
18	AR	716	0	742	0	0
19	AS	649	0	666	0	0
20	AT	672	0	716	0	0
21	AU	626	0	651	0	0
22	AV	727	0	769	0	0
23	AW	670	0	722	0	0
24	AX	590	0	631	0	0
25	BA	2566	0	1302	0	0
26	BB	62351	0	31246	0	0
27	BC	1733	0	1824	0	0
28	BD	2092	0	2170	0	0
29	BE	1565	0	1616	0	0
30	BF	1552	0	1619	0	0
31	BG	1420	0	1460	0	0
32	BH	1323	0	1374	0	0
33	BI	1111	0	1148	0	0
34	BJ	1233	0	1283	0	0
35	BK	1032	0	1088	0	0
36	BL	1129	0	1162	0	0
37	BM	947	0	1023	0	0
38	BN	1053	0	1129	0	0
39	BO	1074	0	1157	0	0
40	BP	1008	0	1045	0	0
41	BQ	900	0	935	0	0
42	BR	917	0	965	0	0
43	BS	947	0	1022	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	BT	816	0	839	0	0
45	BU	857	0	922	0	0
46	BV	787	0	846	0	0
47	BW	789	0	847	0	0
48	BX	753	0	780	0	0
49	BY	634	0	656	0	0
50	BZ	625	0	655	0	0
51	B0	509	0	543	0	0
52	B1	449	0	491	0	0
53	B2	549	0	552	0	0
54	B3	444	0	461	0	0
55	B4	441	0	485	0	0
56	B5	377	0	418	0	0
57	B6	504	0	574	0	0
58	B7	302	0	343	0	0
59	AB	14	0	9	0	0
60	BB	10	0	10	0	0
All	All	152351	0	103794	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AE	238/240 (99%)	221 (93%)	13 (6%)	4 (2%)	11	55
6	AF	230/232 (99%)	200 (87%)	25 (11%)	5 (2%)	8	49
7	AG	203/205 (99%)	180 (89%)	18 (9%)	5 (2%)	7	46
8	AH	164/166 (99%)	141 (86%)	19 (12%)	4 (2%)	7	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	AI	133/135 (98%)	118 (89%)	11 (8%)	4 (3%)	5	42
10	AJ	176/178 (99%)	164 (93%)	11 (6%)	1 (1%)	30	74
11	AK	127/129 (98%)	114 (90%)	11 (9%)	2 (2%)	12	56
12	AL	127/129 (98%)	109 (86%)	17 (13%)	1 (1%)	24	69
13	AM	101/103 (98%)	90 (89%)	7 (7%)	4 (4%)	4	35
14	AN	126/128 (98%)	105 (83%)	18 (14%)	3 (2%)	7	47
15	AO	121/123 (98%)	102 (84%)	16 (13%)	3 (2%)	7	46
16	AP	115/117 (98%)	104 (90%)	10 (9%)	1 (1%)	21	67
17	AQ	98/100 (98%)	84 (86%)	10 (10%)	4 (4%)	3	35
18	AR	86/88 (98%)	80 (93%)	6 (7%)	0	100	100
19	AS	80/82 (98%)	69 (86%)	9 (11%)	2 (2%)	7	46
20	AT	81/83 (98%)	71 (88%)	10 (12%)	0	100	100
21	AU	72/74 (97%)	63 (88%)	6 (8%)	3 (4%)	3	34
22	AV	89/91 (98%)	78 (88%)	10 (11%)	1 (1%)	17	63
23	AW	84/86 (98%)	79 (94%)	4 (5%)	1 (1%)	16	61
24	AX	68/70 (97%)	55 (81%)	9 (13%)	4 (6%)	2	27
27	BC	232/234 (99%)	208 (90%)	20 (9%)	4 (2%)	11	55
28	BD	270/272 (99%)	227 (84%)	37 (14%)	6 (2%)	8	49
29	BE	207/209 (99%)	171 (83%)	25 (12%)	11 (5%)	2	29
30	BF	199/201 (99%)	167 (84%)	26 (13%)	6 (3%)	5	42
31	BG	176/178 (99%)	144 (82%)	19 (11%)	13 (7%)	1	21
32	BH	174/176 (99%)	149 (86%)	16 (9%)	9 (5%)	2	30
33	BI	147/149 (99%)	132 (90%)	12 (8%)	3 (2%)	9	51
34	BJ	162/164 (99%)	140 (86%)	16 (10%)	6 (4%)	4	38
35	BK	139/141 (99%)	128 (92%)	9 (6%)	2 (1%)	14	58
36	BL	140/142 (99%)	118 (84%)	18 (13%)	4 (3%)	6	43
37	BM	121/123 (98%)	102 (84%)	14 (12%)	5 (4%)	3	35
38	BN	142/144 (99%)	113 (80%)	25 (18%)	4 (3%)	6	44
39	BO	134/136 (98%)	120 (90%)	13 (10%)	1 (1%)	26	71
40	BP	125/127 (98%)	116 (93%)	9 (7%)	0	100	100
41	BQ	115/117 (98%)	103 (90%)	12 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
42	BR	112/114 (98%)	90 (80%)	16 (14%)	6 (5%)	2	29
43	BS	115/117 (98%)	105 (91%)	7 (6%)	3 (3%)	7	45
44	BT	101/103 (98%)	92 (91%)	8 (8%)	1 (1%)	19	65
45	BU	108/110 (98%)	100 (93%)	4 (4%)	4 (4%)	4	38
46	BV	98/100 (98%)	85 (87%)	12 (12%)	1 (1%)	19	65
47	BW	101/103 (98%)	84 (83%)	15 (15%)	2 (2%)	9	51
48	BX	92/94 (98%)	79 (86%)	11 (12%)	2 (2%)	8	49
49	BY	82/84 (98%)	64 (78%)	15 (18%)	3 (4%)	4	38
50	BZ	75/77 (97%)	63 (84%)	9 (12%)	3 (4%)	4	35
51	B0	61/63 (97%)	53 (87%)	6 (10%)	2 (3%)	5	40
52	B1	56/58 (97%)	55 (98%)	1 (2%)	0	100	100
53	B2	68/70 (97%)	51 (75%)	12 (18%)	5 (7%)	1	21
54	B3	54/56 (96%)	38 (70%)	14 (26%)	2 (4%)	4	38
55	B4	52/54 (96%)	47 (90%)	4 (8%)	1 (2%)	10	52
56	B5	44/46 (96%)	39 (89%)	4 (9%)	1 (2%)	8	48
57	B6	62/64 (97%)	59 (95%)	3 (5%)	0	100	100
58	B7	36/38 (95%)	28 (78%)	6 (17%)	2 (6%)	2	28
All	All	6319/6423 (98%)	5497 (87%)	658 (10%)	164 (3%)	11	45

All (164) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	AE	84	LEU
5	AE	93	HIS
7	AG	3	TYR
8	AH	77	ASN
9	AI	99	ALA
14	AN	125	LYS
24	AX	24	LYS
28	BD	8	THR
28	BD	64	VAL
30	BF	62	GLN
31	BG	88	VAL
31	BG	103	ILE
31	BG	148	VAL
31	BG	174	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	BH	8	VAL
32	BH	94	ARG
35	BK	3	LYS
38	BN	94	THR
42	BR	25	VAL
47	BW	52	ASN
49	BY	36	ILE
53	B2	9	TYR
54	B3	2	VAL
54	B3	51	ARG
55	B4	52	LYS
5	AE	128	LEU
6	AF	47	ALA
7	AG	27	ILE
9	AI	39	LEU
15	AO	87	LYS
15	AO	118	VAL
19	AS	80	LYS
24	AX	3	ILE
28	BD	77	VAL
29	BE	37	VAL
29	BE	109	VAL
30	BF	96	VAL
31	BG	66	ILE
31	BG	79	ARG
31	BG	80	GLN
31	BG	145	VAL
31	BG	170	ALA
32	BH	45	ALA
32	BH	170	THR
33	BI	3	VAL
33	BI	75	LEU
34	BJ	113	GLU
36	BL	126	ALA
37	BM	71	ARG
38	BN	22	GLY
39	BO	59	ARG
42	BR	32	VAL
43	BS	87	VAL
47	BW	97	SER
50	BZ	16	ASN
50	BZ	27	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	B0	46	VAL
5	AE	94	ARG
6	AF	14	VAL
7	AG	41	GLY
8	AH	22	LYS
11	AK	69	ALA
13	AM	95	GLY
14	AN	108	ASN
15	AO	121	PRO
22	AV	31	ARG
23	AW	67	HIS
28	BD	94	LEU
29	BE	43	ASP
29	BE	119	ALA
29	BE	170	VAL
29	BE	173	GLN
30	BF	54	GLY
30	BF	153	LEU
30	BF	174	GLY
31	BG	35	LEU
32	BH	29	ASN
32	BH	84	LYS
36	BL	120	ARG
37	BM	72	PRO
45	BU	65	ASP
45	BU	80	PRO
46	BV	35	ALA
49	BY	41	GLY
51	B0	57	LEU
53	B2	41	HIS
58	B7	6	SER
7	AG	29	THR
8	AH	7	ALA
8	AH	53	ARG
9	AI	54	LEU
11	AK	80	PRO
12	AL	120	ALA
13	AM	52	LEU
13	AM	58	ASN
17	AQ	52	ARG
17	AQ	65	GLN
17	AQ	70	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
19	AS	49	GLY
21	AU	20	ILE
27	BC	159	GLY
29	BE	97	SER
29	BE	191	GLY
31	BG	20	ASN
31	BG	81	GLY
32	BH	56	GLY
32	BH	80	GLU
32	BH	175	LYS
34	BJ	31	GLY
34	BJ	33	THR
37	BM	46	ALA
37	BM	89	ASN
38	BN	99	ASN
38	BN	117	THR
42	BR	86	LYS
42	BR	110	LYS
43	BS	101	ASP
44	BT	91	GLN
48	BX	71	LYS
50	BZ	2	ARG
53	B2	43	PHE
56	B5	16	HIS
6	AF	6	PRO
7	AG	22	SER
9	AI	127	GLY
10	AJ	81	GLY
14	AN	116	PRO
16	AP	22	TYR
21	AU	11	ARG
27	BC	20	GLN
27	BC	66	PRO
28	BD	254	LYS
34	BJ	87	HIS
34	BJ	102	ASN
45	BU	89	ALA
49	BY	5	ALA
53	B2	21	VAL
58	B7	16	ILE
6	AF	104	GLU
17	AQ	39	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	AX	9	GLU
29	BE	131	ASP
35	BK	18	ASN
36	BL	3	THR
36	BL	96	ARG
45	BU	61	ASN
30	BF	64	GLY
33	BI	9	VAL
34	BJ	14	VAL
37	BM	93	GLN
24	AX	26	GLY
28	BD	205	GLY
29	BE	205	PRO
42	BR	89	GLY
43	BS	93	ILE
53	B2	5	ILE
6	AF	144	GLY
13	AM	74	VAL
21	AU	40	PRO
27	BC	91	GLY
29	BE	122	VAL
42	BR	63	ILE
31	BG	84	ILE
48	BX	37	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AE	198/198 (100%)	193 (98%)	5 (2%)	55	81
6	AF	189/189 (100%)	181 (96%)	8 (4%)	36	70
7	AG	172/172 (100%)	164 (95%)	8 (5%)	32	68
8	AH	125/125 (100%)	121 (97%)	4 (3%)	46	76
9	AI	116/116 (100%)	110 (95%)	6 (5%)	29	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	AJ	146/146 (100%)	140 (96%)	6 (4%)	37	71
11	AK	104/104 (100%)	98 (94%)	6 (6%)	25	61
12	AL	106/106 (100%)	103 (97%)	3 (3%)	51	78
13	AM	90/90 (100%)	84 (93%)	6 (7%)	20	57
14	AN	98/98 (100%)	94 (96%)	4 (4%)	37	71
15	AO	103/103 (100%)	100 (97%)	3 (3%)	50	78
16	AP	95/95 (100%)	90 (95%)	5 (5%)	28	64
17	AQ	83/83 (100%)	80 (96%)	3 (4%)	42	74
18	AR	76/76 (100%)	75 (99%)	1 (1%)	76	89
19	AS	65/65 (100%)	63 (97%)	2 (3%)	47	77
20	AT	77/77 (100%)	73 (95%)	4 (5%)	29	65
21	AU	64/64 (100%)	59 (92%)	5 (8%)	16	51
22	AV	78/78 (100%)	71 (91%)	7 (9%)	12	44
23	AW	65/65 (100%)	64 (98%)	1 (2%)	72	88
24	AX	60/60 (100%)	58 (97%)	2 (3%)	45	76
27	BC	181/181 (100%)	172 (95%)	9 (5%)	30	66
28	BD	217/217 (100%)	204 (94%)	13 (6%)	24	60
29	BE	164/164 (100%)	150 (92%)	14 (8%)	13	48
30	BF	165/165 (100%)	154 (93%)	11 (7%)	20	57
31	BG	149/149 (100%)	138 (93%)	11 (7%)	17	54
32	BH	137/137 (100%)	129 (94%)	8 (6%)	25	61
33	BI	114/114 (100%)	108 (95%)	6 (5%)	28	64
34	BJ	122/122 (100%)	116 (95%)	6 (5%)	31	67
35	BK	109/109 (100%)	105 (96%)	4 (4%)	41	73
36	BL	116/116 (100%)	113 (97%)	3 (3%)	54	80
37	BM	104/104 (100%)	101 (97%)	3 (3%)	50	78
38	BN	103/103 (100%)	96 (93%)	7 (7%)	20	57
39	BO	109/109 (100%)	106 (97%)	3 (3%)	51	78
40	BP	103/103 (100%)	98 (95%)	5 (5%)	31	67
41	BQ	87/87 (100%)	84 (97%)	3 (3%)	44	75
42	BR	99/99 (100%)	93 (94%)	6 (6%)	23	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
43	BS	89/89 (100%)	87 (98%)	2 (2%)	60	83
44	BT	84/84 (100%)	79 (94%)	5 (6%)	24	60
45	BU	93/93 (100%)	90 (97%)	3 (3%)	46	76
46	BV	84/84 (100%)	77 (92%)	7 (8%)	14	49
47	BW	84/84 (100%)	80 (95%)	4 (5%)	31	67
48	BX	78/78 (100%)	73 (94%)	5 (6%)	22	58
49	BY	62/62 (100%)	60 (97%)	2 (3%)	46	76
50	BZ	67/67 (100%)	63 (94%)	4 (6%)	24	60
51	B0	55/55 (100%)	52 (94%)	3 (6%)	27	63
52	B1	48/48 (100%)	46 (96%)	2 (4%)	36	70
53	B2	62/62 (100%)	57 (92%)	5 (8%)	15	50
54	B3	47/47 (100%)	46 (98%)	1 (2%)	61	84
55	B4	48/48 (100%)	48 (100%)	0	100	100
56	B5	38/38 (100%)	37 (97%)	1 (3%)	54	80
57	B6	51/51 (100%)	48 (94%)	3 (6%)	24	61
58	B7	34/34 (100%)	33 (97%)	1 (3%)	50	78
All	All	5213/5213 (100%)	4964 (95%)	249 (5%)	36	67

All (249) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	AE	91	VAL
5	AE	121	GLN
5	AE	157	PRO
5	AE	170	ILE
5	AE	209	VAL
6	AF	44	LYS
6	AF	58	ARG
6	AF	68	HIS
6	AF	123	LEU
6	AF	168	ARG
6	AF	178	ARG
6	AF	215	GLN
6	AF	229	LYS
7	AG	46	ARG
7	AG	57	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	AG	58	GLN
7	AG	89	LEU
7	AG	119	HIS
7	AG	138	PRO
7	AG	147	LYS
7	AG	191	SER
8	AH	47	PHE
8	AH	51	LYS
8	AH	53	ARG
8	AH	141	ASP
9	AI	9	MET
9	AI	12	PRO
9	AI	33	GLU
9	AI	86	ARG
9	AI	89	VAL
9	AI	102	MET
10	AJ	22	LEU
10	AJ	74	VAL
10	AJ	135	LYS
10	AJ	150	PHE
10	AJ	156	LEU
10	AJ	170	LYS
11	AK	47	ASP
11	AK	55	LYS
11	AK	60	LEU
11	AK	64	TYR
11	AK	66	GLN
11	AK	98	LEU
12	AL	59	LYS
12	AL	61	ASP
12	AL	108	ARG
13	AM	4	GLN
13	AM	48	ARG
13	AM	50	THR
13	AM	52	LEU
13	AM	59	LYS
13	AM	100	ILE
14	AN	6	ARG
14	AN	52	ARG
14	AN	88	PRO
14	AN	128	VAL
15	AO	14	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
15	AO	28	GLN
15	AO	29	LYS
16	AP	13	HIS
16	AP	15	VAL
16	AP	41	ASP
16	AP	69	ARG
16	AP	85	TYR
17	AQ	60	ARG
17	AQ	68	ARG
17	AQ	95	LEU
18	AR	55	LEU
19	AS	18	GLN
19	AS	55	ASP
20	AT	3	LYS
20	AT	19	SER
20	AT	75	VAL
20	AT	76	ARG
21	AU	2	ARG
21	AU	39	VAL
21	AU	49	LYS
21	AU	56	ARG
21	AU	59	LYS
22	AV	4	LEU
22	AV	33	TRP
22	AV	35	ARG
22	AV	52	ASN
22	AV	54	ARG
22	AV	56	HIS
22	AV	80	ARG
23	AW	58	ASP
24	AX	6	ARG
24	AX	34	ARG
27	BC	4	LEU
27	BC	7	ARG
27	BC	16	ASP
27	BC	41	SER
27	BC	98	GLU
27	BC	108	GLU
27	BC	109	MET
27	BC	112	ASP
27	BC	131	LEU
28	BD	80	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	BD	155	ARG
28	BD	173	LEU
28	BD	176	ARG
28	BD	188	ARG
28	BD	198	GLU
28	BD	212	TRP
28	BD	231	HIS
28	BD	235	GLU
28	BD	239	PHE
28	BD	260	LYS
28	BD	265	PHE
28	BD	270	ARG
29	BE	2	ILE
29	BE	24	VAL
29	BE	33	ARG
29	BE	40	LEU
29	BE	46	ARG
29	BE	56	LYS
29	BE	74	GLU
29	BE	84	LEU
29	BE	97	SER
29	BE	107	VAL
29	BE	110	THR
29	BE	114	LYS
29	BE	164	GLN
29	BE	169	ARG
30	BF	2	GLU
30	BF	13	THR
30	BF	17	THR
30	BF	31	VAL
30	BF	74	LYS
30	BF	78	TRP
30	BF	88	ARG
30	BF	90	GLN
30	BF	97	ASN
30	BF	139	LYS
30	BF	163	ASN
31	BG	9	ASP
31	BG	32	LYS
31	BG	48	LEU
31	BG	68	LYS
31	BG	70	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	BG	91	ARG
31	BG	103	ILE
31	BG	111	ARG
31	BG	132	ARG
31	BG	139	GLU
31	BG	146	ASP
32	BH	70	LEU
32	BH	74	MET
32	BH	106	LEU
32	BH	110	HIS
32	BH	123	GLU
32	BH	156	TYR
32	BH	166	GLU
32	BH	171	LYS
33	BI	79	THR
33	BI	87	GLU
33	BI	89	LYS
33	BI	114	GLU
33	BI	129	GLU
33	BI	142	VAL
34	BJ	15	SER
34	BJ	36	LYS
34	BJ	39	GLU
34	BJ	87	HIS
34	BJ	105	PHE
34	BJ	128	LEU
35	BK	9	LYS
35	BK	33	ASN
35	BK	48	ILE
35	BK	129	GLU
36	BL	12	LYS
36	BL	43	GLU
36	BL	136	GLN
37	BM	2	ILE
37	BM	37	ASP
37	BM	65	THR
38	BN	2	ARG
38	BN	41	ARG
38	BN	57	LEU
38	BN	58	TYR
38	BN	69	ARG
38	BN	99	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
38	BN	115	GLU
39	BO	38	ARG
39	BO	58	LYS
39	BO	123	LYS
40	BP	8	ARG
40	BP	9	GLN
40	BP	14	SER
40	BP	16	HIS
40	BP	97	ILE
41	BQ	3	LYS
41	BQ	30	ARG
41	BQ	94	ARG
42	BR	14	GLN
42	BR	15	ASP
42	BR	43	GLU
42	BR	52	ARG
42	BR	55	HIS
42	BR	91	VAL
43	BS	8	ILE
43	BS	39	ILE
44	BT	23	GLU
44	BT	40	MET
44	BT	51	VAL
44	BT	78	ARG
44	BT	97	LYS
45	BU	22	ASP
45	BU	72	THR
45	BU	95	ARG
46	BV	15	HIS
46	BV	24	MET
46	BV	25	GLU
46	BV	28	ASN
46	BV	32	LEU
46	BV	80	TRP
46	BV	82	LYS
47	BW	48	VAL
47	BW	81	ARG
47	BW	94	PHE
47	BW	98	ASN
48	BX	9	ARG
48	BX	44	HIS
48	BX	70	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
48	BX	73	LYS
48	BX	86	LEU
49	BY	16	GLU
49	BY	38	ARG
50	BZ	10	ARG
50	BZ	33	HIS
50	BZ	55	MET
50	BZ	59	ASP
51	B0	1	MET
51	B0	43	LEU
51	B0	55	THR
52	B1	16	LEU
52	B1	29	ARG
53	B2	3	LYS
53	B2	11	GLU
53	B2	22	MET
53	B2	43	PHE
53	B2	45	THR
54	B3	41	HIS
56	B5	43	THR
57	B6	42	HIS
57	B6	46	LYS
57	B6	49	VAL
58	B7	12	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1538/1542 (99%)	287 (18%)	93 (6%)
2	AB	74/76 (97%)	23 (31%)	7 (9%)
25	BA	119/120 (99%)	20 (16%)	13 (10%)
26	BB	2898/2904 (99%)	536 (18%)	180 (6%)
3	AC	47/47 (100%)	26 (55%)	14 (29%)
4	AD	76/77 (98%)	13 (17%)	4 (5%)
All	All	4752/4766 (99%)	905 (19%)	311 (6%)

All (905) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	A
1	AA	6	G
1	AA	32	A
1	AA	36	C
1	AA	48	C
1	AA	52	C
1	AA	53	A
1	AA	54	C
1	AA	60	A
1	AA	61	G
1	AA	83	C
1	AA	84	U
1	AA	98	A
1	AA	108	G
1	AA	122	G
1	AA	123	U
1	AA	129	A
1	AA	131	A
1	AA	153	C
1	AA	164	G
1	AA	166	U
1	AA	171	A
1	AA	174	A
1	AA	182	A
1	AA	183	C
1	AA	184	G
1	AA	188	C
1	AA	197	A
1	AA	204	G
1	AA	210	C
1	AA	212	G
1	AA	225	C
1	AA	228	A
1	AA	229	U
1	AA	240	G
1	AA	244	U
1	AA	245	U
1	AA	247	G
1	AA	250	A
1	AA	251	G
1	AA	252	U
1	AA	262	A
1	AA	266	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	267	C
1	AA	272	C
1	AA	280	C
1	AA	289	G
1	AA	293	G
1	AA	306	A
1	AA	316	C
1	AA	317	U
1	AA	319	G
1	AA	328	C
1	AA	329	A
1	AA	330	C
1	AA	344	A
1	AA	352	C
1	AA	353	A
1	AA	354	G
1	AA	372	C
1	AA	373	A
1	AA	374	A
1	AA	381	C
1	AA	382	A
1	AA	384	G
1	AA	389	A
1	AA	390	U
1	AA	392	C
1	AA	395	C
1	AA	398	U
1	AA	406	G
1	AA	411	A
1	AA	413	G
1	AA	415	A
1	AA	421	U
1	AA	422	C
1	AA	429	U
1	AA	444	G
1	AA	463	U
1	AA	464	U
1	AA	466	A
1	AA	467	U
1	AA	468	A
1	AA	479	U
1	AA	481	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	485	U
1	AA	486	U
1	AA	494	G
1	AA	496	A
1	AA	497	G
1	AA	498	A
1	AA	505	G
1	AA	508	U
1	AA	510	A
1	AA	518	C
1	AA	528	C
1	AA	531	U
1	AA	532	A
1	AA	533	A
1	AA	534	U
1	AA	535	A
1	AA	547	A
1	AA	552	U
1	AA	553	A
1	AA	561	U
1	AA	566	G
1	AA	572	A
1	AA	573	A
1	AA	575	G
1	AA	576	C
1	AA	577	G
1	AA	578	C
1	AA	583	A
1	AA	615	G
1	AA	631	C
1	AA	632	U
1	AA	633	G
1	AA	636	U
1	AA	641	U
1	AA	642	A
1	AA	650	G
1	AA	653	U
1	AA	654	G
1	AA	687	A
1	AA	688	G
1	AA	695	A
1	AA	702	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	704	A
1	AA	718	A
1	AA	721	G
1	AA	724	G
1	AA	755	G
1	AA	760	G
1	AA	765	G
1	AA	766	A
1	AA	770	C
1	AA	777	A
1	AA	783	C
1	AA	790	A
1	AA	791	G
1	AA	805	C
1	AA	810	C
1	AA	812	G
1	AA	817	C
1	AA	819	A
1	AA	821	G
1	AA	828	U
1	AA	829	G
1	AA	834	U
1	AA	840	C
1	AA	841	C
1	AA	842	U
1	AA	843	U
1	AA	846	G
1	AA	870	U
1	AA	873	A
1	AA	874	G
1	AA	876	C
1	AA	890	G
1	AA	899	C
1	AA	900	A
1	AA	910	C
1	AA	914	A
1	AA	926	G
1	AA	927	G
1	AA	933	G
1	AA	938	A
1	AA	939	G
1	AA	945	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	960	U
1	AA	961	U
1	AA	962	C
1	AA	968	A
1	AA	969	A
1	AA	973	G
1	AA	974	A
1	AA	975	A
1	AA	978	A
1	AA	981	U
1	AA	984	C
1	AA	993	G
1	AA	994	A
1	AA	995	C
1	AA	1004	A
1	AA	1006	G
1	AA	1014	A
1	AA	1015	G
1	AA	1026	G
1	AA	1028	C
1	AA	1030	U
1	AA	1031	C
1	AA	1050	G
1	AA	1054	C
1	AA	1064	G
1	AA	1065	U
1	AA	1081	A
1	AA	1094	G
1	AA	1095	U
1	AA	1101	A
1	AA	1118	U
1	AA	1126	U
1	AA	1127	G
1	AA	1137	C
1	AA	1139	G
1	AA	1148	U
1	AA	1149	C
1	AA	1152	A
1	AA	1154	G
1	AA	1159	U
1	AA	1168	U
1	AA	1181	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	1183	U
1	AA	1184	G
1	AA	1190	G
1	AA	1197	A
1	AA	1198	G
1	AA	1200	C
1	AA	1201	A
1	AA	1202	U
1	AA	1208	C
1	AA	1212	U
1	AA	1214	C
1	AA	1215	G
1	AA	1224	U
1	AA	1226	C
1	AA	1227	A
1	AA	1228	C
1	AA	1238	A
1	AA	1240	U
1	AA	1241	G
1	AA	1250	A
1	AA	1253	G
1	AA	1254	A
1	AA	1256	A
1	AA	1264	U
1	AA	1270	G
1	AA	1278	G
1	AA	1279	G
1	AA	1280	A
1	AA	1281	C
1	AA	1286	U
1	AA	1290	G
1	AA	1297	G
1	AA	1300	G
1	AA	1301	U
1	AA	1303	C
1	AA	1305	G
1	AA	1315	U
1	AA	1317	C
1	AA	1318	A
1	AA	1319	A
1	AA	1322	C
1	AA	1336	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	1340	A
1	AA	1345	U
1	AA	1346	A
1	AA	1347	G
1	AA	1348	U
1	AA	1360	A
1	AA	1362	A
1	AA	1363	A
1	AA	1368	A
1	AA	1378	C
1	AA	1397	C
1	AA	1398	A
1	AA	1401	G
1	AA	1431	A
1	AA	1432	G
1	AA	1437	A
1	AA	1446	A
1	AA	1448	C
1	AA	1454	G
1	AA	1490	U
1	AA	1492	A
1	AA	1493	A
1	AA	1494	G
1	AA	1502	A
1	AA	1503	A
1	AA	1505	G
1	AA	1506	U
1	AA	1517	G
1	AA	1520	C
1	AA	1529	G
1	AA	1530	G
1	AA	1534	A
1	AA	1535	C
1	AA	1540	U
2	AB	8	4SU
2	AB	9	A
2	AB	10	G
2	AB	11	U
2	AB	17	H2U
2	AB	23	A
2	AB	24	G
2	AB	34	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	AB	35	C
2	AB	36	A
2	AB	46	7MG
2	AB	47	U
2	AB	48	U
2	AB	49	G
2	AB	58	A
2	AB	59	G
2	AB	60	U
2	AB	61	C
2	AB	65	C
2	AB	73	G
2	AB	74	C
2	AB	75	C
2	AB	76	A
3	AC	14	G
3	AC	15	G
3	AC	17	U
3	AC	18	A
3	AC	21	U
3	AC	22	G
3	AC	23	C
3	AC	25	U
3	AC	26	U
3	AC	27	A
3	AC	28	U
3	AC	29	G
3	AC	31	U
3	AC	32	U
3	AC	34	U
3	AC	40	G
3	AC	41	A
3	AC	44	U
3	AC	45	G
3	AC	47	C
3	AC	50	U
3	AC	51	C
3	AC	52	U
3	AC	53	G
3	AC	54	U
3	AC	56	G
4	AD	8	4SU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	AD	9	G
4	AD	10	G
4	AD	18	U
4	AD	19	G
4	AD	20	G
4	AD	22	A
4	AD	38	A
4	AD	49	C
4	AD	50	G
4	AD	73	A
4	AD	76	C
4	AD	77	A
25	BA	9	G
25	BA	13	G
25	BA	14	U
25	BA	15	A
25	BA	16	G
25	BA	25	U
25	BA	26	C
25	BA	35	C
25	BA	41	G
25	BA	44	G
25	BA	51	G
25	BA	58	A
25	BA	66	A
25	BA	67	G
25	BA	73	A
25	BA	87	U
25	BA	88	C
25	BA	89	U
25	BA	90	C
25	BA	99	A
26	BB	13	A
26	BB	14	A
26	BB	18	U
26	BB	30	G
26	BB	34	U
26	BB	42	A
26	BB	43	G
26	BB	45	G
26	BB	46	G
26	BB	49	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	50	U
26	BB	71	A
26	BB	72	U
26	BB	75	G
26	BB	88	G
26	BB	91	A
26	BB	95	A
26	BB	100	U
26	BB	101	A
26	BB	103	A
26	BB	115	C
26	BB	119	A
26	BB	120	U
26	BB	125	A
26	BB	126	A
26	BB	128	C
26	BB	181	A
26	BB	194	G
26	BB	196	A
26	BB	197	A
26	BB	199	A
26	BB	204	A
26	BB	205	G
26	BB	215	G
26	BB	216	A
26	BB	218	A
26	BB	219	A
26	BB	222	A
26	BB	224	U
26	BB	225	C
26	BB	228	C
26	BB	232	G
26	BB	242	G
26	BB	243	U
26	BB	248	G
26	BB	249	C
26	BB	250	G
26	BB	255	A
26	BB	265	A
26	BB	266	G
26	BB	267	C
26	BB	271	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	277	G
26	BB	294	A
26	BB	295	G
26	BB	311	A
26	BB	321	U
26	BB	322	A
26	BB	330	A
26	BB	332	A
26	BB	333	G
26	BB	338	G
26	BB	368	A
26	BB	369	U
26	BB	371	A
26	BB	372	G
26	BB	386	G
26	BB	389	G
26	BB	390	U
26	BB	391	A
26	BB	396	G
26	BB	403	U
26	BB	404	A
26	BB	405	U
26	BB	406	G
26	BB	411	G
26	BB	424	G
26	BB	428	A
26	BB	429	A
26	BB	431	U
26	BB	436	C
26	BB	451	U
26	BB	452	G
26	BB	454	A
26	BB	456	C
26	BB	472	A
26	BB	479	A
26	BB	480	A
26	BB	481	G
26	BB	484	C
26	BB	489	G
26	BB	490	C
26	BB	504	A
26	BB	505	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	508	A
26	BB	509	C
26	BB	527	C
26	BB	532	A
26	BB	545	U
26	BB	546	U
26	BB	550	C
26	BB	562	U
26	BB	563	A
26	BB	570	G
26	BB	571	U
26	BB	573	U
26	BB	574	A
26	BB	575	A
26	BB	602	A
26	BB	603	A
26	BB	604	G
26	BB	612	G
26	BB	635	C
26	BB	637	A
26	BB	644	A
26	BB	645	C
26	BB	652	U
26	BB	653	U
26	BB	654	A
26	BB	655	A
26	BB	656	G
26	BB	671	C
26	BB	675	A
26	BB	686	U
26	BB	696	G
26	BB	718	A
26	BB	719	C
26	BB	728	G
26	BB	730	A
26	BB	732	C
26	BB	736	C
26	BB	747	5MU
26	BB	751	A
26	BB	752	A
26	BB	753	A
26	BB	758	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	762	U
26	BB	763	G
26	BB	764	A
26	BB	775	G
26	BB	782	A
26	BB	784	G
26	BB	786	C
26	BB	789	A
26	BB	793	A
26	BB	805	G
26	BB	812	C
26	BB	830	G
26	BB	846	U
26	BB	847	U
26	BB	848	C
26	BB	859	G
26	BB	870	U
26	BB	887	U
26	BB	889	C
26	BB	894	U
26	BB	896	A
26	BB	897	C
26	BB	901	C
26	BB	910	A
26	BB	914	G
26	BB	915	C
26	BB	925	A
26	BB	932	U
26	BB	933	A
26	BB	938	G
26	BB	941	A
26	BB	945	A
26	BB	946	C
26	BB	957	C
26	BB	961	C
26	BB	973	A
26	BB	974	G
26	BB	980	A
26	BB	982	C
26	BB	985	C
26	BB	986	C
26	BB	990	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	991	C
26	BB	995	C
26	BB	996	A
26	BB	1002	G
26	BB	1003	G
26	BB	1005	C
26	BB	1008	A
26	BB	1010	A
26	BB	1013	C
26	BB	1022	G
26	BB	1025	G
26	BB	1034	G
26	BB	1044	C
26	BB	1048	A
26	BB	1052	C
26	BB	1060	U
26	BB	1061	U
26	BB	1062	G
26	BB	1069	A
26	BB	1070	A
26	BB	1073	A
26	BB	1078	U
26	BB	1081	U
26	BB	1085	A
26	BB	1087	G
26	BB	1098	A
26	BB	1104	C
26	BB	1109	C
26	BB	1110	G
26	BB	1112	G
26	BB	1123	C
26	BB	1129	A
26	BB	1130	U
26	BB	1132	U
26	BB	1134	A
26	BB	1135	C
26	BB	1142	A
26	BB	1143	A
26	BB	1157	G
26	BB	1158	C
26	BB	1173	U
26	BB	1175	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1177	G
26	BB	1184	U
26	BB	1204	A
26	BB	1211	C
26	BB	1236	G
26	BB	1237	A
26	BB	1238	G
26	BB	1239	G
26	BB	1241	A
26	BB	1253	A
26	BB	1254	A
26	BB	1255	U
26	BB	1256	G
26	BB	1266	G
26	BB	1272	A
26	BB	1273	U
26	BB	1274	A
26	BB	1275	A
26	BB	1283	G
26	BB	1284	A
26	BB	1287	A
26	BB	1288	G
26	BB	1289	C
26	BB	1300	G
26	BB	1301	A
26	BB	1302	A
26	BB	1303	G
26	BB	1307	A
26	BB	1308	A
26	BB	1318	U
26	BB	1321	A
26	BB	1322	A
26	BB	1323	C
26	BB	1329	U
26	BB	1340	U
26	BB	1341	G
26	BB	1349	C
26	BB	1354	A
26	BB	1362	C
26	BB	1363	C
26	BB	1365	A
26	BB	1368	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1378	A
26	BB	1379	U
26	BB	1383	A
26	BB	1385	A
26	BB	1386	C
26	BB	1392	A
26	BB	1395	A
26	BB	1396	U
26	BB	1416	G
26	BB	1417	C
26	BB	1420	A
26	BB	1421	G
26	BB	1453	A
26	BB	1458	U
26	BB	1459	G
26	BB	1460	U
26	BB	1461	C
26	BB	1482	G
26	BB	1509	A
26	BB	1510	G
26	BB	1514	G
26	BB	1515	A
26	BB	1522	A
26	BB	1523	U
26	BB	1524	G
26	BB	1552	A
26	BB	1558	C
26	BB	1565	C
26	BB	1566	A
26	BB	1567	G
26	BB	1578	U
26	BB	1584	U
26	BB	1585	C
26	BB	1607	C
26	BB	1608	A
26	BB	1610	A
26	BB	1612	C
26	BB	1616	A
26	BB	1617	C
26	BB	1619	G
26	BB	1627	G
26	BB	1635	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1636	U
26	BB	1646	C
26	BB	1648	U
26	BB	1669	A
26	BB	1670	C
26	BB	1674	G
26	BB	1676	A
26	BB	1694	C
26	BB	1713	A
26	BB	1714	U
26	BB	1715	G
26	BB	1724	G
26	BB	1739	A
26	BB	1763	G
26	BB	1764	C
26	BB	1773	A
26	BB	1781	U
26	BB	1786	A
26	BB	1787	A
26	BB	1800	C
26	BB	1801	A
26	BB	1808	A
26	BB	1809	A
26	BB	1815	A
26	BB	1816	C
26	BB	1817	G
26	BB	1818	U
26	BB	1825	U
26	BB	1830	C
26	BB	1831	G
26	BB	1833	C
26	BB	1851	U
26	BB	1856	U
26	BB	1873	G
26	BB	1900	A
26	BB	1906	G
26	BB	1912	A
26	BB	1913	A
26	BB	1914	C
26	BB	1918	A
26	BB	1928	A
26	BB	1930	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1937	A
26	BB	1941	C
26	BB	1944	U
26	BB	1945	G
26	BB	1952	A
26	BB	1953	A
26	BB	1955	U
26	BB	1963	U
26	BB	1964	G
26	BB	1965	C
26	BB	1967	C
26	BB	1968	G
26	BB	1970	A
26	BB	1971	U
26	BB	1972	G
26	BB	1982	U
26	BB	1993	U
26	BB	1996	C
26	BB	2004	G
26	BB	2012	G
26	BB	2020	A
26	BB	2021	C
26	BB	2022	U
26	BB	2023	C
26	BB	2031	A
26	BB	2032	G
26	BB	2034	U
26	BB	2040	G
26	BB	2043	C
26	BB	2056	G
26	BB	2059	A
26	BB	2061	G
26	BB	2069	7MG
26	BB	2093	G
26	BB	2095	A
26	BB	2107	G
26	BB	2111	U
26	BB	2112	G
26	BB	2118	U
26	BB	2119	A
26	BB	2120	G
26	BB	2126	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2127	G
26	BB	2128	G
26	BB	2129	C
26	BB	2130	U
26	BB	2131	U
26	BB	2132	U
26	BB	2134	A
26	BB	2137	U
26	BB	2143	C
26	BB	2148	G
26	BB	2154	A
26	BB	2158	A
26	BB	2164	C
26	BB	2173	A
26	BB	2198	A
26	BB	2199	A
26	BB	2204	G
26	BB	2211	A
26	BB	2212	A
26	BB	2213	U
26	BB	2214	C
26	BB	2215	C
26	BB	2224	G
26	BB	2225	A
26	BB	2226	C
26	BB	2237	G
26	BB	2238	G
26	BB	2239	G
26	BB	2246	G
26	BB	2249	U
26	BB	2250	G
26	BB	2266	A
26	BB	2267	A
26	BB	2282	G
26	BB	2283	C
26	BB	2287	A
26	BB	2288	A
26	BB	2306	C
26	BB	2309	A
26	BB	2321	U
26	BB	2322	A
26	BB	2325	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2335	A
26	BB	2340	A
26	BB	2345	G
26	BB	2346	A
26	BB	2347	C
26	BB	2350	C
26	BB	2354	C
26	BB	2358	A
26	BB	2383	G
26	BB	2385	C
26	BB	2389	G
26	BB	2406	A
26	BB	2407	A
26	BB	2411	A
26	BB	2426	A
26	BB	2427	C
26	BB	2428	G
26	BB	2429	G
26	BB	2433	A
26	BB	2435	A
26	BB	2441	U
26	BB	2450	A
26	BB	2451	A
26	BB	2452	C
26	BB	2453	A
26	BB	2472	G
26	BB	2478	A
26	BB	2486	C
26	BB	2491	U
26	BB	2494	G
26	BB	2501	C
26	BB	2502	G
26	BB	2504	PSU
26	BB	2505	G
26	BB	2515	C
26	BB	2516	A
26	BB	2518	A
26	BB	2519	U
26	BB	2530	A
26	BB	2547	A
26	BB	2554	U
26	BB	2566	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2567	G
26	BB	2572	A
26	BB	2573	C
26	BB	2576	G
26	BB	2577	A
26	BB	2586	U
26	BB	2599	G
26	BB	2602	A
26	BB	2603	G
26	BB	2606	C
26	BB	2610	C
26	BB	2611	C
26	BB	2613	U
26	BB	2616	C
26	BB	2628	C
26	BB	2629	U
26	BB	2639	A
26	BB	2654	A
26	BB	2655	G
26	BB	2656	U
26	BB	2660	A
26	BB	2664	G
26	BB	2685	G
26	BB	2689	U
26	BB	2690	U
26	BB	2714	G
26	BB	2737	G
26	BB	2739	U
26	BB	2742	G
26	BB	2744	G
26	BB	2755	C
26	BB	2757	A
26	BB	2765	A
26	BB	2766	A
26	BB	2769	U
26	BB	2771	C
26	BB	2774	C
26	BB	2777	G
26	BB	2778	A
26	BB	2779	U
26	BB	2780	G
26	BB	2782	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2791	G
26	BB	2797	U
26	BB	2800	A
26	BB	2807	U
26	BB	2825	G
26	BB	2832	U
26	BB	2833	U
26	BB	2842	G
26	BB	2849	U
26	BB	2850	A
26	BB	2861	U
26	BB	2864	G
26	BB	2867	G
26	BB	2868	A
26	BB	2879	A
26	BB	2880	C
26	BB	2883	A
26	BB	2886	A
26	BB	2889	C
26	BB	2893	A
26	BB	2895	G
26	BB	2903	U

All (311) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	AA	4	U
1	AA	5	U
1	AA	39	G
1	AA	51	A
1	AA	65	A
1	AA	97	G
1	AA	101	A
1	AA	128	G
1	AA	173	U
1	AA	178	C
1	AA	187	G
1	AA	206	C
1	AA	224	U
1	AA	239	U
1	AA	243	A
1	AA	244	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	251	G
1	AA	256	U
1	AA	272	C
1	AA	279	A
1	AA	328	C
1	AA	372	C
1	AA	410	G
1	AA	421	U
1	AA	429	U
1	AA	467	U
1	AA	497	G
1	AA	533	A
1	AA	552	U
1	AA	582	C
1	AA	632	U
1	AA	653	U
1	AA	681	A
1	AA	682	G
1	AA	700	G
1	AA	717	U
1	AA	719	C
1	AA	721	G
1	AA	744	C
1	AA	764	C
1	AA	765	G
1	AA	782	A
1	AA	815	A
1	AA	819	A
1	AA	840	C
1	AA	870	U
1	AA	872	A
1	AA	897	C
1	AA	899	C
1	AA	907	A
1	AA	926	G
1	AA	931	C
1	AA	937	A
1	AA	944	G
1	AA	960	U
1	AA	968	A
1	AA	974	A
1	AA	992	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	993	G
1	AA	994	A
1	AA	1014	A
1	AA	1029	U
1	AA	1030	U
1	AA	1101	A
1	AA	1108	G
1	AA	1126	U
1	AA	1167	A
1	AA	1183	U
1	AA	1201	A
1	AA	1211	U
1	AA	1213	A
1	AA	1214	C
1	AA	1226	C
1	AA	1253	G
1	AA	1263	C
1	AA	1278	G
1	AA	1289	A
1	AA	1297	G
1	AA	1302	C
1	AA	1313	U
1	AA	1318	A
1	AA	1346	A
1	AA	1347	G
1	AA	1362	A
1	AA	1369	C
1	AA	1384	C
1	AA	1452	C
1	AA	1491	G
1	AA	1502	A
1	AA	1509	C
1	AA	1512	U
1	AA	1529	G
1	AA	1538	C
2	AB	9	A
2	AB	34	C
2	AB	38	A
2	AB	47	U
2	AB	58	A
2	AB	59	G
2	AB	75	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AC	13	A
3	AC	14	G
3	AC	16	A
3	AC	18	A
3	AC	20	G
3	AC	21	U
3	AC	26	U
3	AC	27	A
3	AC	39	U
3	AC	43	U
3	AC	44	U
3	AC	52	U
3	AC	53	G
3	AC	55	A
4	AD	9	G
4	AD	17	C
4	AD	22	A
4	AD	76	C
25	BA	14	U
25	BA	15	A
25	BA	25	U
25	BA	34	A
25	BA	35	C
25	BA	36	C
25	BA	41	G
25	BA	44	G
25	BA	57	A
25	BA	66	A
25	BA	88	C
25	BA	89	U
25	BA	106	G
26	BB	13	A
26	BB	46	G
26	BB	49	A
26	BB	63	A
26	BB	71	A
26	BB	94	A
26	BB	100	U
26	BB	114	U
26	BB	125	A
26	BB	196	A
26	BB	199	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	218	A
26	BB	219	A
26	BB	228	C
26	BB	231	A
26	BB	241	A
26	BB	242	G
26	BB	249	C
26	BB	265	A
26	BB	321	U
26	BB	332	A
26	BB	347	A
26	BB	368	A
26	BB	388	G
26	BB	389	G
26	BB	390	U
26	BB	404	A
26	BB	428	A
26	BB	451	U
26	BB	453	A
26	BB	463	G
26	BB	479	A
26	BB	489	G
26	BB	503	A
26	BB	534	U
26	BB	545	U
26	BB	561	G
26	BB	569	U
26	BB	570	G
26	BB	572	A
26	BB	574	A
26	BB	575	A
26	BB	603	A
26	BB	611	C
26	BB	620	G
26	BB	628	G
26	BB	635	C
26	BB	649	G
26	BB	702	U
26	BB	748	G
26	BB	751	A
26	BB	762	U
26	BB	776	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	829	A
26	BB	846	U
26	BB	847	U
26	BB	870	U
26	BB	888	C
26	BB	900	A
26	BB	941	A
26	BB	945	A
26	BB	990	A
26	BB	1012	U
26	BB	1043	C
26	BB	1061	U
26	BB	1069	A
26	BB	1070	A
26	BB	1095	A
26	BB	1129	A
26	BB	1133	A
26	BB	1134	A
26	BB	1142	A
26	BB	1157	G
26	BB	1210	G
26	BB	1211	C
26	BB	1239	G
26	BB	1240	U
26	BB	1248	G
26	BB	1254	A
26	BB	1272	A
26	BB	1274	A
26	BB	1288	G
26	BB	1300	G
26	BB	1329	U
26	BB	1348	C
26	BB	1351	C
26	BB	1386	C
26	BB	1391	U
26	BB	1392	A
26	BB	1395	A
26	BB	1451	C
26	BB	1460	U
26	BB	1509	A
26	BB	1567	G
26	BB	1608	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1609	A
26	BB	1626	A
26	BB	1634	A
26	BB	1649	G
26	BB	1693	U
26	BB	1697	G
26	BB	1699	G
26	BB	1701	A
26	BB	1715	G
26	BB	1723	G
26	BB	1778	U
26	BB	1784	A
26	BB	1786	A
26	BB	1816	C
26	BB	1862	G
26	BB	1901	A
26	BB	1912	A
26	BB	1927	A
26	BB	1939	5MU
26	BB	1940	U
26	BB	1944	U
26	BB	1952	A
26	BB	1955	U
26	BB	2019	A
26	BB	2031	A
26	BB	2060	A
26	BB	2068	U
26	BB	2079	U
26	BB	2092	U
26	BB	2098	U
26	BB	2106	U
26	BB	2113	U
26	BB	2118	U
26	BB	2125	G
26	BB	2129	C
26	BB	2130	U
26	BB	2159	G
26	BB	2173	A
26	BB	2194	U
26	BB	2198	A
26	BB	2223	G
26	BB	2225	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2236	U
26	BB	2238	G
26	BB	2249	U
26	BB	2264	C
26	BB	2282	G
26	BB	2287	A
26	BB	2385	C
26	BB	2425	A
26	BB	2426	A
26	BB	2427	C
26	BB	2429	G
26	BB	2432	A
26	BB	2434	A
26	BB	2440	C
26	BB	2441	U
26	BB	2468	A
26	BB	2485	G
26	BB	2491	U
26	BB	2500	U
26	BB	2515	C
26	BB	2555	U
26	BB	2571	U
26	BB	2581	G
26	BB	2586	U
26	BB	2587	A
26	BB	2602	A
26	BB	2610	C
26	BB	2613	U
26	BB	2615	U
26	BB	2628	C
26	BB	2655	G
26	BB	2663	G
26	BB	2756	U
26	BB	2771	C
26	BB	2777	G
26	BB	2780	G
26	BB	2791	G
26	BB	2802	G
26	BB	2806	C
26	BB	2835	A
26	BB	2842	G
26	BB	2867	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2879	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

49 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	2MG	AA	1207	1	18,26,27	1.82	4 (22%)	21,38,41	2.46	8 (38%)
1	4OC	AA	1402	-	15,23,24	1.49	2 (13%)	21,32,35	2.60	3 (14%)
1	5MC	AA	1407	1	14,22,23	1.87	5 (35%)	17,32,35	1.80	4 (23%)
1	UR3	AA	1498	1	13,22,23	1.43	1 (7%)	18,32,35	1.34	1 (5%)
1	2MG	AA	1516	1	18,26,27	2.20	6 (33%)	21,38,41	3.33	12 (57%)
1	MA6	AA	1518	1	18,26,27	1.69	4 (22%)	15,38,41	2.16	3 (20%)
1	MA6	AA	1519	1	18,26,27	1.42	3 (16%)	15,38,41	2.42	7 (46%)
1	PSU	AA	516	1	15,21,22	1.28	3 (20%)	16,30,33	3.90	6 (37%)
1	7MG	AA	527	1	20,26,27	2.23	6 (30%)	23,39,42	2.12	9 (39%)
1	2MG	AA	966	1	18,26,27	1.56	3 (16%)	21,38,41	2.96	9 (42%)
1	5MC	AA	967	1	14,22,23	1.56	3 (21%)	17,32,35	1.45	1 (5%)
2	H2U	AB	16	2	17,21,22	1.52	2 (11%)	23,30,33	2.22	8 (34%)
2	H2U	AB	17	2	17,21,22	1.42	3 (17%)	23,30,33	1.19	3 (13%)
2	H2U	AB	20	2	17,21,22	1.41	2 (11%)	23,30,33	1.64	5 (21%)
2	OMC	AB	32	2	15,22,23	1.54	3 (20%)	20,31,34	2.05	7 (35%)
2	MIA	AB	37	2	22,31,32	1.72	4 (18%)	26,44,47	3.06	9 (34%)
2	7MG	AB	46	2	20,26,27	2.98	7 (35%)	23,39,42	2.66	9 (39%)
2	5MU	AB	54	2	13,22,23	1.94	4 (30%)	16,32,35	3.56	3 (18%)
2	PSU	AB	55	2	15,21,22	2.01	4 (26%)	16,30,33	3.93	5 (31%)
2	4SU	AB	8	2	12,21,22	1.28	1 (8%)	15,30,33	1.82	3 (20%)
4	H2U	AD	21	4	17,21,22	1.31	3 (17%)	23,30,33	2.08	6 (26%)
4	OMC	AD	33	4	15,22,23	1.57	3 (20%)	20,31,34	1.16	2 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	5MU	AD	55	4	13,22,23	1.41	1 (7%)	16,32,35	5.11	5 (31%)
4	PSU	AD	56	4	15,21,22	2.17	5 (33%)	16,30,33	3.30	5 (31%)
4	4SU	AD	8	4	12,21,22	2.13	2 (16%)	15,30,33	2.66	4 (26%)
26	6MZ	BB	1618	26	17,25,26	1.78	4 (23%)	15,36,39	1.67	3 (20%)
26	2MG	BB	1835	26	18,26,27	1.78	5 (27%)	21,38,41	3.29	9 (42%)
26	PSU	BB	1911	26	15,21,22	1.99	2 (13%)	16,30,33	3.38	5 (31%)
26	3TD	BB	1915	26	15,22,23	2.08	5 (33%)	17,32,35	1.69	4 (23%)
26	PSU	BB	1917	26	15,21,22	1.98	3 (20%)	16,30,33	3.41	3 (18%)
26	5MU	BB	1939	26	13,22,23	2.53	5 (38%)	16,32,35	4.00	5 (31%)
26	5MC	BB	1962	26	14,22,23	1.47	3 (21%)	17,32,35	1.36	2 (11%)
26	6MZ	BB	2030	26	17,25,26	0.98	1 (5%)	15,36,39	2.40	5 (33%)
26	7MG	BB	2069	26	20,26,27	2.33	5 (25%)	23,39,42	2.56	7 (30%)
26	OMG	BB	2251	26	18,26,27	1.70	6 (33%)	21,38,41	3.46	9 (42%)
26	2MG	BB	2445	26	18,26,27	1.82	3 (16%)	21,38,41	2.57	10 (47%)
26	H2U	BB	2449	26	17,21,22	1.73	3 (17%)	23,30,33	1.75	6 (26%)
26	PSU	BB	2457	26	15,21,22	1.46	3 (20%)	16,30,33	3.07	7 (43%)
26	OMC	BB	2498	26	15,22,23	1.51	3 (20%)	20,31,34	1.50	5 (25%)
26	2MA	BB	2503	26	17,25,26	2.00	5 (29%)	18,37,40	2.14	4 (22%)
26	PSU	BB	2504	26	15,21,22	2.09	5 (33%)	16,30,33	3.77	6 (37%)
26	OMU	BB	2552	26	14,22,23	1.97	5 (35%)	19,31,34	3.08	7 (36%)
26	CH	BB	2575	26	14,21,22	2.21	2 (14%)	18,30,33	1.93	4 (22%)
26	PSU	BB	2580	26	15,21,22	1.93	4 (26%)	16,30,33	3.09	6 (37%)
26	PSU	BB	2605	26	15,21,22	2.36	5 (33%)	16,30,33	4.21	2 (12%)
26	1MG	BB	745	26	17,26,27	1.94	3 (17%)	19,39,42	2.42	5 (26%)
26	PSU	BB	746	26	15,21,22	2.30	8 (53%)	16,30,33	4.52	9 (56%)
26	5MU	BB	747	26	13,22,23	1.83	3 (23%)	16,32,35	5.23	8 (50%)
26	PSU	BB	955	26	15,21,22	1.79	4 (26%)	16,30,33	4.53	2 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3
1	4OC	AA	1402	-	-	0/7/29/30	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	AA	1407	1	-	0/3/25/26	0/2/2/2
1	UR3	AA	1498	1	-	0/3/25/26	0/2/2/2
1	2MG	AA	1516	1	-	0/5/27/28	0/3/3/3
1	MA6	AA	1518	1	-	0/7/29/30	0/3/3/3
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
1	PSU	AA	516	1	-	0/7/25/26	0/2/2/2
1	7MG	AA	527	1	-	0/7/37/38	0/3/3/3
1	2MG	AA	966	1	-	0/5/27/28	0/3/3/3
1	5MC	AA	967	1	-	0/3/25/26	0/2/2/2
2	H2U	AB	16	2	-	0/7/38/39	0/2/2/2
2	H2U	AB	17	2	-	0/7/38/39	0/2/2/2
2	H2U	AB	20	2	-	0/7/38/39	0/2/2/2
2	OMC	AB	32	2	-	0/5/27/28	0/2/2/2
2	MIA	AB	37	2	-	0/11/33/34	0/3/3/3
2	7MG	AB	46	2	-	0/7/37/38	0/3/3/3
2	5MU	AB	54	2	-	0/3/25/26	0/2/2/2
2	PSU	AB	55	2	-	0/7/25/26	0/2/2/2
2	4SU	AB	8	2	-	0/3/25/26	0/2/2/2
4	H2U	AD	21	4	-	0/7/38/39	0/2/2/2
4	OMC	AD	33	4	-	0/5/27/28	0/2/2/2
4	5MU	AD	55	4	-	0/3/25/26	0/2/2/2
4	PSU	AD	56	4	-	0/7/25/26	0/2/2/2
4	4SU	AD	8	4	-	0/3/25/26	0/2/2/2
26	6MZ	BB	1618	26	-	0/5/27/28	0/3/3/3
26	2MG	BB	1835	26	-	0/5/27/28	0/3/3/3
26	PSU	BB	1911	26	-	0/7/25/26	0/2/2/2
26	3TD	BB	1915	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	1917	26	-	0/7/25/26	0/2/2/2
26	5MU	BB	1939	26	-	0/3/25/26	0/2/2/2
26	5MC	BB	1962	26	-	0/3/25/26	0/2/2/2
26	6MZ	BB	2030	26	-	0/5/27/28	0/3/3/3
26	7MG	BB	2069	26	-	0/7/37/38	0/3/3/3
26	OMG	BB	2251	26	-	0/5/27/28	0/3/3/3
26	2MG	BB	2445	26	-	0/5/27/28	0/3/3/3
26	H2U	BB	2449	26	-	0/7/38/39	0/2/2/2
26	PSU	BB	2457	26	-	0/7/25/26	0/2/2/2
26	OMC	BB	2498	26	-	0/5/27/28	0/2/2/2
26	2MA	BB	2503	26	-	0/3/25/26	0/3/3/3
26	PSU	BB	2504	26	-	0/7/25/26	0/2/2/2
26	OMU	BB	2552	26	-	0/5/27/28	0/2/2/2
26	CH	BB	2575	26	-	0/3/25/26	0/2/2/2
26	PSU	BB	2580	26	-	1/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	PSU	BB	2605	26	-	0/7/25/26	0/2/2/2
26	1MG	BB	745	26	-	0/3/25/26	0/3/3/3
26	PSU	BB	746	26	-	0/7/25/26	0/2/2/2
26	5MU	BB	747	26	-	0/3/25/26	0/2/2/2
26	PSU	BB	955	26	-	0/7/25/26	0/2/2/2

All (179) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	46	7MG	C8-N9	-7.68	1.34	1.45
26	BB	2069	7MG	C8-N9	-6.90	1.35	1.45
1	AA	527	7MG	C8-N9	-6.57	1.35	1.45
26	BB	745	1MG	C8-N7	-5.15	1.24	1.34
26	BB	2605	PSU	C5-C1'	-4.92	1.48	1.52
26	BB	2445	2MG	C8-N7	-4.51	1.26	1.34
2	AB	16	H2U	C2-N3	-4.34	1.29	1.38
26	BB	2503	2MA	C8-N7	-4.13	1.26	1.34
4	AD	55	5MU	O4'-C1'	-4.01	1.35	1.41
4	AD	56	PSU	C2'-C1'	-4.01	1.50	1.53
2	AB	17	H2U	C6-N1	-3.88	1.42	1.47
26	BB	2449	H2U	C6-N1	-3.86	1.42	1.47
1	AA	1207	2MG	C8-N7	-3.64	1.27	1.34
4	AD	33	OMC	O4'-C4'	-3.58	1.36	1.45
26	BB	2504	PSU	C6-C5	-3.55	1.33	1.38
2	AB	46	7MG	O4'-C4'	-3.53	1.36	1.45
1	AA	1407	5MC	O4'-C4'	-3.52	1.37	1.45
26	BB	2605	PSU	C6-C5	-3.42	1.33	1.38
26	BB	2580	PSU	O4'-C1'	-3.41	1.39	1.44
4	AD	56	PSU	O4'-C4'	-3.38	1.37	1.45
4	AD	8	4SU	O4'-C4'	-3.33	1.37	1.45
2	AB	37	MIA	C8-N7	-3.29	1.28	1.34
26	BB	746	PSU	O2'-C2'	-3.26	1.35	1.43
1	AA	1519	MA6	C8-N7	-3.20	1.28	1.34
26	BB	747	5MU	O2'-C2'	-3.19	1.35	1.43
2	AB	20	H2U	C4-N3	-3.03	1.32	1.37
26	BB	2069	7MG	C8-N7	-3.01	1.29	1.43
26	BB	1618	6MZ	O4'-C4'	-3.01	1.38	1.45
26	BB	2251	OMG	C8-N7	-2.97	1.29	1.34
26	BB	1962	5MC	O3'-C3'	-2.96	1.36	1.43
26	BB	1962	5MC	O4'-C1'	-2.94	1.37	1.41
1	AA	1518	MA6	C2'-C1'	-2.92	1.49	1.53
2	AB	46	7MG	C8-N7	-2.83	1.30	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1915	3TD	C2'-C1'	-2.81	1.51	1.53
1	AA	527	7MG	O6-C6	-2.78	1.17	1.24
1	AA	1518	MA6	C8-N7	-2.78	1.29	1.34
26	BB	746	PSU	C2'-C1'	-2.76	1.51	1.53
1	AA	1402	4OC	C6-C5	-2.73	1.32	1.38
1	AA	1407	5MC	C2-N3	-2.71	1.32	1.38
2	AB	16	H2U	C6-C5	-2.70	1.47	1.52
26	BB	746	PSU	C5-C1'	-2.68	1.49	1.52
26	BB	2504	PSU	O4'-C4'	-2.65	1.38	1.45
26	BB	1917	PSU	O4'-C1'	-2.57	1.40	1.44
2	AB	54	5MU	C6-C5	-2.56	1.33	1.40
26	BB	2552	OMU	O4'-C4'	-2.55	1.39	1.45
1	AA	527	7MG	C8-N7	-2.51	1.31	1.43
26	BB	2030	6MZ	C8-N7	-2.48	1.29	1.34
4	AD	21	H2U	O3'-C3'	-2.46	1.37	1.43
1	AA	967	5MC	C2'-C1'	-2.45	1.49	1.53
26	BB	2552	OMU	C3'-C2'	-2.41	1.47	1.53
26	BB	2605	PSU	O4'-C1'	-2.40	1.40	1.44
2	AB	55	PSU	C6-C5	-2.40	1.35	1.38
2	AB	37	MIA	C13-C14	-2.39	1.33	1.51
26	BB	2504	PSU	O3'-C3'	-2.39	1.37	1.43
26	BB	745	1MG	O2'-C2'	-2.35	1.37	1.43
26	BB	2503	2MA	C6-N1	-2.32	1.30	1.34
4	AD	33	OMC	C6-N1	-2.31	1.32	1.35
2	AB	54	5MU	O4'-C4'	-2.24	1.39	1.45
2	AB	17	H2U	C2'-C3'	-2.22	1.47	1.53
26	BB	2504	PSU	O4'-C1'	-2.21	1.41	1.44
1	AA	516	PSU	C2'-C1'	-2.19	1.51	1.53
26	BB	955	PSU	O4'-C4'	-2.17	1.40	1.45
26	BB	1962	5MC	O4'-C4'	-2.17	1.40	1.45
26	BB	1939	5MU	C6-C5	-2.15	1.34	1.40
26	BB	2251	OMG	O4'-C4'	-2.14	1.40	1.45
26	BB	2498	OMC	C3'-C4'	-2.14	1.47	1.53
26	BB	2498	OMC	C4-N4	-2.14	1.29	1.35
1	AA	1516	2MG	O4'-C4'	-2.10	1.40	1.45
26	BB	2503	2MA	O4'-C1'	-2.08	1.38	1.41
26	BB	2457	PSU	C6-C5	-2.02	1.35	1.38
2	AB	17	H2U	C2-N3	-2.01	1.34	1.38
26	BB	1917	PSU	C6-N1	2.01	1.38	1.34
26	BB	2457	PSU	O4'-C4'	2.02	1.49	1.45
4	AD	33	OMC	O4'-C1'	2.02	1.44	1.41
2	AB	8	4SU	C6-N1	2.04	1.38	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1407	5MC	C5'-C4'	2.04	1.58	1.51
26	BB	2251	OMG	C5'-C4'	2.04	1.58	1.51
26	BB	2069	7MG	CM7-N7	2.05	1.49	1.46
1	AA	1516	2MG	C2-N1	2.07	1.42	1.34
26	BB	747	5MU	O4'-C1'	2.08	1.44	1.41
2	AB	32	OMC	C2-N3	2.10	1.42	1.38
4	AD	21	H2U	C2'-C3'	2.18	1.59	1.53
26	BB	1915	3TD	C4-N3	2.18	1.41	1.38
1	AA	516	PSU	C3'-C4'	2.18	1.58	1.53
1	AA	516	PSU	C4-N3	2.22	1.37	1.33
1	AA	1402	4OC	C6-N1	2.27	1.38	1.35
26	BB	1911	PSU	C6-N1	2.29	1.39	1.34
26	BB	1835	2MG	CM2-N2	2.43	1.49	1.45
4	AD	56	PSU	C4-N3	2.43	1.37	1.33
4	AD	21	H2U	C2-N1	2.45	1.39	1.35
1	AA	1518	MA6	C3'-C4'	2.45	1.59	1.53
4	AD	56	PSU	C2-N3	2.45	1.43	1.38
1	AA	1207	2MG	C4-N3	2.47	1.39	1.35
26	BB	1618	6MZ	O4'-C1'	2.50	1.44	1.41
1	AA	527	7MG	C6-C5	2.51	1.45	1.41
26	BB	2251	OMG	C6-C5	2.52	1.46	1.41
1	AA	967	5MC	C4-N3	2.53	1.38	1.35
2	AB	46	7MG	CM7-N7	2.55	1.50	1.46
1	AA	1516	2MG	C5'-C4'	2.58	1.60	1.51
26	BB	1939	5MU	C3'-C4'	2.58	1.59	1.53
26	BB	2580	PSU	C5-C1'	2.59	1.54	1.52
1	AA	1519	MA6	C6-N1	2.61	1.37	1.34
1	AA	1407	5MC	O4'-C1'	2.61	1.45	1.41
26	BB	1835	2MG	O4'-C1'	2.63	1.45	1.41
26	BB	2580	PSU	C2'-C1'	2.63	1.56	1.53
26	BB	2069	7MG	C5'-C4'	2.64	1.60	1.51
26	BB	746	PSU	C2-N1	2.66	1.43	1.38
26	BB	2445	2MG	C2'-C3'	2.67	1.60	1.53
1	AA	1207	2MG	C2-N1	2.70	1.44	1.34
26	BB	1915	3TD	C10-N3	2.71	1.53	1.47
26	BB	2251	OMG	O4'-C1'	2.71	1.45	1.41
26	BB	2498	OMC	C5'-C4'	2.73	1.60	1.51
1	AA	1519	MA6	O4'-C1'	2.75	1.45	1.41
2	AB	55	PSU	C5-C1'	2.78	1.54	1.52
2	AB	32	OMC	C3'-C2'	2.78	1.59	1.53
26	BB	2449	H2U	C1'-N1	2.79	1.51	1.45
26	BB	1835	2MG	O3'-C3'	2.81	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	967	5MC	CM5-C5	2.82	1.56	1.51
2	AB	32	OMC	C2'-C1'	2.83	1.60	1.53
2	AB	20	H2U	C5-C4	2.85	1.57	1.50
26	BB	746	PSU	C6-N1	2.87	1.40	1.34
26	BB	2552	OMU	C5'-C4'	2.88	1.61	1.51
1	AA	1407	5MC	C2'-C1'	2.92	1.58	1.53
26	BB	1835	2MG	C4-N3	2.96	1.40	1.35
26	BB	746	PSU	C5'-C4'	2.97	1.61	1.51
1	AA	966	2MG	CM2-N2	2.98	1.50	1.45
26	BB	1939	5MU	C2'-C1'	3.00	1.58	1.53
2	AB	55	PSU	C2'-C1'	3.02	1.56	1.53
26	BB	1618	6MZ	C2-N3	3.05	1.37	1.32
26	BB	2503	2MA	C2'-C1'	3.05	1.58	1.53
2	AB	46	7MG	C2-N1	3.06	1.41	1.35
1	AA	1518	MA6	C4-N3	3.08	1.40	1.35
26	BB	955	PSU	C4-N3	3.10	1.38	1.33
1	AA	527	7MG	C1'-N9	3.11	1.51	1.44
1	AA	966	2MG	C2-N2	3.20	1.38	1.34
1	AA	1516	2MG	C2-N2	3.23	1.38	1.34
26	BB	2251	OMG	C6-N1	3.25	1.38	1.33
2	AB	37	MIA	C5'-C4'	3.29	1.62	1.51
26	BB	955	PSU	C2-N1	3.30	1.45	1.38
1	AA	1498	UR3	C4-N3	3.36	1.43	1.38
26	BB	746	PSU	C3'-C2'	3.36	1.62	1.53
26	BB	1939	5MU	C4-N3	3.39	1.39	1.33
26	BB	2575	CH	C4-N3	3.40	1.41	1.35
26	BB	2457	PSU	C4-N3	3.42	1.39	1.33
2	AB	54	5MU	O4'-C1'	3.49	1.46	1.41
26	BB	2552	OMU	C4-N3	3.54	1.39	1.33
26	BB	955	PSU	C5-C1'	3.58	1.55	1.52
26	BB	1835	2MG	C6-N1	3.58	1.39	1.33
26	BB	2605	PSU	C6-N1	3.68	1.42	1.34
26	BB	2449	H2U	C2-N1	3.69	1.41	1.35
26	BB	1915	3TD	C6-N1	3.69	1.42	1.34
26	BB	2445	2MG	O4'-C1'	3.76	1.46	1.41
26	BB	746	PSU	C4-N3	3.84	1.40	1.33
26	BB	2552	OMU	C6-N1	3.89	1.40	1.35
26	BB	2605	PSU	C2'-C1'	4.01	1.57	1.53
26	BB	1618	6MZ	C6-N1	4.07	1.40	1.34
1	AA	966	2MG	C6-N1	4.07	1.40	1.33
26	BB	1915	3TD	C5-C1'	4.12	1.55	1.52
1	AA	1207	2MG	C6-N1	4.15	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	527	7MG	C4-N3	4.18	1.39	1.34
26	BB	745	1MG	C6-C5	4.24	1.49	1.40
26	BB	2580	PSU	C4-N3	4.27	1.40	1.33
26	BB	2503	2MA	C6-N6	4.29	1.36	1.29
2	AB	37	MIA	C2-S10	4.45	1.79	1.75
2	AB	54	5MU	C4-N3	4.53	1.41	1.33
4	AD	56	PSU	C5-C1'	4.59	1.56	1.52
26	BB	747	5MU	C4-N3	4.63	1.41	1.33
2	AB	55	PSU	C4-N3	4.86	1.41	1.33
26	BB	2504	PSU	C4-N3	4.88	1.41	1.33
1	AA	1516	2MG	CM2-N2	4.88	1.54	1.45
1	AA	1516	2MG	C6-N1	4.98	1.42	1.33
26	BB	2069	7MG	C6-N1	5.08	1.42	1.33
2	AB	46	7MG	C6-N1	5.11	1.42	1.33
4	AD	8	4SU	O4'-C1'	5.62	1.49	1.41
26	BB	1917	PSU	C4-N3	6.04	1.43	1.33
26	BB	2575	CH	O4'-C1'	6.05	1.49	1.41
2	AB	46	7MG	C4-N3	6.13	1.42	1.34
26	BB	1911	PSU	C4-N3	6.53	1.44	1.33
26	BB	1939	5MU	O4'-C1'	6.86	1.51	1.41

All (270) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	747	5MU	C5-C4-N3	-14.25	113.39	125.35
4	AD	55	5MU	C5-C4-N3	-12.51	114.85	125.35
26	BB	1939	5MU	C5-C4-N3	-11.13	116.01	125.35
1	AA	966	2MG	C5-C6-N1	-10.06	110.37	123.52
2	AB	54	5MU	C5-C4-N3	-9.47	117.40	125.35
26	BB	1835	2MG	C5-C6-N1	-9.00	111.76	123.52
4	AD	8	4SU	C5-C4-N3	-8.25	114.81	123.56
2	AB	46	7MG	C5-C6-N1	-8.03	111.44	123.39
1	AA	1516	2MG	C5-C6-N1	-6.81	114.62	123.52
1	AA	1402	4OC	C6-C5-C4	-6.61	114.82	117.42
26	BB	2251	OMG	C5-C6-N1	-6.60	114.89	123.52
26	BB	745	1MG	C5-C6-N1	-6.44	109.92	118.35
26	BB	2069	7MG	C5-C6-N1	-6.32	113.98	123.39
26	BB	2503	2MA	C2-N3-C4	-6.31	112.25	115.29
1	AA	527	7MG	C5-C6-N1	-6.05	114.39	123.39
2	AB	55	PSU	C5-C6-N1	-6.04	115.95	124.38
1	AA	516	PSU	C5-C6-N1	-5.88	116.18	124.38
2	AB	16	H2U	C5-C6-N1	-5.85	104.36	110.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1519	MA6	N3-C2-N1	-5.59	124.48	128.87
1	AA	1518	MA6	N3-C2-N1	-5.43	124.61	128.87
1	AA	1516	2MG	C1'-N9-C4	-5.39	120.79	126.81
26	BB	2251	OMG	C6-C5-C4	-5.22	114.89	120.86
26	BB	746	PSU	C5-C6-N1	-5.21	117.11	124.38
26	BB	2251	OMG	N3-C2-N1	-5.15	120.55	127.56
26	BB	1911	PSU	C5-C6-N1	-5.14	117.22	124.38
1	AA	1207	2MG	C5-C6-N1	-5.11	116.85	123.52
4	AD	21	H2U	C5-C4-N3	-5.02	111.32	116.62
26	BB	2251	OMG	C1'-N9-C4	-5.02	121.20	126.81
26	BB	2030	6MZ	C4'-O4'-C1'	-4.92	104.42	109.64
26	BB	1835	2MG	C4'-O4'-C1'	-4.92	104.43	109.64
26	BB	2445	2MG	C5-C6-N1	-4.92	117.10	123.52
2	AB	8	4SU	C5-C4-N3	-4.56	118.73	123.56
26	BB	2457	PSU	C5-C1'-C2'	-4.55	107.70	115.44
1	AA	1207	2MG	N2-C2-N1	-4.52	111.68	116.94
26	BB	2552	OMU	C5-C4-N3	-4.52	112.18	123.28
4	AD	55	5MU	C2'-C3'-C4'	-4.40	93.62	102.64
1	AA	1516	2MG	N3-C2-N1	-4.24	119.85	126.19
4	AD	56	PSU	C5-C1'-C2'	-4.22	108.28	115.44
2	AB	20	H2U	N3-C2-N1	-4.20	112.76	116.64
26	BB	2504	PSU	C5-C1'-C2'	-4.19	108.31	115.44
26	BB	2030	6MZ	C1'-N9-C4	-4.13	122.19	126.81
26	BB	1835	2MG	C2-N3-C4	-4.09	110.51	114.99
26	BB	2445	2MG	C4'-O4'-C1'	-4.03	105.37	109.64
26	BB	2580	PSU	C5-C6-N1	-4.02	118.78	124.38
4	AD	21	H2U	C6-N1-C2	-3.95	116.05	122.16
26	BB	2457	PSU	O2'-C2'-C1'	-3.87	103.50	111.93
26	BB	2575	CH	C4'-O4'-C1'	-3.85	105.57	109.64
2	AB	8	4SU	C4'-O4'-C1'	-3.79	105.62	109.64
26	BB	2449	H2U	O3'-C3'-C4'	-3.74	99.83	111.01
26	BB	2069	7MG	N1-C2-N3	-3.74	119.41	125.51
26	BB	2445	2MG	C6-C5-C4	-3.71	116.62	120.86
1	AA	1519	MA6	C1'-N9-C4	-3.64	122.74	126.81
1	AA	516	PSU	O2'-C2'-C1'	-3.64	104.01	111.93
1	AA	516	PSU	C4-C5-C1'	-3.62	115.12	121.22
2	AB	20	H2U	C5-C6-N1	-3.51	106.91	110.76
26	BB	747	5MU	C4'-O4'-C1'	-3.47	105.96	109.64
2	AB	16	H2U	C2'-C3'-C4'	-3.42	95.63	102.64
26	BB	2445	2MG	C2'-C3'-C4'	-3.41	95.66	102.64
26	BB	1917	PSU	C5-C6-N1	-3.40	119.64	124.38
26	BB	747	5MU	C5M-C5-C4	-3.29	116.32	119.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	21	H2U	O4'-C4'-C3'	-3.20	98.67	105.16
26	BB	746	PSU	C4'-O4'-C1'	-3.20	106.25	109.54
1	AA	516	PSU	C5-C1'-C2'	-3.20	110.01	115.44
26	BB	2445	2MG	CM2-N2-C2	-3.18	119.46	123.03
26	BB	2504	PSU	C5-C6-N1	-3.09	120.07	124.38
26	BB	1835	2MG	C2'-C3'-C4'	-3.05	96.40	102.64
26	BB	746	PSU	C2'-C3'-C4'	-3.04	96.42	102.64
26	BB	2445	2MG	N3-C2-N1	-3.03	121.66	126.19
2	AB	46	7MG	C4-N9-C1'	-3.01	119.52	126.65
2	AB	16	H2U	C5-C4-N3	-3.00	113.45	116.62
26	BB	2069	7MG	C5-C4-N3	-3.00	123.69	126.74
2	AB	37	MIA	C5-C6-N1	-2.93	117.61	120.58
26	BB	747	5MU	C2'-C3'-C4'	-2.92	96.66	102.64
26	BB	746	PSU	C4-C5-C1'	-2.87	116.38	121.22
1	AA	1516	2MG	C6-C5-C4	-2.85	117.60	120.86
26	BB	2069	7MG	C5'-C4'-C3'	-2.84	104.23	115.20
2	AB	37	MIA	C13-C12-N6	-2.83	106.96	112.25
26	BB	1915	3TD	C5-C4-N3	-2.78	116.39	118.65
26	BB	2445	2MG	C1'-N9-C4	-2.76	123.72	126.81
1	AA	527	7MG	N2-C2-N1	-2.75	112.66	117.20
2	AB	8	4SU	O2'-C2'-C1'	-2.68	103.23	111.61
26	BB	2498	OMC	C3'-C2'-C1'	-2.62	97.61	102.63
2	AB	32	OMC	C2'-C3'-C4'	-2.61	95.68	101.85
26	BB	2503	2MA	C6-C5-C4	-2.59	115.02	119.67
2	AB	16	H2U	C6-N1-C2	-2.50	118.29	122.16
1	AA	1207	2MG	O2'-C2'-C1'	-2.46	103.91	111.61
1	AA	1516	2MG	O4'-C1'-N9	-2.43	103.51	108.11
26	BB	745	1MG	O2'-C2'-C1'	-2.39	104.14	111.61
1	AA	1516	2MG	N2-C2-N1	-2.38	114.17	116.94
1	AA	966	2MG	O4'-C4'-C3'	-2.36	100.37	105.16
1	AA	1519	MA6	C2'-C3'-C4'	-2.36	97.81	102.64
26	BB	1618	6MZ	O3'-C3'-C4'	-2.34	104.01	111.01
1	AA	1207	2MG	C1'-N9-C4	-2.34	124.19	126.81
26	BB	1911	PSU	C4-C5-C1'	-2.29	117.36	121.22
1	AA	966	2MG	N2-C2-N3	-2.28	114.29	116.94
26	BB	2449	H2U	O4-C4-C5	-2.28	117.42	122.29
2	AB	46	7MG	C3'-C2'-C1'	-2.25	96.91	101.44
2	AB	37	MIA	C2'-C1'-N9	-2.24	107.47	113.47
1	AA	1207	2MG	C4'-O4'-C1'	-2.23	107.28	109.64
26	BB	1835	2MG	N2-C2-N1	-2.23	114.35	116.94
26	BB	2251	OMG	N2-C2-N1	-2.23	113.53	117.20
4	AD	56	PSU	C3'-C2'-C1'	-2.19	99.11	101.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	55	PSU	C4'-O4'-C1'	-2.18	107.29	109.54
1	AA	966	2MG	O2'-C2'-C1'	-2.18	104.78	111.61
26	BB	2457	PSU	C5-C6-N1	-2.15	121.39	124.38
1	AA	527	7MG	C4-N9-C1'	-2.14	121.57	126.65
1	AA	966	2MG	C2-N3-C4	-2.13	112.66	114.99
1	AA	1407	5MC	C2'-C1'-N1	-2.11	107.81	113.46
2	AB	20	H2U	C6-C5-C4	-2.10	104.71	115.77
26	BB	2498	OMC	C5-C4-N3	-2.08	119.16	121.79
1	AA	1519	MA6	C10-N6-C9	-2.07	109.19	115.96
26	BB	2449	H2U	N3-C2-N1	-2.07	114.73	116.64
1	AA	1516	2MG	O4'-C4'-C3'	-2.07	100.97	105.16
26	BB	2069	7MG	O2'-C2'-C3'	-2.06	105.19	111.86
2	AB	16	H2U	O5'-C5'-C4'	-2.06	101.71	109.09
2	AB	46	7MG	C5-C4-N3	-2.03	124.67	126.74
1	AA	527	7MG	C2-N3-C4	-2.02	108.76	114.50
2	AB	46	7MG	O4'-C4'-C3'	-2.01	101.08	105.16
26	BB	2552	OMU	C5-C6-N1	-2.01	115.18	120.70
26	BB	2504	PSU	C2'-C3'-C4'	-2.00	98.54	102.64
2	AB	37	MIA	S10-C2-N1	-2.00	108.86	115.91
1	AA	1516	2MG	O4'-C4'-C5'	2.01	116.48	109.29
26	BB	2580	PSU	O3'-C3'-C4'	2.02	117.03	111.01
26	BB	2504	PSU	O4'-C1'-C2'	2.04	106.89	104.69
26	BB	1915	3TD	O4'-C1'-C2'	2.04	106.89	104.69
26	BB	1911	PSU	O3'-C3'-C4'	2.05	117.12	111.01
26	BB	747	5MU	O4'-C1'-N1	2.05	112.00	108.10
2	AB	32	OMC	N4-C4-N3	2.05	120.09	116.50
26	BB	2445	2MG	O5'-C5'-C4'	2.05	116.45	109.09
26	BB	2504	PSU	O3'-C3'-C4'	2.06	117.17	111.01
2	AB	20	H2U	O2-C2-N1	2.09	125.91	123.17
2	AB	32	OMC	O2'-C2'-C3'	2.09	116.62	111.23
2	AB	16	H2U	C1'-N1-C2	2.10	121.12	118.19
26	BB	955	PSU	C4'-O4'-C1'	2.11	111.72	109.54
26	BB	747	5MU	O4'-C4'-C3'	2.12	109.45	105.16
26	BB	2575	CH	C6-N1-C2	2.12	124.79	121.33
4	AD	8	4SU	O4'-C4'-C3'	2.13	109.47	105.16
26	BB	1962	5MC	O4'-C4'-C3'	2.13	109.48	105.16
2	AB	37	MIA	C5-C6-N6	2.14	123.97	120.61
4	AD	21	H2U	C1'-N1-C2	2.14	121.19	118.19
2	AB	17	H2U	C3'-C2'-C1'	2.17	105.81	101.44
1	AA	1519	MA6	C5'-C4'-C3'	2.18	123.63	115.20
2	AB	46	7MG	O4'-C1'-C2'	2.19	111.55	106.61
4	AD	33	OMC	O5'-C5'-C4'	2.20	116.97	109.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2030	6MZ	N3-C2-N1	2.23	130.62	128.87
26	BB	1618	6MZ	C4'-O4'-C1'	2.24	112.02	109.64
26	BB	2030	6MZ	O4'-C4'-C5'	2.27	117.40	109.29
4	AD	8	4SU	O2'-C2'-C1'	2.29	118.79	111.61
1	AA	527	7MG	N1-C2-N3	2.29	129.26	125.51
26	BB	2449	H2U	O4-C4-N3	2.30	124.06	120.46
1	AA	966	2MG	C2'-C3'-C4'	2.31	107.37	102.64
1	AA	527	7MG	C6-N1-C2	2.32	118.60	115.88
26	BB	2498	OMC	N4-C4-N3	2.35	120.60	116.50
26	BB	1939	5MU	O4'-C1'-N1	2.37	112.60	108.10
2	AB	55	PSU	O3'-C3'-C4'	2.37	118.09	111.01
2	AB	37	MIA	C16-C14-C13	2.38	128.09	111.40
26	BB	746	PSU	O4'-C1'-C2'	2.42	107.30	104.69
26	BB	1939	5MU	C4'-O4'-C1'	2.42	112.20	109.64
2	AB	17	H2U	O5'-C5'-C4'	2.43	117.79	109.09
4	AD	56	PSU	O3'-C3'-C4'	2.43	118.28	111.01
26	BB	2069	7MG	N2-C2-N3	2.45	121.25	117.20
26	BB	2605	PSU	C4'-O4'-C1'	2.46	112.08	109.54
2	AB	37	MIA	C2-N1-C6	2.48	119.94	113.13
4	AD	21	H2U	O3'-C3'-C2'	2.49	119.91	111.86
26	BB	1835	2MG	O2'-C2'-C3'	2.50	119.92	111.86
1	AA	1518	MA6	C4'-O4'-C1'	2.52	112.31	109.64
26	BB	747	5MU	O3'-C3'-C2'	2.52	120.01	111.86
26	BB	2552	OMU	O5'-C5'-C4'	2.58	118.34	109.09
26	BB	2457	PSU	O3'-C3'-C2'	2.59	120.23	111.86
2	AB	16	H2U	O3'-C3'-C4'	2.60	118.76	111.01
26	BB	2503	2MA	O4'-C4'-C5'	2.60	118.59	109.29
26	BB	2552	OMU	O2'-C2'-C3'	2.64	118.03	111.23
1	AA	1519	MA6	O3'-C3'-C4'	2.65	118.91	111.01
1	AA	966	2MG	CM2-N2-C2	2.65	126.02	123.03
1	AA	1516	2MG	C4'-O4'-C1'	2.65	112.46	109.64
26	BB	746	PSU	C3'-C2'-C1'	2.66	104.86	101.71
1	AA	1207	2MG	C6-N1-C2	2.66	119.05	115.24
26	BB	2580	PSU	C5-C1'-C2'	2.71	120.03	115.44
1	AA	1407	5MC	CM5-C5-C4	2.71	124.33	121.47
26	BB	746	PSU	O3'-C3'-C4'	2.72	119.14	111.01
1	AA	1498	UR3	O3'-C3'-C4'	2.76	119.25	111.01
4	AD	33	OMC	O4'-C1'-N1	2.81	113.45	108.10
1	AA	966	2MG	C6-C5-C4	2.85	124.12	120.86
26	BB	1911	PSU	C4'-O4'-C1'	2.85	112.49	109.54
26	BB	746	PSU	C5-C1'-C2'	2.88	120.32	115.44
1	AA	527	7MG	O4'-C4'-C3'	2.88	111.00	105.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	527	7MG	O3'-C3'-C4'	2.92	119.72	111.01
1	AA	516	PSU	O5'-C5'-C4'	2.92	119.58	109.09
26	BB	1835	2MG	O4'-C4'-C3'	2.94	111.12	105.16
1	AA	1207	2MG	O2'-C2'-C3'	2.96	121.42	111.86
26	BB	1915	3TD	C4'-O4'-C1'	2.97	112.61	109.54
26	BB	2498	OMC	O4'-C1'-N1	2.99	113.78	108.10
2	AB	54	5MU	O4'-C1'-N1	3.00	113.80	108.10
2	AB	46	7MG	O3'-C3'-C2'	3.05	121.72	111.86
26	BB	2457	PSU	C3'-C2'-C1'	3.06	105.33	101.71
1	AA	967	5MC	O4'-C4'-C5'	3.06	120.23	109.29
4	AD	56	PSU	C4'-O4'-C1'	3.06	112.70	109.54
1	AA	1407	5MC	N4-C4-N3	3.08	121.44	116.92
26	BB	2498	OMC	C6-C5-C4	3.09	118.65	117.44
4	AD	55	5MU	C4'-O4'-C1'	3.10	112.92	109.64
2	AB	32	OMC	O4'-C4'-C3'	3.12	111.50	105.16
26	BB	745	1MG	C4'-O4'-C1'	3.13	112.96	109.64
26	BB	2575	CH	N4-C4-N3	3.13	121.97	116.50
2	AB	32	OMC	O4'-C1'-N1	3.14	114.07	108.10
26	BB	2449	H2U	C5-C6-N1	3.17	114.24	110.76
26	BB	2457	PSU	O4'-C1'-C2'	3.19	108.14	104.69
2	AB	37	MIA	C12-N6-C6	3.25	127.22	123.46
1	AA	527	7MG	C8-N9-C1'	3.27	132.25	122.43
2	AB	46	7MG	O5'-C5'-C4'	3.31	120.96	109.09
26	BB	1835	2MG	N2-C2-N3	3.38	120.86	116.94
26	BB	2503	2MA	O4'-C1'-N9	3.38	114.49	108.11
26	BB	2251	OMG	O3'-C3'-C4'	3.42	121.22	111.01
26	BB	2580	PSU	O4'-C1'-C2'	3.43	108.40	104.69
26	BB	1915	3TD	C5-C1'-C2'	3.44	121.28	115.44
26	BB	2552	OMU	O4'-C1'-N1	3.45	114.66	108.10
1	AA	1407	5MC	C4'-O4'-C1'	3.50	113.35	109.64
26	BB	1917	PSU	O4'-C1'-C2'	3.52	108.50	104.69
26	BB	2251	OMG	O4'-C1'-N9	3.61	114.92	108.11
1	AA	1516	2MG	CM2-N2-C2	3.62	127.11	123.03
2	AB	20	H2U	C4-N3-C2	3.64	129.06	125.77
26	BB	2449	H2U	C4-N3-C2	3.66	129.08	125.77
2	AB	17	H2U	C1'-N1-C2	3.69	123.36	118.19
2	AB	32	OMC	O3'-C3'-C2'	3.78	122.05	111.13
26	BB	1962	5MC	O4'-C1'-N1	3.84	115.40	108.10
4	AD	21	H2U	O4-C4-N3	3.85	126.47	120.46
26	BB	2580	PSU	C4-C5-C1'	3.97	127.91	121.22
1	AA	1519	MA6	C2-N1-C6	3.97	121.01	111.64
26	BB	745	1MG	C1'-N9-C4	3.99	131.26	126.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	16	H2U	O4-C4-N3	4.00	126.72	120.46
2	AB	55	PSU	O4'-C1'-C2'	4.13	109.16	104.69
26	BB	1618	6MZ	N3-C2-N1	4.19	132.16	128.87
26	BB	2251	OMG	N2-C2-N3	4.19	125.59	117.72
4	AD	8	4SU	O4'-C1'-N1	4.20	116.08	108.10
26	BB	2445	2MG	N2-C2-N3	4.28	121.92	116.94
26	BB	2575	CH	C6-C5-C4	4.31	119.13	117.44
26	BB	2445	2MG	C6-N1-C2	4.39	121.52	115.24
26	BB	1939	5MU	O4'-C4'-C5'	4.40	125.05	109.29
1	AA	1518	MA6	C2-N1-C6	4.66	122.63	111.64
26	BB	745	1MG	C6-C5-C4	4.73	123.30	119.93
26	BB	2030	6MZ	O4'-C1'-N9	4.74	117.07	108.11
1	AA	966	2MG	C6-N1-C2	4.84	122.18	115.24
1	AA	1402	4OC	C2-N3-C4	4.88	121.64	115.43
2	AB	32	OMC	C6-C5-C4	4.90	119.35	117.44
2	AB	46	7MG	C6-N1-C2	5.70	122.57	115.88
1	AA	1207	2MG	N2-C2-N3	5.77	123.64	116.94
26	BB	2552	OMU	C6-C5-C4	5.89	128.21	117.30
1	AA	1516	2MG	C6-N1-C2	6.03	123.88	115.24
26	BB	1835	2MG	C6-N1-C2	6.45	124.47	115.24
4	AD	55	5MU	O4'-C1'-N1	6.74	120.91	108.10
1	AA	1516	2MG	N2-C2-N3	6.92	124.98	116.94
1	AA	1402	4OC	CM4-N4-C4	7.01	128.78	122.87
26	BB	2069	7MG	C6-N1-C2	7.09	124.19	115.88
26	BB	2251	OMG	C6-N1-C2	7.93	125.17	115.88
26	BB	2457	PSU	C4-N3-C2	8.81	122.51	115.16
26	BB	2552	OMU	C4-N3-C2	8.96	123.65	114.21
26	BB	1939	5MU	C4-N3-C2	9.21	122.84	115.16
26	BB	2580	PSU	C4-N3-C2	9.43	123.03	115.16
2	AB	54	5MU	C4-N3-C2	9.47	123.06	115.16
4	AD	56	PSU	C4-N3-C2	11.22	124.52	115.16
26	BB	1911	PSU	C4-N3-C2	11.48	124.73	115.16
26	BB	1917	PSU	C4-N3-C2	12.21	125.34	115.16
1	AA	516	PSU	C4-N3-C2	12.22	125.35	115.16
2	AB	37	MIA	C11-S10-C2	13.08	111.53	102.31
2	AB	55	PSU	C4-N3-C2	13.22	126.19	115.16
4	AD	55	5MU	C4-N3-C2	13.25	126.22	115.16
26	BB	747	5MU	C4-N3-C2	13.42	126.35	115.16
26	BB	2504	PSU	C4-N3-C2	13.55	126.47	115.16
26	BB	746	PSU	C4-N3-C2	15.34	127.96	115.16
26	BB	2605	PSU	C4-N3-C2	16.15	128.63	115.16
26	BB	955	PSU	C4-N3-C2	17.57	129.82	115.16

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
26	BB	2580	PSU	O4'-C1'-C5-C4

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
59	TRP	AB	101	60,2	14,15,16	1.55	2 (14%)	8,20,22	2.76	7 (87%)
60	FME	BB	3001	59	8,9,10	1.54	1 (12%)	5,9,11	2.05	2 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	TRP	AB	101	60,2	-	0/5/6/8	0/2/2/2
60	FME	BB	3001	59	-	1/6/9/11	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	AB	101	TRP	OXT-C	-3.85	1.25	1.42
60	BB	3001	FME	CA-N	-3.52	1.41	1.46
59	AB	101	TRP	C-CA	2.86	1.56	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	AB	101	TRP	CB-CG-CD1	-3.98	123.06	127.97
60	BB	3001	FME	O-C-CA	-2.53	118.77	125.69
59	AB	101	TRP	CH2-CZ3-CE3	-2.51	116.83	120.45
59	AB	101	TRP	CZ2-CE2-CD2	-2.41	116.81	121.12
59	AB	101	TRP	CH2-CZ2-CE2	2.49	123.97	120.07
59	AB	101	TRP	OXT-C-CA	2.60	118.66	111.77
59	AB	101	TRP	CZ2-CE2-NE1	2.84	138.77	130.78
60	BB	3001	FME	CG-CB-CA	3.14	122.50	113.07
59	AB	101	TRP	CZ3-CE3-CD2	3.18	125.30	120.88

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	BB	3001	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.