



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:22 AM GMT

PDB ID : 2A5K
Title : Crystal structures of SARS coronavirus main peptidase inhibited by an aza-peptide epoxide in space group P212121
Authors : Lee, T.-W.; Cherney, M.M.; Huitema, C.; Liu, J.; James, K.E.; Powers, J.C.; Eltis, L.D.; James, M.N.
Deposited on : 2005-06-30
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	307	<div> <div>11%</div> <div>69%</div> <div>25%</div> <div>• •</div> </div>
1	B	307	<div> <div>17%</div> <div>73%</div> <div>21%</div> <div>• •</div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5172 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 3C-like peptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	12	0
			2419	1527	418	450	24			
1	B	300	Total	C	N	O	S	0	12	0
			2383	1504	414	442	23			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ALA	-	EXPRESSION TAG	UNP P59641
B	0	ALA	-	EXPRESSION TAG	UNP P59641

- Molecule 2 is (5S,8S,14R)-ETHYL 11-(3-AMINO-3-OXOPROPYL)-8-BENZYL-14-HYDROXY-5-ISOBUTYL-3,6,9,12-TETRAOXO-1-PHENYL-2-OXA-4,7,10,11-TETRAAZAPENTADECAN-15-OATE (three-letter code: AZP) (formula: C₃₂H₄₃N₅O₉).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			46	32	5	9		
2	B	1	Total	C	N	O	0	0
			46	32	5	9		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	182	Total	O	0	0
			182	182		
3	B	96	Total	O	0	0
			96	96		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 3C-like peptidase



• Molecule 1: 3C-like peptidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.35Å 67.48Å 167.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.30 41.83 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.1 (40.00-2.30) 99.1 (41.83-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 2.32Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.175 , 0.249 0.232 , 0.292	Depositor DCC
R_{free} test set	1684 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	44.8	Xtriage
Anisotropy	0.330	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 49.7	EDS
Estimated twinning fraction	0.023 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 33250 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5172	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AZP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	1/2515 (0.0%)	0.99	4/3412 (0.1%)
1	B	0.96	5/2482 (0.2%)	0.94	4/3365 (0.1%)
All	All	0.99	6/4997 (0.1%)	0.97	8/6777 (0.1%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	224	THR	C-O	6.21	1.35	1.23
1	B	160	CYS	CB-SG	-6.00	1.72	1.82
1	B	228	ASN	CG-ND2	6.00	1.47	1.32
1	A	44	CYS	CB-SG	-5.74	1.72	1.81
1	B	228	ASN	C-O	5.57	1.33	1.23
1	B	22	CYS	CB-SG	5.21	1.91	1.82

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	4	ARG	NE-CZ-NH1	-9.36	115.62	120.30
1	A	167	LEU	CA-CB-CG	6.18	129.51	115.30
1	A	67	LEU	CA-CB-CG	6.15	129.45	115.30
1	B	87	LEU	CB-CG-CD1	-6.05	100.71	111.00
1	A	6	MET	CA-CB-CG	5.95	123.41	113.30
1	B	225	THR	O-C-N	5.66	131.75	122.70
1	A	187	ASP	CB-CG-OD1	5.53	123.28	118.30
1	B	105	ARG	NE-CZ-NH1	-5.33	117.64	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2419	0	2371	91	0
1	B	2383	0	2335	52	0
2	A	46	0	43	16	0
2	B	46	0	41	3	0
3	A	182	0	0	9	0
3	B	96	0	0	7	0
All	All	5172	0	4790	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:CYS:SG	2:A:307:AZP:HBM2	1.19	1.71
1:A:50:LEU:HB2	3:A:405:HOH:O	1.58	1.03
1:A:288:GLU:HG3	3:A:341:HOH:O	1.60	1.00
1:A:279[A]:ARG:HH11	1:A:279[A]:ARG:HG2	1.23	1.00
1:A:285[A]:THR:OG1	1:A:286:ILE:N	1.84	0.97
1:A:5:LYS:HE2	3:A:309:HOH:O	1.64	0.95
1:A:49:MET:HB3	2:A:307:AZP:HBI	1.46	0.95
1:A:41:HIS:HD2	2:A:307:AZP:HBS1	1.31	0.95
1:A:72:ASN:H	1:A:72:ASN:ND2	1.65	0.91
1:A:72:ASN:N	1:A:72:ASN:HD22	1.69	0.90
1:B:72:ASN:H	1:B:72:ASN:HD22	1.20	0.88
1:A:72:ASN:H	1:A:72:ASN:HD22	1.18	0.85
1:A:226:THR:HG22	1:A:228:ASN:H	1.47	0.80
1:A:304:THR:HG22	1:B:123:SER:HB2	1.64	0.79
1:A:72:ASN:ND2	1:A:72:ASN:N	2.29	0.78
1:B:72:ASN:H	1:B:72:ASN:ND2	1.80	0.77
1:A:276:MET:HE1	1:A:280:THR:HA	1.67	0.77
1:B:165[A]:MET:SD	2:B:307:AZP:HBF	2.26	0.75
1:B:279[B]:ARG:HH11	1:B:279[B]:ARG:HB3	1.50	0.75
1:A:41:HIS:CD2	2:A:307:AZP:HBS1	2.20	0.75
1:A:192:GLN:HB2	2:A:307:AZP:CAA	2.18	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:GLN:NE2	1:A:119:ASN:HB3	2.03	0.73
1:B:279[B]:ARG:NH1	3:B:392:HOH:O	2.22	0.72
1:A:276:MET:HE1	1:A:285[A]:THR:HA	1.72	0.71
2:A:307:AZP:HAF	3:A:397:HOH:O	1.90	0.70
1:B:279[A]:ARG:HA	3:B:353:HOH:O	1.92	0.70
1:B:279[B]:ARG:HH11	1:B:279[B]:ARG:CG	2.04	0.70
1:B:19:GLN:HE21	1:B:119:ASN:HB3	1.57	0.70
1:A:284:SER:OG	1:A:285[A]:THR:O	2.04	0.69
1:A:285[A]:THR:HG23	1:A:286:ILE:HG23	1.75	0.68
1:A:231:ASN:O	1:A:235:MET:HG3	1.94	0.68
1:B:279[B]:ARG:CB	1:B:279[B]:ARG:HH11	2.06	0.68
1:A:226:THR:HG22	1:A:228:ASN:N	2.07	0.68
1:B:132:PRO:HD2	1:B:197:ASP:OD2	1.93	0.67
1:A:49:MET:HB3	2:A:307:AZP:CBI	2.21	0.67
1:A:276:MET:CE	1:A:280:THR:HA	2.25	0.66
1:B:72:ASN:N	1:B:72:ASN:HD22	1.84	0.65
1:B:48:ASP:O	1:B:48:ASP:OD2	2.13	0.65
1:A:279[A]:ARG:NH1	1:A:279[A]:ARG:HG2	2.03	0.65
1:B:5:LYS:HE2	1:B:288:GLU:OE1	1.98	0.63
1:A:69:GLN:NE2	1:A:72:ASN:HA	2.14	0.63
1:A:285[A]:THR:O	1:A:286:ILE:O	2.17	0.63
1:A:126:TYR:HE1	1:A:128[B]:CYS:SG	2.22	0.63
1:A:67:LEU:HD11	3:A:471:HOH:O	1.99	0.63
1:A:270:GLU:HG3	3:A:350:HOH:O	1.99	0.62
1:B:31:TRP:CD2	1:B:95:ASN:HB2	2.35	0.62
1:A:188[A]:ARG:HG3	1:A:190:THR:HG22	1.81	0.61
1:A:49:MET:CB	2:A:307:AZP:HBI	2.25	0.61
1:A:145:CYS:SG	2:A:307:AZP:HBM1	2.34	0.60
1:B:19:GLN:NE2	1:B:119:ASN:HB3	2.17	0.60
1:B:145:CYS:SG	2:B:307:AZP:CBK	2.89	0.60
1:A:110:GLN:HB3	3:A:473:HOH:O	2.00	0.59
1:A:10:SER:O	1:A:14:GLU:HG3	2.02	0.58
1:B:31:TRP:CE2	1:B:95:ASN:HB2	2.39	0.58
1:A:4:ARG:HD2	1:B:126:TYR:CD1	2.38	0.57
1:B:279[B]:ARG:HA	3:B:353:HOH:O	2.03	0.57
1:B:52:PRO:O	1:B:188[B]:ARG:NH1	2.36	0.57
1:B:212:VAL:HA	1:B:216:ASP:O	2.04	0.56
1:B:279[B]:ARG:HG2	1:B:279[B]:ARG:HH11	1.70	0.56
1:A:167:LEU:HD21	1:A:173:ALA:HB2	1.89	0.55
1:A:276:MET:CE	1:A:285[A]:THR:HA	2.35	0.55
1:A:126:TYR:CE1	1:A:128[B]:CYS:SG	3.00	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:HIS:HD2	2:B:307:AZP:HBS1	1.72	0.55
1:B:279[B]:ARG:HG2	1:B:279[B]:ARG:NH1	2.23	0.54
1:A:88[A]:ARG:NH1	3:A:407:HOH:O	2.32	0.53
1:A:279[A]:ARG:CG	1:A:279[A]:ARG:HH11	2.09	0.53
1:A:107:GLN:O	1:A:110:GLN:HG3	2.09	0.53
1:A:187:ASP:HB2	2:A:307:AZP:HBC	1.91	0.53
1:B:257:THR:OG1	1:B:259:ILE:HD12	2.10	0.52
1:A:69:GLN:OE1	1:A:74:GLN:NE2	2.42	0.52
1:A:285[B]:THR:O	1:A:286:ILE:CG1	2.57	0.52
1:A:19:GLN:HE21	1:A:26:THR:HG21	1.75	0.52
1:A:192:GLN:HB2	2:A:307:AZP:CAB	2.39	0.52
1:B:253:LEU:O	1:B:257:THR:HG23	2.11	0.51
1:A:140:PHE:O	1:A:141:LEU:HD23	2.11	0.51
1:A:145:CYS:SG	2:A:307:AZP:CBK	2.93	0.51
1:A:41:HIS:HD2	2:A:307:AZP:CBS	2.11	0.51
1:B:87:LEU:HD13	1:B:89:LEU:HD21	1.93	0.51
1:A:113:SER:O	1:A:149:GLY:HA2	2.11	0.50
1:B:186:VAL:HG21	1:B:188[A]:ARG:HE	1.77	0.50
1:B:114:VAL:O	1:B:125:VAL:HA	2.12	0.50
1:A:188[A]:ARG:HG3	1:A:190:THR:CG2	2.42	0.49
1:A:251:GLY:O	1:A:254:SER:HB3	2.12	0.49
1:A:109:GLY:HA2	1:A:200:ILE:HD13	1.95	0.48
1:A:285[B]:THR:O	1:A:286:ILE:HG23	2.14	0.48
1:A:268:LEU:HD22	1:A:272:LEU:HG	1.94	0.48
1:B:251:GLY:O	1:B:255:ALA:N	2.42	0.48
1:A:180:LYS:HE2	3:A:391:HOH:O	2.13	0.48
1:A:276:MET:HE1	1:A:285[B]:THR:HA	1.95	0.48
1:A:285[A]:THR:HG21	3:B:359:HOH:O	2.14	0.47
1:A:237:TYR:O	1:A:238:ASN:CB	2.63	0.47
1:A:31:TRP:CE2	1:A:95:ASN:HB2	2.50	0.47
1:A:276:MET:CE	1:A:285[B]:THR:HA	2.45	0.47
1:A:19:GLN:NE2	1:A:26:THR:HG21	2.29	0.47
1:A:210:ALA:HB2	1:A:296:VAL:HG13	1.96	0.47
1:A:185:PHE:CE1	2:A:307:AZP:HAB	2.50	0.46
1:A:53:ASN:OD1	1:A:56:ASP:HB2	2.15	0.46
1:A:189:GLN:HG3	2:A:307:AZP:OAL	2.14	0.46
1:A:185:PHE:CD1	2:A:307:AZP:HAB	2.51	0.46
1:A:69:GLN:NE2	1:A:71:GLY:O	2.46	0.45
1:B:276:MET:O	1:B:279[A]:ARG:HD2	2.16	0.45
1:A:210:ALA:O	1:A:214:ASN:ND2	2.49	0.45
1:A:262:LEU:HA	1:A:262:LEU:HD23	1.74	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:113:SER:O	1:B:149:GLY:HA2	2.17	0.45
1:A:100:LYS:HB3	1:A:100:LYS:HE2	1.82	0.45
1:B:226:THR:HG22	1:B:228:ASN:N	2.32	0.45
1:A:285[B]:THR:O	1:A:286:ILE:CB	2.66	0.44
1:B:40:ARG:O	1:B:43:ILE:HG12	2.17	0.44
1:A:285[B]:THR:O	1:A:286:ILE:HG12	2.17	0.44
1:B:279[A]:ARG:HG3	1:B:279[A]:ARG:H	1.56	0.44
1:B:190:THR:O	1:B:192:GLN:HG2	2.18	0.44
1:A:78:ILE:HG13	1:A:90:LYS:HD3	2.00	0.43
1:A:43:ILE:HB	1:A:61:LYS:HE2	2.00	0.43
1:B:4:ARG:HD3	1:B:4:ARG:HH11	1.61	0.43
1:A:40:ARG:HA	1:A:87:LEU:HG	2.01	0.43
1:A:78:ILE:HD11	1:A:90:LYS:HD3	2.01	0.43
1:A:136:ILE:HG21	1:A:136:ILE:HD13	1.82	0.43
1:B:245:ASP:O	1:B:249:ILE:HG13	2.19	0.42
1:B:291:PHE:HB2	3:B:327:HOH:O	2.18	0.42
1:B:186:VAL:HG23	1:B:188[A]:ARG:HG3	2.02	0.42
1:B:48:ASP:HA	3:B:396:HOH:O	2.19	0.42
1:B:288:GLU:HG2	1:B:291:PHE:CD1	2.55	0.42
1:B:5:LYS:HD2	1:B:127[B]:GLN:OE1	2.19	0.42
1:B:106:ILE:HG13	1:B:110:GLN:HB2	2.01	0.41
1:A:78:ILE:CG1	1:A:90:LYS:HD3	2.50	0.41
1:A:19:GLN:HE21	1:A:119:ASN:HB3	1.83	0.41
1:B:272:LEU:HA	1:B:272:LEU:HD23	1.80	0.41
1:A:86:LEU:HG	1:A:179:GLY:HA2	2.03	0.41
1:A:230:PHE:HZ	1:A:268:LEU:HD13	1.85	0.41
1:B:199:THR:HG21	1:B:239:TYR:CZ	2.56	0.41
1:A:36:VAL:HG21	1:A:68:VAL:HG11	2.02	0.40
1:B:53:ASN:CG	1:B:56:ASP:OD1	2.59	0.40
1:B:271:LEU:HD13	1:B:287:LEU:HD21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/307 (102%)	303 (96%)	10 (3%)	1 (0%)	46	57
1	B	309/307 (101%)	285 (92%)	20 (6%)	4 (1%)	15	15
All	All	623/614 (102%)	588 (94%)	30 (5%)	5 (1%)	26	27

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	286	ILE
1	A	286	ILE
1	B	154[C]	TYR
1	B	279[A]	ARG
1	B	279[B]	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	273/263 (104%)	244 (89%)	29 (11%)	8	9
1	B	269/263 (102%)	246 (91%)	23 (9%)	13	15
All	All	542/526 (103%)	490 (90%)	52 (10%)	12	12

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	CYS
1	A	27	LEU
1	A	47	GLU
1	A	49	MET
1	A	50	LEU
1	A	56	ASP
1	A	59	ILE
1	A	61	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	65	SER
1	A	67	LEU
1	A	69	GLN
1	A	72	ASN
1	A	74	GLN
1	A	104	VAL
1	A	110	GLN
1	A	121	SER
1	A	123	SER
1	A	153	ASP
1	A	167	LEU
1	A	216	ASP
1	A	222	ARG
1	A	227	LEU
1	A	268	LEU
1	A	279[A]	ARG
1	A	279[B]	ARG
1	A	285[A]	THR
1	A	285[B]	THR
1	A	286	ILE
1	A	303	VAL
1	B	1	SER
1	B	47	GLU
1	B	55	GLU
1	B	60	ARG
1	B	67	LEU
1	B	72	ASN
1	B	94	SER
1	B	105	ARG
1	B	106	ILE
1	B	121	SER
1	B	153[A]	ASP
1	B	153[B]	ASP
1	B	155[A]	ASP
1	B	155[B]	ASP
1	B	190	THR
1	B	198	THR
1	B	216	ASP
1	B	222	ARG
1	B	268	LEU
1	B	279[A]	ARG
1	B	279[B]	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	286	ILE
1	B	289	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	72	ASN
1	A	228	ASN
1	A	277	ASN
1	B	19	GLN
1	B	69	GLN
1	B	72	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AZP	A	307	1	42,47,47	1.54	2 (4%)	53,61,61	1.70	9 (16%)
2	AZP	B	307	1	42,47,47	1.58	3 (7%)	53,61,61	1.57	11 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AZP	A	307	1	-	0/50/53/53	0/2/2/2
2	AZP	B	307	1	-	0/50/53/53	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	307	AZP	CA-N	2.04	1.50	1.45
2	A	307	AZP	OAH-CAI	4.85	1.45	1.35
2	B	307	AZP	OAH-CAI	6.17	1.47	1.35
2	B	307	AZP	OBR-CBP	6.74	1.47	1.33
2	A	307	AZP	OBR-CBP	6.89	1.47	1.33

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	307	AZP	CBA-CBB-CBC	-5.01	104.34	112.43
2	A	307	AZP	CBB-CBA-NAZ	-4.78	106.77	111.62
2	A	307	AZP	CAG-OAH-CAI	-4.62	104.90	115.91
2	B	307	AZP	CAG-OAH-CAI	-2.97	108.82	115.91
2	B	307	AZP	CBS-OBR-CBP	-2.79	109.75	116.68
2	A	307	AZP	CAU-CAT-NAS	-2.71	103.63	111.26
2	B	307	AZP	CB-CA-N	-2.70	103.74	110.49
2	A	307	AZP	OAH-CAI-OAL	-2.43	119.22	124.22
2	B	307	AZP	O-C-NAS	-2.32	118.39	122.93
2	A	307	AZP	CB-CA-C	-2.27	104.69	110.60
2	B	307	AZP	OAL-CAI-N	-2.24	120.95	124.86
2	A	307	AZP	OBL-CBK-CBM	-2.19	118.00	122.22
2	B	307	AZP	CBA-CBB-CBC	-2.01	109.19	112.43
2	B	307	AZP	CBO-CBM-CBK	2.09	117.56	112.89
2	B	307	AZP	CBH-CBG-CBF	2.20	123.40	120.19
2	A	307	AZP	OAH-CAI-N	2.37	115.79	110.54
2	B	307	AZP	OAH-CAI-N	2.94	117.06	110.54
2	B	307	AZP	CBB-CBA-NAZ	3.79	115.46	111.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	307	AZP	OBR-CBP-CBO	4.60	120.17	111.79
2	A	307	AZP	OBR-CBP-CBO	4.70	120.36	111.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	307	AZP	16	0
2	B	307	AZP	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/307 (99%)	0.63	33 (10%) 7 11	30, 45, 61, 80	6 (1%)
1	B	300/307 (97%)	1.05	52 (17%) 2 3	27, 46, 59, 68	9 (3%)
All	All	604/614 (98%)	0.84	85 (14%) 4 6	27, 45, 60, 80	15 (2%)

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	128	CYS	9.8
1	B	125	VAL	8.6
1	A	125	VAL	8.2
1	B	223	PHE	7.1
1	B	222	ARG	6.9
1	B	226	THR	6.2
1	B	227	LEU	6.1
1	B	50	LEU	6.0
1	A	294[A]	PHE	5.6
1	B	154[C]	TYR	5.6
1	B	232	LEU	5.6
1	B	266	ALA	5.3
1	B	255	ALA	4.6
1	B	274	ASN	4.1
1	B	234	ALA	3.9
1	B	224	THR	3.8
1	B	72	ASN	3.8
1	B	229	ASP	3.7
1	A	128[A]	CYS	3.5
1	B	127[A]	GLN	3.5
1	B	233	VAL	3.5
1	A	3	PHE	3.5
1	B	59	ILE	3.4
1	B	73	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	112	PHE	3.3
1	B	258	GLY	3.2
1	B	225	THR	3.2
1	B	237	TYR	3.2
1	B	236[A]	LYS	3.2
1	B	47	GLU	3.2
1	A	212	VAL	3.2
1	B	191	ALA	3.1
1	A	154	TYR	3.1
1	A	7	ALA	3.1
1	B	269	LYS	3.0
1	B	257	THR	3.0
1	A	72	ASN	3.0
1	B	114	VAL	2.9
1	B	220	LEU	2.9
1	B	126	TYR	2.9
1	B	115	LEU	2.8
1	B	273	GLN	2.8
1	B	235	MET	2.8
1	A	129	ALA	2.8
1	A	204	VAL	2.7
1	B	196	THR	2.7
1	A	155[A]	ASP	2.7
1	A	111	THR	2.7
1	B	104	VAL	2.7
1	B	267	ALA	2.6
1	A	296	VAL	2.6
1	A	297	VAL	2.6
1	B	228	ASN	2.6
1	B	270	GLU	2.6
1	A	291	PHE	2.5
1	A	126	TYR	2.5
1	A	114	VAL	2.5
1	B	243	THR	2.5
1	B	259	ILE	2.5
1	B	261	VAL	2.5
1	A	142	ASN	2.4
1	B	64	HIS	2.4
1	B	49	MET	2.4
1	A	153	ASP	2.4
1	B	153[A]	ASP	2.4
1	A	127	GLN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	51	ASN	2.4
1	B	221	ASN	2.4
1	A	113	SER	2.3
1	A	152	ILE	2.3
1	A	304	THR	2.3
1	A	207	TRP	2.2
1	A	4	ARG	2.2
1	A	298	ARG	2.2
1	A	69	GLN	2.2
1	A	74	GLN	2.2
1	A	64[A]	HIS	2.2
1	A	5	LYS	2.1
1	B	113	SER	2.1
1	B	300	CYS	2.1
1	A	223	PHE	2.1
1	A	293	PRO	2.1
1	B	298[A]	ARG	2.0
1	B	256	GLN	2.0
1	B	272	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	AZP	A	307	46/46	0.88	0.20	1.56	53,58,63,64	0
2	AZP	B	307	46/46	0.79	0.25	1.53	61,70,81,81	0

6.5 Other polymers

There are no such residues in this entry.