



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:21 PM GMT

PDB ID : 1ABW  
Title : DEOXY RHB1.1 (RECOMBINANT HEMOGLOBIN)  
Authors : Kundrot, C.E.; Kroeger, K.S.  
Deposited on : 1997-01-29  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	283	 89% 11%
2	B	146	 88% 10% ..
2	D	146	 86% 12% •

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5017 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HEMOGLOBIN-BASED BLOOD SUBSTITUTE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	21	9	0
			2178	1395	383	392	8			


- Molecule 2 is a protein called HEMOGLOBIN-BASED BLOOD SUBSTITUTE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	146	Total	C	N	O	S	0	1	0
			1131	730	197	200	4			
2	D	146	Total	C	N	O	S	0	1	0
			1129	729	195	200	5			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	108	LYS	ASN	CONFLICT	UNP P68871
D	108	LYS	ASN	CONFLICT	UNP P68871

- Molecule 3 is METHIONINE (three-letter code: MET) (formula: C<sub>5</sub>H<sub>11</sub>NO<sub>2</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	4	1
			8	5	1	1	1		
3	A	1	Total	C	N	O	S	4	1
			8	5	1	1	1		

- Molecule 4 is LEUCINE (three-letter code: LEU) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	9	1
			9	6	1	2		
4	A	1	Total	C	N	O	9	1
			9	6	1	2		

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	212	Total	O	0	0
			212	212		
6	B	86	Total	O	0	0
			86	86		
6	D	75	Total	O	0	0
			75	75		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: HEMOGLOBIN-BASED BLOOD SUBSTITUTE



- Molecule 2: HEMOGLOBIN-BASED BLOOD SUBSTITUTE



- Molecule 2: HEMOGLOBIN-BASED BLOOD SUBSTITUTE



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	62.90 Å 81.98 Å 53.92 Å 90.00° 98.99° 90.00°	Depositor
Resolution (Å)	5.00 – 2.00	Depositor
% Data completeness (in resolution range)	86.2 (5.00-2.00)	Depositor
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, $R_{free}$	0.164 , 0.232	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5017	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	18.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.58	0/2248	0.72	4/3054 (0.1%)
2	B	0.63	0/1166	0.85	5/1581 (0.3%)
2	D	0.69	0/1163	0.74	0/1576
All	All	0.62	0/4577	0.76	9/6211 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	HIS	CA-C-N	-8.92	97.58	117.20
2	B	2	HIS	CB-CA-C	6.76	123.91	110.40
2	B	3	LEU	CA-CB-CG	6.51	130.28	115.30
2	B	2	HIS	N-CA-CB	6.39	122.10	110.60
1	A	47	ASP	N-CA-C	-6.19	94.29	111.00
1	A	247	LEU	CA-CB-CG	5.92	128.91	115.30
1	A	248	LEU	CA-CB-CG	5.81	128.66	115.30
2	B	3	LEU	N-CA-C	-5.73	95.54	111.00
1	A	189	ASP	N-CA-C	-5.34	96.58	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
2	B	2	HIS	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2178	0	2181	22	0
2	B	1131	0	1128	14	0
2	D	1129	0	1128	12	0
3	A	16	0	16	0	0
4	A	18	0	22	0	0
5	A	86	0	60	1	0
5	B	43	0	30	1	0
5	D	43	0	30	0	0
6	A	212	0	0	2	3
6	B	86	0	0	2	1
6	D	75	0	0	4	2
All	All	5017	0	4595	43	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (43) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:LEU:HD12	5:A:285:HEM:HBB2	1.50	0.93
1:A:1[B]:MET:HG3	1:A:131:SER:OG	1.84	0.78
1:A:255:LEU:HB3	1:A:258:GLU:HG2	1.71	0.71
2:B:143:HIS:HB3	6:B:192:HOH:O	1.93	0.68
2:B:1:MET:HB2	2:B:78:LEU:O	1.95	0.65
1:A:1[B]:MET:HE1	1:A:131:SER:HA	1.83	0.61
1:A:21:ALA:HB1	1:A:63:ALA:HB1	1.84	0.59
1:A:143[A]:VAL:HG12	1:A:144[A]:LEU:H	1.71	0.56
2:D:114:LEU:HD21	6:D:174:HOH:O	2.05	0.56
1:A:236:ASP:OD1	1:A:238:VAL:HG22	2.06	0.56
2:D:51:PRO:O	2:D:55:MET:HG2	2.07	0.54
1:A:143[A]:VAL:HG12	1:A:144[A]:LEU:N	2.23	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:GLU:OE1	1:A:254:HIS:HE1	1.92	0.53
2:D:20:VAL:HG13	2:D:68:LEU:HB3	1.91	0.53
2:B:1:MET:HE2	2:B:133:VAL:HA	1.92	0.52
1:A:234[A]:ARG:HD3	2:B:37:TRP:HA	1.93	0.50
2:D:144:LYS:HD3	6:D:191:HOH:O	2.10	0.50
2:B:1:MET:CE	2:B:133:VAL:HA	2.43	0.49
2:B:144:LYS:HD3	6:B:225:HOH:O	2.15	0.47
1:A:92:ARG:HB3	2:D:37:TRP:HB2	1.96	0.47
2:D:100:PRO:HB3	2:D:142:ALA:HB2	1.96	0.47
1:A:83:LEU:HD12	1:A:83:LEU:HA	1.77	0.47
1:A:234[A]:ARG:HD2	2:B:40:ARG:HB3	1.97	0.46
2:D:95:LYS:HA	2:D:95:LYS:HD3	1.78	0.45
2:D:124:PRO:HB2	2:D:125:PRO:HD3	1.98	0.45
1:A:7:LYS:O	1:A:11:LYS:HG2	2.17	0.45
2:B:102:ASN:HB3	5:B:147:HEM:HMC1	1.98	0.44
1:A:172:GLU:HG3	6:A:486:HOH:O	2.17	0.44
1:A:283:ARG:HG3	2:B:37:TRP:HZ3	1.81	0.44
1:A:256:PRO:HD2	6:A:409:HOH:O	2.18	0.44
2:B:38:THR:HG22	2:B:102:ASN:OD1	2.17	0.43
1:A:234[B]:ARG:HD3	2:B:37:TRP:HA	2.00	0.43
2:B:51:PRO:O	2:B:55:MET:HG2	2.17	0.43
2:D:97:HIS:CE1	6:D:198:HOH:O	2.72	0.43
1:A:6:ASP:O	1:A:10:VAL:HG23	2.19	0.42
1:A:170:ALA:CB	1:A:247:LEU:HD13	2.50	0.42
2:B:100:PRO:HB3	2:B:142:ALA:HB2	2.02	0.41
2:B:24:GLY:HA2	2:B:68:LEU:HG	2.02	0.41
1:A:68:ASN:OD1	1:A:72:HIS:HD2	2.02	0.41
2:D:18:VAL:HG11	6:D:174:HOH:O	2.21	0.41
2:D:82:LYS:HE3	2:D:143:HIS:CD2	2.56	0.40
2:D:144:LYS:HD2	2:D:144:LYS:HA	1.98	0.40
1:A:278:LEU:HD23	1:A:278:LEU:HA	1.88	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:480:HOH:O	6:B:231:HOH:O[1_554]	0.01	2.19
6:A:468:HOH:O	6:D:208:HOH:O[1_556]	0.05	2.15
6:A:426:HOH:O	6:D:168:HOH:O[2_556]	2.15	0.05

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	285/283 (101%)	280 (98%)	5 (2%)	0	100	100
2	B	145/146 (99%)	140 (97%)	4 (3%)	1 (1%)	26	19
2	D	144/146 (99%)	142 (99%)	2 (1%)	0	100	100
All	All	574/575 (100%)	562 (98%)	11 (2%)	1 (0%)	52	48

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	2	HIS

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/226 (102%)	227 (98%)	4 (2%)	68	71
2	B	119/118 (101%)	117 (98%)	2 (2%)	68	71
2	D	119/118 (101%)	110 (92%)	9 (8%)	16	10
All	All	469/462 (102%)	454 (97%)	15 (3%)	46	44

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	105	LEU
1	A	137	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	247	LEU
1	A	248	LEU
2	B	2	HIS
2	B	78	LEU
2	D	1[A]	MET
2	D	1[B]	MET
2	D	14	LEU
2	D	32	LEU
2	D	68	LEU
2	D	75	LEU
2	D	78	LEU
2	D	124	PRO
2	D	144	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	HIS
1	A	192	HIS
1	A	214	HIS
1	A	254	HIS
2	D	63	HIS
2	D	139	ASN
2	D	143	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	MET	A	1001[B]	4	6,7,8	0.51	0	4,7,9	1.10	1 (25%)
4	LEU	A	1002[B]	3	5,8,8	0.24	0	5,10,10	0.59	0
3	MET	A	2001[C]	4	6,7,8	0.57	0	4,7,9	1.31	1 (25%)
4	LEU	A	2002[C]	3	5,8,8	0.29	0	5,10,10	0.46	0
5	HEM	A	284	1,6	30,50,50	3.01	9 (30%)	24,82,82	2.66	10 (41%)
5	HEM	A	285	1,6	30,50,50	2.97	9 (30%)	24,82,82	2.33	10 (41%)
5	HEM	B	147	2	30,50,50	3.21	13 (43%)	24,82,82	2.51	8 (33%)
5	HEM	D	147	2	30,50,50	3.11	13 (43%)	24,82,82	2.42	9 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MET	A	1001[B]	4	-	0/4/6/8	0/0/0/0
4	LEU	A	1002[B]	3	-	0/4/8/8	0/0/0/0
3	MET	A	2001[C]	4	-	0/4/6/8	0/0/0/0
4	LEU	A	2002[C]	3	-	0/4/8/8	0/0/0/0
5	HEM	A	284	1,6	-	0/10/54/54	0/0/8/8
5	HEM	A	285	1,6	-	0/10/54/54	0/0/8/8
5	HEM	B	147	2	-	0/10/54/54	0/0/8/8
5	HEM	D	147	2	-	0/10/54/54	0/0/8/8

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	147	HEM	C3B-C4B	-9.66	1.43	1.51
5	B	147	HEM	C3B-C4B	-8.96	1.43	1.51
5	A	285	HEM	C3B-C4B	-8.31	1.44	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	284	HEM	C3B-C4B	-7.61	1.45	1.51
5	B	147	HEM	C3B-CAB	-7.04	1.38	1.51
5	A	284	HEM	C3B-CAB	-6.74	1.38	1.51
5	A	285	HEM	C2D-C3D	-6.32	1.35	1.54
5	B	147	HEM	C3C-CAC	-6.27	1.39	1.51
5	D	147	HEM	C2D-C3D	-6.20	1.35	1.54
5	A	284	HEM	C3C-CAC	-6.14	1.39	1.51
5	A	285	HEM	C3B-CAB	-6.09	1.39	1.51
5	A	284	HEM	C2D-C3D	-6.08	1.36	1.54
5	A	284	HEM	C3D-C4D	-6.04	1.43	1.51
5	A	285	HEM	C3C-CAC	-6.02	1.40	1.51
5	B	147	HEM	C2D-C3D	-6.00	1.36	1.54
5	A	285	HEM	C3D-C4D	-5.51	1.44	1.51
5	D	147	HEM	C3D-C4D	-5.49	1.44	1.51
5	D	147	HEM	C3B-CAB	-5.30	1.41	1.51
5	B	147	HEM	C3D-C4D	-5.06	1.45	1.51
5	D	147	HEM	C3C-CAC	-4.89	1.42	1.51
5	B	147	HEM	C2C-C1C	-4.55	1.43	1.52
5	A	284	HEM	C2C-C1C	-4.22	1.44	1.52
5	D	147	HEM	C2C-C1C	-3.58	1.45	1.52
5	A	285	HEM	C2C-C1C	-3.30	1.46	1.52
5	D	147	HEM	C2B-C1B	-2.78	1.42	1.51
5	A	284	HEM	C2B-C1B	-2.60	1.43	1.51
5	B	147	HEM	C2D-C1D	-2.30	1.44	1.51
5	A	285	HEM	C2B-C1B	-2.26	1.44	1.51
5	A	285	HEM	C2D-C1D	-2.23	1.44	1.51
5	A	284	HEM	C2D-C1D	-2.19	1.44	1.51
5	B	147	HEM	C2B-C1B	-2.14	1.44	1.51
5	D	147	HEM	CAD-C3D	-2.13	1.49	1.54
5	D	147	HEM	C1C-NC	2.04	1.38	1.36
5	B	147	HEM	CHD-C4C	2.06	1.41	1.36
5	D	147	HEM	C4C-NC	2.17	1.38	1.36
5	B	147	HEM	CBC-CAC	2.21	1.42	1.29
5	D	147	HEM	CBB-CAB	2.23	1.42	1.29
5	A	284	HEM	C1C-NC	2.26	1.38	1.36
5	B	147	HEM	C1C-NC	2.42	1.39	1.36
5	B	147	HEM	CBB-CAB	2.74	1.45	1.29
5	A	285	HEM	CBC-CAC	2.86	1.45	1.29
5	D	147	HEM	CBC-CAC	2.90	1.46	1.29
5	B	147	HEM	FE-NC	3.00	2.07	1.95
5	D	147	HEM	FE-NC	3.02	2.07	1.95

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	284	HEM	CAA-C2A-C1A	-5.13	121.44	127.01
5	D	147	HEM	C3B-CAB-CBB	-4.93	116.89	124.46
5	B	147	HEM	CAA-C2A-C1A	-3.81	122.87	127.01
5	A	285	HEM	CMA-C3A-C4A	-3.78	122.10	128.36
5	A	285	HEM	CAA-C2A-C1A	-3.57	123.14	127.01
5	D	147	HEM	C3C-CAC-CBC	-2.88	120.03	124.46
5	B	147	HEM	CMA-C3A-C4A	-2.79	123.75	128.36
5	D	147	HEM	CBA-CAA-C2A	-2.43	108.17	112.53
5	A	284	HEM	CBD-CAD-C3D	-2.42	106.52	113.55
3	A	2001[C]	MET	O-C-CA	-2.35	119.36	125.49
3	A	1001[B]	MET	O-C-CA	-2.09	120.04	125.49
5	A	285	HEM	CBA-CAA-C2A	-2.03	108.89	112.53
5	A	284	HEM	CBA-CAA-C2A	2.01	116.13	112.53
5	D	147	HEM	CMD-C2D-C3D	2.16	123.90	114.35
5	A	284	HEM	CMD-C2D-C3D	2.29	124.49	114.35
5	A	284	HEM	C3B-CAB-CBB	2.50	128.29	124.46
5	B	147	HEM	CAD-C3D-C4D	2.51	121.33	112.47
5	A	285	HEM	CMD-C2D-C3D	2.56	125.69	114.35
5	A	285	HEM	CMA-C3A-C2A	2.62	130.72	125.24
5	D	147	HEM	CAD-C3D-C2D	2.65	120.84	113.22
5	A	285	HEM	CMB-C2B-C3B	2.81	123.55	116.53
5	A	284	HEM	CAD-C3D-C4D	2.87	122.61	112.47
5	A	285	HEM	C2D-C3D-C4D	3.04	106.66	101.50
5	B	147	HEM	C2D-C3D-C4D	3.20	106.93	101.50
5	B	147	HEM	CMD-C2D-C3D	3.26	128.76	114.35
5	A	284	HEM	C2D-C3D-C4D	3.42	107.29	101.50
5	D	147	HEM	C2D-C3D-C4D	3.49	107.42	101.50
5	A	285	HEM	CAD-C3D-C2D	4.22	125.36	113.22
5	D	147	HEM	CMC-C2C-C3C	4.26	127.17	116.53
5	A	285	HEM	CAD-C3D-C4D	4.39	127.96	112.47
5	D	147	HEM	CMB-C2B-C3B	4.47	127.69	116.53
5	B	147	HEM	CMB-C2B-C3B	4.55	127.90	116.53
5	B	147	HEM	CMC-C2C-C3C	4.96	128.90	116.53
5	A	284	HEM	CMC-C2C-C3C	5.02	129.07	116.53
5	A	285	HEM	CMC-C2C-C3C	5.13	129.35	116.53
5	D	147	HEM	CAD-C3D-C4D	5.45	131.69	112.47
5	A	284	HEM	CMB-C2B-C3B	5.65	130.63	116.53
5	A	284	HEM	CAD-C3D-C2D	5.87	130.09	113.22
5	B	147	HEM	CAD-C3D-C2D	6.39	131.58	113.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	285	HEM	1	0
5	B	147	HEM	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.