



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:26 AM GMT

PDB ID : 2AGD
Title : Crystal Structure of Human M340H-Beta-1,4-Galactosyltransferase-I(M340H-B4Gal-T1) in Complex with GlcNAc-beta1,4-Man-alpha1,3-Man-beta-OR
Authors : Ramasamy, V.; Ramakrishnan, B.; Boeggeman, E.; Ratner, D.M.; Seeberger, P.H.; Qasba, P.K.
Deposited on : 2005-07-26
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	<div> <div>8%</div> <div>85% 9% 5%</div> </div>
1	B	287	<div> <div>5%</div> <div>87% 7% 5%</div> </div>
1	C	287	<div> <div>9%</div> <div>81% 14% 5%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	B	429	-	-	-	X
4	SO4	B	434	-	-	-	X
4	SO4	C	435	-	-	-	X
7	MES	C	439	-	-	-	X
8	GOL	A	420	-	-	-	X
8	GOL	A	421	-	-	-	X
8	GOL	B	415	-	-	-	X

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 7542 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-1,4-galactosyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	273	Total	C	N	O	S	0	0	0
			2218	1420	386	401	11			
1	B	273	Total	C	N	O	S	0	0	0
			2218	1420	386	401	11			
1	C	273	Total	C	N	O	S	0	0	0
			2218	1420	386	401	11			

There are 51 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	112	ALA	-	SEE REMARK 999	UNP P15291
A	113	SER	-	SEE REMARK 999	UNP P15291
A	114	MET	-	SEE REMARK 999	UNP P15291
A	115	THR	-	SEE REMARK 999	UNP P15291
A	116	GLY	-	SEE REMARK 999	UNP P15291
A	117	GLY	-	SEE REMARK 999	UNP P15291
A	118	GLN	-	SEE REMARK 999	UNP P15291
A	119	GLN	-	SEE REMARK 999	UNP P15291
A	120	MET	-	SEE REMARK 999	UNP P15291
A	121	GLY	-	SEE REMARK 999	UNP P15291
A	122	ARG	-	SEE REMARK 999	UNP P15291
A	123	GLY	-	SEE REMARK 999	UNP P15291
A	124	SER	-	SEE REMARK 999	UNP P15291
A	125	ALA	-	SEE REMARK 999	UNP P15291
A	337	THR	ARG	ENGINEERED	UNP P15291
A	338	THR	CYS	ENGINEERED	UNP P15291
A	340	HIS	MET	ENGINEERED	UNP P15291
B	112	ALA	-	SEE REMARK 999	UNP P15291
B	113	SER	-	SEE REMARK 999	UNP P15291
B	114	MET	-	SEE REMARK 999	UNP P15291
B	115	THR	-	SEE REMARK 999	UNP P15291
B	116	GLY	-	SEE REMARK 999	UNP P15291
B	117	GLY	-	SEE REMARK 999	UNP P15291

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	118	GLN	-	SEE REMARK 999	UNP P15291
B	119	GLN	-	SEE REMARK 999	UNP P15291
B	120	MET	-	SEE REMARK 999	UNP P15291
B	121	GLY	-	SEE REMARK 999	UNP P15291
B	122	ARG	-	SEE REMARK 999	UNP P15291
B	123	GLY	-	SEE REMARK 999	UNP P15291
B	124	SER	-	SEE REMARK 999	UNP P15291
B	125	ALA	-	SEE REMARK 999	UNP P15291
B	337	THR	ARG	ENGINEERED	UNP P15291
B	338	THR	CYS	ENGINEERED	UNP P15291
B	340	HIS	MET	ENGINEERED	UNP P15291
C	112	ALA	-	SEE REMARK 999	UNP P15291
C	113	SER	-	SEE REMARK 999	UNP P15291
C	114	MET	-	SEE REMARK 999	UNP P15291
C	115	THR	-	SEE REMARK 999	UNP P15291
C	116	GLY	-	SEE REMARK 999	UNP P15291
C	117	GLY	-	SEE REMARK 999	UNP P15291
C	118	GLN	-	SEE REMARK 999	UNP P15291
C	119	GLN	-	SEE REMARK 999	UNP P15291
C	120	MET	-	SEE REMARK 999	UNP P15291
C	121	GLY	-	SEE REMARK 999	UNP P15291
C	122	ARG	-	SEE REMARK 999	UNP P15291
C	123	GLY	-	SEE REMARK 999	UNP P15291
C	124	SER	-	SEE REMARK 999	UNP P15291
C	125	ALA	-	SEE REMARK 999	UNP P15291
C	337	THR	ARG	ENGINEERED	UNP P15291
C	338	THR	CYS	ENGINEERED	UNP P15291
C	340	HIS	MET	ENGINEERED	UNP P15291

- Molecule 2 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	3	Total	C	N	O	0	0
			37	20	1	16		
2	B	3	Total	C	N	O	0	0
			37	20	1	16		
2	C	3	Total	C	N	O	0	0
			37	20	1	16		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Mn 1 1	0	0
3	A	1	Total Mn 1 1	0	0
3	C	1	Total Mn 1 1	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is 6-AMINOHEXYL-URIDINE-C1,5'-DIPHOSPHATE (three-letter code: UDH) (formula: C₁₅H₂₇N₃O₁₂P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 32	C 15	N 3	O 12	P 2	0	0
5	B	1	Total 32	C 15	N 3	O 12	P 2	0	0
5	C	1	Total 32	C 15	N 3	O 12	P 2	0	0

- Molecule 6 is 1,4-DIETHYLENE DIOXIDE (three-letter code: DIO) (formula: C₄H₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			6	4	2		

- Molecule 7 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	0	0
			6	3	3		
8	C	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	182	Total	O	0	0
			182	182		
9	B	190	Total	O	0	0
			190	190		
9	C	160	Total	O	0	0
			160	160		

- Molecule 1: Beta-1,4-galactosyltransferase 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	107.46Å 194.78Å 143.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 1.90 32.63 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (40.00-1.90) 99.9 (32.63-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.25 (at 1.89Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.202 , 0.228 0.201 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	23.7	Xtriage
Anisotropy	0.657	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 48.6	EDS
Estimated twinning fraction	0.000 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.013 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 118365 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7542	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, DIO, NAG, MN, BMA, SO4, MES, UDH, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.47	0/2280	0.68	0/3097
1	B	0.50	0/2280	0.69	1/3097 (0.0%)
1	C	0.43	0/2280	0.66	2/3097 (0.1%)
All	All	0.47	0/6840	0.68	3/9291 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	208	ASP	N-CA-C	-5.47	96.23	111.00
1	C	208	ASP	N-CA-C	-5.16	97.06	111.00
1	C	311	GLY	N-CA-C	5.14	125.95	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2218	0	2162	19	0
1	B	2218	0	2162	19	0
1	C	2218	0	2162	24	0
2	A	37	0	33	1	0
2	B	37	0	33	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	37	0	33	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	20	0	0	0	0
4	B	35	0	0	0	0
4	C	25	0	0	0	0
5	A	32	0	25	0	0
5	B	32	0	25	0	0
5	C	32	0	25	0	0
6	C	6	0	8	2	0
7	C	12	0	13	2	0
8	A	18	0	24	1	0
8	B	24	0	32	2	0
8	C	6	0	8	0	0
9	A	182	0	0	1	0
9	B	190	0	0	1	0
9	C	160	0	0	0	0
All	All	7542	0	6745	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:LEU:HG	1:A:157:GLN:HE21	1.32	0.93
1:A:273:MET:HE1	1:A:275:LYS:HE2	1.66	0.78
1:B:324:ARG:NH1	1:B:367:LEU:HD21	2.01	0.75
1:B:324:ARG:HH11	1:B:367:LEU:HD21	1.52	0.74
1:A:273:MET:CE	1:A:275:LYS:HE2	2.20	0.71
1:B:153:LEU:O	1:B:157:GLN:HG3	1.95	0.66
1:C:273:MET:CE	1:C:275:LYS:HE2	2.25	0.66
1:C:273:MET:HE1	1:C:275:LYS:HE2	1.81	0.63
1:B:273:MET:CE	1:B:275:LYS:HE2	2.28	0.63
1:A:153:LEU:HG	1:A:157:GLN:NE2	2.11	0.62
1:B:273:MET:HE1	1:B:275:LYS:HE2	1.82	0.60
1:A:254:MET:SD	1:A:337:THR:HG22	2.43	0.58
1:C:306:ASN:HB3	6:C:438:DIO:H1'1	1.86	0.58
1:B:268:HIS:HB3	1:B:330:ARG:HG2	1.90	0.53
1:A:306:ASN:HD22	1:A:306:ASN:H	1.57	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:268:HIS:HB3	1:C:330:ARG:HG2	1.91	0.52
1:A:268:HIS:HB3	1:A:330:ARG:HG2	1.92	0.52
1:C:376:TYR:O	7:C:439:MES:H71	2.10	0.52
1:A:266:PRO:HG2	1:A:321:LEU:HD22	1.92	0.51
1:B:324:ARG:HH11	1:B:367:LEU:CD2	2.21	0.50
1:A:257:HIS:HE1	9:A:588:HOH:O	1.95	0.49
1:C:396:THR:HB	1:C:397:PRO:HD2	1.93	0.49
1:C:352:ASN:OD1	1:C:354:GLN:HG2	2.12	0.49
1:B:306:ASN:HD22	1:B:306:ASN:H	1.60	0.48
1:C:237:LYS:NZ	7:C:439:MES:H61	2.29	0.47
1:B:306:ASN:ND2	1:B:306:ASN:H	2.12	0.47
1:A:177:LYS:NZ	1:A:240:ASP:OD2	2.47	0.47
1:B:303:PHE:HB3	1:B:304:PRO:HD2	1.97	0.46
1:C:300:ILE:HB	1:C:320:ARG:HB3	1.98	0.46
1:C:266:PRO:HG2	1:C:321:LEU:HD22	1.97	0.46
1:C:183:PRO:HD3	1:C:228:LEU:HD21	1.98	0.46
1:A:306:ASN:H	1:A:306:ASN:ND2	2.13	0.46
1:C:254:MET:SD	1:C:339:ARG:HG3	2.56	0.45
8:B:414:GOL:H31	9:B:510:HOH:O	2.16	0.45
1:C:271:VAL:HG22	1:C:336:GLY:HA3	1.97	0.45
1:A:352:ASN:O	1:A:355:ARG:HG2	2.16	0.45
1:A:223:ASN:HB3	1:A:394:ILE:CD1	2.47	0.45
1:C:303:PHE:HB3	1:C:304:PRO:HD2	1.99	0.45
1:B:306:ASN:HD22	1:B:306:ASN:N	2.16	0.44
1:C:153:LEU:O	1:C:157:GLN:HG3	2.17	0.44
1:A:266:PRO:CG	1:A:321:LEU:HD22	2.48	0.44
1:C:223:ASN:HB3	1:C:394:ILE:CD1	2.48	0.44
1:C:273:MET:HE2	1:C:275:LYS:HE2	1.99	0.43
1:A:303:PHE:HB3	1:A:304:PRO:HD2	2.01	0.43
1:A:271:VAL:HG22	1:A:336:GLY:HA3	2.01	0.43
1:C:226:LYS:HD3	1:C:394:ILE:HB	2.00	0.43
1:C:352:ASN:O	1:C:355:ARG:HG2	2.18	0.43
1:C:308:TRP:O	1:C:352:ASN:HB2	2.18	0.43
1:B:274:ASP:O	1:C:171:ASP:HB3	2.18	0.43
1:A:306:ASN:N	1:A:306:ASN:HD22	2.13	0.43
1:A:300:ILE:HB	1:A:320:ARG:HB3	2.01	0.42
1:C:131:PRO:HD2	1:C:206:GLN:HE22	1.83	0.42
1:B:306:ASN:HB2	8:B:419:GOL:H2	2.00	0.42
1:C:266:PRO:CG	1:C:321:LEU:HD22	2.50	0.41
1:B:271:VAL:HG22	1:B:336:GLY:HA3	2.02	0.41
1:B:316:ASP:O	1:B:320:ARG:HG3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:372:ASN:O	1:B:391:THR:HG21	2.21	0.41
1:C:306:ASN:CB	6:C:438:DIO:H1'1	2.50	0.41
1:B:254:MET:SD	1:B:337:THR:HG22	2.61	0.41
2:A:405:NAG:O4	8:A:417:GOL:H31	2.21	0.40
1:B:324:ARG:NH1	1:B:367:LEU:CD2	2.78	0.40
1:B:396:THR:HB	1:B:397:PRO:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/287 (94%)	263 (97%)	8 (3%)	0	100	100
1	B	271/287 (94%)	266 (98%)	5 (2%)	0	100	100
1	C	271/287 (94%)	264 (97%)	6 (2%)	1 (0%)	39	27
All	All	813/861 (94%)	793 (98%)	19 (2%)	1 (0%)	56	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	185	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/252 (97%)	240 (98%)	4 (2%)	70	66
1	B	244/252 (97%)	241 (99%)	3 (1%)	78	76
1	C	244/252 (97%)	239 (98%)	5 (2%)	63	57
All	All	732/756 (97%)	720 (98%)	12 (2%)	70	66

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	147	MET
1	A	186	ASN
1	A	306	ASN
1	A	364	GLU
1	B	147	MET
1	B	153	LEU
1	B	306	ASN
1	C	147	MET
1	C	233	GLN
1	C	257	HIS
1	C	364	GLU
1	C	380	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	GLN
1	A	186	ASN
1	A	257	HIS
1	A	306	ASN
1	A	377	GLN
1	B	186	ASN
1	B	306	ASN
1	C	206	GLN
1	C	257	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

9 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	405	2	14,14,15	1.67	3 (21%)	15,19,21	0.74	1 (6%)
2	MAN	A	406	2	11,11,12	2.43	5 (45%)	14,15,17	1.45	2 (14%)
2	BMA	A	407	2	12,12,12	2.17	4 (33%)	17,17,17	0.60	0
2	NAG	B	408	2	14,14,15	1.61	2 (14%)	15,19,21	0.64	0
2	MAN	B	409	2	11,11,12	2.42	5 (45%)	14,15,17	1.39	2 (14%)
2	BMA	B	410	2	12,12,12	2.11	4 (33%)	17,17,17	0.73	0
2	NAG	C	411	2	14,14,15	1.74	3 (21%)	15,19,21	0.75	0
2	MAN	C	412	2	11,11,12	2.38	5 (45%)	14,15,17	1.41	2 (14%)
2	BMA	C	413	2	12,12,12	2.04	4 (33%)	17,17,17	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	405	2	-	0/6/23/26	0/1/1/1
2	MAN	A	406	2	-	0/2/19/22	0/1/1/1
2	BMA	A	407	2	-	0/2/22/22	0/1/1/1
2	NAG	B	408	2	-	0/6/23/26	0/1/1/1
2	MAN	B	409	2	-	0/2/19/22	0/1/1/1
2	BMA	B	410	2	-	0/2/22/22	0/1/1/1
2	NAG	C	411	2	-	0/6/23/26	0/1/1/1
2	MAN	C	412	2	-	0/2/19/22	0/1/1/1
2	BMA	C	413	2	-	0/2/22/22	0/1/1/1

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	411	NAG	C2-N2	2.25	1.50	1.46
2	C	413	BMA	C3-C2	2.37	1.58	1.52
2	C	412	MAN	C4-C5	2.54	1.58	1.53
2	A	406	MAN	C4-C5	2.54	1.58	1.53
2	B	409	MAN	C4-C5	2.60	1.58	1.53
2	C	413	BMA	C1-C2	2.60	1.57	1.52
2	A	407	BMA	C3-C2	2.72	1.59	1.52
2	A	405	NAG	C2-N2	2.75	1.51	1.46
2	A	405	NAG	O5-C5	2.89	1.49	1.43
2	B	410	BMA	C3-C2	2.90	1.60	1.52
2	C	412	MAN	C2-C3	3.05	1.56	1.52
2	C	412	MAN	C1-C2	3.07	1.59	1.52
2	B	409	MAN	C1-C2	3.07	1.59	1.52
2	A	407	BMA	C1-C2	3.13	1.58	1.52
2	B	410	BMA	C4-C5	3.17	1.59	1.53
2	B	408	NAG	O5-C5	3.18	1.50	1.43
2	A	406	MAN	C2-C3	3.20	1.56	1.52
2	A	406	MAN	C1-C2	3.21	1.59	1.52
2	B	409	MAN	C2-C3	3.26	1.57	1.52
2	B	410	BMA	C1-C2	3.28	1.59	1.52
2	C	411	NAG	O5-C5	3.48	1.51	1.43
2	C	413	BMA	C4-C5	3.49	1.60	1.53
2	A	407	BMA	C4-C5	3.58	1.60	1.53
2	C	412	MAN	O5-C5	3.73	1.51	1.43
2	B	410	BMA	O5-C1	3.74	1.50	1.43
2	A	406	MAN	O5-C5	3.75	1.51	1.43
2	B	408	NAG	O5-C1	3.77	1.50	1.43
2	A	405	NAG	O5-C1	3.87	1.50	1.43
2	B	409	MAN	O5-C5	3.92	1.52	1.43
2	C	413	BMA	O5-C1	3.92	1.50	1.43
2	A	407	BMA	O5-C1	4.06	1.50	1.43
2	C	411	NAG	O5-C1	4.12	1.50	1.43
2	B	409	MAN	O5-C1	4.38	1.51	1.43
2	C	412	MAN	O5-C1	4.53	1.51	1.43
2	A	406	MAN	O5-C1	4.62	1.51	1.43

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	405	NAG	C4-C3-C2	-2.12	107.93	111.23
2	B	409	MAN	O4-C4-C3	2.45	115.84	110.34
2	C	412	MAN	O4-C4-C3	2.48	115.91	110.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	406	MAN	O4-C4-C3	2.60	116.19	110.34
2	B	409	MAN	C1-O5-C5	2.97	116.01	112.25
2	A	406	MAN	C1-O5-C5	3.22	116.33	112.25
2	C	412	MAN	C1-O5-C5	3.34	116.49	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	405	NAG	1	0

5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 3 are monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	UDH	A	399	3	25,33,33	1.68	3 (12%)	33,47,47	2.69	9 (27%)
8	GOL	A	417	-	5,5,5	0.23	0	5,5,5	0.63	0
8	GOL	A	420	-	5,5,5	0.33	0	5,5,5	0.58	0
8	GOL	A	421	-	5,5,5	0.34	0	5,5,5	0.60	0
4	SO4	A	422	-	4,4,4	3.25	2 (50%)	6,6,6	0.96	0
4	SO4	A	423	-	4,4,4	3.13	2 (50%)	6,6,6	1.00	0
4	SO4	A	424	-	4,4,4	3.21	2 (50%)	6,6,6	0.97	0
4	SO4	A	433	-	4,4,4	3.25	2 (50%)	6,6,6	0.96	0
5	UDH	B	401	3	25,33,33	1.70	3 (12%)	33,47,47	2.68	8 (24%)
8	GOL	B	414	-	5,5,5	0.53	0	5,5,5	0.86	0
8	GOL	B	415	-	5,5,5	0.22	0	5,5,5	0.59	0
8	GOL	B	416	-	5,5,5	0.39	0	5,5,5	0.50	0
8	GOL	B	419	-	5,5,5	0.33	0	5,5,5	0.58	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	B	425	-	4,4,4	3.25	2 (50%)	6,6,6	1.00	0
4	SO4	B	426	-	4,4,4	3.28	2 (50%)	6,6,6	0.97	0
4	SO4	B	428	-	4,4,4	3.13	2 (50%)	6,6,6	1.02	0
4	SO4	B	429	-	4,4,4	3.13	2 (50%)	6,6,6	0.96	0
4	SO4	B	432	-	4,4,4	3.27	2 (50%)	6,6,6	0.96	0
4	SO4	B	434	-	4,4,4	3.24	2 (50%)	6,6,6	0.98	0
4	SO4	B	437	-	4,4,4	3.26	2 (50%)	6,6,6	0.96	0
5	UDH	C	403	3	25,33,33	1.61	4 (16%)	33,47,47	2.75	7 (21%)
8	GOL	C	418	-	5,5,5	0.32	0	5,5,5	0.64	0
4	SO4	C	427	-	4,4,4	3.14	2 (50%)	6,6,6	0.93	0
4	SO4	C	430	-	4,4,4	3.23	2 (50%)	6,6,6	0.99	0
4	SO4	C	431	-	4,4,4	3.30	2 (50%)	6,6,6	0.95	0
4	SO4	C	435	-	4,4,4	3.29	2 (50%)	6,6,6	0.94	0
4	SO4	C	436	-	4,4,4	3.28	2 (50%)	6,6,6	0.96	0
6	DIO	C	438	-	6,6,6	0.90	0	6,6,6	0.70	0
7	MES	C	439	-	11,12,12	1.46	3 (27%)	14,16,16	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	UDH	A	399	3	-	0/21/41/41	0/2/2/2
8	GOL	A	417	-	-	0/4/4/4	0/0/0/0
8	GOL	A	420	-	-	0/4/4/4	0/0/0/0
8	GOL	A	421	-	-	0/4/4/4	0/0/0/0
4	SO4	A	422	-	-	0/0/0/0	0/0/0/0
4	SO4	A	423	-	-	0/0/0/0	0/0/0/0
4	SO4	A	424	-	-	0/0/0/0	0/0/0/0
4	SO4	A	433	-	-	0/0/0/0	0/0/0/0
5	UDH	B	401	3	-	0/21/41/41	0/2/2/2
8	GOL	B	414	-	-	0/4/4/4	0/0/0/0
8	GOL	B	415	-	-	0/4/4/4	0/0/0/0
8	GOL	B	416	-	-	0/4/4/4	0/0/0/0
8	GOL	B	419	-	-	0/4/4/4	0/0/0/0
4	SO4	B	425	-	-	0/0/0/0	0/0/0/0
4	SO4	B	426	-	-	0/0/0/0	0/0/0/0
4	SO4	B	428	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SO4	B	429	-	-	0/0/0/0	0/0/0/0
4	SO4	B	432	-	-	0/0/0/0	0/0/0/0
4	SO4	B	434	-	-	0/0/0/0	0/0/0/0
4	SO4	B	437	-	-	0/0/0/0	0/0/0/0
5	UDH	C	403	3	-	0/21/41/41	0/2/2/2
8	GOL	C	418	-	-	0/4/4/4	0/0/0/0
4	SO4	C	427	-	-	0/0/0/0	0/0/0/0
4	SO4	C	430	-	-	0/0/0/0	0/0/0/0
4	SO4	C	431	-	-	0/0/0/0	0/0/0/0
4	SO4	C	435	-	-	0/0/0/0	0/0/0/0
4	SO4	C	436	-	-	0/0/0/0	0/0/0/0
6	DIO	C	438	-	-	0/0/6/6	0/1/1/1
7	MES	C	439	-	-	0/6/14/14	0/1/1/1

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	430	SO4	O3-S	-4.61	1.30	1.47
4	B	432	SO4	O3-S	-4.57	1.30	1.47
4	C	435	SO4	O3-S	-4.56	1.31	1.47
4	C	436	SO4	O3-S	-4.55	1.31	1.47
4	C	431	SO4	O3-S	-4.54	1.31	1.47
4	A	433	SO4	O3-S	-4.53	1.31	1.47
4	B	426	SO4	O3-S	-4.52	1.31	1.47
4	B	434	SO4	O3-S	-4.50	1.31	1.47
4	B	425	SO4	O3-S	-4.48	1.31	1.47
4	A	422	SO4	O3-S	-4.47	1.31	1.47
4	B	428	SO4	O3-S	-4.42	1.31	1.47
4	A	424	SO4	O3-S	-4.42	1.31	1.47
4	B	437	SO4	O3-S	-4.38	1.31	1.47
4	A	423	SO4	O3-S	-4.36	1.31	1.47
4	B	429	SO4	O3-S	-4.29	1.32	1.47
4	C	427	SO4	O3-S	-4.25	1.32	1.47
5	C	403	UDH	C6-C5	-2.00	1.33	1.38
7	C	439	MES	C7-N4	2.07	1.52	1.47
5	C	403	UDH	PB-O1B	2.09	1.58	1.51
5	A	399	UDH	PB-O1B	2.22	1.59	1.51
7	C	439	MES	C5-N4	2.48	1.53	1.46
5	B	401	UDH	PB-O1B	2.52	1.60	1.51
7	C	439	MES	C3-N4	2.72	1.54	1.46
4	B	428	SO4	O1-S	4.33	1.62	1.47
5	B	401	UDH	C4-N3	4.34	1.41	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	403	UDH	C4-N3	4.34	1.41	1.33
5	A	399	UDH	C4-N3	4.40	1.41	1.33
4	A	423	SO4	O1-S	4.41	1.62	1.47
4	C	430	SO4	O1-S	4.42	1.62	1.47
4	B	429	SO4	O1-S	4.48	1.62	1.47
4	C	427	SO4	O1-S	4.51	1.62	1.47
4	B	432	SO4	O1-S	4.57	1.62	1.47
4	A	433	SO4	O1-S	4.57	1.62	1.47
4	A	424	SO4	O1-S	4.57	1.62	1.47
4	B	434	SO4	O1-S	4.59	1.62	1.47
4	A	422	SO4	O1-S	4.60	1.62	1.47
4	B	425	SO4	O1-S	4.64	1.63	1.47
4	C	436	SO4	O1-S	4.64	1.63	1.47
4	B	426	SO4	O1-S	4.65	1.63	1.47
4	C	435	SO4	O1-S	4.68	1.63	1.47
4	C	431	SO4	O1-S	4.68	1.63	1.47
4	B	437	SO4	O1-S	4.76	1.63	1.47
5	C	403	UDH	C6-N1	4.88	1.42	1.35
5	B	401	UDH	C6-N1	5.08	1.43	1.35
5	A	399	UDH	C6-N1	5.13	1.43	1.35

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	401	UDH	O4'-C4B-C3B	-3.31	98.47	105.15
5	A	399	UDH	O4'-C4B-C3B	-3.28	98.55	105.15
5	C	403	UDH	C5-C4-N3	-3.27	114.72	123.12
5	A	399	UDH	C5-C4-N3	-3.17	114.98	123.12
5	B	401	UDH	C5-C4-N3	-3.14	115.07	123.12
5	C	403	UDH	O4'-C4B-C3B	-3.00	99.10	105.15
5	B	401	UDH	PB-O3A-PA	-2.75	124.99	132.73
5	C	403	UDH	PB-O3A-PA	-2.75	125.02	132.73
5	B	401	UDH	C3'-C2'-C1'	-2.24	103.46	113.47
5	A	399	UDH	C4'-C5'-C6'	-2.23	103.49	114.01
5	A	399	UDH	C3'-C2'-C1'	-2.22	103.55	113.47
5	B	401	UDH	C5'-C4'-C3'	-2.20	103.19	114.53
5	C	403	UDH	C5'-C4'-C3'	-2.18	103.29	114.53
5	B	401	UDH	C4'-C5'-C6'	-2.17	103.76	114.01
5	C	403	UDH	C4'-C5'-C6'	-2.17	103.77	114.01
5	A	399	UDH	C5'-C4'-C3'	-2.08	103.79	114.53
5	A	399	UDH	C4'-C3'-C2'	-2.04	103.99	114.53
5	B	401	UDH	C4'-C3'-C2'	-2.04	104.01	114.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	399	UDH	PB-O3A-PA	-2.02	127.05	132.73
5	A	399	UDH	O3B-PB-O1B	2.49	126.01	112.53
5	C	403	UDH	O3B-PB-O1B	2.70	127.14	112.53
5	B	401	UDH	C4-N3-C2	12.76	126.78	114.14
5	A	399	UDH	C4-N3-C2	12.88	126.89	114.14
5	C	403	UDH	C4-N3-C2	13.05	127.06	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	417	GOL	1	0
8	B	414	GOL	1	0
8	B	419	GOL	1	0
6	C	438	DIO	2	0
7	C	439	MES	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	273/287 (95%)	0.33	22 (8%) 15 16	17, 25, 42, 50	0
1	B	273/287 (95%)	0.08	14 (5%) 32 35	15, 22, 36, 51	0
1	C	273/287 (95%)	0.46	27 (9%) 9 10	20, 29, 47, 58	0
All	All	819/861 (95%)	0.29	63 (7%) 16 18	15, 25, 43, 58	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	126	SER	7.8
1	A	126	SER	5.5
1	C	126	SER	5.4
1	C	398	SER	4.6
1	B	398	SER	3.9
1	C	181	ILE	3.8
1	C	228	LEU	3.6
1	A	180	ILE	3.5
1	A	153	LEU	3.5
1	A	347	LYS	3.4
1	C	182	ILE	3.3
1	C	347	LYS	3.3
1	C	180	ILE	3.2
1	A	148	PRO	3.2
1	C	153	LEU	3.2
1	A	246	PHE	3.1
1	C	247	SER	3.1
1	A	289	VAL	3.1
1	A	181	ILE	3.0
1	C	245	VAL	3.0
1	A	245	VAL	2.9
1	C	246	PHE	2.8
1	C	219	ASP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	228	LEU	2.7
1	A	228	LEU	2.7
1	A	146	ASN	2.6
1	C	289	VAL	2.6
1	C	214	ILE	2.6
1	A	219	ASP	2.6
1	A	350	GLU	2.5
1	C	251	LEU	2.5
1	A	182	ILE	2.5
1	C	183	PRO	2.5
1	A	251	LEU	2.4
1	B	181	ILE	2.4
1	B	350	GLU	2.4
1	C	127	LEU	2.4
1	B	153	LEU	2.3
1	C	148	PRO	2.3
1	C	144	GLU	2.3
1	C	364	GLU	2.3
1	C	198	LEU	2.3
1	B	345	ARG	2.3
1	A	127	LEU	2.2
1	C	213	VAL	2.2
1	B	146	ASN	2.2
1	C	133	GLU	2.2
1	A	152	GLU	2.2
1	B	132	GLU	2.2
1	B	289	VAL	2.2
1	A	156	LYS	2.2
1	C	350	GLU	2.2
1	A	342	ARG	2.2
1	A	198	LEU	2.2
1	A	247	SER	2.2
1	B	182	ILE	2.1
1	C	342	ARG	2.1
1	A	129	ALA	2.1
1	B	367	LEU	2.1
1	C	249	VAL	2.1
1	B	180	ILE	2.0
1	B	246	PHE	2.0
1	C	152	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	A	405	14/15	0.96	0.09	-0.07	22,28,29,30	0
2	NAG	C	411	14/15	0.90	0.12	-0.11	35,39,40,42	0
2	NAG	B	408	14/15	0.97	0.08	-0.69	19,23,24,25	0
2	MAN	C	412	11/12	0.89	0.17	-	46,53,56,56	0
2	BMA	A	407	12/12	0.70	0.47	-	54,62,64,67	0
2	BMA	B	410	12/12	0.75	0.37	-	46,53,55,57	0
2	MAN	A	406	11/12	0.89	0.20	-	36,45,49,51	0
2	MAN	B	409	11/12	0.91	0.14	-	30,37,40,43	0
2	BMA	C	413	12/12	0.63	0.43	-	60,67,69,71	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	MES	C	439	12/12	0.52	0.37	15.27	57,60,69,70	0
4	SO4	C	435	5/5	0.64	0.36	9.75	86,86,87,87	0
8	GOL	B	415	6/6	0.82	0.23	6.94	36,41,43,48	0
8	GOL	A	421	6/6	0.68	0.30	6.28	58,61,61,61	0
4	SO4	B	429	5/5	0.89	0.30	3.58	55,58,58,59	0
8	GOL	A	420	6/6	0.86	0.30	3.06	39,48,49,50	0
4	SO4	B	434	5/5	0.86	0.26	2.81	67,68,69,70	0
8	GOL	B	414	6/6	0.89	0.20	1.83	24,32,33,39	0
4	SO4	A	423	5/5	0.91	0.19	1.69	54,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	SO4	C	427	5/5	0.94	0.17	0.96	44,46,47,47	0
8	GOL	C	418	6/6	0.91	0.19	0.85	35,37,38,41	0
8	GOL	B	419	6/6	0.69	0.20	0.79	49,51,52,54	0
6	DIO	C	438	6/6	0.68	0.22	0.53	67,67,67,68	0
8	GOL	A	417	6/6	0.93	0.13	0.39	27,33,36,38	0
4	SO4	B	428	5/5	0.91	0.14	-0.15	69,69,70,71	0
5	UDH	B	401	32/32	0.96	0.13	-0.30	15,19,49,52	0
5	UDH	A	399	32/32	0.95	0.13	-0.39	22,26,47,51	0
4	SO4	C	430	5/5	0.93	0.13	-0.40	76,76,76,76	0
4	SO4	A	422	5/5	0.91	0.13	-0.51	73,73,74,74	0
5	UDH	C	403	32/32	0.94	0.14	-0.65	26,30,51,55	0
8	GOL	B	416	6/6	0.97	0.09	-0.73	20,21,22,25	0
4	SO4	B	425	5/5	0.82	0.24	-	72,73,73,74	0
3	MN	B	402	1/1	1.00	0.08	-	20,20,20,20	0
4	SO4	A	424	5/5	0.81	0.28	-	79,79,80,80	0
4	SO4	C	436	5/5	0.91	0.49	-	92,92,93,93	0
3	MN	C	404	1/1	0.98	0.09	-	30,30,30,30	0
4	SO4	C	431	5/5	0.91	0.24	-	93,93,93,94	0
4	SO4	B	426	5/5	0.84	0.40	-	88,88,88,89	0
4	SO4	B	432	5/5	0.97	0.25	-	77,77,78,78	0
4	SO4	B	437	5/5	0.89	0.41	-	80,81,81,81	0
3	MN	A	400	1/1	1.00	0.08	-	27,27,27,27	0
4	SO4	A	433	5/5	0.91	0.35	-	88,88,88,88	0

6.5 Other polymers

There are no such residues in this entry.