



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:27 AM GMT

PDB ID : 3AW8  
Title : Crystal structure of N5-carboxyaminoimidazole ribonucleotide synthetase from *Thermus thermophilus* HB8  
Authors : Okada, K.; Tsunoda, S.; Taka, H.; Baba, S.; Kanagawa, M.; Nakagawa, N.; Ebihara, A.; Kuramitsu, S.; Yokoyama, S.; Kawai, G.; Sampei, G.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)  
Deposited on : 2011-03-15  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	369	<div> <div>5%</div> <div>60%</div> <div>33%</div> <div>5%</div> </div>
1	B	369	<div> <div>6%</div> <div>57%</div> <div>36%</div> <div>5%</div> </div>

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5804 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoribosylaminoimidazole carboxylase, ATPase subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	360	Total	C	N	O	S	0	0	0
			2770	1776	491	497	6			
1	B	360	Total	C	N	O	S	0	0	0
			2770	1776	491	497	6			

- Molecule 2 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula:  $C_{10}H_{14}N_5O_7P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula:  $Cl$ ).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Cl	0	0
			2	2		
3	A	1	Total	Cl	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	102	Total	O	0	0
			102	102		
4	B	113	Total	O	0	0
			113	113		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphoribosylaminoimidazole carboxylase, ATPase subunit



- Molecule 1: Phosphoribosylaminoimidazole carboxylase, ATPase subunit



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	81.26 Å 81.26 Å 203.16 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.06 – 2.60 43.81 – 2.60	Depositor EDS
% Data completeness (in resolution range)	95.9 (38.06-2.60) 99.9 (43.81-2.60)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.07 (at 2.61 Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.209 , 0.255 0.218 , 0.232	Depositor DCC
$R_{free}$ test set	2013 reflections (5.00%)	DCC
Wilson B-factor (Å <sup>2</sup> )	52.3	Xtriage
Anisotropy	0.168	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 46.1	EDS
Estimated twinning fraction	0.477 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.52$ , $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 40256 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5804	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.87% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.35	0/2831	0.60	0/3833
1	B	0.35	0/2831	0.62	0/3833
All	All	0.35	0/5662	0.61	0/7666

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2770	0	2809	125	0
1	B	2770	0	2809	127	0
2	A	23	0	12	0	0
2	B	23	0	12	0	0
3	A	1	0	0	0	0
3	B	2	0	0	1	0
4	A	102	0	0	1	0
4	B	113	0	0	4	0
All	All	5804	0	5642	250	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (250) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:PHE:HB3	1:B:70:VAL:HG13	1.34	1.07
1:A:126:GLY:HA2	1:A:129:ARG:HG2	1.34	1.07
1:B:281:ASN:HD21	1:B:292:GLY:H	1.03	0.98
1:A:81:ARG:HB3	1:A:81:ARG:HH21	1.29	0.97
1:A:219:SER:HB3	1:A:222:LEU:HB2	1.58	0.85
1:B:126:GLY:HA2	1:B:129:ARG:HG2	1.58	0.85
1:A:281:ASN:HD21	1:A:292:GLY:H	1.24	0.85
1:B:153:THR:HB	1:B:156:GLU:HB2	1.61	0.83
1:A:68:GLU:HB2	1:A:262:ARG:HE	1.44	0.81
1:B:331:ARG:HH21	1:B:331:ARG:HG2	1.47	0.80
1:B:347:LYS:HA	1:B:347:LYS:HE2	1.68	0.76
1:A:54:LEU:HD22	1:A:81:ARG:NH1	2.02	0.74
1:A:320:GLY:HA3	1:A:343:ARG:HH11	1.52	0.74
1:A:104:PHE:HD2	1:A:109:VAL:HG21	1.52	0.74
1:A:128:LYS:HD3	1:A:128:LYS:O	1.86	0.74
1:B:281:ASN:ND2	1:B:292:GLY:H	1.83	0.73
1:A:299:GLN:HB3	1:A:349:LEU:HD12	1.69	0.73
1:A:132:LEU:HD23	1:A:133:PRO:HA	1.68	0.73
1:A:123:LEU:O	1:A:127:LEU:HB2	1.87	0.73
1:A:57:ALA:HA	1:A:60:LEU:HD12	1.71	0.73
1:A:164:LEU:O	1:A:164:LEU:HD23	1.88	0.72
1:B:319:GLU:HG2	1:B:343:ARG:NH1	2.05	0.72
1:A:54:LEU:HD22	1:A:81:ARG:HH11	1.55	0.72
1:A:161:LEU:HD12	1:A:162:LYS:N	2.04	0.71
1:A:126:GLY:HA2	1:A:129:ARG:CG	2.18	0.71
1:A:222:LEU:HD21	1:A:254:LEU:HD21	1.73	0.71
1:A:136:LEU:HD13	1:A:171:LEU:HD23	1.74	0.70
1:B:331:ARG:HG3	1:B:332:PRO:HD2	1.73	0.69
1:B:343:ARG:HH21	1:B:343:ARG:HB3	1.57	0.69
1:A:347:LYS:HB2	1:A:347:LYS:NZ	2.09	0.68
1:B:177:PHE:HA	1:B:250:VAL:HG22	1.74	0.67
1:B:153:THR:HB	1:B:156:GLU:CB	2.24	0.67
1:A:138:THR:HG22	1:A:147:GLY:O	1.94	0.67
1:B:211:SER:HB2	1:B:302:MET:HB3	1.77	0.67
1:A:137:LYS:HE3	1:A:172:GLU:OE2	1.95	0.66
1:B:341:LEU:HD12	1:B:356:LEU:HD12	1.77	0.66
1:B:319:GLU:HG2	1:B:343:ARG:HH11	1.59	0.66
1:B:57:ALA:HA	1:B:60:LEU:HD12	1.78	0.66
1:A:331:ARG:HH11	1:A:331:ARG:HG2	1.61	0.66
1:A:153:THR:CG2	1:A:155:GLU:HG2	2.25	0.65

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:ARG:HH21	1:A:81:ARG:CB	2.07	0.65
1:B:76:ARG:HG2	1:B:76:ARG:HH21	1.61	0.64
1:B:133:PRO:HD3	4:B:482:HOH:O	1.98	0.64
1:A:211:SER:HB2	1:A:302:MET:HB3	1.78	0.64
1:A:153:THR:HB	1:A:156:GLU:HB2	1.79	0.64
1:A:137:LYS:HB3	1:A:148:GLN:CB	2.29	0.63
1:A:96:ASP:HB3	1:A:99:ARG:HB3	1.80	0.62
1:A:243:LEU:CD1	1:A:245:LEU:HD13	2.29	0.62
1:B:225:LYS:HE3	1:B:254:LEU:CD2	2.28	0.62
1:B:313:ALA:O	1:B:317:LYS:HG2	1.99	0.62
1:B:158:LEU:HD12	1:B:158:LEU:H	1.65	0.62
1:A:153:THR:HG22	1:A:155:GLU:HG2	1.82	0.61
1:A:331:ARG:HD2	4:A:450:HOH:O	2.01	0.61
1:B:128:LYS:O	1:B:128:LYS:HD3	2.01	0.61
1:A:355:ARG:HH11	1:A:355:ARG:HG3	1.66	0.60
1:A:104:PHE:HB3	1:A:109:VAL:CG2	2.32	0.60
1:A:117:VAL:HG21	1:A:136:LEU:HD11	1.82	0.60
1:B:132:LEU:HD13	1:B:152:ARG:O	2.02	0.60
1:A:210:LEU:HD12	1:A:303:VAL:HG12	1.83	0.59
1:B:57:ALA:HA	1:B:60:LEU:CD1	2.33	0.59
1:A:151:VAL:HG11	1:A:157:ALA:CA	2.33	0.59
1:A:346:LEU:HD23	1:A:346:LEU:O	2.03	0.58
1:B:126:GLY:HA2	1:B:129:ARG:CG	2.30	0.58
1:B:161:LEU:HD12	1:B:162:LYS:N	2.18	0.58
1:B:228:ALA:O	1:B:232:ARG:HG3	2.03	0.58
1:B:363:LEU:O	1:B:363:LEU:HD12	2.03	0.58
1:A:153:THR:HB	1:A:156:GLU:CB	2.34	0.58
1:B:76:ARG:HG2	1:B:76:ARG:NH2	2.19	0.58
1:B:117:VAL:HG23	1:B:117:VAL:O	2.04	0.57
1:A:98:LEU:O	1:A:102:THR:HG23	2.04	0.57
1:B:341:LEU:HD11	1:B:352:GLY:HA3	1.87	0.57
1:B:342:ARG:HG3	1:B:342:ARG:O	2.02	0.57
1:B:70:VAL:HG23	1:B:91:LEU:HD21	1.86	0.57
1:B:254:LEU:HD23	1:B:254:LEU:H	1.70	0.57
1:A:117:VAL:HG23	1:A:169:LEU:HB2	1.86	0.57
1:B:328:LYS:HD3	3:B:371:CL:CL	2.42	0.57
1:B:318:VAL:HG22	1:B:321:ALA:HB2	1.87	0.57
1:A:53:LEU:HD22	1:A:78:LEU:HD11	1.86	0.56
1:B:117:VAL:HG21	1:B:136:LEU:HD11	1.87	0.56
1:B:81:ARG:HB2	1:B:82:LEU:HD13	1.87	0.56
1:B:136:LEU:HD13	1:B:171:LEU:HD23	1.88	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:281:ASN:HD21	1:B:292:GLY:N	1.88	0.56
1:A:153:THR:HB	1:A:156:GLU:H	1.71	0.56
1:B:50:GLU:OE1	1:B:77:ARG:NH1	2.39	0.56
1:A:243:LEU:HD11	1:A:245:LEU:HD13	1.87	0.56
1:A:215:ALA:HB3	1:A:218:ALA:HB2	1.88	0.56
1:A:132:LEU:HD22	1:A:152:ARG:O	2.07	0.55
1:A:210:LEU:CD1	1:A:303:VAL:HG12	2.36	0.55
1:B:346:LEU:O	1:B:346:LEU:HD23	2.06	0.55
1:A:299:GLN:HB3	1:A:349:LEU:CD1	2.36	0.55
1:A:117:VAL:HG23	1:A:117:VAL:O	2.07	0.55
1:A:91:LEU:O	1:A:95:GLN:HG3	2.07	0.55
1:A:299:GLN:CB	1:A:349:LEU:HD12	2.37	0.54
1:B:104:PHE:HB3	1:B:109:VAL:CG2	2.37	0.54
1:B:185:ALA:HB1	1:B:234:MET:CE	2.37	0.54
1:A:151:VAL:HG11	1:A:157:ALA:HA	1.89	0.54
1:A:57:ALA:HA	1:A:60:LEU:CD1	2.38	0.54
1:B:132:LEU:HD11	1:B:154:GLU:HA	1.89	0.54
1:A:313:ALA:O	1:A:317:LYS:HG3	2.08	0.54
1:B:186:VAL:HG13	1:B:194:ALA:HB3	1.90	0.54
1:A:104:PHE:CD2	1:A:109:VAL:HG21	2.39	0.53
1:B:140:ARG:HH21	1:B:140:ARG:HG2	1.73	0.53
1:B:311:PRO:HG2	1:B:314:GLU:HB2	1.90	0.53
1:A:281:ASN:ND2	1:A:292:GLY:H	2.01	0.53
1:A:126:GLY:CA	1:A:129:ARG:HG2	2.24	0.53
1:A:198:LEU:HD11	1:A:222:LEU:HD22	1.91	0.53
1:B:331:ARG:NH2	1:B:331:ARG:HG2	2.21	0.53
1:B:315:VAL:O	1:B:318:VAL:HG13	2.09	0.53
1:B:151:VAL:HG11	1:B:157:ALA:HB2	1.91	0.53
1:B:158:LEU:N	1:B:158:LEU:HD12	2.24	0.52
1:A:137:LYS:HB3	1:A:148:GLN:HB3	1.90	0.52
1:B:114:PHE:HA	1:B:171:LEU:O	2.10	0.52
1:B:104:PHE:HB3	1:B:109:VAL:HG22	1.91	0.52
1:A:312:PHE:O	1:A:316:LEU:HD22	2.09	0.52
1:B:153:THR:HG22	1:B:155:GLU:H	1.75	0.51
1:A:132:LEU:CD2	1:A:133:PRO:HA	2.38	0.51
1:B:123:LEU:HD23	1:B:158:LEU:HG	1.91	0.51
1:A:315:VAL:HG22	1:A:316:LEU:HD13	1.93	0.51
1:B:67:PHE:HB3	1:B:70:VAL:CG1	2.24	0.51
1:B:188:GLY:HA3	4:B:401:HOH:O	2.09	0.51
1:B:65:TYR:CE2	1:B:91:LEU:HD13	2.46	0.51
1:A:128:LYS:C	1:A:130:VAL:H	2.13	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:97:ARG:HD2	1:B:138:THR:O	2.11	0.51
1:A:132:LEU:HA	1:A:133:PRO:C	2.32	0.50
1:A:134:ALA:HA	1:A:174:PHE:H	1.76	0.50
1:A:355:ARG:NH1	1:A:355:ARG:HG3	2.25	0.50
1:A:185:ALA:HB1	1:A:234:MET:CE	2.42	0.50
1:B:231:LEU:O	1:B:235:GLU:HG3	2.12	0.49
1:A:331:ARG:NH1	1:A:331:ARG:HG2	2.26	0.49
1:A:134:ALA:O	1:A:150:LEU:HD12	2.12	0.49
1:A:239:TYR:CE2	1:A:243:LEU:HB2	2.47	0.49
1:B:254:LEU:HD23	1:B:254:LEU:N	2.27	0.49
1:B:50:GLU:O	1:B:54:LEU:HD23	2.13	0.49
1:A:283:LEU:O	1:A:287:LEU:HB2	2.12	0.49
1:A:217:GLY:O	1:A:218:ALA:C	2.51	0.49
1:B:184:LEU:HD11	1:B:267:GLY:HA3	1.94	0.49
1:B:252:GLU:HB2	4:B:475:HOH:O	2.13	0.48
1:B:283:LEU:O	1:B:287:LEU:HB2	2.13	0.48
1:A:243:LEU:HD13	1:A:245:LEU:HD13	1.94	0.48
1:A:137:LYS:HB3	1:A:148:GLN:HB2	1.95	0.48
1:B:299:GLN:O	1:B:342:ARG:HA	2.13	0.48
1:B:331:ARG:HH21	1:B:331:ARG:CG	2.23	0.48
1:A:123:LEU:CD2	1:A:158:LEU:HA	2.44	0.47
1:B:343:ARG:HD3	1:B:348:ALA:HB1	1.96	0.47
1:B:199:VAL:HG23	1:B:201:ASN:HD21	1.79	0.47
1:B:135:LEU:N	1:B:135:LEU:HD12	2.29	0.47
1:A:134:ALA:HB1	1:A:172:GLU:O	2.15	0.47
1:A:186:VAL:HG13	1:A:194:ALA:HB3	1.97	0.47
1:A:158:LEU:HD12	1:A:158:LEU:H	1.80	0.47
1:A:138:THR:HA	1:A:169:LEU:HD23	1.97	0.47
1:B:183:LEU:HD13	1:B:226:ALA:CB	2.44	0.47
1:A:15:ALA:HB2	1:A:27:PHE:HZ	1.80	0.46
1:A:123:LEU:HD23	1:A:158:LEU:HG	1.96	0.46
1:A:347:LYS:HB2	1:A:347:LYS:HZ3	1.77	0.46
1:B:99:ARG:HG3	1:B:99:ARG:HH11	1.80	0.46
1:A:281:ASN:HD21	1:A:292:GLY:N	2.03	0.46
1:A:239:TYR:OH	1:A:261:PRO:HA	2.15	0.46
1:B:122:ASP:HA	1:B:125:GLU:HB3	1.98	0.46
1:A:158:LEU:HD12	1:A:158:LEU:N	2.31	0.46
1:B:363:LEU:HA	1:B:364:PRO:HD3	1.80	0.46
1:B:123:LEU:O	1:B:127:LEU:HB2	2.15	0.45
1:B:243:LEU:HG	1:B:245:LEU:HD13	1.98	0.45
1:B:247:PHE:CD2	1:B:256:PHE:HA	2.51	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280:GLU:HG2	1:A:284:ARG:HD2	1.98	0.45
1:A:115:HIS:HA	1:A:116:PRO:HD3	1.86	0.45
1:A:153:THR:HG21	1:A:155:GLU:HG2	1.96	0.45
1:A:122:ASP:HA	1:A:125:GLU:HB3	1.99	0.45
1:A:20:PRO:O	1:B:324:HIS:HA	2.16	0.45
1:A:42:LEU:HD22	1:A:43:VAL:N	2.32	0.45
1:B:225:LYS:HE3	1:B:254:LEU:HD21	1.99	0.45
1:A:185:ALA:HB1	1:A:234:MET:HE1	1.99	0.45
1:B:199:VAL:HG11	1:B:269:TRP:HE1	1.82	0.45
1:A:198:LEU:N	1:A:223:GLN:OE1	2.49	0.45
1:B:183:LEU:HD13	1:B:226:ALA:HB1	1.99	0.45
1:B:357:SER:HB2	1:B:363:LEU:HD11	1.98	0.45
1:A:213:ALA:HA	1:A:214:PRO:C	2.36	0.45
1:B:104:PHE:HD1	1:B:109:VAL:HG21	1.82	0.45
1:B:224:LYS:HA	1:B:224:LYS:HD3	1.82	0.45
1:B:26:ARG:HD3	1:B:41:GLU:CD	2.36	0.45
1:B:138:THR:HG22	1:B:147:GLY:O	2.17	0.44
1:A:121:GLU:O	1:A:125:GLU:HB2	2.17	0.44
1:B:42:LEU:HD22	1:B:43:VAL:N	2.32	0.44
1:B:156:GLU:HA	1:B:159:GLU:HB2	1.99	0.44
1:B:103:PHE:O	1:B:107:LEU:HD23	2.16	0.44
1:B:187:ARG:O	1:B:240:VAL:HA	2.17	0.44
1:A:186:VAL:HB	1:A:242:VAL:HG22	2.00	0.44
1:B:26:ARG:NH1	1:B:58:GLU:O	2.51	0.44
1:A:140:ARG:HG2	1:A:140:ARG:HH21	1.81	0.44
1:B:35:CYS:HB3	1:B:328:LYS:HG2	2.00	0.44
1:B:346:LEU:HD23	1:B:346:LEU:C	2.38	0.44
1:A:161:LEU:HD12	1:A:161:LEU:C	2.38	0.44
1:B:179:ARG:HD2	1:B:200:GLU:HG3	2.00	0.44
1:B:192:GLU:HG2	1:B:193:VAL:N	2.33	0.44
1:A:104:PHE:HB3	1:A:109:VAL:HG22	2.00	0.44
1:B:140:ARG:NH2	1:B:140:ARG:HG2	2.33	0.43
1:B:107:LEU:HD12	1:B:232:ARG:HB3	2.00	0.43
1:A:76:ARG:HG2	1:A:76:ARG:HH11	1.82	0.43
1:B:63:VAL:O	1:B:84:LEU:HD22	2.17	0.43
1:A:320:GLY:CA	1:A:343:ARG:HH11	2.25	0.43
1:A:243:LEU:HD11	1:A:245:LEU:CD1	2.49	0.43
1:A:346:LEU:HD23	1:A:346:LEU:C	2.38	0.43
1:A:82:LEU:HB2	1:A:83:PRO:CD	2.48	0.43
1:A:349:LEU:C	1:A:349:LEU:HD23	2.39	0.43
1:B:254:LEU:N	1:B:254:LEU:CD2	2.82	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:VAL:CG2	1:B:91:LEU:HD21	2.49	0.43
1:B:158:LEU:H	1:B:158:LEU:CD1	2.30	0.43
1:B:239:TYR:OH	1:B:261:PRO:HA	2.18	0.43
1:A:164:LEU:HD22	1:A:169:LEU:HD13	2.01	0.43
1:B:230:ALA:O	1:B:234:MET:HG3	2.18	0.43
1:A:164:LEU:HD22	1:A:169:LEU:CD1	2.48	0.42
1:B:154:GLU:OE2	1:B:154:GLU:O	2.37	0.42
1:B:287:LEU:HA	1:B:287:LEU:HD12	1.90	0.42
1:B:248:PHE:O	1:B:254:LEU:HA	2.18	0.42
1:B:65:TYR:CZ	1:B:86:PRO:HD2	2.54	0.42
1:A:157:ALA:O	1:A:160:ALA:HB3	2.18	0.42
1:B:31:SER:HA	1:B:32:PRO:HD3	1.84	0.42
1:A:201:ASN:ND2	1:A:266:SER:HB2	2.34	0.42
1:A:183:LEU:HD13	1:A:226:ALA:CB	2.49	0.42
1:A:85:TYR:OH	1:A:189:ARG:HD2	2.19	0.42
1:B:151:VAL:HG11	1:B:157:ALA:CA	2.50	0.42
1:B:113:PRO:HG2	1:B:173:GLY:HA3	2.01	0.42
1:B:99:ARG:CG	1:B:99:ARG:HH11	2.33	0.42
1:A:113:PRO:HG2	1:A:173:GLY:HA3	2.02	0.42
1:A:109:VAL:HG12	1:A:229:TYR:CD1	2.55	0.42
1:B:204:TRP:HB3	1:B:209:ARG:HG3	2.02	0.42
1:A:5:LEU:HB2	1:A:65:TYR:HB3	2.01	0.41
1:A:204:TRP:HB3	1:A:209:ARG:HG3	2.01	0.41
1:B:5:LEU:HB2	1:B:65:TYR:HB3	2.01	0.41
1:A:301:ALA:HB2	1:A:349:LEU:HD21	2.01	0.41
1:A:151:VAL:HG11	1:A:157:ALA:N	2.35	0.41
1:B:113:PRO:HA	4:B:479:HOH:O	2.21	0.41
1:A:324:HIS:HA	1:B:20:PRO:O	2.21	0.41
1:A:48:LEU:HA	1:A:48:LEU:HD23	1.88	0.41
1:A:101:LYS:NZ	1:A:112:PRO:HD2	2.35	0.41
1:A:220:GLU:OE1	1:A:220:GLU:O	2.39	0.41
1:B:33:GLU:O	1:B:34:ALA:C	2.58	0.41
1:B:280:GLU:HG2	1:B:284:ARG:HD2	2.02	0.41
1:B:363:LEU:O	1:B:363:LEU:CD1	2.68	0.41
1:A:114:PHE:HA	1:A:171:LEU:O	2.21	0.41
1:B:123:LEU:HD22	1:B:161:LEU:HD23	2.02	0.41
1:A:303:VAL:HG22	1:A:339:ILE:HB	2.02	0.41
1:B:199:VAL:HG23	1:B:201:ASN:ND2	2.35	0.41
1:A:135:LEU:N	1:A:135:LEU:HD12	2.35	0.41
1:B:315:VAL:CG2	1:B:316:LEU:HD13	2.51	0.41
1:A:137:LYS:O	1:A:170:ILE:HG22	2.21	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:132:LEU:HA	1:B:133:PRO:C	2.42	0.40
1:B:104:PHE:CD1	1:B:109:VAL:HG21	2.57	0.40
1:B:185:ALA:HB1	1:B:234:MET:HE1	2.02	0.40
1:B:134:ALA:HB1	1:B:172:GLU:O	2.22	0.40
1:B:306:ILE:O	1:B:308:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	356/369 (96%)	337 (95%)	19 (5%)	0	100	100
1	B	356/369 (96%)	338 (95%)	17 (5%)	1 (0%)	46	72
All	All	712/738 (96%)	675 (95%)	36 (5%)	1 (0%)	56	81

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	307	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/284 (98%)	248 (89%)	31 (11%)	8	13
1	B	279/284 (98%)	248 (89%)	31 (11%)	8	13
All	All	558/568 (98%)	496 (89%)	62 (11%)	8	13

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LEU
1	A	28	LEU
1	A	33	GLU
1	A	39	VAL
1	A	42	LEU
1	A	53	LEU
1	A	56	PHE
1	A	66	GLU
1	A	81	ARG
1	A	82	LEU
1	A	140	ARG
1	A	183	LEU
1	A	186	VAL
1	A	220	GLU
1	A	222	LEU
1	A	231	LEU
1	A	238	ASP
1	A	245	LEU
1	A	259	MET
1	A	265	ASN
1	A	272	GLU
1	A	281	ASN
1	A	283	LEU
1	A	287	LEU
1	A	291	LEU
1	A	303	VAL
1	A	305	LEU
1	A	315	VAL
1	A	316	LEU
1	A	353	LEU
1	A	366	GLU
1	B	14	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	16	LEU
1	B	28	LEU
1	B	42	LEU
1	B	66	GLU
1	B	73	GLU
1	B	77	ARG
1	B	82	LEU
1	B	99	ARG
1	B	140	ARG
1	B	154	GLU
1	B	183	LEU
1	B	186	VAL
1	B	212	LEU
1	B	220	GLU
1	B	254	LEU
1	B	259	MET
1	B	265	ASN
1	B	281	ASN
1	B	287	LEU
1	B	314	GLU
1	B	315	VAL
1	B	316	LEU
1	B	318	VAL
1	B	331	ARG
1	B	334	ARG
1	B	343	ARG
1	B	347	LYS
1	B	355	ARG
1	B	363	LEU
1	B	366	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	201	ASN
1	A	281	ASN
1	B	201	ASN
1	B	281	ASN
1	B	299	GLN



### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	AMP	A	370	-	20,25,25	1.48	3 (15%)	22,38,38	2.31	3 (13%)
2	AMP	B	370	-	20,25,25	1.44	3 (15%)	22,38,38	2.30	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AMP	A	370	-	-	0/6/26/26	0/3/3/3
2	AMP	B	370	-	-	0/6/26/26	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	370	AMP	C8-N7	-2.09	1.30	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	370	AMP	C8-N7	-2.09	1.30	1.34
2	A	370	AMP	P-O2P	2.06	1.62	1.54
2	B	370	AMP	P-O2P	2.07	1.62	1.54
2	B	370	AMP	O4'-C1'	4.54	1.46	1.41
2	A	370	AMP	O4'-C1'	4.75	1.47	1.41

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	370	AMP	N3-C2-N1	-9.75	121.43	128.89
2	B	370	AMP	N3-C2-N1	-9.59	121.55	128.89
2	B	370	AMP	C2'-C1'-N9	-2.53	110.43	114.29
2	B	370	AMP	C4-C5-N7	-2.49	107.18	109.48
2	A	370	AMP	C2'-C1'-N9	-2.36	110.69	114.29
2	A	370	AMP	C4-C5-N7	-2.35	107.32	109.48

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	360/369 (97%)	0.58	20 (5%) 28 21	28, 52, 112, 122	0
1	B	360/369 (97%)	0.63	22 (6%) 25 18	29, 52, 113, 125	0
All	All	720/738 (97%)	0.60	42 (5%) 26 20	28, 52, 113, 125	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	130	VAL	5.6
1	A	158	LEU	4.6
1	B	151	VAL	4.4
1	B	150	LEU	4.3
1	B	129	ARG	3.8
1	A	164	LEU	3.7
1	A	160	ALA	3.4
1	B	164	LEU	3.3
1	A	153	THR	3.2
1	B	158	LEU	3.1
1	A	117	VAL	3.0
1	A	163	ALA	2.9
1	B	163	ALA	2.9
1	B	152	ARG	2.8
1	B	132	LEU	2.8
1	B	124	GLU	2.7
1	B	148	GLN	2.6
1	B	159	GLU	2.6
1	A	124	GLU	2.5
1	B	125	GLU	2.5
1	A	127	LEU	2.5
1	B	140	ARG	2.5
1	B	147	GLY	2.5
1	A	171	LEU	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	167	ARG	2.5
1	B	254	LEU	2.5
1	A	151	VAL	2.4
1	B	250	VAL	2.4
1	B	175	VAL	2.3
1	A	176	PRO	2.3
1	A	148	GLN	2.3
1	A	129	ARG	2.2
1	A	159	GLU	2.2
1	A	118	ASP	2.2
1	A	135	LEU	2.2
1	B	198	LEU	2.1
1	A	359	LEU	2.1
1	A	136	LEU	2.1
1	B	171	LEU	2.1
1	A	155	GLU	2.1
1	B	136	LEU	2.0
1	A	133	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	AMP	B	370	23/23	0.81	0.27	0.49	117,124,137,138	0
3	CL	A	371	1/1	0.98	0.20	0.47	45,45,45,45	0
2	AMP	A	370	23/23	0.81	0.22	-0.24	111,119,131,132	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CL	B	371	1/1	0.98	0.13	-2.14	47,47,47,47	0
3	CL	B	372	1/1	0.97	0.14	-	53,53,53,53	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.