



Full wwPDB X-ray Structure Validation Report ⓘ

May 31, 2016 – 02:04 PM EDT

PDB ID : 5AZP
Title : Crystal structure of a membrane protein from *Pseudomonas aeruginosa*
Authors : Yonehara, R.; Yamashita, E.; Nakagawa, A.
Deposited on : 2015-10-21
Resolution : 1.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027674
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027674


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	<div> <div>2%</div> <div> <div></div> <div>85%</div> <div>12%</div> <div>..</div> </div> </div>
1	B	455	<div> <div>2%</div> <div> <div></div> <div>86%</div> <div>10%</div> <div>..</div> </div> </div>
1	C	455	<div> <div>2%</div> <div> <div></div> <div>88%</div> <div>9%</div> <div>..</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	3PK	A	501	-	-	-	X
2	3PK	C	501	-	-	-	X
3	OYA	A	502	-	-	-	X
3	OYA	C	502	-	-	-	X
4	BOG	A	503	-	-	-	X
4	BOG	A	504	-	-	-	X
4	BOG	A	505	-	-	-	X
4	BOG	B	501	-	-	-	X
4	BOG	C	503	-	-	-	X
4	BOG	C	504	-	-	-	X
4	BOG	C	505	-	-	-	X
4	BOG	C	506	-	-	-	X
5	GOL	A	506	-	-	-	X
5	GOL	A	507	-	-	-	X
5	GOL	A	508	-	-	-	X
5	GOL	A	509	-	-	-	X
5	GOL	B	502	-	-	-	X
5	GOL	B	503	-	-	-	X
5	GOL	B	505	-	-	X	X
5	GOL	C	507	-	-	-	X
5	GOL	C	509	-	-	-	X
6	FMT	A	510	-	-	-	X
6	FMT	A	514	-	-	-	X
6	FMT	A	515	-	-	-	X
6	FMT	B	507	-	-	-	X
6	FMT	B	508	-	-	-	X
6	FMT	B	509	-	-	-	X
6	FMT	B	511	-	-	-	X
6	FMT	B	512	-	-	-	X
6	FMT	C	511	-	-	X	X
7	NA	B	513	-	-	-	X
8	ACT	A	517	-	-	-	X
8	ACT	B	514	-	-	-	X
8	ACT	B	515	-	-	X	X
8	ACT	B	516	-	-	X	-
8	ACT	C	517	-	-	-	X
8	ACT	C	518	-	-	-	X
8	ACT	C	519	-	-	X	X
8	ACT	C	520	-	-	-	X

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 13057 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Multidrug efflux outer membrane protein OprN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	446	Total	C	N	O	S	0	30	0
			3584	2216	672	695	1			
1	B	450	Total	C	N	O	S	0	30	0
			3620	2244	673	702	1			
1	C	444	Total	C	N	O	S	0	34	0
			3589	2229	666	693	1			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	448	GLY	-	expression tag	UNP Q9I0Y7
A	449	SER	-	expression tag	UNP Q9I0Y7
A	450	HIS	-	expression tag	UNP Q9I0Y7
A	451	HIS	-	expression tag	UNP Q9I0Y7
A	452	HIS	-	expression tag	UNP Q9I0Y7
A	453	HIS	-	expression tag	UNP Q9I0Y7
A	454	HIS	-	expression tag	UNP Q9I0Y7
A	455	HIS	-	expression tag	UNP Q9I0Y7
B	448	GLY	-	expression tag	UNP Q9I0Y7
B	449	SER	-	expression tag	UNP Q9I0Y7
B	450	HIS	-	expression tag	UNP Q9I0Y7
B	451	HIS	-	expression tag	UNP Q9I0Y7
B	452	HIS	-	expression tag	UNP Q9I0Y7
B	453	HIS	-	expression tag	UNP Q9I0Y7
B	454	HIS	-	expression tag	UNP Q9I0Y7
B	455	HIS	-	expression tag	UNP Q9I0Y7
C	448	GLY	-	expression tag	UNP Q9I0Y7
C	449	SER	-	expression tag	UNP Q9I0Y7
C	450	HIS	-	expression tag	UNP Q9I0Y7
C	451	HIS	-	expression tag	UNP Q9I0Y7
C	452	HIS	-	expression tag	UNP Q9I0Y7
C	453	HIS	-	expression tag	UNP Q9I0Y7
C	454	HIS	-	expression tag	UNP Q9I0Y7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	455	HIS	-	expression tag	UNP Q9I0Y7

- Molecule 2 is (2S)-1-(pentanoyloxy)propan-2-yl hexanoate (three-letter code: 3PK) (formula: $C_{14}H_{26}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			18	14	4		
2	C	1	Total	C	O	0	0
			18	14	4		

- Molecule 3 is OCTANAL (three-letter code: OYA) (formula: $C_8H_{16}O$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			9	8	1		
3	C	1	Total	C	O	0	0
			9	8	1		

- Molecule 4 is B-OCTYLGLUCOSIDE (three-letter code: BOG) (formula: C₁₄H₂₈O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			20	14	6		
4	A	1	Total	C	O	0	0
			20	14	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			20	14	6		
4	B	1	Total	C	O	0	0
			20	14	6		
4	C	1	Total	C	O	0	0
			20	14	6		
4	C	1	Total	C	O	0	0
			20	14	6		
4	C	1	Total	C	O	0	0
			20	14	6		
4	C	1	Total	C	O	0	0
			20	14	6		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is FORMIC ACID (three-letter code: FMT) (formula: CH₂O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total 3	C 1	O 2	0	0
6	A	1	Total 3	C 1	O 2	0	0
6	B	1	Total 3	C 1	O 2	0	0
6	B	1	Total 3	C 1	O 2	0	0
6	B	1	Total 3	C 1	O 2	0	0
6	B	1	Total 3	C 1	O 2	0	0
6	B	1	Total 3	C 1	O 2	0	0
6	B	1	Total 3	C 1	O 2	0	0
6	B	1	Total 3	C 1	O 2	0	0
6	C	1	Total 3	C 1	O 2	0	0
6	C	1	Total 3	C 1	O 2	0	0
6	C	1	Total 3	C 1	O 2	0	0
6	C	1	Total 3	C 1	O 2	0	0
6	C	1	Total 3	C 1	O 2	0	0

- Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total 1	Na 1	0	0
7	A	1	Total 1	Na 1	0	0
7	C	1	Total 1	Na 1	0	0

- Molecule 8 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	660	Total O 660 660	0	0
9	B	627	Total O 627 627	0	0
9	C	598	Total O 598 598	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Multidrug efflux outer membrane protein OprN



- Molecule 1: Multidrug efflux outer membrane protein OprN



- Molecule 1: Multidrug efflux outer membrane protein OprN



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	257.51Å 257.51Å 81.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.69 39.92 – 1.69	Depositor EDS
% Data completeness (in resolution range)	99.4 (50.00-1.69) 99.4 (39.92-1.69)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 1.69Å)	Xtriage
Refinement program	REFMAC 5.8.0131	Depositor
R, R_{free}	0.160 , 0.180 0.173 , 0.191	Depositor DCC
R_{free} test set	15011 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	20.8	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 58.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.010 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13057	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NA, FMT, 3PK, ACT, OYA, BOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.01	5/3720 (0.1%)	1.12	36/5030 (0.7%)
1	B	1.07	7/3760 (0.2%)	1.30	36/5084 (0.7%)
1	C	1.02	7/3739 (0.2%)	1.12	29/5056 (0.6%)
All	All	1.03	19/11219 (0.2%)	1.19	101/15170 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	399	GLU	CD-OE1	7.28	1.33	1.25
1	B	399	GLU	CB-CG	-6.68	1.39	1.52
1	A	31	GLU	CD-OE1	6.64	1.32	1.25
1	A	235	GLU	CD-OE2	6.39	1.32	1.25
1	B	152	GLU	CD-OE1	6.31	1.32	1.25
1	C	48	GLU	CD-OE2	6.29	1.32	1.25
1	B	413	GLU	CD-OE2	5.94	1.32	1.25
1	B	235	GLU	CD-OE1	5.76	1.31	1.25
1	A	425	GLU	CD-OE2	5.73	1.31	1.25
1	A	361	GLU	CD-OE1	5.51	1.31	1.25
1	C	413	GLU	CD-OE2	5.50	1.31	1.25
1	C	411	GLU	CG-CD	5.43	1.60	1.51
1	C	119	ASP	N-CA	5.39	1.57	1.46
1	C	274[A]	ARG	CZ-NH1	-5.32	1.26	1.33
1	C	274[B]	ARG	CZ-NH1	-5.32	1.26	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	CYS	CA-CB	5.23	1.65	1.53
1	B	399	GLU	CD-OE2	-5.10	1.20	1.25
1	C	235	GLU	CD-OE1	5.06	1.31	1.25
1	B	1	CYS	CA-CB	5.00	1.65	1.53

All (101) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	65[A]	ARG	NE-CZ-NH1	-21.97	109.31	120.30
1	B	65[B]	ARG	NE-CZ-NH1	-21.97	109.31	120.30
1	B	65[A]	ARG	NE-CZ-NH2	19.70	130.15	120.30
1	B	65[B]	ARG	NE-CZ-NH2	19.70	130.15	120.30
1	C	123[A]	ARG	NE-CZ-NH2	-12.92	113.84	120.30
1	C	123[B]	ARG	NE-CZ-NH2	-12.92	113.84	120.30
1	B	381	ARG	NE-CZ-NH1	12.88	126.74	120.30
1	B	412	ARG	NE-CZ-NH1	-11.71	114.44	120.30
1	B	123[A]	ARG	NE-CZ-NH1	11.51	126.06	120.30
1	B	123[B]	ARG	NE-CZ-NH1	11.51	126.06	120.30
1	B	412	ARG	NE-CZ-NH2	11.07	125.84	120.30
1	A	269[A]	ARG	NE-CZ-NH2	-10.71	114.94	120.30
1	A	269[B]	ARG	NE-CZ-NH2	-10.71	114.94	120.30
1	B	381	ARG	NE-CZ-NH2	-10.68	114.96	120.30
1	C	63	ARG	NE-CZ-NH1	10.35	125.47	120.30
1	B	123[A]	ARG	NE-CZ-NH2	-10.01	115.30	120.30
1	B	123[B]	ARG	NE-CZ-NH2	-10.01	115.30	120.30
1	B	264	ARG	NE-CZ-NH1	9.87	125.24	120.30
1	C	63	ARG	CB-CG-CD	8.98	134.95	111.60
1	A	372	ARG	NE-CZ-NH2	-8.75	115.92	120.30
1	C	233	ARG	NE-CZ-NH2	-8.71	115.94	120.30
1	B	70[A]	LEU	CB-CG-CD1	8.64	125.70	111.00
1	B	70[B]	LEU	CB-CG-CD1	8.64	125.70	111.00
1	A	123[A]	ARG	NE-CZ-NH2	-8.53	116.03	120.30
1	A	123[B]	ARG	NE-CZ-NH2	-8.53	116.03	120.30
1	B	264	ARG	NE-CZ-NH2	-8.43	116.08	120.30
1	C	334	ARG	NE-CZ-NH2	-8.39	116.11	120.30
1	C	123[A]	ARG	NE-CZ-NH1	8.33	124.46	120.30
1	C	123[B]	ARG	NE-CZ-NH1	8.33	124.46	120.30
1	C	63	ARG	NE-CZ-NH2	-7.98	116.31	120.30
1	C	412	ARG	NE-CZ-NH2	7.85	124.22	120.30
1	A	141	ASP	CB-CG-OD2	-7.78	111.30	118.30
1	A	123[A]	ARG	NE-CZ-NH1	7.77	124.18	120.30
1	A	123[B]	ARG	NE-CZ-NH1	7.77	124.18	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	152	GLU	OE1-CD-OE2	7.71	132.55	123.30
1	C	381	ARG	NE-CZ-NH1	7.62	124.11	120.30
1	B	188	ARG	NE-CZ-NH1	7.59	124.09	120.30
1	A	240	ASP	CB-CG-OD1	7.55	125.10	118.30
1	A	233	ARG	NE-CZ-NH2	-7.45	116.57	120.30
1	A	120	LEU	CB-CG-CD1	7.41	123.60	111.00
1	A	55	ARG	NE-CZ-NH2	-7.27	116.66	120.30
1	A	396	ARG	NE-CZ-NH2	7.25	123.92	120.30
1	A	329	ASP	CB-CG-OD2	-7.24	111.79	118.30
1	C	305	ARG	NE-CZ-NH1	7.18	123.89	120.30
1	B	55	ARG	NE-CZ-NH1	7.03	123.82	120.30
1	A	188	ARG	NE-CZ-NH1	6.87	123.73	120.30
1	B	399	GLU	CB-CA-C	-6.85	96.69	110.40
1	A	403	ASP	CB-CG-OD1	6.67	124.30	118.30
1	A	152	GLU	OE1-CD-OE2	6.66	131.30	123.30
1	A	269[A]	ARG	CG-CD-NE	-6.66	97.82	111.80
1	A	269[B]	ARG	CG-CD-NE	-6.66	97.82	111.80
1	B	233	ARG	NE-CZ-NH2	-6.61	117.00	120.30
1	A	396	ARG	NE-CZ-NH1	-6.57	117.02	120.30
1	C	269	ARG	NE-CZ-NH2	6.56	123.58	120.30
1	A	237	LEU	CA-CB-CG	6.55	130.37	115.30
1	A	125	ARG	NE-CZ-NH1	-6.51	117.05	120.30
1	C	152	GLU	OE1-CD-OE2	6.49	131.09	123.30
1	A	265	ARG	NE-CZ-NH2	-6.44	117.08	120.30
1	C	412	ARG	NE-CZ-NH1	-6.40	117.10	120.30
1	C	330	LEU	CB-CG-CD2	6.39	121.86	111.00
1	C	381	ARG	NE-CZ-NH2	-6.32	117.14	120.30
1	A	265	ARG	NE-CZ-NH1	6.14	123.37	120.30
1	A	29	ARG	CG-CD-NE	-6.10	98.99	111.80
1	B	399	GLU	CG-CD-OE2	-6.08	106.15	118.30
1	A	264	ARG	NE-CZ-NH1	6.06	123.33	120.30
1	C	264	ARG	NE-CZ-NH1	5.99	123.30	120.30
1	B	181	ARG	NE-CZ-NH2	5.88	123.24	120.30
1	B	398	ARG	NE-CZ-NH1	5.85	123.23	120.30
1	A	412	ARG	NE-CZ-NH2	5.83	123.22	120.30
1	C	233	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	C	240	ASP	CB-CG-OD1	5.68	123.41	118.30
1	C	264	ARG	NE-CZ-NH2	-5.67	117.47	120.30
1	A	372	ARG	NE-CZ-NH1	5.64	123.12	120.30
1	B	188	ARG	NE-CZ-NH2	-5.59	117.51	120.30
1	B	245	ASP	CB-CG-OD1	5.55	123.30	118.30
1	B	336[A]	ARG	NE-CZ-NH2	-5.55	117.53	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	336[B]	ARG	NE-CZ-NH2	-5.55	117.53	120.30
1	C	72	ASP	CB-CG-OD1	5.49	123.24	118.30
1	A	225	ARG	NE-CZ-NH2	5.47	123.04	120.30
1	C	120	LEU	CB-CG-CD1	5.46	120.29	111.00
1	B	233	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	C	8	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	B	269[A]	ARG	NE-CZ-NH1	-5.35	117.63	120.30
1	B	269[B]	ARG	NE-CZ-NH1	-5.35	117.63	120.30
1	A	197	ASP	CB-CG-OD1	5.34	123.11	118.30
1	B	329	ASP	CB-CG-OD2	-5.32	113.51	118.30
1	C	58	ARG	CG-CD-NE	5.32	122.98	111.80
1	C	334	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	A	428	LEU	CA-CB-CG	5.29	127.46	115.30
1	A	55	ARG	NE-CZ-NH1	5.23	122.91	120.30
1	A	398	ARG	NE-CZ-NH1	5.19	122.89	120.30
1	B	403	ASP	CB-CG-OD2	-5.15	113.66	118.30
1	B	403	ASP	CB-CG-OD1	5.14	122.93	118.30
1	C	68[A]	ARG	NE-CZ-NH2	-5.11	117.75	120.30
1	C	68[B]	ARG	NE-CZ-NH2	-5.11	117.75	120.30
1	B	437	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	A	29	ARG	NE-CZ-NH1	-5.05	117.78	120.30
1	A	428	LEU	CB-CG-CD2	5.03	119.55	111.00
1	A	107	ARG	CG-CD-NE	-5.01	101.27	111.80
1	C	336	ARG	NE-CZ-NH2	5.01	122.81	120.30
1	B	265	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	399	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3584	0	3636	26	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3620	0	3677	53	0
1	C	3589	0	3662	26	0
2	A	18	0	25	0	0
2	C	18	0	25	0	0
3	A	9	0	15	0	0
3	C	9	0	15	0	0
4	A	60	0	84	0	0
4	B	20	0	28	0	0
4	C	80	0	112	1	0
5	A	24	0	32	3	0
5	B	24	0	32	10	0
5	C	24	0	32	3	0
6	A	18	0	8	0	0
6	B	21	0	8	1	0
6	C	15	0	6	3	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	8	0	6	1	0
8	B	12	0	9	7	0
8	C	16	0	12	3	0
9	A	660	0	0	6	4
9	B	627	0	0	16	3
9	C	598	0	0	10	0
All	All	13057	0	11424	111	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181[A]:ARG:NH2	1:A:185:GLU:OE1	1.87	1.05
1:B:29[A]:ARG:NH1	9:B:601:HOH:O	2.03	0.91
1:B:37[B]:GLN:HE22	1:B:254:PRO:HG2	1.36	0.90
1:B:37[B]:GLN:HE22	1:B:254:PRO:CG	1.85	0.89
1:B:57[A]:LEU:HD12	1:B:142[A]:LEU:CD1	2.04	0.87
1:B:57[A]:LEU:CD1	1:B:142[A]:LEU:CD1	2.54	0.86
5:A:509:GOL:H2	9:A:606:HOH:O	1.76	0.84
1:B:412:ARG:HD3	5:B:505:GOL:H12	1.65	0.79
1:A:224:HIS:NE2	9:A:601:HOH:O	2.18	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:37[A]:GLN:HE22	1:C:254:PRO:HG2	1.50	0.75
1:B:57[A]:LEU:CD1	1:B:142[A]:LEU:HD11	2.17	0.73
1:B:399:GLU:OE2	5:B:504:GOL:O3	2.05	0.72
1:B:57[A]:LEU:CD1	1:B:142[A]:LEU:HD12	2.20	0.72
1:B:331:GLY:O	8:B:515:ACT:H3	1.91	0.70
1:B:204:ARG:HA	5:B:505:GOL:H31	1.73	0.70
1:A:63[B]:ARG:NE	9:A:602:HOH:O	2.21	0.69
1:B:57[A]:LEU:HD11	1:B:142[A]:LEU:CD1	2.21	0.69
1:B:65[A]:ARG:NH1	1:C:345:ASP:OD2	2.24	0.69
1:B:57[A]:LEU:HD11	1:B:142[A]:LEU:HD11	1.74	0.69
1:A:37[A]:GLN:HE22	1:A:254:PRO:HG2	1.58	0.68
1:C:182[B]:GLN:NE2	9:C:601:HOH:O	2.27	0.68
1:A:233:ARG:HE	8:A:517:ACT:H3	1.58	0.68
1:B:412:ARG:CD	5:B:505:GOL:H12	2.25	0.67
1:B:61[B]:PHE:CE2	9:B:897:HOH:O	2.47	0.66
1:B:338:ARG:HH12	8:B:515:ACT:H1	1.59	0.66
1:C:37[A]:GLN:HE22	1:C:254:PRO:CG	2.08	0.65
1:B:269[A]:ARG:HG3	9:B:617:HOH:O	1.94	0.65
1:B:37[B]:GLN:NE2	1:B:254:PRO:HG2	2.12	0.64
1:C:354:GLN:HG2	9:C:637:HOH:O	1.98	0.63
1:B:61[B]:PHE:HZ	9:B:610:HOH:O	1.80	0.63
1:C:61[B]:PHE:CD2	1:C:65:ARG:NH1	2.67	0.63
1:A:37[A]:GLN:HE22	1:A:254:PRO:CG	2.12	0.63
1:B:441:GLY:HA3	9:B:630:HOH:O	1.98	0.63
1:A:96:PRO:HG2	1:B:107:ARG:HG3	1.81	0.62
1:B:95:GLN:NE2	1:B:105:SER:OG	2.33	0.62
1:B:412:ARG:HD3	5:B:505:GOL:C1	2.29	0.61
1:B:7:TYR:HA	8:B:516:ACT:H2	1.83	0.60
1:B:57[A]:LEU:HD12	1:B:142[A]:LEU:HD12	1.80	0.59
1:C:37[B]:GLN:HE22	1:C:254:PRO:HD2	1.68	0.59
1:C:37[B]:GLN:HG3	1:C:249:ILE:CD1	2.33	0.59
1:B:295:LEU:HD11	1:B:319:VAL:CG1	2.33	0.58
1:A:353:GLN:HE21	5:C:508:GOL:H31	1.67	0.58
1:A:353:GLN:HE21	5:C:508:GOL:C3	2.16	0.58
1:B:392:GLN:HG3	9:B:606:HOH:O	2.02	0.58
1:A:221[B]:ARG:NH1	9:A:604:HOH:O	2.37	0.58
8:B:516:ACT:H3	9:B:813:HOH:O	2.03	0.57
1:C:55:ARG:HH22	6:C:511:FMT:C	2.19	0.56
1:A:37[B]:GLN:HG3	1:A:249:ILE:CD1	2.35	0.56
1:B:441:GLY:HA3	9:B:862:HOH:O	2.07	0.55
1:A:37[A]:GLN:HE22	1:A:254:PRO:CD	2.19	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:29[B]:ARG:HG2	1:B:30:PHE:H	1.72	0.55
1:B:354:GLN:HG2	9:B:653:HOH:O	2.06	0.55
1:A:2[A]:THR:OG1	1:A:125:ARG:NH1	2.40	0.54
1:B:61[B]:PHE:CZ	9:B:897:HOH:O	2.59	0.54
1:A:37[A]:GLN:NE2	1:A:254:PRO:HG2	2.22	0.54
1:B:204:ARG:HD2	5:B:505:GOL:H2	1.88	0.54
1:A:61[B]:PHE:CE1	1:A:142:LEU:HD21	2.43	0.54
1:B:142[B]:LEU:HD11	1:B:146:GLN:NE2	2.24	0.53
1:B:1:CYS:N	9:B:602:HOH:O	2.15	0.52
1:B:118:LEU:HB3	1:B:120:LEU:HD13	1.91	0.51
1:C:182[B]:GLN:HG2	9:C:601:HOH:O	2.11	0.51
1:B:37[A]:GLN:HG3	1:B:249:ILE:HD13	1.93	0.50
1:C:57[B]:LEU:HD23	1:C:145[B]:LEU:HD13	1.92	0.50
8:C:519:ACT:H1	9:C:994:HOH:O	2.11	0.50
1:C:274[A]:ARG:NH2	9:C:607:HOH:O	2.37	0.50
1:C:146[A]:GLN:NE2	9:C:613:HOH:O	2.47	0.48
1:A:288:ASP:O	5:A:509:GOL:H31	2.13	0.48
5:B:505:GOL:O3	1:C:413:GLU:OE1	2.25	0.48
1:B:204:ARG:NH2	5:B:505:GOL:O1	2.47	0.48
8:C:518:ACT:H2	9:C:855:HOH:O	2.13	0.48
1:B:220:GLU:OE1	1:B:223[B]:ARG:NH2	2.47	0.47
1:B:8:ARG:H	8:B:516:ACT:H2	1.79	0.47
1:B:175[B]:GLU:HG2	9:B:629:HOH:O	2.13	0.47
1:A:61[B]:PHE:CD1	1:A:142:LEU:HD21	2.50	0.47
1:B:325:TRP:HA	5:B:502:GOL:H32	1.96	0.47
1:C:37[B]:GLN:HG3	1:C:249:ILE:HD13	1.96	0.47
5:A:508:GOL:H12	9:C:708:HOH:O	2.14	0.47
1:A:357:LEU:HD11	5:C:508:GOL:H31	1.97	0.46
1:C:286:THR:HG21	4:C:505:BOG:H1	1.98	0.46
5:B:502:GOL:H2	9:B:609:HOH:O	2.16	0.45
1:C:57[B]:LEU:HD11	1:C:149:LEU:HD23	1.98	0.45
1:A:2[B]:THR:HG22	9:A:864:HOH:O	2.15	0.45
1:C:37[B]:GLN:HE22	1:C:254:PRO:CD	2.29	0.45
1:B:29[B]:ARG:HG2	1:B:30:PHE:N	2.32	0.44
1:C:178:LYS:HA	1:C:205[A]:LEU:HD11	1.99	0.44
1:A:223[A]:ARG:HG3	1:A:241:LEU:HD12	1.99	0.43
1:A:392:GLN:NE2	9:A:607:HOH:O	2.43	0.43
1:C:428:LEU:C	1:C:428:LEU:HD13	2.38	0.43
6:C:514:FMT:C	9:C:636:HOH:O	2.65	0.43
1:B:441:GLY:CA	9:B:630:HOH:O	2.64	0.43
1:B:347:ALA:HB1	9:B:624:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123[B]:ARG:NH1	1:B:284:VAL:O	2.52	0.42
1:C:231:GLY:O	6:C:511:FMT:C	2.68	0.42
1:A:204[B]:ARG:HB2	1:A:204[B]:ARG:HE	1.30	0.42
1:A:382:GLN:OE1	1:A:413:GLU:OE2	2.37	0.42
1:B:57[A]:LEU:HD11	1:B:142[A]:LEU:HD12	1.93	0.42
1:C:37[A]:GLN:NE2	1:C:254:PRO:HG2	2.25	0.42
1:B:139:GLU:OE2	6:B:507:FMT:C	2.68	0.42
8:C:519:ACT:H2	9:C:1010:HOH:O	2.19	0.41
1:B:275:LEU:N	9:B:624:HOH:O	2.53	0.41
1:B:338:ARG:HH22	8:B:515:ACT:H1	1.85	0.41
1:C:57[B]:LEU:HD23	1:C:145[B]:LEU:CD1	2.51	0.41
1:A:63[B]:ARG:HD3	1:A:63[B]:ARG:HA	1.90	0.41
1:C:37[A]:GLN:HE22	1:C:254:PRO:CD	2.33	0.41
1:B:185[B]:GLU:HG3	1:B:188:ARG:NH2	2.36	0.41
1:C:37[B]:GLN:CG	1:C:249:ILE:CD1	2.98	0.41
1:C:428:LEU:O	1:C:428:LEU:HD13	2.21	0.41
1:B:8:ARG:H	8:B:516:ACT:CH3	2.33	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:1055:HOH:O	9:B:1089:HOH:O[8_445]	1.74	0.46
9:A:672:HOH:O	9:B:1089:HOH:O[8_445]	2.01	0.19
9:A:922:HOH:O	9:A:1078:HOH:O[8_445]	2.07	0.13
9:A:1055:HOH:O	9:B:844:HOH:O[8_445]	2.16	0.04

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	474/455 (104%)	468 (99%)	6 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	479/455 (105%)	472 (98%)	7 (2%)	0	100	100
1	C	476/455 (105%)	467 (98%)	9 (2%)	0	100	100
All	All	1429/1365 (105%)	1407 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	376/353 (106%)	368 (98%)	8 (2%)	61	42
1	B	379/353 (107%)	368 (97%)	11 (3%)	50	27
1	C	378/353 (107%)	373 (99%)	5 (1%)	76	62
All	All	1133/1059 (107%)	1109 (98%)	24 (2%)	63	42

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LYS
1	A	71	ARG
1	A	89	ASP
1	A	105	SER
1	A	120	LEU
1	A	251	LYS
1	A	322	SER
1	A	428	LEU
1	B	29[A]	ARG
1	B	29[B]	ARG
1	B	37[A]	GLN
1	B	37[B]	GLN
1	B	70[A]	LEU
1	B	70[B]	LEU
1	B	71	ARG
1	B	105	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	120	LEU
1	B	238	THR
1	B	251	LYS
1	C	16	LYS
1	C	31	GLU
1	C	71	ARG
1	C	120	LEU
1	C	330	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	GLN
1	A	308	GLN
1	A	353	GLN
1	A	354	GLN
1	A	382	GLN
1	B	45	GLN
1	B	76	ASN
1	B	95	GLN
1	B	159	GLN
1	B	176	ASN
1	B	182	GLN
1	C	159	GLN
1	C	176	ASN
1	C	391	GLN
1	C	392	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 54 ligands modelled in this entry, 3 are monoatomic - leaving 51 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	3PK	A	501	1	17,17,17	0.57	0	19,19,19	0.37	0
3	OYA	A	502	1	8,8,8	0.92	0	7,7,7	0.98	1 (14%)
4	BOG	A	503	-	20,20,20	0.50	0	25,25,25	0.87	1 (4%)
4	BOG	A	504	-	20,20,20	0.81	1 (5%)	25,25,25	1.49	4 (16%)
4	BOG	A	505	-	20,20,20	0.73	1 (5%)	25,25,25	1.49	2 (8%)
5	GOL	A	506	-	5,5,5	0.40	0	5,5,5	0.47	0
5	GOL	A	507	-	5,5,5	0.66	0	5,5,5	1.38	0
5	GOL	A	508	-	5,5,5	0.14	0	5,5,5	0.99	0
5	GOL	A	509	-	5,5,5	0.44	0	5,5,5	0.59	0
6	FMT	A	510	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	A	511	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	A	512	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	A	513	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	A	514	7	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	A	515	-	0,2,2	0.00	-	0,1,1	0.00	-
8	ACT	A	517	-	0,3,3	0.00	-	0,3,3	0.00	-
8	ACT	A	518	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BOG	B	501	-	20,20,20	0.54	0	25,25,25	0.81	0
5	GOL	B	502	-	5,5,5	0.38	0	5,5,5	1.14	0
5	GOL	B	503	-	5,5,5	0.37	0	5,5,5	0.27	0
5	GOL	B	504	-	5,5,5	0.32	0	5,5,5	0.81	0
5	GOL	B	505	-	5,5,5	0.13	0	5,5,5	1.12	0
6	FMT	B	506	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	B	507	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	B	508	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	B	509	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	B	510	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	B	511	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	B	512	-	0,2,2	0.00	-	0,1,1	0.00	-
8	ACT	B	514	-	0,3,3	0.00	-	0,3,3	0.00	-
8	ACT	B	515	-	0,3,3	0.00	-	0,3,3	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	ACT	B	516	-	0,3,3	0.00	-	0,3,3	0.00	-
2	3PK	C	501	1	17,17,17	0.56	0	19,19,19	0.85	1 (5%)
3	OYA	C	502	1	8,8,8	1.09	1 (12%)	7,7,7	0.54	0
4	BOG	C	503	-	20,20,20	0.72	1 (5%)	25,25,25	1.46	4 (16%)
4	BOG	C	504	-	20,20,20	0.52	0	25,25,25	0.92	2 (8%)
4	BOG	C	505	-	20,20,20	1.79	3 (15%)	25,25,25	2.46	11 (44%)
4	BOG	C	506	-	20,20,20	0.47	0	25,25,25	1.42	6 (24%)
5	GOL	C	507	-	5,5,5	0.32	0	5,5,5	0.46	0
5	GOL	C	508	-	5,5,5	0.41	0	5,5,5	1.07	0
5	GOL	C	509	-	5,5,5	0.35	0	5,5,5	0.48	0
5	GOL	C	510	-	5,5,5	0.40	0	5,5,5	0.32	0
6	FMT	C	511	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	C	512	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	C	513	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	C	514	-	0,2,2	0.00	-	0,1,1	0.00	-
6	FMT	C	515	-	0,2,2	0.00	-	0,1,1	0.00	-
8	ACT	C	517	-	0,3,3	0.00	-	0,3,3	0.00	-
8	ACT	C	518	-	0,3,3	0.00	-	0,3,3	0.00	-
8	ACT	C	519	-	0,3,3	0.00	-	0,3,3	0.00	-
8	ACT	C	520	-	0,3,3	0.00	-	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3PK	A	501	1	-	0/18/18/18	0/0/0/0
3	OYA	A	502	1	-	0/5/6/6	0/0/0/0
4	BOG	A	503	-	-	0/11/31/31	0/1/1/1
4	BOG	A	504	-	-	0/11/31/31	0/1/1/1
4	BOG	A	505	-	-	0/11/31/31	0/1/1/1
5	GOL	A	506	-	-	0/4/4/4	0/0/0/0
5	GOL	A	507	-	-	0/4/4/4	0/0/0/0
5	GOL	A	508	-	-	0/4/4/4	0/0/0/0
5	GOL	A	509	-	-	0/4/4/4	0/0/0/0
6	FMT	A	510	-	-	0/0/0/0	0/0/0/0
6	FMT	A	511	-	-	0/0/0/0	0/0/0/0
6	FMT	A	512	-	-	0/0/0/0	0/0/0/0
6	FMT	A	513	-	-	0/0/0/0	0/0/0/0
6	FMT	A	514	7	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	FMT	A	515	-	-	0/0/0/0	0/0/0/0
8	ACT	A	517	-	-	0/0/0/0	0/0/0/0
8	ACT	A	518	-	-	0/0/0/0	0/0/0/0
4	BOG	B	501	-	-	0/11/31/31	0/1/1/1
5	GOL	B	502	-	-	0/4/4/4	0/0/0/0
5	GOL	B	503	-	-	0/4/4/4	0/0/0/0
5	GOL	B	504	-	-	0/4/4/4	0/0/0/0
5	GOL	B	505	-	-	0/4/4/4	0/0/0/0
6	FMT	B	506	-	-	0/0/0/0	0/0/0/0
6	FMT	B	507	-	-	0/0/0/0	0/0/0/0
6	FMT	B	508	-	-	0/0/0/0	0/0/0/0
6	FMT	B	509	-	-	0/0/0/0	0/0/0/0
6	FMT	B	510	-	-	0/0/0/0	0/0/0/0
6	FMT	B	511	-	-	0/0/0/0	0/0/0/0
6	FMT	B	512	-	-	0/0/0/0	0/0/0/0
8	ACT	B	514	-	-	0/0/0/0	0/0/0/0
8	ACT	B	515	-	-	0/0/0/0	0/0/0/0
8	ACT	B	516	-	-	0/0/0/0	0/0/0/0
2	3PK	C	501	1	-	0/18/18/18	0/0/0/0
3	OYA	C	502	1	-	0/5/6/6	0/0/0/0
4	BOG	C	503	-	-	0/11/31/31	0/1/1/1
4	BOG	C	504	-	-	0/11/31/31	0/1/1/1
4	BOG	C	505	-	-	0/11/31/31	0/1/1/1
4	BOG	C	506	-	-	0/11/31/31	0/1/1/1
5	GOL	C	507	-	-	0/4/4/4	0/0/0/0
5	GOL	C	508	-	-	0/4/4/4	0/0/0/0
5	GOL	C	509	-	-	0/4/4/4	0/0/0/0
5	GOL	C	510	-	-	0/4/4/4	0/0/0/0
6	FMT	C	511	-	-	0/0/0/0	0/0/0/0
6	FMT	C	512	-	-	0/0/0/0	0/0/0/0
6	FMT	C	513	-	-	0/0/0/0	0/0/0/0
6	FMT	C	514	-	-	0/0/0/0	0/0/0/0
6	FMT	C	515	-	-	0/0/0/0	0/0/0/0
8	ACT	C	517	-	-	0/0/0/0	0/0/0/0
8	ACT	C	518	-	-	0/0/0/0	0/0/0/0
8	ACT	C	519	-	-	0/0/0/0	0/0/0/0
8	ACT	C	520	-	-	0/0/0/0	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	505	BOG	O1-C1	2.17	1.44	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	502	OYA	C9-C10	2.59	1.57	1.49
4	C	503	BOG	O1-C1	2.59	1.44	1.40
4	A	504	BOG	O1-C1	2.64	1.45	1.40
4	C	505	BOG	O5-C5	3.96	1.54	1.44
4	C	505	BOG	O5-C1	4.25	1.52	1.41
4	C	505	BOG	O1-C1	4.69	1.48	1.40

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	505	BOG	C4-C3-C2	-4.67	102.19	110.79
4	C	505	BOG	C6-C5-C4	-3.36	104.58	112.99
4	C	505	BOG	C1-C2-C3	-3.20	103.64	109.98
4	A	505	BOG	C1'-O1-C1	-2.58	109.48	114.00
3	A	502	OYA	OAB-C10-C9	-2.55	115.34	125.44
4	C	506	BOG	C1'-O1-C1	-2.42	109.78	114.00
4	C	506	BOG	O5-C5-C6	-2.13	100.86	106.38
4	C	504	BOG	C1'-O1-C1	-2.12	110.29	114.00
4	C	506	BOG	O5-C1-O1	-2.12	104.90	109.99
4	A	503	BOG	O1-C1-C2	2.16	110.66	108.00
4	C	505	BOG	O2-C2-C1	2.28	115.06	110.01
4	C	505	BOG	C1'-O1-C1	2.30	118.03	114.00
4	C	504	BOG	O5-C5-C6	2.35	112.46	106.38
4	A	504	BOG	O5-C5-C6	2.45	112.72	106.38
4	C	505	BOG	O4-C4-C5	2.52	115.85	109.23
4	C	503	BOG	C3-C4-C5	2.65	114.96	110.23
4	C	506	BOG	O1-C1-C2	2.69	111.30	108.00
4	C	505	BOG	O6-C6-C5	2.69	120.30	111.30
4	C	506	BOG	O5-C5-C4	2.87	115.15	109.67
2	C	501	3PK	CG2-OG2-CB1	2.88	121.50	117.79
4	C	505	BOG	O5-C5-C4	2.93	115.25	109.67
4	C	506	BOG	C1-O5-C5	3.07	119.76	113.74
4	A	504	BOG	C4-C3-C2	3.18	116.64	110.79
4	C	505	BOG	O5-C5-C6	3.37	115.11	106.38
4	A	504	BOG	C1-C2-C3	3.45	116.83	109.98
4	C	503	BOG	O5-C5-C4	3.49	116.33	109.67
4	C	503	BOG	C1-O5-C5	3.51	120.63	113.74
4	C	505	BOG	O1-C1'-C2'	3.52	119.74	109.63
4	C	503	BOG	C1'-O1-C1	3.57	120.23	114.00
4	A	504	BOG	C3-C4-C5	3.81	117.02	110.23
4	A	505	BOG	O1-C1-C2	5.17	114.36	108.00
4	C	505	BOG	O5-C1-O1	5.79	123.88	109.99

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

15 monomers are involved in 32 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	508	GOL	1	0
5	A	509	GOL	2	0
8	A	517	ACT	1	0
5	B	502	GOL	2	0
5	B	504	GOL	1	0
5	B	505	GOL	7	0
6	B	507	FMT	1	0
8	B	515	ACT	3	0
8	B	516	ACT	4	0
4	C	505	BOG	1	0
5	C	508	GOL	3	0
6	C	511	FMT	2	0
6	C	514	FMT	1	0
8	C	518	ACT	1	0
8	C	519	ACT	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	446/455 (98%)	-0.26	11 (2%) 61 65	13, 22, 44, 62	0
1	B	450/455 (98%)	-0.31	11 (2%) 62 66	14, 21, 42, 53	0
1	C	444/455 (97%)	-0.37	8 (1%) 71 76	14, 21, 42, 64	0
All	All	1340/1365 (98%)	-0.32	30 (2%) 65 70	13, 21, 43, 64	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	97	GLY	3.8
1	A	402[A]	THR	3.7
1	C	98	VAL	3.6
1	B	97	GLY	3.3
1	B	23	LYS	3.2
1	B	238	THR	3.2
1	B	18	ASP	3.2
1	C	99	THR	3.0
1	C	21	ALA	3.0
1	A	401	THR	2.8
1	B	98	VAL	2.8
1	A	97	GLY	2.8
1	B	250	THR	2.7
1	A	305	ARG	2.7
1	C	11	ASP	2.7
1	A	400	GLY	2.5
1	A	22	SER	2.4
1	B	1	CYS	2.4
1	A	21	ALA	2.4
1	A	61[A]	PHE	2.4
1	A	23	LYS	2.4
1	B	61[A]	PHE	2.3
1	A	18	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	95	GLN	2.2
1	B	21	ALA	2.2
1	B	105	SER	2.1
1	B	99	THR	2.1
1	C	23	LYS	2.0
1	A	101	ASP	2.0
1	C	444	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	FMT	A	514	3/3	0.94	0.26	18.83	49,49,49,54	0
5	GOL	A	506	6/6	0.92	0.17	17.06	25,36,47,55	0
4	BOG	C	506	20/20	0.67	0.21	15.75	50,65,76,84	0
5	GOL	A	509	6/6	0.88	0.22	14.46	34,50,57,59	0
5	GOL	B	502	6/6	0.89	0.28	13.83	36,49,53,55	0
8	ACT	C	519	4/4	0.58	0.28	13.80	55,58,62,64	0
4	BOG	C	504	20/20	0.81	0.21	13.75	40,49,62,64	0
6	FMT	B	511	3/3	0.97	0.30	12.27	46,46,52,52	0
4	BOG	C	503	20/20	0.80	0.18	12.27	55,65,82,82	0
5	GOL	B	505	6/6	0.80	0.30	11.65	41,48,50,59	0
6	FMT	B	508	3/3	0.89	0.20	10.90	36,36,41,50	0
6	FMT	B	507	3/3	0.83	0.23	10.69	34,34,47,48	0
4	BOG	A	503	20/20	0.87	0.17	10.38	41,52,72,75	0
5	GOL	A	508	6/6	0.89	0.34	9.95	40,47,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	BOG	A	504	20/20	0.59	0.35	9.90	57,80,89,94	0
8	ACT	C	520	4/4	0.72	0.15	9.60	52,59,63,66	0
8	ACT	B	515	4/4	0.45	0.26	8.38	31,41,46,47	0
4	BOG	C	505	20/20	0.75	0.24	8.20	38,52,60,62	0
6	FMT	C	511	3/3	0.62	0.26	6.53	45,45,47,49	0
3	OYA	C	502	9/9	0.83	0.19	6.34	39,57,70,70	0
8	ACT	C	518	4/4	0.91	0.11	6.28	37,39,40,44	0
5	GOL	A	507	6/6	0.73	0.16	6.03	40,52,55,59	0
2	3PK	A	501	18/18	0.57	0.20	5.42	54,66,68,69	0
8	ACT	C	517	4/4	0.87	0.15	5.40	34,43,47,48	0
2	3PK	C	501	18/18	0.69	0.16	5.35	42,56,62,68	0
4	BOG	B	501	20/20	0.82	0.19	5.29	46,53,63,66	0
6	FMT	B	509	3/3	0.84	0.16	5.12	44,44,54,55	0
7	NA	B	513	1/1	0.99	0.10	4.94	27,27,27,27	0
6	FMT	B	512	3/3	0.64	0.17	4.84	53,53,57,61	0
6	FMT	A	515	3/3	0.68	0.16	3.97	48,48,53,59	0
6	FMT	A	510	3/3	0.82	0.22	3.86	24,24,33,39	0
8	ACT	A	517	4/4	0.89	0.10	3.81	34,35,39,45	0
3	OYA	A	502	9/9	0.78	0.15	3.62	49,54,62,62	0
5	GOL	B	503	6/6	0.57	0.21	3.35	64,71,73,77	0
5	GOL	C	507	6/6	0.88	0.12	3.00	44,45,47,48	0
4	BOG	A	505	20/20	0.69	0.23	2.89	43,56,64,66	0
5	GOL	C	509	6/6	0.74	0.18	2.64	55,60,61,61	0
8	ACT	B	514	4/4	0.84	0.13	2.08	38,38,39,45	0
6	FMT	C	515	3/3	0.93	0.08	1.62	56,56,56,60	0
5	GOL	B	504	6/6	0.89	0.11	1.07	44,45,48,53	0
7	NA	A	516	1/1	0.97	0.08	0.88	32,32,32,32	0
6	FMT	A	513	3/3	0.94	0.14	0.85	33,33,40,47	0
7	NA	C	516	1/1	0.98	0.06	-0.57	30,30,30,30	0
5	GOL	C	510	6/6	0.78	0.27	-	58,61,63,63	0
5	GOL	C	508	6/6	0.85	0.17	-	41,46,52,52	0
8	ACT	A	518	4/4	0.74	0.28	-	67,68,70,71	0
6	FMT	A	512	3/3	0.78	0.21	-	48,48,61,66	0
6	FMT	B	510	3/3	0.86	0.10	-	71,71,78,80	0
6	FMT	C	513	3/3	0.85	0.13	-	37,37,45,50	0
6	FMT	B	506	3/3	0.82	0.15	-	40,40,54,56	0
6	FMT	A	511	3/3	0.81	0.28	-	41,41,42,52	0
6	FMT	C	512	3/3	0.90	0.10	-	30,30,42,48	0
8	ACT	B	516	4/4	0.57	0.22	-	30,46,52,55	0
6	FMT	C	514	3/3	0.55	0.23	-	50,50,59,60	0

6.5 Other polymers ⓘ

There are no such residues in this entry.