



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:30 AM GMT

PDB ID : 3B1J  
Title : Crystal structure of Glyceraldehyde-3-Phosphate Dehydrogenase complexed with CP12 in the presence of copper from *Synechococcus elongatus*  
Authors : Matsumura, H.; Kai, A.; Inoue, T.  
Deposited on : 2011-07-04  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	<div> <div>3%</div> <div>71%</div> <div>27%</div> <div>.</div> </div>
1	B	339	<div> <div>2%</div> <div>67%</div> <div>30%</div> <div>.</div> </div>
2	C	25	<div> <div>16%</div> <div>52%</div> <div>32%</div> <div>.</div> <div>12%</div> </div>
2	D	25	<div> <div>4%</div> <div>60%</div> <div>32%</div> <div>8%</div> </div>

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5849 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glyceraldehyde 3-phosphate dehydrogenase (NADP+).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	338	Total	C	N	O	S	0	0	0
			2596	1633	455	499	9			
1	B	338	Total	C	N	O	S	0	0	0
			2596	1633	455	499	9			

- Molecule 2 is a protein called CP12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	22	Total	C	N	O	S	0	0	0
			175	110	23	40	2			
2	D	23	Total	C	N	O	S	0	0	0
			182	114	24	42	2			

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Cu	0	0
			1	1		
4	A	1	Total	Cu	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	96	Total	O	0	0
			96	96		
5	B	100	Total	O	0	0
			100	100		
5	C	6	Total	O	0	0
			6	6		
5	D	8	Total	O	0	0
			8	8		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glyceraldehyde 3-phosphate dehydrogenase (NADP+)



- Molecule 1: Glyceraldehyde 3-phosphate dehydrogenase (NADP+)



- Molecule 2: CP12



- Molecule 2: CP12



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.00Å 161.60Å 146.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.20 42.69 – 2.20	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.20) 99.2 (42.69-2.20)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.31 (at 2.20Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.230 , 0.275 0.229 , 0.276	Depositor DCC
$R_{free}$ test set	2102 reflections (5.00%)	DCC
Wilson B-factor (Å <sup>2</sup> )	25.3	Xtriage
Anisotropy	0.601	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 46.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 42216 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5849	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CU, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.34	0/2639	0.64	1/3590 (0.0%)
1	B	0.36	0/2639	0.64	1/3590 (0.0%)
2	C	0.36	0/180	0.54	0/245
2	D	0.42	0/187	0.61	0/255
All	All	0.35	0/5645	0.64	2/7680 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	208	ILE	N-CA-C	-6.12	94.47	111.00
1	A	208	ILE	N-CA-C	-5.55	96.00	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2596	0	2619	93	0
1	B	2596	0	2619	93	0
2	C	175	0	137	15	0
2	D	182	0	144	9	0
3	A	44	0	26	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	44	0	26	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	96	0	0	5	0
5	B	100	0	0	7	0
5	C	6	0	0	2	0
5	D	8	0	0	1	0
All	All	5849	0	5571	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:ARG:HD2	2:C:72:ILE:HD11	1.48	0.96
1:B:171:PHE:HB3	1:B:251:VAL:HG11	1.54	0.90
1:B:324:GLN:HE21	1:B:324:GLN:HA	1.38	0.88
2:C:63:GLU:HG3	2:C:64:ASN:OD1	1.74	0.87
1:B:59:ASP:H	1:B:70:ASN:ND2	1.76	0.83
1:B:327:VAL:O	1:B:331:GLU:HG2	1.77	0.82
1:A:174:ILE:HD11	1:A:252:GLU:HA	1.60	0.81
1:A:171:PHE:HB3	1:A:251:VAL:CG1	2.13	0.79
1:B:27:THR:HA	5:B:414:HOH:O	1.82	0.79
1:A:269:GLN:HB2	5:A:426:HOH:O	1.82	0.79
1:A:324:GLN:HA	1:A:324:GLN:HE21	1.46	0.77
1:A:303:LEU:HD23	1:A:304:VAL:N	2.03	0.74
1:A:196:ARG:HD2	2:C:72:ILE:CD1	2.17	0.74
1:A:332:LEU:HD22	1:A:336:LYS:HD2	1.70	0.73
1:B:24:ARG:HH21	1:B:324:GLN:NE2	1.87	0.73
1:B:59:ASP:H	1:B:70:ASN:HD21	1.34	0.73
1:A:171:PHE:HB3	1:A:251:VAL:HG13	1.71	0.73
1:A:59:ASP:H	1:A:70:ASN:HD21	1.37	0.72
2:D:54:GLU:N	2:D:55:PRO:HD3	2.05	0.71
2:C:54:GLU:N	2:C:55:PRO:HD3	2.03	0.71
1:A:143:ARG:HB2	1:A:146:ASP:CG	2.12	0.70
1:B:171:PHE:HB3	1:B:251:VAL:CG1	2.21	0.69
1:B:171:PHE:O	1:B:251:VAL:HG13	1.93	0.69
1:A:248:VAL:HG22	1:A:311:LYS:HG3	1.75	0.69
1:A:59:ASP:H	1:A:70:ASN:ND2	1.91	0.69
1:B:85:LEU:HD13	1:B:87:TRP:CZ2	2.29	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:LEU:HD13	1:A:87:TRP:CZ2	2.27	0.68
1:B:101:VAL:HG23	2:D:65:PRO:HB2	1.76	0.68
1:B:160:LEU:HD22	1:B:178:MET:HE3	1.75	0.68
1:B:134:VAL:HG23	1:B:222:VAL:HG11	1.77	0.66
1:A:305:MET:HB3	1:A:309:LEU:HD23	1.78	0.66
1:A:80:ARG:HH22	2:C:66:ASP:CG	2.00	0.64
1:A:120:LEU:HD13	1:A:150:ILE:HG13	1.80	0.64
1:A:196:ARG:CD	2:C:72:ILE:HD11	2.26	0.63
1:A:120:LEU:HD11	1:A:329:LEU:HD23	1.80	0.63
1:B:199:ARG:HD3	1:B:210:PRO:O	1.97	0.63
1:B:158:ASN:HD22	1:B:325:ARG:HG3	1.63	0.63
1:A:119:VAL:CG1	1:A:149:VAL:HG22	2.27	0.63
2:D:53:THR:HG23	2:D:54:GLU:OE2	2.01	0.61
1:A:171:PHE:HB3	1:A:251:VAL:HG11	1.82	0.61
1:B:245:VAL:HG12	1:B:316:TYR:CE1	2.35	0.61
1:B:303:LEU:HD23	1:B:304:VAL:N	2.15	0.61
1:A:104:THR:HG22	1:A:126:LYS:HB3	1.83	0.60
1:A:324:GLN:HA	1:A:324:GLN:NE2	2.16	0.60
1:A:24:ARG:HH21	1:A:324:GLN:NE2	2.00	0.59
1:A:143:ARG:HB2	1:A:146:ASP:OD1	2.02	0.59
1:B:158:ASN:ND2	1:B:325:ARG:HG3	2.18	0.58
1:B:331:GLU:CD	5:B:414:HOH:O	2.41	0.58
1:B:142:TYR:CD2	1:B:332:LEU:HD22	2.38	0.58
1:B:331:GLU:HA	1:B:331:GLU:OE2	2.04	0.58
1:B:93:ASP:HB3	1:B:337:TRP:CZ2	2.38	0.58
1:A:99:THR:OG1	1:A:101:VAL:HG12	2.03	0.58
1:A:261:ASN:HD21	1:A:302:THR:CB	2.17	0.58
1:B:160:LEU:HD22	1:B:178:MET:CE	2.34	0.57
1:B:324:GLN:NE2	1:B:324:GLN:HA	2.14	0.57
1:A:193:ALA:O	1:A:201:ALA:HB1	2.04	0.57
2:C:54:GLU:N	2:C:55:PRO:CD	2.68	0.57
1:A:247:LEU:HD11	1:A:249:VAL:HG13	1.86	0.57
1:B:24:ARG:HH21	1:B:324:GLN:HE21	1.51	0.56
1:B:222:VAL:HG22	5:B:429:HOH:O	2.06	0.56
1:A:80:ARG:HG3	5:A:395:HOH:O	2.06	0.56
1:A:291:THR:HG21	1:A:296:ILE:HD11	1.88	0.56
1:B:161:ALA:HB3	1:B:162:PRO:HD3	1.88	0.56
1:A:291:THR:HG21	1:A:296:ILE:CD1	2.36	0.56
1:B:248:VAL:HG22	1:B:311:LYS:HG3	1.87	0.56
1:B:135:ILE:HB	1:B:325:ARG:HD3	1.88	0.55
1:B:241:ASN:ND2	1:B:242:VAL:H	2.05	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:THR:HG21	5:C:96:HOH:O	2.07	0.55
1:B:101:VAL:CG2	2:D:65:PRO:HB2	2.37	0.55
2:D:54:GLU:N	2:D:55:PRO:CD	2.70	0.55
1:A:259:GLN:O	1:A:263:VAL:HG23	2.07	0.55
1:A:196:ARG:HH21	2:C:61:CYS:HB2	1.72	0.54
2:C:66:ASP:HA	2:C:71:LEU:HD21	1.88	0.54
1:B:255:THR:OG1	1:B:259:GLN:HB3	2.07	0.54
1:A:161:ALA:HB3	1:A:162:PRO:HD3	1.90	0.54
1:B:120:LEU:HD11	1:B:329:LEU:HD23	1.89	0.53
1:B:331:GLU:HB3	1:B:335:ARG:HH22	1.73	0.53
1:A:80:ARG:NH2	2:C:66:ASP:CG	2.62	0.53
1:A:332:LEU:O	1:A:336:LYS:HG3	2.08	0.53
1:A:134:VAL:HG23	1:A:222:VAL:HG11	1.90	0.53
1:A:101:VAL:HG13	1:A:102:PHE:CD1	2.45	0.52
1:B:29:LEU:HD23	1:B:334:ALA:HB2	1.91	0.52
1:B:196:ARG:HD2	2:D:72:ILE:CD1	2.40	0.52
1:A:266:LYS:HA	5:A:426:HOH:O	2.08	0.52
1:B:196:ARG:HD2	2:D:72:ILE:HD11	1.92	0.52
2:C:57:PHE:O	2:C:61:CYS:HB2	2.09	0.51
1:B:22:PHE:CZ	1:B:69:VAL:HB	2.46	0.51
2:C:64:ASN:HB3	5:C:173:HOH:O	2.08	0.51
1:A:305:MET:O	1:A:306:ASP:HB3	2.09	0.51
1:B:220:ALA:CB	1:B:227:LYS:HA	2.41	0.51
1:B:291:THR:HG21	1:B:296:ILE:CD1	2.41	0.50
1:A:174:ILE:O	1:A:175:LYS:HB3	2.11	0.50
1:B:168:HIS:O	1:B:172:GLY:N	2.42	0.50
1:B:251:VAL:CG1	1:B:252:GLU:N	2.75	0.50
1:A:144:HIS:CD2	1:A:338:ALA:H	2.30	0.49
1:B:178:MET:HG2	1:B:179:THR:N	2.26	0.49
1:A:12:ARG:HH11	1:A:15:ARG:NH2	2.09	0.49
1:A:144:HIS:CD2	1:A:337:TRP:HA	2.47	0.49
1:B:144:HIS:CD2	1:B:337:TRP:HA	2.48	0.49
1:A:251:VAL:HG12	1:A:253:LYS:N	2.28	0.49
1:B:214:GLY:O	1:B:218:ALA:HB2	2.13	0.49
1:A:11:GLY:O	1:A:15:ARG:HG3	2.13	0.48
1:A:10:PHE:H	1:A:36:ASN:ND2	2.11	0.48
1:B:270:THR:O	1:B:273:LYS:HB2	2.13	0.48
1:B:87:TRP:HA	1:B:87:TRP:CE3	2.49	0.48
1:A:242:VAL:H	1:A:318:ASN:HD21	1.59	0.48
1:A:196:ARG:HH21	2:C:61:CYS:CB	2.26	0.48
1:A:174:ILE:HD12	1:A:250:GLN:HG2	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:216:ALA:HB3	5:A:404:HOH:O	2.14	0.48
1:B:305:MET:HB3	1:B:309:LEU:HB3	1.95	0.48
1:A:160:LEU:HD22	1:A:178:MET:CE	2.44	0.48
1:B:236:ARG:CZ	2:D:75:ASP:OD1	2.62	0.48
1:B:103:VAL:HG23	1:B:126:LYS:HE3	1.95	0.47
1:B:305:MET:HE2	1:B:306:ASP:HB2	1.96	0.47
1:A:87:TRP:HE3	1:A:87:TRP:HA	1.80	0.47
1:A:174:ILE:HG12	1:A:252:GLU:OE1	2.14	0.47
1:A:303:LEU:HB3	1:A:311:LYS:HB3	1.95	0.47
1:B:89:GLU:CD	1:B:89:GLU:H	2.12	0.47
1:A:242:VAL:N	1:A:318:ASN:HD21	2.13	0.47
1:A:298:ASP:OD2	1:A:301:LEU:HG	2.15	0.47
1:B:190:ILE:HG13	1:B:190:ILE:H	1.54	0.46
1:A:120:LEU:CD1	1:A:329:LEU:HD23	2.45	0.46
1:A:195:HIS:HB3	1:A:201:ALA:HB2	1.97	0.46
1:B:170:ASN:ND2	1:B:263:VAL:HG21	2.30	0.46
1:A:324:GLN:CA	1:A:324:GLN:HE21	2.16	0.46
1:A:87:TRP:CE3	1:A:87:TRP:HA	2.50	0.46
1:A:251:VAL:HG12	1:A:253:LYS:H	1.80	0.46
1:B:41:ARG:HG3	1:B:62:TYR:CZ	2.50	0.46
1:B:99:THR:OG1	1:B:101:VAL:HG12	2.16	0.46
1:B:220:ALA:HB2	1:B:227:LYS:HA	1.96	0.46
1:A:305:MET:O	1:A:309:LEU:HB3	2.16	0.46
1:A:247:LEU:HD11	1:A:249:VAL:CG1	2.45	0.46
1:B:242:VAL:H	1:B:318:ASN:HD21	1.64	0.45
1:A:327:VAL:O	1:A:331:GLU:HG2	2.17	0.45
1:B:2:THR:HG22	1:B:2:THR:O	2.14	0.45
1:B:177:THR:HA	1:B:231:ASN:O	2.17	0.45
1:A:80:ARG:NH2	2:C:66:ASP:OD1	2.45	0.45
1:B:37:THR:HG21	5:B:376:HOH:O	2.15	0.45
1:B:258:GLU:HG3	5:B:396:HOH:O	2.16	0.45
1:B:27:THR:CA	5:B:414:HOH:O	2.51	0.44
1:B:245:VAL:HG12	1:B:316:TYR:HE1	1.79	0.44
1:A:101:VAL:HG13	1:A:102:PHE:CE1	2.52	0.44
1:B:255:THR:OG1	1:B:256:ILE:N	2.51	0.44
1:A:190:ILE:H	1:A:190:ILE:HG13	1.39	0.44
1:B:29:LEU:CD2	1:B:334:ALA:HB2	2.47	0.44
1:A:124:PRO:HG3	5:A:402:HOH:O	2.18	0.44
1:B:56:PHE:CD2	1:B:60:ILE:HD11	2.52	0.44
1:B:241:ASN:ND2	1:B:319:GLU:HG3	2.32	0.44
1:A:296:ILE:HB	1:A:315:TRP:HB2	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:TRP:HA	1:B:87:TRP:HE3	1.83	0.43
1:B:195:HIS:HB3	1:B:201:ALA:HB2	2.01	0.43
1:B:5:VAL:HG22	1:B:94:LEU:HB3	2.00	0.43
1:B:99:THR:CB	1:B:101:VAL:HG12	2.48	0.43
1:B:241:ASN:O	1:B:242:VAL:HB	2.18	0.43
1:A:242:VAL:H	1:A:318:ASN:ND2	2.16	0.43
2:D:56:PHE:N	5:D:76:HOH:O	2.52	0.43
1:A:270:THR:OG1	1:A:271:THR:N	2.50	0.43
1:A:11:GLY:HA3	3:A:340:NAD:O5B	2.19	0.43
1:B:265:GLN:O	1:B:269:GLN:HG3	2.18	0.43
1:A:223:ILE:HG22	1:A:223:ILE:O	2.18	0.43
1:B:68:THR:HA	1:B:72:LYS:O	2.18	0.43
1:B:242:VAL:N	1:B:318:ASN:HD21	2.17	0.42
1:A:241:ASN:O	1:A:242:VAL:HB	2.18	0.42
1:B:99:THR:HB	1:B:101:VAL:HG12	2.01	0.42
1:A:144:HIS:CE1	1:A:338:ALA:HB3	2.54	0.42
1:B:59:ASP:O	1:B:69:VAL:HA	2.18	0.42
1:A:120:LEU:CD1	1:A:150:ILE:HG13	2.49	0.42
1:B:277:LYS:HD3	1:B:296:ILE:HG23	2.01	0.42
1:A:244:VAL:HB	1:A:315:TRP:CE3	2.54	0.42
1:B:149:VAL:HG22	5:B:357:HOH:O	2.19	0.42
1:B:30:GLU:O	1:B:32:VAL:HG13	2.20	0.42
1:A:24:ARG:HH21	1:A:324:GLN:HE21	1.67	0.42
1:A:251:VAL:CG1	1:A:252:GLU:N	2.83	0.42
1:A:101:VAL:O	1:A:101:VAL:HG22	2.19	0.42
1:A:135:ILE:HA	1:A:139:ASP:HB3	2.02	0.41
1:B:254:PRO:HA	1:B:307:GLY:O	2.20	0.41
1:A:133:TYR:CZ	1:A:142:TYR:HD1	2.38	0.41
1:A:145:GLU:CD	1:A:145:GLU:H	2.23	0.41
1:B:87:TRP:CE3	1:B:87:TRP:CA	3.02	0.41
2:C:66:ASP:HA	2:C:71:LEU:CD2	2.50	0.41
1:A:258:GLU:O	1:A:262:GLU:HB2	2.20	0.41
1:A:63:ASP:C	1:A:63:ASP:OD2	2.58	0.41
1:B:247:LEU:O	1:B:311:LYS:HA	2.21	0.41
1:B:149:VAL:HG23	1:B:149:VAL:O	2.21	0.41
1:A:99:THR:CB	1:A:101:VAL:HG12	2.51	0.41
1:B:331:GLU:HB3	1:B:335:ARG:NH2	2.36	0.41
1:A:171:PHE:O	1:A:251:VAL:HG13	2.21	0.41
1:B:120:LEU:CD1	1:B:329:LEU:HD23	2.50	0.41
1:A:210:PRO:HA	1:A:234:ALA:O	2.20	0.41
1:B:12:ARG:O	1:B:16:ASN:HB2	2.20	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:LEU:HD22	1:A:178:MET:HE2	2.02	0.41
1:B:5:VAL:HA	1:B:94:LEU:O	2.21	0.41
1:B:68:THR:HA	1:B:73:THR:HA	2.03	0.41
1:B:35:ASN:HA	1:B:77:VAL:O	2.21	0.41
1:B:244:VAL:HB	1:B:315:TRP:CE3	2.56	0.40
1:B:288:PHE:CE2	1:B:296:ILE:HG21	2.57	0.40
1:A:251:VAL:HG12	1:A:252:GLU:N	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	336/339 (99%)	307 (91%)	24 (7%)	5 (2%)	13	9
1	B	336/339 (99%)	310 (92%)	20 (6%)	6 (2%)	11	7
2	C	20/25 (80%)	19 (95%)	1 (5%)	0	100	100
2	D	21/25 (84%)	18 (86%)	3 (14%)	0	100	100
All	All	713/728 (98%)	654 (92%)	48 (7%)	11 (2%)	13	9

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	307	GLY
1	B	172	GLY
1	A	172	GLY
1	A	242	VAL
1	B	25	GLN
1	B	242	VAL
1	A	175	LYS
1	B	64	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	65	ASN
1	B	337	TRP
1	A	203	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	284/284 (100%)	273 (96%)	11 (4%)	39	48
1	B	284/284 (100%)	272 (96%)	12 (4%)	36	44
2	C	19/22 (86%)	18 (95%)	1 (5%)	28	32
2	D	20/22 (91%)	19 (95%)	1 (5%)	30	35
All	All	607/612 (99%)	582 (96%)	25 (4%)	37	45

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	VAL
1	A	87	TRP
1	A	97	GLU
1	A	106	GLU
1	A	145	GLU
1	A	167	LEU
1	A	178	MET
1	A	183	SER
1	A	190	ILE
1	A	324	GLN
1	A	332	LEU
1	B	30	GLU
1	B	87	TRP
1	B	89	GLU
1	B	118	LYS
1	B	130	VAL
1	B	145	GLU
1	B	190	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	196	ARG
1	B	198	LEU
1	B	236	ARG
1	B	324	GLN
1	B	332	LEU
2	C	66	ASP
2	D	66	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	ASN
1	A	57	ASN
1	A	70	ASN
1	A	158	ASN
1	A	241	ASN
1	A	259	GLN
1	A	261	ASN
1	A	324	GLN
1	B	36	ASN
1	B	57	ASN
1	B	70	ASN
1	B	84	ASN
1	B	158	ASN
1	B	241	ASN
1	B	261	ASN
1	B	324	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.



## 5.6 Ligand geometry

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAD	A	340	-	38,48,48	1.44	5 (13%)	47,73,73	2.14	9 (19%)
3	NAD	B	340	-	38,48,48	1.38	5 (13%)	47,73,73	2.08	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	A	340	-	-	0/22/62/62	0/5/5/5
3	NAD	B	340	-	-	0/22/62/62	0/5/5/5

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	340	NAD	O4D-C1D	2.11	1.43	1.41
3	B	340	NAD	C2A-N1A	2.14	1.38	1.33
3	A	340	NAD	C2A-N1A	2.67	1.39	1.33
3	A	340	NAD	O4D-C1D	2.70	1.44	1.41
3	A	340	NAD	C2A-N3A	2.76	1.37	1.32
3	B	340	NAD	C2A-N3A	2.89	1.37	1.32
3	A	340	NAD	C4N-C3N	2.93	1.44	1.39
3	B	340	NAD	C4N-C3N	3.24	1.44	1.39
3	B	340	NAD	C5A-C4A	4.36	1.50	1.40
3	A	340	NAD	C5A-C4A	4.75	1.51	1.40

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	340	NAD	N3A-C2A-N1A	-9.87	121.33	128.89

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	340	NAD	N3A-C2A-N1A	-9.57	121.57	128.89
3	A	340	NAD	C1B-N9A-C4A	-4.30	120.46	126.94
3	B	340	NAD	C1B-N9A-C4A	-3.97	120.96	126.94
3	B	340	NAD	O7N-C7N-C3N	-3.38	115.90	119.59
3	A	340	NAD	O7N-C7N-C3N	-2.95	116.36	119.59
3	A	340	NAD	N6A-C6A-N1A	2.01	123.53	119.20
3	A	340	NAD	O2A-PA-O3	2.30	115.53	105.09
3	B	340	NAD	O2A-PA-O3	2.32	115.61	105.09
3	B	340	NAD	C4D-O4D-C1D	2.56	112.53	109.72
3	B	340	NAD	C2A-N1A-C6A	2.94	124.02	118.77
3	A	340	NAD	C4D-O4D-C1D	2.99	113.01	109.72
3	A	340	NAD	C3N-C7N-N7N	2.99	121.09	117.82
3	A	340	NAD	C2A-N1A-C6A	3.02	124.16	118.77
3	B	340	NAD	C3N-C7N-N7N	3.42	121.56	117.82
3	B	340	NAD	O4D-C1D-N1N	5.56	114.24	108.13
3	A	340	NAD	O4D-C1D-N1N	5.98	114.70	108.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	340	NAD	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	338/339 (99%)	0.06	11 (3%) 50 49	12, 32, 57, 69	0
1	B	338/339 (99%)	0.02	7 (2%) 67 65	11, 33, 49, 65	0
2	C	22/25 (88%)	0.94	4 (18%) 2 2	34, 48, 64, 75	0
2	D	23/25 (92%)	0.22	1 (4%) 39 38	19, 31, 53, 69	0
All	All	721/728 (99%)	0.07	23 (3%) 51 50	11, 33, 55, 75	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	53	THR	6.0
1	A	1	MET	5.1
2	C	55	PRO	4.4
1	A	256	ILE	3.7
2	C	54	GLU	3.5
1	B	1	MET	3.2
1	A	303	LEU	3.0
1	A	338	ALA	3.0
1	B	337	TRP	2.7
1	B	64	GLU	2.7
1	A	259	GLN	2.7
2	C	62	SER	2.6
1	A	337	TRP	2.5
1	B	256	ILE	2.5
2	C	75	ASP	2.5
1	B	27	THR	2.3
1	B	305	MET	2.2
1	A	251	VAL	2.2
1	A	266	LYS	2.1
1	A	335	ARG	2.1
1	B	338	ALA	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	305	MET	2.0
1	A	269	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NAD	B	340	44/44	0.96	0.12	-0.10	16,22,24,27	0
3	NAD	A	340	44/44	0.97	0.11	-0.36	17,21,28,29	0
4	CU	A	341	1/1	0.87	0.12	-0.70	81,81,81,81	0
4	CU	B	341	1/1	0.99	0.08	-1.84	61,61,61,61	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.