



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:31 PM GMT

PDB ID : 1B89
Title : CLATHRIN HEAVY CHAIN PROXIMAL LEG SEGMENT (BOVINE)
Authors : Ybe, J.A.; Brodsky, F.M.; Hofmann, K.; Lin, K.; Liu, S.-H.; Chen, L.; Earnest, T.N.; Fletterick, R.J.; Hwang, P.K.
Deposited on : 1999-05-27
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	449	<div> <div>3%</div> <div>41%</div> <div>27%</div> <div>•</div> <div>29%</div> </div>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2588 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (CLATHRIN HEAVY CHAIN).

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	321	2588	1663	444	470	3	8	0	0	2


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1271	MSE	MET	SEE REMARK 999	UNP P49951
A	1302	MSE	MET	SEE REMARK 999	UNP P49951
A	1314	MSE	MET	SEE REMARK 999	UNP P49951
A	1316	MSE	MET	SEE REMARK 999	UNP P49951
A	1332	MSE	MET	SEE REMARK 999	UNP P49951
A	1378	MSE	MET	SEE REMARK 999	UNP P49951
A	1379	MSE	MET	SEE REMARK 999	UNP P49951
A	1424	MSE	MET	SEE REMARK 999	UNP P49951

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PROTEIN (CLATHRIN HEAVY CHAIN)



4 Data and refinement statistics

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	145.20 Å 145.20 Å 166.30 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.60 19.98 – 2.50	Depositor EDS
% Data completeness (in resolution range)	75.7 (30.00-2.60) 71.7 (19.98-2.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.40 (at 2.50 Å)	Xtriage
Refinement program	CNS 0.4	Depositor
R, R_{free}	0.254 , 0.279 0.261 , 0.291	Depositor DCC
R_{free} test set	2350 reflections (12.45%)	DCC
Wilson B-factor (Å ²)	38.0	Xtriage
Anisotropy	0.725	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 49353 reflections	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	2588	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/2636	0.63	1/3554 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1193	PRO	N-CA-CB	5.82	110.28	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2588	0	2523	116	0
All	All	2588	0	2523	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1300:ILE:O	1:A:1304:GLU:HG2	1.68	0.93
1:A:1300:ILE:HG22	1:A:1323:LEU:HD13	1.59	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1287:ILE:HG23	1:A:1299:LEU:HD21	1.63	0.80
1:A:1343:VAL:HG21	1:A:1348:VAL:HG21	1.67	0.76
1:A:1412:LEU:HD11	1:A:1444:GLN:HG2	1.68	0.75
1:A:1401:VAL:HG22	1:A:1429:ARG:HH21	1.56	0.71
1:A:1457:ASN:HA	1:A:1487:TYR:CE1	2.25	0.70
1:A:1427:SER:HB2	1:A:1428:PRO:HD3	1.76	0.68
1:A:1224:PHE:HA	1:A:1227:LEU:HB3	1.76	0.67
1:A:1339:PHE:O	1:A:1343:VAL:HG12	1.94	0.67
1:A:1378:MSE:HE2	1:A:1386:TRP:HA	1.75	0.67
1:A:1445:LEU:HD13	1:A:1466:SER:OG	1.97	0.65
1:A:1457:ASN:HA	1:A:1487:TYR:CZ	2.32	0.64
1:A:1404:TYR:CD2	1:A:1426:LEU:HD22	2.33	0.64
1:A:1303:LEU:O	1:A:1307:LEU:HD13	1.98	0.64
1:A:1442:VAL:O	1:A:1442:VAL:HG12	2.00	0.62
1:A:1363:PHE:O	1:A:1366:ASP:HB3	2.00	0.62
1:A:1422:LEU:O	1:A:1425:VAL:HG22	2.00	0.62
1:A:1332:MSE:HG2	1:A:1357:LEU:HD13	1.80	0.62
1:A:1256:VAL:O	1:A:1260:CYS:HB2	2.01	0.60
1:A:1506:GLU:O	1:A:1510:ILE:HG13	2.02	0.60
1:A:1295:TYR:HB3	1:A:1298:GLU:CG	2.32	0.59
1:A:1387:LYS:HB2	1:A:1390:GLN:HG2	1.85	0.59
1:A:1295:TYR:HB3	1:A:1298:GLU:HG2	1.84	0.59
1:A:1401:VAL:HG22	1:A:1429:ARG:NH2	2.17	0.59
1:A:1381:HIS:N	1:A:1382:PRO:HD3	2.18	0.59
1:A:1470:LEU:O	1:A:1474:GLU:HG2	2.02	0.58
1:A:1289:TYR:O	1:A:1293:ARG:HG2	2.03	0.58
1:A:1456:GLN:HA	1:A:1463:VAL:HG11	1.86	0.57
1:A:1234:LEU:HD23	1:A:1234:LEU:O	2.05	0.56
1:A:1268:LEU:HD23	1:A:1271:MSE:HE3	1.87	0.56
1:A:1321:ALA:HB1	1:A:1332:MSE:HE1	1.89	0.55
1:A:1217:LEU:HA	1:A:1220:ASN:HD21	1.71	0.55
1:A:1232:VAL:C	1:A:1234:LEU:H	2.10	0.54
1:A:1378:MSE:HE2	1:A:1387:LYS:H	1.73	0.54
1:A:1332:MSE:HE2	1:A:1336:LEU:HG	1.88	0.54
1:A:1342:ARG:HH11	1:A:1342:ARG:HG2	1.73	0.54
1:A:1327:PHE:O	1:A:1328:LYS:HG3	2.08	0.54
1:A:1332:MSE:O	1:A:1332:MSE:HE2	2.08	0.53
1:A:1261:VAL:O	1:A:1264:LYS:N	2.35	0.53
1:A:1432:HIS:O	1:A:1436:VAL:HG23	2.08	0.53
1:A:1380:ASN:C	1:A:1382:PRO:HD3	2.29	0.53
1:A:1232:VAL:HG23	1:A:1240:ALA:HB1	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1326:LYS:HG3	1:A:1327:PHE:CE2	2.44	0.52
1:A:1300:ILE:HG22	1:A:1323:LEU:CD1	2.35	0.51
1:A:1449:LYS:HB3	1:A:1450:PRO:HD3	1.91	0.51
1:A:1258:PHE:O	1:A:1261:VAL:HB	2.11	0.51
1:A:1254:LYS:HD2	1:A:1282:GLU:OE1	2.09	0.51
1:A:1349:LEU:HD21	1:A:1364:LEU:HB3	1.92	0.51
1:A:1217:LEU:O	1:A:1220:ASN:ND2	2.45	0.50
1:A:1404:TYR:CG	1:A:1426:LEU:HD22	2.47	0.50
1:A:1495:LEU:HD23	1:A:1514:LEU:HD11	1.94	0.50
1:A:1227:LEU:O	1:A:1231:LEU:HG	2.13	0.49
1:A:1286:LEU:O	1:A:1286:LEU:HD12	2.13	0.49
1:A:1226:ARG:HA	1:A:1229:SER:HB3	1.94	0.49
1:A:1349:LEU:HD21	1:A:1364:LEU:CB	2.43	0.48
1:A:1361:LEU:HD13	1:A:1365:TYR:HE2	1.78	0.48
1:A:1234:LEU:HD22	1:A:1236:GLU:HG3	1.96	0.47
1:A:1367:LYS:C	1:A:1369:GLU:H	2.17	0.47
1:A:1456:GLN:HG2	1:A:1487:TYR:CE2	2.50	0.47
1:A:1374:ALA:O	1:A:1378:MSE:HG3	2.15	0.46
1:A:1232:VAL:C	1:A:1234:LEU:N	2.69	0.46
1:A:1315:GLY:O	1:A:1319:GLU:HG2	2.16	0.46
1:A:1438:TYR:CE1	1:A:1442:VAL:HG21	2.51	0.46
1:A:1442:VAL:O	1:A:1442:VAL:CG1	2.62	0.46
1:A:1371:TYR:HD1	1:A:1394:ILE:HG23	1.81	0.46
1:A:1357:LEU:HB3	1:A:1360:GLU:OE1	2.14	0.46
1:A:1332:MSE:HA	1:A:1332:MSE:HE3	1.97	0.46
1:A:1378:MSE:CE	1:A:1387:LYS:H	2.28	0.46
1:A:1234:LEU:HD22	1:A:1236:GLU:OE2	2.16	0.45
1:A:1404:TYR:CD2	1:A:1426:LEU:HB3	2.51	0.45
1:A:1306:ALA:HA	1:A:1309:LEU:HG	1.98	0.45
1:A:1455:VAL:O	1:A:1457:ASN:N	2.50	0.45
1:A:1387:LYS:CG	1:A:1390:GLN:HE21	2.30	0.44
1:A:1498:ARG:HH11	1:A:1498:ARG:CG	2.30	0.44
1:A:1422:LEU:CD1	1:A:1426:LEU:HD11	2.47	0.44
1:A:1467:LEU:HG	1:A:1471:PHE:CE2	2.52	0.44
1:A:1378:MSE:HE1	1:A:1390:GLN:HG3	1.99	0.44
1:A:1453:ARG:HH11	1:A:1453:ARG:HG2	1.82	0.44
1:A:1277:VAL:O	1:A:1313:HIS:HE1	2.00	0.44
1:A:1382:PRO:O	1:A:1383:THR:C	2.53	0.44
1:A:1449:LYS:N	1:A:1450:PRO:CD	2.81	0.44
1:A:1395:ILE:HG23	1:A:1396:THR:N	2.33	0.44
1:A:1349:LEU:C	1:A:1351:ALA:N	2.71	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1498:ARG:HH11	1:A:1498:ARG:HG3	1.82	0.43
1:A:1332:MSE:O	1:A:1332:MSE:HG3	2.17	0.43
1:A:1394:ILE:O	1:A:1395:ILE:C	2.55	0.43
1:A:1395:ILE:HD12	1:A:1398:VAL:HG21	2.00	0.43
1:A:1215:LYS:HD3	1:A:1234:LEU:HD13	2.01	0.43
1:A:1401:VAL:CG2	1:A:1429:ARG:HH21	2.27	0.43
1:A:1456:GLN:HG2	1:A:1487:TYR:CD2	2.54	0.43
1:A:1329:PRO:O	1:A:1332:MSE:HB3	2.19	0.43
1:A:1215:LYS:O	1:A:1219:ASN:HB2	2.18	0.43
1:A:1350:ARG:NH2	1:A:1353:GLU:HG2	2.34	0.42
1:A:1349:LEU:O	1:A:1351:ALA:N	2.52	0.42
1:A:1455:VAL:O	1:A:1456:GLN:C	2.58	0.42
1:A:1361:LEU:HD22	1:A:1365:TYR:CE2	2.54	0.42
1:A:1325:SER:OG	1:A:1326:LYS:N	2.53	0.42
1:A:1468:ASN:O	1:A:1472:ILE:HG13	2.19	0.42
1:A:1339:PHE:O	1:A:1343:VAL:CG1	2.64	0.42
1:A:1253:TRP:CH2	1:A:1275:HIS:CD2	3.08	0.41
1:A:1361:LEU:HA	1:A:1361:LEU:HD23	1.75	0.41
1:A:1397:LYS:O	1:A:1398:VAL:C	2.59	0.41
1:A:1422:LEU:HD22	1:A:1422:LEU:O	2.20	0.41
1:A:1244:ALA:HB2	1:A:1256:VAL:HG21	2.03	0.41
1:A:1495:LEU:HG	1:A:1499:LEU:HD12	2.02	0.41
1:A:1300:ILE:CG2	1:A:1323:LEU:HD13	2.39	0.41
1:A:1290:TYR:CD2	1:A:1299:LEU:HB2	2.56	0.41
1:A:1474:GLU:O	1:A:1476:ASP:N	2.54	0.41
1:A:1427:SER:CB	1:A:1428:PRO:HD3	2.48	0.40
1:A:1326:LYS:HG3	1:A:1327:PHE:CD2	2.56	0.40
1:A:1328:LYS:HD3	1:A:1331:LYS:NZ	2.36	0.40
1:A:1325:SER:O	1:A:1329:PRO:HG3	2.21	0.40
1:A:1371:TYR:CD1	1:A:1394:ILE:HG23	2.56	0.40
1:A:1332:MSE:CE	1:A:1332:MSE:O	2.69	0.40
1:A:1349:LEU:C	1:A:1351:ALA:H	2.25	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	317/449 (71%)	264 (83%)	42 (13%)	11 (4%)	4 6

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1475	GLU
1	A	1332	MSE
1	A	1456	GLN
1	A	1350	ARG
1	A	1358	TRP
1	A	1457	ASN
1	A	1237	TYR
1	A	1233	HIS
1	A	1384	ASP
1	A	1395	ILE
1	A	1398	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	267/382 (70%)	251 (94%)	16 (6%)	24 47

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1212	ASP
1	A	1260	CYS
1	A	1290	TYR
1	A	1332	MSE
1	A	1343	VAL
1	A	1361	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1384	ASP
1	A	1421	ASP
1	A	1422	LEU
1	A	1447	LEU
1	A	1454	SER
1	A	1465	GLU
1	A	1473	THR
1	A	1489	ASN
1	A	1492	ASN
1	A	1498	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1220	ASN
1	A	1223	ASN
1	A	1238	GLN
1	A	1275	HIS
1	A	1288	ASN
1	A	1313	HIS
1	A	1373	ASN
1	A	1390	GLN
1	A	1437	ASN
1	A	1489	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/449 (69%)	-0.04	13 (4%) 40 32	32, 54, 84, 91	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1182	ARG	4.2
1	A	1193	PRO	4.0
1	A	1191	ASN	3.5
1	A	1189	PHE	3.3
1	A	1210	MET	3.2
1	A	1184	ALA	2.9
1	A	1220	ASN	2.8
1	A	1183	LEU	2.7
1	A	1192	GLY	2.7
1	A	1187	GLU	2.7
1	A	1211	TYR	2.6
1	A	1273	GLY	2.4
1	A	1194	ASN	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.