



Full wwPDB NMR Structure Validation Report ⓘ

Apr 29, 2016 – 05:08 AM EDT

PDB ID : 4BEH
Title : Solution structure of human ribosomal protein P1.P2 heterodimer
Authors : Lee, K.M.; Yusa, K.; Chu, L.O.; Wing-Heng Yu, C.; Shaw, P.C.; Oono, M.; Miyoshi, T.; Ito, K.; Wong, K.B.; Uchiumi, T.
Deposited on : 2013-03-10

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 59%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	114	
2	B	116	

2 Ensemble composition and analysis

This entry contains 20 models. Model 8 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:3-A:63, B:203-B:259 (118)	0.65	8

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 2, 4, 7, 8, 14, 15
2	6, 10, 11, 13
3	5, 12, 16, 18
4	9, 17, 19
Single-model clusters	3; 20

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 3232 atoms, of which 1601 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called 60S ACIDIC RIBOSOMAL PROTEIN P1.

Mol	Chain	Residues	Atoms						Trace
1	A	114	Total	C	H	N	O	S	0
			1597	508	789	129	167	4	

- Molecule 2 is a protein called 60S ACIDIC RIBOSOMAL PROTEIN P2.

Mol	Chain	Residues	Atoms						Trace
2	B	116	Total	C	H	N	O	S	0
			1635	506	812	137	178	2	

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	200	ALA	-	EXPRESSION TAG	UNP P05387

4 Residue-property plots


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1



• Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2





4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.



4.2.1 Score per residue for model 1

• Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1







• Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2





4.2.2 Score per residue for model 2

• Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1




• Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2




4.2.3 Score per residue for model 3

• Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1




• Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2




4.2.4 Score per residue for model 4

- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1




- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2





4.2.5 Score per residue for model 5

- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1





- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2








4.2.6 Score per residue for model 6

- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1




- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2





4.2.7 Score per residue for model 7

- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1





- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2




4.2.8 Score per residue for model 8 (medoid)


- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 




- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2


Chain B: 




4.2.9 Score per residue for model 9


- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 



- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2


Chain B: 



4.2.10 Score per residue for model 10


- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 



• Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2


Chain B: 30% 16% . 51%



4.2.11 Score per residue for model 11


• Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 40% 11% . 46%



• Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2


Chain B: 28% 17% . 51%




4.2.12 Score per residue for model 12

• Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 41% 11% . 46%




- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2




4.2.13 Score per residue for model 13

- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1




- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2





4.2.14 Score per residue for model 14

- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1



- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2






4.2.15 Score per residue for model 15


- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 39% 11% . 46%



- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2


Chain B: 38% 10% . 51%



4.2.16 Score per residue for model 16


- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 40% 11% . 46%




- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2


Chain B: 34% 14% . 51%




4.2.17 Score per residue for model 17


- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 




- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2


Chain B: 




4.2.18 Score per residue for model 18


- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 




- Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2


Chain B: 



4.2.19 Score per residue for model 19


- Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 



• Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2


Chain B: 33% 13% . 51%



4.2.20 Score per residue for model 20


• Molecule 1: 60S ACIDIC RIBOSOMAL PROTEIN P1

Chain A: 42% 10% . 46%



• Molecule 2: 60S ACIDIC RIBOSOMAL PROTEIN P2

Chain B: 36% 13% 51%



5 Refinement protocol and experimental data overview

The models were refined using the following method: *ARIA*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *LEAST RESTRAINT VIOLATION AND LOWEST ENERGY*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS 1.1	refinement	
NMRVIEW	structure solution	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	4beh_cs.cif
Number of chemical shift lists	2
Total number of shifts	1671
Number of shifts mapped to atoms	1671
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	59%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality

6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	454	463	462	10±3
2	B	421	431	431	11±3
All	All	17500	17880	17860	357

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:56:ILE:O	1:A:59:LEU:HG	0.72	1.85	8	6
2:B:209:LEU:HD12	2:B:226:ILE:HD12	0.70	1.62	11	1
2:B:203:TYR:CE2	2:B:239:LEU:HA	0.70	2.21	6	1
2:B:204:VAL:O	2:B:208:LEU:HG	0.69	1.87	20	11
1:A:51:LEU:HA	1:A:54:VAL:HG23	0.68	1.65	3	15
2:B:207:TYR:HB2	2:B:246:LEU:HD21	0.65	1.68	11	1
1:A:11:TYR:OH	2:B:258:GLY:HA2	0.65	1.90	10	1
1:A:11:TYR:HB2	2:B:209:LEU:HD21	0.64	1.67	3	5
1:A:28:ILE:O	1:A:32:ILE:HG12	0.63	1.94	12	1
2:B:246:LEU:O	2:B:246:LEU:HD13	0.63	1.94	8	2
2:B:211:ALA:HA	2:B:215:ASN:O	0.61	1.95	5	14
2:B:207:TYR:CE1	2:B:251:ILE:HD11	0.61	2.30	1	5
1:A:56:ILE:O	1:A:59:LEU:HD12	0.61	1.94	6	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:246:LEU:HD13	2:B:246:LEU:O	0.61	1.96	4	1
1:A:47:PHE:O	1:A:51:LEU:HG	0.61	1.96	8	2
2:B:242:VAL:O	2:B:246:LEU:HD12	0.61	1.96	12	2
2:B:246:LEU:HG	2:B:246:LEU:O	0.60	1.96	2	2
1:A:9:CYS:SG	1:A:39:VAL:HG21	0.60	2.36	18	2
1:A:37:VAL:HG12	2:B:213:GLY:HA2	0.59	1.74	6	1
2:B:237:ASP:O	2:B:241:LYS:HB2	0.59	1.97	6	1
2:B:205:ALA:O	2:B:209:LEU:HG	0.59	1.98	17	3
1:A:6:GLU:HA	1:A:9:CYS:SG	0.58	2.37	14	4
2:B:241:LYS:O	2:B:245:GLU:HG2	0.58	1.98	18	1
1:A:47:PHE:O	1:A:51:LEU:HD12	0.58	1.99	9	1
2:B:243:ILE:HA	2:B:246:LEU:CD1	0.57	2.30	6	3
1:A:11:TYR:HB2	2:B:209:LEU:CD2	0.57	2.30	9	7
1:A:10:ILE:O	1:A:14:LEU:HG	0.57	2.00	9	2
2:B:242:VAL:O	2:B:246:LEU:HB3	0.57	2.00	11	5
1:A:51:LEU:HA	1:A:54:VAL:CG2	0.56	2.30	17	12
1:A:54:VAL:HG12	1:A:58:SER:CB	0.56	2.31	1	1
1:A:31:LEU:HD11	2:B:226:ILE:HG23	0.55	1.78	16	1
2:B:238:ARG:O	2:B:242:VAL:HG23	0.55	2.02	12	5
2:B:208:LEU:O	2:B:212:LEU:HG	0.55	2.00	7	1
1:A:11:TYR:OH	2:B:255:ILE:HG23	0.55	2.02	3	2
1:A:16:LEU:O	1:A:23:VAL:HB	0.55	2.02	2	1
1:A:51:LEU:HD12	1:A:54:VAL:HB	0.55	1.79	18	2
2:B:227:LEU:HD23	2:B:234:ALA:HB2	0.55	1.78	9	1
1:A:11:TYR:CD1	1:A:14:LEU:HD21	0.55	2.36	16	1
1:A:5:SER:OG	1:A:39:VAL:HG23	0.55	2.02	9	2
2:B:225:LYS:HD3	2:B:225:LYS:O	0.54	2.02	4	1
1:A:56:ILE:O	1:A:59:LEU:HD22	0.54	2.03	12	2
1:A:14:LEU:HD22	2:B:259:ILE:HG23	0.54	1.80	3	1
1:A:11:TYR:HD1	1:A:14:LEU:HD21	0.54	1.62	16	1
2:B:254:VAL:O	2:B:258:GLY:HA3	0.53	2.03	12	1
2:B:207:TYR:CD1	2:B:251:ILE:HD11	0.53	2.38	1	4
2:B:246:LEU:HD22	2:B:246:LEU:O	0.53	2.03	13	1
1:A:47:PHE:O	1:A:51:LEU:HD13	0.53	2.02	19	2
2:B:246:LEU:O	2:B:246:LEU:HD22	0.53	2.03	12	2
2:B:204:VAL:O	2:B:208:LEU:HD13	0.53	2.03	7	9
1:A:7:LEU:HD13	2:B:255:ILE:CG2	0.52	2.33	19	3
1:A:11:TYR:CE1	2:B:208:LEU:HD13	0.52	2.39	9	1
1:A:60:ILE:HG23	2:B:259:ILE:HD12	0.52	1.81	3	1
1:A:11:TYR:CZ	2:B:208:LEU:HD23	0.52	2.39	7	1
1:A:11:TYR:O	1:A:15:ILE:HG12	0.52	2.05	15	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:251:ILE:O	2:B:254:VAL:HG12	0.51	2.04	17	4
2:B:246:LEU:HD12	2:B:246:LEU:O	0.51	2.06	10	1
1:A:11:TYR:OH	2:B:255:ILE:HA	0.51	2.06	11	3
1:A:37:VAL:CG2	2:B:213:GLY:HA2	0.51	2.35	4	2
1:A:3:SER:O	1:A:7:LEU:HG	0.51	2.06	16	5
2:B:220:ALA:O	2:B:224:LYS:HB2	0.51	2.06	10	1
2:B:206:SER:OG	2:B:223:ILE:HG23	0.51	2.06	11	5
1:A:51:LEU:HA	1:A:54:VAL:CG1	0.51	2.36	11	1
1:A:23:VAL:HG11	1:A:51:LEU:HD23	0.51	1.83	4	2
1:A:47:PHE:O	1:A:51:LEU:HB3	0.51	2.06	18	2
2:B:249:LYS:HD3	2:B:249:LYS:H	0.50	1.66	11	1
1:A:56:ILE:O	1:A:59:LEU:HB2	0.50	2.07	15	1
2:B:239:LEU:HD12	2:B:240:ASN:N	0.50	2.21	18	4
1:A:16:LEU:HD23	1:A:23:VAL:HA	0.50	1.82	19	1
1:A:59:LEU:HD13	1:A:60:ILE:N	0.50	2.22	19	2
2:B:246:LEU:O	2:B:246:LEU:HD12	0.50	2.07	1	2
2:B:238:ARG:O	2:B:242:VAL:HG22	0.50	2.07	6	1
2:B:215:ASN:HD22	2:B:216:SER:N	0.49	2.05	19	1
2:B:251:ILE:HA	2:B:254:VAL:HG12	0.49	1.83	9	2
1:A:6:GLU:O	1:A:10:ILE:HB	0.49	2.07	11	2
1:A:27:LYS:HD2	1:A:27:LYS:N	0.49	2.21	13	1
2:B:207:TYR:CB	2:B:246:LEU:HD21	0.49	2.38	11	1
1:A:59:LEU:HA	1:A:62:ASN:OD1	0.49	2.08	8	1
1:A:5:SER:HB3	1:A:39:VAL:HG23	0.49	1.84	12	3
2:B:236:ASP:O	2:B:239:LEU:HG	0.49	2.07	14	1
1:A:6:GLU:O	1:A:10:ILE:HG23	0.48	2.07	17	1
1:A:60:ILE:HD11	2:B:259:ILE:HG21	0.48	1.85	15	1
2:B:205:ALA:HA	2:B:208:LEU:HD12	0.48	1.84	11	2
1:A:35:ALA:HB2	2:B:226:ILE:HD11	0.48	1.84	15	1
1:A:43:TRP:HB2	1:A:44:PRO:HD3	0.48	1.85	14	8
2:B:239:LEU:HD13	2:B:240:ASN:N	0.48	2.24	11	1
2:B:203:TYR:CD2	2:B:239:LEU:HA	0.48	2.44	13	1
1:A:42:PHE:O	1:A:46:LEU:HG	0.47	2.09	15	1
1:A:14:LEU:HD21	2:B:259:ILE:HG22	0.47	1.85	20	1
1:A:34:ALA:CB	2:B:226:ILE:HD13	0.47	2.39	11	1
2:B:219:SER:O	2:B:223:ILE:HD13	0.47	2.09	10	2
1:A:19:ASP:CG	1:A:20:GLU:H	0.47	2.13	14	2
1:A:30:ALA:HB3	2:B:230:VAL:HG11	0.47	1.86	16	1
1:A:7:LEU:O	1:A:10:ILE:HG22	0.47	2.10	3	1
1:A:29:ASN:OD1	1:A:33:LYS:HE3	0.47	2.10	18	1
1:A:7:LEU:HD13	2:B:255:ILE:HG22	0.47	1.87	19	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:235:ASP:O	2:B:239:LEU:HD12	0.47	2.09	11	1
1:A:40:GLU:O	1:A:44:PRO:HD2	0.46	2.10	1	1
2:B:208:LEU:O	2:B:212:LEU:HB3	0.46	2.10	1	1
1:A:35:ALA:HB3	2:B:209:LEU:HD12	0.46	1.87	15	1
1:A:37:VAL:HG13	2:B:213:GLY:HA2	0.46	1.86	1	1
1:A:23:VAL:HG23	1:A:23:VAL:O	0.46	2.11	18	1
1:A:51:LEU:HA	1:A:54:VAL:HG13	0.46	1.86	11	1
1:A:22:THR:O	1:A:27:LYS:HG3	0.46	2.10	14	1
2:B:246:LEU:C	2:B:246:LEU:HD22	0.46	2.30	19	3
2:B:224:LYS:O	2:B:228:ASP:HB2	0.46	2.11	12	1
1:A:43:TRP:O	1:A:47:PHE:HB2	0.46	2.10	19	2
1:A:31:LEU:HB2	2:B:230:VAL:CG1	0.46	2.40	12	1
1:A:14:LEU:HD12	1:A:15:ILE:N	0.46	2.25	14	1
1:A:15:ILE:HD12	1:A:31:LEU:HD21	0.46	1.88	17	1
1:A:47:PHE:HA	1:A:51:LEU:HD13	0.46	1.88	16	2
2:B:243:ILE:HA	2:B:246:LEU:CD2	0.46	2.40	10	1
2:B:207:TYR:CZ	2:B:218:PRO:HD2	0.45	2.46	17	5
1:A:11:TYR:CE1	2:B:208:LEU:HD23	0.45	2.47	18	1
1:A:51:LEU:HB3	1:A:54:VAL:HG22	0.45	1.88	11	1
1:A:51:LEU:C	1:A:53:ASN:H	0.45	2.15	18	4
1:A:37:VAL:HG22	2:B:213:GLY:HA2	0.45	1.89	13	1
1:A:11:TYR:CE2	2:B:208:LEU:HB3	0.45	2.47	20	1
1:A:37:VAL:HG22	2:B:213:GLY:HA3	0.45	1.87	14	1
1:A:19:ASP:OD2	2:B:232:ILE:HG21	0.45	2.12	15	1
1:A:14:LEU:HD11	2:B:205:ALA:CB	0.45	2.41	8	5
2:B:209:LEU:O	2:B:212:LEU:HG	0.45	2.12	9	2
2:B:242:VAL:O	2:B:246:LEU:HG	0.44	2.12	17	1
1:A:60:ILE:HG12	2:B:259:ILE:HB	0.44	1.89	3	3
1:A:60:ILE:O	1:A:60:ILE:HG22	0.44	2.12	9	1
1:A:4:VAL:HG12	2:B:212:LEU:HD11	0.44	1.88	3	1
2:B:246:LEU:HD22	2:B:246:LEU:C	0.44	2.32	8	1
2:B:206:SER:CB	2:B:223:ILE:HG23	0.44	2.42	3	1
1:A:28:ILE:O	1:A:32:ILE:HB	0.44	2.12	13	1
2:B:212:LEU:C	2:B:212:LEU:HD22	0.44	2.33	11	1
1:A:50:ALA:O	1:A:54:VAL:HG21	0.44	2.11	7	1
1:A:37:VAL:CG1	2:B:213:GLY:HA2	0.44	2.41	6	1
1:A:17:HIS:CD2	1:A:56:ILE:HB	0.44	2.48	17	2
1:A:25:GLU:HG3	1:A:26:ASP:N	0.44	2.27	13	1
2:B:236:ASP:O	2:B:239:LEU:HB3	0.44	2.12	6	2
2:B:203:TYR:HB2	2:B:242:VAL:HG21	0.44	1.88	5	1
2:B:251:ILE:O	2:B:255:ILE:HG12	0.43	2.14	2	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:15:ILE:HD11	2:B:206:SER:HA	0.43	1.90	20	1
1:A:11:TYR:HD1	1:A:14:LEU:HD12	0.43	1.73	9	1
1:A:7:LEU:HD22	1:A:11:TYR:OH	0.43	2.12	20	1
1:A:8:ALA:HB2	1:A:37:VAL:HG11	0.43	1.91	14	1
1:A:8:ALA:HB2	2:B:212:LEU:HD21	0.43	1.90	11	1
1:A:3:SER:O	1:A:7:LEU:HD13	0.43	2.13	5	1
1:A:60:ILE:HG12	1:A:60:ILE:O	0.43	2.13	16	1
2:B:205:ALA:HA	2:B:208:LEU:HB2	0.43	1.91	14	2
1:A:51:LEU:HB3	1:A:54:VAL:CG2	0.42	2.44	11	1
1:A:54:VAL:HG12	1:A:58:SER:HB3	0.42	1.90	1	1
1:A:10:ILE:O	1:A:13:ALA:HB3	0.42	2.14	17	1
1:A:11:TYR:HA	1:A:14:LEU:HG	0.42	1.90	16	1
1:A:16:LEU:HD22	1:A:28:ILE:HG13	0.42	1.89	19	1
1:A:31:LEU:HB2	2:B:230:VAL:HG22	0.42	1.92	7	1
2:B:216:SER:C	2:B:218:PRO:HD3	0.42	2.35	10	1
1:A:11:TYR:HB2	2:B:209:LEU:CD1	0.42	2.44	4	1
1:A:14:LEU:CD2	2:B:259:ILE:HG23	0.42	2.43	3	1
1:A:45:GLY:O	1:A:49:LYS:HG2	0.42	2.15	14	1
2:B:224:LYS:HE3	2:B:236:ASP:CG	0.42	2.35	11	1
2:B:243:ILE:O	2:B:247:ASN:HB2	0.42	2.14	6	1
1:A:5:SER:HB2	1:A:39:VAL:HG23	0.42	1.90	19	1
2:B:253:ASP:O	2:B:257:GLN:HG2	0.42	2.14	19	2
2:B:239:LEU:O	2:B:243:ILE:HG13	0.42	2.15	1	2
2:B:203:TYR:OH	2:B:235:ASP:HB2	0.41	2.15	17	1
1:A:57:GLY:O	1:A:60:ILE:HG22	0.41	2.15	8	1
2:B:207:TYR:HD2	2:B:251:ILE:HD13	0.41	1.75	7	1
1:A:4:VAL:HA	1:A:7:LEU:HD12	0.41	1.91	17	1
1:A:31:LEU:CD2	2:B:209:LEU:HG	0.41	2.44	5	1
2:B:212:LEU:HD12	2:B:212:LEU:C	0.41	2.35	12	1
1:A:41:PRO:C	1:A:44:PRO:HD2	0.41	2.36	2	1
1:A:59:LEU:HD23	1:A:60:ILE:N	0.41	2.31	12	1
2:B:225:LYS:NZ	2:B:226:ILE:HD12	0.41	2.30	5	1
1:A:14:LEU:HD11	2:B:259:ILE:O	0.41	2.16	4	1
2:B:247:ASN:CG	2:B:248:GLY:H	0.41	2.19	19	1
1:A:43:TRP:HB2	1:A:44:PRO:CD	0.41	2.46	18	1
1:A:13:ALA:HB1	1:A:59:LEU:HD21	0.41	1.92	11	1
2:B:203:TYR:CZ	2:B:239:LEU:HA	0.41	2.51	6	1
1:A:60:ILE:HG12	2:B:259:ILE:HD12	0.41	1.91	20	1
2:B:259:ILE:H	2:B:259:ILE:HD13	0.41	1.75	10	1
2:B:203:TYR:HB2	2:B:242:VAL:HG11	0.41	1.91	14	1
1:A:60:ILE:HA	2:B:259:ILE:HD12	0.41	1.92	20	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:207:TYR:HD1	2:B:251:ILE:HD13	0.41	1.76	14	1
2:B:239:LEU:HD13	2:B:240:ASN:H	0.41	1.75	11	1
1:A:23:VAL:HG21	1:A:51:LEU:HD23	0.41	1.93	5	1
2:B:241:LYS:O	2:B:245:GLU:HG3	0.41	2.16	1	1
2:B:203:TYR:CD1	2:B:239:LEU:HA	0.41	2.51	20	1
2:B:204:VAL:HG23	2:B:205:ALA:H	0.41	1.76	20	1
2:B:242:VAL:HA	2:B:245:GLU:OE2	0.40	2.15	7	1
1:A:24:THR:OG1	1:A:27:LYS:HG2	0.40	2.16	2	1
1:A:19:ASP:O	1:A:20:GLU:HG2	0.40	2.16	8	1
1:A:10:ILE:HG13	1:A:59:LEU:HD23	0.40	1.93	15	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	61/114 (54%)	50±3 (82±4%)	9±2 (14±4%)	2±1 (4±2%)	8	37
2	B	57/116 (49%)	50±3 (87±5%)	6±2 (10±4%)	1±1 (2±2%)	13	53
All	All	2360/4600 (51%)	1999 (85%)	294 (12%)	67 (3%)	10	44

All 23 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	51	LEU	12
1	A	54	VAL	8
1	A	23	VAL	7
2	B	214	GLY	5
2	B	259	ILE	5
1	A	56	ILE	5
2	B	258	GLY	4
1	A	55	ASN	3
2	B	232	ILE	2
1	A	52	ALA	2
1	A	19	ASP	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	B	247	ASN	1
1	A	37	VAL	1
2	B	257	GLN	1
2	B	235	ASP	1
2	B	230	VAL	1
2	B	246	LEU	1
1	A	17	HIS	1
2	B	239	LEU	1
2	B	218	PRO	1
2	B	234	ALA	1
1	A	18	ASP	1
1	A	63	VAL	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	50/81 (62%)	46±2 (91±3%)	5±2 (9±3%)	16	61
2	B	46/83 (55%)	43±2 (93±4%)	3±2 (7±4%)	23	68
All	All	1920/3280 (59%)	1765 (92%)	155 (8%)	19	64

All 49 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	42	PHE	19
2	B	226	ILE	12
1	A	10	ILE	12
2	B	246	LEU	8
1	A	59	LEU	8
2	B	209	LEU	7
2	B	228	ASP	6
1	A	54	VAL	6
1	A	31	LEU	6
2	B	212	LEU	5
1	A	17	HIS	5
2	B	251	ILE	4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	B	227	LEU	4
2	B	259	ILE	4
1	A	19	ASP	3
2	B	249	LYS	2
1	A	24	THR	2
2	B	232	ILE	2
1	A	29	ASN	2
1	A	37	VAL	2
1	A	47	PHE	2
2	B	257	GLN	2
2	B	235	ASP	2
1	A	46	LEU	2
1	A	18	ASP	2
1	A	25	GLU	2
1	A	40	GLU	2
2	B	250	ASN	1
1	A	15	ILE	1
1	A	58	SER	1
1	A	55	ASN	1
1	A	56	ILE	1
1	A	22	THR	1
2	B	221	LYS	1
2	B	241	LYS	1
1	A	38	ASN	1
2	B	247	ASN	1
1	A	6	GLU	1
1	A	26	ASP	1
2	B	230	VAL	1
1	A	5	SER	1
1	A	23	VAL	1
2	B	215	ASN	1
2	B	239	LEU	1
1	A	20	GLU	1
1	A	62	ASN	1
1	A	3	SER	1
1	A	9	CYS	1
1	A	21	VAL	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 59% for the well-defined parts and 57% for the entire structure.

7.1 Chemical shift list 1

File name: 4beh_cs.cif

Chemical shift list name: *p1.csh*

7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	822
Number of shifts mapped to atoms	822
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	106	-0.21 ± 0.15	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	86	-0.09 ± 0.06	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	—
^{15}N	0	—	—

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 30%, i.e. 401 atoms were assigned a chemical shift out of a possible 1346. 0 out of 24 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	165/584 (28%)	104/233 (45%)	61/236 (26%)	0/115 (0%)
Sidechain	221/700 (32%)	152/400 (38%)	69/279 (25%)	0/21 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	15/62 (24%)	15/32 (47%)	0/27 (0%)	0/3 (0%)
Overall	401/1346 (30%)	271/665 (41%)	130/542 (24%)	0/139 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 28%, i.e. 679 atoms were assigned a chemical shift out of a possible 2465. 0 out of 31 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	294/1124 (26%)	188/447 (42%)	106/460 (23%)	0/217 (0%)
Sidechain	368/1243 (30%)	252/721 (35%)	116/489 (24%)	0/33 (0%)
Aromatic	17/98 (17%)	17/52 (33%)	0/43 (0%)	0/3 (0%)
Overall	679/2465 (28%)	457/1220 (37%)	222/992 (22%)	0/253 (0%)


7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



7.2 Chemical shift list 2

File name: 4beh_cs.cif

Chemical shift list name: *p2.csh*

7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	849
Number of shifts mapped to atoms	849
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.2.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	103	-0.01 ± 0.18	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	86	0.19 ± 0.10	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	—
^{15}N	0	—	—

7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 30%, i.e. 399 atoms were assigned a chemical shift out of a possible 1346. 0 out of 24 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	164/584 (28%)	109/233 (47%)	55/236 (23%)	0/115 (0%)
Sidechain	227/700 (32%)	168/400 (42%)	59/279 (21%)	0/21 (0%)
Aromatic	8/62 (13%)	8/32 (25%)	0/27 (0%)	0/3 (0%)
Overall	399/1346 (30%)	285/665 (43%)	114/542 (21%)	0/139 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 29%, i.e. 717 atoms were assigned a chemical shift out of a possible 2465. 0 out of 31 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	313/1124 (28%)	210/447 (47%)	103/460 (22%)	0/217 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Sidechain	388/1243 (31%)	286/721 (40%)	102/489 (21%)	0/33 (0%)
Aromatic	16/98 (16%)	16/52 (31%)	0/43 (0%)	0/3 (0%)
Overall	717/2465 (29%)	512/1220 (42%)	205/992 (21%)	0/253 (0%)

7.2.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

7.2.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain B:

