



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:39 AM GMT

PDB ID : 3BMC
Title : Structure of Pteridine Reductase 1 (PTR1) from Trypanosoma brucei in ternary complex with cofactor (NADP+) and substrate (folate)
Authors : Tulloch, L.B.; Hunter, W.N.
Deposited on : 2007-12-13
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>70%15%•14%</div></div>
2	B	288	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>68%16%•14%</div></div>
2	C	288	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>72%11%•14%</div></div>
2	D	288	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>73%13%•14%</div></div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8106 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	249	Total	C	N	O	S	0	6	0
			1877	1184	328	354	11			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP O76290
A	-18	GLY	-	EXPRESSION TAG	UNP O76290
A	-17	SER	-	EXPRESSION TAG	UNP O76290
A	-16	SER	-	EXPRESSION TAG	UNP O76290
A	-15	HIS	-	EXPRESSION TAG	UNP O76290
A	-14	HIS	-	EXPRESSION TAG	UNP O76290
A	-13	HIS	-	EXPRESSION TAG	UNP O76290
A	-12	HIS	-	EXPRESSION TAG	UNP O76290
A	-11	HIS	-	EXPRESSION TAG	UNP O76290
A	-10	HIS	-	EXPRESSION TAG	UNP O76290
A	-9	SER	-	EXPRESSION TAG	UNP O76290
A	-8	SER	-	EXPRESSION TAG	UNP O76290
A	-7	GLY	-	EXPRESSION TAG	UNP O76290
A	-6	LEU	-	EXPRESSION TAG	UNP O76290
A	-5	VAL	-	EXPRESSION TAG	UNP O76290
A	-4	PRO	-	EXPRESSION TAG	UNP O76290
A	-3	ARG	-	EXPRESSION TAG	UNP O76290
A	-2	GLY	-	EXPRESSION TAG	UNP O76290
A	-1	SER	-	EXPRESSION TAG	UNP O76290
A	0	HIS	-	EXPRESSION TAG	UNP O76290

- Molecule 2 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	248	Total	C	N	O	S	0	12	0
			1888	1192	329	356	11			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	248	Total	C	N	O	S	0	13	0
			1885	1193	326	355	11			
2	D	249	Total	C	N	O	S	0	10	0
			1883	1186	329	357	11			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	EXPRESSION TAG	UNP O76290
B	-18	GLY	-	EXPRESSION TAG	UNP O76290
B	-17	SER	-	EXPRESSION TAG	UNP O76290
B	-16	SER	-	EXPRESSION TAG	UNP O76290
B	-15	HIS	-	EXPRESSION TAG	UNP O76290
B	-14	HIS	-	EXPRESSION TAG	UNP O76290
B	-13	HIS	-	EXPRESSION TAG	UNP O76290
B	-12	HIS	-	EXPRESSION TAG	UNP O76290
B	-11	HIS	-	EXPRESSION TAG	UNP O76290
B	-10	HIS	-	EXPRESSION TAG	UNP O76290
B	-9	SER	-	EXPRESSION TAG	UNP O76290
B	-8	SER	-	EXPRESSION TAG	UNP O76290
B	-7	GLY	-	EXPRESSION TAG	UNP O76290
B	-6	LEU	-	EXPRESSION TAG	UNP O76290
B	-5	VAL	-	EXPRESSION TAG	UNP O76290
B	-4	PRO	-	EXPRESSION TAG	UNP O76290
B	-3	ARG	-	EXPRESSION TAG	UNP O76290
B	-2	GLY	-	EXPRESSION TAG	UNP O76290
B	-1	SER	-	EXPRESSION TAG	UNP O76290
B	0	HIS	-	EXPRESSION TAG	UNP O76290
C	-19	MET	-	EXPRESSION TAG	UNP O76290
C	-18	GLY	-	EXPRESSION TAG	UNP O76290
C	-17	SER	-	EXPRESSION TAG	UNP O76290
C	-16	SER	-	EXPRESSION TAG	UNP O76290
C	-15	HIS	-	EXPRESSION TAG	UNP O76290
C	-14	HIS	-	EXPRESSION TAG	UNP O76290
C	-13	HIS	-	EXPRESSION TAG	UNP O76290
C	-12	HIS	-	EXPRESSION TAG	UNP O76290
C	-11	HIS	-	EXPRESSION TAG	UNP O76290
C	-10	HIS	-	EXPRESSION TAG	UNP O76290
C	-9	SER	-	EXPRESSION TAG	UNP O76290
C	-8	SER	-	EXPRESSION TAG	UNP O76290
C	-7	GLY	-	EXPRESSION TAG	UNP O76290
C	-6	LEU	-	EXPRESSION TAG	UNP O76290

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-5	VAL	-	EXPRESSION TAG	UNP O76290
C	-4	PRO	-	EXPRESSION TAG	UNP O76290
C	-3	ARG	-	EXPRESSION TAG	UNP O76290
C	-2	GLY	-	EXPRESSION TAG	UNP O76290
C	-1	SER	-	EXPRESSION TAG	UNP O76290
C	0	HIS	-	EXPRESSION TAG	UNP O76290
D	-19	MET	-	EXPRESSION TAG	UNP O76290
D	-18	GLY	-	EXPRESSION TAG	UNP O76290
D	-17	SER	-	EXPRESSION TAG	UNP O76290
D	-16	SER	-	EXPRESSION TAG	UNP O76290
D	-15	HIS	-	EXPRESSION TAG	UNP O76290
D	-14	HIS	-	EXPRESSION TAG	UNP O76290
D	-13	HIS	-	EXPRESSION TAG	UNP O76290
D	-12	HIS	-	EXPRESSION TAG	UNP O76290
D	-11	HIS	-	EXPRESSION TAG	UNP O76290
D	-10	HIS	-	EXPRESSION TAG	UNP O76290
D	-9	SER	-	EXPRESSION TAG	UNP O76290
D	-8	SER	-	EXPRESSION TAG	UNP O76290
D	-7	GLY	-	EXPRESSION TAG	UNP O76290
D	-6	LEU	-	EXPRESSION TAG	UNP O76290
D	-5	VAL	-	EXPRESSION TAG	UNP O76290
D	-4	PRO	-	EXPRESSION TAG	UNP O76290
D	-3	ARG	-	EXPRESSION TAG	UNP O76290
D	-2	GLY	-	EXPRESSION TAG	UNP O76290
D	-1	SER	-	EXPRESSION TAG	UNP O76290
D	0	HIS	-	EXPRESSION TAG	UNP O76290

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		


- Molecule 4 is FOLIC ACID (three-letter code: FOL) (formula: C₁₉H₁₉N₇O₆).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			32	19	7	6		
4	B	1	Total	C	N	O	0	0
			32	19	7	6		
4	C	1	Total	C	N	O	0	0
			32	19	7	6		
4	D	1	Total	C	N	O	0	0
			32	19	7	6		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	67	Total	O	0	0
			67	67		
5	B	80	Total	O	0	0
			80	80		
5	C	55	Total	O	0	0
			55	55		
5	D	51	Total	O	0	0
			51	51		



● Molecule 2: Pteridine reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.44Å 88.60Å 81.59Å 90.00° 115.34° 90.00°	Depositor
Resolution (Å)	37.67 – 2.60 37.67 – 2.60	Depositor EDS
% Data completeness (in resolution range)	79.5 (37.67-2.60) 79.5 (37.67-2.60)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.76 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.189 , 0.244 0.190 , 0.237	Depositor DCC
R_{free} test set	1224 reflections (5.49%)	DCC
Wilson B-factor (Å ²)	33.5	Xtriage
Anisotropy	1.352	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 42.0	EDS
Estimated twinning fraction	0.017 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 23539 reflections (0.004%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8106	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 27.42 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.2070e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FOL, NAP, CSX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/1908	0.80	10/2587 (0.4%)
2	B	0.52	1/1936 (0.1%)	0.80	11/2627 (0.4%)
2	C	0.47	0/1933	0.79	8/2624 (0.3%)
2	D	0.47	0/1925	0.85	9/2612 (0.3%)
All	All	0.48	1/7702 (0.0%)	0.81	38/10450 (0.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	59	CYS	CB-SG	-7.76	1.69	1.82

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	52	ARG	NE-CZ-NH1	-17.14	111.73	120.30
2	C	17	ARG	NE-CZ-NH2	16.00	128.30	120.30
1	A	223	ARG	NE-CZ-NH2	-14.79	112.90	120.30
1	A	223	ARG	NE-CZ-NH1	14.60	127.60	120.30
2	D	52	ARG	NE-CZ-NH2	14.57	127.59	120.30
2	B	82	ARG	NE-CZ-NH1	14.52	127.56	120.30
2	C	17	ARG	NE-CZ-NH1	-13.63	113.48	120.30
2	D	82	ARG	NE-CZ-NH2	-13.40	113.60	120.30
2	B	82	ARG	NE-CZ-NH2	-12.38	114.11	120.30
2	D	82	ARG	NE-CZ-NH1	12.21	126.41	120.30
2	C	82	ARG	NE-CZ-NH1	-9.64	115.48	120.30
1	A	82	ARG	NE-CZ-NH1	-9.16	115.72	120.30
2	C	82	ARG	NE-CZ-NH2	8.80	124.70	120.30
1	A	82	ARG	NE-CZ-NH2	8.30	124.45	120.30
2	C	17	ARG	CD-NE-CZ	8.10	134.94	123.60
2	D	52	ARG	CD-NE-CZ	7.71	134.39	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	190	LEU	CA-CB-CG	7.33	132.16	115.30
2	D	17	ARG	NE-CZ-NH1	7.03	123.81	120.30
1	A	223	ARG	CD-NE-CZ	6.88	133.23	123.60
1	A	17	ARG	NE-CZ-NH1	6.59	123.60	120.30
2	B	159	LEU	CA-CB-CG	-6.58	100.17	115.30
2	B	52	ARG	NE-CZ-NH2	-6.47	117.06	120.30
2	B	17	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	A	52	ARG	NE-CZ-NH2	-6.33	117.13	120.30
2	B	82	ARG	CD-NE-CZ	6.24	132.33	123.60
1	A	52	ARG	NE-CZ-NH1	5.82	123.21	120.30
2	D	223	ARG	NE-CZ-NH1	-5.81	117.40	120.30
2	D	82	ARG	CD-NE-CZ	5.80	131.72	123.60
2	D	223	ARG	NE-CZ-NH2	5.78	123.19	120.30
1	A	116	VAL	CB-CA-C	-5.73	100.52	111.40
2	C	223	ARG	NE-CZ-NH1	-5.68	117.46	120.30
2	B	52	ARG	NE-CZ-NH1	5.65	123.13	120.30
2	B	223	ARG	NE-CZ-NH1	-5.60	117.50	120.30
2	C	223	ARG	NE-CZ-NH2	5.36	122.98	120.30
2	B	223	ARG	NE-CZ-NH2	5.35	122.97	120.30
1	A	82	ARG	CD-NE-CZ	5.12	130.77	123.60
2	C	52	ARG	NE-CZ-NH2	-5.12	117.74	120.30
2	B	190	LEU	CB-CG-CD1	5.09	119.65	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1877	0	1918	34	0
2	B	1888	0	1932	40	2
2	C	1885	0	1931	42	1
2	D	1883	0	1918	30	0
3	A	48	0	25	2	0
3	B	48	0	25	3	0
3	C	48	0	25	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	48	0	25	1	0
4	A	32	0	17	5	0
4	B	32	0	17	6	0
4	C	32	0	17	5	0
4	D	32	0	17	6	0
5	A	67	0	0	4	1
5	B	80	0	0	12	0
5	C	55	0	0	11	0
5	D	51	0	0	5	0
All	All	8106	0	7867	137	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:206[B]:VAL:CG2	2:C:209[B]:LEU:HD11	1.77	1.14
2:B:212:ALA:HB3	5:B:336:HOH:O	1.57	1.05
2:C:179:HIS:ND1	5:C:336:HOH:O	1.90	1.03
2:C:206[B]:VAL:CG2	2:C:209[B]:LEU:CD1	2.48	0.90
1:A:179:HIS:ND1	5:C:336:HOH:O	2.01	0.82
2:C:206[B]:VAL:HG21	2:C:209[B]:LEU:HD11	1.59	0.82
2:B:220:LYS:HD3	5:B:315:HOH:O	1.80	0.82
2:B:153:ASN:HA	5:B:329:HOH:O	1.81	0.80
2:C:179:HIS:CE1	5:C:336:HOH:O	2.30	0.79
2:B:219:ASP:OD2	5:B:299:HOH:O	2.00	0.79
1:A:179:HIS:CE1	5:C:336:HOH:O	2.35	0.77
2:C:206[B]:VAL:HG23	2:C:209[B]:LEU:CD1	2.16	0.75
1:A:47:GLU:HG3	5:A:316:HOH:O	1.85	0.75
2:D:75:GLU:OE2	5:D:310:HOH:O	2.06	0.74
2:D:213:MET:HE3	4:D:270:FOL:H12	1.71	0.72
2:C:213:MET:HE3	4:C:270:FOL:H12	1.71	0.72
2:B:75:GLU:OE2	2:B:82:ARG:NH2	2.27	0.66
2:C:130:ALA:HB3	2:C:131:PRO:HD3	1.80	0.64
2:D:9:THR:HA	2:D:33:HIS:HB3	1.79	0.63
2:B:113:GLY:N	5:B:325:HOH:O	2.32	0.63
2:D:213:MET:CE	4:D:270:FOL:C12	2.78	0.62
2:C:9:THR:HA	2:C:33:HIS:HB3	1.82	0.61
2:C:213:MET:CE	4:C:270:FOL:C12	2.79	0.61
2:D:164[A]:VAL:HG22	2:D:179:HIS:CD2	2.35	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:9:THR:HA	2:B:33:HIS:HB3	1.83	0.61
2:C:206[B]:VAL:HG23	2:C:209[B]:LEU:HD11	1.75	0.60
2:C:229:ARG:HG2	5:C:339:HOH:O	2.00	0.60
2:C:15[B]:ILE:HG23	3:C:269:NAP:H51N	1.85	0.59
1:A:17:ARG:NH2	5:A:305:HOH:O	2.35	0.59
2:B:68:VAL:HG23	5:B:319:HOH:O	2.03	0.59
2:B:164:VAL:HG22	2:B:179:HIS:CD2	2.38	0.59
2:C:17:ARG:CZ	5:C:338:HOH:O	2.51	0.58
1:A:9:THR:HA	1:A:33:HIS:HB3	1.85	0.58
2:B:224:LYS:HE3	5:B:339:HOH:O	2.04	0.58
2:B:213:MET:HE3	4:B:270:FOL:H12	1.87	0.57
2:B:130:ALA:HB3	2:B:131:PRO:HD3	1.86	0.57
2:C:153:ASN:N	5:C:362:HOH:O	2.38	0.57
1:A:213:MET:HE3	4:A:270:FOL:H12	1.87	0.57
4:B:270:FOL:HG1	5:B:331:HOH:O	2.04	0.57
2:D:75:GLU:OE2	2:D:82:ARG:NH2	2.32	0.57
2:D:213:MET:HE1	4:D:270:FOL:C12	2.35	0.57
2:D:213:MET:HE3	4:D:270:FOL:C12	2.36	0.56
2:B:216[B]:GLU:CD	2:B:216[B]:GLU:H	2.09	0.56
2:D:64:THR:O	5:D:332:HOH:O	2.18	0.55
1:A:160:CYS:O	3:A:269:NAP:H6N	2.06	0.55
1:A:186:GLN:NE2	5:A:286:HOH:O	2.23	0.55
2:C:17:ARG:NH2	5:C:338:HOH:O	2.38	0.55
2:C:213:MET:HE3	4:C:270:FOL:C12	2.36	0.55
1:A:130:ALA:HB3	1:A:131:PRO:HD3	1.89	0.55
2:D:130:ALA:HB3	2:D:131:PRO:HD3	1.89	0.55
2:C:213:MET:HE1	4:C:270:FOL:C12	2.38	0.54
2:B:38:ALA:O	2:B:42:VAL:HG13	2.08	0.53
2:D:78:ASN:HB3	5:D:339:HOH:O	2.08	0.53
2:B:213:MET:CE	4:B:270:FOL:C12	2.87	0.53
2:D:17:ARG:HH11	2:D:44:LEU:HB2	1.74	0.53
2:C:161:ASP:O	2:C:164:VAL:HG22	2.09	0.52
2:D:88:ASP:HA	2:D:154:LEU:HD23	1.92	0.52
1:A:213:MET:CE	4:A:270:FOL:C12	2.87	0.52
2:B:88:ASP:HA	2:B:154:LEU:HD23	1.91	0.52
1:A:254:GLY:HA3	2:B:265:LEU:HD11	1.91	0.52
2:D:213:MET:CE	4:D:270:FOL:H12	2.38	0.51
2:C:160:CYS:O	3:C:269:NAP:H6N	2.11	0.51
2:C:213:MET:CE	4:C:270:FOL:H12	2.37	0.51
2:B:160:CYS:O	3:B:269:NAP:H6N	2.11	0.51
1:A:100:THR:HG21	1:A:173:LEU:HD12	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:77[B]:ILE:HD13	2:B:137:SER:HB2	1.92	0.51
2:C:15[B]:ILE:HD11	2:C:19:ILE:HD11	1.93	0.50
1:A:17:ARG:HH11	1:A:44:LEU:HB2	1.75	0.50
2:B:11:ALA:HB3	2:B:32[A]:ILE:HG23	1.92	0.50
2:C:206[B]:VAL:HG22	2:C:209[B]:LEU:CD1	2.37	0.49
2:C:88:ASP:HA	2:C:154:LEU:HD23	1.93	0.49
2:C:15[B]:ILE:HD13	2:C:93:ASN:OD1	2.13	0.49
2:D:161:ASP:O	2:D:164[B]:VAL:HG22	2.12	0.49
2:D:160:CYS:O	3:D:269:NAP:H6N	2.12	0.49
2:B:32[A]:ILE:HG12	2:B:44:LEU:HD23	1.95	0.48
1:A:88:ASP:HA	1:A:154:LEU:HD23	1.95	0.48
2:B:34[A]:TYR:CE1	2:B:38:ALA:HA	2.49	0.47
2:B:136:MET:O	2:B:140[B]:GLN:HG3	2.14	0.47
3:B:269:NAP:H8A	5:B:338:HOH:O	2.14	0.47
1:A:11:ALA:HB3	1:A:32:ILE:HG23	1.96	0.47
2:B:186:GLN:HB2	5:B:314:HOH:O	2.14	0.47
2:C:100:THR:HG21	2:C:173:LEU:HD12	1.96	0.47
1:A:161:ASP:HB3	1:A:164:VAL:HG13	1.97	0.47
2:C:265:LEU:HD11	2:D:254:GLY:HA3	1.97	0.47
2:B:169:MET:HE1	5:D:311:HOH:O	2.15	0.46
2:C:206[B]:VAL:HG22	2:C:209[B]:LEU:HD11	1.81	0.46
1:A:213:MET:HE3	4:A:270:FOL:C12	2.46	0.46
2:D:168:CYS:SG	4:D:270:FOL:H16	2.55	0.46
2:B:213:MET:HE1	4:B:270:FOL:C12	2.46	0.46
1:A:268:ALA:HB2	2:D:266:VAL:HB	1.96	0.46
1:A:127:ASN:OD1	1:A:178:LYS:HE2	2.15	0.46
2:D:9:THR:O	2:D:93:ASN:HB3	2.14	0.46
1:A:17:ARG:NH1	1:A:44:LEU:HD13	2.30	0.46
2:D:100:THR:HG21	2:D:173:LEU:HD12	1.97	0.46
1:A:213:MET:HE1	4:A:270:FOL:C12	2.47	0.45
2:B:17:ARG:NH1	2:B:44:LEU:HD13	2.32	0.45
1:A:179:HIS:HD1	2:C:179:HIS:HD1	1.65	0.45
2:B:17:ARG:HH11	2:B:44:LEU:HB2	1.82	0.45
2:C:226:PRO:HD2	2:C:261:GLY:O	2.17	0.44
1:A:209[A]:LEU:HD22	1:A:218:LYS:HA	1.99	0.44
2:C:172:SER:OG	5:C:314:HOH:O	2.20	0.44
2:C:65:ASN:HA	2:C:69:LEU:HD22	1.99	0.44
2:B:213:MET:HE3	4:B:270:FOL:C12	2.47	0.44
1:A:136:MET:O	1:A:140:GLN:HG3	2.16	0.43
1:A:266:VAL:HB	2:D:268:ALA:HB2	2.00	0.43
2:D:153:ASN:ND2	2:D:245:VAL:O	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:ARG:HD3	5:A:318:HOH:O	2.17	0.43
2:D:17:ARG:NH1	2:D:44:LEU:HD13	2.34	0.43
1:A:257:ILE:HG12	2:B:257:ILE:HG12	2.00	0.43
2:B:213:MET:CE	4:B:270:FOL:H12	2.47	0.43
2:B:220:LYS:CD	5:B:315:HOH:O	2.51	0.43
1:A:95:SER:HB3	3:A:269:NAP:H3D	2.01	0.42
2:C:170:ALA:HA	5:C:314:HOH:O	2.18	0.42
2:C:15[B]:ILE:HA	2:C:234:ALA:HB1	2.02	0.42
2:C:17:ARG:NH2	5:C:343:HOH:O	2.51	0.42
1:A:213:MET:CE	4:A:270:FOL:H12	2.50	0.42
2:B:95:SER:HB3	3:B:269:NAP:H3D	2.02	0.42
2:C:254:GLY:HA3	2:D:265:LEU:HD11	2.02	0.42
1:A:220:LYS:O	1:A:224:LYS:HG3	2.20	0.42
2:C:192:LEU:HB3	2:C:197:ILE:HB	2.02	0.42
2:C:206[A]:VAL:HG22	2:C:263:LEU:HD22	2.02	0.41
2:C:220:LYS:O	2:C:224:LYS:HG3	2.20	0.41
2:D:220:LYS:O	2:D:224:LYS:HG3	2.20	0.41
2:C:190:LEU:HD12	2:D:265:LEU:HB3	2.02	0.41
2:B:132:PHE:HE1	2:D:172[A]:SER:HG	1.68	0.41
1:A:115:THR:OG1	1:A:117[A]:GLU:HG2	2.19	0.41
2:C:9:THR:O	2:C:93:ASN:HB3	2.21	0.41
2:B:192:LEU:HB3	2:B:197:ILE:HB	2.02	0.41
2:B:102[B]:LEU:HD13	5:D:317:HOH:O	2.20	0.41
2:B:65:ASN:HA	2:B:69:LEU:HD22	2.02	0.41
2:C:257:ILE:HG12	2:D:257:ILE:HG12	2.02	0.41
2:D:192:LEU:HB3	2:D:197:ILE:HB	2.03	0.41
1:A:65:ASN:HA	1:A:69:LEU:HD22	2.02	0.41
1:A:251:TYR:CE2	2:B:232:ALA:HB2	2.56	0.40
1:A:153:ASN:ND2	1:A:245:VAL:O	2.54	0.40
2:B:82:ARG:NE	5:B:317:HOH:O	2.54	0.40
2:B:100:THR:HG21	2:B:173:LEU:HD12	2.02	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:216[B]:GLU:OE2	5:A:305:HOH:O[2_555]	1.98	0.22
2:B:82:ARG:NH1	2:C:82:ARG:O[1_454]	1.98	0.22

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/288 (85%)	237 (96%)	9 (4%)	0	100	100
2	B	250/288 (87%)	242 (97%)	8 (3%)	0	100	100
2	C	248/288 (86%)	239 (96%)	9 (4%)	0	100	100
2	D	249/288 (86%)	240 (96%)	9 (4%)	0	100	100
All	All	993/1152 (86%)	958 (96%)	35 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	200/230 (87%)	191 (96%)	9 (4%)	34	62
2	B	204/231 (88%)	198 (97%)	6 (3%)	50	77
2	C	203/231 (88%)	195 (96%)	8 (4%)	39	68
2	D	203/231 (88%)	197 (97%)	6 (3%)	48	76
All	All	810/923 (88%)	781 (96%)	29 (4%)	42	71

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	ARG
1	A	68	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	116	VAL
1	A	136	MET
1	A	164	VAL
1	A	172	SER
1	A	179	HIS
1	A	190	LEU
1	A	229	ARG
2	B	17	ARG
2	B	159	LEU
2	B	179	HIS
2	B	190	LEU
2	B	220	LYS
2	B	229	ARG
2	C	136	MET
2	C	164	VAL
2	C	172	SER
2	C	179	HIS
2	C	190	LEU
2	C	206[A]	VAL
2	C	206[B]	VAL
2	C	229	ARG
2	D	17	ARG
2	D	95	SER
2	D	136	MET
2	D	179	HIS
2	D	190	LEU
2	D	229	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	166	GLN
2	B	166	GLN
2	B	250	GLN
2	C	166	GLN
2	D	67[A]	ASN
2	D	166	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSX	A	168	1	3,6,7	0.61	0	3,6,8	1.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSX	A	168	1	-	0/1/5/7	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAP	A	269	-	42,52,52	1.62	3 (7%)	54,80,80	1.78	5 (9%)
4	FOL	A	270	-	27,34,34	1.50	3 (11%)	31,47,47	3.25	15 (48%)
3	NAP	B	269	-	42,52,52	1.50	3 (7%)	54,80,80	1.92	7 (12%)
4	FOL	B	270	-	27,34,34	1.61	4 (14%)	31,47,47	3.20	17 (54%)
3	NAP	C	269	-	42,52,52	1.59	3 (7%)	54,80,80	1.95	7 (12%)
4	FOL	C	270	-	27,34,34	1.39	2 (7%)	31,47,47	3.16	14 (45%)
3	NAP	D	269	-	42,52,52	1.53	3 (7%)	54,80,80	1.88	6 (11%)
4	FOL	D	270	-	27,34,34	1.52	3 (11%)	31,47,47	3.29	16 (51%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	A	269	-	-	0/27/67/67	0/5/5/5
4	FOL	A	270	-	-	0/16/22/22	0/3/3/3
3	NAP	B	269	-	-	0/27/67/67	0/5/5/5
4	FOL	B	270	-	-	0/16/22/22	0/3/3/3
3	NAP	C	269	-	-	0/27/67/67	0/5/5/5
4	FOL	C	270	-	-	0/16/22/22	0/3/3/3
3	NAP	D	269	-	-	0/27/67/67	0/5/5/5
4	FOL	D	270	-	-	0/16/22/22	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	270	FOL	C7-N8	2.01	1.35	1.31
3	D	269	NAP	C2A-N1A	2.34	1.38	1.33
4	C	270	FOL	C6-N5	2.40	1.37	1.32
4	A	270	FOL	C4A-N5	2.49	1.37	1.33
4	D	270	FOL	C6-N5	2.50	1.37	1.32
3	C	269	NAP	C2A-N1A	2.57	1.38	1.33
3	B	269	NAP	C2A-N1A	2.57	1.38	1.33
4	B	270	FOL	C4A-N5	2.60	1.37	1.33
4	A	270	FOL	C6-N5	2.67	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	270	FOL	C4A-N5	2.76	1.37	1.33
3	A	269	NAP	C2A-N1A	2.81	1.39	1.33
4	B	270	FOL	C6-N5	3.02	1.38	1.32
3	B	269	NAP	C2A-N3A	3.32	1.38	1.32
3	D	269	NAP	C2A-N3A	3.33	1.38	1.32
3	A	269	NAP	C2A-N3A	3.43	1.38	1.32
3	C	269	NAP	C2A-N3A	3.51	1.38	1.32
4	C	270	FOL	O4-C4	4.96	1.36	1.24
4	A	270	FOL	O4-C4	5.20	1.37	1.24
4	D	270	FOL	O4-C4	5.24	1.37	1.24
4	B	270	FOL	O4-C4	5.30	1.37	1.24
3	B	269	NAP	O7N-C7N	7.62	1.40	1.24
3	D	269	NAP	O7N-C7N	7.91	1.41	1.24
3	C	269	NAP	O7N-C7N	8.04	1.41	1.24
3	A	269	NAP	O7N-C7N	8.13	1.41	1.24

All (87) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	269	NAP	N3A-C2A-N1A	-11.91	119.78	128.89
3	B	269	NAP	N3A-C2A-N1A	-11.46	120.12	128.89
3	D	269	NAP	N3A-C2A-N1A	-10.76	120.66	128.89
4	A	270	FOL	C6-C9-N10	-10.62	89.86	113.32
4	D	270	FOL	C6-C9-N10	-10.52	90.08	113.32
3	A	269	NAP	N3A-C2A-N1A	-10.50	120.85	128.89
4	B	270	FOL	C6-C9-N10	-10.42	90.29	113.32
4	C	270	FOL	C6-C9-N10	-9.96	91.31	113.32
4	A	270	FOL	C13-C14-N10	-6.01	109.56	121.06
4	D	270	FOL	C13-C14-N10	-5.96	109.65	121.06
4	C	270	FOL	C13-C14-N10	-5.87	109.83	121.06
4	B	270	FOL	C13-C14-N10	-5.71	110.12	121.06
4	A	270	FOL	N1-C2-N3	-4.72	120.25	127.44
4	C	270	FOL	N1-C2-N3	-4.46	120.65	127.44
4	D	270	FOL	N1-C2-N3	-4.43	120.70	127.44
4	D	270	FOL	C4-C4A-C8A	-4.41	117.12	119.94
4	C	270	FOL	C11-C-N	-4.29	109.28	116.93
4	A	270	FOL	C11-C-N	-4.10	109.63	116.93
4	B	270	FOL	C11-C-N	-4.08	109.67	116.93
4	B	270	FOL	N1-C2-N3	-4.06	121.26	127.44
4	D	270	FOL	C11-C-N	-3.92	109.94	116.93
4	A	270	FOL	C4-C4A-C8A	-3.80	117.51	119.94
4	B	270	FOL	C4-C4A-C8A	-3.59	117.64	119.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	270	FOL	C4-C4A-C8A	-3.58	117.65	119.94
4	C	270	FOL	C4A-C4-N3	-3.28	119.11	123.59
4	A	270	FOL	C12-C11-C	-3.22	110.39	120.60
4	D	270	FOL	C12-C11-C	-3.13	110.68	120.60
4	D	270	FOL	C4A-C4-N3	-3.07	119.39	123.59
4	B	270	FOL	C12-C11-C	-2.97	111.17	120.60
3	D	269	NAP	C4B-O4B-C1B	-2.93	106.49	109.72
4	B	270	FOL	C4A-C4-N3	-2.87	119.66	123.59
4	A	270	FOL	C4A-C4-N3	-2.83	119.71	123.59
4	C	270	FOL	C12-C11-C	-2.81	111.70	120.60
3	C	269	NAP	C1B-N9A-C4A	-2.56	123.09	126.94
3	D	269	NAP	C1B-N9A-C4A	-2.40	123.32	126.94
3	A	269	NAP	C1B-N9A-C4A	-2.31	123.46	126.94
3	A	269	NAP	C4A-C5A-N7A	-2.30	107.37	109.48
3	B	269	NAP	C4B-O4B-C1B	-2.27	107.23	109.72
4	D	270	FOL	C15-C16-C11	-2.26	118.14	120.76
3	C	269	NAP	C4B-O4B-C1B	-2.25	107.24	109.72
3	B	269	NAP	O7N-C7N-C3N	-2.19	117.19	119.59
4	A	270	FOL	C15-C16-C11	-2.11	118.31	120.76
3	C	269	NAP	O7N-C7N-N7N	-2.10	119.64	122.59
3	B	269	NAP	C1B-N9A-C4A	-2.01	123.91	126.94
4	D	270	FOL	C9-C6-N5	2.03	120.65	116.81
4	B	270	FOL	N8-C8A-N1	2.06	119.08	116.14
4	B	270	FOL	C6-N5-C4A	2.08	120.99	118.41
4	D	270	FOL	NA2-C2-N3	2.16	120.78	117.20
3	D	269	NAP	C3N-C7N-N7N	2.18	120.20	117.82
3	C	269	NAP	C3N-C7N-N7N	2.25	120.28	117.82
4	A	270	FOL	N8-C8A-N1	2.35	119.50	116.14
4	C	270	FOL	C16-C11-C	2.38	128.13	120.60
4	B	270	FOL	C9-C6-N5	2.39	121.34	116.81
4	C	270	FOL	C7-N8-C8A	2.43	119.79	116.93
4	B	270	FOL	O-C-N	2.49	126.94	122.44
4	B	270	FOL	C16-C11-C	2.54	128.67	120.60
4	C	270	FOL	O-C-N	2.55	127.04	122.44
4	A	270	FOL	C16-C11-C	2.61	128.87	120.60
4	D	270	FOL	C16-C11-C	2.69	129.12	120.60
4	D	270	FOL	C7-N8-C8A	2.82	120.26	116.93
3	C	269	NAP	O4B-C1B-N9A	2.87	114.11	108.10
4	A	270	FOL	C7-N8-C8A	2.96	120.42	116.93
4	B	270	FOL	C4-N3-C2	2.99	120.08	115.94
3	B	269	NAP	C3N-C7N-N7N	3.07	121.18	117.82
3	D	269	NAP	O4B-C1B-N9A	3.13	114.65	108.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	270	FOL	C9-N10-C14	3.16	130.72	122.15
3	B	269	NAP	O4B-C1B-N9A	3.16	114.72	108.10
3	A	269	NAP	O4B-C1B-N9A	3.19	114.78	108.10
3	A	269	NAP	O4D-C1D-N1N	3.37	111.83	108.13
4	A	270	FOL	C4-C4A-N5	3.46	122.92	118.72
3	B	269	NAP	O4D-C1D-N1N	3.48	111.96	108.13
4	C	270	FOL	C9-N10-C14	3.49	131.62	122.15
4	D	270	FOL	C9-N10-C14	3.53	131.74	122.15
4	B	270	FOL	C9-N10-C14	3.54	131.77	122.15
4	A	270	FOL	C4-N3-C2	3.71	121.09	115.94
4	B	270	FOL	C7-N8-C8A	3.74	121.34	116.93
3	C	269	NAP	O4D-C1D-N1N	3.80	112.31	108.13
4	D	270	FOL	C4-N3-C2	3.83	121.26	115.94
4	B	270	FOL	C15-C14-N10	3.84	128.41	121.06
4	C	270	FOL	C4-C4A-N5	3.90	123.45	118.72
4	C	270	FOL	C15-C14-N10	3.97	128.66	121.06
4	A	270	FOL	C15-C14-N10	4.12	128.95	121.06
4	D	270	FOL	C15-C14-N10	4.17	129.05	121.06
4	B	270	FOL	C4-C4A-N5	4.17	123.79	118.72
4	C	270	FOL	C4-N3-C2	4.21	121.78	115.94
3	D	269	NAP	O4D-C1D-N1N	4.27	112.82	108.13
4	D	270	FOL	C4-C4A-N5	4.31	123.96	118.72

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 30 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	269	NAP	2	0
4	A	270	FOL	5	0
3	B	269	NAP	3	0
4	B	270	FOL	6	0
3	C	269	NAP	2	0
4	C	270	FOL	5	0
3	D	269	NAP	1	0
4	D	270	FOL	6	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	248/288 (86%)	0.09	3 (1%) 81 77	28, 31, 32, 37	6 (2%)
2	B	248/288 (86%)	0.07	5 (2%) 68 63	22, 31, 32, 35	2 (0%)
2	C	248/288 (86%)	0.06	5 (2%) 68 63	28, 31, 32, 36	2 (0%)
2	D	249/288 (86%)	0.13	5 (2%) 68 63	27, 31, 32, 37	4 (1%)
All	All	993/1152 (86%)	0.09	18 (1%) 71 66	22, 31, 32, 37	14 (1%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	113	GLY	4.7
2	B	214	GLY	4.3
2	C	212	ALA	4.2
2	D	2	GLU	3.7
2	B	212	ALA	3.6
2	C	214	GLY	3.4
2	B	113	GLY	3.4
1	A	113	GLY	3.4
1	A	3	ALA	3.2
2	C	215	GLU	3.1
2	D	113	GLY	2.6
2	C	211	VAL	2.5
2	D	54	ASN	2.4
2	B	195	TYR	2.3
1	A	47	GLU	2.2
2	D	3	ALA	2.2
2	B	211	VAL	2.1
2	D	195	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CSX	A	168	7/8	0.86	0.14	-	28,31,31,39	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	FOL	D	270	32/32	0.90	0.21	0.59	29,31,32,33	0
4	FOL	C	270	32/32	0.88	0.26	0.53	29,31,32,33	0
4	FOL	A	270	32/32	0.90	0.20	0.53	29,31,32,33	0
4	FOL	B	270	32/32	0.89	0.22	0.01	29,31,32,33	0
3	NAP	C	269	48/48	0.96	0.15	-0.48	29,30,31,32	0
3	NAP	D	269	48/48	0.97	0.13	-1.26	29,30,31,32	0
3	NAP	A	269	48/48	0.97	0.12	-1.35	29,30,31,32	0
3	NAP	B	269	48/48	0.98	0.10	-1.85	29,30,31,32	0

6.5 Other polymers [i](#)

There are no such residues in this entry.