



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 03:19 PM GMT

PDB ID : 4C2W
Title : Crystal structure of Aurora B in complex with AMP-PNP
Authors : Sessa, F.; Villa, F.
Deposited on : 2013-08-20
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	279	<div> <div>77%</div> <div>17%</div> <div>• •</div> </div>
1	B	279	<div>4%</div> <div>78%</div> <div>19%</div> <div>•</div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ANP	B	1002	-	-	X	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6091 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AURORA KINASE B-A.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	P	S	0	3	0
			2261	1449	405	393	1	13			
1	B	278	Total	C	N	O	P	S	0	2	0
			2327	1490	420	402	1	14			


- Molecule 2 is a protein called INNER CENTROMERE PROTEIN A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	40	Total	C	N	O	S	0	0	0
			327	212	53	61	1			
2	D	50	Total	C	N	O	S	0	0	0
			420	272	73	74	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	796	ILE	-	EXPRESSION TAG	UNP O13024
D	796	ILE	-	EXPRESSION TAG	UNP O13024

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 31	C 10	N 6	O 12	P 3	0	0
3	B	1	Total 23	C 10	N 5	O 7	P 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	345	Total O 345 345	0	0
4	B	294	Total O 294 294	0	0
4	C	21	Total O 21 21	0	0
4	D	42	Total O 42 42	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: AURORA KINASE B-A




• Molecule 1: AURORA KINASE B-A



• Molecule 2: INNER CENTROMERE PROTEIN A



• Molecule 2: INNER CENTROMERE PROTEIN A



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	45.92Å 66.66Å 116.90Å 90.00° 96.83° 90.00°	Depositor
Resolution (Å)	43.77 – 1.70 45.60 – 1.70	Depositor EDS
% Data completeness (in resolution range)	97.0 (43.77-1.70) 97.0 (45.60-1.70)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.31 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.156 , 0.195 0.168 , 0.202	Depositor DCC
R_{free} test set	3738 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	16.8	Xtriage
Anisotropy	0.710	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 74797 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6091	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.07	4/2311 (0.2%)	1.28	16/3111 (0.5%)
1	B	1.01	1/2378 (0.0%)	1.17	26/3199 (0.8%)
2	C	0.91	0/335	1.08	2/455 (0.4%)
2	D	0.92	1/431 (0.2%)	1.13	5/581 (0.9%)
All	All	1.02	6/5455 (0.1%)	1.21	49/7346 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	2	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	246	ARG	CD-NE	-9.49	1.30	1.46
1	A	209	GLU	CD-OE1	8.77	1.35	1.25
1	A	163	ARG	CD-NE	-7.43	1.33	1.46
1	B	229	GLU	CD-OE1	-6.72	1.18	1.25
2	D	815	TYR	CG-CD1	6.36	1.47	1.39
1	A	209	GLU	CG-CD	5.47	1.60	1.51

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	246	ARG	NE-CZ-NH2	-16.10	112.25	120.30
1	A	245	ARG	NE-CZ-NH2	-15.60	112.50	120.30
1	A	163	ARG	NE-CZ-NH1	14.10	127.35	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	163	ARG	NE-CZ-NH2	-12.12	114.24	120.30
1	A	245	ARG	NE-CZ-NH1	11.38	125.99	120.30
1	A	155	ARG	NE-CZ-NH2	-11.06	114.77	120.30
2	D	812	ARG	NE-CZ-NH1	10.52	125.56	120.30
1	B	105	GLY	N-CA-C	9.47	136.77	113.10
1	B	155	ARG	NE-CZ-NH2	-9.20	115.70	120.30
1	B	282	PHE	CB-CG-CD2	-9.00	114.50	120.80
1	A	246	ARG	NE-CZ-NH1	8.99	124.80	120.30
1	A	155	ARG	NE-CZ-NH1	8.60	124.60	120.30
1	B	325	ARG	NE-CZ-NH2	-8.27	116.17	120.30
1	B	260	MET	CG-SD-CE	-7.86	87.63	100.20
2	D	812	ARG	NE-CZ-NH2	-7.40	116.60	120.30
1	A	192	ARG	NE-CZ-NH2	-7.05	116.78	120.30
1	A	119	MET	CG-SD-CE	6.82	111.12	100.20
1	A	140	ARG	NE-CZ-NH2	-6.76	116.92	120.30
1	B	210	ARG	NE-CZ-NH2	-6.72	116.94	120.30
1	B	89	THR	OG1-CB-CG2	6.67	125.33	110.00
1	B	105	GLY	CA-C-N	6.44	131.37	117.20
1	B	187[A]	ARG	NE-CZ-NH1	6.32	123.46	120.30
1	B	187[B]	ARG	NE-CZ-NH1	6.32	123.46	120.30
1	B	325	ARG	NE-CZ-NH1	6.29	123.44	120.30
1	B	282	PHE	CB-CG-CD1	6.15	125.10	120.80
1	B	155	ARG	CG-CD-NE	-6.07	99.06	111.80
1	B	105	GLY	O-C-N	-6.00	113.09	122.70
1	A	247	ARG	NE-CZ-NH1	5.97	123.28	120.30
2	D	815	TYR	CB-CG-CD1	5.89	124.53	121.00
2	C	815	TYR	CB-CG-CD1	5.88	124.53	121.00
1	B	162	ASP	CB-CG-OD1	5.88	123.59	118.30
2	D	812	ARG	CB-CG-CD	5.86	126.84	111.60
1	B	249	MET	CG-SD-CE	-5.84	90.86	100.20
1	B	187[A]	ARG	NE-CZ-NH2	-5.81	117.40	120.30
1	B	187[B]	ARG	NE-CZ-NH2	-5.81	117.40	120.30
1	B	247	ARG	NE-CZ-NH1	5.81	123.20	120.30
1	A	140	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	B	300	ARG	NE-CZ-NH1	5.72	123.16	120.30
2	D	836	LEU	CB-CG-CD1	5.71	120.71	111.00
1	B	83	MET	CG-SD-CE	5.43	108.88	100.20
1	B	299	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	B	105	GLY	C-N-CA	5.30	134.94	121.70
1	A	187	ARG	NE-CZ-NH2	-5.29	117.65	120.30
1	A	163	ARG	CD-NE-CZ	5.15	130.82	123.60
1	B	106	ASN	N-CA-C	5.13	124.84	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	89	THR	N-CA-CB	-5.08	100.65	110.30
1	B	189	ASP	CB-CG-OD1	5.05	122.84	118.30
1	A	139	ARG	NE-CZ-NH1	5.03	122.81	120.30
2	C	798	ILE	C-N-CD	5.01	138.93	128.40

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	89	THR	CB
1	B	106	ASN	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	105	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2261	0	2259	50	0
1	B	2327	0	2338	63	3
2	C	327	0	323	6	0
2	D	420	0	424	7	0
3	A	31	0	13	4	0
3	B	23	0	12	10	0
4	A	345	0	0	30	14
4	B	294	0	0	34	13
4	C	21	0	0	3	3
4	D	42	0	0	3	2
All	All	6091	0	5369	129	20

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:MET:HG2	4:B:2220:HOH:O	1.32	1.29
1:A:115:ASN:HB2	4:A:2022:HOH:O	1.20	1.25
1:B:354:VAL:HG12	4:B:2289:HOH:O	1.41	1.18
1:B:286:MET:CG	4:B:2220:HOH:O	1.86	1.17
1:B:286:MET:SD	4:B:2220:HOH:O	2.09	1.09
1:A:268:GLU:HG3	4:A:2244:HOH:O	1.57	1.04
1:B:286:MET:CE	4:B:2220:HOH:O	2.09	1.00
1:B:348:ARG:NH2	4:B:2138:HOH:O	1.93	0.99
1:B:348:ARG:CZ	4:B:2138:HOH:O	2.11	0.98
1:A:269:LYS:HA	1:A:272[A]:LEU:HD23	1.49	0.93
1:B:304:VAL:HG23	4:B:2236:HOH:O	1.68	0.92
1:B:209:GLU:HG2	4:B:2160:HOH:O	1.68	0.91
1:B:286:MET:HE3	4:B:2220:HOH:O	1.67	0.91
1:A:220:GLU:OE2	4:A:2187:HOH:O	1.92	0.87
3:A:1001:ANP:O2'	4:A:2010:HOH:O	1.91	0.86
1:B:290:ASP:N	4:B:2199:HOH:O	2.09	0.84
1:B:150:HIS:HD2	1:B:152:ASN:H	1.22	0.84
1:A:191:GLN:HG2	4:A:2140:HOH:O	1.79	0.83
1:A:150:HIS:HD2	1:A:152:ASN:H	1.29	0.80
1:B:78:THR:N	4:B:2001:HOH:O	2.15	0.79
1:B:176:GLY:HA3	3:B:1002:ANP:H5'1	1.65	0.78
1:A:296:GLU:HG2	4:A:2256:HOH:O	1.81	0.78
3:A:1001:ANP:O1A	3:A:1001:ANP:O1B	2.02	0.78
1:A:115:ASN:CB	4:A:2022:HOH:O	1.94	0.75
1:B:78:THR:HG23	1:B:80:LEU:H	1.51	0.75
1:A:97:ARG:NH1	2:D:802:ALA:O	2.20	0.75
1:A:259:GLU:HB3	4:A:2235:HOH:O	1.85	0.74
1:B:191:GLN:HG3	4:B:2138:HOH:O	1.85	0.74
1:A:115:ASN:CA	4:A:2022:HOH:O	2.32	0.72
1:A:211:LYS:HE3	4:A:2201:HOH:O	1.90	0.72
1:B:137:GLN:HG2	4:B:2053:HOH:O	1.89	0.71
1:A:150:HIS:CD2	1:A:152:ASN:H	2.08	0.71
1:B:150:HIS:CD2	1:B:152:ASN:H	2.08	0.71
2:C:798:ILE:CG2	4:C:2002:HOH:O	2.41	0.67
1:B:302:VAL:O	4:B:2236:HOH:O	2.12	0.67
1:B:355:TYR:HA	4:B:2290:HOH:O	1.94	0.67
1:A:295:THR:HG23	4:A:2259:HOH:O	1.94	0.67
1:A:339:GLU:HB3	4:A:2313:HOH:O	1.95	0.66
1:B:124:LEU:HD12	1:B:124:LEU:N	2.10	0.66
1:A:131:LYS:HG3	4:A:2034:HOH:O	1.96	0.66
1:B:137:GLN:NE2	4:B:2047:HOH:O	2.16	0.65
1:B:104:PHE:CG	3:B:1002:ANP:H8	2.32	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:1002:ANP:O3'	3:B:1002:ANP:O3A	2.13	0.64
1:B:136:HIS:HD2	1:B:137:GLN:H	1.45	0.64
1:B:87:LYS:HD2	4:B:2020:HOH:O	1.98	0.64
1:B:126:LYS:NZ	1:B:161:HIS:HD2	1.96	0.64
1:B:122:LYS:HG2	1:B:124:LEU:HD11	1.81	0.63
1:A:237:TRP:CD2	1:A:250:CYS:HB2	2.35	0.62
3:A:1001:ANP:O3A	3:A:1001:ANP:O1G	2.19	0.61
2:C:798:ILE:HG21	4:C:2002:HOH:O	1.99	0.61
2:C:804:GLY:O	2:C:808:THR:HG23	2.01	0.61
1:A:112:GLU:HG3	4:A:2022:HOH:O	2.01	0.60
1:A:136:HIS:HB3	4:A:2049:HOH:O	2.01	0.60
1:B:324:LEU:O	4:B:2256:HOH:O	2.16	0.58
1:A:143:GLU:O	1:A:147:HIS:HD2	1.87	0.57
1:B:354:VAL:HG13	1:B:355:TYR:CE1	2.40	0.57
1:B:123:VAL:C	1:B:124:LEU:HD12	2.24	0.57
1:B:99:LEU:HB3	3:B:1002:ANP:H2'	1.87	0.56
4:B:2016:HOH:O	2:C:835:GLU:OE1	2.17	0.56
1:A:165:ARG:NE	4:A:2087:HOH:O	2.38	0.56
1:A:354:VAL:HG22	4:A:2338:HOH:O	2.06	0.56
1:B:355:TYR:C	2:C:818:PRO:O	2.44	0.55
1:A:333:PRO:HB2	4:A:2307:HOH:O	2.04	0.55
1:B:99:LEU:O	3:B:1002:ANP:O2'	2.23	0.55
1:B:124:LEU:CD1	1:B:124:LEU:N	2.70	0.55
1:B:78:THR:CA	4:B:2002:HOH:O	2.55	0.54
1:B:126:LYS:HZ3	1:B:161:HIS:HD2	1.53	0.54
1:B:87:LYS:CD	4:B:2020:HOH:O	2.55	0.54
1:B:134:VAL:HG12	4:B:2046:HOH:O	2.06	0.54
1:A:272[A]:LEU:HD11	1:A:334:LEU:HG	1.90	0.54
1:B:349:ARG:CZ	4:B:2285:HOH:O	2.56	0.54
1:B:133:GLY:O	1:B:136:HIS:NE2	2.40	0.54
1:A:177:GLU:OE2	3:A:1001:ANP:O3'	2.23	0.54
1:A:211:LYS:CE	4:A:2201:HOH:O	2.52	0.54
3:B:1002:ANP:N3	3:B:1002:ANP:C3'	2.72	0.53
1:B:104:PHE:CD2	3:B:1002:ANP:H8	2.44	0.53
1:A:336:GLY:N	4:A:2307:HOH:O	2.41	0.53
1:B:136:HIS:CD2	1:B:137:GLN:H	2.25	0.53
1:A:268:GLU:CG	4:A:2244:HOH:O	2.34	0.52
1:A:237:TRP:CE3	1:A:250:CYS:HB2	2.44	0.52
1:A:180:LYS:CE	4:A:2117:HOH:O	2.57	0.52
1:B:322:LYS:HE3	4:B:2254:HOH:O	2.10	0.52
1:A:237:TRP:CZ3	1:A:250:CYS:HB3	2.44	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:237:TRP:CE3	1:A:250:CYS:CB	2.94	0.51
1:B:161:HIS:HE1	4:B:2018:HOH:O	1.94	0.51
1:B:191:GLN:CG	4:B:2138:HOH:O	2.48	0.50
3:B:1002:ANP:H3'	3:B:1002:ANP:N3	2.27	0.50
1:B:89:THR:HG23	1:B:91:ASP:H	1.77	0.50
2:C:798:ILE:HG23	4:C:2002:HOH:O	2.10	0.49
1:B:351:LEU:HD21	4:B:2285:HOH:O	2.12	0.48
1:B:348:ARG:NE	4:B:2138:HOH:O	2.35	0.48
1:A:220:GLU:CD	4:A:2185:HOH:O	2.51	0.48
2:D:800:ALA:HB3	4:D:2002:HOH:O	2.13	0.48
1:A:292:PRO:HB2	4:A:2257:HOH:O	2.13	0.47
1:B:152:ASN:HD21	1:B:349:ARG:HH21	1.62	0.47
1:B:277:VAL:HG13	1:B:288:PRO:HD2	1.96	0.47
1:B:349:ARG:NH1	4:B:2285:HOH:O	2.48	0.46
1:A:277:VAL:HG13	1:A:288:PRO:HD2	1.98	0.46
1:A:152:ASN:HD21	1:A:349:ARG:HH21	1.61	0.46
2:D:823:ARG:NH1	2:D:824:MET:SD	2.89	0.46
1:A:180:LYS:HE3	4:A:2117:HOH:O	2.15	0.45
1:A:246:ARG:CD	1:A:248:TPO:O2P	2.65	0.45
1:A:246:ARG:HD2	1:A:248:TPO:O2P	2.17	0.44
1:B:127:SER:O	1:B:130:GLU:HG3	2.18	0.44
1:B:78:THR:HA	4:B:2002:HOH:O	2.15	0.44
1:B:78:THR:CG2	1:B:80:LEU:H	2.27	0.43
1:B:122:LYS:HG2	1:B:124:LEU:CD1	2.48	0.43
1:A:115:ASN:N	4:A:2022:HOH:O	2.49	0.43
2:D:843:ARG:HB2	4:D:2033:HOH:O	2.18	0.43
1:A:112:GLU:HG2	2:D:825:TYR:OH	2.19	0.43
1:B:78:THR:HG21	4:B:2004:HOH:O	2.18	0.43
1:B:350:VAL:HG13	4:B:2175:HOH:O	2.19	0.43
1:B:354:VAL:HG13	1:B:355:TYR:CD1	2.54	0.42
2:D:809:GLN:HB2	4:D:2005:HOH:O	2.20	0.42
1:A:211:LYS:HG3	4:A:2201:HOH:O	2.19	0.42
1:A:245:ARG:HD3	1:A:265:THR:OG1	2.20	0.42
1:A:290:ASP:OD1	4:A:2229:HOH:O	2.21	0.42
1:B:136:HIS:CD2	1:B:137:GLN:N	2.88	0.42
1:A:248:TPO:P	4:A:2212:HOH:O	2.77	0.41
1:A:245:ARG:NH2	1:A:267:ASP:OD2	2.53	0.41
1:B:309:PRO:HA	1:B:310:PRO:HD3	1.92	0.41
3:B:1002:ANP:C2'	3:B:1002:ANP:N3	2.83	0.41
1:A:139:ARG:CZ	2:D:834:GLU:OE1	2.69	0.41
1:A:272[A]:LEU:HA	1:A:272[A]:LEU:HD13	1.82	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:354:VAL:HG13	1:B:355:TYR:CZ	2.55	0.40
1:A:152:ASN:ND2	1:A:349:ARG:HH21	2.18	0.40
1:B:176:GLY:CA	3:B:1002:ANP:H5'1	2.44	0.40
1:A:339:GLU:HG3	4:A:2311:HOH:O	2.21	0.40
1:B:78:THR:N	4:B:2002:HOH:O	2.54	0.40

All (20) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:2297:HOH:O	4:B:2130:HOH:O[1_445]	1.03	1.17
4:A:2058:HOH:O	4:B:2003:HOH:O[2_646]	1.44	0.76
4:B:2030:HOH:O	4:B:2212:HOH:O[1_655]	1.53	0.67
4:A:2033:HOH:O	4:A:2120:HOH:O[2_555]	1.55	0.65
4:A:2315:HOH:O	4:B:2272:HOH:O[1_545]	1.57	0.63
4:B:2266:HOH:O	4:C:2016:HOH:O[2_656]	1.61	0.59
4:A:2085:HOH:O	4:A:2187:HOH:O[2_555]	1.61	0.59
4:A:2313:HOH:O	4:B:2263:HOH:O[1_545]	1.83	0.37
4:A:2313:HOH:O	4:B:2261:HOH:O[1_545]	1.85	0.35
4:A:2346:HOH:O	4:D:2045:HOH:O[2_545]	1.97	0.23
4:B:2238:HOH:O	4:C:2019:HOH:O[2_656]	2.00	0.20
4:A:2185:HOH:O	4:D:2031:HOH:O[2_545]	2.07	0.13
1:B:101:LYS:NZ	4:B:2215:HOH:O[1_655]	2.07	0.13
1:B:79:ALA:O	4:A:2058:HOH:O[2_656]	2.08	0.12
4:B:2083:HOH:O	4:B:2204:HOH:O[2_646]	2.08	0.12
4:A:2314:HOH:O	4:B:2261:HOH:O[1_545]	2.09	0.11
1:B:327:HIS:ND1	4:C:2016:HOH:O[2_656]	2.09	0.11
4:A:2324:HOH:O	4:B:2251:HOH:O[1_545]	2.15	0.05
4:A:2292:HOH:O	4:B:2262:HOH:O[1_545]	2.19	0.01
4:A:2028:HOH:O	4:A:2257:HOH:O[2_555]	2.19	0.01

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	269/279 (96%)	261 (97%)	8 (3%)	0	100	100
1	B	277/279 (99%)	270 (98%)	7 (2%)	0	100	100
2	C	38/52 (73%)	38 (100%)	0	0	100	100
2	D	48/52 (92%)	46 (96%)	1 (2%)	1 (2%)	9	1
All	All	632/662 (96%)	615 (97%)	16 (2%)	1 (0%)	52	32

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	804	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/250 (98%)	236 (96%)	9 (4%)	41	18
1	B	251/250 (100%)	243 (97%)	8 (3%)	46	24
2	C	35/47 (74%)	33 (94%)	2 (6%)	25	8
2	D	45/47 (96%)	40 (89%)	5 (11%)	8	1
All	All	576/594 (97%)	552 (96%)	24 (4%)	36	14

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	LYS
1	A	112	GLU
1	A	114	GLN
1	A	192	ARG
1	A	244	LEU
1	A	294	HIS
1	A	299	ARG
1	A	349	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	356	GLN
1	B	78	THR
1	B	86	ARG
1	B	106	ASN
1	B	130	GLU
1	B	136	HIS
1	B	137	GLN
1	B	138	LEU
1	B	163	ARG
2	C	798	ILE
2	C	823	ARG
2	D	809	GLN
2	D	819	ILE
2	D	829	ASP
2	D	836	LEU
2	D	841	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	128	GLN
1	A	147	HIS
1	A	150	HIS
1	A	152	ASN
1	A	185	HIS
1	A	356	GLN
1	B	106	ASN
1	B	114	GLN
1	B	115	ASN
1	B	136	HIS
1	B	137	GLN
1	B	150	HIS
1	B	152	ASN
1	B	161	HIS
2	D	838	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	A	248	1	8,10,11	0.49	0	7,14,16	0.89	0
1	TPO	B	248	1	8,10,11	0.68	0	7,14,16	1.35	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	248	1	-	0/8/11/13	0/0/0/0
1	TPO	B	248	1	-	0/8/11/13	0/0/0/0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	248	TPO	O2P-P-O1P	2.34	118.10	110.58

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	248	TPO	3	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	ANP	A	1001	-	27,33,33	2.94	12 (44%)	30,52,52	2.88	11 (36%)
3	ANP	B	1002	-	20,25,33	2.97	6 (30%)	22,38,52	4.18	12 (54%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	1001	-	-	0/12/38/38	0/3/3/3
3	ANP	B	1002	-	-	0/6/26/38	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	ANP	PG-O3G	-2.97	1.48	1.56
3	A	1001	ANP	PG-O2G	-2.83	1.48	1.56
3	A	1001	ANP	PB-O2B	-2.49	1.49	1.56
3	A	1001	ANP	C5-C4	-2.31	1.35	1.40
3	A	1001	ANP	O4'-C4'	2.05	1.49	1.45
3	A	1001	ANP	PB-O1B	2.18	1.48	1.46
3	B	1002	ANP	O4'-C4'	2.82	1.51	1.45
3	B	1002	ANP	PA-O1A	3.07	1.61	1.51
3	A	1001	ANP	PG-O1G	3.08	1.49	1.46
3	B	1002	ANP	PA-O5'	3.24	1.71	1.60
3	A	1001	ANP	C2-N1	3.34	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1002	ANP	C2-N3	3.98	1.39	1.32
3	B	1002	ANP	C2-N1	4.91	1.43	1.33
3	A	1001	ANP	PG-N3B	5.35	1.77	1.63
3	A	1001	ANP	O4'-C1'	5.49	1.48	1.41
3	A	1001	ANP	C2-N3	5.64	1.42	1.32
3	A	1001	ANP	PB-O3A	8.14	1.69	1.59
3	B	1002	ANP	O4'-C1'	9.30	1.53	1.41

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1002	ANP	N3-C2-N1	-12.31	119.47	128.89
3	A	1001	ANP	N3-C2-N1	-9.85	121.35	128.89
3	B	1002	ANP	O4'-C4'-C3'	-5.93	93.19	105.15
3	B	1002	ANP	C2'-C3'-C4'	-5.16	92.01	102.61
3	A	1001	ANP	PA-O3A-PB	-4.99	115.95	132.67
3	B	1002	ANP	C2'-C1'-N9	-4.28	107.75	114.29
3	A	1001	ANP	O3A-PB-N3B	-4.21	94.84	106.44
3	A	1001	ANP	C4'-O4'-C1'	-4.04	105.28	109.72
3	A	1001	ANP	O4'-C1'-N9	-3.54	100.68	108.10
3	B	1002	ANP	C4-C5-N7	-3.47	106.29	109.48
3	B	1002	ANP	O5'-PA-O1A	-3.07	99.32	107.14
3	B	1002	ANP	C4'-O4'-C1'	-2.82	106.62	109.72
3	A	1001	ANP	O1B-PB-N3B	-2.37	108.27	111.90
3	A	1001	ANP	C1'-N9-C4	-2.37	123.37	126.94
3	A	1001	ANP	C2'-C1'-N9	-2.06	111.14	114.29
3	B	1002	ANP	C2-N1-C6	2.74	123.66	118.77
3	B	1002	ANP	O4'-C4'-C5'	2.94	119.83	109.32
3	B	1002	ANP	O3A-PA-O2A	3.07	119.09	107.38
3	A	1001	ANP	O2B-PB-O1B	3.53	117.37	110.00
3	A	1001	ANP	O2A-PA-O3A	3.60	121.41	105.09
3	B	1002	ANP	O3'-C3'-C4'	3.85	122.61	111.05
3	A	1001	ANP	O3G-PG-O2G	3.90	119.13	107.58
3	B	1002	ANP	O4'-C1'-N9	8.61	126.13	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1001	ANP	4	0
3	B	1002	ANP	10	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	268/279 (96%)	-0.19	1 (0%) 93 94	9, 16, 34, 57	0
1	B	277/279 (99%)	-0.08	12 (4%) 39 43	9, 18, 43, 79	0
2	C	40/52 (76%)	0.21	2 (5%) 32 35	19, 28, 45, 51	0
2	D	50/52 (96%)	0.71	9 (18%) 2 2	18, 34, 52, 58	0
All	All	635/662 (95%)	-0.05	24 (3%) 44 49	9, 19, 43, 79	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	837	PHE	5.0
1	B	131	LYS	4.8
1	B	79	ALA	4.4
1	B	80	LEU	4.0
1	B	163	ARG	3.6
1	B	136	HIS	3.3
1	B	129	LEU	3.1
1	B	127	SER	3.1
1	B	355	TYR	3.0
2	D	844	TYR	3.0
2	D	845	PHE	3.0
1	B	130	GLU	2.9
2	D	827	THR	2.7
1	B	132	GLU	2.7
2	D	819	ILE	2.5
2	D	800	ALA	2.5
2	D	834	GLU	2.4
2	D	842	PRO	2.4
1	B	133	GLY	2.3
2	C	834	GLU	2.3
1	B	135	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	826	GLY	2.1
1	A	244	LEU	2.1
2	D	843	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	TPO	B	248	11/12	0.98	0.05	-	15,16,19,23	0
1	TPO	A	248	11/12	0.98	0.07	-	15,16,17,18	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	ANP	B	1002	23/31	0.79	0.20	2.85	23,58,98,101	0
3	ANP	A	1001	31/31	0.91	0.14	0.69	15,35,79,82	0

6.5 Other polymers [i](#)

There are no such residues in this entry.