



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:42 PM GMT

PDB ID : 1C4U
Title : SELECTIVE NON ELECTROPHILIC THROMBIN INHIBITORS WITH
CYCLOHEXYL MOIETIES.
Authors : Krishnan, R.; Mochalkin, I.; Arni, R.K.; Tulinsky, A.
Deposited on : 1999-09-25
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	1	36	
2	2	259	
3	3	14	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 2479 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called thrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1	30	Total	C	N	O	S	0	0	0
			240	150	39	50	1			

- Molecule 2 is a protein called thrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	2	252	Total	C	N	O	S	0	0	0
			2039	1299	360	366	14			

- Molecule 3 is a protein called PROTEIN (HIRUGEN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	3	8	Total	C	N	O	S	0	0	0
			68	43	8	16	1			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
3	554	ALA	-	INSERTION	UNP P28504
3	555	CYS	-	INSERTION	UNP P28504
3	556	GLU	-	INSERTION	UNP P28504
3	557	ASN	-	INSERTION	UNP P28504
3	558	GLU	-	INSERTION	UNP P28504
3	562	GLY	GLU	CONFLICT	UNP P28504
3	565	GLY	GLU	CONFLICT	UNP P28504

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	2	1	Total	Na	0	0
			1	1		

-
- Chemical structure of compound 1h1, showing a 1,2,4-triazine core substituted with a 4-aminophenyl group and a 4-bromophenyl group. The structure is labeled with atom names (C1-C16, N9-N18, O1-O2, S1, Br) and includes a legend for the color coding: C (green), N (blue), O (red), S (yellow), and Br (brown).

- Molecule 6 is water.



Note EDS was not executed.

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| THR | PHE | GLY | S1E | G1D | E1C | A1B | D1A | C1 | G2 | G3 | L2 | R4 | P6 | L6 | F7 | E8 | K9 | K10 | S11 | L12 | E13 | D14 | K14A | T14B | E14C | R14D | E14E | L14F | L14G | E14H | S14I | V14J | K14K | ASP | GLY | ARG |
|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|-----|-----|-----|

- [illegible]

- | | | |
|-----|------|------|
| ALA | F560 | G565 |
| CYS | E561 | E566 |
| GLU | | Y567 |
| ASN | | |
| GLU | | |
| ASP | | |

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	71.51Å 72.02Å 72.91Å 90.00° 100.80° 90.00°	Depositor
Resolution (Å)	7.00 – 2.10	Depositor
% Data completeness (in resolution range)	75.0 (7.00-2.10)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	0.12	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.167 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2479	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NA, IH1, TYS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	1	1.18	0/242	2.66	17/322 (5.3%)
2	2	1.18	2/2091 (0.1%)	2.70	143/2823 (5.1%)
3	3	1.09	0/53	1.90	1/70 (1.4%)
All	All	1.18	2/2386 (0.1%)	2.68	161/3215 (5.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	2	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	186(B)	GLU	CD-OE2	-5.80	1.19	1.25
2	2	136	GLY	CA-C	5.79	1.61	1.51

All (161) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	187	ARG	NE-CZ-NH1	29.81	135.21	120.30
2	2	126	ARG	NE-CZ-NH1	21.82	131.21	120.30
2	2	221(A)	ARG	NE-CZ-NH2	21.30	130.95	120.30
2	2	126	ARG	CD-NE-CZ	21.24	153.33	123.60
2	2	221(A)	ARG	NE-CZ-NH1	-17.55	111.53	120.30
2	2	233	ARG	NE-CZ-NH2	-16.76	111.92	120.30
2	2	67	ARG	NE-CZ-NH1	16.64	128.62	120.30
2	2	60(A)	TYR	CB-CG-CD2	15.09	130.05	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	178	ASP	CB-CG-OD2	-15.05	104.75	118.30
2	2	187	ARG	NE-CZ-NH2	-14.74	112.93	120.30
2	2	93	ARG	NE-CZ-NH2	-14.52	113.04	120.30
1	1	1(A)	ASP	CB-CG-OD1	-14.35	105.39	118.30
2	2	126	ARG	NE-CZ-NH2	-13.67	113.47	120.30
2	2	60(A)	TYR	CB-CG-CD1	-12.51	113.50	121.00
2	2	222	ASP	CB-CG-OD2	12.47	129.53	118.30
2	2	226	GLY	O-C-N	10.73	139.87	122.70
2	2	49	ASP	CB-CG-OD2	10.64	127.87	118.30
2	2	233	ARG	NE-CZ-NH1	10.56	125.58	120.30
2	2	177	THR	CA-CB-CG2	10.42	126.99	112.40
2	2	60(E)	ASP	CB-CG-OD1	-10.05	109.25	118.30
2	2	99	LEU	O-C-N	-9.96	106.76	122.70
2	2	35	ARG	NE-CZ-NH2	-9.77	115.42	120.30
2	2	205	ASN	CB-CA-C	9.67	129.74	110.40
2	2	110	LYS	N-CA-CB	9.43	127.57	110.60
2	2	21	ASP	CB-CG-OD1	9.35	126.72	118.30
2	2	130	LEU	CB-CA-C	9.04	127.37	110.20
2	2	129(A)	ALA	CB-CA-C	9.01	123.61	110.10
2	2	93	ARG	CD-NE-CZ	9.01	136.21	123.60
2	2	137	ARG	NE-CZ-NH1	9.00	124.80	120.30
2	2	176	ILE	CA-CB-CG2	8.91	128.73	110.90
1	1	1(A)	ASP	OD1-CG-OD2	8.88	140.16	123.30
1	1	14(J)	TYR	CA-C-O	8.60	138.17	120.10
2	2	182	CYS	CA-CB-SG	8.55	129.38	114.00
2	2	80	GLU	CG-CD-OE2	-8.50	101.30	118.30
1	1	14(D)	ARG	NE-CZ-NH2	-8.47	116.06	120.30
2	2	67	ARG	NH1-CZ-NH2	-8.41	110.15	119.40
2	2	77	GLU	CA-C-O	8.37	137.67	120.10
2	2	65	LEU	O-C-N	8.10	135.66	122.70
1	1	14(K)	ILE	CA-CB-CG1	7.89	125.99	111.00
2	2	143	ASN	OD1-CG-ND2	7.74	139.69	121.90
2	2	187	ARG	NH1-CZ-NH2	-7.71	110.92	119.40
2	2	73	ARG	NE-CZ-NH1	7.66	124.13	120.30
1	1	13	GLU	OE1-CD-OE2	7.65	132.48	123.30
2	2	97	ARG	NE-CZ-NH2	7.61	124.10	120.30
2	2	180	MET	O-C-N	7.52	134.73	122.70
2	2	205	ASN	C-N-CA	7.50	140.46	121.70
2	2	175	ARG	NE-CZ-NH2	7.50	124.05	120.30
2	2	165	ARG	NE-CZ-NH2	-7.42	116.59	120.30
2	2	217	GLU	OE1-CD-OE2	-7.40	114.42	123.30
1	1	14(J)	TYR	CA-C-N	-7.33	101.08	117.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	14(A)	LYS	CA-C-O	-7.13	105.12	120.10
2	2	185	LYS	CB-CA-C	-7.06	96.29	110.40
2	2	80	GLU	OE1-CD-OE2	6.95	131.64	123.30
2	2	225	TYR	CA-CB-CG	-6.95	100.20	113.40
1	1	4	ARG	CD-NE-CZ	-6.87	113.98	123.60
2	2	93	ARG	NE-CZ-NH1	6.81	123.70	120.30
2	2	175	ARG	NE-CZ-NH1	-6.80	116.90	120.30
2	2	201	MET	O-C-N	6.80	133.58	122.70
2	2	217	GLU	CG-CD-OE2	6.73	131.76	118.30
2	2	221	ASP	CB-CG-OD1	6.69	124.32	118.30
2	2	35	ARG	CD-NE-CZ	6.64	132.89	123.60
2	2	154	VAL	N-CA-CB	-6.63	96.92	111.50
2	2	99	LEU	CA-C-N	6.58	131.68	117.20
2	2	200	VAL	CA-CB-CG1	6.58	120.77	110.90
1	1	14(J)	TYR	CD1-CE1-CZ	6.53	125.68	119.80
2	2	116	ASP	CB-CG-OD1	6.50	124.16	118.30
1	1	14(J)	TYR	CG-CD1-CE1	-6.46	116.13	121.30
2	2	194	ASP	CB-CG-OD1	-6.45	112.50	118.30
2	2	160	LEU	CB-CG-CD1	-6.43	100.08	111.00
2	2	169	LYS	CB-CG-CD	6.41	128.26	111.60
2	2	102	ASP	CB-CG-OD2	-6.37	112.56	118.30
2	2	222	ASP	N-CA-CB	6.34	122.01	110.60
2	2	230	HIS	N-CA-CB	-6.31	99.25	110.60
2	2	35	ARG	CG-CD-NE	-6.24	98.69	111.80
2	2	204(B)	ASN	C-N-CA	6.22	137.26	121.70
2	2	172	THR	N-CA-CB	-6.18	98.56	110.30
2	2	65	LEU	CA-C-N	-6.16	103.66	117.20
2	2	84	MET	O-C-N	6.14	132.52	122.70
2	2	208	TYR	CB-CG-CD2	-6.12	117.33	121.00
1	1	14(C)	GLU	CG-CD-OE2	6.10	130.50	118.30
2	2	244	GLN	N-CA-CB	6.08	121.55	110.60
2	2	204(A)	PHE	O-C-N	6.08	132.43	122.70
2	2	225	TYR	CB-CG-CD2	-6.06	117.36	121.00
2	2	209	GLN	CB-CA-C	-6.06	98.28	110.40
2	2	167	VAL	O-C-N	6.05	132.38	122.70
2	2	143	ASN	CB-CG-OD1	-6.02	109.55	121.60
2	2	108	LEU	N-CA-CB	-5.98	98.44	110.40
2	2	65	LEU	CB-CG-CD2	-5.95	100.88	111.00
2	2	50	ARG	NE-CZ-NH2	-5.93	117.33	120.30
2	2	35	ARG	CA-CB-CG	5.93	126.45	113.40
2	2	41	LEU	N-CA-CB	-5.90	98.61	110.40
2	2	169	LYS	CA-CB-CG	5.89	126.36	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	116	ASP	CB-CG-OD2	-5.87	113.02	118.30
2	2	114	PHE	N-CA-CB	5.87	121.16	110.60
2	2	205	ASN	N-CA-CB	-5.84	100.09	110.60
2	2	180	MET	N-CA-CB	5.78	121.01	110.60
2	2	181	PHE	N-CA-CB	5.78	121.01	110.60
2	2	66	VAL	C-N-CA	5.73	136.03	121.70
2	2	46	LEU	CB-CG-CD2	5.69	120.68	111.00
2	2	164	GLU	CB-CG-CD	5.68	129.53	114.20
2	2	93	ARG	CA-CB-CG	-5.61	101.06	113.40
2	2	221	ASP	CB-CA-C	5.58	121.55	110.40
2	2	206	ARG	CA-C-O	-5.57	108.40	120.10
2	2	86	GLU	OE1-CD-OE2	5.56	129.97	123.30
2	2	207	TRP	O-C-N	5.56	131.60	122.70
2	2	232	PHE	CB-CG-CD1	-5.54	116.93	120.80
2	2	144	LEU	O-C-N	5.53	131.54	122.70
2	2	134	TYR	CB-CG-CD2	-5.51	117.69	121.00
2	2	137	ARG	NE-CZ-NH2	-5.49	117.56	120.30
2	2	221	ASP	CB-CG-OD2	-5.47	113.38	118.30
2	2	109	LYS	CG-CD-CE	5.44	128.22	111.90
1	1	7	PHE	CB-CG-CD2	-5.43	117.00	120.80
2	2	105	LEU	CB-CG-CD1	-5.42	101.79	111.00
2	2	177	THR	CA-CB-OG1	-5.39	97.69	109.00
2	2	138	VAL	CG1-CB-CG2	5.38	119.51	110.90
2	2	60(C)	PRO	O-C-N	5.37	131.30	122.70
2	2	173	ARG	CD-NE-CZ	-5.37	116.08	123.60
2	2	66	VAL	CB-CA-C	5.36	121.59	111.40
2	2	50	ARG	CD-NE-CZ	5.34	131.07	123.60
2	2	127	GLU	N-CA-CB	-5.33	101.00	110.60
2	2	178	ASP	OD1-CG-OD2	5.33	133.43	123.30
2	2	231	VAL	CA-CB-CG2	5.32	118.88	110.90
2	2	60	LEU	O-C-N	5.31	131.19	122.70
2	2	35	ARG	CA-C-O	5.28	131.20	120.10
2	2	102	ASP	CA-CB-CG	-5.28	101.78	113.40
2	2	75	ARG	CD-NE-CZ	5.28	130.99	123.60
2	2	115	SER	N-CA-C	-5.28	96.76	111.00
2	2	65	LEU	N-CA-CB	5.26	120.92	110.40
2	2	77	GLU	O-C-N	-5.26	114.28	122.70
2	2	29	TRP	CB-CG-CD1	5.24	133.81	127.00
2	2	243	ASP	CB-CA-C	5.23	120.86	110.40
2	2	209	GLN	CA-CB-CG	-5.21	101.93	113.40
2	2	125	ASP	CB-CG-OD1	5.21	122.99	118.30
2	2	170	ASP	CA-CB-CG	-5.19	101.98	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	170	ASP	CB-CG-OD1	-5.19	113.63	118.30
2	2	194	ASP	O-C-N	-5.19	114.39	122.70
2	2	75	ARG	NE-CZ-NH2	-5.18	117.71	120.30
2	2	206	ARG	CA-C-N	5.18	128.61	117.20
2	2	93	ARG	O-C-N	-5.17	114.43	122.70
2	2	139	THR	O-C-N	-5.16	114.43	123.20
2	2	77	GLU	C-N-CA	5.15	134.58	121.70
2	2	60(H)	PHE	CG-CD1-CE1	5.13	126.44	120.80
2	2	222	ASP	CA-CB-CG	5.13	124.68	113.40
2	2	86	GLU	CA-CB-CG	-5.11	102.15	113.40
2	2	187	ARG	CD-NE-CZ	5.11	130.76	123.60
2	2	231	VAL	CG1-CB-CG2	-5.11	102.72	110.90
1	1	13	GLU	CG-CD-OE1	-5.11	108.08	118.30
2	2	186(B)	GLU	OE1-CD-OE2	-5.10	117.18	123.30
2	2	165	ARG	CG-CD-NE	-5.09	101.10	111.80
2	2	221(A)	ARG	CD-NE-CZ	-5.06	116.52	123.60
1	1	3	LEU	O-C-N	5.04	130.76	122.70
2	2	61	GLU	O-C-N	5.03	130.75	122.70
2	2	116	ASP	CA-CB-CG	5.03	124.47	113.40
3	3	561	GLU	OE1-CD-OE2	5.03	129.33	123.30
2	2	117	TYR	CZ-CE2-CD2	-5.03	115.28	119.80
1	1	8	GLU	OE1-CD-OE2	5.02	129.33	123.30
2	2	27	SER	N-CA-CB	-5.02	102.97	110.50
2	2	246	GLY	N-CA-C	5.01	125.64	113.10
1	1	1(A)	ASP	CA-CB-CG	-5.01	102.39	113.40
2	2	44	ALA	CB-CA-C	5.00	117.61	110.10
2	2	107	LYS	N-CA-CB	5.00	119.61	110.60

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	2	165	ARG	Sidechain
2	2	197	GLY	Mainchain
2	2	233	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	240	0	239	46	0
2	2	2039	0	2010	238	0
3	3	68	0	52	8	0
4	2	1	0	0	0	0
5	2	36	0	26	5	0
6	1	8	0	0	2	0
6	2	85	0	0	24	0
6	3	2	0	0	0	0
All	All	2479	0	2327	257	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 55.

All (257) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:86:GLU:CG	2:2:109:LYS:HZ2	1.22	1.52
2:2:86:GLU:HG3	2:2:109:LYS:NZ	1.16	1.47
1:1:14(K):ILE:CG2	2:2:134:TYR:OH	1.73	1.36
1:1:14(K):ILE:HG22	2:2:134:TYR:CZ	1.62	1.34
1:1:14(K):ILE:HG22	2:2:134:TYR:CE1	1.70	1.26
2:2:86:GLU:CG	2:2:109:LYS:NZ	1.86	1.24
1:1:1(C):GLU:CB	1:1:1:CYS:HB3	1.68	1.22
2:2:205:ASN:HB3	6:2:532:HOH:O	1.05	1.19
2:2:215:TRP:CH2	6:2:529:HOH:O	2.00	1.12
2:2:187:ARG:HD3	2:2:221:ASP:OD2	1.50	1.10
2:2:75:ARG:NH2	3:3:561:GLU:HB2	1.67	1.07
2:2:18:GLU:HG3	2:2:187:ARG:HG3	1.35	1.05
1:1:1(C):GLU:HB3	1:1:1:CYS:CB	1.86	1.05
2:2:215:TRP:CZ3	6:2:529:HOH:O	2.08	1.05
2:2:75:ARG:NH2	6:2:510:HOH:O	1.91	1.04
1:1:14(K):ILE:CG2	2:2:134:TYR:CZ	2.36	1.03
2:2:105:LEU:HD12	2:2:241:VAL:HG21	1.39	1.02
2:2:78:ASN:N	6:2:448:HOH:O	1.78	1.02
2:2:217:GLU:OE1	6:2:527:HOH:O	1.76	1.01
2:2:50:ARG:NH1	2:2:86:GLU:OE1	1.93	1.01
2:2:185:LYS:N	2:2:186(B):GLU:OE1	1.92	1.00
1:1:1(E):SER:HB2	2:2:123:LEU:O	1.60	1.00
1:1:14(K):ILE:HG23	2:2:134:TYR:OH	1.64	0.96
1:1:1(D):GLY:HA3	2:2:123:LEU:H	1.27	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:236:LYS:HD2	2:2:237:TRP:N	1.82	0.94
1:1:1(D):GLY:CA	2:2:123:LEU:H	1.81	0.92
2:2:105:LEU:CD1	2:2:241:VAL:HG21	2.00	0.92
2:2:86:GLU:HG3	2:2:109:LYS:HZ3	1.29	0.90
1:1:1(C):GLU:HB3	1:1:1:CYS:HB3	0.94	0.90
2:2:86:GLU:CD	2:2:109:LYS:NZ	2.23	0.90
2:2:236:LYS:HD2	2:2:237:TRP:H	1.33	0.90
1:1:1(E):SER:CB	2:2:123:LEU:O	2.21	0.88
2:2:86:GLU:CB	2:2:109:LYS:HZ2	1.86	0.88
1:1:1(D):GLY:HA3	2:2:123:LEU:N	1.88	0.88
1:1:1(C):GLU:HG3	2:2:120:PRO:HG2	1.55	0.87
2:2:70:LYS:HE3	2:2:72:SER:O	1.74	0.87
2:2:40:LEU:HD12	2:2:41:LEU:N	1.91	0.86
2:2:18:GLU:HG3	2:2:187:ARG:CG	2.06	0.86
1:1:14(K):ILE:CG2	2:2:134:TYR:CE1	2.59	0.85
2:2:153:SER:HA	6:2:503:HOH:O	1.76	0.85
2:2:57:HIS:O	2:2:60(F):LYS:CE	2.25	0.85
2:2:236:LYS:HD2	2:2:236:LYS:N	1.91	0.85
2:2:80:GLU:O	2:2:81:LYS:HD3	1.77	0.85
2:2:85:LEU:HD13	2:2:106:MET:HE2	1.59	0.84
2:2:57:HIS:O	2:2:60(F):LYS:HE3	1.77	0.83
2:2:86:GLU:HG3	2:2:109:LYS:HZ1	1.41	0.83
1:1:14(K):ILE:HG21	2:2:134:TYR:OH	1.77	0.82
2:2:60(D):TRP:O	2:2:60(E):ASP:HB2	1.81	0.81
1:1:14(K):ILE:HA	6:1:427:HOH:O	1.81	0.81
1:1:14(H):GLU:OE1	6:1:445:HOH:O	1.99	0.81
1:1:1(D):GLY:N	2:2:123:LEU:H	1.76	0.80
2:2:86:GLU:CD	2:2:109:LYS:HZ2	1.82	0.80
1:1:1(D):GLY:H	2:2:123:LEU:H	1.29	0.80
2:2:236:LYS:CD	2:2:237:TRP:N	2.44	0.80
2:2:117:TYR:HD2	6:2:451:HOH:O	1.64	0.79
2:2:221(A):ARG:HH11	2:2:221(A):ARG:CG	1.95	0.78
2:2:86:GLU:HB3	2:2:107:LYS:HG3	1.65	0.78
2:2:74:THR:OG1	6:2:530:HOH:O	2.01	0.77
2:2:70:LYS:NZ	2:2:80:GLU:OE1	2.17	0.77
1:1:14(I):SER:O	1:1:14(K):ILE:N	2.17	0.76
2:2:221(A):ARG:HG3	2:2:221(A):ARG:NH1	2.00	0.76
2:2:37:PRO:O	2:2:39:GLU:HG2	1.86	0.75
2:2:105:LEU:CD1	2:2:241:VAL:CG2	2.63	0.75
2:2:45:SER:HB3	2:2:198:PRO:HG3	1.66	0.75
2:2:77(A):ARG:CA	6:2:448:HOH:O	2.34	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:87:LYS:HG3	2:2:89:TYR:CE1	2.22	0.74
2:2:237:TRP:HZ2	6:2:531:HOH:O	1.71	0.74
1:1:14(A):LYS:HG3	2:2:23:GLU:OE2	1.88	0.74
2:2:205:ASN:CB	6:2:532:HOH:O	1.85	0.73
2:2:176:ILE:HD12	2:2:227:PHE:CE1	2.24	0.72
1:1:14(D):ARG:O	1:1:14(H):GLU:HG3	1.89	0.72
2:2:40:LEU:HD12	2:2:41:LEU:H	1.54	0.72
1:1:14(I):SER:C	1:1:14(K):ILE:N	2.43	0.71
1:1:1(C):GLU:CB	1:1:1:CYS:CB	2.57	0.71
1:1:1(C):GLU:HG3	2:2:120:PRO:CG	2.21	0.71
2:2:85:LEU:HD13	2:2:106:MET:CE	2.21	0.70
2:2:87:LYS:HD3	2:2:88:ILE:H	1.55	0.70
2:2:184(A):TYR:O	6:2:522:HOH:O	2.08	0.70
2:2:50:ARG:HH11	2:2:107:LYS:HE2	1.57	0.70
2:2:130:LEU:CD2	2:2:162:ILE:HD13	2.23	0.69
2:2:86:GLU:CG	2:2:109:LYS:HZ1	1.95	0.69
2:2:236:LYS:CD	2:2:237:TRP:H	2.03	0.69
2:2:130:LEU:HD23	2:2:162:ILE:CD1	2.22	0.69
1:1:1(D):GLY:CA	2:2:123:LEU:HB2	2.23	0.68
2:2:87:LYS:CG	2:2:89:TYR:CE1	2.77	0.68
2:2:112:VAL:O	6:2:517:HOH:O	2.12	0.68
1:1:14(I):SER:C	1:1:14(K):ILE:H	1.90	0.68
2:2:165:ARG:NH1	2:2:169:LYS:HE3	2.08	0.68
2:2:64:LEU:HD12	2:2:85:LEU:HD12	1.75	0.67
2:2:146:GLU:HG2	2:2:147:THR:HG22	1.76	0.67
2:2:86:GLU:CD	2:2:109:LYS:HZ1	1.97	0.67
2:2:75:ARG:CZ	3:3:561:GLU:HB2	2.24	0.66
2:2:204(B):ASN:HD22	2:2:205:ASN:N	1.93	0.65
1:1:14(K):ILE:HG22	2:2:134:TYR:HE1	1.55	0.65
2:2:202:LYS:HE2	2:2:205:ASN:OD1	1.97	0.65
2:2:87:LYS:HD3	2:2:88:ILE:N	2.12	0.64
2:2:235:LYS:HD2	2:2:235:LYS:O	1.97	0.63
2:2:17:VAL:O	2:2:188:GLY:HA2	1.99	0.63
2:2:202:LYS:HE2	2:2:205:ASN:CG	2.19	0.63
1:1:1(D):GLY:H	2:2:123:LEU:N	1.98	0.62
2:2:81:LYS:NZ	3:3:567:TYS:O3	2.29	0.62
2:2:187:ARG:CD	2:2:221:ASP:OD2	2.39	0.62
2:2:191:CYS:O	2:2:194:ASP:HB2	1.98	0.62
2:2:91:HIS:CE1	2:2:93:ARG:HB2	2.35	0.61
2:2:203:SER:HB3	2:2:204(B):ASN:ND2	2.16	0.61
2:2:105:LEU:HD12	2:2:241:VAL:CG2	2.21	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:130:LEU:HD23	2:2:162:ILE:HD13	1.82	0.61
2:2:215:TRP:CE3	5:2:370:IH1:HC29	2.37	0.60
2:2:71:HIS:HD2	6:2:436:HOH:O	1.83	0.60
2:2:85:LEU:HD22	2:2:106:MET:HB3	1.83	0.59
2:2:146:GLU:CD	2:2:221(A):ARG:HE	2.04	0.59
2:2:233:ARG:O	2:2:236:LYS:NZ	2.30	0.59
2:2:77(A):ARG:N	6:2:448:HOH:O	2.35	0.59
1:1:1(D):GLY:HA3	2:2:123:LEU:HB2	1.85	0.58
2:2:87:LYS:HG2	2:2:89:TYR:CZ	2.38	0.58
2:2:76:TYR:HE1	2:2:82:ILE:HD11	1.68	0.58
2:2:93:ARG:CB	2:2:101:ARG:HD2	2.33	0.58
1:1:1(E):SER:HB3	2:2:123:LEU:O	2.03	0.58
2:2:86:GLU:HB3	2:2:107:LYS:O	2.03	0.57
2:2:241:VAL:O	2:2:245:PHE:N	2.35	0.57
2:2:33:LEU:HB2	2:2:42:CYS:O	2.05	0.57
2:2:60(G):ASN:C	2:2:60(G):ASN:OD1	2.43	0.57
2:2:236:LYS:CD	2:2:236:LYS:C	2.70	0.57
2:2:153:SER:CA	6:2:503:HOH:O	2.44	0.56
2:2:24:ILE:O	6:2:441:HOH:O	2.18	0.56
1:1:4:ARG:HG2	2:2:28:PRO:HG3	1.86	0.56
2:2:93:ARG:HB2	2:2:101:ARG:CD	2.35	0.56
2:2:109:LYS:HE3	2:2:109:LYS:HA	1.86	0.55
2:2:49:ASP:O	2:2:111:PRO:HA	2.06	0.55
2:2:234:LEU:HA	2:2:236:LYS:HE2	1.88	0.55
1:1:14(K):ILE:HG23	2:2:134:TYR:HH	1.71	0.54
2:2:200:VAL:HG12	2:2:209:GLN:HA	1.90	0.54
2:2:97(A):GLU:OE2	2:2:175:ARG:NH2	2.34	0.54
2:2:244:GLN:NE2	2:2:244:GLN:HA	2.21	0.54
2:2:64:LEU:HD12	2:2:85:LEU:CD1	2.37	0.54
2:2:236:LYS:HD3	2:2:237:TRP:N	2.23	0.54
2:2:50:ARG:NH1	2:2:107:LYS:HE2	2.21	0.54
2:2:85:LEU:CD1	2:2:106:MET:CE	2.85	0.54
2:2:75:ARG:N	2:2:75:ARG:HD2	2.22	0.54
2:2:240:LYS:O	2:2:244:GLN:N	2.31	0.54
1:1:14(D):ARG:NE	1:1:14(H):GLU:CD	2.62	0.53
1:1:14(D):ARG:NE	1:1:14(H):GLU:OE2	2.41	0.53
2:2:93:ARG:HB2	2:2:101:ARG:HD3	1.91	0.53
2:2:225:TYR:CD1	2:2:225:TYR:N	2.73	0.53
2:2:50:ARG:NH1	2:2:108:LEU:O	2.41	0.53
2:2:237:TRP:O	2:2:241:VAL:HG13	2.09	0.53
2:2:204(B):ASN:N	2:2:204(B):ASN:HD22	2.05	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:107:LYS:O	2:2:107:LYS:HG3	2.08	0.53
2:2:33:LEU:HD12	2:2:42:CYS:HB2	1.90	0.53
2:2:93:ARG:HB3	2:2:101:ARG:HD2	1.89	0.52
2:2:60:LEU:HG	2:2:60(B):PRO:HD3	1.90	0.52
2:2:246:GLY:O	2:2:247:GLU:OE2	2.27	0.52
2:2:236:LYS:CD	2:2:236:LYS:H	2.23	0.52
2:2:75:ARG:HH21	3:3:561:GLU:HB2	1.68	0.52
2:2:32:MET:HG3	2:2:40:LEU:HD13	1.91	0.52
2:2:87:LYS:HG2	2:2:89:TYR:CE1	2.44	0.52
2:2:57:HIS:O	2:2:60(F):LYS:NZ	2.42	0.51
2:2:127:GLU:CD	2:2:127:GLU:N	2.60	0.51
1:1:4:ARG:HG2	2:2:28:PRO:CG	2.40	0.51
2:2:197:GLY:O	2:2:213:VAL:HG23	2.11	0.51
1:1:14(G):LEU:HD21	2:2:202:LYS:HD3	1.93	0.51
2:2:130:LEU:C	2:2:131:GLN:HG2	2.31	0.51
2:2:182:CYS:HA	2:2:226:GLY:O	2.11	0.51
1:1:3:LEU:HB3	1:1:9:LYS:HD3	1.92	0.50
2:2:236:LYS:HD2	2:2:236:LYS:H	1.70	0.50
2:2:30:GLN:NE2	2:2:139:THR:OG1	2.45	0.50
2:2:97(A):GLU:HG2	2:2:98:ASN:N	2.26	0.50
2:2:201:MET:N	2:2:208:TYR:O	2.41	0.50
2:2:204(B):ASN:H	2:2:204(B):ASN:HD22	1.60	0.50
2:2:55:ALA:O	2:2:58:CYS:HB2	2.11	0.50
2:2:35:ARG:O	2:2:38:GLN:HA	2.11	0.49
2:2:185:LYS:HG2	2:2:186(B):GLU:OE1	2.13	0.49
2:2:204(B):ASN:HD22	2:2:205:ASN:H	1.61	0.49
2:2:232:PHE:O	2:2:235:LYS:HB3	2.12	0.49
2:2:96:TRP:HA	2:2:99:LEU:HD12	1.95	0.49
2:2:71:HIS:CD2	6:2:436:HOH:O	2.64	0.49
2:2:243:ASP:O	2:2:244:GLN:C	2.51	0.49
2:2:204(B):ASN:C	2:2:204(B):ASN:ND2	2.66	0.49
2:2:165:ARG:O	2:2:168:CYS:HB2	2.12	0.49
2:2:146:GLU:OE1	2:2:221(A):ARG:NE	2.46	0.48
2:2:76:TYR:CE1	2:2:82:ILE:HD11	2.46	0.48
2:2:165:ARG:NH1	6:2:464:HOH:O	2.43	0.48
2:2:134:TYR:CD1	2:2:134:TYR:N	2.81	0.48
2:2:90:ILE:O	6:2:531:HOH:O	2.20	0.48
2:2:22:ALA:N	2:2:155:LEU:O	2.36	0.47
2:2:60(A):TYR:CE1	5:2:370:IH1:HC15	2.49	0.47
2:2:244:GLN:HA	2:2:244:GLN:HE21	1.78	0.47
2:2:134:TYR:HD1	2:2:134:TYR:N	2.12	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:71:HIS:ND1	2:2:154:VAL:HG22	2.28	0.47
2:2:56:ALA:CB	2:2:90:ILE:HG23	2.43	0.47
2:2:125:ASP:OD1	2:2:127:GLU:HG2	2.14	0.47
2:2:105:LEU:CD1	2:2:241:VAL:HG22	2.44	0.47
2:2:146:GLU:O	2:2:147:THR:HB	2.14	0.47
2:2:43:GLY:O	2:2:44:ALA:HB2	2.15	0.47
2:2:71:HIS:O	2:2:154:VAL:HA	2.15	0.47
2:2:80:GLU:C	2:2:81:LYS:HD3	2.35	0.47
2:2:204(B):ASN:HD22	2:2:204(B):ASN:C	2.14	0.46
2:2:60:LEU:HD12	2:2:60(G):ASN:HB2	1.98	0.46
1:1:1(D):GLY:HA2	2:2:123:LEU:HB2	1.98	0.46
2:2:37:PRO:O	2:2:39:GLU:N	2.49	0.46
1:1:14(F):LEU:HD12	2:2:135:LYS:HB3	1.98	0.46
2:2:246:GLY:C	2:2:247:GLU:HG3	2.36	0.46
1:1:14(A):LYS:HG3	2:2:23:GLU:CD	2.37	0.45
2:2:60(A):TYR:HB3	2:2:60(F):LYS:HZ3	1.81	0.45
2:2:132:ALA:HA	2:2:162:ILE:O	2.17	0.45
2:2:141:TRP:CZ2	2:2:155:LEU:HD13	2.52	0.45
2:2:228:TYR:N	2:2:228:TYR:CD1	2.84	0.45
1:1:4:ARG:HA	1:1:5:PRO:HD3	1.90	0.45
2:2:127:GLU:H	2:2:127:GLU:CD	2.00	0.45
2:2:49:ASP:OD1	2:2:49:ASP:C	2.51	0.45
2:2:232:PHE:O	2:2:235:LYS:CB	2.65	0.44
1:1:14(K):ILE:HG21	1:1:14(K):ILE:HD13	1.58	0.44
2:2:130:LEU:O	2:2:131:GLN:HG2	2.17	0.44
2:2:40:LEU:HD12	2:2:40:LEU:C	2.36	0.44
2:2:67:ARG:HG2	2:2:82:ILE:HG23	2.00	0.44
1:1:5:PRO:HA	1:1:9:LYS:HG3	1.98	0.44
2:2:75:ARG:HA	3:3:561:GLU:HB3	2.00	0.43
2:2:217:GLU:OE2	2:2:224:LYS:NZ	2.51	0.43
2:2:85:LEU:CD1	2:2:106:MET:HE1	2.49	0.43
2:2:203:SER:HB3	2:2:204(B):ASN:HD21	1.81	0.43
2:2:205:ASN:CG	6:2:532:HOH:O	2.34	0.43
2:2:202:LYS:CE	2:2:205:ASN:OD1	2.63	0.43
1:1:1(D):GLY:HA3	2:2:123:LEU:CB	2.48	0.43
2:2:60(H):PHE:HA	2:2:63:ASP:OD2	2.19	0.43
3:3:565:GLY:C	3:3:567:TYS:N	2.68	0.43
2:2:204(B):ASN:N	2:2:204(B):ASN:ND2	2.67	0.42
2:2:74:THR:HA	3:3:560:PHE:CD1	2.54	0.42
2:2:91:HIS:CE1	2:2:101:ARG:HD3	2.53	0.42
2:2:50:ARG:O	2:2:108:LEU:HG	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:165:ARG:HD3	2:2:169:LYS:HZ2	1.83	0.42
2:2:99:LEU:HD12	2:2:99:LEU:HA	1.81	0.42
2:2:87:LYS:HG3	2:2:89:TYR:CD1	2.54	0.42
2:2:75:ARG:HA	2:2:75:ARG:NE	2.34	0.42
2:2:107:LYS:HE3	2:2:107:LYS:HB2	1.28	0.41
2:2:93:ARG:CB	2:2:101:ARG:CD	2.97	0.41
2:2:151:GLN:HA	2:2:152:PRO:HD3	1.80	0.41
2:2:17:VAL:O	2:2:18:GLU:HB2	2.19	0.41
2:2:60(A):TYR:CZ	5:2:370:IH1:HC15	2.55	0.41
2:2:60(A):TYR:OH	5:2:370:IH1:H161	2.21	0.41
2:2:143:ASN:HB2	2:2:191:CYS:SG	2.60	0.41
2:2:114:PHE:CZ	2:2:120:PRO:HG3	2.56	0.41
2:2:199:PHE:C	2:2:199:PHE:CD1	2.94	0.41
5:2:370:IH1:H111	5:2:370:IH1:HC61	1.54	0.41
2:2:240:LYS:NZ	2:2:244:GLN:OE1	2.49	0.41
2:2:70:LYS:CE	2:2:72:SER:O	2.57	0.41
2:2:53:LEU:HD11	2:2:103:ILE:HG13	2.03	0.41
2:2:206:ARG:HH11	2:2:206:ARG:HD3	1.73	0.41
2:2:227:PHE:CE2	6:2:529:HOH:O	2.57	0.41
2:2:140:GLY:HA3	2:2:194:ASP:OD1	2.21	0.41
2:2:246:GLY:O	2:2:247:GLU:CG	2.69	0.41
2:2:186:PRO:HB3	2:2:222:ASP:HB3	2.03	0.41
2:2:212:ILE:HG21	2:2:212:ILE:HD13	1.93	0.41
2:2:16:ILE:N	6:2:413:HOH:O	2.53	0.40
3:3:565:GLY:O	3:3:566:GLU:C	2.59	0.40
2:2:79:ILE:HG23	2:2:117:TYR:CD2	2.56	0.40
2:2:203:SER:O	2:2:205:ASN:HA	2.20	0.40
2:2:185:LYS:HD2	2:2:185:LYS:HA	1.73	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	28/36 (78%)	23 (82%)	2 (7%)	3 (11%)	0	0
2	2	248/259 (96%)	232 (94%)	14 (6%)	2 (1%)	24	17
3	3	6/14 (43%)	6 (100%)	0	0	100	100
All	All	282/309 (91%)	261 (93%)	16 (6%)	5 (2%)	11	5

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1	1(C)	GLU
1	1	1(D)	GLY
1	1	1(B)	ALA
2	2	38	GLN
2	2	77(A)	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	27/31 (87%)	23 (85%)	4 (15%)	4	2
2	2	220/225 (98%)	189 (86%)	31 (14%)	4	2
3	3	5/10 (50%)	4 (80%)	1 (20%)	1	0
All	All	252/266 (95%)	216 (86%)	36 (14%)	4	2

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	11	SER
1	1	14(A)	LYS
1	1	14(F)	LEU
1	1	14(K)	ILE
2	2	33	LEU
2	2	50	ARG
2	2	60(F)	LYS
2	2	64	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	65	LEU
2	2	66	VAL
2	2	75	ARG
2	2	82	ILE
2	2	83	SER
2	2	90	ILE
2	2	97(A)	GLU
2	2	99	LEU
2	2	107	LYS
2	2	109	LYS
2	2	110	LYS
2	2	125	ASP
2	2	127	GLU
2	2	129(B)	SER
2	2	130	LEU
2	2	145	LYS
2	2	154	VAL
2	2	169	LYS
2	2	204(B)	ASN
2	2	205	ASN
2	2	214	SER
2	2	221(A)	ARG
2	2	235	LYS
2	2	236	LYS
2	2	241	VAL
2	2	244	GLN
2	2	247	GLU
3	3	566	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	2	30	GLN
2	2	78	ASN
2	2	156	GLN
2	2	204(B)	ASN
2	2	239	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	TYS	3	567	3	15,16,17	1.16	1 (6%)	16,22,24	1.59	5 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYS	3	567	3	-	0/9/11/13	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	3	567	TYS	OH-CZ	-3.51	1.37	1.42

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	3	567	TYS	CD1-CE1-CZ	-3.05	115.91	119.74
3	3	567	TYS	O-C-CA	-2.73	118.38	125.49
3	3	567	TYS	CE2-CD2-CG	-2.03	118.27	121.04
3	3	567	TYS	O2-S-O1	2.10	121.59	112.46
3	3	567	TYS	CZ-OH-S	2.17	122.21	118.52

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	3	567	TYS	2	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	IH1	2	370	-	30,39,39	4.20	18 (60%)	34,57,57	4.04	25 (73%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	IH1	2	370	-	-	0/21/45/45	0/3/4/4

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	2	370	IH1	C1-N9	-11.41	1.13	1.46
5	2	370	IH1	C7-C6	-6.43	1.36	1.52
5	2	370	IH1	BR-C27	-5.87	1.77	1.90
5	2	370	IH1	C1-C2	-4.85	1.42	1.51
5	2	370	IH1	C5-C8	-4.28	1.40	1.49
5	2	370	IH1	C25-C24	-4.17	1.32	1.38
5	2	370	IH1	C4-C3	-3.85	1.42	1.52
5	2	370	IH1	C8-N11	-3.17	1.28	1.33
5	2	370	IH1	C13-C14	-3.06	1.41	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	2	370	IH1	C22-N20	-2.78	1.38	1.47
5	2	370	IH1	C28-C27	-2.60	1.32	1.38
5	2	370	IH1	C26-C25	-2.08	1.35	1.38
5	2	370	IH1	O2-S	2.41	1.48	1.44
5	2	370	IH1	O12-C12	2.87	1.29	1.23
5	2	370	IH1	C4-C5	3.12	1.61	1.53
5	2	370	IH1	C12-N9	3.77	1.41	1.33
5	2	370	IH1	C22-C23	5.13	1.60	1.51
5	2	370	IH1	C13-C12	11.45	1.69	1.54

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	2	370	IH1	O12-C12-N9	-8.70	105.62	123.08
5	2	370	IH1	C6-C5-C8	-5.76	103.46	111.30
5	2	370	IH1	C25-C24-S	-5.56	112.81	119.47
5	2	370	IH1	C4-C5-C8	-5.46	103.87	111.30
5	2	370	IH1	C6-C5-C4	-4.91	98.84	109.99
5	2	370	IH1	O1-S-C24	-4.80	103.12	108.38
5	2	370	IH1	C29-C28-C27	-4.00	113.37	119.17
5	2	370	IH1	O2-S-O1	-3.61	113.63	118.40
5	2	370	IH1	O2-S-C24	-3.33	104.73	108.38
5	2	370	IH1	C7-C2-C1	-2.34	105.69	111.49
5	2	370	IH1	C26-C25-C24	-2.22	117.02	119.48
5	2	370	IH1	BR-C27-C28	-2.06	116.01	119.28
5	2	370	IH1	O1-S-C23	2.21	110.87	108.08
5	2	370	IH1	C26-C27-C28	2.34	125.72	121.41
5	2	370	IH1	C28-C29-C24	2.50	122.24	119.48
5	2	370	IH1	C13-C14-C15	2.59	132.79	123.20
5	2	370	IH1	C7-C2-C3	2.61	115.81	109.26
5	2	370	IH1	C5-C8-N11	3.40	122.69	116.79
5	2	370	IH1	O2-S-C23	3.64	112.68	108.08
5	2	370	IH1	C29-C24-S	4.08	124.37	119.47
5	2	370	IH1	C23-S-C24	4.23	111.22	105.09
5	2	370	IH1	C3-C2-C1	4.68	123.11	111.49
5	2	370	IH1	C2-C1-N9	5.18	122.71	112.83
5	2	370	IH1	C7-C6-C5	7.99	124.45	111.12
5	2	370	IH1	C1-N9-C12	8.74	138.91	122.64

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	2	370	IH1	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.