



## Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 10:06 PM GMT

PDB ID : 5CCH  
Title : Structure of the Ca<sup>2+</sup>-bound synaptotagmin-1 SNARE complex (short unit cell form)  
Authors : Zhou, Q.; Zhao, M.; Lyubimov, A.Y.; Uervirojnangkoorn, M.; Zeldin, O.B.; Weis, W.I.; Brunger, A.T.  
Deposited on : 2015-07-02  
Resolution : 3.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	unknown
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026982
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20026982


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1408 (3.80-3.40)
Clashscore	102246	1010 (3.74-3.46)
Ramachandran outliers	100387	1007 (3.76-3.44)
Sidechain outliers	100360	1007 (3.76-3.44)
RSRZ outliers	91569	1003 (3.78-3.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	63	<div> <div>83%</div> <div>17%</div> </div>
2	B	67	<div> <div>93%</div> <div>7%</div> </div>
3	C	77	<div> <div>88%</div> <div>8%</div> <div>•</div> </div>
4	D	65	<div> <div>78%</div> <div>20%</div> <div>•</div> </div>
5	E	281	<div> <div>80%</div> <div>20%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
5	F	281	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	CA	E	501	-	-	-	X

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vesicle-associated membrane protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	63	Total	C	N	O	S	0	0	0
			498	303	92	102	1			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	GLY	-	expression tag	UNP P63045

- Molecule 2 is a protein called Syntaxin-1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	67	Total	C	N	O	S	0	0	0
			533	329	90	109	5			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	190	MET	-	initiating methionine	UNP P32851

- Molecule 3 is a protein called Synaptosomal-associated protein 25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	74	Total	C	N	O	S	0	0	0
			575	343	103	124	5			

- Molecule 4 is a protein called Synaptosomal-associated protein 25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	64	Total	C	N	O	S	0	0	0
			504	298	98	102	6			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	140	MET	-	initiating methionine	UNP P60881

- Molecule 5 is a protein called Synaptotagmin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	280	Total	C	N	O	S	0	0	0
			2164	1388	358	410	8			
5	F	266	Total	C	N	O	S	0	0	0
			2047	1319	338	383	7			


- Molecule 6 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	4	Total	Ca	0	0
			4	4		
6	E	3	Total	Ca	0	0
			3	3		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Vesicle-associated membrane protein 2

Chain A:  83% 17%




- Molecule 2: Syntaxin-1A

Chain B:  93% 7%





- Molecule 3: Synaptosomal-associated protein 25

Chain C:  88% 8%





- Molecule 4: Synaptosomal-associated protein 25

Chain D:  78% 20%




- Molecule 5: Synaptotagmin-1

Chain E:  80% 20%



● Molecule 5: Synaptotagmin-1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	69.07Å 171.63Å 146.94Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.29 – 3.60 48.29 – 3.60	Depositor EDS
% Data completeness (in resolution range)	99.4 (48.29-3.60) 99.5 (48.29-3.60)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.11 (at 3.57Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.249 , 0.289 0.249 , 0.289	Depositor DCC
$R_{free}$ test set	1083 reflections (5.20%)	DCC
Wilson B-factor (Å <sup>2</sup> )	133.1	Xtriage
Anisotropy	0.589	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 102.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	4 of 20893 reflections (0.019%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6328	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	157.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.35% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.27	0/501	0.36	0/672
2	B	0.27	0/538	0.35	0/723
3	C	0.26	0/575	0.34	0/768
4	D	0.28	0/504	0.38	0/671
5	E	0.31	0/2213	0.52	1/3010 (0.0%)
5	F	0.24	0/2091	0.43	0/2842
All	All	0.28	0/6422	0.44	1/8686 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	309	ASP	C-N-CD	5.05	139.01	128.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	498	0	485	9	0
2	B	533	0	509	6	0
3	C	575	0	545	11	0
4	D	504	0	495	19	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	2164	0	2055	71	0
5	F	2047	0	1939	58	0
6	E	3	0	0	0	0
6	F	4	0	0	0	0
All	All	6328	0	6028	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:307:LEU:CB	5:E:335:LEU:CD2	1.97	1.43
5:E:307:LEU:CB	5:E:335:LEU:HD21	1.49	1.39
5:E:309:ASP:HA	5:E:331:LYS:O	1.43	1.19
5:E:300:LYS:HG2	5:E:302:MET:SD	1.84	1.17
5:E:307:LEU:CB	5:E:335:LEU:HD23	1.81	1.06
5:E:186:LEU:HG	5:E:225:VAL:CG2	1.86	1.06
5:E:186:LEU:HG	5:E:225:VAL:HG21	1.43	0.98
5:F:223:THR:HG23	5:F:246:PRO:HA	1.48	0.94
4:D:144:ASN:O	4:D:148:GLU:HG2	1.73	0.88
5:E:364:TYR:OH	5:E:366:LYS:HA	1.74	0.86
5:E:309:ASP:CA	5:E:331:LYS:O	2.23	0.86
2:B:248:VAL:HG22	3:C:74:ALA:HB2	1.57	0.85
5:F:187:PRO:HG3	5:F:222:LYS:CB	2.06	0.84
5:E:300:LYS:CG	5:E:302:MET:SD	2.66	0.83
3:C:26:LEU:N	4:D:146:MET:HE2	1.93	0.83
5:E:302:MET:HB2	5:E:363:ASP:OD2	1.80	0.81
5:E:300:LYS:HE2	5:E:302:MET:HE3	1.61	0.81
5:F:300:LYS:CA	5:F:301:LYS:N	2.45	0.80
5:E:186:LEU:CG	5:E:225:VAL:HG21	2.11	0.79
3:C:72:LYS:HA	4:D:191:ARG:HH12	1.49	0.76
5:F:187:PRO:HG3	5:F:222:LYS:HB3	1.66	0.76
4:D:144:ASN:ND2	4:D:148:GLU:OE1	2.15	0.75
5:E:364:TYR:CZ	5:E:366:LYS:HA	2.23	0.74
5:E:300:LYS:O	5:E:302:MET:SD	2.46	0.74
5:E:309:ASP:OD1	5:E:364:TYR:N	2.20	0.74
5:E:186:LEU:HG	5:E:225:VAL:HG23	1.71	0.73
5:F:188:ASP:OD1	5:F:222:LYS:NZ	2.15	0.73
5:E:184:PHE:HE1	5:E:186:LEU:HD23	1.54	0.73
5:F:224:LEU:HD12	5:F:225:VAL:N	2.04	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:F:185:LEU:C	5:F:187:PRO:HD2	2.12	0.70
5:F:223:THR:HG23	5:F:246:PRO:CA	2.19	0.70
5:E:300:LYS:C	5:E:302:MET:SD	2.70	0.70
5:E:311:TYR:CE1	5:E:362:LEU:HB2	2.27	0.69
5:F:300:LYS:CA	5:F:300:LYS:O	2.40	0.69
5:E:300:LYS:HD3	5:E:302:MET:HE1	1.73	0.68
5:E:273:LEU:O	5:E:299:LEU:HA	1.94	0.68
5:F:186:LEU:HG	5:F:225:VAL:CG2	2.24	0.67
5:F:300:LYS:O	5:F:301:LYS:N	2.26	0.67
5:F:185:LEU:HD23	5:F:224:LEU:HA	1.75	0.67
5:F:186:LEU:N	5:F:187:PRO:CD	2.58	0.66
5:F:187:PRO:HG3	5:F:222:LYS:CA	2.27	0.65
5:E:229:TYR:C	5:E:240:ILE:CD1	2.65	0.65
5:E:182:LYS:NZ	5:E:194:GLU:OE2	2.29	0.64
5:E:301:LYS:C	5:E:302:MET:SD	2.76	0.64
5:F:186:LEU:CG	5:F:225:VAL:HG21	2.28	0.64
5:F:186:LEU:N	5:F:187:PRO:HD2	2.13	0.63
5:E:187:PRO:HG2	5:E:222:LYS:HA	1.84	0.60
3:C:26:LEU:CA	4:D:146:MET:HE2	2.32	0.60
5:E:229:TYR:C	5:E:240:ILE:HD12	2.22	0.60
3:C:25:SER:HB2	4:D:146:MET:HE1	1.84	0.59
5:F:186:LEU:HG	5:F:225:VAL:HG23	1.82	0.59
5:F:187:PRO:HG3	5:F:222:LYS:HA	1.83	0.59
5:E:302:MET:HG3	5:E:373:ILE:HG12	1.85	0.59
5:E:141:LYS:HG3	5:E:142:LEU:H	1.68	0.59
5:F:224:LEU:HD12	5:F:225:VAL:H	1.68	0.58
5:E:184:PHE:HE1	5:E:186:LEU:CD2	2.17	0.58
5:F:263:GLN:OE1	5:F:263:GLN:HA	2.04	0.58
1:A:43:VAL:HG13	2:B:215:MET:HE1	1.86	0.57
5:E:184:PHE:CE1	5:E:186:LEU:HD23	2.38	0.57
1:A:56:ARG:NH1	2:B:226:GLN:OE1	2.38	0.56
5:E:308:SER:HA	5:E:333:ASN:HA	1.86	0.56
5:F:187:PRO:CG	5:F:222:LYS:HG2	2.36	0.56
3:C:61:GLU:HB2	4:D:181:ILE:HD11	1.87	0.56
3:C:26:LEU:N	4:D:146:MET:CE	2.66	0.56
5:E:364:TYR:HA	5:E:370:ASN:OD1	2.05	0.56
5:E:230:ASP:CA	5:E:240:ILE:HD11	2.37	0.55
1:A:76:GLN:HG2	4:D:196:ASN:HD21	1.72	0.54
5:E:300:LYS:HE2	5:E:302:MET:CE	2.36	0.53
3:C:25:SER:C	4:D:146:MET:HE2	2.28	0.53
5:E:300:LYS:HG2	5:E:302:MET:CE	2.38	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:140:MET:O	4:D:140:MET:HG2	2.07	0.53
5:F:184:PHE:O	5:F:224:LEU:HD12	2.09	0.53
5:E:300:LYS:CD	5:E:302:MET:CE	2.88	0.52
5:F:187:PRO:CG	5:F:222:LYS:HB3	2.38	0.52
5:E:246:PRO:O	5:E:249:THR:HG22	2.09	0.52
5:E:141:LYS:HG3	5:E:142:LEU:N	2.24	0.52
5:E:307:LEU:O	5:E:333:ASN:HA	2.10	0.51
5:E:146:GLN:HB2	5:E:259:TRP:CD2	2.45	0.51
5:E:302:MET:SD	5:E:302:MET:N	2.84	0.50
5:E:315:HIS:CD2	5:E:322:ARG:HD3	2.46	0.50
5:E:186:LEU:CD2	5:E:225:VAL:HG21	2.41	0.50
5:E:170:ALA:HB2	5:E:202:LEU:HD11	1.94	0.50
5:F:186:LEU:HD11	5:F:225:VAL:HG21	1.92	0.50
5:E:396:ASN:HB3	5:E:399:ARG:HB3	1.93	0.50
5:F:146:GLN:HB2	5:F:259:TRP:CD2	2.47	0.50
5:E:229:TYR:C	5:E:240:ILE:HD11	2.32	0.50
5:F:186:LEU:HG	5:F:225:VAL:HG21	1.89	0.49
5:F:229:TYR:CE2	5:F:239:ILE:HG12	2.47	0.49
5:F:184:PHE:HB3	5:F:192:LYS:CA	2.42	0.49
5:F:396:ASN:HB3	5:F:399:ARG:HB2	1.95	0.49
5:F:185:LEU:HD22	5:F:223:THR:O	2.12	0.49
5:E:309:ASP:HB2	5:E:330:ILE:CG2	2.43	0.48
5:F:146:GLN:HB2	5:F:259:TRP:CE2	2.48	0.48
5:F:376:VAL:HG22	5:F:377:PHE:N	2.28	0.48
5:F:180:TYR:HB3	5:F:197:VAL:HG22	1.95	0.48
5:E:187:PRO:HG2	5:E:222:LYS:HG2	1.96	0.48
5:F:251:ASP:O	5:F:254:HIS:NE2	2.47	0.48
5:F:246:PRO:O	5:F:249:THR:HG22	2.14	0.47
5:F:193:PHE:CD2	5:F:210:PHE:HD1	2.32	0.47
5:F:186:LEU:HD21	5:F:225:VAL:HG21	1.96	0.47
5:E:229:TYR:O	5:E:240:ILE:CD1	2.63	0.47
5:E:277:CYS:HB2	5:E:404:TRP:CD2	2.49	0.47
5:E:283:VAL:HG22	5:E:398:ARG:HA	1.97	0.47
5:E:300:LYS:CD	5:E:302:MET:HE1	2.40	0.47
5:F:186:LEU:CD1	5:F:225:VAL:HG21	2.45	0.47
5:E:277:CYS:HB2	5:E:404:TRP:CE3	2.50	0.46
1:A:64:ASP:HA	2:B:233:ILE:HG12	1.97	0.46
1:A:45:ILE:HD13	4:D:165:LEU:HD21	1.98	0.46
5:E:172:ASP:HB2	5:E:176:THR:O	2.16	0.46
3:C:26:LEU:HD11	4:D:145:GLU:HG2	1.97	0.45
5:E:230:ASP:N	5:E:240:ILE:HD11	2.31	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:ASP:O	1:A:71:GLN:HG3	2.16	0.45
5:E:300:LYS:HD3	5:E:302:MET:CE	2.45	0.45
5:E:229:TYR:O	5:E:240:ILE:HD12	2.16	0.45
5:F:193:PHE:CD2	5:F:210:PHE:CD1	3.04	0.45
5:E:229:TYR:CE2	5:E:239:ILE:HG12	2.52	0.45
5:E:146:GLN:HB2	5:E:259:TRP:CE2	2.51	0.45
4:D:153:VAL:O	4:D:157:ILE:HG12	2.17	0.45
5:F:277:CYS:HB2	5:F:404:TRP:CD2	2.51	0.45
4:D:144:ASN:O	4:D:144:ASN:ND2	2.49	0.45
5:F:274:GLY:HA2	5:F:298:ASN:HB2	1.98	0.45
5:E:364:TYR:CD1	5:E:370:ASN:OD1	2.70	0.44
1:A:42:VAL:HG12	2:B:212:LEU:HD11	1.99	0.44
5:F:186:LEU:HD11	5:F:225:VAL:CG2	2.47	0.44
5:E:300:LYS:CB	5:E:302:MET:SD	3.05	0.44
4:D:177:GLN:O	4:D:181:ILE:HG12	2.17	0.44
5:F:185:LEU:HB3	5:F:187:PRO:HD2	1.98	0.44
5:F:187:PRO:HG3	5:F:222:LYS:CG	2.47	0.44
5:F:356:GLN:NE2	5:F:380:TYR:HB3	2.33	0.44
5:F:183:VAL:HG13	5:F:224:LEU:HD11	1.99	0.43
3:C:26:LEU:HA	4:D:146:MET:HE2	1.99	0.43
5:F:187:PRO:CG	5:F:222:LYS:CB	2.88	0.43
5:E:315:HIS:HD2	5:E:322:ARG:HD3	1.82	0.43
5:E:279:SER:HA	5:E:402:ALA:HA	2.00	0.43
5:E:364:TYR:CG	5:E:365:ASP:N	2.86	0.43
5:F:186:LEU:CD2	5:F:225:VAL:HG21	2.48	0.43
5:E:399:ARG:HA	5:E:400:PRO:HD3	1.84	0.43
5:F:187:PRO:CG	5:F:222:LYS:CG	2.96	0.43
5:F:279:SER:HA	5:F:402:ALA:HA	2.01	0.43
5:E:141:LYS:CG	5:E:142:LEU:H	2.31	0.42
3:C:40:LYS:HG3	4:D:163:MET:HE1	2.00	0.42
4:D:144:ASN:ND2	4:D:144:ASN:C	2.73	0.42
1:A:50:VAL:O	1:A:53:VAL:HG12	2.19	0.42
5:E:296:ALA:HB3	5:E:337:PRO:HG2	2.02	0.42
5:F:207:ASN:ND2	5:F:207:ASN:O	2.52	0.42
5:E:159:LEU:HB3	5:E:209:GLN:HE21	1.85	0.42
5:F:186:LEU:CG	5:F:225:VAL:CG2	2.89	0.42
5:F:186:LEU:CD1	5:F:225:VAL:CG2	2.98	0.41
1:A:63:LEU:HD23	2:B:233:ILE:HD13	2.01	0.41
5:F:223:THR:HG22	5:F:224:LEU:N	2.35	0.41
5:F:183:VAL:O	5:F:184:PHE:HB3	2.21	0.41
5:E:186:LEU:HD23	5:E:186:LEU:HA	1.80	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:F:222:LYS:O	5:F:247:MET:HB2	2.21	0.41
5:F:183:VAL:HG22	5:F:226:MET:HG2	2.03	0.41
5:F:399:ARG:HA	5:F:400:PRO:HD3	1.81	0.41
5:E:300:LYS:CE	5:E:302:MET:CE	2.99	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	61/63 (97%)	60 (98%)	1 (2%)	0	100	100
2	B	65/67 (97%)	65 (100%)	0	0	100	100
3	C	72/77 (94%)	72 (100%)	0	0	100	100
4	D	62/65 (95%)	61 (98%)	1 (2%)	0	100	100
5	E	278/281 (99%)	266 (96%)	12 (4%)	0	100	100
5	F	257/281 (92%)	248 (96%)	9 (4%)	0	100	100
All	All	795/834 (95%)	772 (97%)	23 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	52/54 (96%)	52 (100%)	0	100	100
2	B	58/61 (95%)	58 (100%)	0	100	100
3	C	61/69 (88%)	61 (100%)	0	100	100
4	D	54/56 (96%)	54 (100%)	0	100	100
5	E	226/251 (90%)	226 (100%)	0	100	100
5	F	213/251 (85%)	213 (100%)	0	100	100
All	All	664/742 (90%)	664 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
3	C	66	HIS
4	D	196	ASN
5	E	209	GLN
5	E	315	HIS
5	E	336	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 7 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	63/63 (100%)	-0.26	0 100 100	105, 129, 184, 191	0
2	B	67/67 (100%)	0.04	1 (1%) 76 64	99, 125, 177, 237	0
3	C	74/77 (96%)	-0.05	0 100 100	98, 139, 185, 209	0
4	D	64/65 (98%)	-0.31	0 100 100	98, 135, 191, 237	0
5	E	280/281 (99%)	-0.03	5 (1%) 71 58	95, 151, 203, 226	0
5	F	266/281 (94%)	0.39	31 (11%) 6 5	109, 178, 250, 282	0
All	All	814/834 (97%)	0.07	37 (4%) 37 26	95, 151, 234, 282	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	F	373	ILE	5.9
5	F	361	VAL	5.3
5	F	311	TYR	4.5
5	F	226	MET	4.3
5	F	328	THR	4.2
5	F	376	VAL	4.2
5	F	374	GLY	4.2
5	F	362	LEU	3.8
5	F	360	THR	3.7
5	F	339	TYR	3.6
5	F	312	VAL	3.5
5	F	359	VAL	3.3
5	F	372	ALA	3.2
5	F	294	LEU	3.1
5	F	241	GLY	2.9
5	F	375	LYS	2.8
5	F	292	VAL	2.8
5	F	224	LEU	2.8
5	E	186	LEU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
5	E	323	LEU	2.7
5	F	225	VAL	2.7
5	F	327	LYS	2.7
5	F	299	LEU	2.7
5	E	149	LEU	2.6
2	B	190	MET	2.5
5	F	145	LEU	2.5
5	F	358	VAL	2.5
5	F	370	ASN	2.5
5	F	293	ILE	2.4
5	E	173	MET	2.4
5	F	341	GLU	2.2
5	F	315	HIS	2.2
5	F	329	THR	2.2
5	F	371	ASP	2.2
5	E	242	GLU	2.1
5	F	243	PHE	2.1
5	F	276	ILE	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	CA	E	501	1/1	0.73	0.23	2.41	186,186,186,186	0
6	CA	F	502	1/1	0.99	0.30	1.00	139,139,139,139	0
6	CA	E	503	1/1	0.98	0.10	-1.30	132,132,132,132	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
6	CA	F	501	1/1	0.93	0.19	-1.40	160,160,160,160	0
6	CA	E	502	1/1	0.90	0.12	-	201,201,201,201	0
6	CA	F	504	1/1	0.73	0.12	-	226,226,226,226	0
6	CA	F	503	1/1	0.85	0.06	-	263,263,263,263	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.