



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:16 AM GMT

PDB ID : 2CH5
Title : CRYSTAL STRUCTURE OF HUMAN N-ACETYLGLUCOSAMINE KINASE IN COMPLEX WITH N-ACETYLGLUCOSAMINE
Authors : Weihofen, W.A.; Berger, M.; Chen, H.; Saenger, W.; Hinderlich, S.
Deposited on : 2006-03-13
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	347	<div> <div>2%</div> <div>88%</div> <div>9%</div> <div>..</div> </div>
1	B	347	<div> <div>3%</div> <div>93%</div> <div>5%</div> <div>..</div> </div>
1	C	347	<div> <div>4%</div> <div>86%</div> <div>10%</div> <div>..</div> </div>
1	D	347	<div> <div>2%</div> <div>88%</div> <div>9%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	500	X	-	-	-
2	NAG	B	500	X	-	-	-
2	NAG	C	500	X	-	-	-
3	GOL	A	501	-	-	-	X
3	GOL	B	501	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11843 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NAGK PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	344	Total	C	N	O	S	0	0	0
			2632	1673	457	488	14			
1	B	342	Total	C	N	O	S	0	0	0
			2615	1663	453	485	14			
1	C	342	Total	C	N	O	S	0	0	0
			2619	1666	453	486	14			
1	D	342	Total	C	N	O	S	0	0	0
			2616	1663	453	486	14			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	PRO	-	EXPRESSION TAG	UNP Q6IA84
A	-1	GLN	-	EXPRESSION TAG	UNP Q6IA84
A	0	PHE	-	EXPRESSION TAG	UNP Q6IA84
B	-2	PRO	-	EXPRESSION TAG	UNP Q6IA84
B	-1	GLN	-	EXPRESSION TAG	UNP Q6IA84
B	0	PHE	-	EXPRESSION TAG	UNP Q6IA84
C	-2	PRO	-	EXPRESSION TAG	UNP Q6IA84
C	-1	GLN	-	EXPRESSION TAG	UNP Q6IA84
C	0	PHE	-	EXPRESSION TAG	UNP Q6IA84
D	-2	PRO	-	EXPRESSION TAG	UNP Q6IA84
D	-1	GLN	-	EXPRESSION TAG	UNP Q6IA84
D	0	PHE	-	EXPRESSION TAG	UNP Q6IA84

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			15	8	1	6		
2	B	1	Total	C	N	O	0	0
			15	8	1	6		
2	C	1	Total	C	N	O	0	0
			15	8	1	6		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is SUGAR (2-(ACETYLAMINO)-2-DEOXY-A-D-GLUCOPYRANOSE) (three-letter code: NDG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	315	Total	O	0	0
			315	315		
5	B	306	Total	O	0	0
			306	306		
5	C	317	Total	O	0	0
			317	317		
5	D	334	Total	O	0	0
			334	334		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: NAGK PROTEIN




• Molecule 1: NAGK PROTEIN



• Molecule 1: NAGK PROTEIN



• Molecule 1: NAGK PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	57.54Å 98.48Å 101.98Å 63.43° 75.66° 75.06°	Depositor
Resolution (Å)	90.17 – 1.90 43.22 – 1.90	Depositor EDS
% Data completeness (in resolution range)	93.3 (90.17-1.90) 79.4 (43.22-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.167 , 0.199 0.177 , 0.208	Depositor DCC
R_{free} test set	2817 reflections (2.05%)	DCC
Wilson B-factor (Å ²)	24.0	Xtriage
Anisotropy	0.164	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.9	EDS
Estimated twinning fraction	0.105 for -h,-l,-k	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 140561 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11843	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAG, NDG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.76	1/2690 (0.0%)	0.73	4/3632 (0.1%)
1	B	0.79	1/2672 (0.0%)	0.72	4/3609 (0.1%)
1	C	0.74	1/2677 (0.0%)	0.78	6/3614 (0.2%)
1	D	0.77	1/2673 (0.0%)	0.71	5/3609 (0.1%)
All	All	0.77	4/10712 (0.0%)	0.73	19/14464 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1
1	C	1	0
All	All	2	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	0	PHE	C-N	21.80	1.84	1.34
1	A	0	PHE	C-N	18.49	1.76	1.34
1	D	0	PHE	C-N	16.04	1.71	1.34
1	C	0	PHE	C-N	14.12	1.66	1.34

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	48	ARG	NE-CZ-NH1	9.48	125.04	120.30
1	B	0	PHE	C-N-CA	-8.78	99.76	121.70
1	C	232	ARG	NE-CZ-NH1	7.82	124.21	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	17	VAL	CB-CA-C	-7.34	97.45	111.40
1	A	212	ARG	NE-CZ-NH1	7.28	123.94	120.30
1	C	48	ARG	NE-CZ-NH2	-6.79	116.91	120.30
1	C	58	ARG	NE-CZ-NH2	-6.72	116.94	120.30
1	B	58	ARG	NE-CZ-NH2	-6.65	116.98	120.30
1	C	58	ARG	NE-CZ-NH1	6.40	123.50	120.30
1	D	58	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	A	17	VAL	CB-CA-C	-5.84	100.31	111.40
1	C	336	ILE	CB-CA-C	-5.78	100.04	111.60
1	D	58	ARG	NE-CZ-NH1	5.37	122.98	120.30
1	B	58	ARG	NE-CZ-NH1	5.33	122.96	120.30
1	A	212	ARG	NE-CZ-NH2	-5.27	117.67	120.30
1	D	107	ASP	CB-CG-OD1	5.15	122.94	118.30
1	A	308	ARG	NE-CZ-NH1	5.11	122.86	120.30
1	D	236	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	B	0	PHE	O-C-N	5.08	130.82	122.70

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	106	THR	CB
1	C	106	THR	CB

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	13	THR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2632	0	2600	33	0
1	B	2615	0	2589	20	0
1	C	2619	0	2585	37	0
1	D	2616	0	2588	28	0
2	A	15	0	15	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	15	0	15	1	0
2	C	15	0	15	0	0
3	A	6	0	8	2	0
3	B	6	0	8	2	0
3	C	6	0	8	0	0
3	D	12	0	16	0	0
4	D	14	0	12	0	0
5	A	315	0	0	9	0
5	B	306	0	0	2	0
5	C	317	0	0	10	0
5	D	334	0	0	2	0
All	All	11843	0	10459	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:0:PHE:C	1:D:1:MET:N	1.70	1.39
1:A:0:PHE:C	1:A:1:MET:N	1.76	1.37
1:B:0:PHE:C	1:B:1:MET:N	1.84	1.31
1:A:0:PHE:C	1:A:1:MET:H2	1.39	1.20
1:B:0:PHE:C	1:B:1:MET:H2	1.37	1.19
1:A:0:PHE:C	1:A:1:MET:H1	1.54	0.91
1:D:53:VAL:HG11	1:D:98:LEU:HD11	1.53	0.88
1:D:53:VAL:CG1	1:D:98:LEU:HD11	2.05	0.87
1:D:0:PHE:C	1:D:1:MET:H1	1.75	0.87
1:B:0:PHE:C	1:B:1:MET:H1	1.77	0.86
1:C:262:ILE:O	1:C:303:THR:HG23	1.78	0.84
1:D:49:ILE:O	1:D:53:VAL:HG12	1.79	0.82
1:C:105:THR:HG21	5:C:2020:HOH:O	1.85	0.77
1:A:106:THR:HG21	5:A:2141:HOH:O	1.84	0.77
1:C:106:THR:HG21	5:C:2143:HOH:O	1.85	0.76
1:B:0:PHE:C	1:B:1:MET:CA	2.55	0.75
1:A:106:THR:HG23	1:A:109:ALA:H	1.52	0.73
1:C:106:THR:HG23	1:C:109:ALA:H	1.53	0.73
1:C:116:THR:HG21	5:C:2160:HOH:O	1.90	0.72
1:A:258:PHE:CD2	1:A:299:PHE:HB3	2.25	0.72
1:A:-2:PRO:C	5:A:2002:HOH:O	2.29	0.71
1:D:0:PHE:C	1:D:1:MET:CA	2.61	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:262:ILE:HB	1:C:303:THR:HG21	1.77	0.67
2:A:500:NAG:H83	3:A:501:GOL:H11	1.79	0.63
1:A:0:PHE:C	1:A:1:MET:CA	2.67	0.63
1:B:9:GLU:HG2	5:B:2015:HOH:O	1.99	0.62
1:A:-1:GLN:N	5:A:2002:HOH:O	2.33	0.61
1:C:285:LEU:HD11	1:C:289:GLN:NE2	2.16	0.60
1:A:344:SER:HA	1:C:284:LEU:HD13	1.83	0.60
1:D:81:GLU:CD	1:D:81:GLU:H	2.04	0.60
1:A:285:LEU:HD12	1:C:289:GLN:NE2	2.17	0.59
1:A:37:HIS:HD2	5:A:2056:HOH:O	1.84	0.59
1:D:43:ASP:O	1:D:47:GLU:HG2	2.03	0.59
1:C:48:ARG:HD2	5:C:2072:HOH:O	2.03	0.58
1:B:88:ILE:HD11	1:B:104:ILE:HG12	1.86	0.57
1:D:53:VAL:HG13	1:D:98:LEU:HD11	1.85	0.57
1:A:11:GLY:HA3	5:A:2143:HOH:O	2.03	0.57
1:D:18:LEU:HD22	1:D:29:GLU:HG2	1.87	0.56
1:C:46:VAL:HG13	1:C:91:LEU:HD13	1.88	0.56
1:A:73:LEU:HD12	1:A:104:ILE:HD13	1.88	0.56
1:A:57:LYS:HE2	1:A:68:LEU:HD13	1.87	0.55
1:B:135:ASN:ND2	1:B:254:ASP:H	2.05	0.55
1:B:73:LEU:HD12	1:B:104:ILE:CD1	2.37	0.55
1:A:50:ASN:HD22	1:A:98:LEU:HG	1.72	0.55
1:D:262:ILE:HD12	1:D:305:MET:CE	2.37	0.55
1:A:9:GLU:HG2	5:A:2011:HOH:O	2.05	0.55
2:B:500:NAG:H83	3:B:501:GOL:H11	1.89	0.54
1:B:148:HIS:HD2	5:B:2169:HOH:O	1.90	0.53
1:B:135:ASN:HD21	1:B:254:ASP:H	1.57	0.53
1:C:258:PHE:CD1	1:C:299:PHE:HB3	2.43	0.53
1:C:116:THR:HG22	1:C:117:PRO:HD2	1.91	0.53
1:C:262:ILE:HB	1:C:303:THR:CG2	2.39	0.52
1:A:116:THR:HG21	5:A:2158:HOH:O	2.08	0.52
1:D:0:PHE:CA	1:D:1:MET:N	2.65	0.52
1:D:308:ARG:HD2	1:D:336:ILE:HB	1.92	0.51
1:C:232:ARG:HH11	1:C:232:ARG:HG2	1.76	0.51
1:B:0:PHE:CA	1:B:1:MET:N	2.71	0.51
1:A:145:GLY:O	3:A:501:GOL:H12	2.11	0.51
1:C:284:LEU:HD11	1:C:339:TYR:OH	2.11	0.50
1:C:37:HIS:HD2	5:C:2055:HOH:O	1.94	0.50
1:B:73:LEU:HD12	1:B:104:ILE:HD13	1.92	0.50
1:D:11:GLY:HA3	5:D:2147:HOH:O	2.12	0.50
1:A:344:SER:HA	1:C:284:LEU:CD1	2.41	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:11:GLY:HA3	5:C:2144:HOH:O	2.12	0.49
1:D:13:THR:OG1	1:D:211:CYS:HB2	2.12	0.49
1:C:262:ILE:O	1:C:303:THR:CG2	2.58	0.49
1:C:285:LEU:CD1	1:C:289:GLN:NE2	2.76	0.49
1:A:88:ILE:HD11	1:A:104:ILE:HG12	1.95	0.49
1:A:212:ARG:HG2	1:A:212:ARG:HH11	1.77	0.49
1:B:9:GLU:OE2	1:B:11:GLY:CA	2.61	0.49
1:B:42:THR:O	1:B:46:VAL:HG13	2.13	0.48
1:D:135:ASN:HD21	1:D:254:ASP:H	1.62	0.48
1:D:13:THR:HG1	1:D:211:CYS:HB2	1.77	0.48
1:C:0:PHE:HD1	5:C:2100:HOH:O	1.96	0.48
1:D:236:ARG:HD2	5:D:2251:HOH:O	2.14	0.47
1:A:288:THR:CG2	1:C:285:LEU:HD13	2.45	0.47
1:C:44:LYS:O	1:C:48:ARG:HD3	2.14	0.47
1:C:232:ARG:CG	1:C:232:ARG:HH11	2.28	0.47
1:C:308:ARG:HD2	1:C:336:ILE:HG12	1.96	0.47
1:C:281:GLU:HG2	5:C:2266:HOH:O	2.14	0.47
1:B:9:GLU:OE2	1:B:11:GLY:N	2.48	0.47
1:D:81:GLU:N	1:D:81:GLU:CD	2.67	0.47
1:D:73:LEU:HD12	1:D:104:ILE:CD1	2.45	0.46
1:B:288:THR:O	1:B:292:GLU:HG2	2.15	0.46
1:D:73:LEU:HD12	1:D:104:ILE:HD13	1.97	0.46
1:D:135:ASN:ND2	1:D:254:ASP:H	2.14	0.45
1:A:258:PHE:HD2	1:A:299:PHE:HB3	1.80	0.45
1:B:255:PRO:HA	1:B:258:PHE:HD1	1.82	0.44
1:D:88:ILE:HD11	1:D:104:ILE:HG12	1.98	0.44
1:A:73:LEU:HD12	1:A:104:ILE:CD1	2.47	0.44
1:D:13:THR:HG23	1:D:13:THR:O	2.18	0.44
1:A:0:PHE:HD1	5:A:2099:HOH:O	2.00	0.44
1:D:13:THR:HG1	1:D:211:CYS:CB	2.30	0.44
1:A:255:PRO:HA	1:A:258:PHE:HD1	1.83	0.44
1:B:58:ARG:HA	1:B:58:ARG:HD3	1.63	0.43
1:A:289:GLN:NE2	5:A:2275:HOH:O	2.50	0.43
1:C:135:ASN:O	1:C:137:ASP:O	2.36	0.43
1:D:202:THR:HG22	1:D:207:ASP:OD2	2.19	0.43
1:C:254:ASP:CG	1:C:256:VAL:HG12	2.39	0.43
1:B:145:GLY:O	3:B:501:GOL:H12	2.19	0.43
1:C:75:LEU:HD12	1:C:104:ILE:HD11	2.01	0.43
1:D:255:PRO:HA	1:D:258:PHE:HD2	1.84	0.42
1:B:0:PHE:C	1:B:1:MET:HA	2.35	0.42
1:A:285:LEU:CD1	1:C:289:GLN:NE2	2.82	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:34:SER:HB2	5:C:2051:HOH:O	2.19	0.42
1:A:212:ARG:HH11	1:A:212:ARG:CG	2.32	0.42
1:C:322:HIS:HD2	5:C:2062:HOH:O	2.02	0.42
1:C:258:PHE:CD1	1:C:299:PHE:CB	3.03	0.42
1:A:13:THR:HG23	1:A:127:THR:HG23	2.02	0.41
1:A:291:ARG:NH2	1:C:281:GLU:OE2	2.53	0.41
1:A:124:ILE:O	1:A:129:SER:HA	2.20	0.41
1:C:291:ARG:HB2	1:C:291:ARG:HH11	1.85	0.41
1:C:172:ASP:O	1:C:173:ASN:HB3	2.20	0.41
1:D:124:ILE:O	1:D:129:SER:HA	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	340/347 (98%)	327 (96%)	12 (4%)	1 (0%)	46	35
1	B	338/347 (97%)	330 (98%)	8 (2%)	0	100	100
1	C	338/347 (97%)	331 (98%)	7 (2%)	0	100	100
1	D	338/347 (97%)	330 (98%)	8 (2%)	0	100	100
All	All	1354/1388 (98%)	1318 (97%)	35 (3%)	1 (0%)	56	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	298	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	273/276 (99%)	264 (97%)	9 (3%)	45	34
1	B	272/276 (99%)	269 (99%)	3 (1%)	80	79
1	C	272/276 (99%)	254 (93%)	18 (7%)	21	10
1	D	272/276 (99%)	264 (97%)	8 (3%)	50	40
All	All	1089/1104 (99%)	1051 (96%)	38 (4%)	43	31

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-1	GLN
1	A	58	ARG
1	A	68	LEU
1	A	80	GLN
1	A	98	LEU
1	A	103	LEU
1	A	257	LEU
1	A	291	ARG
1	A	299	PHE
1	B	-1	GLN
1	B	46	VAL
1	B	58	ARG
1	C	-1	GLN
1	C	58	ARG
1	C	80	GLN
1	C	91	LEU
1	C	103	LEU
1	C	105	THR
1	C	116	THR
1	C	123	LEU
1	C	198	LEU
1	C	232	ARG
1	C	261	LYS
1	C	291	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	298	PHE
1	C	299	PHE
1	C	303	THR
1	C	336	ILE
1	C	342	THR
1	C	344	SER
1	D	-1	GLN
1	D	9	GLU
1	D	13	THR
1	D	40	ILE
1	D	81	GLU
1	D	198	LEU
1	D	202	THR
1	D	250	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	HIS
1	A	50	ASN
1	A	225	GLN
1	B	-1	GLN
1	B	135	ASN
1	B	148	HIS
1	B	193	GLN
1	B	259	GLN
1	B	309	HIS
1	C	-1	GLN
1	C	37	HIS
1	C	173	ASN
1	C	225	GLN
1	C	289	GLN
1	D	135	ASN
1	D	259	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	500	-	15,15,15	0.91	1 (6%)	17,21,21	0.99	0
3	GOL	A	501	-	5,5,5	0.39	0	5,5,5	0.47	0
2	NAG	B	500	-	15,15,15	1.12	2 (13%)	17,21,21	1.17	1 (5%)
3	GOL	B	501	-	5,5,5	0.48	0	5,5,5	0.43	0
2	NAG	C	500	-	15,15,15	0.81	1 (6%)	17,21,21	1.37	3 (17%)
3	GOL	C	501	-	5,5,5	0.35	0	5,5,5	0.39	0
4	NDG	D	500	-	14,14,15	1.42	3 (21%)	15,19,21	1.49	4 (26%)
3	GOL	D	501	-	5,5,5	0.46	0	5,5,5	0.53	0
3	GOL	D	502	-	5,5,5	0.29	0	5,5,5	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	500	-	1/1/6/7	0/6/26/26	0/1/1/1
3	GOL	A	501	-	-	0/4/4/4	0/0/0/0
2	NAG	B	500	-	1/1/6/7	0/6/26/26	0/1/1/1
3	GOL	B	501	-	-	0/4/4/4	0/0/0/0
2	NAG	C	500	-	1/1/6/7	0/6/26/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	C	501	-	-	0/4/4/4	0/0/0/0
4	NDG	D	500	-	-	0/5/25/26	0/1/1/1
3	GOL	D	501	-	-	0/4/4/4	0/0/0/0
3	GOL	D	502	-	-	0/4/4/4	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	500	NDG	C1-C2	-2.26	1.50	1.53
2	A	500	NAG	O1-C1	2.17	1.47	1.39
2	B	500	NAG	O5-C1	2.33	1.47	1.43
2	C	500	NAG	O5-C1	2.34	1.47	1.43
2	B	500	NAG	O1-C1	2.55	1.48	1.39
4	D	500	NDG	O-C1	2.76	1.48	1.43
4	D	500	NDG	O1L-C1	2.93	1.49	1.39

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	NAG	C6-C5-C4	-2.64	106.51	113.02
4	D	500	NDG	C6-C5-C4	-2.53	106.77	113.02
2	B	500	NAG	C6-C5-C4	-2.34	107.24	113.02
4	D	500	NDG	O-C5-C4	-2.23	105.50	109.68
4	D	500	NDG	C4-C3-C2	-2.22	107.35	110.43
2	C	500	NAG	O1-C1-O5	2.21	116.29	110.25
2	C	500	NAG	O5-C5-C6	2.58	112.88	106.36
4	D	500	NDG	O-C5-C6	2.68	113.12	106.36

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	500	NAG	C1
2	A	500	NAG	C1
2	C	500	NAG	C1

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	NAG	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	GOL	2	0
2	B	500	NAG	1	0
3	B	501	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	344/347 (99%)	0.26	8 (2%) 64 67	20, 26, 37, 64	0
1	B	342/347 (98%)	0.16	12 (3%) 48 51	21, 26, 36, 51	0
1	C	342/347 (98%)	0.34	13 (3%) 44 48	19, 26, 38, 59	0
1	D	342/347 (98%)	0.24	7 (2%) 68 71	19, 24, 34, 45	0
All	All	1370/1388 (98%)	0.25	40 (2%) 55 59	19, 26, 37, 64	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	298	PHE	8.3
1	A	-2	PRO	7.6
1	A	298	PHE	7.5
1	C	-2	PRO	6.3
1	A	297	ASN	5.6
1	B	293	ILE	5.3
1	C	261	LYS	5.1
1	A	296	GLN	4.9
1	B	261	LYS	4.5
1	D	261	LYS	4.0
1	C	290	GLY	3.9
1	C	299	PHE	3.9
1	D	293	ILE	3.6
1	D	-2	PRO	3.6
1	C	260	GLY	3.4
1	A	262	ILE	3.3
1	A	261	LYS	3.2
1	B	-2	PRO	3.0
1	B	258	PHE	2.9
1	A	295	ALA	2.8
1	B	259	GLN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	256	VAL	2.7
1	B	299	PHE	2.7
1	C	259	GLN	2.5
1	C	292	GLU	2.4
1	B	97	TYR	2.4
1	C	256	VAL	2.4
1	B	255	PRO	2.4
1	B	260	GLY	2.3
1	C	262	ILE	2.3
1	B	300	SER	2.3
1	D	344	SER	2.3
1	B	344	SER	2.3
1	D	260	GLY	2.3
1	C	41	GLY	2.3
1	A	97	TYR	2.3
1	C	255	PRO	2.2
1	D	299	PHE	2.1
1	D	259	GLN	2.1
1	C	323	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	GOL	B	501	6/6	0.83	0.17	2.85	42,45,46,48	0
3	GOL	A	501	6/6	0.87	0.16	2.18	41,45,46,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	GOL	C	501	6/6	0.89	0.13	0.27	34,44,47,47	0
4	NDG	D	500	14/15	0.94	0.09	-1.61	17,19,21,24	0
3	GOL	D	501	6/6	0.96	0.08	-1.62	37,40,41,45	0
2	NAG	A	500	15/15	0.97	0.06	-2.70	18,22,24,26	0
2	NAG	B	500	15/15	0.97	0.06	-2.76	18,19,22,23	0
2	NAG	C	500	15/15	0.97	0.07	-2.95	21,22,24,25	0
3	GOL	D	502	6/6	0.86	0.14	-	50,52,52,54	0

6.5 Other polymers [i](#)

There are no such residues in this entry.