



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2016 – 07:25 PM EDT

PDB ID : 5CHO
Title : Crystal Structure of BorF, the Flavin Reductase Component of a Bacterial Two-Component Tryptophan Halogenase
Authors : Ma, Z.; Bellizzi, J.
Deposited on : 2015-07-10
Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027790
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027790


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4019 (2.40-2.36)
Clashscore	102246	4595 (2.40-2.36)
Ramachandran outliers	100387	4520 (2.40-2.36)
Sidechain outliers	100360	4522 (2.40-2.36)
RSRZ outliers	91569	4034 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	196	<div> <div style="width: 81%;"></div> <div style="width: 16%;"></div> </div>
1	B	196	<div> <div style="width: 80%;"></div> <div style="width: 17%;"></div> </div>
1	C	196	<div> <div style="width: 81%;"></div> <div style="width: 16%;"></div> </div>
1	D	196	<div> <div style="width: 82%;"></div> <div style="width: 16%;"></div> </div>
1	E	196	<div> <div style="width: 77%;"></div> <div style="width: 18%;"></div> </div>
1	F	196	<div> <div style="width: 77%;"></div> <div style="width: 18%;"></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	196	<div><div></div><div>18%</div><div></div><div>77%</div><div></div><div>5%</div><div></div><div>18%</div></div>
1	H	196	<div><div></div><div>11%</div><div></div><div>80%</div><div></div><div>•</div><div></div><div>18%</div></div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10269 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flavin reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	165	Total	C	N	O	S	0	0	0
			1248	787	229	227	5			
1	B	163	Total	C	N	O	S	0	0	0
			1227	773	224	225	5			
1	C	165	Total	C	N	O	S	0	0	0
			1247	786	229	227	5			
1	D	164	Total	C	N	O	S	0	0	0
			1240	781	228	226	5			
1	E	161	Total	C	N	O	S	0	0	0
			1196	755	213	223	5			
1	F	160	Total	C	N	O	S	0	0	0
			1191	752	212	222	5			
1	G	160	Total	C	N	O	S	0	0	0
			1169	741	203	220	5			
1	H	160	Total	C	N	O	S	0	0	0
			1170	742	203	220	5			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	F	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	G	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	H	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	42	Total	O	0	0
			42	42		
3	B	25	Total	O	0	0
			25	25		
3	C	38	Total	O	0	0
			38	38		
3	D	34	Total	O	0	0
			34	34		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	E	10	Total	O	0	0
			10	10		
3	F	4	Total	O	0	0
			4	4		
3	G	4	Total	O	0	0
			4	4		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Flavin reductase

Chain A: 





- Molecule 1: Flavin reductase

Chain B: 





- Molecule 1: Flavin reductase

Chain C: 





- Molecule 1: Flavin reductase

Chain D: 




- Molecule 1: Flavin reductase


Chain E: 




- Molecule 1: Flavin reductase



- Molecule 1: Flavin reductase



- Molecule 1: Flavin reductase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	278.01 Å 62.34 Å 101.88 Å 90.00° 110.84° 90.00°	Depositor
Resolution (Å)	47.61 – 2.37 53.17 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.61-2.37) 99.9 (53.17-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 2.10 Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.215 , 0.247 0.215 , 0.248	Depositor DCC
R_{free} test set	1380 reflections (2.07%)	DCC
Wilson B-factor (Å ²)	42.4	Xtriage
Anisotropy	0.089	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 47.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.016 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10269	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/1281	0.53	0/1747
1	B	0.28	0/1259	0.56	0/1717
1	C	0.27	0/1280	0.53	0/1746
1	D	0.27	0/1273	0.53	0/1736
1	E	0.25	0/1228	0.49	0/1678
1	F	0.24	0/1223	0.50	0/1671
1	G	0.26	0/1201	0.51	0/1645
1	H	0.24	0/1202	0.47	0/1646
All	All	0.26	0/9947	0.52	0/13586

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1248	0	1199	4	0
1	B	1227	0	1170	4	0
1	C	1247	0	1197	5	0
1	D	1240	0	1188	4	0
1	E	1196	0	1124	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1191	0	1119	7	0
1	G	1169	0	1082	7	0
1	H	1170	0	1087	4	0
2	A	53	0	31	2	0
2	B	53	0	31	0	0
2	C	53	0	31	1	0
2	D	53	0	31	0	0
2	E	53	0	31	1	0
2	F	53	0	31	1	0
2	G	53	0	31	0	0
2	H	53	0	31	1	0
3	A	42	0	0	0	0
3	B	25	0	0	0	0
3	C	38	0	0	0	0
3	D	34	0	0	0	0
3	E	10	0	0	0	0
3	F	4	0	0	0	0
3	G	4	0	0	0	0
All	All	10269	0	9414	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:185:GLN:OE1	1:F:187:ARG:NH2	2.22	0.71
1:E:125:ASP:OD1	1:E:131:ARG:NH2	2.28	0.67
1:C:71:LEU:HD11	1:D:38:ARG:HE	1.60	0.66
1:A:69:VAL:HG11	1:B:157:ALA:HB1	1.90	0.53
1:B:126:ARG:HB3	1:B:127:PRO:HD2	1.89	0.53
1:G:71:LEU:HD23	1:H:37:LEU:HD23	1.91	0.53
1:G:149:CYS:SG	1:G:167:LEU:HD23	2.50	0.51
1:F:120:ASP:OD2	1:F:122:THR:HB	2.11	0.51
1:C:126:ARG:HB3	1:C:127:PRO:HD2	1.94	0.49
1:B:56:ASP:OD1	1:B:57:SER:N	2.46	0.49
1:G:77:LEU:C	1:G:77:LEU:HD12	2.33	0.49
1:G:126:ARG:HB3	1:G:127:PRO:HD2	1.95	0.48
1:C:81:GLU:OE2	2:C:201:FAD:O3B	2.30	0.47
1:A:81:GLU:OE2	2:A:201:FAD:O3B	2.28	0.47
1:F:81:GLU:OE2	2:F:201:FAD:O3B	2.30	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:187:ARG:NH2	1:D:190:PRO:O	2.32	0.46
1:G:82:CYS:HA	1:G:87:HIS:CD2	2.52	0.44
1:H:77:LEU:HD12	1:H:77:LEU:C	2.38	0.44
1:A:126:ARG:HB3	1:A:127:PRO:HD2	1.99	0.44
1:E:81:GLU:OE2	2:E:201:FAD:O3B	2.24	0.43
1:F:149:CYS:SG	1:F:167:LEU:HD23	2.59	0.43
2:A:201:FAD:H1'1	2:A:201:FAD:H9	1.89	0.43
1:C:69:VAL:HG11	1:D:157:ALA:HB1	1.99	0.43
1:E:82:CYS:HA	1:E:87:HIS:CD2	2.54	0.43
2:H:201:FAD:H1'1	2:H:201:FAD:H9	1.92	0.42
1:D:77:LEU:C	1:D:77:LEU:HD12	2.40	0.42
1:F:77:LEU:C	1:F:77:LEU:HD12	2.39	0.42
1:E:69:VAL:HG11	1:F:157:ALA:HB1	2.02	0.42
1:G:172:ARG:NH2	1:H:183:SER:OG	2.48	0.42
1:E:58:PRO:HD2	1:E:121:PRO:HB3	2.03	0.41
1:G:158:GLY:HA3	1:H:73:PRO:HD2	2.02	0.41
1:A:82:CYS:HA	1:A:87:HIS:CD2	2.57	0.40
1:E:61:MET:HG2	1:E:86:MET:HG2	2.03	0.40
1:F:180:VAL:O	1:F:187:ARG:N	2.48	0.40
1:B:77:LEU:C	1:B:77:LEU:HD12	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	163/196 (83%)	161 (99%)	2 (1%)	0	100	100
1	B	161/196 (82%)	159 (99%)	2 (1%)	0	100	100
1	C	163/196 (83%)	161 (99%)	2 (1%)	0	100	100
1	D	162/196 (83%)	160 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	159/196 (81%)	157 (99%)	2 (1%)	0	100	100
1	F	158/196 (81%)	155 (98%)	3 (2%)	0	100	100
1	G	158/196 (81%)	156 (99%)	2 (1%)	0	100	100
1	H	158/196 (81%)	156 (99%)	2 (1%)	0	100	100
All	All	1282/1568 (82%)	1265 (99%)	17 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	126/153 (82%)	126 (100%)	0	100	100
1	B	123/153 (80%)	123 (100%)	0	100	100
1	C	126/153 (82%)	126 (100%)	0	100	100
1	D	125/153 (82%)	125 (100%)	0	100	100
1	E	119/153 (78%)	119 (100%)	0	100	100
1	F	119/153 (78%)	119 (100%)	0	100	100
1	G	115/153 (75%)	115 (100%)	0	100	100
1	H	115/153 (75%)	115 (100%)	0	100	100
All	All	968/1224 (79%)	968 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	A	201	-	52,58,58	4.09	19 (36%)	52,89,89	2.70	12 (23%)
2	FAD	B	201	-	52,58,58	4.07	20 (38%)	52,89,89	2.63	11 (21%)
2	FAD	C	201	-	52,58,58	4.10	21 (40%)	52,89,89	2.66	13 (25%)
2	FAD	D	201	-	52,58,58	4.09	21 (40%)	52,89,89	2.64	12 (23%)
2	FAD	E	201	-	52,58,58	4.10	20 (38%)	52,89,89	2.63	11 (21%)
2	FAD	F	201	-	52,58,58	4.10	21 (40%)	52,89,89	2.65	11 (21%)
2	FAD	G	201	-	52,58,58	4.08	21 (40%)	52,89,89	2.64	12 (23%)
2	FAD	H	201	-	52,58,58	4.07	19 (36%)	52,89,89	2.64	12 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	201	-	-	0/30/50/50	0/6/6/6
2	FAD	B	201	-	-	0/30/50/50	0/6/6/6
2	FAD	C	201	-	-	0/30/50/50	0/6/6/6
2	FAD	D	201	-	-	0/30/50/50	0/6/6/6
2	FAD	E	201	-	-	0/30/50/50	0/6/6/6

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	F	201	-	-	0/30/50/50	0/6/6/6
2	FAD	G	201	-	-	0/30/50/50	0/6/6/6
2	FAD	H	201	-	-	0/30/50/50	0/6/6/6

All (162) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	201	FAD	C2B-C1B	-15.63	1.28	1.53
2	E	201	FAD	C2B-C1B	-15.55	1.28	1.53
2	D	201	FAD	C2B-C1B	-15.49	1.29	1.53
2	A	201	FAD	C2B-C1B	-15.49	1.29	1.53
2	B	201	FAD	C2B-C1B	-15.49	1.29	1.53
2	F	201	FAD	C2B-C1B	-15.42	1.29	1.53
2	H	201	FAD	C2B-C1B	-15.41	1.29	1.53
2	G	201	FAD	C2B-C1B	-15.37	1.29	1.53
2	H	201	FAD	O4B-C4B	-6.89	1.29	1.45
2	A	201	FAD	O4B-C4B	-6.88	1.29	1.45
2	G	201	FAD	O4B-C4B	-6.84	1.29	1.45
2	F	201	FAD	O4B-C4B	-6.82	1.29	1.45
2	D	201	FAD	O4B-C4B	-6.82	1.29	1.45
2	E	201	FAD	O4B-C4B	-6.81	1.29	1.45
2	B	201	FAD	O4B-C4B	-6.78	1.29	1.45
2	C	201	FAD	O4B-C4B	-6.69	1.29	1.45
2	C	201	FAD	O4-C4	-3.91	1.14	1.24
2	B	201	FAD	O4-C4	-3.84	1.14	1.24
2	G	201	FAD	O4-C4	-3.74	1.15	1.24
2	F	201	FAD	O4-C4	-3.73	1.15	1.24
2	D	201	FAD	O4-C4	-3.72	1.15	1.24
2	E	201	FAD	O4-C4	-3.68	1.15	1.24
2	H	201	FAD	O4-C4	-3.65	1.15	1.24
2	A	201	FAD	O4-C4	-3.61	1.15	1.24
2	H	201	FAD	O4'-C4'	-2.76	1.37	1.43
2	F	201	FAD	O4'-C4'	-2.68	1.37	1.43
2	B	201	FAD	O4'-C4'	-2.67	1.37	1.43
2	A	201	FAD	O4'-C4'	-2.66	1.37	1.43
2	D	201	FAD	O4'-C4'	-2.66	1.37	1.43
2	G	201	FAD	O4'-C4'	-2.64	1.37	1.43
2	C	201	FAD	O4'-C4'	-2.60	1.37	1.43
2	E	201	FAD	O4'-C4'	-2.60	1.37	1.43
2	B	201	FAD	C5B-C4B	2.00	1.58	1.51
2	F	201	FAD	C5'-C4'	2.01	1.54	1.51
2	D	201	FAD	C5B-C4B	2.01	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	201	FAD	C5'-C4'	2.02	1.54	1.51
2	G	201	FAD	C5B-C4B	2.02	1.58	1.51
2	C	201	FAD	C2A-N1A	2.03	1.37	1.33
2	G	201	FAD	C5'-C4'	2.03	1.54	1.51
2	F	201	FAD	C5B-C4B	2.05	1.58	1.51
2	E	201	FAD	C5'-C4'	2.08	1.54	1.51
2	C	201	FAD	C5'-C4'	2.26	1.55	1.51
2	B	201	FAD	C7M-C7	2.65	1.56	1.51
2	G	201	FAD	C7M-C7	2.67	1.56	1.51
2	A	201	FAD	C7M-C7	2.69	1.56	1.51
2	H	201	FAD	C7M-C7	2.70	1.56	1.51
2	E	201	FAD	C7M-C7	2.75	1.56	1.51
2	D	201	FAD	C7M-C7	2.76	1.56	1.51
2	F	201	FAD	C7M-C7	2.77	1.56	1.51
2	F	201	FAD	C2A-N3A	2.84	1.37	1.32
2	C	201	FAD	C7M-C7	2.85	1.56	1.51
2	E	201	FAD	C2A-N3A	2.88	1.37	1.32
2	H	201	FAD	C2A-N3A	2.88	1.37	1.32
2	A	201	FAD	C6A-N6A	2.89	1.46	1.34
2	F	201	FAD	C6A-N6A	2.89	1.46	1.34
2	H	201	FAD	C6A-N6A	2.91	1.46	1.34
2	C	201	FAD	C6A-N6A	2.91	1.46	1.34
2	E	201	FAD	C6A-N6A	2.91	1.46	1.34
2	G	201	FAD	C6A-N6A	2.92	1.46	1.34
2	B	201	FAD	C6A-N6A	2.93	1.46	1.34
2	D	201	FAD	C2A-N3A	2.96	1.37	1.32
2	D	201	FAD	C6A-N6A	2.96	1.46	1.34
2	F	201	FAD	C8M-C8	2.98	1.56	1.51
2	H	201	FAD	C8M-C8	3.00	1.57	1.51
2	B	201	FAD	C8M-C8	3.02	1.57	1.51
2	A	201	FAD	C8M-C8	3.02	1.57	1.51
2	A	201	FAD	C2A-N3A	3.03	1.37	1.32
2	E	201	FAD	C8M-C8	3.03	1.57	1.51
2	C	201	FAD	C8M-C8	3.05	1.57	1.51
2	G	201	FAD	C2A-N3A	3.08	1.37	1.32
2	D	201	FAD	C8M-C8	3.09	1.57	1.51
2	B	201	FAD	C2A-N3A	3.14	1.37	1.32
2	C	201	FAD	C2A-N3A	3.14	1.37	1.32
2	G	201	FAD	C8M-C8	3.17	1.57	1.51
2	H	201	FAD	C2-N3	3.91	1.46	1.38
2	A	201	FAD	C2-N3	3.92	1.46	1.38
2	C	201	FAD	C2-N3	3.92	1.46	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	201	FAD	C2-N3	3.94	1.46	1.38
2	B	201	FAD	C2-N3	3.95	1.46	1.38
2	G	201	FAD	C2-N3	3.98	1.46	1.38
2	E	201	FAD	C2-N3	4.00	1.46	1.38
2	D	201	FAD	C2-N3	4.04	1.46	1.38
2	E	201	FAD	C2-N1	4.04	1.46	1.38
2	B	201	FAD	C2-N1	4.07	1.46	1.38
2	A	201	FAD	C2-N1	4.08	1.46	1.38
2	G	201	FAD	C2-N1	4.11	1.46	1.38
2	H	201	FAD	C2-N1	4.13	1.46	1.38
2	C	201	FAD	C2-N1	4.14	1.46	1.38
2	D	201	FAD	C2-N1	4.17	1.46	1.38
2	F	201	FAD	C2-N1	4.20	1.46	1.38
2	H	201	FAD	C4-C4X	4.25	1.49	1.41
2	B	201	FAD	C4-C4X	4.28	1.50	1.41
2	C	201	FAD	C4-C4X	4.30	1.50	1.41
2	D	201	FAD	C4-C4X	4.31	1.50	1.41
2	G	201	FAD	C4-C4X	4.32	1.50	1.41
2	C	201	FAD	O2B-C2B	4.32	1.53	1.43
2	B	201	FAD	C10-N1	4.33	1.43	1.35
2	F	201	FAD	C4-C4X	4.33	1.50	1.41
2	E	201	FAD	C4-C4X	4.35	1.50	1.41
2	H	201	FAD	O2B-C2B	4.35	1.53	1.43
2	A	201	FAD	O2B-C2B	4.38	1.53	1.43
2	B	201	FAD	O2B-C2B	4.38	1.53	1.43
2	A	201	FAD	C4-C4X	4.41	1.50	1.41
2	G	201	FAD	O2B-C2B	4.41	1.53	1.43
2	D	201	FAD	O2B-C2B	4.42	1.53	1.43
2	E	201	FAD	O2B-C2B	4.45	1.53	1.43
2	F	201	FAD	O2B-C2B	4.46	1.53	1.43
2	A	201	FAD	C10-N1	4.47	1.43	1.35
2	H	201	FAD	C10-N1	4.49	1.43	1.35
2	E	201	FAD	C10-N1	4.52	1.43	1.35
2	D	201	FAD	C10-N1	4.52	1.43	1.35
2	F	201	FAD	C10-N1	4.54	1.43	1.35
2	G	201	FAD	C10-N1	4.55	1.43	1.35
2	C	201	FAD	C10-N1	4.60	1.43	1.35
2	B	201	FAD	C10-N10	5.15	1.45	1.39
2	D	201	FAD	C10-N10	5.17	1.45	1.39
2	E	201	FAD	C10-N10	5.25	1.45	1.39
2	B	201	FAD	C9A-N10	5.28	1.46	1.38
2	E	201	FAD	C9A-N10	5.28	1.46	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	201	FAD	C10-N10	5.30	1.45	1.39
2	A	201	FAD	C10-N10	5.38	1.45	1.39
2	C	201	FAD	C4-N3	5.43	1.42	1.33
2	H	201	FAD	C4-N3	5.44	1.42	1.33
2	B	201	FAD	C4-N3	5.45	1.42	1.33
2	C	201	FAD	C9A-N10	5.46	1.46	1.38
2	A	201	FAD	C9A-N10	5.47	1.46	1.38
2	G	201	FAD	C10-N10	5.48	1.45	1.39
2	G	201	FAD	C9A-N10	5.50	1.46	1.38
2	F	201	FAD	C4-N3	5.52	1.43	1.33
2	D	201	FAD	C9A-N10	5.52	1.46	1.38
2	E	201	FAD	C4-N3	5.54	1.43	1.33
2	H	201	FAD	C9A-N10	5.59	1.46	1.38
2	D	201	FAD	C4-N3	5.61	1.43	1.33
2	G	201	FAD	C4-N3	5.62	1.43	1.33
2	A	201	FAD	C4-N3	5.62	1.43	1.33
2	F	201	FAD	C9A-N10	5.66	1.46	1.38
2	H	201	FAD	C10-N10	5.85	1.46	1.39
2	H	201	FAD	C4X-N5	6.08	1.42	1.33
2	F	201	FAD	C10-N10	6.09	1.46	1.39
2	F	201	FAD	C4X-N5	6.10	1.42	1.33
2	G	201	FAD	C4X-N5	6.20	1.42	1.33
2	B	201	FAD	C4X-N5	6.36	1.43	1.33
2	D	201	FAD	C4X-N5	6.43	1.43	1.33
2	E	201	FAD	C4X-N5	6.44	1.43	1.33
2	C	201	FAD	C4X-N5	6.47	1.43	1.33
2	A	201	FAD	C4X-N5	6.64	1.43	1.33
2	H	201	FAD	C5X-N5	8.39	1.48	1.35
2	B	201	FAD	C5X-N5	8.41	1.48	1.35
2	F	201	FAD	C5X-N5	8.46	1.48	1.35
2	D	201	FAD	C5X-N5	8.55	1.48	1.35
2	A	201	FAD	C5X-N5	8.58	1.48	1.35
2	G	201	FAD	C5X-N5	8.63	1.48	1.35
2	C	201	FAD	C5X-N5	8.68	1.49	1.35
2	E	201	FAD	C5X-N5	8.69	1.49	1.35
2	A	201	FAD	O4B-C1B	13.80	1.60	1.41
2	G	201	FAD	O4B-C1B	13.89	1.61	1.41
2	H	201	FAD	O4B-C1B	13.90	1.61	1.41
2	F	201	FAD	O4B-C1B	13.92	1.61	1.41
2	C	201	FAD	O4B-C1B	13.95	1.61	1.41
2	D	201	FAD	O4B-C1B	14.00	1.61	1.41
2	B	201	FAD	O4B-C1B	14.08	1.61	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	201	FAD	O4B-C1B	14.15	1.61	1.41

All (94) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	201	FAD	N3A-C2A-N1A	-11.48	119.86	128.87
2	A	201	FAD	N3A-C2A-N1A	-11.43	119.90	128.87
2	C	201	FAD	N3A-C2A-N1A	-11.41	119.91	128.87
2	E	201	FAD	N3A-C2A-N1A	-11.24	120.04	128.87
2	D	201	FAD	N3A-C2A-N1A	-11.23	120.05	128.87
2	H	201	FAD	N3A-C2A-N1A	-11.20	120.07	128.87
2	G	201	FAD	N3A-C2A-N1A	-11.17	120.10	128.87
2	B	201	FAD	N3A-C2A-N1A	-11.15	120.11	128.87
2	A	201	FAD	N6A-C6A-N1A	-7.31	106.25	118.52
2	B	201	FAD	N6A-C6A-N1A	-7.26	106.33	118.52
2	D	201	FAD	N6A-C6A-N1A	-7.10	106.61	118.52
2	H	201	FAD	N6A-C6A-N1A	-7.08	106.63	118.52
2	C	201	FAD	N6A-C6A-N1A	-7.04	106.71	118.52
2	F	201	FAD	N6A-C6A-N1A	-7.02	106.74	118.52
2	G	201	FAD	N6A-C6A-N1A	-6.87	106.99	118.52
2	E	201	FAD	N6A-C6A-N1A	-6.73	107.23	118.52
2	G	201	FAD	C7M-C7-C6	-5.57	104.61	120.33
2	B	201	FAD	C7M-C7-C6	-5.28	105.40	120.33
2	H	201	FAD	C7M-C7-C6	-5.23	105.55	120.33
2	F	201	FAD	C7M-C7-C6	-5.20	105.63	120.33
2	E	201	FAD	C7M-C7-C6	-5.14	105.81	120.33
2	D	201	FAD	C7M-C7-C6	-5.09	105.95	120.33
2	A	201	FAD	C7M-C7-C6	-4.91	106.45	120.33
2	D	201	FAD	N3-C2-N1	-4.88	119.48	127.69
2	C	201	FAD	C7M-C7-C6	-4.87	106.56	120.33
2	F	201	FAD	N3-C2-N1	-4.73	119.72	127.69
2	C	201	FAD	N3-C2-N1	-4.73	119.73	127.69
2	G	201	FAD	N3-C2-N1	-4.71	119.76	127.69
2	B	201	FAD	N3-C2-N1	-4.68	119.81	127.69
2	E	201	FAD	N3-C2-N1	-4.68	119.81	127.69
2	H	201	FAD	N3-C2-N1	-4.61	119.92	127.69
2	A	201	FAD	N3-C2-N1	-4.55	120.03	127.69
2	H	201	FAD	C8M-C8-C7	-3.87	112.41	120.73
2	C	201	FAD	C8M-C8-C7	-3.83	112.49	120.73
2	D	201	FAD	C8M-C8-C7	-3.60	112.98	120.73
2	F	201	FAD	C8M-C8-C7	-3.57	113.05	120.73
2	E	201	FAD	C8M-C8-C7	-3.31	113.61	120.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	201	FAD	C8M-C8-C7	-3.21	113.82	120.73
2	B	201	FAD	C8M-C8-C7	-3.09	114.08	120.73
2	A	201	FAD	C8M-C8-C7	-3.06	114.15	120.73
2	H	201	FAD	C4X-C4-N3	-2.90	119.74	123.52
2	A	201	FAD	C4X-C4-N3	-2.83	119.82	123.52
2	E	201	FAD	C4X-C4-N3	-2.82	119.84	123.52
2	G	201	FAD	C4X-C4-N3	-2.77	119.90	123.52
2	F	201	FAD	C4X-C4-N3	-2.72	119.97	123.52
2	B	201	FAD	C4X-C4-N3	-2.55	120.19	123.52
2	D	201	FAD	C4X-C4-N3	-2.44	120.33	123.52
2	A	201	FAD	C1B-N9A-C4A	-2.36	124.17	126.81
2	C	201	FAD	C4X-C4-N3	-2.31	120.50	123.52
2	C	201	FAD	C1B-N9A-C4A	-2.04	124.53	126.81
2	G	201	FAD	C8M-C8-C9	2.02	126.03	120.33
2	F	201	FAD	C8M-C8-C9	2.14	126.36	120.33
2	D	201	FAD	C8M-C8-C9	2.20	126.55	120.33
2	A	201	FAD	C1'-N10-C9A	2.27	121.46	118.83
2	H	201	FAD	C8M-C8-C9	2.31	126.86	120.33
2	C	201	FAD	C8M-C8-C9	2.32	126.87	120.33
2	H	201	FAD	C1'-N10-C9A	2.35	121.56	118.83
2	E	201	FAD	C1'-N10-C9A	2.43	121.65	118.83
2	G	201	FAD	C1'-N10-C9A	2.46	121.68	118.83
2	F	201	FAD	C4X-N5-C5X	2.62	119.81	116.72
2	B	201	FAD	C1'-N10-C9A	2.65	121.90	118.83
2	H	201	FAD	C4X-N5-C5X	2.70	119.90	116.72
2	D	201	FAD	C1'-N10-C9A	2.71	121.97	118.83
2	G	201	FAD	C5X-C9A-N10	2.72	119.62	117.58
2	D	201	FAD	C5X-C9A-N10	2.75	119.64	117.58
2	C	201	FAD	C1'-N10-C9A	2.87	122.16	118.83
2	H	201	FAD	C5X-C9A-N10	2.92	119.77	117.58
2	B	201	FAD	C4X-N5-C5X	2.93	120.17	116.72
2	C	201	FAD	C4X-N5-C5X	2.93	120.18	116.72
2	G	201	FAD	C4X-N5-C5X	2.98	120.23	116.72
2	E	201	FAD	C4X-N5-C5X	3.23	120.53	116.72
2	D	201	FAD	C4X-N5-C5X	3.24	120.55	116.72
2	E	201	FAD	C5X-C9A-N10	3.29	120.05	117.58
2	A	201	FAD	C4X-N5-C5X	3.31	120.62	116.72
2	F	201	FAD	C5X-C9A-N10	3.32	120.07	117.58
2	B	201	FAD	C5X-C9A-N10	3.51	120.21	117.58
2	C	201	FAD	C5X-C9A-N10	3.58	120.26	117.58
2	A	201	FAD	C5X-C9A-N10	4.12	120.67	117.58
2	C	201	FAD	C4-N3-C2	4.89	119.24	115.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	201	FAD	C4-N3-C2	4.99	119.32	115.16
2	F	201	FAD	C4-N3-C2	5.08	119.39	115.16
2	D	201	FAD	C4-N3-C2	5.15	119.45	115.16
2	H	201	FAD	C4-N3-C2	5.25	119.53	115.16
2	A	201	FAD	C4-N3-C2	5.33	119.60	115.16
2	G	201	FAD	C4-N3-C2	5.33	119.60	115.16
2	E	201	FAD	C4-N3-C2	5.39	119.65	115.16
2	C	201	FAD	C7M-C7-C8	6.09	133.84	120.73
2	A	201	FAD	C7M-C7-C8	6.33	134.35	120.73
2	D	201	FAD	C7M-C7-C8	6.36	134.41	120.73
2	E	201	FAD	C7M-C7-C8	6.48	134.67	120.73
2	B	201	FAD	C7M-C7-C8	6.58	134.88	120.73
2	F	201	FAD	C7M-C7-C8	6.60	134.93	120.73
2	H	201	FAD	C7M-C7-C8	6.61	134.95	120.73
2	G	201	FAD	C7M-C7-C8	6.90	135.57	120.73

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	201	FAD	2	0
2	C	201	FAD	1	0
2	E	201	FAD	1	0
2	F	201	FAD	1	0
2	H	201	FAD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	165/196 (84%)	0.06	0 100 100	21, 36, 57, 82	0
1	B	163/196 (83%)	0.12	1 (0%) 90 91	23, 36, 63, 81	0
1	C	165/196 (84%)	0.08	0 100 100	23, 34, 54, 80	0
1	D	164/196 (83%)	0.10	2 (1%) 81 83	26, 37, 61, 79	0
1	E	161/196 (82%)	0.40	6 (3%) 45 49	35, 59, 80, 88	0
1	F	160/196 (81%)	1.16	37 (23%) 1 1	49, 75, 90, 100	0
1	G	160/196 (81%)	1.32	35 (21%) 1 1	42, 74, 85, 99	0
1	H	160/196 (81%)	0.91	21 (13%) 5 5	53, 74, 88, 95	0
All	All	1298/1568 (82%)	0.51	102 (7%) 15 17	21, 52, 85, 100	0

All (102) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	152	TRP	9.2
1	G	167	LEU	5.8
1	G	55	GLY	5.3
1	F	94	GLY	5.2
1	F	56	ASP	5.1
1	G	132	GLY	5.0
1	F	149	CYS	4.6
1	F	135	THR	4.4
1	F	151	LEU	4.3
1	H	155	TYR	4.3
1	D	194	PRO	4.2
1	F	90	LEU	4.0
1	F	133	ALA	4.0
1	F	55	GLY	3.8
1	H	37	LEU	3.6
1	F	60	ALA	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	95	SER	3.6
1	F	78	VAL	3.6
1	H	83	ASP	3.6
1	F	136	GLY	3.4
1	G	150	ALA	3.3
1	G	93	VAL	3.3
1	G	146	TRP	3.3
1	H	116	TRP	3.2
1	H	69	VAL	3.2
1	F	95	SER	3.2
1	G	151	LEU	3.2
1	E	69	VAL	3.1
1	H	80	VAL	3.1
1	H	166	ARG	3.1
1	F	129	TRP	3.1
1	F	132	GLY	3.1
1	H	122	THR	3.0
1	G	129	TRP	3.0
1	F	49	THR	3.0
1	F	168	LEU	3.0
1	G	147	PHE	3.0
1	G	149	CYS	3.0
1	H	96	PHE	3.0
1	H	135	THR	3.0
1	F	81	GLU	2.9
1	G	56	ASP	2.9
1	F	96	PHE	2.9
1	G	163	PHE	2.9
1	F	152	TRP	2.9
1	G	176	ARG	2.9
1	H	92	GLU	2.9
1	G	54	GLY	2.9
1	G	137	ALA	2.9
1	G	165	GLY	2.8
1	H	56	ASP	2.8
1	F	134	ARG	2.8
1	F	163	PHE	2.8
1	F	92	GLU	2.8
1	E	153	ARG	2.8
1	F	120	ASP	2.7
1	F	150	ALA	2.7
1	G	135	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	116	TRP	2.6
1	F	154	ALA	2.6
1	G	126	ARG	2.6
1	G	91	LEU	2.6
1	F	53	VAL	2.6
1	G	155	TYR	2.5
1	G	127	PRO	2.5
1	F	63	ALA	2.5
1	G	89	SER	2.5
1	H	72	ASP	2.5
1	F	131	ARG	2.5
1	H	129	TRP	2.5
1	H	152	TRP	2.5
1	H	109	ALA	2.5
1	G	90	LEU	2.5
1	H	149	CYS	2.5
1	F	161	SER	2.4
1	G	168	LEU	2.4
1	H	34	SER	2.4
1	E	155	TYR	2.4
1	B	32	ARG	2.3
1	F	93	VAL	2.3
1	G	66	PHE	2.3
1	G	96	PHE	2.3
1	G	72	ASP	2.3
1	E	193	ALA	2.3
1	F	80	VAL	2.2
1	D	193	ALA	2.2
1	G	175	ARG	2.2
1	E	71	LEU	2.2
1	F	127	PRO	2.2
1	H	127	PRO	2.2
1	G	136	GLY	2.2
1	H	162	ILE	2.1
1	F	140	ALA	2.1
1	F	83	ASP	2.1
1	G	170	ALA	2.1
1	F	50	VAL	2.1
1	E	34	SER	2.1
1	H	120	ASP	2.0
1	G	52	THR	2.0
1	G	98	VAL	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	124	PHE	2.0
1	F	91	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	FAD	A	201	53/53	0.96	0.17	1.12	19,28,53,58	0
2	FAD	C	201	53/53	0.96	0.16	0.97	20,29,54,59	0
2	FAD	D	201	53/53	0.95	0.15	0.33	29,39,68,79	0
2	FAD	H	201	53/53	0.89	0.21	0.28	56,70,96,98	0
2	FAD	F	201	53/53	0.90	0.21	0.03	55,72,91,93	0
2	FAD	G	201	53/53	0.90	0.18	-0.01	44,60,74,75	0
2	FAD	E	201	53/53	0.95	0.14	-0.30	37,50,72,74	0
2	FAD	B	201	53/53	0.96	0.13	-0.38	27,38,74,78	0

6.5 Other polymers [i](#)

There are no such residues in this entry.