



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:49 PM GMT

PDB ID : 1CMK  
Title : CRYSTAL STRUCTURES OF THE MYRISTYLATED CATALYTIC SUB-UNIT OF CAMP-DEPENDENT PROTEIN KINASE REVEAL OPEN AND CLOSED CONFORMATIONS  
Authors : Zheng, J.; Knighton, D.R.; Xuong, N.-H.; Taylor, S.S.; Sowadski, J.M.; Ten Eyck, L.F.  
Deposited on : 1993-11-18  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1668 (2.90-2.90)
Ramachandran outliers	100387	1630 (2.90-2.90)
Sidechain outliers	100360	1632 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	E	350	
2	I	22	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MYR	E	0	-	-	X	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3048 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-DEPENDENT PROTEIN KINASE CATALYTIC SUB-UNIT.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	E	350	Total	C	N	O	P	S	0	0	0
			2874	1857	484	523	2	8			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	63	LYS	MET	CONFLICT	UNP P00517
E	69	PHE	TYR	CONFLICT	UNP P00517
E	108	TYR	PHE	CONFLICT	UNP P00517
E	286	ASP	ASN	CONFLICT	UNP P00517


- Molecule 2 is a protein called cAMP-dependent protein kinase inhibitor, alpha form.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	I	20	Total	C	N	O	0	1	0
			157	94	33	30			

- Molecule 3 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	I	2	Total	I	0	0
			2	2		

- Molecule 4 is MYRISTIC ACID (three-letter code: MYR) (formula: C<sub>14</sub>H<sub>28</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	E	1	Total	C	O	0	0
			15	14	1		

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: cAMP-DEPENDENT PROTEIN KINASE CATALYTIC SUBUNIT



#### • Molecule 2: cAMP-dependent protein kinase inhibitor, alpha form



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 41 3 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	171.52Å 171.52Å 171.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.90	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-2.90)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR 2.0	Depositor
R, $R_{free}$	0.233 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3048	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, MYR, IOD, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	E	1.11	3/2924 (0.1%)	1.90	83/3936 (2.1%)
2	I	1.72	2/169 (1.2%)	3.32	18/227 (7.9%)
All	All	1.15	5/3093 (0.2%)	2.01	101/4163 (2.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	9
2	I	0	2
All	All	0	11

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	112	ASP	C-N	-12.94	1.04	1.34
2	I	19[A]	HIS	C-N	12.12	1.61	1.34
2	I	19[B]	HIS	C-N	12.12	1.61	1.34
1	E	292	LYS	C-N	5.75	1.47	1.34
1	E	5	ALA	C-N	5.36	1.46	1.34

All (101) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	19[A]	HIS	CA-C-N	-17.90	77.82	117.20
2	I	19[B]	HIS	CA-C-N	-17.90	77.82	117.20
2	I	18	ILE	O-C-N	-16.93	95.61	122.70
1	E	137	ARG	NE-CZ-NH2	-15.28	112.66	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	194	ARG	NE-CZ-NH1	14.32	127.46	120.30
1	E	190	ARG	NE-CZ-NH1	14.14	127.37	120.30
1	E	137	ARG	NE-CZ-NH1	13.26	126.93	120.30
1	E	194	ARG	NE-CZ-NH2	-12.81	113.89	120.30
2	I	19[A]	HIS	O-C-N	9.86	138.48	122.70
2	I	19[B]	HIS	O-C-N	9.86	138.48	122.70
1	E	146	TYR	CB-CG-CD2	-9.86	115.08	121.00
2	I	17	ALA	N-CA-CB	-9.84	96.33	110.10
1	E	280	ARG	NE-CZ-NH1	9.71	125.15	120.30
2	I	15	ARG	NE-CZ-NH1	9.57	125.09	120.30
1	E	302	TRP	CD1-CG-CD2	9.33	113.77	106.30
1	E	5	ALA	O-C-N	-9.07	108.18	122.70
1	E	168	LYS	CA-CB-CG	9.07	133.35	113.40
1	E	133	ARG	NE-CZ-NH1	8.95	124.78	120.30
1	E	235	TYR	CB-CG-CD2	-8.91	115.65	121.00
1	E	112	ASP	O-C-N	-8.70	108.78	122.70
2	I	18	ILE	CA-C-N	8.55	136.00	117.20
1	E	45	ARG	NE-CZ-NH2	-8.24	116.18	120.30
1	E	325	SER	CB-CA-C	-8.09	94.73	110.10
1	E	144	ARG	NE-CZ-NH2	-8.06	116.27	120.30
1	E	221	TRP	CD1-CG-CD2	8.05	112.74	106.30
1	E	256	ARG	NE-CZ-NH2	7.90	124.25	120.30
1	E	221	TRP	CE2-CD2-CG	-7.88	100.99	107.30
2	I	19[A]	HIS	CB-CA-C	7.76	125.93	110.40
2	I	19[B]	HIS	CB-CA-C	7.76	125.93	110.40
1	E	302	TRP	CE2-CD2-CG	-7.70	101.14	107.30
1	E	190	ARG	NE-CZ-NH2	-7.45	116.57	120.30
1	E	165	ARG	NE-CZ-NH2	-7.33	116.63	120.30
1	E	296	TRP	CG-CD2-CE3	7.28	140.45	133.90
1	E	204	TYR	CB-CG-CD2	-7.13	116.72	121.00
1	E	296	TRP	CE2-CD2-CG	-6.99	101.71	107.30
1	E	308	ARG	NE-CZ-NH2	-6.98	116.81	120.30
2	I	15	ARG	CB-CG-CD	-6.86	93.76	111.60
1	E	196	TRP	CD1-CG-CD2	6.81	111.75	106.30
1	E	295	LYS	O-C-N	-6.81	111.80	122.70
1	E	6	ALA	CA-C-N	-6.74	102.37	117.20
1	E	24	GLU	CA-C-N	-6.68	102.49	117.20
1	E	96	GLN	CA-CB-CG	6.68	128.11	113.40
2	I	15	ARG	NE-CZ-NH2	-6.68	116.96	120.30
1	E	56	ARG	NE-CZ-NH1	6.66	123.63	120.30
1	E	196	TRP	CE2-CD2-CG	-6.64	101.99	107.30
1	E	296	TRP	CD1-CG-CD2	6.64	111.61	106.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	340	ASN	CA-C-N	-6.42	103.08	117.20
1	E	222	TRP	CE2-CD2-CG	-6.41	102.17	107.30
2	I	17	ALA	CB-CA-C	6.40	119.69	110.10
2	I	19[A]	HIS	C-N-CA	6.35	137.57	121.70
2	I	19[B]	HIS	C-N-CA	6.35	137.57	121.70
1	E	281	PHE	CB-CG-CD2	-6.17	116.48	120.80
1	E	175	ASP	CB-CG-OD1	6.11	123.80	118.30
2	I	2	THR	CA-C-N	6.10	130.62	117.20
1	E	270	ARG	NE-CZ-NH1	6.07	123.33	120.30
1	E	302	TRP	CG-CD1-NE1	-6.07	104.03	110.10
1	E	134	ARG	NE-CZ-NH1	-6.07	117.27	120.30
1	E	221	TRP	CG-CD2-CE3	6.04	139.34	133.90
1	E	199	CYS	CA-C-N	-5.91	104.37	116.20
1	E	221	TRP	CB-CG-CD1	-5.90	119.33	127.00
1	E	51	THR	CA-CB-CG2	5.89	120.65	112.40
1	E	296	TRP	CB-CG-CD1	-5.88	119.35	127.00
1	E	124	PRO	O-C-N	-5.81	113.32	123.20
1	E	59	LEU	CB-CG-CD1	-5.78	101.18	111.00
1	E	124	PRO	CA-C-N	5.68	127.56	116.20
1	E	340	ASN	O-C-N	5.67	131.77	122.70
1	E	51	THR	CA-CB-OG1	-5.65	97.14	109.00
1	E	45	ARG	NE-CZ-NH1	5.63	123.12	120.30
1	E	31	GLU	O-C-N	-5.59	113.76	122.70
1	E	65	THR	CA-CB-CG2	-5.57	104.60	112.40
1	E	220	ASP	CB-CG-OD1	5.56	123.30	118.30
1	E	60	VAL	N-CA-CB	-5.54	99.30	111.50
1	E	7	LYS	CA-CB-CG	-5.54	101.21	113.40
1	E	60	VAL	CB-CA-C	5.53	121.90	111.40
1	E	75	ASP	CB-CG-OD1	5.53	123.27	118.30
1	E	6	ALA	CA-C-O	5.45	131.54	120.10
1	E	221	TRP	CG-CD1-NE1	-5.44	104.66	110.10
1	E	39	HIS	CA-C-N	-5.38	105.35	117.20
1	E	184	ASP	N-CA-CB	-5.37	100.93	110.60
1	E	133	ARG	NE-CZ-NH2	-5.33	117.64	120.30
1	E	277	LEU	CB-CG-CD2	-5.32	101.95	111.00
1	E	25	ASP	CB-CG-OD2	-5.31	113.52	118.30
1	E	57	VAL	CB-CA-C	-5.29	101.34	111.40
1	E	232	ALA	O-C-N	-5.26	114.29	122.70
1	E	110	PHE	O-C-N	-5.23	114.33	122.70
1	E	173	LEU	CB-CG-CD2	-5.23	102.11	111.00
2	I	16	ASN	CB-CG-ND2	5.22	129.22	116.70
1	E	315	ILE	CG1-CB-CG2	-5.20	99.95	111.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	269	LEU	CB-CG-CD2	-5.19	102.18	111.00
1	E	215	TYR	CA-CB-CG	5.18	123.24	113.40
1	E	146	TYR	CD1-CG-CD2	5.17	123.59	117.90
1	E	165	ARG	NE-CZ-NH1	5.17	122.89	120.30
1	E	144	ARG	NE-CZ-NH1	5.15	122.88	120.30
2	I	1	THR	CA-C-N	-5.13	105.91	117.20
1	E	343	CYS	N-CA-C	5.12	124.84	111.00
1	E	6	ALA	C-N-CA	5.09	134.43	121.70
1	E	11	GLU	CA-CB-CG	5.06	124.52	113.40
1	E	335	ILE	N-CA-C	-5.05	97.38	111.00
1	E	313	PRO	C-N-CA	5.04	134.29	121.70
1	E	192	LYS	N-CA-C	-5.01	97.47	111.00
1	E	35	GLN	N-CA-CB	-5.01	101.58	110.60

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	110	PHE	Mainchain
1	E	112	ASP	Mainchain
1	E	199	CYS	Mainchain
1	E	249	LYS	Mainchain
1	E	31	GLU	Mainchain
1	E	318	PHE	Sidechain
1	E	327	PHE	Peptide
1	E	39	HIS	Mainchain
1	E	5	ALA	Mainchain
2	I	18	ILE	Mainchain,Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2874	0	2851	151	0
2	I	157	0	146	12	0
3	I	2	0	0	0	0
4	E	15	0	27	15	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	3048	0	3024	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:2:ASN:HB3	1:E:301:ASP:HA	1.10	1.09
1:E:303:ILE:HD12	4:E:0:MYR:C5	1.80	1.09
1:E:318:PHE:CD2	1:E:324:THR:CG2	2.39	1.05
1:E:303:ILE:CG2	4:E:0:MYR:H52	1.86	1.03
1:E:318:PHE:CD2	1:E:324:THR:HG23	1.93	1.03
1:E:303:ILE:HG23	4:E:0:MYR:H52	1.41	1.02
1:E:2:ASN:CB	1:E:301:ASP:HA	1.90	1.01
1:E:1:GLY:O	1:E:11:GLU:OE1	1.81	0.99
1:E:303:ILE:HD12	4:E:0:MYR:H51	1.42	0.98
1:E:318:PHE:CE2	1:E:324:THR:HG23	2.00	0.96
1:E:318:PHE:HD2	1:E:324:THR:CG2	1.80	0.94
1:E:327:PHE:O	1:E:328:ASP:HB2	1.66	0.93
1:E:2:ASN:HB3	1:E:301:ASP:CA	1.99	0.92
1:E:318:PHE:CE2	1:E:324:THR:CG2	2.53	0.91
1:E:285:LYS:HD2	1:E:286:ASP:CG	1.91	0.91
1:E:318:PHE:CD2	1:E:324:THR:HG21	2.06	0.90
1:E:318:PHE:HE2	1:E:324:THR:OG1	1.54	0.90
1:E:303:ILE:HD12	4:E:0:MYR:H52	1.55	0.86
1:E:318:PHE:HD2	1:E:324:THR:HG21	1.38	0.85
1:E:45:ARG:HH22	1:E:56:ARG:HH21	1.22	0.84
1:E:285:LYS:HD3	1:E:286:ASP:N	1.91	0.84
1:E:303:ILE:CD1	4:E:0:MYR:H51	2.07	0.83
1:E:2:ASN:HD22	1:E:2:ASN:H	1.28	0.80
1:E:285:LYS:HD3	1:E:286:ASP:CA	2.10	0.80
1:E:319:LYS:O	1:E:324:THR:HG23	1.82	0.80
1:E:285:LYS:C	1:E:285:LYS:HD3	2.03	0.79
1:E:286:ASP:HB2	1:E:290:ASP:OD1	1.85	0.77
1:E:303:ILE:CD1	4:E:0:MYR:C5	2.59	0.77
1:E:45:ARG:HH22	1:E:56:ARG:NH2	1.83	0.76
1:E:152:LEU:HD22	4:E:0:MYR:H132	1.67	0.76
1:E:322:GLY:O	1:E:323:ASP:HB2	1.84	0.76
1:E:318:PHE:HE2	1:E:324:THR:HG1	0.78	0.76
1:E:54:PHE:CZ	1:E:84:GLN:HG3	2.21	0.74

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:1:GLY:O	1:E:11:GLU:HB2	1.88	0.73
1:E:56:ARG:NH2	1:E:333:GLU:HB2	2.02	0.73
1:E:4:ALA:HB3	1:E:7:LYS:HB2	1.71	0.72
1:E:303:ILE:HG21	4:E:0:MYR:H52	1.73	0.70
1:E:285:LYS:CD	1:E:286:ASP:CG	2.60	0.70
1:E:1:GLY:N	1:E:11:GLU:HB2	2.10	0.67
1:E:340:ASN:HB2	1:E:342:LYS:HZ3	1.59	0.67
1:E:202:PRO:HA	1:E:205:LEU:HD22	1.75	0.67
1:E:4:ALA:HB3	1:E:7:LYS:CB	2.24	0.67
1:E:172:LEU:HB3	1:E:180:ILE:HD12	1.75	0.67
1:E:243:PRO:HA	1:E:246:ILE:HD12	1.78	0.66
1:E:256:ARG:HA	1:E:256:ARG:NE	2.11	0.66
1:E:340:ASN:HB2	1:E:342:LYS:NZ	2.11	0.65
1:E:179:TYR:HB2	1:E:308:ARG:HH21	1.62	0.65
1:E:240:ALA:O	2:I:11:ARG:HD3	1.95	0.65
1:E:244:ILE:HD12	1:E:247:TYR:HD2	1.60	0.65
1:E:62:HIS:HB2	1:E:69:PHE:HE2	1.63	0.64
1:E:303:ILE:CD1	4:E:0:MYR:H52	2.24	0.64
1:E:45:ARG:NH2	1:E:56:ARG:HH21	1.95	0.63
1:E:104:VAL:HG11	1:E:183:THR:HG22	1.81	0.63
1:E:200:GLY:N	2:I:19[A]:HIS:NE2	2.47	0.63
1:E:285:LYS:HD3	1:E:286:ASP:HA	1.79	0.63
1:E:285:LYS:HD2	1:E:286:ASP:OD1	1.99	0.62
1:E:246:ILE:O	1:E:250:ILE:HG13	1.99	0.62
1:E:152:LEU:HD22	4:E:0:MYR:C13	2.30	0.62
1:E:2:ASN:CB	1:E:300:THR:O	2.47	0.61
1:E:327:PHE:O	1:E:328:ASP:CB	2.47	0.60
1:E:285:LYS:C	1:E:285:LYS:CD	2.71	0.60
1:E:5:ALA:H	1:E:7:LYS:HB2	1.67	0.59
1:E:2:ASN:HB2	1:E:300:THR:O	2.01	0.59
1:E:54:PHE:HZ	1:E:84:GLN:HG3	1.66	0.59
1:E:100:PHE:HB3	1:E:103:LEU:HD22	1.83	0.59
1:E:322:GLY:O	1:E:323:ASP:CB	2.51	0.59
1:E:111:LYS:HB3	1:E:116:LEU:HD23	1.83	0.59
1:E:324:THR:HG21	1:E:327:PHE:HD2	1.70	0.56
1:E:319:LYS:O	1:E:324:THR:CG2	2.54	0.56
1:E:256:ARG:HA	1:E:256:ARG:HE	1.70	0.56
1:E:200:GLY:N	2:I:19[B]:HIS:NE2	2.54	0.56
1:E:303:ILE:CG1	4:E:0:MYR:H52	2.36	0.56
1:E:56:ARG:CZ	1:E:333:GLU:HB2	2.36	0.56
1:E:236:PRO:HG2	1:E:239:PHE:HB3	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:54:PHE:HE1	1:E:82:LEU:HD12	1.72	0.55
1:E:285:LYS:CD	1:E:286:ASP:N	2.68	0.55
1:E:69:PHE:CE1	1:E:107:GLU:HG2	2.42	0.55
1:E:1:GLY:O	1:E:11:GLU:CD	2.45	0.55
1:E:2:ASN:ND2	1:E:2:ASN:H	1.96	0.54
1:E:45:ARG:NH2	1:E:56:ARG:NH2	2.55	0.54
1:E:3:ALA:O	1:E:4:ALA:C	2.44	0.54
1:E:245:GLN:HA	1:E:248:GLU:HB3	1.89	0.54
1:E:187:PHE:HE1	2:I:20:ASP:HA	1.73	0.54
1:E:85:ILE:H	1:E:85:ILE:HD12	1.73	0.53
1:E:318:PHE:HE2	1:E:324:THR:CB	2.20	0.53
1:E:62:HIS:HB2	1:E:69:PHE:CE2	2.44	0.53
1:E:77:GLN:OE1	1:E:342:LYS:HD3	2.08	0.53
1:E:318:PHE:HE2	1:E:324:THR:CG2	2.10	0.53
1:E:11:GLU:O	1:E:15:VAL:HG23	2.08	0.53
1:E:285:LYS:HD2	1:E:286:ASP:OD2	2.09	0.53
1:E:201:THR:HG21	2:I:15:ARG:HD3	1.90	0.53
1:E:198:LEU:HD13	1:E:209:ILE:HG22	1.91	0.53
1:E:307:GLN:HB3	1:E:309:LYS:HE3	1.91	0.52
1:E:320:GLY:HA3	1:E:324:THR:HA	1.90	0.52
1:E:318:PHE:CE2	1:E:324:THR:OG1	2.40	0.51
1:E:2:ASN:CG	1:E:301:ASP:HA	2.31	0.51
1:E:2:ASN:HA	1:E:302:TRP:HD1	1.75	0.51
1:E:303:ILE:HG13	4:E:0:MYR:C1	2.41	0.50
1:E:244:ILE:HD12	1:E:247:TYR:CD2	2.45	0.50
1:E:71:MET:HG3	1:E:119:VAL:HG22	1.94	0.50
1:E:338:SEP:HB2	1:E:340:ASN:O	2.11	0.49
1:E:54:PHE:CE1	1:E:82:LEU:HD12	2.47	0.48
1:E:179:TYR:CB	1:E:308:ARG:HH21	2.27	0.48
1:E:38:ALA:HB1	1:E:42:GLN:NE2	2.28	0.48
1:E:51:THR:OG1	1:E:56:ARG:HG3	2.13	0.48
1:E:338:SEP:OG	1:E:339:ILE:N	2.46	0.47
1:E:80:VAL:HG23	1:E:347:PHE:CE2	2.49	0.47
1:E:62:HIS:CB	1:E:69:PHE:HE2	2.28	0.47
1:E:25:ASP:O	1:E:29:LYS:HG3	2.15	0.47
1:E:334:GLU:CD	1:E:336:ARG:HB3	2.36	0.47
1:E:21:LYS:O	1:E:25:ASP:HB2	2.16	0.46
1:E:240:ALA:HB3	1:E:246:ILE:HG13	1.96	0.46
2:I:3:TYR:CZ	2:I:7:ILE:HD11	2.51	0.45
1:E:328:ASP:HB3	1:E:330:TYR:CD2	2.51	0.45
1:E:89:LEU:HD23	1:E:350:PHE:HD2	1.80	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:247:TYR:O	1:E:251:VAL:HG22	2.17	0.44
1:E:72:LYS:HE3	1:E:74:LEU:HD11	1.98	0.44
1:E:15:VAL:O	1:E:19:LEU:HB2	2.17	0.44
1:E:271:ASN:HA	1:E:274:GLN:HG2	1.98	0.44
1:E:4:ALA:HB3	1:E:7:LYS:HB3	1.99	0.44
2:I:3:TYR:O	2:I:7:ILE:HG12	2.18	0.44
1:E:161:ASP:O	1:E:190:ARG:HG3	2.18	0.44
1:E:49:LEU:HD12	1:E:49:LEU:HA	1.88	0.43
1:E:80:VAL:HG23	1:E:347:PHE:CZ	2.53	0.43
1:E:167:LEU:HD21	1:E:227:LEU:HD22	2.00	0.43
1:E:47:LYS:HB2	1:E:47:LYS:HE3	1.58	0.43
1:E:8:LYS:O	1:E:11:GLU:HB3	2.18	0.43
1:E:210:ILE:HD11	1:E:250:ILE:HD12	2.00	0.43
1:E:207:PRO:HG3	1:E:275:VAL:HG13	2.01	0.43
1:E:343:CYS:HB3	1:E:346:GLU:HG2	2.01	0.43
1:E:112:ASP:O	1:E:113:ASN:C	2.52	0.42
1:E:113:ASN:ND2	1:E:341:GLU:HB2	2.34	0.42
1:E:115:ASN:HB2	1:E:117:TYR:CZ	2.54	0.42
1:E:7:LYS:HD2	1:E:7:LYS:HA	1.78	0.42
1:E:72:LYS:HB3	1:E:72:LYS:HE3	1.83	0.42
1:E:158:HIS:CD2	1:E:217:LYS:HD2	2.54	0.42
1:E:142:HIS:HE1	1:E:146:TYR:OH	2.03	0.42
1:E:152:LEU:O	4:E:0:MYR:H141	2.20	0.41
1:E:80:VAL:HA	1:E:85:ILE:HD11	2.02	0.41
1:E:156:TYR:HB2	4:E:0:MYR:H142	2.02	0.41
1:E:7:LYS:HD2	1:E:10:SER:OG	2.19	0.41
1:E:170:GLU:HG2	2:I:14:ARG:HG2	2.02	0.41
1:E:321:PRO:O	1:E:322:GLY:O	2.38	0.41
1:E:3:ALA:O	1:E:5:ALA:N	2.53	0.41
1:E:44:GLU:O	1:E:60:VAL:HA	2.20	0.41
1:E:257:PHE:HE1	1:E:269:LEU:HD23	1.86	0.40
1:E:335:ILE:CD1	1:E:337:VAL:HG12	2.51	0.40
1:E:202:PRO:HD3	2:I:18:ILE:HG23	2.03	0.40
1:E:2:ASN:N	1:E:2:ASN:ND2	2.68	0.40
1:E:11:GLU:HG3	1:E:12:GLN:HG2	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	346/350 (99%)	318 (92%)	19 (6%)	9 (3%)	7	26
2	I	19/22 (86%)	14 (74%)	1 (5%)	4 (21%)	0	0
All	All	365/372 (98%)	332 (91%)	20 (6%)	13 (4%)	5	18

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	4	ALA
1	E	328	ASP
1	E	330	TYR
1	E	343	CYS
2	I	18	ILE
2	I	19[A]	HIS
2	I	19[B]	HIS
1	E	3	ALA
1	E	38	ALA
1	E	322	GLY
1	E	323	ASP
1	E	325	SER
2	I	3	TYR

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	303/303 (100%)	256 (84%)	47 (16%)	3	10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	I	16/17 (94%)	14 (88%)	2 (12%)	6	17
All	All	319/320 (100%)	270 (85%)	49 (15%)	3	10

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	2	ASN
1	E	7	LYS
1	E	11	GLU
1	E	35	GLN
1	E	36	ASN
1	E	40	LEU
1	E	47	LYS
1	E	49	LEU
1	E	51	THR
1	E	53	SER
1	E	56	ARG
1	E	57	VAL
1	E	59	LEU
1	E	60	VAL
1	E	62	HIS
1	E	64	GLU
1	E	77	GLN
1	E	82	LEU
1	E	98	VAL
1	E	103	LEU
1	E	111	LYS
1	E	113	ASN
1	E	130	SER
1	E	142	HIS
1	E	165	ARG
1	E	168	LYS
1	E	181	GLN
1	E	191	VAL
1	E	198	LEU
1	E	205	LEU
1	E	217	LYS
1	E	259	SER
1	E	264	ASP
1	E	267	ASP
1	E	269	LEU
1	E	271	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	E	278	THR
1	E	279	LYS
1	E	285	LYS
1	E	295	LYS
1	E	311	GLU
1	E	326	ASN
1	E	328	ASP
1	E	335	ILE
1	E	336	ARG
1	E	342	LYS
1	E	346	GLU
2	I	14	ARG
2	I	18	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	2	ASN
1	E	62	HIS
1	E	113	ASN
1	E	142	HIS
1	E	158	HIS
1	E	181	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	TPO	E	197	1	8,10,11	1.14	1 (12%)	7,14,16	2.26	2 (28%)
1	SEP	E	338	1	8,9,10	1.35	1 (12%)	8,12,14	1.97	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	E	197	1	-	0/8/11/13	0/0/0/0
1	SEP	E	338	1	-	0/6/8/10	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	197	TPO	P-O2P	-2.64	1.45	1.54
1	E	338	SEP	P-O3P	3.41	1.67	1.54

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	338	SEP	OG-CB-CA	-3.29	105.47	108.27
1	E	338	SEP	O2P-P-O1P	3.60	122.16	110.58
1	E	197	TPO	O2P-P-O1P	3.78	122.76	110.58
1	E	197	TPO	C-CA-N	4.04	118.27	109.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	E	338	SEP	2	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	MYR	E	0	1	14,14,15	0.75	1 (7%)	12,13,15	1.14	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MYR	E	0	1	-	0/11/12/13	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	0	MYR	O1-C1	-2.38	1.04	1.19

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	0	MYR	C5-C4-C3	-2.11	103.62	114.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	0	MYR	15	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.