Full wwPDB X-ray Structure Validation Report (i)

Feb 19, 2016 – 10:21 PM GMT

PDB ID	:	5CPF
Title	:	Compensation of the effect of isoleucine to alanine mutation by designed inhibition in the InhA enzyme
Authors	:	Li, H.-J.; Lai, C.-T.; Pan, P.; Yu, W.; Shah, S.; Bommineni, G.R.; Perrone, V.; Garcia-Diaz, M.; Tonge, P.J.; Simmerling, C.
Deposited on	:	2015-07-21
Resolution	:	3.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
http://wwpdb.org/validation/2016/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026982
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20026982

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1476 (3.50-3.30)
Clashscore	102246	1611 (3.50-3.30)
Ramachandran outliers	100387	1571 (3.50-3.30)
Sidechain outliers	100360	1571 (3.50-3.30)
RSRZ outliers	91569	1485 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	289	68% 22% • 8%
1	B	289	69% 23% • 8%
1	C	289	64% 27% • 8%
1	D	289	% 64% 25% • 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	53K	C	301	-	-	-	X

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 8002 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADH].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	267	Total	C	N	O	S	0	0	0
			1916	1210	339	358	9			
1	B	267	Total	C	N	O	S	0	0	0
			1940	1232	337	361	10			
1	C	267	Total	C	N	O	S	0	0	0
			1919	1213	339	358	9			
1	D	267	Total	C	N	O	S	0	0	0
			1943	1233	338	362	10			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P9WGR0
A	-18	GLY	-	expression tag	UNP P9WGR0
A	-17	SER	-	expression tag	UNP P9WGR0
A	-16	SER	-	expression tag	UNP P9WGR0
A	-15	HIS	-	expression tag	UNP P9WGR0
A	-14	HIS	-	expression tag	UNP P9WGR0
A	-13	HIS	-	expression tag	UNP P9WGR0
A	-12	HIS	-	expression tag	UNP P9WGR0
A	-11	HIS	-	expression tag	UNP P9WGR0
A	-10	HIS	-	expression tag	UNP P9WGR0
A	-9	SER	-	expression tag	UNP P9WGR0
A	-8	SER	-	expression tag	UNP P9WGR0
A	-7	GLY	-	expression tag	UNP P9WGR0
A	-6	LEU	-	expression tag	UNP P9WGR0
A	-5	VAL	-	expression tag	UNP P9WGR0
A	-4	PRO	-	expression tag	UNP P9WGR0
A	-3	ARG	-	expression tag	UNP P9WGR0
A	-2	GLY	-	expression tag	UNP P9WGR0
A	-1	SER	-	expression tag	UNP P9WGR0
A	0	HIS	-	expression tag	UNP P9WGR0
A	215	ALA	ILE	engineered mutation	UNP P9WGR0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	initiating methionine	UNP P9WGR0
B	-18	GLY	-	expression tag	UNP P9WGR0
B	-17	SER	-	expression tag	UNP P9WGR0
B	-16	SER	-	expression tag	UNP P9WGR0
B	-15	HIS	-	expression tag	UNP P9WGR0
B	-14	HIS	-	expression tag	UNP P9WGR0
B	-13	HIS	-	expression tag	UNP P9WGR0
B	-12	HIS	-	expression tag	UNP P9WGR0
B	-11	HIS	-	expression tag	UNP P9WGR0
B	-10	HIS	-	expression tag	UNP P9WGR0
B	-9	SER	-	expression tag	UNP P9WGR0
B	-8	SER	-	expression tag	UNP P9WGR0
B	-7	GLY	-	expression tag	UNP P9WGR0
B	-6	LEU	-	expression tag	UNP P9WGR0
B	-5	VAL	-	expression tag	UNP P9WGR0
B	-4	PRO	-	expression tag	UNP P9WGR0
B	-3	ARG	-	expression tag	UNP P9WGR0
B	-2	GLY	-	expression tag	UNP P9WGR0
B	-1	SER	-	expression tag	UNP P9WGR0
B	0	HIS	-	expression tag	UNP P9WGR0
B	215	ALA	ILE	engineered mutation	UNP P9WGR0
C	-19	MET	-	initiating methionine	UNP P9WGR0
C	-18	GLY	-	expression tag	UNP P9WGR0
C	-17	SER	-	expression tag	UNP P9WGR0
C	-16	SER	-	expression tag	UNP P9WGR0
C	-15	HIS	-	expression tag	UNP P9WGR0
C	-14	HIS	-	expression tag	UNP P9WGR0
C	-13	HIS	-	expression tag	UNP P9WGR0
C	-12	HIS	-	expression tag	UNP P9WGR0
C	-11	HIS	-	expression tag	UNP P9WGR0
C	-10	HIS	-	expression tag	UNP P9WGR0
C	-9	SER	-	expression tag	UNP P9WGR0
C	-8	SER	-	expression tag	UNP P9WGR0
C	-7	GLY	-	expression tag	UNP P9WGR0
C	-6	LEU	-	expression tag	UNP P9WGR0
C	-5	VAL	-	expression tag	UNP P9WGR0
C	-4	PRO	-	expression tag	UNP P9WGR0
C	-3	ARG	-	expression tag	UNP P9WGR0
C	-2	GLY	-	expression tag	UNP P9WGR0
C	-1	SER	-	expression tag	UNP P9WGR0
C	0	HIS	-	expression tag	UNP P9WGR0
C	215	ALA	ILE	engineered mutation	UNP P9WGR0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-19	MET	-	initiating methionine	UNP P9WGR0
D	-18	GLY	-	expression tag	UNP P9WGR0
D	-17	SER	-	expression tag	UNP P9WGR0
D	-16	SER	-	expression tag	UNP P9WGR0
D	-15	HIS	-	expression tag	UNP P9WGR0
D	-14	HIS	-	expression tag	UNP P9WGR0
D	-13	HIS	-	expression tag	UNP P9WGR0
D	-12	HIS	-	expression tag	UNP P9WGR0
D	-11	HIS	-	expression tag	UNP P9WGR0
D	-10	HIS	-	expression tag	UNP P9WGR0
D	-9	SER	-	expression tag	UNP P9WGR0
D	-8	SER	-	expression tag	UNP P9WGR0
D	-7	GLY	-	expression tag	UNP P9WGR0
D	-6	LEU	-	expression tag	UNP P9WGR0
D	-5	VAL	-	expression tag	UNP P9WGR0
D	-4	PRO	-	expression tag	UNP P9WGR0
D	-3	ARG	-	expression tag	UNP P9WGR0
D	-2	GLY	-	expression tag	UNP P9WGR0
D	-1	SER	-	expression tag	UNP P9WGR0
D	0	HIS	-	expression tag	UNP P9WGR0
D	215	ALA	ILE	engineered mutation	UNP P9WGR0

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is 2-(2-methylphenoxy)-5-[(4-phenyl-1H-1,2,3-triazol-1-yl)methyl]phenol (three-letter code: 53K) (formula: $C_{22}H_{19}N_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			27	22	3	2		
3	B	1	Total	C	N	O	0	0
			27	22	3	2		
3	C	1	Total	C	N	O	0	0
			27	22	3	2		
3	D	1	Total	C	N	O	0	0
			27	22	3	2		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]

Chain A:



- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]

Chain B:



- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]

Chain C:



• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]

Chain D:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	92.01Å 97.56Å 184.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.78 – 3.41 48.78 – 3.41	Depositor EDS
% Data completeness (in resolution range)	99.3 (48.78-3.41) 99.5 (48.78-3.41)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	3.02 (at 3.40Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.2_869)	Depositor
R, R_{free}	0.182 , 0.250 0.181 , 0.242	Depositor DCC
R_{free} test set	1196 reflections (5.42%)	DCC
Wilson B-factor (Å^2)	71.1	Xtriage
Anisotropy	0.409	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.32 , 45.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning[2]	$< \|L\| > = 0.47$, $< L^2 > = 0.30$	Xtriage
Outliers	2 of 23249 reflections (0.009%)	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	8002	wwPDB-VP
Average B, all atoms (Å^2)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.19 % of the origin peak, indicating pseudo translational symmetry.The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.2943e-04.The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 53K, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.43	0/1954	0.63	0/2659
1	B	0.43	0/1978	0.64	0/2689
1	C	0.44	0/1957	0.63	0/2665
1	D	0.45	0/1981	0.64	0/2694
All	All	0.44	0/7870	0.64	0/10707

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1916	0	1855	43	1
1	B	1940	0	1924	32	0
1	C	1919	0	1866	50	1
1	D	1943	0	1927	53	0
2	A	44	0	26	3	0
2	B	44	0	26	0	0
2	C	44	0	26	2	0
2	D	44	0	26	2	0
3	A	27	0	18	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	27	0	18	1	0
3	C	27	0	18	4	0
3	D	27	0	18	1	0
All	All	8002	0	7748	164	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:99:PRO:O	1:C:101:THR:N	2.18	0.77
1:D:207:LEU:HB3	1:D:211:ALA:HB2	1.70	0.74
1:C:16:ILE:HG23	1:C:17:THR:HG23	1.72	0.72
1:A:161:MET:HA	1:A:161:MET:HE3	1.76	0.68
1:D:65:VAL:HG21	1:D:126:SER:HB2	1.78	0.66
2:D:302:NAD:H52N	2:D:302:NAD:H52A	1.79	0.63
1:D:48:GLN:HG2	1:D:60:LEU:HD23	1.78	0.63
1:B:217:LEU:O	1:B:218:LEU:HB2	1.99	0.62
1:C:143:SER:HB2	1:C:185:ARG:NH2	2.15	0.62
1:D:49:ARG:HH21	1:D:53:ARG:HH12	1.48	0.62
1:A:10:ILE:HD13	1:A:246:LEU:HD13	1.80	0.62
1:D:148:ASP:HA	1:D:165:LYS:HD2	1.82	0.61
1:B:61:LEU:HD22	1:B:77:ARG:HB3	1.81	0.61
1:C:227:PRO:HB3	1:D:177:ARG:HA	1.84	0.60
1:A:196:THR:O	1:A:198:ALA:N	2.34	0.60
1:C:126:SER:HA	1:C:129:SER:HB2	1.82	0.60
1:C:99:PRO:C	1:C:101:THR:H	2.04	0.59
1:A:126:SER:HA	1:A:129:SER:HB2	1.84	0.59
1:A:245:LEU:HD11	1:A:258:ILE:HD12	1.84	0.59
1:C:157:ALA:HB3	3:C:301:53K:H18	1.84	0.58
1:A:97:PHE:HA	3:A:301:53K:H10	1.84	0.58
1:D:148:ASP:O	1:D:190:ALA:HA	2.04	0.58
1:B:16:ILE:HG23	1:B:17:THR:HG23	1.86	0.58
1:B:196:THR:H	1:B:199:MET:HB3	1.69	0.57
2:C:300:NAD:O2D	3:C:301:53K:O2	2.17	0.57
1:B:67:ASN:CG	1:B:70:HIS:HD2	2.08	0.57
1:D:97:PHE:HE2	1:D:118:LYS:HD3	1.70	0.56
1:A:159:ASN:HA	1:D:174:PHE:CE1	2.39	0.56
1:C:193:PRO:HD2	1:C:230:TRP:NE1	2.20	0.56
1:A:221:GLY:O	1:A:225:ARG:HG3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:179:ALA:HB1	1:D:184:VAL:HB	1.89	0.55
2:A:300:NAD:O2D	3:A:301:53K:O2	2.12	0.55
1:D:97:PHE:H	1:D:123:SER:HB3	1.71	0.55
1:D:66:GLN:HG2	1:D:121:HIS:CE1	2.41	0.55
1:B:148:ASP:OD1	1:B:149:PHE:N	2.40	0.55
1:C:158:TYR:HD1	1:C:162:THR:HG1	1.54	0.55
1:B:148:ASP:HA	1:B:165:LYS:HD2	1.89	0.55
1:B:109:PHE:HB3	1:C:132:LYS:HD2	1.88	0.55
1:A:199:MET:HB2	3:A:301:53K:H4	1.89	0.54
1:A:16:ILE:HG23	1:A:17:THR:HG23	1.89	0.54
1:B:178:GLU:HA	1:B:181:LYS:HE2	1.88	0.54
1:C:148:ASP:HA	1:C:165:LYS:HE3	1.89	0.54
1:C:148:ASP:OD1	1:C:149:PHE:N	2.41	0.54
1:C:178:GLU:OE1	1:C:181:LYS:NZ	2.34	0.54
1:B:100:GLN:HG2	1:B:206:ALA:HB2	1.90	0.53
1:B:22:ALA:HA	1:B:25:ILE:HD12	1.90	0.53
1:D:99:PRO:HG2	1:D:115:ASP:HB3	1.89	0.53
1:D:194:ILE:N	2:D:302:NAD:O7N	2.33	0.53
1:C:47:ILE:O	1:C:51:THR:HG23	2.09	0.53
1:A:103:MET:SD	3:A:301:53K:H2	2.48	0.53
1:D:194:ILE:O	1:D:196:THR:HG23	2.10	0.52
1:D:50:ILE:O	1:D:53:ARG:HB2	2.09	0.52
1:C:148:ASP:O	1:C:190:ALA:HA	2.09	0.52
1:D:10:ILE:HG12	1:D:90:GLY:HA3	1.91	0.52
1:C:240:LYS:HD3	1:D:251:PRO:HG3	1.92	0.52
1:A:163:VAL:HG22	1:D:170:SER:HB3	1.92	0.51
1:A:11:LEU:HD11	1:A:39:THR:HG23	1.91	0.51
1:D:104:GLY:HA3	1:D:206:ALA:O	2.10	0.51
1:C:143:SER:HB2	1:C:185:ARG:HH21	1.75	0.51
1:A:162:THR:HG21	1:D:174:PHE:HE2	1.76	0.51
1:D:65:VAL:CG2	1:D:126:SER:HB2	2.41	0.50
1:B:220:GLU:O	1:B:224:GLN:HB2	2.12	0.50
1:C:11:LEU:HD11	1:C:39:THR:HG23	1.93	0.50
1:D:64:ASP:HB3	1:D:67:ASN:HB2	1.93	0.50
1:A:199:MET:O	1:A:201:ALA:N	2.45	0.49
1:A:14:GLY:HA3	1:A:94:SER:O	2.13	0.49
1:C:27:ARG:O	1:C:31:GLU:HG3	2.12	0.49
1:A:158:TYR:HD2	1:A:162:THR:OG1	1.95	0.49
1:B:151:PRO:O	1:C:173:ARG:NH1	2.46	0.49
1:C:64:ASP:HB3	1:C:67:ASN:HB2	1.95	0.49
1:C:240:LYS:HG2	1:D:249:TRP:CZ3	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:194:ILE:HG22	1:C:196:THR:HG23	1.95	0.48
1:D:203:VAL:O	1:D:207:LEU:HB2	2.13	0.48
1:A:113:TYR:CZ	1:D:121:HIS:HB2	2.48	0.48
1:C:221:GLY:O	1:C:225:ARG:HG3	2.13	0.48
1:D:165:LYS:O	1:D:169:GLU:HG3	2.14	0.48
1:B:148:ASP:O	1:B:190:ALA:HA	2.14	0.48
1:C:193:PRO:HD2	1:C:230:TRP:HE1	1.78	0.48
1:D:97:PHE:HA	3:D:301:53K:H10	1.96	0.47
1:A:112:PRO:HD2	1:A:115:ASP:HB2	1.96	0.47
1:D:121:HIS:HA	1:D:125:TYR:HB3	1.97	0.47
1:D:66:GLN:HE22	1:D:118:LYS:HG3	1.79	0.47
1:D:40:GLY:HA3	1:D:47:ILE:HD13	1.96	0.47
1:D:145:VAL:HA	1:D:187:ASN:O	2.15	0.47
1:A:113:TYR:CE2	1:D:121:HIS:HB2	2.50	0.47
1:D:78:VAL:O	1:D:82:ILE:HG12	2.14	0.47
1:C:4:LEU:HB3	1:C:32:GLN:HB3	1.96	0.46
1:D:63:LEU:HD11	1:D:71:LEU:HD23	1.98	0.46
1:B:70:HIS:O	1:B:77:ARG:NH2	2.48	0.46
1:A:99:PRO:C	1:A:101:THR:H	2.19	0.46
1:C:205:GLY:HA2	1:C:208:GLY:O	2.16	0.46
1:A:65:VAL:HB	2:A:300:NAD:N1A	2.30	0.46
1:B:9:ARG:NH2	1:B:86:ASN:HB3	2.31	0.46
1:C:256:ASP:OD2	1:D:259:TYR:HB2	2.16	0.45
1:A:106:ASN:HA	1:A:107:PRO:HD3	1.89	0.45
1:C:70:HIS:O	1:C:74:LEU:HB2	2.16	0.45
1:A:170:SER:HA	1:A:173:ARG:NH1	2.31	0.45
1:B:245:LEU:HD11	1:B:258:ILE:HG13	1.99	0.45
1:C:14:GLY:HA3	1:C:94:SER:O	2.16	0.45
1:A:67:ASN:CG	1:A:70:HIS:HD2	2.20	0.45
1:A:245:LEU:HD21	1:A:258:ILE:HD11	1.98	0.45
1:D:162:THR:O	1:D:166:SER:HB2	2.17	0.45
1:A:99:PRO:O	1:A:101:THR:N	2.50	0.44
1:D:74:LEU:HD13	1:D:134:LEU:HD21	1.99	0.44
1:D:212:GLY:HA2	1:D:215:ALA:HB3	1.98	0.44
1:D:22:ALA:HB2	1:D:94:SER:HB3	1.99	0.44
1:C:173:ARG:HD2	1:D:266:THR:HB	1.99	0.44
1:C:266:THR:HB	1:D:173:ARG:HD2	1.98	0.44
1:C:65:VAL:HB	2:C:300:NAD:N1A	2.32	0.44
1:C:97:PHE:HA	3:C:301:53K:H10	1.98	0.44
1:C:4:LEU:HD11	1:C:247:SER:HB2	1.99	0.44
1:A:93:HIS:ND1	1:A:93:HIS:O	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:ASP:OD1	1:A:149:PHE:N	2.51	0.44
1:D:106:ASN:HA	1:D:107:PRO:HD3	1.91	0.44
1:A:190:ALA:HB3	1:A:259:TYR:CD2	2.53	0.44
1:B:88:LEU:HD23	1:B:88:LEU:HA	1.68	0.44
1:A:159:ASN:O	1:A:162:THR:HB	2.18	0.44
1:D:87:LYS:HD2	1:D:137:ILE:C	2.39	0.44
1:D:87:LYS:HB2	1:D:139:ASN:OD1	2.18	0.43
2:A:300:NAD:H52N	2:A:300:NAD:H52A	2.00	0.43
1:D:146:GLY:HA3	1:D:188:LEU:HD23	2.00	0.43
1:A:168:LEU:O	1:A:168:LEU:HD22	2.18	0.43
1:B:5:LEU:O	1:B:8:LYS:HB2	2.19	0.43
1:A:96:GLY:O	3:A:301:53K:H11	2.19	0.43
1:C:134:LEU:HD23	1:C:137:ILE:HD11	2.00	0.43
1:B:104:GLY:HA3	1:B:206:ALA:O	2.19	0.43
1:B:153:ARG:NE	1:D:265:HIS:O	2.52	0.43
1:C:146:GLY:O	1:C:188:LEU:HA	2.19	0.43
1:A:121:HIS:HB2	1:D:113:TYR:CE2	2.54	0.42
1:B:38:LEU:O	1:B:60:LEU:HA	2.18	0.42
1:A:43:ARG:O	1:A:47:ILE:HG13	2.19	0.42
1:C:24:HIS:O	1:C:28:VAL:HG23	2.19	0.42
1:A:67:ASN:HB3	1:A:70:HIS:HB2	2.00	0.42
1:B:66:GLN:HG2	1:B:121:HIS:CE1	2.53	0.42
1:B:67:ASN:HB3	1:B:70:HIS:CD2	2.54	0.42
1:C:25:ILE:HG21	1:C:92:VAL:HG11	2.02	0.42
1:B:121:HIS:HB2	1:C:113:TYR:CZ	2.55	0.42
1:D:22:ALA:HB2	1:D:94:SER:CB	2.50	0.41
1:A:111:ALA:HA	1:A:112:PRO:HD3	1.78	0.41
1:D:105:ILE:HG23	1:D:207:LEU:HD23	2.03	0.41
1:C:245:LEU:HD21	1:C:258:ILE:HG13	2.02	0.41
1:A:250:LEU:HD23	1:A:250:LEU:HA	1.77	0.41
1:C:10:ILE:HG22	1:C:12:VAL:HG23	2.03	0.41
1:B:111:ALA:O	1:C:125:TYR:OH	2.37	0.41
1:B:193:PRO:HD2	1:B:230:TRP:CD1	2.55	0.41
1:C:196:THR:H	1:C:199:MET:HB3	1.86	0.41
1:C:247:SER:OG	1:C:248:ASP:N	2.54	0.41
1:D:268:LEU:HD12	1:D:268:LEU:HA	1.67	0.41
1:B:58:ALA:HA	1:B:59:PRO:HD3	1.94	0.41
1:D:211:ALA:C	1:D:213:ALA:H	2.24	0.41
1:B:218:LEU:HD12	1:B:218:LEU:HA	1.90	0.41
1:A:97:PHE:HE2	1:A:118:LYS:HD3	1.86	0.41
1:C:51:THR:HA	1:C:54:LEU:HD12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:125:TYR:CE1	1:C:113:TYR:HB2	2.56	0.41
1:A:161:MET:HG3	1:A:161:MET:O	2.21	0.40
1:C:157:ALA:HB3	3:C:301:53K:C18	2.50	0.40
1:A:87:LYS:HB2	1:A:139:ASN:OD1	2.21	0.40
1:B:155:MET:HE2	3:B:301:53K:H6	2.03	0.40
1:C:250:LEU:HA	1:C:250:LEU:HD23	1.93	0.40
1:B:170:SER:HA	1:B:173:ARG:NH1	2.36	0.40
1:C:11:LEU:HD12	1:C:37:VAL:O	2.22	0.40
1:A:93:HIS:CE1	1:A:95:ILE:HB	2.57	0.40
1:D:49:ARG:HH21	1:D:53:ARG:NH1	2.16	0.40
1:A:58:ALA:HA	1:A:59:PRO:HD3	1.84	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:212:GLY:O	1:C:49:ARG:NH2[3_555]	2.16	0.04

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	265/289 (92%)	236 (89%)	23 (9%)	6 (2%)	8 45
1	B	265/289 (92%)	234 (88%)	23 (9%)	8 (3%)	5 39
1	C	265/289 (92%)	244 (92%)	17 (6%)	4 (2%)	13 54
1	D	265/289 (92%)	244 (92%)	14 (5%)	7 (3%)	7 42
All	All	1060/1156 (92%)	958 (90%)	77 (7%)	25 (2%)	7 44

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	8	LYS
1	B	218	LEU
1	C	100	GLN
1	A	100	GLN
1	A	197	LEU
1	A	200	SER
1	B	159	ASN
1	B	216	GLN
1	C	199	MET
1	D	120	ILE
1	D	121	HIS
1	A	6	ASP
1	A	42	ASP
1	D	16	ILE
1	D	159	ASN
1	A	199	MET
1	B	42	ASP
1	D	42	ASP
1	B	150	ASP
1	C	42	ASP
1	C	151	PRO
1	D	76	GLY
1	B	137	ILE
1	D	137	ILE
1	B	202	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	180/221 (81%)	165 (92%)	15 (8%)	14 49
1	B	190/221 (86%)	171 (90%)	19 (10%)	9 38
1	C	181/221 (82%)	166 (92%)	15 (8%)	14 49
1	D	191/221 (86%)	175 (92%)	16 (8%)	14 49
All	All	742/884 (84%)	677 (91%)	65 (9%)	12 46

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ARG
1	A	17	THR
1	A	45	ARG
1	A	49	ARG
1	A	53	ARG
1	A	65	VAL
1	A	74	LEU
1	A	79	THR
1	A	106	ASN
1	A	129	SER
1	A	161	MET
1	A	168	LEU
1	A	231	ASN
1	A	236	THR
1	A	238	VAL
1	B	6	ASP
1	B	19	SER
1	B	35	GLN
1	B	43	ARG
1	B	46	LEU
1	B	65	VAL
1	B	74	LEU
1	B	79	THR
1	B	105	ILE
1	B	166	SER
1	B	168	LEU
1	B	197	LEU
1	B	199	MET
1	B	218	LEU
1	B	225	ARG
1	B	238	VAL
1	B	250	LEU
1	B	256	ASP
1	B	269	LEU
1	C	6	ASP
1	C	18	ASP
1	C	20	SER
1	C	49	ARG
1	C	53	ARG
1	C	65	VAL
1	C	74	LEU
1	C	79	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	82	ILE
1	C	95	ILE
1	C	106	ASN
1	C	121	HIS
1	C	166	SER
1	C	218	LEU
1	C	247	SER
1	D	35	GLN
1	D	45	ARG
1	D	49	ARG
1	D	61	LEU
1	D	65	VAL
1	D	74	LEU
1	D	77	ARG
1	D	101	THR
1	D	105	ILE
1	D	168	LEU
1	D	170	SER
1	D	177	ARG
1	D	200	SER
1	D	207	LEU
1	D	233	LYS
1	D	238	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	HIS
1	B	70	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	NAD	A	300	-	42,48,48	3.16	18 (42%)	46,73,73	3.03	11 (23%)
3	53K	A	301	-	28,30,30	1.66	3 (10%)	38,41,41	1.49	5 (13%)
2	NAD	B	300	-	42,48,48	3.12	17 (40%)	46,73,73	2.48	9 (19%)
3	53K	B	301	-	28,30,30	1.63	3 (10%)	38,41,41	1.99	7 (18%)
2	NAD	C	300	-	42,48,48	3.19	19 (45%)	46,73,73	2.87	12 (26%)
3	53K	C	301	-	28,30,30	1.61	3 (10%)	38,41,41	1.22	5 (13%)
3	53K	D	301	-	28,30,30	1.53	3 (10%)	38,41,41	1.34	3 (7%)
2	NAD	D	302	-	42,48,48	2.99	18 (42%)	46,73,73	2.55	9 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	300	-	-	0/22/62/62	0/5/5/5
3	53K	A	301	-	-	0/12/12/12	0/4/4/4
2	NAD	B	300	-	-	0/22/62/62	0/5/5/5
3	53K	B	301	-	-	0/12/12/12	0/4/4/4
2	NAD	C	300	-	-	0/22/62/62	0/5/5/5
3	53K	C	301	-	-	0/12/12/12	0/4/4/4
3	53K	D	301	-	-	0/12/12/12	0/4/4/4
2	NAD	D	302	-	-	0/22/62/62	0/5/5/5

All (84) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	301	53K	C15-C14	-6.10	1.39	1.48
3	C	301	53K	C15-C14	-5.80	1.39	1.48
3	A	301	53K	C15-C14	-5.79	1.39	1.48
3	D	301	53K	C15-C14	-5.75	1.39	1.48
2	C	300	NAD	C2B-C1B	-3.26	1.48	1.53
2	D	302	NAD	C2B-C1B	-3.01	1.48	1.53
2	A	300	NAD	C2B-C1B	-2.81	1.49	1.53
2	C	300	NAD	O7N-C7N	-2.65	1.18	1.24
2	B	300	NAD	O7N-C7N	-2.55	1.18	1.24
2	A	300	NAD	O7N-C7N	-2.46	1.19	1.24
2	D	302	NAD	O7N-C7N	-2.31	1.19	1.24
2	B	300	NAD	C2D-C1D	-2.18	1.50	1.53
2	C	300	NAD	C3D-C4D	2.06	1.58	1.53
2	C	300	NAD	PA-O5B	2.08	1.68	1.59
2	A	300	NAD	C3D-C4D	2.09	1.58	1.53
2	D	302	NAD	C3D-C4D	2.22	1.58	1.53
3	B	301	53K	N3-N1	2.31	1.38	1.34
3	D	301	53K	N3-N1	2.33	1.38	1.34
2	D	302	NAD	C3N-C7N	2.44	1.54	1.50
2	D	302	NAD	C5N-C4N	2.74	1.44	1.38
2	B	300	NAD	C3N-C7N	2.88	1.55	1.50
2	B	300	NAD	C6N-C5N	2.99	1.45	1.38
2	C	300	NAD	C3B-C4B	3.01	1.61	1.53
2	B	300	NAD	C5N-C4N	3.06	1.44	1.38
2	D	302	NAD	C3B-C4B	3.10	1.61	1.53
2	C	300	NAD	C5N-C4N	3.11	1.45	1.38
2	A	300	NAD	C3B-C4B	3.11	1.61	1.53
2	B	300	NAD	C3B-C4B	3.13	1.61	1.53
3	C	301	53K	N3-N1	3.15	1.40	1.34
2	D	302	NAD	C6N-C5N	3.16	1.45	1.38
2	D	302	NAD	C6A-N6A	3.19	1.47	1.34
2	A	300	NAD	C6A-N6A	3.20	1.47	1.34
2	C	300	NAD	C6A-N6A	3.23	1.47	1.34
2	B	300	NAD	C6A-N6A	3.25	1.47	1.34
3	A	301	53K	N3-N1	3.28	1.40	1.34
2	C	300	NAD	C6N-C5N	3.29	1.45	1.38
2	A	300	NAD	C5N-C4N	3.42	1.45	1.38
2	A	300	NAD	C6N-C5N	3.46	1.46	1.38
2	A	300	NAD	C3N-C7N	3.46	1.56	1.50
2	B	300	NAD	PN-O1N	3.51	1.64	1.51
2	A	300	NAD	PN-O1N	3.65	1.64	1.51
2	D	302	NAD	PN-O1N	3.67	1.64	1.51
2	C	300	NAD	PN-O1N	3.72	1.64	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	300	NAD	C3N-C7N	3.72	1.56	1.50
2	A	300	NAD	C2A-N1A	4.11	1.41	1.33
2	A	300	NAD	PA-O1A	4.13	1.66	1.51
3	D	301	53K	N2-N3	4.17	1.40	1.34
2	D	302	NAD	C2N-C3N	4.22	1.45	1.39
2	C	300	NAD	PA-O1A	4.24	1.66	1.51
2	D	302	NAD	PA-O1A	4.43	1.67	1.51
3	B	301	53K	N2-N3	4.46	1.40	1.34
2	B	300	NAD	PA-O1A	4.46	1.67	1.51
2	D	302	NAD	C2A-N1A	4.56	1.42	1.33
2	B	300	NAD	C2A-N1A	4.58	1.42	1.33
2	C	300	NAD	C2A-N1A	4.65	1.42	1.33
3	C	301	53K	N2-N3	4.69	1.40	1.34
2	C	300	NAD	C6N-N1N	4.72	1.48	1.35
3	A	301	53K	N2-N3	4.77	1.41	1.34
2	A	300	NAD	C6N-N1N	4.83	1.49	1.35
2	B	300	NAD	C2N-C3N	4.83	1.46	1.39
2	D	302	NAD	C6N-N1N	4.88	1.49	1.35
2	B	300	NAD	C6N-N1N	4.97	1.49	1.35
2	A	300	NAD	C2A-N3A	5.06	1.41	1.32
2	A	300	NAD	C8A-N7A	5.07	1.44	1.34
2	D	302	NAD	C8A-N7A	5.09	1.44	1.34
2	C	300	NAD	C2N-C3N	5.20	1.46	1.39
2	C	300	NAD	C8A-N7A	5.37	1.45	1.34
2	D	302	NAD	C2A-N3A	5.44	1.41	1.32
2	B	300	NAD	C8A-N7A	5.46	1.45	1.34
2	C	300	NAD	C2A-N3A	5.47	1.41	1.32
2	A	300	NAD	C2N-C3N	5.48	1.47	1.39
2	B	300	NAD	C2A-N3A	5.50	1.41	1.32
2	D	302	NAD	C4N-C3N	6.22	1.49	1.39
2	C	300	NAD	C4N-C3N	6.56	1.50	1.39
2	B	300	NAD	C4N-C3N	6.59	1.50	1.39
2	B	300	NAD	C7N-N7N	6.63	1.46	1.33
2	D	302	NAD	C7N-N7N	6.69	1.46	1.33
2	A	300	NAD	C4N-C3N	7.00	1.50	1.39
2	C	300	NAD	C7N-N7N	7.03	1.47	1.33
2	A	300	NAD	C7N-N7N	7.17	1.47	1.33
2	D	302	NAD	C2N-N1N	7.23	1.45	1.35
2	A	300	NAD	C2N-N1N	8.02	1.46	1.35
2	C	300	NAD	C2N-N1N	8.16	1.46	1.35
2	B	300	NAD	C2N-N1N	8.39	1.47	1.35

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	300	NAD	N3A-C2A-N1A	-14.06	117.83	128.87
2	C	300	NAD	N3A-C2A-N1A	-12.00	119.45	128.87
2	B	300	NAD	N3A-C2A-N1A	-11.88	119.54	128.87
2	D	302	NAD	N3A-C2A-N1A	-11.53	119.81	128.87
2	C	300	NAD	C4B-O4B-C1B	-11.48	97.47	109.64
2	A	300	NAD	C4B-O4B-C1B	-11.03	97.95	109.64
2	D	302	NAD	C4B-O4B-C1B	-8.31	100.84	109.64
3	B	301	53K	C13-C14-C15	-7.32	119.23	129.49
2	B	300	NAD	C4B-O4B-C1B	-6.75	102.49	109.64
3	B	301	53K	N2-N3-N1	-5.88	102.89	107.31
3	A	301	53K	C13-C14-C15	-4.55	123.11	129.49
3	A	301	53K	N2-N3-N1	-3.79	104.46	107.31
3	D	301	53K	N2-N3-N1	-3.55	104.64	107.31
2	D	302	NAD	C1B-N9A-C4A	-3.25	123.18	126.81
3	B	301	53K	C15-C14-N2	-3.25	116.98	120.77
2	A	300	NAD	C1B-N9A-C4A	-3.10	123.35	126.81
2	C	300	NAD	O7N-C7N-N7N	-2.94	118.39	122.58
2	B	300	NAD	C3N-C2N-N1N	-2.87	117.06	120.34
3	C	301	53K	C13-C14-C15	-2.78	125.60	129.49
3	D	301	53K	C13-C14-C15	-2.76	125.61	129.49
2	B	300	NAD	O7N-C7N-N7N	-2.75	118.66	122.58
2	B	300	NAD	O4D-C4D-C3D	-2.75	99.58	105.16
2	C	300	NAD	C1B-N9A-C4A	-2.56	123.95	126.81
2	C	300	NAD	O4B-C4B-C3B	-2.55	99.99	105.16
3	C	301	53K	N2-N3-N1	-2.48	105.45	107.31
2	D	302	NAD	C3N-C2N-N1N	-2.30	117.71	120.34
2	A	300	NAD	O7N-C7N-N7N	-2.12	119.55	122.58
3	B	301	53K	C11-C12-N1	-2.10	109.08	112.17
2	A	300	NAD	O4B-C4B-C3B	-2.08	100.95	105.16
2	B	300	NAD	C4N-C3N-C7N	-2.07	115.62	121.11
2	B	300	NAD	O4D-C1D-N1N	-2.06	105.88	108.10
3	B	301	53K	C22-C21-C11	-2.04	118.36	120.81
2	A	300	NAD	O3D-C3D-C2D	2.06	118.52	111.86
2	A	300	NAD	O2B-C2B-C1B	2.11	118.22	111.61
3	C	301	53K	C8-O1-C7	2.16	123.22	117.84
2	A	300	NAD	O5D-C5D-C4D	2.20	117.03	109.09
2	C	300	NAD	O5B-C5B-C4B	2.28	117.32	109.09
2	C	300	NAD	O4B-C4B-C5B	2.32	117.60	109.29
2	D	302	NAD	O2B-C2B-C1B	2.37	119.04	111.61
3	B	301	53K	C10-C11-C21	2.42	122.03	118.53
2	B	300	NAD	O2B-C2B-C1B	2.48	119.38	111.61
2	C	300	NAD	O3D-C3D-C4D	2.51	118.51	111.01
2	D	302	NAD	C2N-C3N-C4N	2.51	121.12	118.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	C	300	NAD	O2D-C2D-C1D	2.52	119.50	111.61
2	B	300	NAD	C3N-C7N-N7N	2.55	120.71	117.82
2	D	302	NAD	O2D-C2D-C1D	2.59	119.72	111.61
2	A	300	NAD	O3D-C3D-C4D	2.60	118.78	111.01
3	A	301	53K	C8-O1-C7	2.67	124.51	117.84
3	A	301	53K	C12-N1-C13	2.68	132.61	129.19
2	A	300	NAD	O2D-C2D-C1D	2.81	120.42	111.61
2	A	300	NAD	C3N-C7N-N7N	3.01	121.23	117.82
2	D	302	NAD	O3D-C3D-C4D	3.05	120.13	111.01
2	D	302	NAD	O4D-C1D-N1N	3.20	111.56	108.10
2	C	300	NAD	C2D-C1D-N1N	3.24	119.88	113.53
3	C	301	53K	C15-C14-N2	3.25	124.57	120.77
3	B	301	53K	C12-N1-C13	3.39	133.51	129.19
2	C	300	NAD	C3N-C7N-N7N	3.40	121.67	117.82
2	C	300	NAD	O4B-C1B-N9A	3.49	114.69	108.11
3	A	301	53K	C15-C14-N2	3.64	125.02	120.77
3	C	301	53K	C12-N1-C13	3.90	134.16	129.19
3	D	301	53K	C12-N1-C13	4.97	135.52	129.19

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	300	NAD	3	0
3	A	301	53K	5	0
3	B	301	53K	1	0
2	C	300	NAD	2	0
3	C	301	53K	4	0
3	D	301	53K	1	0
2	D	302	NAD	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	267/289 (92%)	-0.21	0 100 100	37, 59, 84, 98	1 (0%)
1	B	267/289 (92%)	-0.28	1 (0%) 93 91	37, 55, 75, 91	1 (0%)
1	C	267/289 (92%)	-0.18	0 100 100	37, 58, 87, 98	1 (0%)
1	D	267/289 (92%)	-0.16	4 (1%) 76 71	37, 58, 82, 96	0
All	All	1068/1156 (92%)	-0.21	5 (0%) 91 89	37, 57, 83, 98	3 (0%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	35	GLN	2.4
1	D	60	LEU	2.4
1	B	60	LEU	2.4
1	D	59	PRO	2.3
1	D	37	VAL	2.2

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
3	53K	C	301	27/27	0.95	0.29	4.09	63,70,80,84	0
3	53K	A	301	27/27	0.95	0.25	1.83	64,74,82,84	0
3	53K	D	301	27/27	0.97	0.25	1.58	51,58,63,67	0
3	53K	B	301	27/27	0.97	0.19	0.92	45,54,59,62	0
2	NAD	B	300	44/44	0.96	0.16	-0.52	45,51,57,61	0
2	NAD	A	300	44/44	0.95	0.15	-0.66	52,61,69,75	0
2	NAD	D	302	44/44	0.97	0.16	-0.69	46,55,65,72	0
2	NAD	C	300	44/44	0.96	0.15	-0.92	51,59,65,70	0

6.5 Other polymers (i)

There are no such residues in this entry.