



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:24 AM GMT

PDB ID : 2CYE  
Title : Crystal structure of Thioesterase complexed with coenzyme A and Zn from *Thermus thermophilus* HB8  
Authors : Hosaka, T.; Kato-Murayama, M.; Murayama, K.; Kishishita, S.; Handa, N.; Shirouzu, M.; Yokoyama, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)  
Deposited on : 2005-07-06  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	133	<div> <div>2%</div> <div>78%</div> <div>16%</div> <div>• •</div> </div>
1	B	133	<div> <div>2%</div> <div>74%</div> <div>23%</div> <div>• •</div> </div>
1	C	133	<div> <div>%</div> <div>86%</div> <div>13%</div> <div>•</div> </div>
1	D	133	<div> <div>3%</div> <div>69%</div> <div>22%</div> <div>• 6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ZN	A	1001	-	-	-	X
3	COA	B	601	X	-	-	-
3	COA	B	604	X	-	-	-
3	COA	C	602	X	-	-	-
3	COA	C	603	X	-	-	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4634 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Putative thioesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	130	Total	C	N	O	Se	0	0	0
			1041	664	194	179	4			
1	B	130	Total	C	N	O	Se	0	0	0
			1041	664	194	179	4			
1	C	133	Total	C	N	O	Se	0	0	0
			1062	678	197	183	4			
1	D	125	Total	C	N	O	Se	0	0	0
			998	638	186	171	3			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		

- Molecule 3 is COENZYME A (three-letter code: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	79	Total	O	0	0
			79	79		
4	B	71	Total	O	0	0
			71	71		
4	C	82	Total	O	0	0
			82	82		
4	D	64	Total	O	0	0
			64	64		



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative thioesterase




- Molecule 1: Putative thioesterase



- Molecule 1: Putative thioesterase



- Molecule 1: Putative thioesterase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.53Å 55.82Å 110.15Å 90.00° 102.42° 90.00°	Depositor
Resolution (Å)	47.05 – 1.90 47.05 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.1 (47.05-1.90) 99.2 (47.05-1.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.74 (at 1.90Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.208 , 0.242 0.215 , 0.242	Depositor DCC
$R_{free}$ test set	2017 reflections (5.06%)	DCC
Wilson B-factor (Å <sup>2</sup> )	12.5	Xtriage
Anisotropy	0.454	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 53.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 79876 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4634	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.02% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.44	0/1059	0.64	0/1425
1	B	0.44	0/1059	0.67	0/1425
1	C	0.43	0/1082	0.65	0/1459
1	D	0.44	0/1017	0.68	0/1372
All	All	0.44	0/4217	0.66	0/5681

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1041	0	1057	26	0
1	B	1041	0	1057	36	0
1	C	1062	0	1081	17	0
1	D	998	0	1012	48	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	B	96	0	56	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	96	0	56	1	0
4	A	79	0	0	2	0
4	B	71	0	0	4	0
4	C	82	0	0	1	0
4	D	64	0	0	3	0
All	All	4634	0	4319	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:ILE:HG13	4:B:1054:HOH:O	1.48	1.11
1:A:66:ILE:HG13	4:A:1063:HOH:O	1.58	1.03
1:B:66:ILE:HD11	1:B:99:ALA:HB1	1.43	0.98
1:D:64:ARG:HD3	1:D:65:PRO:HD2	1.49	0.94
1:C:36:ARG:HG3	1:C:88:MSE:HE1	1.48	0.93
1:B:66:ILE:HD11	1:B:99:ALA:CB	2.01	0.91
1:A:9:ARG:NH2	1:B:9:ARG:HD2	1.85	0.91
1:D:66:ILE:HD11	1:D:99:ALA:HB1	1.53	0.90
1:A:66:ILE:HD12	1:A:94:ALA:HB2	1.57	0.86
1:A:33:GLU:O	1:A:37:ILE:HD13	1.79	0.81
1:D:43:ILE:HG21	1:D:125:ILE:HD13	1.61	0.80
1:D:118:PRO:HB2	1:D:121:ILE:HD13	1.62	0.80
1:A:66:ILE:HD11	1:A:99:ALA:CB	2.11	0.80
1:A:9:ARG:HH22	1:B:9:ARG:HD2	1.47	0.80
1:A:66:ILE:HD11	1:A:99:ALA:HB1	1.65	0.78
1:D:125:ILE:HG13	4:D:1054:HOH:O	1.85	0.77
1:B:64:ARG:HH11	1:B:64:ARG:HB2	1.51	0.76
1:D:28:PHE:CZ	1:D:66:ILE:HD13	2.20	0.76
1:D:64:ARG:HD3	1:D:65:PRO:CD	2.18	0.74
1:D:33:GLU:O	1:D:37:ILE:HD13	1.87	0.73
1:D:28:PHE:HZ	1:D:66:ILE:HD13	1.53	0.73
1:B:66:ILE:HD12	1:B:94:ALA:HB2	1.70	0.72
1:D:101:LYS:HE3	4:D:1059:HOH:O	1.89	0.72
1:D:126:ARG:O	1:D:127:ALA:HB3	1.92	0.69
1:B:64:ARG:HH11	1:B:64:ARG:CB	2.06	0.69
1:D:126:ARG:HB3	1:D:126:ARG:CZ	2.21	0.68
1:B:122:ARG:NH2	1:B:126:ARG:HH12	1.93	0.67
1:B:121:ILE:O	1:B:125:ILE:HD13	1.93	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:GLN:C	1:B:43:ILE:H	1.98	0.66
1:B:43:ILE:HA	4:B:1063:HOH:O	1.96	0.66
1:C:86:LEU:HD13	1:C:88:MSE:HG3	1.76	0.65
1:C:86:LEU:CD1	1:C:88:MSE:HG3	2.27	0.64
1:A:81:LEU:HD22	1:A:122:ARG:NH2	2.15	0.61
1:D:65:PRO:C	1:D:66:ILE:HD12	2.21	0.61
1:D:76:VAL:CG2	1:D:88:MSE:SE	2.99	0.61
1:D:121:ILE:O	1:D:125:ILE:HG12	2.01	0.60
1:D:8:VAL:CG1	1:D:38:ARG:HD2	2.32	0.60
1:D:76:VAL:HG21	1:D:88:MSE:SE	2.52	0.59
1:D:36:ARG:HH11	1:D:90:HIS:HE1	1.51	0.59
1:B:128:LEU:HD23	1:B:128:LEU:C	2.23	0.58
1:B:66:ILE:HD12	1:B:94:ALA:CB	2.33	0.57
1:D:126:ARG:O	1:D:127:ALA:CB	2.52	0.57
1:C:119:GLU:HG3	1:C:123:GLU:OE2	2.04	0.57
1:B:88:MSE:SE	1:B:106:LEU:HD13	2.55	0.57
1:B:87:ARG:HH21	1:B:87:ARG:HG2	1.70	0.56
1:D:66:ILE:N	1:D:66:ILE:HD12	2.21	0.56
1:D:88:MSE:HE3	1:D:106:LEU:HD13	1.86	0.56
1:C:51:GLY:O	1:C:52:HIS:HB2	2.06	0.55
1:C:86:LEU:HD12	1:C:86:LEU:O	2.06	0.55
1:D:126:ARG:CB	1:D:126:ARG:CZ	2.85	0.55
1:C:43:ILE:HG13	1:C:125:ILE:HD13	1.88	0.54
1:B:46:ASP:N	4:B:1055:HOH:O	2.40	0.54
1:D:66:ILE:N	1:D:66:ILE:CD1	2.71	0.54
1:A:36:ARG:HH21	1:A:90:HIS:HE1	1.56	0.54
1:C:86:LEU:C	1:C:86:LEU:HD12	2.29	0.54
1:C:43:ILE:HG23	1:C:124:ARG:HB2	1.90	0.53
1:C:43:ILE:HG23	1:C:124:ARG:CB	2.38	0.53
3:C:602:COA:H3B	4:C:1040:HOH:O	2.08	0.53
1:B:36:ARG:HH21	1:B:90:HIS:HE1	1.57	0.53
1:B:71:GLU:H	1:B:95:ASN:ND2	2.06	0.52
1:B:36:ARG:HH21	1:B:90:HIS:CE1	2.28	0.52
1:B:1:MSE:N	1:B:7:ARG:HD3	2.24	0.52
1:B:41:GLN:C	1:B:43:ILE:N	2.63	0.52
1:C:121:ILE:O	1:C:125:ILE:HG12	2.10	0.51
1:D:123:GLU:O	1:D:126:ARG:O	2.29	0.51
1:A:36:ARG:HH21	1:A:90:HIS:CE1	2.27	0.51
1:A:5:PRO:HB2	1:A:128:LEU:HD22	1.92	0.51
1:C:64:ARG:HD3	1:C:98:SER:O	2.11	0.51
1:A:24:ASN:ND2	1:A:26:ALA:H	2.09	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:36:ARG:HH11	1:D:90:HIS:CE1	2.28	0.50
1:D:43:ILE:HD12	1:D:44:SER:CB	2.41	0.50
1:D:43:ILE:HD12	1:D:44:SER:HB2	1.93	0.49
1:A:20:LEU:HD21	1:C:49:GLU:HG2	1.94	0.49
1:B:81:LEU:HD23	1:B:86:LEU:CD2	2.41	0.49
1:D:8:VAL:HG11	1:D:38:ARG:HD2	1.93	0.49
1:D:126:ARG:CB	1:D:126:ARG:NH2	2.76	0.48
1:A:66:ILE:CD1	1:A:94:ALA:HB2	2.34	0.48
1:A:43:ILE:HD13	1:A:121:ILE:HG23	1.95	0.48
1:D:8:VAL:HG12	1:D:38:ARG:HD2	1.95	0.48
1:B:53:PHE:HE2	1:B:117:LEU:HD21	1.78	0.48
1:A:46:ASP:OD1	1:A:52:HIS:HE1	1.97	0.48
1:C:43:ILE:HD12	1:C:124:ARG:HB3	1.96	0.48
1:A:7:ARG:O	1:A:38:ARG:NH2	2.47	0.47
1:C:7:ARG:HA	1:C:74:VAL:O	2.14	0.47
1:D:126:ARG:NH2	1:D:126:ARG:HB2	2.30	0.47
1:D:79:VAL:HG11	1:D:89:GLU:CD	2.34	0.47
1:D:103:LEU:C	1:D:103:LEU:HD13	2.35	0.47
1:A:46:ASP:N	4:A:1053:HOH:O	2.47	0.46
1:D:108:TRP:CZ2	1:D:118:PRO:HG2	2.52	0.45
1:D:88:MSE:HE3	1:D:106:LEU:CD1	2.46	0.45
1:C:32:MSE:HA	1:C:74:VAL:HG11	1.99	0.45
1:B:53:PHE:CE2	1:B:117:LEU:HD21	2.51	0.44
1:B:87:ARG:NH2	1:B:87:ARG:HG2	2.31	0.44
1:B:64:ARG:HH11	1:B:64:ARG:CG	2.31	0.44
1:D:51:GLY:O	1:D:52:HIS:HB2	2.18	0.44
1:A:64:ARG:HD3	1:A:98:SER:O	2.17	0.44
1:D:5:PRO:HD2	1:D:77:ARG:HB3	1.99	0.44
1:B:121:ILE:HD13	1:B:124:ARG:HH21	1.82	0.43
1:D:76:VAL:HG22	1:D:88:MSE:SE	2.65	0.43
1:D:36:ARG:HG3	1:D:88:MSE:SE	2.69	0.43
1:D:118:PRO:HB2	1:D:121:ILE:CD1	2.41	0.43
1:A:43:ILE:HD12	1:A:43:ILE:C	2.38	0.43
1:B:38:ARG:HH11	1:B:38:ARG:HG3	1.83	0.42
1:A:46:ASP:OD1	1:A:52:HIS:CE1	2.72	0.42
1:B:8:VAL:HG11	1:B:38:ARG:HG3	2.01	0.42
1:D:40:PHE:HZ	1:D:106:LEU:HD22	1.84	0.42
1:B:121:ILE:HD13	1:B:124:ARG:NH2	2.34	0.42
1:B:64:ARG:HH22	1:B:97:GLU:HG3	1.85	0.42
1:A:9:ARG:CZ	1:B:9:ARG:HD2	2.47	0.42
1:D:125:ILE:CG1	4:D:1054:HOH:O	2.57	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:GLY:O	1:A:52:HIS:HB2	2.18	0.42
1:C:29:LEU:HD11	1:C:60:VAL:HG21	2.02	0.42
1:B:46:ASP:HB2	4:B:1055:HOH:O	2.20	0.41
1:A:7:ARG:HA	1:A:74:VAL:O	2.21	0.41
1:B:110:GLU:HB2	1:B:115:ALA:HB2	2.02	0.41
1:A:81:LEU:HD22	1:A:122:ARG:HH21	1.84	0.41
1:B:38:ARG:NH1	1:B:38:ARG:HG3	2.36	0.41
1:D:43:ILE:HD12	1:D:43:ILE:C	2.40	0.41
3:B:604:COA:HN8	1:D:63:LEU:C	2.23	0.41
1:D:64:ARG:HB3	1:D:99:ALA:HA	2.02	0.41
1:A:9:ARG:HG2	1:A:10:VAL:N	2.36	0.41
1:D:43:ILE:HD12	1:D:44:SER:N	2.36	0.41
1:D:121:ILE:N	1:D:121:ILE:HD12	2.37	0.40
1:D:63:LEU:HD11	1:D:101:LYS:HE2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	126/133 (95%)	125 (99%)	1 (1%)	0	100	100
1	B	126/133 (95%)	125 (99%)	1 (1%)	0	100	100
1	C	131/133 (98%)	129 (98%)	2 (2%)	0	100	100
1	D	123/133 (92%)	122 (99%)	1 (1%)	0	100	100
All	All	506/532 (95%)	501 (99%)	5 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	108/107 (101%)	103 (95%)	5 (5%)	33	21
1	B	108/107 (101%)	106 (98%)	2 (2%)	65	59
1	C	111/107 (104%)	109 (98%)	2 (2%)	66	61
1	D	104/107 (97%)	100 (96%)	4 (4%)	40	28
All	All	431/428 (101%)	418 (97%)	13 (3%)	48	38

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ARG
1	A	10	VAL
1	A	38	ARG
1	A	81	LEU
1	A	128	LEU
1	B	64	ARG
1	B	87	ARG
1	C	7	ARG
1	C	86	LEU
1	D	37	ILE
1	D	66	ILE
1	D	106	LEU
1	D	126	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	41	GLN
1	A	52	HIS
1	A	90	HIS
1	B	90	HIS
1	B	95	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	25	ASN
1	D	52	HIS
1	D	90	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	COA	B	601	2	40,50,50	2.86	7 (17%)	50,75,75	3.53	15 (30%)
3	COA	B	604	2	40,50,50	2.86	7 (17%)	50,75,75	3.52	15 (30%)
3	COA	C	602	2	40,50,50	2.87	7 (17%)	50,75,75	3.61	15 (30%)
3	COA	C	603	2	40,50,50	2.86	7 (17%)	50,75,75	3.70	16 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	COA	B	601	2	3/3/11/13	0/44/64/64	0/3/3/3
3	COA	B	604	2	3/3/11/13	0/44/64/64	0/3/3/3
3	COA	C	602	2	3/3/11/13	0/44/64/64	0/3/3/3
3	COA	C	603	2	3/3/11/13	0/44/64/64	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	602	COA	O4B-C1B	-3.82	1.36	1.41
3	C	603	COA	O4B-C1B	-3.81	1.36	1.41
3	B	601	COA	O4B-C1B	-3.74	1.36	1.41
3	B	604	COA	O4B-C1B	-3.72	1.36	1.41
3	C	602	COA	O2B-C2B	-2.78	1.36	1.43
3	B	604	COA	O2B-C2B	-2.75	1.36	1.43
3	C	603	COA	O2B-C2B	-2.72	1.36	1.43
3	B	601	COA	O2B-C2B	-2.70	1.36	1.43
3	C	602	COA	P3B-O7A	3.08	1.61	1.51
3	B	601	COA	P3B-O7A	3.09	1.61	1.51
3	C	603	COA	P3B-O7A	3.10	1.61	1.51
3	B	604	COA	P3B-O7A	3.10	1.61	1.51
3	C	603	COA	C5P-N4P	5.86	1.47	1.33
3	C	602	COA	C5P-N4P	5.89	1.47	1.33
3	B	604	COA	C5P-N4P	5.90	1.47	1.33
3	B	601	COA	C5P-N4P	5.91	1.47	1.33
3	C	602	COA	C9P-N8P	6.57	1.47	1.33
3	B	601	COA	C9P-N8P	6.58	1.47	1.33
3	C	603	COA	C9P-N8P	6.59	1.47	1.33
3	B	604	COA	C9P-N8P	6.60	1.47	1.33
3	B	604	COA	O5P-C5P	9.53	1.43	1.23
3	C	602	COA	O5P-C5P	9.57	1.43	1.23
3	C	603	COA	O5P-C5P	9.58	1.43	1.23
3	B	601	COA	O5P-C5P	9.59	1.43	1.23
3	B	601	COA	O9P-C9P	10.17	1.43	1.23
3	B	604	COA	O9P-C9P	10.20	1.43	1.23
3	C	603	COA	O9P-C9P	10.20	1.43	1.23
3	C	602	COA	O9P-C9P	10.21	1.43	1.23

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	604	COA	N3A-C2A-N1A	-9.98	121.25	128.89
3	C	603	COA	N3A-C2A-N1A	-9.86	121.35	128.89

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	COA	N3A-C2A-N1A	-9.83	121.37	128.89
3	C	602	COA	N3A-C2A-N1A	-9.71	121.46	128.89
3	C	603	COA	C4B-O4B-C1B	-8.62	100.25	109.72
3	C	602	COA	C4B-O4B-C1B	-7.41	101.58	109.72
3	B	601	COA	C4B-O4B-C1B	-7.00	102.03	109.72
3	B	604	COA	O5P-C5P-C6P	-6.99	109.93	121.98
3	C	603	COA	O5P-C5P-C6P	-6.96	109.98	121.98
3	B	601	COA	O5P-C5P-C6P	-6.91	110.07	121.98
3	C	602	COA	O5P-C5P-C6P	-6.81	110.23	121.98
3	C	602	COA	O5P-C5P-N4P	-6.67	109.71	122.94
3	B	604	COA	C3P-N4P-C5P	-6.64	109.73	122.79
3	C	603	COA	C3P-N4P-C5P	-6.61	109.79	122.79
3	B	604	COA	C4B-O4B-C1B	-6.59	102.47	109.72
3	C	603	COA	O5P-C5P-N4P	-6.54	109.95	122.94
3	B	604	COA	O9P-C9P-N8P	-6.40	110.24	123.08
3	C	602	COA	O9P-C9P-N8P	-6.37	110.30	123.08
3	B	601	COA	C3P-N4P-C5P	-6.36	110.28	122.79
3	B	601	COA	O5P-C5P-N4P	-6.33	110.37	122.94
3	C	603	COA	O9P-C9P-N8P	-6.32	110.39	123.08
3	B	604	COA	O5P-C5P-N4P	-6.30	110.44	122.94
3	C	602	COA	C3P-N4P-C5P	-6.30	110.41	122.79
3	B	601	COA	O9P-C9P-N8P	-6.20	110.63	123.08
3	B	604	COA	C7P-N8P-C9P	-5.81	111.03	122.53
3	C	602	COA	C7P-N8P-C9P	-5.69	111.26	122.53
3	C	603	COA	C7P-N8P-C9P	-5.66	111.33	122.53
3	B	601	COA	C7P-N8P-C9P	-5.48	111.68	122.53
3	C	603	COA	C2B-C3B-C4B	-4.40	95.03	103.29
3	C	602	COA	C2B-C3B-C4B	-4.02	95.74	103.29
3	B	601	COA	C6P-C5P-N4P	-3.74	109.96	116.46
3	C	603	COA	C6P-C5P-N4P	-3.73	109.98	116.46
3	C	602	COA	C6P-C5P-N4P	-3.58	110.25	116.46
3	B	604	COA	C2B-C3B-C4B	-3.56	96.61	103.29
3	B	601	COA	C2B-C3B-C4B	-3.41	96.88	103.29
3	B	604	COA	C6P-C5P-N4P	-3.34	110.65	116.46
3	C	602	COA	P2A-O3A-P1A	-3.31	123.42	132.73
3	B	604	COA	P2A-O3A-P1A	-3.15	123.88	132.73
3	C	603	COA	CAP-C9P-N8P	-3.00	109.82	116.47
3	C	602	COA	CAP-C9P-N8P	-2.97	109.88	116.47
3	B	601	COA	P2A-O3A-P1A	-2.91	124.55	132.73
3	C	603	COA	P2A-O3A-P1A	-2.88	124.66	132.73
3	B	601	COA	CAP-C9P-N8P	-2.80	110.25	116.47
3	B	604	COA	CAP-C9P-N8P	-2.64	110.62	116.47

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	603	COA	C5B-C4B-C3B	2.12	121.94	114.31
3	C	603	COA	C3B-C2B-C1B	3.02	107.23	99.98
3	B	604	COA	C3B-C2B-C1B	3.04	107.28	99.98
3	C	602	COA	C3B-C2B-C1B	3.07	107.35	99.98
3	B	601	COA	C3B-C2B-C1B	3.15	107.53	99.98
3	C	603	COA	O4B-C1B-N9A	4.70	117.93	108.10
3	C	603	COA	O2B-C2B-C3B	4.77	124.92	111.16
3	C	602	COA	O4B-C1B-N9A	4.91	118.38	108.10
3	C	602	COA	O2B-C2B-C3B	4.97	125.52	111.16
3	B	604	COA	O2B-C2B-C3B	5.12	125.94	111.16
3	B	601	COA	O2B-C2B-C3B	5.16	126.05	111.16
3	B	601	COA	O4B-C1B-N9A	5.57	119.75	108.10
3	B	604	COA	O4B-C1B-N9A	5.67	119.98	108.10
3	B	604	COA	C2B-C1B-N9A	11.54	131.92	114.29
3	B	601	COA	C2B-C1B-N9A	11.97	132.58	114.29
3	C	602	COA	C2B-C1B-N9A	12.80	133.85	114.29
3	C	603	COA	C2B-C1B-N9A	13.04	134.21	114.29

All (12) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	C	603	COA	C2B
3	C	603	COA	C1B
3	C	603	COA	C4B
3	C	602	COA	C2B
3	C	602	COA	C1B
3	C	602	COA	C4B
3	B	601	COA	C2B
3	B	601	COA	C1B
3	B	601	COA	C4B
3	B	604	COA	C2B
3	B	604	COA	C1B
3	B	604	COA	C4B

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	604	COA	1	0
3	C	602	COA	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	126/133 (94%)	0.09	2 (1%) 74 78	6, 15, 31, 44	0
1	B	126/133 (94%)	0.33	2 (1%) 74 78	6, 15, 34, 44	0
1	C	129/133 (96%)	0.10	1 (0%) 87 88	6, 14, 30, 41	0
1	D	122/133 (91%)	0.21	4 (3%) 50 53	5, 15, 31, 49	0
All	All	503/532 (94%)	0.18	9 (1%) 71 74	5, 15, 32, 49	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	43	ILE	7.3
1	D	126	ARG	3.6
1	A	43	ILE	3.2
1	D	127	ALA	3.1
1	D	119	GLU	3.1
1	D	43	ILE	2.4
1	B	103	LEU	2.4
1	C	113	ARG	2.4
1	A	132	PRO	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	ZN	A	1001	1/1	1.00	0.11	3.20	13,13,13,13	0
3	COA	C	602	48/48	0.91	0.14	1.64	7,15,33,36	0
3	COA	B	601	48/48	0.90	0.15	1.10	9,16,39,48	0
3	COA	C	603	48/48	0.92	0.14	0.86	8,14,25,32	0
3	COA	B	604	48/48	0.90	0.15	0.48	7,17,40,47	0
2	ZN	D	1004	1/1	1.00	0.06	-6.60	9,9,9,9	0
2	ZN	C	1003	1/1	1.00	0.07	-	8,8,8,8	0
2	ZN	B	1002	1/1	1.00	0.07	-	11,11,11,11	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.