



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2016 – 10:57 AM EDT

PDB ID : 5CZ6
Title : Yeast 20S proteasome beta5-T1A mutant in complex with Syringolin A, propeptide expressed in trans
Authors : Huber, E.M.; Groll, M.
Deposited on : 2015-07-31
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027107
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0122
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027107


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div><div>4%</div><div>98% .</div></div>
1	O	250	<div><div>4%</div><div>97% .</div></div>
2	B	258	<div><div>4%</div><div>86% 8% . 5%</div></div>
2	P	258	<div><div>5%</div><div>86% 7% . 5%</div></div>
3	C	254	<div><div>6%</div><div>86% 7% . 6%</div></div>
3	Q	254	<div><div>8%</div><div>86% 7% . 6%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	212	
11	Y	212	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	MG	I	301	-	-	-	X
15	MG	W	301	-	-	-	X
15	MG	Z	301	-	-	-	X
17	SRG	V	301	-	-	-	X

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 49891 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1642	1044	280	311	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1642	1044	280	311	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	1	ALA	THR	engineered mutation	UNP P30656
Y	1	ALA	THR	engineered mutation	UNP P30656

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	H	1	Total Mg 1 1	0	0
15	I	2	Total Mg 2 2	0	0
15	W	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is (2S)-2-[[[(2S)-1-[[[(5S,8S,9E)-2,7-dioxo-5-propan-2-yl-1,6-diazacyclododeca-3,9-dien-8-yl]amino]-3-methyl-1-oxo-butan-2-yl]carbamoylamino]-3-methyl-butanoic acid (three-letter code: SRG) (formula: C₂₄H₃₉N₅O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	H	1	Total	C	N	O	0	0
			35	24	5	6		
17	V	1	Total	C	N	O	0	0
			35	24	5	6		

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	17	Total	O	0	0
			17	17		
18	B	10	Total	O	0	0
			10	10		
18	C	9	Total	O	0	0
			9	9		
18	D	16	Total	O	0	0
			16	16		
18	E	12	Total	O	0	0
			12	12		
18	F	10	Total	O	0	0
			10	10		
18	G	16	Total	O	0	0
			16	16		
18	H	24	Total	O	0	0
			24	24		
18	I	16	Total	O	0	0
			16	16		
18	J	14	Total	O	0	0
			14	14		
18	K	15	Total	O	0	0
			15	15		
18	L	28	Total	O	0	0
			28	28		
18	M	22	Total	O	0	0
			22	22		
18	N	11	Total	O	0	0
			11	11		
18	O	6	Total	O	0	0
			6	6		
18	P	12	Total	O	0	0
			12	12		
18	Q	15	Total	O	0	0
			15	15		
18	R	19	Total	O	0	0
			19	19		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	S	11	Total 11	O 11	0	0
18	T	17	Total 17	O 17	0	0
18	U	17	Total 17	O 17	0	0
18	V	15	Total 15	O 15	0	0
18	W	5	Total 5	O 5	0	0
18	X	13	Total 13	O 13	0	0
18	Y	20	Total 20	O 20	0	0
18	Z	25	Total 25	O 25	0	0
18	a	28	Total 28	O 28	0	0
18	b	25	Total 25	O 25	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2





- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3



- Molecule 2: Proteasome subunit alpha type-3




- Molecule 3: Proteasome subunit alpha type-4



LYS
LYS
LYS
SER
ASN
HIS


• Molecule 3: Proteasome subunit alpha type-4

Chain Q: 

MET SER G1 R4 R35 N38 S48 T49 L50 K51 L52 T55 S60 N77 Q147 T148 E149 P150 S158 A159 Q160 V169 K180 E181 P182 P183 V201 Q202 T203 G204 A205 K206 E225 Q229 Q233 T234 E235 Q236 E237 Q238 Q239 E240 GLN GLN GLU

GLN
ASP
LYS
LYS
LYS
SER
ASN
HIS


• Molecule 4: Proteasome subunit alpha type-5

Chain D: 

MET PHE LEU THR ARG SER TTR D1 L40 L51 A88 H91 I99 L113 E117 GLY ALA SER GLY GLU ARG L125 D143 M160 L176 W179 L193 I214 Q217 L235 K236 A240 A241 E242 SER PRO GLU ALA ASP GLU

MET
SER

• Molecule 4: Proteasome subunit alpha type-5

Chain R: 

MET PHE LEU THR ARG SER TTR D1 L40 L51 A88 H91 I99 L113 G116 E117 GLY ALA SER GLY GLU ARG L125 D143 M160 L176 W179 L193 K203 I214 Q217 L235 K236 A241 E242 SER PRO GLU ALA ASP


VAL
GLU
MET
SER

• Molecule 5: Proteasome subunit alpha type-6

Chain E: 


MET PHE ARG N3 T9 F12 K29 L55 L71 L87 A107 Q116 T119 Y122 R173 N184 L188 D202 V207 D208 K231 V232 I233

• Molecule 5: Proteasome subunit alpha type-6



Chain S: 

MET PHE ARG N3 T9 F12 K29 L55 L71 L87 A107 Q116 T119 Y122 R173 K180 N184 L188 D202 V207 D208 E227 K231 V232 I233


• Molecule 6: Probable proteasome subunit alpha type-7

Chain F: 


- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-1



- Molecule 8: Proteasome subunit beta type-2



- Molecule 8: Proteasome subunit beta type-2



- Molecule 9: Proteasome subunit beta type-3





- Molecule 9: Proteasome subunit beta type-3

Chain W: 93% 7%



- Molecule 10: Proteasome subunit beta type-4

Chain J: 91% 7% ..




- Molecule 10: Proteasome subunit beta type-4

Chain X: 92% 6% ..



- Molecule 11: Proteasome subunit beta type-5

Chain K: 91% 8% .



- Molecule 11: Proteasome subunit beta type-5

Chain Y: 90% 9% .




- Molecule 12: Proteasome subunit beta type-6

Chain L: 95% 5% 2%




- Molecule 12: Proteasome subunit beta type-6

Chain Z: 95% 5% 2%




- Molecule 13: Proteasome subunit beta type-7

Chain M: 91% • 5%




- Molecule 13: Proteasome subunit beta type-7

Chain a: 92% • 5%




- Molecule 14: Proteasome subunit beta type-1

Chain N: 95% • •



- Molecule 14: Proteasome subunit beta type-1

Chain b: 98% •



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.04Å 301.44Å 145.75Å 90.00° 113.27° 90.00°	Depositor
Resolution (Å)	15.00 – 2.70 15.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	97.5 (15.00-2.70) 97.5 (15.00-2.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.194 , 0.226 0.198 , 0.228	Depositor DCC
R_{free} test set	14147 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	56.2	Xtriage
Anisotropy	0.027	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 28.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 282930 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	49891	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SRG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.28	0/1934	0.50	0/2618
2	P	0.28	0/1934	0.50	0/2618
3	C	0.28	0/1910	0.51	0/2586
3	Q	0.28	0/1910	0.51	0/2586
4	D	0.27	0/1837	0.48	0/2475
4	R	0.27	0/1837	0.48	0/2475
5	E	0.27	0/1800	0.47	0/2433
5	S	0.27	0/1800	0.47	0/2433
6	F	0.27	0/1932	0.45	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.28	0/1945	0.47	0/2634
7	U	0.27	0/1945	0.47	0/2634
8	H	0.26	0/1750	0.47	0/2373
8	V	0.27	0/1750	0.47	0/2373
9	I	0.28	0/1611	0.48	0/2174
9	W	0.28	0/1611	0.49	0/2174
10	J	0.27	0/1589	0.48	0/2142
10	X	0.27	0/1589	0.48	0/2142
11	K	0.30	0/1679	0.49	1/2271 (0.0%)
11	Y	0.33	0/1679	0.50	1/2271 (0.0%)
12	L	0.29	0/1795	0.48	0/2420
12	Z	0.29	0/1795	0.48	0/2420
13	M	0.28	0/1855	0.51	0/2514
13	a	0.28	0/1855	0.51	0/2514
14	N	0.26	0/1541	0.48	0/2087
14	b	0.26	0/1541	0.47	0/2087
All	All	0.28	0/50260	0.48	2/67956 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	4	LEU	CA-CB-CG	5.82	128.68	115.30
11	K	4	LEU	CA-CB-CG	5.09	127.02	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	4	0
2	B	1904	0	1904	11	0
2	P	1904	0	1904	10	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	6	0
4	R	1813	0	1797	5	0
5	E	1773	0	1775	5	0
5	S	1773	0	1775	4	0
6	F	1892	0	1883	2	0
6	T	1892	0	1883	5	0
7	G	1907	0	1901	5	0
7	U	1907	0	1901	5	0
8	H	1719	0	1718	6	0
8	V	1719	0	1718	7	0
9	I	1581	0	1574	11	0
9	W	1581	0	1574	7	0
10	J	1561	0	1569	9	0
10	X	1561	0	1569	7	0
11	K	1642	0	1593	10	0
11	Y	1642	0	1593	10	0
12	L	1757	0	1711	3	0
12	Z	1757	0	1711	2	0
13	M	1824	0	1832	1	0
13	a	1824	0	1832	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	N	1512	0	1481	5	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	H	1	0	0	0	0
15	I	2	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	W	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	H	35	0	37	6	0
17	V	35	0	37	1	0
18	A	17	0	0	0	0
18	B	10	0	0	0	0
18	C	9	0	0	0	0
18	D	16	0	0	0	0
18	E	12	0	0	0	0
18	F	10	0	0	0	0
18	G	16	0	0	0	0
18	H	24	0	0	0	0
18	I	16	0	0	0	0
18	J	14	0	0	0	0
18	K	15	0	0	0	0
18	L	28	0	0	0	0
18	M	22	0	0	0	0
18	N	11	0	0	0	0
18	O	6	0	0	0	0
18	P	12	0	0	0	0
18	Q	15	0	0	0	0
18	R	19	0	0	0	0
18	S	11	0	0	0	0
18	T	17	0	0	2	0
18	U	17	0	0	0	0
18	V	15	0	0	0	0
18	W	5	0	0	0	0
18	X	13	0	0	0	0
18	Y	20	0	0	1	0
18	Z	25	0	0	0	0
18	a	28	0	0	0	0
18	b	25	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	49891	0	49198	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
17:H:301:SRG:H6	9:I:125:LEU:CD2	2.05	0.87
17:H:301:SRG:H6	9:I:125:LEU:HD21	1.67	0.77
8:V:52:THR:O	8:V:56:THR:OG1	2.03	0.76
8:H:52:THR:O	8:H:56:THR:OG1	2.04	0.76
11:Y:128:CYS:HB2	11:Y:137:TYR:CZ	2.22	0.74
2:B:3:ARG:HB3	5:E:122:TYR:OH	1.99	0.62
8:V:46:ALA:HA	17:V:301:SRG:H24A	1.82	0.62
17:H:301:SRG:H6	9:I:125:LEU:HD23	1.82	0.62
11:K:128:CYS:HB2	11:K:137:TYR:CE2	2.39	0.58
11:Y:1:ALA:CB	11:Y:33:LYS:HZ3	2.17	0.58
11:Y:128:CYS:HB2	11:Y:137:TYR:CE2	2.39	0.57
17:H:301:SRG:C6	9:I:125:LEU:HD21	2.34	0.57
11:K:128:CYS:HB2	11:K:137:TYR:CZ	2.41	0.56
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.90	0.54
14:N:35:THR:HG21	14:N:45:ARG:HE	1.72	0.54
5:S:12:PHE:H	6:T:19:GLN:HE22	1.54	0.54
8:H:46:ALA:HA	17:H:301:SRG:H24A	1.89	0.53
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.90	0.53
12:L:131:TYR:O	12:L:132:GLU:HG2	2.09	0.53
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.43	0.52
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.09	0.52
3:C:51:LYS:O	3:C:52:LEU:HB2	2.08	0.52
3:C:201:VAL:O	3:C:202:GLN:CB	2.57	0.52
10:J:25:ILE:O	10:X:139:TYR:OH	2.28	0.52
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.57	0.52
2:B:12:PHE:H	3:C:17:GLN:HE22	1.58	0.51
5:E:12:PHE:H	6:F:19:GLN:HE22	1.59	0.50
7:G:23:PHE:O	7:G:26:THR:HB	2.12	0.50
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.42	0.50
12:L:131:TYR:C	12:L:132:GLU:HG2	2.32	0.50
2:P:217:LYS:C	2:P:219:ALA:H	2.15	0.50
8:V:84:LYS:HA	8:V:113:ILE:HD11	1.94	0.50
7:G:68:ARG:HH12	14:N:36:ARG:HH22	1.59	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:U:23:PHE:O	7:U:26:THR:HB	2.12	0.49
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.95	0.49
8:H:84:LYS:HA	8:H:113:ILE:HD11	1.93	0.49
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.95	0.49
3:C:160:GLN:HA	3:C:160:GLN:HE21	1.78	0.49
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.48	0.48
9:I:36:SER:HB2	10:J:126:VAL:HG11	1.95	0.48
12:Z:131:TYR:C	12:Z:132:GLU:HG2	2.32	0.48
2:B:217:LYS:C	2:B:219:ALA:H	2.15	0.48
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.96	0.48
11:Y:89:GLN:HG2	18:Y:417:HOH:O	2.14	0.48
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.97	0.47
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.96	0.47
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.79	0.47
10:X:21:VAL:HG11	11:Y:122:LEU:HD11	1.97	0.47
2:B:47:ALA:HB1	2:B:64:LYS:HD2	1.97	0.47
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.78	0.47
4:D:176:LEU:HD22	5:E:55:LEU:CD2	2.45	0.46
6:T:148:GLU:HG2	18:T:301:HOH:O	2.15	0.46
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.95	0.46
2:P:47:ALA:HB1	2:P:64:LYS:HD2	1.98	0.46
14:N:36:ARG:HG3	14:N:42:TRP:CE2	2.50	0.46
3:C:35:LYS:HG2	3:C:158:SER:O	2.16	0.45
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.99	0.45
10:J:21:VAL:HG11	11:K:122:LEU:HD11	1.99	0.45
11:Y:97:MET:HB2	11:Y:117:SER:HB3	1.99	0.45
17:H:301:SRG:C6	9:I:125:LEU:CD2	2.88	0.45
2:B:50:LYS:HD3	2:B:50:LYS:HA	1.85	0.45
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.52	0.45
7:U:73:VAL:HG12	7:U:133:THR:HB	1.98	0.45
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.17	0.44
4:D:88:ALA:HA	4:D:99:ILE:HG21	2.00	0.44
7:G:73:VAL:HG12	7:G:133:THR:HB	1.98	0.44
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.47	0.44
11:K:20:ALA:HB2	11:K:31:VAL:HG21	2.00	0.44
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.53	0.43
6:F:198:LEU:HD12	6:F:243:ILE:HG22	1.99	0.43
10:J:3:ILE:HG23	10:J:18:SER:HB3	2.00	0.43
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.48	0.43
7:G:78:ILE:N	7:G:79:PRO:CD	2.81	0.43
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:209:ASN:O	9:W:38:LYS:NZ	2.52	0.43
8:V:104:ASP:HB2	8:V:105:PRO:HD2	2.00	0.43
8:V:35:HIS:CB	8:V:56:THR:HG21	2.49	0.43
4:R:88:ALA:HA	4:R:99:ILE:HG21	2.01	0.43
6:T:198:LEU:HD12	6:T:243:ILE:HG22	1.99	0.43
4:D:91:HIS:HB3	4:D:99:ILE:HG22	2.01	0.43
4:R:91:HIS:HB3	4:R:99:ILE:HG22	2.01	0.43
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.01	0.43
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.00	0.43
9:I:101:PRO:HB3	9:I:126:ILE:HD12	2.01	0.43
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.43
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.84	0.43
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.01	0.43
2:P:176:GLN:HG3	3:Q:52:LEU:HD13	2.01	0.43
14:N:35:THR:CG2	14:N:45:ARG:HE	2.32	0.42
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.49	0.42
10:X:1:MET:HB3	10:X:34:LYS:HE3	2.01	0.42
8:H:104:ASP:HB2	8:H:105:PRO:HD2	2.01	0.42
11:K:145:LYS:HB2	11:K:148:LEU:HD13	2.01	0.42
9:W:101:PRO:HB3	9:W:126:ILE:HD12	2.01	0.42
11:Y:145:LYS:HB2	11:Y:148:LEU:HD13	2.01	0.42
11:K:53:GLN:O	11:K:57:THR:OG1	2.36	0.42
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.49	0.42
8:H:35:HIS:HB2	8:H:56:THR:HG21	2.02	0.42
11:K:107:LYS:HG3	11:K:108:GLU:HG3	2.02	0.42
10:J:1:MET:HB3	10:J:34:LYS:HE3	2.01	0.42
11:K:38:ASN:HB2	11:K:39:PRO:CD	2.50	0.42
11:Y:38:ASN:HB2	11:Y:39:PRO:CD	2.50	0.42
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.01	0.42
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.01	0.42
11:Y:107:LYS:HG3	11:Y:108:GLU:HG3	2.01	0.42
12:L:8:ASN:HA	12:L:30:ILE:O	2.20	0.41
2:P:3:ARG:HB3	5:S:122:TYR:OH	2.20	0.41
8:V:104:ASP:HB2	8:V:105:PRO:CD	2.50	0.41
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.51	0.41
10:J:1:MET:CB	10:J:34:LYS:HE3	2.51	0.41
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.19	0.41
2:P:50:LYS:O	2:P:51:VAL:C	2.58	0.41
10:X:1:MET:CB	10:X:34:LYS:HE3	2.51	0.41
2:B:50:LYS:O	2:B:51:VAL:C	2.59	0.41
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:91:HIS:CD2	4:R:99:ILE:HG22	2.56	0.41
5:S:9:THR:HG21	5:S:119:THR:HA	2.02	0.41
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.03	0.41
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.03	0.40
8:H:104:ASP:HB2	8:H:105:PRO:CD	2.50	0.40
2:P:220:ASN:O	2:P:221:ASP:HB2	2.21	0.40
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.51	0.40
2:B:145:TYR:OH	2:B:217:LYS:N	2.54	0.40
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.03	0.40
9:I:98:ARG:O	9:I:126:ILE:HD11	2.20	0.40
1:O:14:PRO:HA	2:P:23:TYR:CD1	2.57	0.40
4:D:91:HIS:CD2	4:D:99:ILE:HG22	2.57	0.40
5:E:9:THR:HG21	5:E:119:THR:HA	2.02	0.40
9:W:98:ARG:O	9:W:126:ILE:HD11	2.21	0.40
9:W:20:VAL:HG23	9:W:189:ILE:HB	2.04	0.40
2:B:219:ALA:HB2	2:B:225:TYR:HB2	2.02	0.40
11:K:211:ILE:HG21	8:V:214:LYS:HE3	2.03	0.40
10:J:168:LEU:O	10:J:172:MET:HB2	2.21	0.40
6:T:146:MET:HE2	18:T:301:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	39 69
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	39 69
2	B	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	11 29
2	P	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	11 29
3	C	238/254 (94%)	232 (98%)	3 (1%)	3 (1%)	15 37

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	Q	238/254 (94%)	232 (98%)	3 (1%)	3 (1%)	15	37
4	D	231/260 (89%)	229 (99%)	2 (1%)	0	100	100
4	R	231/260 (89%)	229 (99%)	2 (1%)	0	100	100
5	E	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
5	S	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
6	F	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
6	T	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	239 (100%)	0	0	100	100
8	H	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	196 (97%)	6 (3%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
10	X	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
12	Z	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
13	M	231/246 (94%)	223 (96%)	7 (3%)	1 (0%)	39	69
13	a	231/246 (94%)	223 (96%)	7 (3%)	1 (0%)	39	69
14	N	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
14	b	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
All	All	6284/6614 (95%)	6143 (98%)	123 (2%)	18 (0%)	46	75

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
2	B	221	ASP
3	C	202	GLN
2	P	51	VAL
2	P	221	ASP
3	Q	202	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2	THR
2	B	218	GLY
2	B	220	ASN
1	O	2	THR
2	P	218	GLY
2	P	220	ASN
3	C	205	ALA
3	Q	205	ALA
3	C	183	PRO
3	Q	183	PRO
13	M	229	GLY
13	a	229	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	65	88
1	O	209/209 (100%)	205 (98%)	4 (2%)	65	88
2	B	203/216 (94%)	196 (97%)	7 (3%)	44	75
2	P	203/216 (94%)	196 (97%)	7 (3%)	44	75
3	C	212/226 (94%)	200 (94%)	12 (6%)	25	53
3	Q	212/226 (94%)	200 (94%)	12 (6%)	25	53
4	D	194/215 (90%)	183 (94%)	11 (6%)	25	53
4	R	194/215 (90%)	183 (94%)	11 (6%)	25	53
5	E	190/193 (98%)	179 (94%)	11 (6%)	25	52
5	S	190/193 (98%)	179 (94%)	11 (6%)	25	52
6	F	201/239 (84%)	191 (95%)	10 (5%)	30	60
6	T	201/239 (84%)	191 (95%)	10 (5%)	30	60
7	G	206/210 (98%)	197 (96%)	9 (4%)	35	65
7	U	206/210 (98%)	197 (96%)	9 (4%)	35	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	H	185/190 (97%)	180 (97%)	5 (3%)	52	82
8	V	185/190 (97%)	181 (98%)	4 (2%)	60	86
9	I	172/173 (99%)	170 (99%)	2 (1%)	78	93
9	W	172/173 (99%)	169 (98%)	3 (2%)	68	90
10	J	173/175 (99%)	168 (97%)	5 (3%)	50	80
10	X	173/175 (99%)	168 (97%)	5 (3%)	50	80
11	K	168/168 (100%)	160 (95%)	8 (5%)	31	62
11	Y	168/168 (100%)	160 (95%)	8 (5%)	31	62
12	L	185/185 (100%)	179 (97%)	6 (3%)	46	77
12	Z	185/185 (100%)	179 (97%)	6 (3%)	46	77
13	M	199/208 (96%)	193 (97%)	6 (3%)	48	79
13	a	199/208 (96%)	193 (97%)	6 (3%)	48	79
14	N	162/162 (100%)	158 (98%)	4 (2%)	55	84
14	b	162/162 (100%)	158 (98%)	4 (2%)	55	84
All	All	5318/5538 (96%)	5118 (96%)	200 (4%)	40	71

All (200) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	SER
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	50	LYS
2	B	55	LEU
2	B	79	LEU
2	B	113	ARG
2	B	186	ASP
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	50	LEU
3	C	51	LYS
3	C	60	SER
3	C	77	ASN
3	C	147	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	40	LEU
4	D	51	LEU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	116	GLN
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	207	VAL
5	E	208	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	202	ASP
6	F	207	ASP
6	F	214	TRP
6	F	240	GLN
7	G	26	THR
7	G	75	ASN
7	G	83	ASN
7	G	115	LEU
7	G	122	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	22	GLN
8	H	30	ASN
8	H	56	THR
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	3	ILE
10	J	35	THR
10	J	78	GLN
10	J	90	LYS
10	J	99	GLN
11	K	4	LEU
11	K	9	GLN
11	K	57	THR
11	K	104	TYR
11	K	107	LYS
11	K	116	ASP
11	K	140	LEU
11	K	148	LEU
12	L	3	ASN
12	L	23	LEU
12	L	31	THR
12	L	49	ASN
12	L	136	CYS
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	62	SER
1	O	122	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	O	157	PHE
1	O	250	LEU
2	P	50	LYS
2	P	55	LEU
2	P	79	LEU
2	P	113	ARG
2	P	186	ASP
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	50	LEU
3	Q	51	LYS
3	Q	60	SER
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	40	LEU
4	R	51	LEU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	116	GLN
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	207	VAL
5	S	208	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	202	ASP
6	T	207	ASP
6	T	214	TRP
6	T	240	GLN
7	U	26	THR
7	U	75	ASN
7	U	83	ASN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	56	THR
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	125	LEU
9	W	171	LEU
10	X	3	ILE
10	X	35	THR
10	X	78	GLN
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	9	GLN
11	Y	57	THR
11	Y	104	TYR
11	Y	107	LYS
11	Y	116	ASP
11	Y	140	LEU
11	Y	148	LEU
12	Z	3	ASN
12	Z	23	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	31	THR
12	Z	49	ASN
12	Z	136	CYS
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	83	LYS
14	b	104	ASP
14	b	107	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (111) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN
7	G	30	ASN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
7	G	175	ASN
8	H	66	HIS
8	H	165	ASN
9	I	37	ASN
9	I	203	GLN
10	J	55	GLN
10	J	63	ASN
10	J	146	HIS
11	K	85	ASN
11	K	176	ASN
11	K	190	ASN
11	K	208	ASN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	17	GLN
3	Q	38	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	30	ASN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
7	U	175	ASN
8	V	35	HIS
9	W	37	ASN
10	X	55	GLN
10	X	146	HIS
11	Y	85	ASN
11	Y	176	ASN
11	Y	190	ASN
11	Y	208	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	158	ASN
13	a	18	ASN
13	a	48	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	a	102	GLN
13	a	194	ASN
13	a	213	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 13 ligands modelled in this entry, 11 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	SRG	H	301	8	30,35,35	2.34	7 (23%)	35,47,47	2.39	10 (28%)
17	SRG	V	301	8	30,35,35	2.19	5 (16%)	35,47,47	1.94	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	SRG	H	301	8	-	2/49/53/53	0/0/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	SRG	V	301	8	-	3/49/53/53	0/0/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	H	301	SRG	C27-C28	-5.21	1.38	1.48
17	H	301	SRG	C23-C22	-3.87	1.50	1.54
17	V	301	SRG	C27-C28	-2.94	1.42	1.48
17	H	301	SRG	C32-C33	-2.74	1.34	1.50
17	H	301	SRG	C31-C32	-2.33	1.50	1.53
17	H	301	SRG	C11-C15	-2.31	1.47	1.52
17	V	301	SRG	C22-C26	2.52	1.54	1.50
17	V	301	SRG	C19-N21	2.96	1.40	1.34
17	H	301	SRG	C28-N30	3.12	1.38	1.34
17	V	301	SRG	C28-N30	6.28	1.43	1.34
17	V	301	SRG	C27-C26	8.07	1.53	1.32
17	H	301	SRG	C27-C26	8.63	1.54	1.32

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	H	301	SRG	C22-C26-C27	-6.85	109.52	126.20
17	V	301	SRG	C22-C26-C27	-6.44	110.52	126.20
17	H	301	SRG	O29-C28-N30	-5.81	115.24	122.57
17	V	301	SRG	O29-C28-N30	-5.27	115.92	122.57
17	H	301	SRG	C32-C33-C34	-3.56	114.25	125.19
17	H	301	SRG	C25-C23-C22	-3.24	107.12	111.43
17	H	301	SRG	C5-C4-C3	-3.19	108.38	111.30
17	H	301	SRG	C1-C3-N7	-3.16	107.34	113.40
17	V	301	SRG	C1-C3-N7	-2.80	108.03	113.40
17	H	301	SRG	C12-C11-N36	-2.41	105.12	111.45
17	V	301	SRG	C5-C4-C3	-2.00	109.47	111.30
17	V	301	SRG	C6-C4-C3	2.11	113.23	111.30
17	H	301	SRG	N36-C8-N7	2.12	117.72	115.15
17	H	301	SRG	C31-N30-C28	2.31	125.64	122.39
17	V	301	SRG	C27-C28-N30	5.19	123.45	115.02
17	H	301	SRG	C27-C28-N30	6.18	125.06	115.02

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	V	301	SRG	C22-C26-C27-C28
17	H	301	SRG	O29-C28-N30-C31
17	H	301	SRG	C27-C28-N30-C31
17	V	301	SRG	O29-C28-N30-C31
17	V	301	SRG	C27-C28-N30-C31

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	H	301	SRG	6	0
17	V	301	SRG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.35	9 (3%) 46 46	43, 55, 89, 131	0
1	O	250/250 (100%)	-0.25	9 (3%) 46 46	47, 63, 107, 139	0
2	B	244/258 (94%)	-0.24	10 (4%) 41 41	44, 62, 101, 152	0
2	P	244/258 (94%)	-0.20	12 (4%) 33 32	48, 65, 107, 147	0
3	C	240/254 (94%)	-0.17	15 (6%) 23 22	42, 65, 122, 145	0
3	Q	240/254 (94%)	0.03	20 (8%) 14 11	46, 73, 152, 177	0
4	D	235/260 (90%)	-0.30	7 (2%) 54 54	47, 66, 97, 135	0
4	R	235/260 (90%)	-0.24	8 (3%) 49 49	47, 67, 104, 134	0
5	E	231/234 (98%)	-0.26	2 (0%) 85 86	49, 67, 99, 142	0
5	S	231/234 (98%)	-0.16	5 (2%) 65 66	49, 71, 104, 149	0
6	F	243/288 (84%)	-0.29	11 (4%) 37 36	43, 60, 110, 140	0
6	T	243/288 (84%)	-0.27	7 (2%) 55 55	43, 66, 115, 144	0
7	G	241/252 (95%)	-0.42	5 (2%) 67 68	38, 56, 88, 138	0
7	U	241/252 (95%)	-0.26	7 (2%) 55 55	44, 60, 94, 143	0
8	H	226/232 (97%)	-0.34	6 (2%) 58 58	33, 51, 83, 147	0
8	V	226/232 (97%)	-0.33	6 (2%) 58 58	41, 55, 83, 152	0
9	I	204/205 (99%)	-0.60	2 (0%) 84 85	39, 51, 80, 106	0
9	W	204/205 (99%)	-0.53	1 (0%) 91 93	42, 54, 84, 109	0
10	J	195/198 (98%)	-0.45	2 (1%) 84 85	40, 55, 79, 130	0
10	X	195/198 (98%)	-0.41	2 (1%) 84 85	42, 57, 82, 141	0
11	K	212/212 (100%)	-0.29	1 (0%) 91 93	42, 59, 83, 101	0
11	Y	212/212 (100%)	-0.37	1 (0%) 91 93	45, 57, 83, 101	0
12	L	222/222 (100%)	-0.47	5 (2%) 64 64	40, 54, 89, 125	0
12	Z	222/222 (100%)	-0.44	5 (2%) 64 64	38, 52, 88, 124	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.57	1 (0%) 93 94	37, 52, 72, 92	0
13	a	233/246 (94%)	-0.58	1 (0%) 93 94	37, 50, 70, 88	0
14	N	196/196 (100%)	-0.60	2 (1%) 84 85	37, 47, 73, 101	0
14	b	196/196 (100%)	-0.56	3 (1%) 76 76	37, 49, 75, 110	0
All	All	6344/6614 (95%)	-0.35	165 (2%) 59 59	33, 58, 99, 177	0

All (165) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
9	W	1	SER	7.8
1	A	2	THR	7.4
10	X	1	MET	6.5
3	Q	50	LEU	6.1
12	L	174	TYR	6.0
8	V	224	GLN	5.9
12	Z	174	TYR	5.9
3	Q	49	THR	5.7
2	B	221	ASP	5.7
4	R	117	GLU	5.3
7	U	242	GLN	5.2
1	O	1	MET	5.1
3	C	206	LYS	5.1
2	P	51	VAL	5.0
3	C	205	ALA	5.0
2	P	221	ASP	4.8
1	O	2	THR	4.7
1	A	1	MET	4.7
2	B	51	VAL	4.7
3	Q	206	LYS	4.6
3	Q	236	GLN	4.6
1	O	4	ARG	4.5
2	P	1	GLY	4.5
4	R	116	GLY	4.5
3	C	50	LEU	4.5
5	S	202	ASP	4.4
8	V	222	ASP	4.3
9	I	1	SER	4.3
2	P	59	ASP	4.3
4	R	113	LEU	4.2
10	J	1	MET	4.2
1	A	249	ALA	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	R	241	ALA	4.0
2	P	220	ASN	3.9
6	T	178	HIS	3.9
5	E	202	ASP	3.9
8	H	222	ASP	3.8
6	F	181	GLU	3.7
6	T	243	ILE	3.7
14	b	105	LYS	3.6
14	b	195	GLN	3.6
6	F	244	ASN	3.6
3	C	238	LYS	3.6
2	P	61	SER	3.6
14	N	195	GLN	3.5
2	B	219	ALA	3.5
12	Z	165	ASN	3.5
3	Q	204	GLY	3.5
3	Q	240	GLU	3.4
2	P	52	THR	3.4
3	C	239	GLN	3.4
4	R	217	GLN	3.4
3	C	49	THR	3.3
7	G	241	GLU	3.3
4	D	113	LEU	3.3
1	O	52	SER	3.2
3	Q	205	ALA	3.2
2	B	218	GLY	3.2
8	V	226	GLU	3.2
2	B	220	ASN	3.2
12	Z	163	GLY	3.1
3	Q	203	THR	3.1
2	P	182	ASP	3.1
10	X	194	ASP	3.1
3	Q	239	GLN	3.1
8	H	226	GLU	3.1
1	O	249	ALA	3.0
8	V	223	ILE	3.0
7	G	3	TYR	3.0
2	P	219	ALA	3.0
1	O	250	LEU	3.0
2	B	61	SER	3.0
3	C	240	GLU	3.0
6	T	244	ASN	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	59	ASP	3.0
3	Q	237	GLU	2.9
6	F	243	ILE	2.9
8	V	221	CYS	2.9
2	P	60	THR	2.9
7	U	51	PRO	2.9
4	D	117	GLU	2.9
3	Q	55	THR	2.9
2	B	217	LYS	2.9
3	Q	225	GLU	2.8
4	D	242	GLU	2.8
6	T	180	PRO	2.8
7	G	240	ALA	2.8
1	A	3	ASP	2.8
1	O	201	GLU	2.8
7	U	206	GLY	2.7
6	T	215	CYS	2.7
6	F	204	LYS	2.7
6	T	230	ASP	2.7
4	R	125	LEU	2.7
3	Q	202	GLN	2.7
3	C	236	GLN	2.7
8	H	224	GLN	2.7
3	C	180	LYS	2.7
5	S	227	GLU	2.7
10	J	194	ASP	2.7
6	F	215	CYS	2.7
12	L	173	LYS	2.6
8	H	223	ILE	2.6
4	R	242	GLU	2.6
12	Z	173	LYS	2.6
1	A	201	GLU	2.6
3	Q	238	LYS	2.5
6	F	180	PRO	2.5
4	D	241	ALA	2.5
14	N	105	LYS	2.5
13	M	47	ASP	2.5
12	L	163	GLY	2.5
5	S	173	ARG	2.5
11	K	212	GLY	2.5
8	H	221	CYS	2.5
6	F	229	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	4	ARG	2.5
12	L	168	VAL	2.4
3	C	60	SER	2.4
3	Q	180	LYS	2.4
7	G	68	ARG	2.4
6	F	178	HIS	2.4
8	H	217	ILE	2.4
2	B	60	THR	2.4
7	U	3	TYR	2.4
1	A	228	PRO	2.4
1	O	3	ASP	2.4
7	U	2	GLY	2.3
5	E	173	ARG	2.3
12	L	171	PRO	2.3
3	Q	181	GLU	2.3
5	S	233	ILE	2.3
11	Y	212	GLY	2.3
4	D	240	ALA	2.3
5	S	180	LYS	2.3
2	B	50	LYS	2.3
8	V	145	ASP	2.3
1	A	229	THR	2.3
9	I	192	ASP	2.2
3	C	175	LYS	2.2
12	Z	168	VAL	2.2
7	U	188	GLU	2.2
3	C	181	GLU	2.2
4	D	217	GLN	2.2
6	F	176	VAL	2.2
7	G	242	GLN	2.2
7	U	179	LYS	2.1
4	R	203	LYS	2.1
3	C	202	GLN	2.1
13	a	1	THR	2.1
1	O	203	GLU	2.1
14	b	104	ASP	2.1
6	F	205	GLU	2.1
3	Q	229	GLN	2.1
3	Q	48	SER	2.1
3	Q	233	GLN	2.1
2	P	222	GLY	2.1
2	P	230	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	216	ASP	2.1
4	D	1	ASP	2.0
6	T	206	LYS	2.0
3	C	27	ARG	2.0
3	Q	234	ILE	2.0
1	A	231	LYS	2.0
6	F	228	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
15	MG	W	301	1/1	0.95	0.62	15.95	76,76,76,76	0
15	MG	I	301	1/1	0.91	0.45	10.61	70,70,70,70	0
15	MG	Z	301	1/1	0.91	0.30	5.67	69,69,69,69	0
17	SRG	V	301	35/35	0.90	0.21	2.26	47,52,62,70	0
17	SRG	H	301	35/35	0.93	0.17	0.79	47,51,66,71	0
15	MG	G	301	1/1	0.95	0.12	-0.28	56,56,56,56	0
15	MG	L	301	1/1	0.97	0.12	-0.60	59,59,59,59	0
15	MG	K	301	1/1	0.97	0.07	-1.97	53,53,53,53	0
15	MG	N	201	1/1	0.97	0.06	-2.36	47,47,47,47	0
15	MG	I	302	1/1	0.99	0.04	-2.88	55,55,55,55	0
16	CL	G	302	1/1	0.99	0.20	-	30,30,30,30	0
16	CL	U	301	1/1	0.99	0.28	-	30,30,30,30	0
15	MG	H	302	1/1	0.91	0.16	-	64,64,64,64	0

6.5 Other polymers [i](#)

There are no such residues in this entry.