



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:02 AM GMT

PDB ID : 3D52
Title : GOLGI MANNOSIDASE II complex with an N-aryl carbamate derivative of
gluco-hydroxyiminolactam
Authors : Kuntz, D.A.; Tarling, C.A.; Withers, S.G.; Rose, D.R.
Deposited on : 2008-05-15
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2475 (1.60-1.60)
Clashscore	102246	2732 (1.60-1.60)
Ramachandran outliers	100387	2654 (1.60-1.60)
Sidechain outliers	100360	2653 (1.60-1.60)
RSRZ outliers	91569	2479 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1045	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MRD	A	1047	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GHR	A	1048[A]	-	-	-	X
4	GHR	A	1048[B]	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9128 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-mannosidase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1016	8209	5218	1440	1511	40	0	2	0


There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ARG	-	EXPRESSION TAG	UNP Q24451
A	2	SER	-	EXPRESSION TAG	UNP Q24451
A	3	SER	-	EXPRESSION TAG	UNP Q24451
A	4	HIS	-	EXPRESSION TAG	UNP Q24451
A	5	HIS	-	EXPRESSION TAG	UNP Q24451
A	6	HIS	-	EXPRESSION TAG	UNP Q24451
A	7	HIS	-	EXPRESSION TAG	UNP Q24451
A	8	HIS	-	EXPRESSION TAG	UNP Q24451
A	9	HIS	-	EXPRESSION TAG	UNP Q24451
A	10	GLY	-	EXPRESSION TAG	UNP Q24451
A	11	GLU	-	EXPRESSION TAG	UNP Q24451
A	12	PHE	-	EXPRESSION TAG	UNP Q24451
A	907	LYS	GLU	SEE REMARK 999	UNP Q24451

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is (4R)-2-METHYLPENTANE-2,4-DIOL (three-letter code: MRD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O		0	0
			8	6	2			

- Molecule 4 is [(3S,4S,5R,6R)-3,4,5-TRIHYDROXY-6-(HYDROXYMETHYL)PIPERIDIN-2-YLIDENE]AMINO] N-(4-CHLOROPHENYL)CARBAMATE (three-letter code: GHR) (formula: $C_{13}H_{16}ClN_3O_6$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	0	1
			35	20	2	5	8		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	874	Total 875	O 875	0	1

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alpha-mannosidase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.58Å 107.91Å 137.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.72 – 1.60 19.72 – 1.60	Depositor EDS
% Data completeness (in resolution range)	97.5 (19.72-1.60) 97.5 (19.72-1.60)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.51 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.228 , 0.240 0.208 , 0.208	Depositor DCC
R_{free} test set	1930 reflections (1.49%)	DCC
Wilson B-factor (Å ²)	17.1	Xtriage
Anisotropy	0.021	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.52 , 80.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 131030 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9128	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MRD, ZN, GHR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	0/8437	0.89	5/11456 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	486	TYR	CB-CG-CD2	-5.60	117.64	121.00
1	A	818[A]	ARG	NE-CZ-NH1	5.25	122.92	120.30
1	A	818[B]	ARG	NE-CZ-NH1	5.25	122.92	120.30
1	A	981	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	A	874	ASP	CB-CG-OD2	-5.01	113.79	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8209	0	8001	66	0
2	A	1	0	0	0	0
3	A	8	0	14	3	0
4	A	35	0	10	10	0
5	A	875	0	0	25	0
All	All	9128	0	8025	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:583:LEU:O	1:A:583:LEU:HD23	1.77	0.84
1:A:693:LEU:HD13	5:A:1741:HOH:O	1.78	0.82
1:A:264[B]:MET:CE	1:A:337:PRO:HG2	2.11	0.81
1:A:264[B]:MET:HE1	1:A:337:PRO:HG2	1.64	0.80
1:A:225:LEU:CD2	5:A:1705:HOH:O	2.30	0.79
1:A:96:ILE:HD11	5:A:1760:HOH:O	1.83	0.79
1:A:61:VAL:HG23	5:A:1716:HOH:O	1.84	0.78
3:A:1047:MRD:H1C3	5:A:1164:HOH:O	1.83	0.77
1:A:195:VAL:HG23	5:A:1422:HOH:O	1.85	0.75
1:A:740:LEU:HD22	1:A:760:LEU:HD22	1.70	0.74
1:A:195:VAL:CG2	5:A:1422:HOH:O	2.36	0.73
1:A:547:GLU:HG2	5:A:1539:HOH:O	1.88	0.72
1:A:96:ILE:CD1	5:A:1760:HOH:O	2.36	0.70
1:A:904:ARG:HG2	1:A:985:MET:SD	2.32	0.69
1:A:225:LEU:HD23	5:A:1705:HOH:O	1.92	0.66
1:A:202:ALA:N	5:A:1705:HOH:O	2.30	0.63
1:A:278:ASP:HB2	5:A:1716:HOH:O	1.97	0.63
1:A:975:VAL:HG21	1:A:1003:LEU:CD1	2.29	0.63
1:A:225:LEU:HD22	5:A:1705:HOH:O	1.94	0.62
4:A:1048[B]:GHR:H10	4:A:1048[B]:GHR:O8	2.00	0.61
1:A:546:GLY:HA2	1:A:636:ILE:HD13	1.83	0.60
1:A:174:HIS:CE1	1:A:176:ARG:HD3	2.36	0.59
1:A:96:ILE:HG12	1:A:102:TYR:OH	2.03	0.58
1:A:116:ARG:CZ	5:A:1895:HOH:O	2.51	0.58
1:A:264[B]:MET:HE3	1:A:337:PRO:HG2	1.86	0.58
3:A:1047:MRD:H5C3	3:A:1047:MRD:HMC1	1.87	0.56
1:A:971:LYS:NZ	1:A:971:LYS:HB2	2.19	0.56
1:A:714:LYS:HE3	1:A:738:VAL:HG22	1.87	0.55
3:A:1047:MRD:H1C1	5:A:1160:HOH:O	2.06	0.55
1:A:568:LEU:HD12	1:A:770:ARG:HD3	1.90	0.53
1:A:666:GLU:HG3	5:A:1876:HOH:O	2.09	0.52
1:A:488:GLN:HB3	5:A:1788:HOH:O	2.10	0.52
1:A:61:VAL:CG2	5:A:1716:HOH:O	2.48	0.52
1:A:278:ASP:N	5:A:1716:HOH:O	2.43	0.51
1:A:511:LYS:HD3	1:A:514:ILE:CD1	2.42	0.50
1:A:82:LYS:HE3	1:A:333:VAL:HG22	1.93	0.50
1:A:485:ASP:HA	1:A:488:GLN:OE1	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1031:VAL:HG11	1:A:1037:ALA:HB3	1.94	0.50
1:A:62:TRP:CD2	1:A:65:GLY:HA3	2.47	0.50
4:A:1048[B]:GHR:O8	4:A:1048[B]:GHR:C10	2.54	0.49
1:A:691:GLN:O	1:A:758:VAL:HG21	2.12	0.49
1:A:277:PRO:C	5:A:1716:HOH:O	2.50	0.49
1:A:455:GLU:HG2	1:A:967:LYS:HZ2	1.77	0.48
1:A:48:LEU:HD11	1:A:236:GLU:HG2	1.95	0.48
1:A:341:ASP:OD2	4:A:1048[A]:GHR:N1	2.45	0.48
1:A:695:LYS:HB2	1:A:695:LYS:HE3	1.52	0.48
1:A:650:LEU:HD21	1:A:652:LEU:HD21	1.96	0.48
1:A:975:VAL:HG21	1:A:1003:LEU:HD12	1.95	0.48
1:A:278:ASP:CA	5:A:1716:HOH:O	2.63	0.47
1:A:250:ILE:HB	1:A:910:PRO:HG2	1.97	0.47
1:A:583:LEU:CD2	1:A:583:LEU:O	2.56	0.47
1:A:341:ASP:OD2	4:A:1048[B]:GHR:N1	2.47	0.46
1:A:895:VAL:HG12	1:A:897:GLU:HG3	1.97	0.46
1:A:37:ASP:N	5:A:1126:HOH:O	2.36	0.46
1:A:691:GLN:NE2	5:A:1739:HOH:O	2.38	0.46
1:A:595:VAL:HG22	1:A:617:ARG:HG3	1.98	0.45
1:A:241:ARG:NH1	5:A:1138:HOH:O	2.32	0.44
1:A:666:GLU:CG	5:A:1876:HOH:O	2.63	0.44
1:A:138:TYR:CE1	1:A:193:MET:CE	3.00	0.44
1:A:264[B]:MET:HE3	1:A:337:PRO:CG	2.47	0.44
4:A:1048[A]:GHR:O7	4:A:1048[A]:GHR:C10	2.65	0.43
1:A:686:LEU:HD22	1:A:697:ILE:HG12	2.00	0.43
1:A:43:VAL:O	1:A:400:LEU:HA	2.18	0.43
1:A:939:TRP:CD2	1:A:942:ALA:HB2	2.54	0.43
1:A:93:PRO:HD2	1:A:470:HIS:CE1	2.54	0.42
1:A:698:GLN:HB2	1:A:705:HIS:ND1	2.35	0.42
1:A:580:VAL:HG22	1:A:634:LEU:HD22	2.02	0.42
1:A:455:GLU:HB3	1:A:967:LYS:HZ1	1.84	0.42
1:A:608:HIS:HB2	1:A:609:PRO:HD2	2.02	0.41
1:A:264[B]:MET:CE	1:A:337:PRO:CG	2.93	0.41
1:A:654:LYS:HG3	1:A:742:GLN:NE2	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1016/1045 (97%)	992 (98%)	22 (2%)	2 (0%)	52	28

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	95	TRP
1	A	204	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	904/929 (97%)	898 (99%)	6 (1%)	88	78

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	275	CYS
1	A	317	LEU
1	A	691	GLN
1	A	695	LYS
1	A	828	TYR
1	A	868	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	144	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MRD	A	1047	-	6,7,7	0.38	0	7,10,10	0.54	0
4	GHR	A	1048[A]	-	22,24,24	1.24	2 (9%)	21,33,33	1.26	3 (14%)
4	GHR	A	1048[B]	-	22,24,24	1.41	2 (9%)	21,33,33	1.17	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MRD	A	1047	-	-	0/5/5/5	0/0/0/0
4	GHR	A	1048[A]	-	-	0/8/31/31	0/2/2/2
4	GHR	A	1048[B]	-	-	0/8/31/31	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1048[B]	GHR	C9-N9	-4.70	1.32	1.41
4	A	1048[A]	GHR	C9-N9	-4.25	1.33	1.41
4	A	1048[B]	GHR	O7-N1	-3.42	1.36	1.44
4	A	1048[A]	GHR	O7-N1	-2.75	1.37	1.44

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1048[A]	GHR	C4-C3-C2	-2.81	107.30	110.73
4	A	1048[B]	GHR	C4-C3-C2	-2.81	107.30	110.73
4	A	1048[A]	GHR	O8-C8-N9	-2.77	119.57	126.14
4	A	1048[B]	GHR	C9-N9-C8	-2.13	122.93	126.39
4	A	1048[B]	GHR	O8-C8-N9	-2.12	121.13	126.14
4	A	1048[A]	GHR	C10-C11-C12	2.01	121.47	119.23

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1047	MRD	3	0
4	A	1048[A]	GHR	4	0
4	A	1048[B]	GHR	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1016/1045 (97%)	1.06	147 (14%) 3 3	7, 14, 29, 48	0

All (147) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	603	LEU	16.2
1	A	602	THR	13.8
1	A	993	HIS	9.6
1	A	703	SER	7.4
1	A	989	THR	7.3
1	A	721	GLY	7.3
1	A	990	PRO	7.1
1	A	908	LEU	6.7
1	A	991	GLU	6.6
1	A	655	ASN	6.4
1	A	702	ASP	6.3
1	A	600	HIS	6.3
1	A	78	HIS	6.2
1	A	994	THR	6.0
1	A	682	ASN	6.0
1	A	538	ASP	5.9
1	A	992	GLU	5.5
1	A	638	ASP	5.4
1	A	720	HIS	5.3
1	A	701	GLN	5.2
1	A	30	GLN	5.1
1	A	583	LEU	5.1
1	A	537	GLU	4.8
1	A	601	ASP	4.7
1	A	1026	MET	4.6
1	A	700	THR	4.5
1	A	31	CYS	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	77	ALA	4.4
1	A	139	HIS	4.4
1	A	534	SER	4.2
1	A	539	SER	4.2
1	A	1024	ASP	4.1
1	A	741	GLY	4.1
1	A	697	ILE	4.0
1	A	73	LEU	4.0
1	A	536	VAL	4.0
1	A	639	SER	4.0
1	A	256	ASP	3.9
1	A	1022	HIS	3.9
1	A	988	GLY	3.9
1	A	1003	LEU	3.8
1	A	144	ASN	3.8
1	A	605	LYS	3.7
1	A	738	VAL	3.6
1	A	451	MET	3.5
1	A	739	GLU	3.5
1	A	604	THR	3.4
1	A	521	PHE	3.4
1	A	820	ASP	3.4
1	A	683	GLY	3.4
1	A	688	PHE	3.3
1	A	592	VAL	3.2
1	A	535	GLY	3.2
1	A	520	SER	3.1
1	A	1009	CYS	3.1
1	A	76	ASN	3.0
1	A	764	VAL	3.0
1	A	1023	LEU	3.0
1	A	368	ALA	3.0
1	A	585	ASN	3.0
1	A	681	GLY	2.9
1	A	57	ILE	2.9
1	A	642	GLU	2.9
1	A	1045	SER	2.8
1	A	367	GLN	2.8
1	A	709	HIS	2.8
1	A	69	LYS	2.8
1	A	705	HIS	2.8
1	A	784	SER	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	618	ILE	2.8
1	A	606	THR	2.7
1	A	949	ASP	2.7
1	A	453	ARG	2.7
1	A	584	ALA	2.7
1	A	38	VAL	2.7
1	A	326	ALA	2.7
1	A	396	GLU	2.7
1	A	304	ARG	2.7
1	A	393	GLY	2.7
1	A	975	VAL	2.6
1	A	938	GLU	2.6
1	A	191	GLN	2.6
1	A	686	LEU	2.6
1	A	71	ASP	2.6
1	A	491	GLN	2.6
1	A	81	LEU	2.6
1	A	728	LEU	2.6
1	A	518	ASP	2.5
1	A	547	GLU	2.5
1	A	512	PRO	2.5
1	A	719	SER	2.5
1	A	578	VAL	2.5
1	A	1025	GLY	2.5
1	A	599	HIS	2.5
1	A	347	ASN	2.5
1	A	391	ARG	2.5
1	A	72	PRO	2.5
1	A	634	LEU	2.5
1	A	515	TYR	2.4
1	A	943	GLN	2.5
1	A	556	VAL	2.4
1	A	907	LYS	2.4
1	A	317	LEU	2.4
1	A	58	ASP	2.4
1	A	1040	VAL	2.4
1	A	659	LEU	2.4
1	A	676	ILE	2.4
1	A	737	PRO	2.4
1	A	79	HIS	2.3
1	A	308	ASP	2.3
1	A	914	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	306	ILE	2.3
1	A	608	HIS	2.3
1	A	660	PRO	2.3
1	A	107	THR	2.3
1	A	906	SER	2.3
1	A	1020	LEU	2.3
1	A	140	ASP	2.3
1	A	516	SER	2.2
1	A	653	ARG	2.2
1	A	1008	ARG	2.2
1	A	313	ALA	2.2
1	A	651	LEU	2.2
1	A	666	GLU	2.2
1	A	388	GLN	2.2
1	A	397	PHE	2.1
1	A	571	PHE	2.1
1	A	652	LEU	2.1
1	A	37	ASP	2.1
1	A	41	VAL	2.1
1	A	671	GLY	2.1
1	A	1030	GLU	2.1
1	A	134	PHE	2.1
1	A	726	ALA	2.1
1	A	525	THR	2.1
1	A	673	PRO	2.1
1	A	637	SER	2.1
1	A	743	PRO	2.0
1	A	142	GLY	2.0
1	A	376	PHE	2.0
1	A	972	THR	2.0
1	A	456	GLU	2.0
1	A	386	VAL	2.0
1	A	745	VAL	2.0
1	A	533	GLY	2.0
1	A	385	ALA	2.0
1	A	901	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	GHR	A	1048[A]	23/23	0.85	0.21	4.80	7,14,34,35	12
4	GHR	A	1048[B]	23/23	0.85	0.21	4.80	7,14,33,33	12
3	MRD	A	1047	8/8	0.81	0.17	3.74	13,20,25,25	0
2	ZN	A	1046	1/1	1.00	0.05	-3.26	9,9,9,9	0

6.5 Other polymers [i](#)

There are no such residues in this entry.