



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:05 AM GMT

PDB ID : 3DAK
Title : Crystal Structure of Domain-Swapped OSR1 kinase domain
Authors : Lee, S; Cobb, M.H.; Goldsmith, E.J.
Deposited on : 2008-05-29
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1640 (2.28-2.24)
Clashscore	102246	1095 (2.26-2.26)
Ramachandran outliers	100387	1063 (2.26-2.26)
Sidechain outliers	100360	1063 (2.26-2.26)
RSRZ outliers	91569	1647 (2.28-2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	290	<div> <div>3%</div> <div>81% 13% ..</div> </div>
1	B	290	<div> <div>5%</div> <div>79% 16% ..</div> </div>
1	C	290	<div> <div>2%</div> <div>81% 14% ..</div> </div>
1	D	290	<div> <div>10%</div> <div>80% 16% ..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ANP	A	1	-	-	-	X

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 9434 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase OSR1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	279	Total	C	N	O	S	0	0	0
			2178	1393	367	404	14			
1	B	278	Total	C	N	O	S	0	0	0
			2175	1390	366	405	14			
1	C	281	Total	C	N	O	S	0	0	0
			2198	1407	369	408	14			
1	D	284	Total	C	N	O	S	0	0	0
			2225	1423	376	412	14			

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	D	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	128	Total	O	0	0
			128	128		
4	B	142	Total	O	0	0
			142	142		
4	C	145	Total	O	0	0
			145	145		
4	D	115	Total	O	0	0
			115	115		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine/threonine-protein kinase OSR1




- Molecule 1: Serine/threonine-protein kinase OSR1




- Molecule 1: Serine/threonine-protein kinase OSR1



- Molecule 1: Serine/threonine-protein kinase OSR1





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.21Å 104.48Å 162.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.25 37.10 – 2.25	Depositor EDS
% Data completeness (in resolution range)	98.1 (30.00-2.25) 98.0 (37.10-2.25)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.35 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.195 , 0.267 0.189 , 0.260	Depositor DCC
R_{free} test set	3007 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	32.1	Xtriage
Anisotropy	0.511	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 50.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	1 of 59351 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9434	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.33 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.7497e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.77	1/2221 (0.0%)	0.80	1/2995 (0.0%)
1	B	0.76	1/2218 (0.0%)	0.76	1/2991 (0.0%)
1	C	0.73	0/2242	0.80	2/3024 (0.1%)
1	D	0.67	1/2269 (0.0%)	0.72	0/3060
All	All	0.73	3/8950 (0.0%)	0.77	4/12070 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	70	CYS	CB-SG	7.03	1.94	1.82
1	A	70	CYS	CB-SG	7.01	1.94	1.82
1	D	156	GLU	CB-CG	5.38	1.62	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	202	ARG	C-N-CA	-8.17	105.14	122.30
1	B	220	LEU	CA-CB-CG	6.59	130.47	115.30
1	C	95	LEU	CA-CB-CG	5.65	128.29	115.30
1	A	270	LEU	CA-CB-CG	5.44	127.81	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2178	0	2217	35	0
1	B	2175	0	2209	40	0
1	C	2198	0	2232	42	0
1	D	2225	0	2262	42	0
2	A	31	0	13	5	0
2	B	31	0	13	4	0
2	C	31	0	13	1	0
2	D	31	0	13	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	128	0	0	3	0
4	B	142	0	0	5	0
4	C	145	0	0	6	0
4	D	115	0	0	2	0
All	All	9434	0	8972	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:92:MET:HG3	4:A:328:HOH:O	1.19	1.29
1:D:28:THR:HG23	1:D:53:CYS:SG	1.90	1.11
1:C:193:MET:CE	1:C:198:MET:HG2	1.82	1.09
1:C:193:MET:HE3	1:C:198:MET:HG2	1.08	1.07
1:B:195:PRO:HA	1:B:198:MET:HE2	1.48	0.94
1:C:193:MET:HE3	1:C:198:MET:CG	1.98	0.93
1:B:115:SER:HB2	1:B:258:LYS:HE2	1.49	0.93
1:D:135:GLU:HG2	4:D:651:HOH:O	1.73	0.87
1:A:187:VAL:HG23	1:A:188:GLY:H	1.41	0.85
1:B:243:ASP:O	4:B:328:HOH:O	1.99	0.81
1:B:72:HIS:HB3	1:B:75:ILE:HD12	1.61	0.80
1:C:185:THR:HA	1:C:186:PHE:CD2	2.20	0.76
1:A:193:MET:HE2	1:A:198:MET:CG	2.16	0.75
1:D:193:MET:CE	1:D:198:MET:HG2	2.17	0.74
1:B:28:THR:HG21	1:B:52:LYS:HD3	1.69	0.73
1:B:114:LYS:O	4:B:374:HOH:O	2.06	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:21:GLU:HB2	4:B:548:HOH:O	1.89	0.73
1:D:193:MET:HE2	1:D:198:MET:HG2	1.70	0.73
1:B:193:MET:HE2	1:B:198:MET:HG2	1.71	0.72
1:B:174:GLY:HA2	1:C:186:PHE:HB3	1.70	0.71
1:A:187:VAL:HG23	1:A:188:GLY:N	2.07	0.69
1:B:31:VAL:HG21	2:B:1:ANP:H5'2	1.73	0.69
1:B:57:MET:O	1:B:61:LEU:HG	1.91	0.69
1:D:246:SER:H	1:D:249:THR:HG23	1.56	0.69
1:C:246:SER:H	1:C:249:THR:CG2	2.07	0.68
1:A:24:GLY:HA3	2:A:1:ANP:H4'	1.76	0.68
1:D:156:GLU:H	1:D:156:GLU:CD	1.96	0.68
1:B:198:MET:HE1	1:C:239:THR:HG21	1.76	0.67
1:A:193:MET:HE2	1:A:198:MET:HG3	1.77	0.67
1:D:231:PRO:HD2	1:D:234:LYS:HD2	1.77	0.66
1:A:119:ASP:OD2	4:A:363:HOH:O	2.13	0.66
1:C:28:THR:HB	1:C:53:CYS:SG	2.37	0.65
1:B:193:MET:CE	1:B:198:MET:HG2	2.27	0.64
1:A:72:HIS:HB3	1:A:75:ILE:HD12	1.79	0.64
1:A:47:ARG:HD2	1:A:87:GLU:OE1	1.98	0.63
1:D:72:HIS:HB3	1:D:75:ILE:HD12	1.80	0.63
1:A:193:MET:HE2	1:A:198:MET:HG2	1.81	0.62
1:B:144:HIS:O	1:B:145:ARG:HB2	2.00	0.61
1:A:187:VAL:CG2	1:A:188:GLY:H	2.11	0.60
1:C:246:SER:H	1:C:249:THR:HG23	1.66	0.59
1:A:21:GLU:HG3	1:A:33:ALA:HB3	1.85	0.59
1:C:106:HIS:CE1	1:C:110:LYS:HD2	2.38	0.58
1:A:189:THR:HG22	1:A:189:THR:O	2.02	0.58
1:C:135:GLU:OE2	4:C:2:HOH:O	2.17	0.58
1:D:187:VAL:HG12	1:D:188:GLY:N	2.19	0.58
1:A:236:LEU:HD13	1:D:190:PRO:HG3	1.86	0.58
1:C:193:MET:HE1	1:C:198:MET:HA	1.84	0.57
1:A:24:GLY:HA3	2:A:1:ANP:H5'1	1.86	0.57
1:B:24:GLY:HA3	2:B:1:ANP:H4'	1.87	0.57
1:B:118:LEU:HB3	1:B:122:THR:CG2	2.35	0.56
1:D:251:VAL:HG11	1:D:257:LEU:CD2	2.35	0.56
1:D:200:GLN:NE2	4:D:330:HOH:O	2.39	0.55
1:D:193:MET:CE	1:D:198:MET:CG	2.85	0.55
1:D:28:THR:CG2	1:D:53:CYS:SG	2.81	0.54
1:D:193:MET:HE3	1:D:198:MET:CG	2.37	0.54
1:D:246:SER:H	1:D:249:THR:CG2	2.21	0.54
1:B:198:MET:HE1	1:C:239:THR:CG2	2.37	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:239:THR:O	1:D:274:LYS:HE2	2.08	0.54
1:D:245:PRO:HA	1:D:249:THR:HG21	1.90	0.53
1:A:248:GLU:HG2	1:A:254:LYS:HE2	1.91	0.53
1:A:95:LEU:O	2:A:1:ANP:H2	2.08	0.52
1:B:118:LEU:HB3	1:B:122:THR:HG21	1.91	0.52
1:B:230:TYR:CG	1:B:238:LEU:HD11	2.44	0.52
1:D:187:VAL:CG1	1:D:188:GLY:N	2.72	0.52
1:C:124:ALA:O	1:C:128:ARG:HB2	2.10	0.52
1:B:193:MET:HE3	1:B:198:MET:HA	1.92	0.52
1:B:174:GLY:CA	1:C:186:PHE:HB3	2.39	0.52
1:C:65:GLN:HG3	4:C:354:HOH:O	2.09	0.52
1:D:8:LEU:O	1:D:39:LYS:NZ	2.36	0.52
1:D:198:MET:HA	1:D:201:VAL:HG22	1.91	0.52
1:A:72:HIS:HB3	1:A:75:ILE:CD1	2.40	0.52
1:A:24:GLY:HA3	2:A:1:ANP:C4'	2.41	0.51
1:A:193:MET:HE1	1:A:198:MET:HA	1.93	0.51
1:C:256:MET:HG2	1:C:257:LEU:HD13	1.93	0.51
1:D:248:GLU:HG2	1:D:254:LYS:HG2	1.93	0.51
1:B:118:LEU:HD12	1:B:220:LEU:HB3	1.91	0.50
1:A:203:GLY:HA2	1:D:200:GLN:NE2	2.26	0.50
1:B:119:ASP:O	1:B:122:THR:HG22	2.12	0.50
1:C:112:GLU:HG2	1:C:112:GLU:O	2.11	0.50
1:C:113:HIS:O	1:C:256:MET:HE3	2.12	0.50
1:B:198:MET:HE3	1:C:239:THR:HB	1.93	0.50
1:A:119:ASP:CG	4:A:363:HOH:O	2.48	0.50
1:B:31:VAL:CG2	2:B:1:ANP:H5'2	2.40	0.49
1:B:115:SER:HB2	1:B:258:LYS:CE	2.35	0.49
1:A:33:ALA:HB1	1:A:42:LYS:HE3	1.95	0.49
1:C:72:HIS:HB3	1:C:75:ILE:HD12	1.94	0.49
1:C:138:HIS:CD2	1:C:206:PHE:HB2	2.48	0.49
1:C:148:LYS:NZ	4:C:306:HOH:O	2.45	0.49
1:C:37:ALA:HB3	1:C:38:PRO:HD3	1.95	0.49
1:A:24:GLY:HA3	2:A:1:ANP:C5'	2.43	0.48
1:D:251:VAL:HG11	1:D:257:LEU:HD21	1.94	0.48
1:D:222:THR:HG22	1:D:257:LEU:HD11	1.96	0.47
1:C:65:GLN:CG	4:C:354:HOH:O	2.62	0.47
1:A:69:GLN:O	1:B:71:HIS:HB2	2.14	0.47
1:B:198:MET:CE	1:C:239:THR:HB	2.44	0.47
1:B:95:LEU:O	2:B:1:ANP:H2	2.14	0.47
1:D:193:MET:HE3	1:D:198:MET:HA	1.96	0.47
1:D:46:LYS:NZ	2:D:1:ANP:O1A	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:189:THR:HG23	1:C:189:THR:O	2.14	0.47
1:B:8:LEU:HB3	1:B:9:PRO:HD2	1.95	0.47
1:C:185:THR:HA	1:C:186:PHE:CG	2.49	0.47
1:D:138:HIS:CD2	1:D:206:PHE:HB2	2.50	0.46
1:B:236:LEU:HD23	1:C:198:MET:HB3	1.97	0.46
1:C:185:THR:HG22	1:C:186:PHE:O	2.14	0.46
1:D:193:MET:HE3	1:D:198:MET:CA	2.46	0.46
1:B:119:ASP:OD1	1:B:122:THR:HG22	2.16	0.46
1:A:248:GLU:OE2	1:A:265:ARG:NH1	2.50	0.45
1:D:61:LEU:O	1:D:65:GLN:HG3	2.15	0.45
1:B:239:THR:HA	4:B:306:HOH:O	2.16	0.45
1:B:198:MET:CE	1:C:239:THR:CG2	2.94	0.45
1:A:236:LEU:CD1	1:D:190:PRO:HG3	2.47	0.45
1:C:256:MET:HB3	1:C:257:LEU:HD22	1.99	0.44
1:B:161:GLN:OE1	4:B:368:HOH:O	2.21	0.44
1:A:28:THR:OG1	1:A:53:CYS:SG	2.75	0.44
1:C:144:HIS:O	1:C:145:ARG:HB2	2.18	0.44
1:B:266:LYS:HE2	1:B:270:LEU:HD11	1.98	0.44
1:A:266:LYS:HE2	1:A:270:LEU:HD13	1.99	0.43
1:A:193:MET:HE3	1:A:193:MET:HB3	1.75	0.43
1:C:239:THR:O	1:C:274:LYS:HE2	2.19	0.43
1:A:226:PRO:HB3	1:A:249:THR:HB	2.00	0.43
1:C:246:SER:N	1:C:249:THR:HG23	2.32	0.42
1:C:199:GLU:OE1	1:C:202:ARG:HD3	2.20	0.42
1:C:185:THR:CG2	1:C:186:PHE:O	2.67	0.42
1:D:115:SER:HA	1:D:256:MET:HA	1.99	0.42
1:D:193:MET:HE1	1:D:201:VAL:HG21	2.02	0.42
1:A:81:SER:HA	1:A:89:TRP:O	2.19	0.42
1:A:200:GLN:HB3	1:D:200:GLN:HG2	2.02	0.42
1:D:138:HIS:CG	1:D:206:PHE:HB2	2.54	0.42
1:D:244:PRO:HG3	1:D:274:LYS:HG2	2.02	0.41
1:C:277:GLU:HG2	4:C:674:HOH:O	2.20	0.41
1:C:257:LEU:N	1:C:257:LEU:HD22	2.35	0.41
1:B:119:ASP:HA	1:B:259:LYS:HD3	2.03	0.41
1:A:169:ALA:O	1:A:173:THR:HB	2.20	0.41
1:B:191:CYS:HB3	1:C:225:ALA:CB	2.51	0.41
1:D:226:PRO:HB3	1:D:249:THR:OG1	2.20	0.41
1:C:119:ASP:OD1	1:C:122:THR:CG2	2.68	0.41
1:D:244:PRO:HA	1:D:245:PRO:HD3	1.94	0.41
1:D:264:PHE:CZ	1:D:268:ILE:HD11	2.56	0.41
1:D:81:SER:HA	1:D:89:TRP:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:39:LYS:HD2	1:D:39:LYS:HA	1.81	0.40
1:C:72:HIS:CG	1:C:73:PRO:HD2	2.56	0.40
1:B:251:VAL:HG11	1:B:257:LEU:HD11	2.04	0.40
1:A:23:ILE:HD11	1:A:94:LEU:CD1	2.52	0.40
1:B:138:HIS:CD2	1:B:206:PHE:HB2	2.56	0.40
2:C:1:ANP:N3B	4:C:302:HOH:O	2.17	0.40
1:D:262:LYS:O	1:D:266:LYS:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/290 (95%)	264 (96%)	10 (4%)	1 (0%)	39	43
1	B	274/290 (94%)	265 (97%)	8 (3%)	1 (0%)	39	43
1	C	277/290 (96%)	264 (95%)	12 (4%)	1 (0%)	39	43
1	D	280/290 (97%)	267 (95%)	13 (5%)	0	100	100
All	All	1106/1160 (95%)	1060 (96%)	43 (4%)	3 (0%)	46	52

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	7	ALA
1	C	28	THR
1	A	252	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	236/247 (96%)	225 (95%)	11 (5%)	32	36
1	B	236/247 (96%)	226 (96%)	10 (4%)	36	42
1	C	238/247 (96%)	227 (95%)	11 (5%)	33	37
1	D	241/247 (98%)	228 (95%)	13 (5%)	27	29
All	All	951/988 (96%)	906 (95%)	45 (5%)	32	36

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ARG
1	A	21	GLU
1	A	40	LYS
1	A	173	THR
1	A	189	THR
1	A	236	LEU
1	A	240	LEU
1	A	255	GLU
1	A	257	LEU
1	A	270	LEU
1	A	295	LYS
1	B	14	ARG
1	B	25	SER
1	B	54	GLN
1	B	59	GLU
1	B	101	LEU
1	B	115	SER
1	B	176	ASP
1	B	263	SER
1	B	266	LYS
1	B	295	LYS
1	C	14	ARG
1	C	19	LEU
1	C	96	SER
1	C	101	LEU
1	C	122	THR
1	C	156	GLU
1	C	186	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	202	ARG
1	C	247	LEU
1	C	254	LYS
1	C	257	LEU
1	D	14	ARG
1	D	25	SER
1	D	39	LYS
1	D	115	SER
1	D	156	GLU
1	D	161	GLN
1	D	202	ARG
1	D	237	MET
1	D	238	LEU
1	D	247	LEU
1	D	256	MET
1	D	277	GLU
1	D	295	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	242	ASN
1	C	106	HIS
1	D	200	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ANP	A	1	-	27,33,33	2.41	7 (25%)	30,52,52	2.18	5 (16%)
2	ANP	B	1	-	27,33,33	2.51	7 (25%)	30,52,52	1.81	4 (13%)
2	ANP	C	1	-	27,33,33	2.44	5 (18%)	30,52,52	2.15	7 (23%)
2	ANP	D	1	-	27,33,33	2.20	6 (22%)	30,52,52	2.47	9 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANP	A	1	-	-	0/12/38/38	0/3/3/3
2	ANP	B	1	-	-	0/12/38/38	0/3/3/3
2	ANP	C	1	-	-	0/12/38/38	0/3/3/3
2	ANP	D	1	-	-	0/12/38/38	0/3/3/3

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1	ANP	O4'-C1'	2.27	1.44	1.41
2	A	1	ANP	O4'-C1'	2.58	1.44	1.41
2	A	1	ANP	PB-O3A	2.97	1.62	1.59
2	B	1	ANP	O4'-C1'	3.07	1.45	1.41
2	B	1	ANP	PB-O3A	3.26	1.63	1.59
2	A	1	ANP	C5-C4	3.32	1.48	1.40
2	D	1	ANP	C5-C4	3.38	1.48	1.40
2	B	1	ANP	C5-C4	3.41	1.48	1.40
2	C	1	ANP	C5-C4	3.46	1.48	1.40
2	D	1	ANP	PB-O1B	4.82	1.51	1.46
2	C	1	ANP	PG-N3B	4.96	1.76	1.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1	ANP	PB-N3B	4.98	1.76	1.63
2	D	1	ANP	PG-N3B	5.02	1.76	1.63
2	C	1	ANP	PB-N3B	5.04	1.76	1.63
2	D	1	ANP	PG-O1G	5.16	1.52	1.46
2	A	1	ANP	PG-N3B	5.23	1.77	1.63
2	B	1	ANP	PB-O1B	5.29	1.52	1.46
2	A	1	ANP	PG-O1G	5.30	1.52	1.46
2	B	1	ANP	PB-N3B	5.31	1.77	1.63
2	A	1	ANP	PB-N3B	5.39	1.77	1.63
2	B	1	ANP	PG-N3B	5.52	1.77	1.63
2	A	1	ANP	PB-O1B	5.54	1.52	1.46
2	B	1	ANP	PG-O1G	5.86	1.52	1.46
2	C	1	ANP	PB-O1B	5.92	1.52	1.46
2	C	1	ANP	PG-O1G	6.72	1.53	1.46

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	ANP	N3-C2-N1	-7.99	122.78	128.89
2	D	1	ANP	N3-C2-N1	-6.95	123.58	128.89
2	D	1	ANP	O1G-PG-N3B	-6.72	101.59	111.90
2	C	1	ANP	N3-C2-N1	-6.23	124.13	128.89
2	B	1	ANP	N3-C2-N1	-5.88	124.39	128.89
2	A	1	ANP	O1G-PG-N3B	-5.24	103.87	111.90
2	C	1	ANP	O1G-PG-N3B	-4.72	104.66	111.90
2	D	1	ANP	C4-C5-N7	-4.09	105.72	109.48
2	C	1	ANP	C4-C5-N7	-3.89	105.90	109.48
2	B	1	ANP	O1G-PG-N3B	-3.78	106.11	111.90
2	D	1	ANP	O1B-PB-N3B	-3.32	106.81	111.90
2	A	1	ANP	C4-C5-N7	-3.18	106.56	109.48
2	C	1	ANP	PA-O3A-PB	-3.17	122.04	132.67
2	B	1	ANP	C4-C5-N7	-3.17	106.57	109.48
2	C	1	ANP	C1'-N9-C4	-2.53	123.13	126.94
2	D	1	ANP	PA-O3A-PB	-2.49	124.33	132.67
2	D	1	ANP	C1'-N9-C4	-2.23	123.58	126.94
2	D	1	ANP	O2A-PA-O3A	2.04	114.36	105.09
2	D	1	ANP	O3G-PG-O2G	2.35	114.54	107.58
2	A	1	ANP	C2-N1-C6	2.47	123.19	118.77
2	C	1	ANP	C2-N1-C6	2.53	123.30	118.77
2	A	1	ANP	O2B-PB-O1B	2.92	116.09	110.00
2	B	1	ANP	O2B-PB-O1B	3.29	116.86	110.00
2	C	1	ANP	O2B-PB-O1B	4.00	118.35	110.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	D	1	ANP	O2B-PB-O1B	4.39	119.16	110.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	ANP	5	0
2	B	1	ANP	4	0
2	C	1	ANP	1	0
2	D	1	ANP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	279/290 (96%)	0.08	9 (3%) 51 56	13, 30, 65, 93	0
1	B	278/290 (95%)	0.22	14 (5%) 32 36	16, 33, 62, 89	0
1	C	281/290 (96%)	-0.06	7 (2%) 61 65	17, 33, 57, 131	0
1	D	284/290 (97%)	0.31	30 (10%) 8 8	18, 41, 79, 134	0
All	All	1122/1160 (96%)	0.14	60 (5%) 30 33	13, 34, 69, 134	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	259	LYS	7.0
1	B	27	ALA	6.3
1	D	295	LYS	5.2
1	C	187	VAL	5.2
1	B	28	THR	4.7
1	B	29	ALA	4.7
1	B	25	SER	4.5
1	D	256	MET	4.2
1	B	26	GLY	4.0
1	D	289	LYS	3.9
1	D	234	LYS	3.6
1	D	7	ALA	3.4
1	D	258	LYS	3.2
1	B	176	ASP	3.1
1	B	295	LYS	3.1
1	A	27	ALA	3.1
1	C	233	MET	3.1
1	D	51	GLU	3.1
1	D	254	LYS	3.0
1	D	257	LEU	3.0
1	D	233	MET	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	176	ASP	2.9
1	D	292	GLN	2.9
1	B	21	GLU	2.9
1	C	259	LYS	2.9
1	D	58	ASP	2.9
1	D	237	MET	2.9
1	C	295	LYS	2.8
1	B	70	CYS	2.7
1	D	249	THR	2.7
1	A	37	ALA	2.7
1	A	70	CYS	2.7
1	D	178	THR	2.6
1	A	252	GLN	2.6
1	B	54	GLN	2.6
1	B	262	LYS	2.6
1	D	291	PHE	2.6
1	A	156	GLU	2.5
1	A	295	LYS	2.5
1	D	135	GLU	2.5
1	D	252	GLN	2.5
1	C	27	ALA	2.5
1	C	186	PHE	2.4
1	D	187	VAL	2.3
1	C	175	GLY	2.3
1	B	30	VAL	2.3
1	D	114	LYS	2.3
1	D	61	LEU	2.2
1	B	75	ILE	2.2
1	D	253	ASP	2.2
1	D	236	LEU	2.2
1	D	177	ILE	2.1
1	D	294	ALA	2.1
1	D	255	GLU	2.1
1	B	53	CYS	2.1
1	D	179	ARG	2.1
1	A	251	VAL	2.1
1	A	55	THR	2.0
1	D	240	LEU	2.0
1	A	136	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	ANP	A	1	31/31	0.71	0.29	5.74	56,62,86,87	0
2	ANP	B	1	31/31	0.77	0.25	0.78	52,62,95,96	0
2	ANP	C	1	31/31	0.90	0.15	0.59	29,34,74,76	0
2	ANP	D	1	31/31	0.90	0.14	0.20	32,36,75,75	0
3	MG	D	296	1/1	0.85	0.26	-	67,67,67,67	0
3	MG	B	296	1/1	0.97	0.13	-	52,52,52,52	0
3	MG	C	296	1/1	0.92	0.16	-	52,52,52,52	0
3	MG	A	296	1/1	0.90	0.17	-	54,54,54,54	0

6.5 Other polymers [i](#)

There are no such residues in this entry.