



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 19, 2016 – 11:15 PM GMT

PDB ID : 5DM7
Title : Crystal structure of the 50S ribosomal subunit from *Deinococcus radiodurans* in complex with hygromycin A
Authors : Kaminishi, T.; Schedlbauer, A.; Ochoa-Lizarralde, B.; Connell, S.R.; Fucini, P.
Deposited on : 2015-09-08
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026982
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20026982


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1578 (3.00-3.00)
Clashscore	102246	1912 (3.00-3.00)
Ramachandran outliers	100387	1853 (3.00-3.00)
Sidechain outliers	100360	1856 (3.00-3.00)
RSRZ outliers	91569	1592 (3.00-3.00)
RNA backbone	2183	1036 (3.40-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	224	<div> <div>80%</div> <div> <div>54%</div> <div>39%</div> <div>6%</div> </div> </div>
2	A	274	<div> <div>14%</div> <div> <div>43%</div> <div>47%</div> <div>9%</div> </div> </div>
3	B	205	<div> <div>2%</div> <div> <div>33%</div> <div>50%</div> <div>17%</div> </div> </div>
4	C	197	<div> <div>5%</div> <div> <div>30%</div> <div>50%</div> <div>17%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	D	177	
6	E	171	
7	F	144	
8	G	142	
9	H	134	
10	I	141	
11	J	136	
12	K	113	
13	L	104	
14	M	109	
15	N	117	
16	O	94	
17	P	127	
18	Q	93	
19	R	110	
20	S	175	
21	T	84	
22	U	72	
23	V	66	
24	W	55	
25	Z	57	
26	1	54	
27	2	47	
28	3	65	
29	X	2881	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	Y	122	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
31	MG	M	201	-	-	-	X
31	MG	N	201	-	-	-	X
31	MG	X	6001	-	-	-	X
31	MG	X	6002	-	-	-	X
31	MG	X	6006	-	-	-	X
31	MG	X	6007	-	-	-	X
31	MG	X	6008	-	-	-	X
31	MG	X	6011	-	-	-	X
31	MG	X	6014	-	-	-	X
31	MG	X	6016	-	-	-	X
31	MG	X	6017	-	-	-	X
31	MG	X	6018	-	-	-	X
31	MG	X	6019	-	-	-	X
31	MG	X	6021	-	-	-	X
31	MG	X	6022	-	-	-	X
31	MG	X	6032	-	-	-	X
31	MG	X	6033	-	-	-	X
31	MG	X	6037	-	-	-	X
31	MG	X	6051	-	-	-	X
31	MG	X	6053	-	-	-	X
31	MG	X	6054	-	-	-	X
31	MG	X	6055	-	-	-	X
31	MG	X	6056	-	-	-	X
31	MG	X	6059	-	-	-	X
31	MG	X	6060	-	-	-	X
31	MG	X	6062	-	-	-	X
31	MG	X	6066	-	-	-	X
31	MG	X	6068	-	-	-	X
31	MG	X	6071	-	-	-	X
31	MG	X	6078	-	-	-	X
31	MG	X	6085	-	-	-	X
31	MG	X	6087	-	-	-	X
31	MG	X	6093	-	-	-	X
31	MG	X	6105	-	-	-	X
31	MG	X	6108	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
31	MG	X	6110	-	-	-	X
31	MG	X	6115	-	-	-	X
31	MG	X	6129	-	-	-	X
31	MG	X	6131	-	-	-	X
31	MG	X	6132	-	-	-	X
31	MG	X	6142	-	-	-	X
31	MG	X	6144	-	-	-	X
31	MG	X	6147	-	-	-	X
31	MG	X	6162	-	-	-	X
31	MG	X	6167	-	-	-	X
31	MG	X	6171	-	-	-	X
31	MG	Y	201	-	-	-	X

2 Entry composition

There are 32 unique types of molecules in this entry. The entry contains 89361 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	0	224	Total	C	N	O	S	0	0	0
			1651	1031	302	313	5			

- Molecule 2 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	274	Total	C	N	O	S	0	0	0
			2107	1313	423	368	3			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	7	LYS	ARG	conflict	UNP Q9RXJ9
A	25	ALA	THR	conflict	UNP Q9RXJ9
A	270	LEU	ILE	conflict	UNP Q9RXJ9

- Molecule 3 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	B	205	Total	C	N	O	S	0	0	0
			1540	965	295	272	8			

- Molecule 4 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	C	197	Total	C	N	O	S	0	0	0
			1507	935	287	283	2			

- Molecule 5 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	D	177	Total	C	N	O	S	0	0	0
			1401	892	247	255	7			

- Molecule 6 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	E	171	Total	C	N	O	S	0	0	0
			1287	812	237	237	1			

- Molecule 7 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	F	144	Total	C	N	O	S	0	0	0
			1048	663	183	197	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	2	ARG	LYS	conflict	UNP Q9RSS7
F	3	ARG	LYS	conflict	UNP Q9RSS7

- Molecule 8 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	G	142	Total	C	N	O	S	0	0	0
			1115	704	209	199	3			

- Molecule 9 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	H	134	Total	C	N	O	S	0	0	0
			997	614	198	180	5			

- Molecule 10 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	I	141	Total	C	N	O		0	0	0
			1068	655	216	197				

- Molecule 11 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	J	136	Total	C	N	O	S	0	0	0
			1091	696	202	186	7			

- Molecule 12 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	K	113	Total	C	N	O	S	0	0	0
			879	541	178	158	2			

- Molecule 13 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	L	104	Total	C	N	O	0	0	0
			778	476	159	143			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	26	LYS	ARG	conflict	UNP Q9RSL2

- Molecule 14 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	M	109	Total	C	N	O	0	0	0
			867	540	171	156			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	?	-	LEU	deletion	UNP Q9RWB4
M	?	-	ARG	deletion	UNP Q9RWB4
M	?	-	GLU	deletion	UNP Q9RWB4
M	?	-	LEU	deletion	UNP Q9RWB4

- Molecule 15 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	N	117	Total	C	N	O	S	0	0	0
			978	608	210	159	1			

- Molecule 16 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
16	O	94	Total	C	N	O	0	0	0
			742	465	139	138			

- Molecule 17 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	P	127	Total	C	N	O	S	0	0	0
			1014	639	199	174	2			

- Molecule 18 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	Q	93	Total	C	N	O	S	0	0	0
			727	458	136	131	2			

- Molecule 19 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	R	110	Total	C	N	O	S	0	0	0
			826	513	160	152	1			

- Molecule 20 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	S	175	Total	C	N	O	S	0	0	0
			1346	849	236	255	6			

- Molecule 21 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	T	84	Total	C	N	O	S	0	0	0
			626	393	122	110	1			

- Molecule 22 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
22	U	72	Total	C	N	O	0	0	0
			553	341	116	96			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	67	ILE	LEU	conflict	UNP Q9RRG8

- Molecule 23 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	V	66	Total	C	N	O	S	0	0	0
			534	327	107	97	3			

- Molecule 24 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	W	55	Total	C	N	O	S	0	0	0
			424	264	82	76	2			

- Molecule 25 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	Z	57	Total	C	N	O	S	0	0	0
			453	278	93	77	5			

- Molecule 26 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	1	54	Total	C	N	O	S	0	0	0
			404	256	73	74	1			

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	0	ALA	-	insertion	UNP Q9RSS4
1	1	ALA	-	insertion	UNP Q9RSS4
1	3	GLY	LYS	conflict	UNP Q9RSS4
1	4	ALA	ASP	conflict	UNP Q9RSS4
1	5	ALA	GLY	conflict	UNP Q9RSS4
1	45	ALA	LYS	conflict	UNP Q9RSS4
1	46	HIS	LYS	conflict	UNP Q9RSS4
1	47	VAL	HIS	conflict	UNP Q9RSS4
1	49	PHE	VAL	conflict	UNP Q9RSS4
1	50	ALA	PHE	conflict	UNP Q9RSS4
1	51	ALA	-	insertion	UNP Q9RSS4
1	52	ALA	-	insertion	UNP Q9RSS4
1	53	ALA	-	insertion	UNP Q9RSS4

- Molecule 27 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	2	47	Total	C	N	O	S	0	0	0
			393	235	92	64	2			

- Molecule 28 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	3	65	Total	C	N	O	S	0	0	0
			509	320	104	80	5			

- Molecule 29 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	X	2780	Total	C	N	O	P	0	0	0
			59673	26617	11011	19265	2780			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	1526	U	UNK	conflict	GB 11612676


- Molecule 30 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	Y	122	Total	C	N	O	P	0	0	0
			2601	1161	476	842	122			

- Molecule 31 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
31	H	1	Total	Mg	0	0
			1	1		
31	A	1	Total	Mg	0	0
			1	1		
31	N	1	Total	Mg	0	0
			1	1		
31	X	177	Total	Mg	0	0
			177	177		
31	Y	5	Total	Mg	0	0
			5	5		
31	M	1	Total	Mg	0	0
			1	1		

- Molecule 32 is Hygromycin A (three-letter code: HGR) (formula: $C_{23}H_{29}NO_{12}$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
32	X	1	Total	C	N	O	0	0
			36	23	1	12		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 50S ribosomal protein L1




• Molecule 2: 50S ribosomal protein L2




• Molecule 3: 50S ribosomal protein L3







• Molecule 4: 50S ribosomal protein L4




• Molecule 5: 50S ribosomal protein L5




• Molecule 6: 50S ribosomal protein L6







• Molecule 7: 50S ribosomal protein L11




• Molecule 8: 50S ribosomal protein L13



• Molecule 9: 50S ribosomal protein L14




• Molecule 10: 50S ribosomal protein L15







- Molecule 11: 50S ribosomal protein L16




- Molecule 12: 50S ribosomal protein L17



- Molecule 13: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L19




- Molecule 15: 50S ribosomal protein L20







• Molecule 16: 50S ribosomal protein L21




• Molecule 17: 50S ribosomal protein L22




• Molecule 18: 50S ribosomal protein L23




• Molecule 19: 50S ribosomal protein L24




• Molecule 20: 50S ribosomal protein L25




• Molecule 21: 50S ribosomal protein L27




• Molecule 22: 50S ribosomal protein L28



• Molecule 23: 50S ribosomal protein L29



• Molecule 24: 50S ribosomal protein L30




• Molecule 25: 50S ribosomal protein L32







- Molecule 26: 50S ribosomal protein L33





- Molecule 27: 50S ribosomal protein L34



- Molecule 28: 50S ribosomal protein L35




- Molecule 29: 23S ribosomal RNA




G1384	A1391	A1255	A1188	G1118	G1053	G988	C926	U860	A795	G662	U597	A536	U475	U408
G1385	G1316	C1286	G1189	U1119	C1054	G989	C927	G861	A796	G663	U598	C537	G476	G409
A1386	G1317	U1257	G1120	C1120	A1055	A990	G928	A862	A797	C864	A601	A538	G477	C411
	A1318	G1258	A1192	G1121	U1056	A991	A929	C863	G736	A665	G602	A539	G478	
A1391	G1319	A1259	G1122	A1222	A1057	C993	G930	C864	C737	U666	C603	C540	G479	U412
A1392	A1320	U1194	G1123	G1123	G1058	C994	G931	A865	G738	U667	G604	C541	G480	G413
G1393	A1321	U1261	U1195	U1124	A1059	A994	C932	U866	G739	U668	U609	A542	A481	A414
G1394	G1322	U1262	G1196	G1125	C1060	A995	G933	G867	G740	A669	U604	A543	A482	A415
	G1323	U1197	U1197		C996	C996	G934	U868	G741	U670	U609	A544	A483	
G1398	U1325	G1264	C1198	G1128	A1065	G997	G935	U869	A806	C872	U610	A545	A484	C418
	U1326	G1265	U1199	U1129	G1066	C998	G936	C870	A807	C873	G611	C546	G485	G419
G1401	G1401	G1266	G1200	U1130	G1067	A999	C937	U871	C809	C874	G612	U547	U486	C420
G1402	G1402	A1267	G1201	U1131	G1067	G1001	C938	G872	U810	U874	G613	G548	G487	C421
G1403	U1329	U1268	U1202	C1132	A1068	A1001	C939	U873	G811	U874	G614	G549	A488	C422
U1403	G1330	G1269	G1203	G1133	G1069	C1002	G940	A874	G812	G676	C615	C550	A489	G423
G1404	G1331	C1270	G1204	G1134	U1070	C1003	U941	G875	A813	G677	U616	U557	A490	G424
A1405	G1332	C1271	G1205	C1135	U1071	A1004	U942	A876	C808	C878	G617	C547	A491	A425
A1406	G1333	G1272	G1206	U1136	U1072	U1005	U943	G877	C809	U874	G618	U547	A492	C426
G1407	A1334	G1273	G1207	A1137	G1073	C1006	A944	C878	U816	U880	G619	U555	A493	C427
A1408	A1335	C1274	A1138	A1138	G1074	A1007	U945	A879	A817	U881	G620	A556	A494	C428
A1409	G1336	A1275	G1208	A1139	C1075	G1008	U946	C880	G818	G882	U621	U557	C495	C429
U1410	G1337	U1276	C1210	A1140	U1076	C1009	C947	A886	C819	G883	U622	C558	C496	C430
C1411	G1338	G1277	G1211	U1141	U1077	U1010	C948	G887	U820	C884	G623	C559	C497	G431
U1412	U1339	U1212	U1212	G1142	A1078	A1011	G949	G887	A821	U885	G624	C560	C498	C432
U1413	C1340	G1278	U1213	G1143	G1079	A1012	G950	G888	G822	C886	A625	U563	G499	
G1414	G1341	U1280	U1213	U1144	A1080	G1013	G951	G889	U823	G887	A626	G562	G500	A435
	U1342	A1281	C1218	G1145	A1081	U1014	A952	A891	U824	A888	A627	U563	G501	A436
G1419	C1343	C1219	G1146	G1146	U1082	U1015	G953	G	C825	A889	A628	U564	A502	
A1420	G1344	C1220	G1147	C1083	G1016	C1016	U954	G	U826	A890	C629	A565	G503	C439
	G1345	G1221	G1148	A1084	C1017	G955	U955	G	C827	A891	G630	U566	G504	
U1424	A1346	A1285	G1149	G1085	C1018	C1018	A956	G	C828	A892	G631	C567	G505	A443
G1425	C1347	U1286	G1223	G1150	U1019	A1019	C957	G	C829	A893	A632	G568	G506	U444
U1426	G1348	A1287	A1224	U1151	C1087	U1020	G958	C	C830	G633	G633	C569	A507	U445
G1427	A1349	U1288	G1225	C1152	C1088	A1021	C959	C	G831	G634	G635	U571	G508	
G1428	G1350	A1289	A1226	U1022	U1089	A1022	U960	C	A832	U696	C635	C572	U509	C446
A1429	G1351	A1290	A1154	C1090	G1091	A833	G961	A	A834	G697	G636	C573	G510	A451
G1430	G1352	G1281	G1155	C1091	G1024	G1024	C962	C	U835	U698	G637	C574	A511	A452
	A1353	A1292	U1156	U1092	A1025	A1025	C963	C	U836	G699	A638	C574	A512	G452
A1433	U1434	G1293	G1157	A1096	G1028	G1028	A964	A	U837	C700	G639	U575	A513	U453
U1434	G1359	G1294	A1158	A1097	C1029	U1030	G965	G	U838	A773	C640	A576	G514	G454
G1436	G1360	U1295	A1233	A1098	U1031	C1031	A966	C	U839	A774	G641	U577	A515	A455
A1437	U1361	C1234	A1235	A1162	C1032	A1032	G967	U	U840	U775	U702	U578	G516	C456
G1438	U1365	A1297	C1236	C1163	G1100	G1033	U968	U	G841	A776	G644	C579	A517	C457
U1439	A1366	G1298	G1237	G1165	U1101	C1033	U969	A	A842	G778	G645	A580	A518	G458
G1440	A1367	A1299	A1238	G1166	G1102	U1034	A971	C	A843	U779	G646	A581	C519	A459
A1441	G1368	U1301	A1239	A1167	C1103	G1035	C972	A911	G844	G782	G647	C582	C520	A460
C1442	G1369	C1302	G1240	G1168	G1104	G1036	U973	A912	U845	A783	U650	A584	U521	A461
	U1370	U1303	G1241	C1169	G1104	U1037	U974	A913	A846	G783	C651	U585	G522	C462
	G1371	U1304	A1242	C1169	A1107	U1038	C975	C914	C847	U784	C652	C586	A525	C464
		C1305	G1243	G1174	A1107	A1039	C976	C915	A848	U785	G714	A587	C526	C465
G1449	G1374	U1244	U1244	A1108	U1108	A1039	G980	U916	G851	U786	G653	C588	C527	A466
G1450	C1375	G1306	U1307	A1175	A1109	A1040	G981	U919	A787	A787	A654	C589	G528	U467
C1451		C1308	G1246	C1111	G1110	G1041	C982	U919	U852	G788	A655	C590	U529	A468
U1452	A1378	C1309	U1177	U1176	C1111	G1042	C983	G920	C853	A719	U656	G591	G530	G469
A1453	A1379	C1113	U1178	U1178	U1112	A1043	G983	A921	G854	A790	U657	C592	G531	U470
U1454	C1380	C1311	A1179	C1113	U1045	U1045	A984	A322	G791	U727	G658	C593	A532	A471
U1455	G1381	G1185	A1185	A1114	C1115	G1046	G985	A923	U792	G728	G659	G594	C533	A472
G1456	G1382	U1116	G1186	C1115	U1116	G1047	A986	C924	G793	A729	G660	A595	U534	G473
A1457	C1383	G1117	G1117	G1117			G987	U925	U859	C730	C661	C596	U535	G474





• Molecule 30: 5S ribosomal RNA



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	169.82Å 411.54Å 695.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	57.02 – 3.00 59.03 – 3.00	Depositor EDS
% Data completeness (in resolution range)	91.9 (57.02-3.00) 76.2 (59.03-3.00)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.32 (at 3.01Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.284 , 0.326 0.291 , 0.335	Depositor DCC
R_{free} test set	22814 reflections (6.53%)	DCC
Wilson B-factor (Å ²)	66.7	Xtriage
Anisotropy	0.402	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.16 , 40.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtriage
Outliers	6 of 478148 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	89361	wwPDB-VP
Average B, all atoms (Å ²)	142.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, HGR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	0	0.25	0/1674	0.46	0/2257
2	A	0.40	0/2149	0.62	0/2890
3	B	0.66	0/1568	0.92	2/2105 (0.1%)
4	C	0.50	0/1530	0.75	0/2070
5	D	0.36	0/1420	0.59	0/1903
6	E	0.39	0/1309	0.61	0/1771
7	F	0.30	0/1067	0.55	0/1446
8	G	0.47	0/1139	0.74	0/1539
9	H	0.72	0/1007	1.02	1/1352 (0.1%)
10	I	0.49	0/1082	0.78	0/1448
11	J	0.60	0/1114	0.83	1/1486 (0.1%)
12	K	0.81	0/887	1.11	4/1188 (0.3%)
13	L	0.54	0/784	0.79	1/1045 (0.1%)
14	M	0.76	0/880	1.02	3/1179 (0.3%)
15	N	0.65	0/994	0.77	0/1323
16	O	0.54	0/751	0.75	0/1000
17	P	0.75	0/1027	0.93	0/1373
18	Q	0.46	0/738	0.63	0/988
19	R	0.58	0/836	0.87	0/1121
20	S	0.40	0/1371	0.68	0/1862
21	T	0.52	0/634	0.70	0/838
22	U	0.52	0/557	0.88	1/741 (0.1%)
23	V	0.40	0/538	0.58	0/714
24	W	0.51	0/426	0.74	0/568
25	Z	0.67	0/465	0.99	1/622 (0.2%)
26	1	0.47	0/411	0.68	0/554
27	2	0.47	0/397	0.70	0/521
28	3	0.56	0/516	0.75	0/673
29	X	0.79	28/66826 (0.0%)	1.38	1078/104247 (1.0%)
30	Y	0.61	0/2907	1.12	10/4529 (0.2%)
All	All	0.73	28/97004 (0.0%)	1.25	1102/145353 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	B	0	1
9	H	0	1
10	I	0	1
13	L	0	1
14	M	0	2
19	R	0	1
All	All	0	7

The worst 5 of 28 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
29	X	774	A	N3-C4	7.61	1.39	1.34
29	X	774	A	C5-C4	7.18	1.43	1.38
29	X	1682	A	N7-C5	-6.86	1.35	1.39
29	X	1975	G	N7-C5	6.29	1.43	1.39
29	X	2823	G	N9-C8	-6.08	1.33	1.37

The worst 5 of 1102 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	X	1678	G	C8-N9-C4	14.96	112.38	106.40
29	X	1292	A	C8-N9-C4	14.80	111.72	105.80
29	X	774	A	N1-C6-N6	13.97	126.98	118.60
29	X	1679	U	C5-C6-N1	-13.00	116.20	122.70
29	X	1678	G	N7-C8-N9	-12.95	106.62	113.10

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	B	85	ALA	Peptide
9	H	36	THR	Peptide
10	I	52	GLY	Peptide
13	L	87	VAL	Peptide
14	M	2	GLN	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	1651	0	1693	51	0
2	A	2107	0	2190	133	0
3	B	1540	0	1600	117	0
4	C	1507	0	1525	115	0
5	D	1401	0	1481	81	0
6	E	1287	0	1336	53	0
7	F	1048	0	1088	35	0
8	G	1115	0	1144	50	0
9	H	997	0	1046	81	0
10	I	1068	0	1103	68	0
11	J	1091	0	1125	66	0
12	K	879	0	930	79	0
13	L	778	0	820	57	0
14	M	867	0	890	64	0
15	N	978	0	1020	95	0
16	O	742	0	756	37	0
17	P	1014	0	1096	80	0
18	Q	727	0	753	31	0
19	R	826	0	881	65	0
20	S	1346	0	1372	71	0
21	T	626	0	655	38	0
22	U	553	0	604	50	0
23	V	534	0	558	13	0
24	W	424	0	470	24	0
25	Z	453	0	455	49	0
26	1	404	0	416	25	0
27	2	393	0	420	24	0
28	3	509	0	565	56	0
29	X	59673	0	30060	1967	0
30	Y	2601	0	1327	91	0
31	A	1	0	0	0	0
31	H	1	0	0	0	0
31	M	1	0	0	0	0
31	N	1	0	0	0	0
31	X	177	0	0	1	0
31	Y	5	0	0	0	0
32	X	36	0	29	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	89361	0	59408	3326	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

The worst 5 of 3326 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:14:ILE:HB	14:M:20:HIS:HD2	1.16	1.11
12:K:79:VAL:HA	12:K:83:VAL:HG13	1.35	1.06
29:X:1225:G:H1'	29:X:1250:A:H61	1.21	1.03
29:X:517:A:H5''	29:X:518:A:H5'	1.37	1.02
29:X:2690:A:OP1	29:X:2692:A:OP2	1.78	0.99

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	222/224 (99%)	139 (63%)	58 (26%)	25 (11%)	0	2
2	A	272/274 (99%)	206 (76%)	50 (18%)	16 (6%)	2	11
3	B	203/205 (99%)	152 (75%)	33 (16%)	18 (9%)	1	4
4	C	195/197 (99%)	123 (63%)	50 (26%)	22 (11%)	0	2
5	D	175/177 (99%)	117 (67%)	42 (24%)	16 (9%)	1	4
6	E	169/171 (99%)	119 (70%)	33 (20%)	17 (10%)	1	3
7	F	142/144 (99%)	100 (70%)	27 (19%)	15 (11%)	0	3
8	G	140/142 (99%)	111 (79%)	19 (14%)	10 (7%)	1	7
9	H	132/134 (98%)	96 (73%)	18 (14%)	18 (14%)	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	I	139/141 (99%)	93 (67%)	30 (22%)	16 (12%)	0	2
11	J	134/136 (98%)	97 (72%)	28 (21%)	9 (7%)	1	8
12	K	111/113 (98%)	81 (73%)	18 (16%)	12 (11%)	0	2
13	L	102/104 (98%)	68 (67%)	18 (18%)	16 (16%)	0	1
14	M	107/109 (98%)	83 (78%)	14 (13%)	10 (9%)	1	4
15	N	115/117 (98%)	90 (78%)	19 (16%)	6 (5%)	2	15
16	O	92/94 (98%)	69 (75%)	13 (14%)	10 (11%)	0	2
17	P	125/127 (98%)	102 (82%)	17 (14%)	6 (5%)	3	17
18	Q	91/93 (98%)	67 (74%)	16 (18%)	8 (9%)	1	4
19	R	108/110 (98%)	63 (58%)	28 (26%)	17 (16%)	0	1
20	S	173/175 (99%)	123 (71%)	32 (18%)	18 (10%)	1	3
21	T	82/84 (98%)	68 (83%)	8 (10%)	6 (7%)	1	6
22	U	70/72 (97%)	39 (56%)	15 (21%)	16 (23%)	0	0
23	V	64/66 (97%)	54 (84%)	9 (14%)	1 (2%)	12	48
24	W	53/55 (96%)	36 (68%)	13 (24%)	4 (8%)	1	6
25	Z	55/57 (96%)	36 (66%)	13 (24%)	6 (11%)	0	2
26	1	52/54 (96%)	31 (60%)	13 (25%)	8 (15%)	0	1
27	2	45/47 (96%)	38 (84%)	6 (13%)	1 (2%)	8	38
28	3	63/65 (97%)	38 (60%)	17 (27%)	8 (13%)	0	1
All	All	3431/3487 (98%)	2439 (71%)	657 (19%)	335 (10%)	1	3

5 of 335 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	0	17	SER
1	0	61	PRO
1	0	157	ILE
1	0	216	PRO
2	A	25	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	167/167 (100%)	150 (90%)	17 (10%)	9	33
2	A	214/214 (100%)	177 (83%)	37 (17%)	2	12
3	B	155/155 (100%)	123 (79%)	32 (21%)	1	7
4	C	157/157 (100%)	117 (74%)	40 (26%)	1	3
5	D	153/153 (100%)	126 (82%)	27 (18%)	2	12
6	E	136/136 (100%)	111 (82%)	25 (18%)	2	10
7	F	107/107 (100%)	94 (88%)	13 (12%)	6	25
8	G	118/118 (100%)	97 (82%)	21 (18%)	2	11
9	H	103/103 (100%)	73 (71%)	30 (29%)	0	2
10	I	108/108 (100%)	88 (82%)	20 (18%)	2	10
11	J	110/110 (100%)	82 (74%)	28 (26%)	1	3
12	K	90/90 (100%)	68 (76%)	22 (24%)	1	4
13	L	74/74 (100%)	46 (62%)	28 (38%)	0	1
14	M	92/92 (100%)	58 (63%)	34 (37%)	0	1
15	N	96/96 (100%)	82 (85%)	14 (15%)	4	18
16	O	75/75 (100%)	59 (79%)	16 (21%)	1	6
17	P	109/109 (100%)	85 (78%)	24 (22%)	1	6
18	Q	75/75 (100%)	57 (76%)	18 (24%)	1	4
19	R	91/91 (100%)	71 (78%)	20 (22%)	1	6
20	S	149/149 (100%)	119 (80%)	30 (20%)	1	8
21	T	62/62 (100%)	42 (68%)	20 (32%)	0	1
22	U	57/57 (100%)	38 (67%)	19 (33%)	0	1
23	V	54/54 (100%)	45 (83%)	9 (17%)	3	13
24	W	48/48 (100%)	38 (79%)	10 (21%)	1	7
25	Z	51/51 (100%)	43 (84%)	8 (16%)	3	15
26	1	38/38 (100%)	33 (87%)	5 (13%)	5	22
27	2	40/40 (100%)	32 (80%)	8 (20%)	1	8
28	3	51/51 (100%)	34 (67%)	17 (33%)	0	1
All	All	2780/2780 (100%)	2188 (79%)	592 (21%)	1	6

5 of 592 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
11	J	27	TYR
13	L	82	LYS
24	W	26	ARG
11	J	64	LYS
12	K	59	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 17 such sidechains are listed below:

Mol	Chain	Res	Type
7	F	11	GLN
13	L	37	HIS
23	V	52	GLN
6	E	139	GLN
26	1	30	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
29	X	2776/2881 (96%)	839 (30%)	30 (1%)
30	Y	121/122 (99%)	35 (28%)	1 (0%)
All	All	2897/3003 (96%)	874 (30%)	31 (1%)

5 of 874 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
29	X	8	A
29	X	13	A
29	X	15	G
29	X	54	G
29	X	63	A

5 of 31 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
29	X	1506	C
29	X	1602	G
29	X	2823	G
29	X	1526	U
29	X	1690	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 187 ligands modelled in this entry, 186 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
32	HGR	X	6178	-	38,39,39	1.83	7 (18%)	44,58,58	1.94	8 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	HGR	X	6178	-	-	0/20/79/79	0/4/4/4

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	X	6178	HGR	C5-C6	-4.36	1.42	1.50
32	X	6178	HGR	C3-C2	-3.69	1.41	1.48
32	X	6178	HGR	C5-C4	-3.53	1.43	1.49
32	X	6178	HGR	C17-N1	2.07	1.49	1.45
32	X	6178	HGR	C12-C14	3.65	1.43	1.33

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	X	6178	HGR	C5-C6-C1	-4.70	116.95	120.38
32	X	6178	HGR	C4-C3-C2	-2.98	118.17	122.09
32	X	6178	HGR	O1-C10-C9	-2.44	101.47	104.83
32	X	6178	HGR	C1-C2-C3	2.27	120.84	115.81
32	X	6178	HGR	O10-C19-C17	2.56	114.88	109.57

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	X	6178	HGR	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	0	224/224 (100%)	4.90	180 (80%) 0 0	291, 311, 319, 322	0
2	A	274/274 (100%)	0.62	39 (14%) 4 1	108, 151, 172, 185	0
3	B	205/205 (100%)	0.04	4 (1%) 68 39	67, 102, 129, 146	0
4	C	197/197 (100%)	0.12	10 (5%) 32 12	93, 133, 158, 177	0
5	D	177/177 (100%)	0.30	14 (7%) 15 5	165, 183, 200, 214	0
6	E	171/171 (100%)	0.09	11 (6%) 23 8	116, 167, 191, 198	0
7	F	144/144 (100%)	2.34	60 (41%) 0 0	233, 259, 275, 281	0
8	G	142/142 (100%)	0.28	8 (5%) 28 11	87, 125, 139, 169	0
9	H	134/134 (100%)	-0.10	4 (2%) 54 25	70, 92, 108, 118	0
10	I	141/141 (100%)	1.05	34 (24%) 1 1	98, 150, 173, 182	0
11	J	136/136 (100%)	0.94	25 (18%) 2 1	107, 126, 156, 159	0
12	K	113/113 (100%)	0.23	6 (5%) 30 12	63, 82, 95, 99	0
13	L	104/104 (100%)	1.12	26 (25%) 1 1	126, 147, 162, 173	0
14	M	109/109 (100%)	-0.06	3 (2%) 56 27	72, 89, 117, 147	0
15	N	117/117 (100%)	0.36	10 (8%) 13 5	90, 118, 144, 153	0
16	O	94/94 (100%)	-0.28	6 (6%) 23 8	103, 129, 156, 173	0
17	P	127/127 (100%)	0.16	5 (3%) 43 18	81, 96, 120, 180	0
18	Q	93/93 (100%)	0.59	12 (12%) 5 2	108, 137, 160, 176	0
19	R	110/110 (100%)	0.37	8 (7%) 18 6	111, 131, 166, 180	0
20	S	175/175 (100%)	0.48	24 (13%) 4 1	134, 167, 185, 193	0
21	T	84/84 (100%)	1.16	18 (21%) 1 1	111, 130, 148, 171	0
22	U	72/72 (100%)	1.51	21 (29%) 1 0	134, 163, 177, 182	0
23	V	66/66 (100%)	0.82	12 (18%) 2 1	147, 163, 190, 201	0
24	W	55/55 (100%)	0.66	6 (10%) 7 3	112, 124, 142, 157	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	Z	57/57 (100%)	0.05	3 (5%) 30 12	82, 97, 120, 130	0
26	1	54/54 (100%)	1.72	23 (42%) 0 0	140, 153, 179, 189	0
27	2	47/47 (100%)	0.17	2 (4%) 39 16	108, 121, 132, 134	0
28	3	65/65 (100%)	1.63	26 (40%) 0 0	115, 132, 143, 153	0
29	X	2780/2881 (96%)	-0.15	79 (2%) 56 27	59, 127, 241, 397	0
30	Y	122/122 (100%)	-0.36	3 (2%) 61 30	110, 157, 182, 203	0
All	All	6389/6490 (98%)	0.37	682 (10%) 8 3	59, 134, 276, 397	0

The worst 5 of 682 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	0	204	PHE	18.3
1	0	200	ALA	18.1
1	0	205	LEU	17.3
1	0	85	ALA	15.6
29	X	2127	U	15.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
31	MG	X	6033	1/1	0.83	0.69	51.06	76,76,76,76	0
31	MG	X	6001	1/1	0.88	0.73	46.93	67,67,67,67	0
31	MG	X	6162	1/1	0.75	0.78	41.49	104,104,104,104	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
31	MG	X	6147	1/1	0.93	1.08	31.86	93,93,93,93	0
31	MG	X	6018	1/1	0.95	0.78	25.76	86,86,86,86	0
31	MG	X	6167	1/1	0.90	1.05	25.76	97,97,97,97	0
31	MG	X	6129	1/1	0.90	0.46	19.40	89,89,89,89	0
31	MG	X	6132	1/1	0.92	0.56	19.08	84,84,84,84	0
31	MG	X	6087	1/1	0.82	0.62	19.04	85,85,85,85	0
31	MG	X	6085	1/1	0.82	0.41	17.62	66,66,66,66	0
31	MG	X	6105	1/1	0.90	0.41	14.70	86,86,86,86	0
31	MG	X	6014	1/1	0.80	0.47	13.98	99,99,99,99	0
31	MG	X	6142	1/1	0.91	0.56	12.84	106,106,106,106	0
31	MG	X	6011	1/1	0.90	0.39	12.12	104,104,104,104	0
31	MG	X	6016	1/1	0.96	0.35	11.13	74,74,74,74	0
31	MG	X	6019	1/1	0.92	0.48	10.85	75,75,75,75	0
31	MG	X	6054	1/1	0.96	0.39	10.58	79,79,79,79	0
31	MG	X	6066	1/1	0.93	0.40	10.56	105,105,105,105	0
31	MG	X	6053	1/1	0.94	0.36	9.82	85,85,85,85	0
31	MG	X	6006	1/1	0.77	0.57	9.63	70,70,70,70	0
31	MG	M	201	1/1	0.94	0.67	9.21	71,71,71,71	0
31	MG	Y	201	1/1	0.81	0.41	8.79	96,96,96,96	0
31	MG	X	6022	1/1	0.84	0.58	8.55	92,92,92,92	0
31	MG	X	6017	1/1	0.85	0.45	8.53	54,54,54,54	0
31	MG	X	6068	1/1	0.93	0.38	8.32	111,111,111,111	0
31	MG	X	6007	1/1	0.96	0.39	7.69	78,78,78,78	0
31	MG	X	6062	1/1	0.86	0.72	6.96	87,87,87,87	0
31	MG	X	6055	1/1	0.97	0.46	6.88	85,85,85,85	0
31	MG	X	6037	1/1	0.89	0.41	5.86	65,65,65,65	0
31	MG	X	6093	1/1	0.65	0.35	5.85	96,96,96,96	0
31	MG	X	6171	1/1	0.86	0.32	5.66	118,118,118,118	0
31	MG	N	201	1/1	0.77	0.39	5.47	74,74,74,74	0
31	MG	X	6115	1/1	0.91	0.30	5.27	133,133,133,133	0
31	MG	X	6008	1/1	0.95	0.26	4.65	58,58,58,58	0
31	MG	X	6032	1/1	0.95	0.36	4.29	86,86,86,86	0
31	MG	X	6060	1/1	0.92	0.65	4.26	80,80,80,80	0
31	MG	X	6078	1/1	0.81	0.37	3.57	89,89,89,89	0
31	MG	X	6071	1/1	0.89	0.34	3.26	99,99,99,99	0
31	MG	X	6056	1/1	0.92	0.32	3.15	81,81,81,81	0
31	MG	X	6021	1/1	0.94	0.26	3.13	91,91,91,91	0
31	MG	X	6144	1/1	0.81	0.26	3.12	132,132,132,132	0
31	MG	X	6131	1/1	0.80	0.40	3.00	80,80,80,80	0
31	MG	X	6110	1/1	0.91	0.23	2.80	84,84,84,84	0
31	MG	X	6002	1/1	0.85	0.32	2.77	91,91,91,91	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
31	MG	X	6051	1/1	0.73	0.54	2.65	83,83,83,83	0
31	MG	X	6059	1/1	0.91	0.24	2.19	88,88,88,88	0
32	HGR	X	6178	36/36	0.90	0.25	1.98	79,99,109,111	0
31	MG	X	6108	1/1	0.92	0.52	1.96	108,108,108,108	0
31	MG	X	6158	1/1	0.87	0.21	1.66	76,76,76,76	0
31	MG	X	6023	1/1	0.97	0.37	1.37	83,83,83,83	0
31	MG	X	6012	1/1	0.86	0.24	1.28	78,78,78,78	0
31	MG	X	6004	1/1	0.96	0.28	1.06	93,93,93,93	0
31	MG	A	301	1/1	0.73	0.35	-0.13	108,108,108,108	0
31	MG	X	6086	1/1	0.96	0.17	-0.21	104,104,104,104	0
31	MG	X	6038	1/1	0.94	0.09	-4.23	82,82,82,82	0
31	MG	X	6119	1/1	0.91	0.41	-	89,89,89,89	0
31	MG	X	6042	1/1	0.86	1.02	-	96,96,96,96	0
31	MG	X	6036	1/1	0.94	0.36	-	70,70,70,70	0
31	MG	X	6174	1/1	0.72	0.30	-	117,117,117,117	0
31	MG	X	6101	1/1	0.07	1.27	-	138,138,138,138	0
31	MG	X	6127	1/1	0.81	0.62	-	81,81,81,81	0
31	MG	X	6172	1/1	0.77	0.35	-	88,88,88,88	0
31	MG	X	6044	1/1	0.93	0.42	-	66,66,66,66	0
31	MG	X	6100	1/1	0.90	0.42	-	111,111,111,111	0
31	MG	X	6140	1/1	0.46	0.42	-	97,97,97,97	0
31	MG	X	6126	1/1	0.87	0.42	-	114,114,114,114	0
31	MG	X	6107	1/1	0.92	0.22	-	76,76,76,76	0
31	MG	X	6079	1/1	0.86	0.33	-	99,99,99,99	0
31	MG	X	6164	1/1	0.86	0.23	-	86,86,86,86	0
31	MG	X	6092	1/1	0.92	0.72	-	97,97,97,97	0
31	MG	X	6169	1/1	0.77	0.49	-	91,91,91,91	0
31	MG	X	6143	1/1	0.97	0.64	-	99,99,99,99	0
31	MG	X	6076	1/1	0.73	0.56	-	73,73,73,73	0
31	MG	X	6120	1/1	0.88	0.27	-	78,78,78,78	0
31	MG	X	6046	1/1	0.85	0.58	-	76,76,76,76	0
31	MG	X	6005	1/1	0.98	0.56	-	58,58,58,58	0
31	MG	X	6039	1/1	0.90	0.40	-	79,79,79,79	0
31	MG	X	6177	1/1	0.90	0.49	-	125,125,125,125	0
31	MG	X	6088	1/1	0.99	0.29	-	88,88,88,88	0
31	MG	X	6149	1/1	0.74	0.41	-	99,99,99,99	0
31	MG	X	6074	1/1	0.84	0.39	-	89,89,89,89	0
31	MG	X	6003	1/1	0.81	0.31	-	72,72,72,72	0
31	MG	X	6045	1/1	0.86	0.73	-	94,94,94,94	0
31	MG	X	6109	1/1	0.94	0.37	-	92,92,92,92	0
31	MG	X	6137	1/1	0.84	0.47	-	136,136,136,136	0
31	MG	X	6083	1/1	0.88	0.29	-	83,83,83,83	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
31	MG	X	6134	1/1	0.94	0.11	-	100,100,100,100	0
31	MG	X	6072	1/1	0.96	0.51	-	101,101,101,101	0
31	MG	X	6152	1/1	0.57	0.30	-	158,158,158,158	0
31	MG	X	6165	1/1	0.89	0.45	-	88,88,88,88	0
31	MG	X	6025	1/1	0.91	0.66	-	76,76,76,76	0
31	MG	X	6135	1/1	0.44	1.17	-	129,129,129,129	0
31	MG	X	6031	1/1	0.94	0.62	-	85,85,85,85	0
31	MG	X	6026	1/1	0.97	0.34	-	79,79,79,79	0
31	MG	X	6013	1/1	0.92	0.49	-	76,76,76,76	0
31	MG	X	6148	1/1	0.83	0.31	-	104,104,104,104	0
31	MG	X	6099	1/1	0.59	0.86	-	120,120,120,120	0
31	MG	Y	202	1/1	0.92	0.18	-	130,130,130,130	0
31	MG	X	6090	1/1	0.80	0.47	-	72,72,72,72	0
31	MG	X	6160	1/1	0.73	0.72	-	108,108,108,108	0
31	MG	X	6024	1/1	0.95	0.37	-	100,100,100,100	0
31	MG	X	6104	1/1	0.93	0.54	-	89,89,89,89	0
31	MG	X	6156	1/1	0.83	0.25	-	91,91,91,91	0
31	MG	X	6064	1/1	0.85	0.48	-	77,77,77,77	0
31	MG	X	6041	1/1	0.91	0.41	-	64,64,64,64	0
31	MG	X	6166	1/1	0.92	0.12	-	76,76,76,76	0
31	MG	X	6084	1/1	0.94	0.29	-	124,124,124,124	0
31	MG	X	6063	1/1	0.97	0.31	-	87,87,87,87	0
31	MG	X	6124	1/1	0.68	0.58	-	100,100,100,100	0
31	MG	X	6028	1/1	0.92	0.31	-	75,75,75,75	0
31	MG	X	6081	1/1	0.96	0.34	-	90,90,90,90	0
31	MG	X	6168	1/1	0.54	0.67	-	100,100,100,100	0
31	MG	X	6154	1/1	0.90	0.67	-	96,96,96,96	0
31	MG	X	6111	1/1	0.71	0.41	-	98,98,98,98	0
31	MG	X	6096	1/1	0.93	0.33	-	99,99,99,99	0
31	MG	X	6141	1/1	0.78	0.39	-	87,87,87,87	0
31	MG	X	6009	1/1	0.94	0.31	-	50,50,50,50	0
31	MG	X	6048	1/1	0.95	0.57	-	66,66,66,66	0
31	MG	X	6098	1/1	0.87	0.21	-	71,71,71,71	0
31	MG	X	6035	1/1	0.76	0.46	-	80,80,80,80	0
31	MG	X	6123	1/1	0.93	0.55	-	89,89,89,89	0
31	MG	X	6175	1/1	0.86	0.54	-	121,121,121,121	0
31	MG	X	6052	1/1	0.81	0.43	-	86,86,86,86	0
31	MG	X	6128	1/1	0.96	0.22	-	131,131,131,131	0
31	MG	X	6146	1/1	0.89	0.16	-	125,125,125,125	0
31	MG	X	6112	1/1	0.71	0.34	-	80,80,80,80	0
31	MG	X	6113	1/1	0.93	0.59	-	143,143,143,143	0
31	MG	X	6057	1/1	0.95	0.69	-	92,92,92,92	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
31	MG	X	6145	1/1	0.94	0.39	-	84,84,84,84	0
31	MG	X	6094	1/1	0.94	0.38	-	95,95,95,95	0
31	MG	X	6163	1/1	0.75	0.33	-	82,82,82,82	0
31	MG	X	6097	1/1	0.90	0.52	-	122,122,122,122	0
31	MG	X	6106	1/1	0.92	0.50	-	100,100,100,100	0
31	MG	Y	204	1/1	0.88	0.60	-	116,116,116,116	0
31	MG	X	6077	1/1	0.92	0.56	-	80,80,80,80	0
31	MG	X	6116	1/1	0.78	0.68	-	99,99,99,99	0
31	MG	X	6058	1/1	0.86	0.34	-	70,70,70,70	0
31	MG	X	6091	1/1	0.88	0.27	-	72,72,72,72	0
31	MG	Y	203	1/1	0.81	0.76	-	96,96,96,96	0
31	MG	X	6010	1/1	0.90	0.50	-	64,64,64,64	0
31	MG	X	6118	1/1	0.62	0.42	-	82,82,82,82	0
31	MG	X	6153	1/1	0.88	0.30	-	114,114,114,114	0
31	MG	X	6114	1/1	0.61	0.71	-	93,93,93,93	0
31	MG	X	6015	1/1	0.82	0.27	-	74,74,74,74	0
31	MG	X	6047	1/1	0.84	0.26	-	79,79,79,79	0
31	MG	X	6065	1/1	0.87	0.28	-	93,93,93,93	0
31	MG	X	6159	1/1	0.77	1.14	-	109,109,109,109	0
31	MG	X	6138	1/1	0.93	0.16	-	86,86,86,86	0
31	MG	X	6103	1/1	0.50	0.24	-	126,126,126,126	0
31	MG	X	6161	1/1	0.68	0.23	-	113,113,113,113	0
31	MG	Y	205	1/1	0.77	0.65	-	123,123,123,123	0
31	MG	X	6151	1/1	0.94	0.16	-	88,88,88,88	0
31	MG	X	6133	1/1	0.81	0.48	-	91,91,91,91	0
31	MG	X	6030	1/1	0.82	0.33	-	101,101,101,101	0
31	MG	X	6102	1/1	0.96	0.30	-	98,98,98,98	0
31	MG	X	6061	1/1	0.83	0.23	-	100,100,100,100	0
31	MG	X	6027	1/1	0.94	0.72	-	65,65,65,65	0
31	MG	X	6050	1/1	0.98	0.45	-	91,91,91,91	0
31	MG	X	6029	1/1	0.91	0.40	-	82,82,82,82	0
31	MG	X	6157	1/1	0.90	0.56	-	96,96,96,96	0
31	MG	X	6136	1/1	0.95	0.68	-	84,84,84,84	0
31	MG	X	6125	1/1	0.72	0.49	-	109,109,109,109	0
31	MG	X	6034	1/1	0.94	0.27	-	69,69,69,69	0
31	MG	X	6080	1/1	0.94	0.70	-	82,82,82,82	0
31	MG	X	6150	1/1	0.80	0.47	-	97,97,97,97	0
31	MG	X	6075	1/1	0.81	0.26	-	85,85,85,85	0
31	MG	X	6117	1/1	0.90	0.42	-	130,130,130,130	0
31	MG	X	6173	1/1	0.81	0.14	-	87,87,87,87	0
31	MG	X	6095	1/1	0.93	0.58	-	78,78,78,78	0
31	MG	X	6170	1/1	0.81	0.37	-	97,97,97,97	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
31	MG	X	6049	1/1	0.78	0.40	-	91,91,91,91	0
31	MG	H	201	1/1	0.90	0.14	-	104,104,104,104	0
31	MG	X	6130	1/1	0.87	0.41	-	132,132,132,132	0
31	MG	X	6122	1/1	0.91	0.36	-	84,84,84,84	0
31	MG	X	6121	1/1	0.93	0.60	-	85,85,85,85	0
31	MG	X	6176	1/1	0.69	0.56	-	73,73,73,73	0
31	MG	X	6020	1/1	0.82	0.45	-	76,76,76,76	0
31	MG	X	6082	1/1	0.94	0.69	-	105,105,105,105	0
31	MG	X	6069	1/1	0.91	0.35	-	65,65,65,65	0
31	MG	X	6067	1/1	0.98	0.18	-	72,72,72,72	0
31	MG	X	6070	1/1	0.81	0.47	-	69,69,69,69	0
31	MG	X	6043	1/1	0.92	0.39	-	106,106,106,106	0
31	MG	X	6073	1/1	0.93	0.30	-	105,105,105,105	0
31	MG	X	6139	1/1	0.72	0.43	-	113,113,113,113	0
31	MG	X	6155	1/1	0.81	0.80	-	108,108,108,108	0
31	MG	X	6040	1/1	0.94	0.55	-	63,63,63,63	0
31	MG	X	6089	1/1	0.94	0.26	-	89,89,89,89	0

6.5 Other polymers [i](#)

There are no such residues in this entry.