



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 02:06 PM BST

PDB ID : 1DOQ
Title : THE C-TERMINAL DOMAIN OF THE RNA POLYMERASE ALPHA SUB-UNIT FROM THERMUS THERMOPHILUS
Authors : Wada, T.; Yamazaki, T.; Kyogoku, Y.
Deposited on : 1999-12-21

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 70%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	69	<div> <div>28%</div> <div>52%</div> <div>19%</div> <div>.</div> </div>

2 Ensemble composition and analysis ⓘ

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 1118 atoms, of which 571 are hydrogens and 0 are deuteriums.


- Molecule 1 is a protein called RNA POLYMERASE ALPHA SUBUNIT.

Mol	Chain	Residues	Atoms					Trace
1	A	69	Total	C	H	N	O	0
			1118	344	571	90	113	

4 Residue-property plots [i](#)

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: RNA POLYMERASE ALPHA SUBUNIT



5 Refinement protocol and experimental data overview

The models were refined using the following method: *DISTANCE GEOMETRY, SIMULATED ANNEALING, MOLECULAR DYNAMICS*.

Of the ? calculated structures, 1 were deposited, based on the following criterion: ?.

The authors did not provide any information on software used for structure solution, optimization or refinement.

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 4583
Number of chemical shift lists	1
Total number of shifts	814
Number of shifts mapped to atoms	708
Number of unparsed shifts	0
Number of shifts with mapping errors	106
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	70%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality [i](#)

6.1 Standard geometry [i](#)

There are no covalent bond-length or bond-angle outliers.

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0	3
All	All	0	3

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

All planar outliers are listed below.

Mol	Chain	Res	Type	Group
1	A	278	ARG	Sidechain
1	A	264	ARG	Sidechain
1	A	297	ARG	Sidechain

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	547	571	568	105
All	All	547	571	568	105

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 94.

All clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:269:LEU:HD12	1:A:274:ILE:HG21	1.03	1.29

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:281:LEU:HD12	1:A:311:PHE:CD2	0.92	1.99
1:A:256:LEU:CD1	1:A:280:LEU:HD23	0.91	1.94
1:A:269:LEU:CD2	1:A:294:ILE:HD11	0.91	1.96
1:A:256:LEU:CD2	1:A:259:LEU:HD22	0.88	1.98
1:A:256:LEU:HD22	1:A:259:LEU:HD22	0.82	1.51
1:A:269:LEU:HD12	1:A:274:ILE:CG2	0.81	2.06
1:A:259:LEU:HD21	1:A:277:VAL:HG13	0.80	1.52
1:A:252:LEU:HD12	1:A:309:LYS:CG	0.77	2.09
1:A:252:LEU:HD12	1:A:309:LYS:HG2	0.74	1.58
1:A:259:LEU:HD21	1:A:277:VAL:CG1	0.73	2.12
1:A:288:LEU:HD13	1:A:288:LEU:C	0.71	2.05
1:A:259:LEU:HD11	1:A:277:VAL:CG2	0.71	2.15
1:A:269:LEU:HD21	1:A:294:ILE:HD11	0.71	1.60
1:A:272:GLU:OE1	1:A:291:ILE:HG23	0.71	1.85
1:A:252:LEU:HD13	1:A:311:PHE:CE1	0.70	2.21
1:A:259:LEU:HD11	1:A:277:VAL:HG22	0.70	1.63
1:A:281:LEU:HD23	1:A:281:LEU:C	0.69	2.08
1:A:252:LEU:HD13	1:A:311:PHE:CD1	0.69	2.22
1:A:259:LEU:CD2	1:A:277:VAL:HG13	0.68	2.18
1:A:291:ILE:HG22	1:A:293:GLY:H	0.67	1.49
1:A:259:LEU:CD1	1:A:277:VAL:HG22	0.67	2.19
1:A:306:LEU:CD1	1:A:311:PHE:CZ	0.66	2.78
1:A:256:LEU:HD11	1:A:280:LEU:HD23	0.65	1.66
1:A:252:LEU:CD1	1:A:311:PHE:CE1	0.64	2.80
1:A:256:LEU:HD13	1:A:280:LEU:HD23	0.64	1.69
1:A:256:LEU:HD21	1:A:277:VAL:HA	0.64	1.69
1:A:306:LEU:N	1:A:306:LEU:HD12	0.63	2.08
1:A:291:ILE:HD12	1:A:294:ILE:HG13	0.62	1.72
1:A:252:LEU:HD21	1:A:277:VAL:HB	0.61	1.73
1:A:274:ILE:CG1	1:A:279:ALA:HB1	0.60	2.26
1:A:256:LEU:HD11	1:A:280:LEU:HB2	0.60	1.73
1:A:288:LEU:HD13	1:A:289:LYS:N	0.58	2.12
1:A:281:LEU:CD1	1:A:311:PHE:CD2	0.58	2.83
1:A:288:LEU:CD2	1:A:294:ILE:HG21	0.58	2.29
1:A:306:LEU:N	1:A:306:LEU:CD1	0.56	2.68
1:A:274:ILE:HD11	1:A:283:LEU:HD21	0.54	1.79
1:A:252:LEU:O	1:A:252:LEU:HD23	0.54	2.01
1:A:288:LEU:HD22	1:A:294:ILE:HG21	0.53	1.80
1:A:312:THR:O	1:A:313:LEU:CB	0.53	2.55
1:A:306:LEU:HG	1:A:311:PHE:CZ	0.53	2.38
1:A:280:LEU:CD1	1:A:280:LEU:O	0.53	2.57
1:A:280:LEU:O	1:A:280:LEU:HD13	0.53	2.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:265:VAL:HG13	1:A:269:LEU:HD23	0.53	1.80
1:A:284:ASN:OD1	1:A:313:LEU:CD1	0.52	2.57
1:A:274:ILE:HG23	1:A:279:ALA:HB3	0.52	1.81
1:A:252:LEU:HD12	1:A:309:LYS:CD	0.52	2.34
1:A:262:SER:CB	1:A:301:GLU:OE1	0.52	2.58
1:A:306:LEU:HG	1:A:311:PHE:CE2	0.51	2.40
1:A:281:LEU:HD21	1:A:313:LEU:HG	0.51	1.81
1:A:281:LEU:HD12	1:A:311:PHE:CG	0.50	2.40
1:A:272:GLU:O	1:A:274:ILE:HD12	0.50	2.07
1:A:266:LEU:O	1:A:270:LYS:CB	0.50	2.60
1:A:254:LEU:CG	1:A:255:PRO:HD2	0.48	2.39
1:A:281:LEU:HB2	1:A:311:PHE:CE2	0.47	2.44
1:A:265:VAL:HG13	1:A:269:LEU:CD2	0.47	2.38
1:A:254:LEU:HD23	1:A:255:PRO:HD2	0.47	1.85
1:A:281:LEU:CD2	1:A:281:LEU:C	0.47	2.80
1:A:252:LEU:HD11	1:A:277:VAL:CG1	0.47	2.40
1:A:265:VAL:O	1:A:266:LEU:C	0.46	2.54
1:A:274:ILE:HG13	1:A:279:ALA:HB1	0.46	1.86
1:A:283:LEU:CA	1:A:287:ASP:HB3	0.46	2.41
1:A:264:ARG:O	1:A:268:SER:OG	0.45	2.32
1:A:257:GLU:HA	1:A:266:LEU:CD2	0.45	2.41
1:A:266:LEU:O	1:A:270:LYS:HB3	0.45	2.11
1:A:281:LEU:HD21	1:A:313:LEU:CB	0.45	2.42
1:A:258:GLU:O	1:A:259:LEU:C	0.45	2.55
1:A:268:SER:O	1:A:272:GLU:HB2	0.45	2.12
1:A:256:LEU:HD21	1:A:277:VAL:CA	0.45	2.39
1:A:288:LEU:CD2	1:A:302:ILE:CD1	0.45	2.94
1:A:262:SER:N	1:A:301:GLU:HG2	0.44	2.27
1:A:265:VAL:HG22	1:A:298:SER:HB3	0.44	1.89
1:A:269:LEU:O	1:A:274:ILE:O	0.44	2.35
1:A:306:LEU:CG	1:A:311:PHE:CZ	0.44	3.00
1:A:255:PRO:HA	1:A:275:GLU:O	0.44	2.11
1:A:258:GLU:O	1:A:260:GLY:N	0.44	2.50
1:A:299:LEU:O	1:A:299:LEU:HD23	0.44	2.13
1:A:257:GLU:O	1:A:266:LEU:HD21	0.43	2.13
1:A:269:LEU:HD11	1:A:283:LEU:CD1	0.43	2.43
1:A:301:GLU:O	1:A:302:ILE:C	0.43	2.55
1:A:256:LEU:O	1:A:258:GLU:N	0.43	2.52
1:A:269:LEU:C	1:A:274:ILE:O	0.43	2.56
1:A:268:SER:O	1:A:269:LEU:C	0.43	2.56
1:A:256:LEU:O	1:A:257:GLU:C	0.43	2.57
1:A:256:LEU:HD11	1:A:280:LEU:CD2	0.43	2.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:265:VAL:O	1:A:269:LEU:HB2	0.43	2.14
1:A:272:GLU:HG3	1:A:272:GLU:O	0.42	2.14
1:A:269:LEU:HD23	1:A:294:ILE:HD11	0.42	1.85
1:A:251:GLU:O	1:A:252:LEU:O	0.42	2.37
1:A:303:LYS:O	1:A:304:GLU:C	0.42	2.57
1:A:281:LEU:CD2	1:A:313:LEU:CB	0.42	2.97
1:A:290:ASN:O	1:A:291:ILE:C	0.42	2.57
1:A:259:LEU:CD2	1:A:277:VAL:HG22	0.42	2.45
1:A:299:LEU:HD23	1:A:299:LEU:C	0.41	2.35
1:A:268:SER:O	1:A:272:GLU:N	0.41	2.53
1:A:282:ALA:O	1:A:284:ASN:N	0.41	2.54
1:A:288:LEU:CD1	1:A:288:LEU:C	0.41	2.78
1:A:280:LEU:CD1	1:A:302:ILE:HG23	0.41	2.46
1:A:281:LEU:HD21	1:A:313:LEU:CG	0.41	2.45
1:A:288:LEU:O	1:A:288:LEU:HD22	0.41	2.14
1:A:268:SER:O	1:A:272:GLU:CB	0.41	2.68
1:A:262:SER:OG	1:A:297:ARG:HG2	0.41	2.16
1:A:270:LYS:HA	1:A:274:ILE:O	0.40	2.15
1:A:254:LEU:CD2	1:A:255:PRO:HD2	0.40	2.45
1:A:312:THR:OG1	1:A:313:LEU:N	0.40	2.53

6.3 Torsion angles

6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	67/69 (97%)	47 (70%)	16 (24%)	4 (6%)	4	21
All	All	67/69 (97%)	47 (70%)	16 (24%)	4 (6%)	4	21

All 4 Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	283	LEU
1	A	252	LEU
1	A	270	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	249	GLU

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	61/61 (100%)	48 (79%)	13 (21%)	4	33
All	All	61/61 (100%)	48 (79%)	13 (21%)	4	33

All 13 residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	263	THR
1	A	277	VAL
1	A	280	LEU
1	A	254	LEU
1	A	313	LEU
1	A	248	GLN
1	A	268	SER
1	A	266	LEU
1	A	297	ARG
1	A	286	LYS
1	A	309	LYS
1	A	262	SER
1	A	249	GLU

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 70% for the well-defined parts and 70% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 4583

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	814
Number of shifts mapped to atoms	708
Number of unparsed shifts	0
Number of shifts with mapping errors	106
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Residue not found in structure. All 106 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	7	LYS	HD2	1.67	-1.0	1
A	3	PRO	HA	4.4	-1.0	1
A	5	GLU	CG	34.23	-1.0	1
A	12	PRO	HB2	2.35	-1.0	1
A	5	GLU	CA	56.55	-1.0	1
A	4	GLU	HG3	2.24	-1.0	1
A	6	ALA	HB2	1.35	-1.0	1
A	1	ALA	N	128.8	-1.0	1
A	11	ALA	CA	50.27	-1.0	1
A	13	PRO	N	135.89	-1.0	1
A	7	LYS	HA	4.33	-1.0	1
A	2	ALA	HA	4.59	-1.0	1
A	7	LYS	HE2	2.99	-1.0	1
A	7	LYS	HB3	1.72	-1.0	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	8	GLU	CA	54.69	-1.0	1
A	2	ALA	HB1	1.35	-1.0	1
A	11	ALA	HB3	1.35	-1.0	1
A	9	PRO	N	137.42	-1.0	1
A	7	LYS	HG2	1.42	-1.0	1
A	8	GLU	HB3	1.89	-1.0	1
A	2	ALA	H	8.17	-1.0	1
A	5	GLU	N	122.26	-1.0	1
A	12	PRO	HB3	1.93	-1.0	1
A	11	ALA	CB	18.37	-1.0	1
A	13	PRO	CA	63.02	-1.0	1
A	3	PRO	CG	27.44	-1.0	1
A	12	PRO	CG	27.37	-1.0	1
A	5	GLU	HB2	2.02	-1.0	1
A	4	GLU	H	8.47	-1.0	1
A	8	GLU	HG2	2.3	-1.0	1
A	12	PRO	CA	61.42	-1.0	1
A	2	ALA	CB	18.37	-1.0	1
A	6	ALA	HA	4.3	-1.0	1
A	1	ALA	HA	4.31	-1.0	1
A	9	PRO	CA	63.16	-1.0	1
A	12	PRO	HA	4.7	-1.0	1
A	9	PRO	HA	4.4	-1.0	1
A	8	GLU	N	124.55	-1.0	1
A	11	ALA	H	8.2	-1.0	1
A	3	PRO	HD3	3.69	-1.0	1
A	4	GLU	HA	4.1	-1.0	1
A	5	GLU	H	8.22	-1.0	1
A	4	GLU	CB	30.04	-1.0	1
A	4	GLU	N	121.09	-1.0	1
A	12	PRO	CD	50.54	-1.0	1
A	3	PRO	HB3	1.92	-1.0	1
A	8	GLU	HB2	2.04	-1.0	1
A	5	GLU	HG2	2.21	-1.0	1
A	2	ALA	HB3	1.35	-1.0	1
A	7	LYS	CG	24.55	-1.0	1
A	2	ALA	CA	50.31	-1.0	1
A	7	LYS	CA	55.66	-1.0	1
A	10	GLU	HA	4.23	-1.0	1
A	11	ALA	HB1	1.35	-1.0	1
A	10	GLU	H	8.35	-1.0	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	5	GLU	CB	30.33	-1.0	1
A	3	PRO	HD2	3.8	-1.0	1
A	6	ALA	HB1	1.35	-1.0	1
A	8	GLU	H	8.38	-1.0	1
A	4	GLU	CA	56.94	-1.0	1
A	1	ALA	CA	52.13	-1.0	1
A	11	ALA	N	127.18	-1.0	1
A	5	GLU	HA	4.25	-1.0	1
A	3	PRO	HB2	2.3	-1.0	1
A	12	PRO	N	137.44	-1.0	1
A	3	PRO	CD	50.56	-1.0	1
A	6	ALA	H	8.17	-1.0	1
A	10	GLU	CB	30.53	-1.0	1
A	2	ALA	HB2	1.35	-1.0	1
A	7	LYS	N	121.8	-1.0	1
A	10	GLU	HG2	2.26	-1.0	1
A	8	GLU	CB	29.6	-1.0	1
A	12	PRO	HG2	2.04	-1.0	1
A	13	PRO	HA	4.43	-1.0	1
A	1	ALA	HB2	1.37	-1.0	1
A	1	ALA	CB	19.18	-1.0	1
A	10	GLU	HB2	1.93	-1.0	1
A	1	ALA	HB1	1.37	-1.0	1
A	6	ALA	CB	18.94	-1.0	1
A	3	PRO	HG2	2.03	-1.0	1
A	8	GLU	HA	4.54	-1.0	1
A	6	ALA	N	125.98	-1.0	1
A	10	GLU	N	121.89	-1.0	1
A	3	PRO	CB	32.19	-1.0	1
A	12	PRO	HD2	3.81	-1.0	1
A	3	PRO	N	136.32	-1.0	1
A	12	PRO	CB	30.94	-1.0	1
A	1	ALA	HB3	1.37	-1.0	1
A	10	GLU	CA	56.26	-1.0	1
A	7	LYS	CD	29.04	-1.0	1
A	7	LYS	CE	42.06	-1.0	1
A	11	ALA	HA	4.59	-1.0	1
A	5	GLU	HB3	1.96	-1.0	1
A	7	LYS	H	8.11	-1.0	1
A	8	GLU	CG	36.0	-1.0	1
A	1	ALA	H	8.33	-1.0	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	4	GLU	HG2	2.48	-1.0	1
A	6	ALA	HB3	1.35	-1.0	1
A	4	GLU	CG	36.63	-1.0	1
A	6	ALA	CA	52.33	-1.0	1
A	3	PRO	CA	63.56	-1.0	1
A	12	PRO	HD3	3.63	-1.0	1
A	7	LYS	HB2	1.79	-1.0	1
A	2	ALA	N	125.57	-1.0	1
A	7	LYS	CB	33.52	-1.0	1
A	11	ALA	HB2	1.35	-1.0	1

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	82	-0.16 ± 0.19	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	74	0.02 ± 0.09	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	—
^{15}N	82	-0.14 ± 0.37	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 70%, i.e. 613 atoms were assigned a chemical shift out of a possible 872. 12 out of 17 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	266/341 (78%)	130/136 (96%)	69/138 (50%)	67/67 (100%)
Sidechain	347/515 (67%)	200/299 (67%)	146/197 (74%)	1/19 (5%)
Aromatic	0/16 (0%)	0/9 (0%)	0/6 (0%)	0/1 (0%)
Overall	613/872 (70%)	330/444 (74%)	215/341 (63%)	68/87 (78%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 70%, i.e. 613 atoms were assigned a chemical shift out of a possible 872. 12 out of 17 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	266/341 (78%)	130/136 (96%)	69/138 (50%)	67/67 (100%)

Continued on next page...

Continued from previous page...

	Total	^1H	^{13}C	^{15}N
Sidechain	347/515 (67%)	200/299 (67%)	146/197 (74%)	1/19 (5%)
Aromatic	0/16 (0%)	0/9 (0%)	0/6 (0%)	0/1 (0%)
Overall	613/872 (70%)	330/444 (74%)	215/341 (63%)	68/87 (78%)

7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

