



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:37 AM GMT

PDB ID : 2DOJ  
Title : Crystal structure of the complex of C-terminal lobe of bovine lactoferrin with adenosine at 2.4 Å resolution  
Authors : Singh, N.; Jain, R.; Sharma, S.; Singh, T.P.  
Deposited on : 2006-04-30  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	345	 72% 25% ..

## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 3005 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactotransferrin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	341	Total	C	N	O	S	0	0	0
			2605	1622	454	508	21			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	565	LYS	ASN	SEE REMARK 999	UNP P24627
A	608	GLU	LYS	SEE REMARK 999	UNP P24627

- Molecule 2 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is a polymer of unknown type called SUGAR (4-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 4 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Zn	0	0
			2	2		

- Molecule 7 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Fe	0	0
			1	1		

- Molecule 8 is CARBONATE ION (three-letter code: CO3) (formula: CO<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			4	1	3		

- Molecule 9 is ADENOSINE (three-letter code: ADN) (formula:  $C_{10}H_{13}N_5O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	N	O	0	0
			19	10	5	4		

- Molecule 10 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	230	Total 230	O 230	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: Lactotransferrin



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.32Å 50.47Å 65.92Å 90.00° 107.66° 90.00°	Depositor
Resolution (Å)	20.00 – 2.40	Depositor
% Data completeness (in resolution range)	97.4 (20.00-2.40)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	REFMAC 5	Depositor
R, $R_{free}$	0.192 , 0.223	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3005	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CO3, BMA, NAG, ZN, NDG, SO4, ADN, MAN, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.64	0/2653	0.94	7/3591 (0.2%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	602	ASP	CB-CG-OD2	6.55	124.19	118.30
1	A	568	ASP	CB-CG-OD2	6.46	124.11	118.30
1	A	509	ASP	CB-CA-C	-5.81	98.78	110.40
1	A	462	ASP	CB-CG-OD2	5.40	123.16	118.30
1	A	484	ASP	CB-CG-OD2	5.15	122.94	118.30
1	A	378	ASP	CB-CG-OD2	5.05	122.85	118.30
1	A	394	LEU	CA-CB-CG	5.00	126.81	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2605	0	2519	77	0
2	A	28	0	25	2	0
3	A	50	0	43	0	0
4	A	61	0	52	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	5	0	0	0	0
6	A	2	0	0	0	0
7	A	1	0	0	0	0
8	A	4	0	0	0	0
9	A	19	0	13	1	0
10	A	230	0	0	17	0
All	All	3005	0	2652	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:430:THR:HB	1:A:594:ASN:HD22	1.34	0.91
1:A:478:THR:HG22	1:A:480:SER:H	1.39	0.86
1:A:625:CYS:SG	1:A:626:PRO:HD3	2.15	0.85
1:A:430:THR:HB	1:A:594:ASN:ND2	1.91	0.85
1:A:625:CYS:HB3	1:A:626:PRO:HD2	1.61	0.83
1:A:355:GLN:HG3	10:A:2178:HOH:O	1.81	0.81
1:A:478:THR:CG2	1:A:480:SER:H	1.96	0.79
1:A:635:GLU:O	1:A:636:THR:HG22	1.82	0.79
1:A:474:ILE:O	1:A:478:THR:HB	1.83	0.78
1:A:676:SER:HA	10:A:2107:HOH:O	1.85	0.77
1:A:625:CYS:C	1:A:630:CYS:SG	2.64	0.76
1:A:478:THR:HG22	1:A:480:SER:N	2.02	0.74
1:A:613:HIS:HD2	10:A:2143:HOH:O	1.71	0.73
1:A:638:ASN:HD22	1:A:643:ASP:H	1.38	0.70
1:A:625:CYS:HB3	1:A:626:PRO:CD	2.22	0.70
1:A:565:LYS:HD3	1:A:567:GLU:H	1.55	0.69
1:A:625:CYS:CB	1:A:626:PRO:CD	2.72	0.68
1:A:478:THR:HG21	10:A:2077:HOH:O	1.92	0.67
4:A:9:MAN:H5	4:A:10:BMA:H2	1.78	0.66
1:A:419:LYS:O	1:A:420:HIS:HB2	1.97	0.65
1:A:662:GLY:O	1:A:666:VAL:HG23	1.98	0.64
1:A:638:ASN:ND2	1:A:643:ASP:H	1.96	0.63
1:A:606:HIS:HB2	10:A:2134:HOH:O	1.99	0.63
1:A:626:PRO:HD3	1:A:630:CYS:SG	2.38	0.63
1:A:660:TYR:O	9:A:2001:ADN:H5'1	2.00	0.61
1:A:565:LYS:CD	1:A:567:GLU:H	2.14	0.61
1:A:606:HIS:HD2	10:A:2180:HOH:O	1.84	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:565:LYS:HD3	1:A:567:GLU:N	2.16	0.60
1:A:562:LYS:NZ	10:A:2167:HOH:O	2.34	0.59
1:A:639:LEU:HD22	10:A:2138:HOH:O	2.03	0.58
1:A:625:CYS:SG	1:A:626:PRO:CD	2.89	0.58
1:A:395:ASP:HA	1:A:595:HIS:CD2	2.39	0.57
1:A:565:LYS:HZ3	1:A:567:GLU:N	2.02	0.57
1:A:634:SER:O	1:A:637:LYS:HG3	2.06	0.56
1:A:416:LYS:HD3	1:A:416:LYS:H	1.71	0.56
1:A:446:LEU:HD11	1:A:451:LEU:HD23	1.88	0.55
2:A:1:NAG:H5	2:A:2:NAG:HN2	1.72	0.55
1:A:565:LYS:CE	1:A:567:GLU:H	2.20	0.55
1:A:565:LYS:HZ3	1:A:567:GLU:H	1.54	0.54
1:A:429:PRO:HD3	10:A:2198:HOH:O	2.07	0.54
1:A:469:ILE:N	1:A:470:PRO:HD2	2.23	0.53
1:A:342:TYR:HD1	1:A:343:THR:H	1.57	0.53
1:A:430:THR:CB	1:A:594:ASN:HD22	2.15	0.52
1:A:565:LYS:NZ	1:A:567:GLU:H	2.08	0.52
1:A:513:ASP:O	1:A:516:VAL:HG22	2.09	0.52
1:A:419:LYS:HG2	10:A:2083:HOH:O	2.09	0.51
1:A:565:LYS:HZ2	1:A:567:GLU:HB2	1.77	0.50
1:A:654:ARG:N	1:A:655:PRO:CD	2.75	0.49
1:A:672:LEU:O	1:A:675:CYS:HB2	2.13	0.49
1:A:654:ARG:N	1:A:655:PRO:HD3	2.27	0.49
1:A:520:LYS:HG3	10:A:2064:HOH:O	2.12	0.49
1:A:495:ALA:O	1:A:497:PRO:HD3	2.12	0.49
1:A:613:HIS:CD2	10:A:2143:HOH:O	2.56	0.49
1:A:440:LYS:NZ	1:A:536:ASP:OD1	2.46	0.48
4:A:9:MAN:C5	4:A:10:BMA:H2	2.43	0.48
1:A:520:LYS:HA	1:A:520:LYS:HD2	1.56	0.47
1:A:610:VAL:O	1:A:614:GLN:HG2	2.13	0.47
1:A:424:ASP:HB2	10:A:2132:HOH:O	2.14	0.47
1:A:603:ARG:HH22	1:A:606:HIS:CE1	2.34	0.46
1:A:461:VAL:O	1:A:462:ASP:HB2	2.16	0.46
1:A:357:LYS:HA	1:A:360:GLN:HE21	1.81	0.46
1:A:616:ALA:O	1:A:622:GLY:HA2	2.16	0.45
1:A:613:HIS:CD2	2:A:1:NAG:H62	2.52	0.44
1:A:460:ALA:HB3	1:A:463:ARG:HD3	1.99	0.43
1:A:606:HIS:CD2	10:A:2180:HOH:O	2.66	0.43
1:A:553:ASN:OD1	1:A:565:LYS:HA	2.18	0.43
1:A:609:GLN:HB2	10:A:2203:HOH:O	2.17	0.43
1:A:508:ASP:HB2	1:A:509:ASP:H	1.46	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:469:ILE:HA	1:A:469:ILE:HD13	1.87	0.43
1:A:565:LYS:NZ	1:A:567:GLU:HB2	2.34	0.42
1:A:662:GLY:HA2	10:A:2135:HOH:O	2.20	0.42
1:A:514:LYS:HB2	1:A:514:LYS:HE3	1.81	0.42
1:A:584:ALA:HB3	4:A:7:NAG:H82	2.01	0.41
1:A:478:THR:C	1:A:480:SER:H	2.24	0.41
1:A:455:LYS:HB3	1:A:504:LEU:HD11	2.02	0.41
1:A:669:ILE:CG2	1:A:673:LYS:HE2	2.50	0.41
1:A:414:ASN:HA	1:A:414:ASN:HD22	1.57	0.41
1:A:565:LYS:CE	10:A:2078:HOH:O	2.69	0.40
1:A:561:ALA:HA	1:A:564:LEU:HG	2.04	0.40
1:A:619:GLY:O	1:A:625:CYS:HB2	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	337/345 (98%)	319 (95%)	12 (4%)	6 (2%)	11	13

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	625	CYS
1	A	483	PHE
1	A	685	ALA
1	A	684	CYS
1	A	683	ALA
1	A	420	HIS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/286 (99%)	267 (95%)	15 (5%)	28	44

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	367	GLN
1	A	414	ASN
1	A	418	SER
1	A	478	THR
1	A	481	CYS
1	A	510	GLN
1	A	545	ASN
1	A	609	GLN
1	A	620	LYS
1	A	621	ASN
1	A	627	ASP
1	A	663	THR
1	A	664	GLU
1	A	667	THR
1	A	676	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	355	GLN
1	A	360	GLN
1	A	414	ASN
1	A	420	HIS
1	A	594	ASN
1	A	621	ASN
1	A	638	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

11 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NAG	A	1	1,2	14,14,15	0.47	0	15,19,21	2.14	2 (13%)
4	BMA	A	10	4	11,11,12	0.74	0	14,15,17	2.22	5 (35%)
4	BMA	A	11	4	11,11,12	0.62	0	14,15,17	1.16	1 (7%)
2	NAG	A	2	2	14,14,15	0.40	0	15,19,21	1.02	0
3	NAG	A	3	1,3	14,14,15	0.46	0	15,19,21	2.09	1 (6%)
3	NDG	A	4	3	14,14,15	0.62	0	15,19,21	1.08	1 (6%)
3	MAN	A	5	3	11,11,12	0.52	0	14,15,17	1.21	2 (14%)
3	BMA	A	6	3	11,11,12	0.56	0	14,15,17	1.02	1 (7%)
4	NAG	A	7	1,4	14,14,15	0.75	1 (7%)	15,19,21	1.72	2 (13%)
4	NAG	A	8	4	14,14,15	0.77	1 (7%)	15,19,21	1.54	1 (6%)
4	MAN	A	9	4	11,11,12	0.44	0	14,15,17	2.02	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1	1,2	-	0/6/23/26	0/1/1/1
4	BMA	A	10	4	-	0/2/19/22	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BMA	A	11	4	-	0/2/19/22	0/1/1/1
2	NAG	A	2	2	-	0/6/23/26	0/1/1/1
3	NAG	A	3	1,3	-	0/6/23/26	0/1/1/1
3	NDG	A	4	3	-	0/6/23/26	0/1/1/1
3	MAN	A	5	3	-	0/2/19/22	0/1/1/1
3	BMA	A	6	3	-	0/2/19/22	0/1/1/1
4	NAG	A	7	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	8	4	-	0/6/23/26	0/1/1/1
4	MAN	A	9	4	-	0/2/19/22	1/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	8	NAG	C1-C2	2.17	1.55	1.52
4	A	7	NAG	C1-C2	2.22	1.55	1.52

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	8	NAG	C3-C4-C5	-4.64	102.10	110.20
4	A	10	BMA	O5-C1-C2	-2.06	107.52	110.86
3	A	5	MAN	C1-O5-C5	2.08	114.89	112.25
4	A	9	MAN	O5-C5-C6	2.16	112.02	107.35
2	A	1	NAG	C3-C4-C5	2.60	114.74	110.20
4	A	9	MAN	O4-C4-C5	3.03	117.26	109.24
3	A	6	BMA	C1-C2-C3	3.04	113.14	109.54
4	A	10	BMA	C1-C2-C3	3.14	113.26	109.54
3	A	5	MAN	C1-C2-C3	3.16	113.27	109.54
4	A	7	NAG	C2-N2-C7	3.22	127.18	123.04
3	A	4	NDG	C1-O-C5	3.35	116.50	112.25
4	A	11	BMA	C1-C2-C3	3.58	113.77	109.54
4	A	10	BMA	C2-C3-C4	3.65	117.25	111.04
4	A	10	BMA	C3-C4-C5	4.02	117.21	110.20
4	A	7	NAG	C1-O5-C5	4.44	117.88	112.25
4	A	10	BMA	C1-O5-C5	4.50	117.96	112.25
4	A	9	MAN	C1-O5-C5	6.18	120.09	112.25
3	A	3	NAG	C1-O5-C5	7.30	121.51	112.25
2	A	1	NAG	C1-O5-C5	7.46	121.72	112.25

There are no chirality outliers.

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	9	MAN	C1-C2-C3-C4-C5-O5

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	NAG	2	0
4	A	10	BMA	2	0
2	A	2	NAG	1	0
4	A	7	NAG	1	0
4	A	9	MAN	2	0

## 5.6 Ligand geometry

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	SO4	A	1001	-	4,4,4	0.22	0	6,6,6	0.24	0
9	ADN	A	2001	-	16,21,21	1.15	1 (6%)	16,31,31	1.80	1 (6%)
8	CO3	A	688	7	0,3,3	0.00	-	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SO4	A	1001	-	-	0/0/0/0	0/0/0/0
9	ADN	A	2001	-	-	0/2/22/22	0/3/3/3
8	CO3	A	688	7	-	0/0/0/0	0/0/0/0

All (1) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	2001	ADN	C5-C4	2.73	1.46	1.40

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
9	A	2001	ADN	N3-C2-N1	-5.67	124.56	128.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	2001	ADN	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.