



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:12 AM GMT

PDB ID : 3DSL
Title : The Three-dimensional Structure of Bothropasin, the Main Hemorrhagic Factor from Bothrops jararaca venom.
Authors : Muniz, J.R.C.; Ambrosio, A.; Selistre-de-Araujo, H.S.; Oliva, G.; Garratt, R.C.; Souza, D.H.F.
Deposited on : 2008-07-13
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	419	
1	B	419	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6675 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Zinc metalloproteinase-disintegrin bothropasin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	416	Total	C	N	O	S	0	0	0
			3219	1998	543	631	47			
1	B	412	Total	C	N	O	S	0	0	0
			3190	1981	538	624	47			

- Molecule 2 is Polymer: 2 Molecule: Bothropasin Chains: B (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Ca	0	0
			3	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Ca	0	0
			3	3		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Zn	0	0
			1	1		
4	A	1	Total	Zn	0	0
			1	1		

- Molecule 5 is FUROYL-LEUCINE (three-letter code: TRP, FLE) (formula: $C_{11}H_{12}N_2O_2$, $C_{11}H_{15}NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	4	Total	C	N	O	0	0
			60	44	6	10		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	113	Total	O	0	0
			113	113		
6	B	71	Total	O	0	0
			71	71		


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Zinc metalloproteinase-disintegrin bothropasin



- Molecule 1: Zinc metalloproteinase-disintegrin bothropasin





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.76Å 100.27Å 133.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.44 – 2.70 30.44 – 2.70	Depositor EDS
% Data completeness (in resolution range)	88.9 (30.44-2.70) 92.0 (30.44-2.70)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 2.68Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.210 , 0.294 0.243 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	46.7	Xtriage
Anisotropy	0.142	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 59.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 25588 reflections	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	6675	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, FLE, CA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/3294	0.58	0/4458
1	B	0.43	1/3265 (0.0%)	0.58	1/4418 (0.0%)
All	All	0.43	1/6559 (0.0%)	0.58	1/8876 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	355	GLY	C-N	-12.36	1.05	1.34

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	355	GLY	O-C-N	5.76	131.91	122.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3219	0	2997	157	0
1	B	3190	0	2971	199	0
2	A	14	0	13	1	0
3	A	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	3	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	60	0	48	4	0
6	A	113	0	0	3	0
6	B	71	0	0	7	0
All	All	6675	0	6029	350	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (350) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:357:LYS:N	1:B:357:LYS:HD3	1.52	1.13
1:A:353:GLU:OE1	1:A:353:GLU:HA	1.42	1.06
1:A:121:HIS:CD2	1:A:123:LYS:H	1.76	1.03
1:A:121:HIS:HD2	1:A:123:LYS:H	1.01	0.99
1:B:357:LYS:HD3	1:B:357:LYS:H	1.12	0.99
1:B:357:LYS:H	1:B:357:LYS:CD	1.69	0.99
1:A:351:ARG:HD3	1:A:412:GLY:HA3	1.50	0.94
1:B:106:PHE:CZ	1:B:128:ILE:HD11	2.03	0.93
1:B:39:LEU:HG	1:B:143:MET:HE1	1.52	0.92
1:B:155:HIS:CD2	1:B:171:PRO:HA	2.06	0.91
1:B:247:LEU:HB3	1:B:251:SER:HB2	1.60	0.83
1:A:417:VAL:HG13	1:A:418:ALA:H	1.43	0.83
1:A:334:GLU:CD	1:A:334:GLU:H	1.84	0.81
1:B:226:GLU:HB2	1:B:246:LYS:HA	1.61	0.80
1:B:215:VAL:HB	1:B:218:ASN:OD1	1.82	0.79
1:A:121:HIS:HD2	1:A:123:LYS:N	1.78	0.78
1:B:248:LYS:HE3	1:B:249:SER:H	1.49	0.77
1:B:154:HIS:HB2	1:B:188:GLN:HE22	1.48	0.77
1:B:203:ASN:N	1:B:203:ASN:HD22	1.84	0.76
1:B:139:VAL:HG12	1:B:143:MET:HE1	1.68	0.74
1:A:86:LYS:HD2	1:A:123:LYS:HB2	1.70	0.73
1:A:11:VAL:HG21	1:A:147:MET:HE3	1.70	0.73
1:A:345:ASN:H	1:A:345:ASN:HD22	1.37	0.73
1:B:370:LEU:HD12	1:B:371:TYR:H	1.52	0.72
1:A:298:LYS:H	1:A:298:LYS:HD2	1.53	0.72
1:B:286:GLY:C	1:B:288:SER:H	1.94	0.71
1:A:370:LEU:HD12	1:A:371:TYR:H	1.54	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:338:PHE:CD2	1:B:366:LYS:HA	2.26	0.71
1:A:298:LYS:H	1:A:298:LYS:CD	2.04	0.71
1:B:39:LEU:HG	1:B:143:MET:CE	2.22	0.70
1:B:338:PHE:O	1:B:365:VAL:HG22	1.91	0.70
1:A:93:LYS:HD3	1:A:94:LYS:N	2.07	0.70
1:A:377:PRO:HB3	1:B:113:TYR:CZ	2.27	0.70
1:B:218:ASN:ND2	1:B:220:LEU:H	1.91	0.69
1:B:226:GLU:HG3	1:B:246:LYS:HD3	1.75	0.69
1:B:21:MET:HE2	1:B:101:LEU:HB3	1.74	0.69
1:B:18:ASP:O	1:B:22:VAL:HG23	1.94	0.68
1:B:218:ASN:HD22	1:B:218:ASN:C	1.96	0.68
1:B:44:ASN:HD22	1:B:54:ALA:H	1.41	0.68
1:A:356:LYS:N	1:A:356:LYS:HD3	2.08	0.68
1:B:99:GLN:HE22	1:B:143:MET:HG2	1.59	0.68
1:A:18:ASP:OD1	1:A:21:MET:HB2	1.93	0.68
1:A:136:ASN:H	1:A:136:ASN:ND2	1.92	0.67
1:A:46:ILE:HG22	1:A:181:PHE:HE2	1.59	0.67
1:A:353:GLU:OE1	1:A:353:GLU:CA	2.30	0.67
1:B:341:ASN:HD21	1:B:369:ARG:HB3	1.61	0.65
1:B:370:LEU:HD12	1:B:371:TYR:N	2.12	0.65
1:A:121:HIS:CD2	1:A:124:ARG:H	2.15	0.64
1:B:140:ALA:HA	1:B:143:MET:CE	2.28	0.64
1:A:308:GLY:HA2	1:A:402:LYS:HG3	1.80	0.64
1:A:73:ASP:OD2	1:A:76:TYR:HB3	1.98	0.63
1:A:417:VAL:HG13	1:A:418:ALA:N	2.12	0.63
1:B:218:ASN:ND2	1:B:220:LEU:HB2	2.14	0.63
1:A:206:LEU:O	1:A:209:ASP:HB2	2.00	0.62
1:B:255:HIS:CG	1:B:256:GLY:N	2.67	0.62
1:B:299:ASN:HD22	1:B:299:ASN:H	1.47	0.62
1:A:220:LEU:O	1:A:222:GLU:HG3	1.99	0.62
1:A:195:LYS:N	1:A:195:LYS:HD3	2.14	0.62
1:B:364:ASP:O	1:B:367:CYS:HB2	2.00	0.62
1:A:272:ARG:HD2	1:A:294:ASP:OD2	2.00	0.61
1:B:319:TYR:HE1	1:B:331:TYR:CD2	2.17	0.61
1:A:351:ARG:CG	1:A:351:ARG:HH11	2.14	0.61
1:A:345:ASN:ND2	1:A:345:ASN:H	1.99	0.61
1:B:319:TYR:HE1	1:B:331:TYR:HD2	1.45	0.61
1:A:46:ILE:HG22	1:A:181:PHE:CE2	2.36	0.61
1:B:44:ASN:HD21	1:B:53:HIS:CD2	2.19	0.60
1:B:297:HIS:ND1	1:B:301:GLN:OE1	2.31	0.60
1:A:363:GLU:OE2	1:A:414:CYS:HB3	2.02	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:LEU:HD22	1:B:113:TYR:CD2	2.37	0.60
1:B:135:ILE:HG22	1:B:138:VAL:H	1.65	0.60
1:A:252:GLN:NE2	1:A:264:PHE:H	1.99	0.60
1:A:113:TYR:CZ	1:B:377:PRO:HB3	2.37	0.60
1:A:101:LEU:N	1:A:101:LEU:HD12	2.17	0.59
1:A:260:GLU:O	1:A:261:GLN:C	2.40	0.59
1:B:8:PHE:O	1:B:9:ARG:HD3	2.02	0.59
1:B:241:ASP:HB2	1:B:248:LYS:HG2	1.85	0.59
1:A:369:ARG:HD3	1:A:395:GLY:O	2.03	0.59
1:B:381:ASN:ND2	1:B:384:LYS:HB2	2.18	0.59
1:A:278:CYS:O	1:A:313:GLY:HA2	2.03	0.59
1:B:59:LEU:HD12	1:B:60:GLU:N	2.18	0.59
1:B:340:ASP:OD1	1:B:343:LYS:HD2	2.03	0.59
1:B:282:GLU:OE1	1:B:294:ASP:OD1	2.21	0.58
1:A:280:PRO:HG3	1:A:297:HIS:CE1	2.38	0.58
1:B:155:HIS:HD2	1:B:171:PRO:HA	1.60	0.58
1:A:416:ASP:HB2	6:A:598:HOH:O	2.04	0.58
1:B:271:CYS:SG	1:B:292:PRO:HD2	2.44	0.58
1:A:115:TYR:CE1	1:B:378:GLY:HA3	2.39	0.58
1:A:370:LEU:HD12	1:A:371:TYR:N	2.18	0.58
1:A:31:LYS:NZ	1:A:31:LYS:HB3	2.18	0.58
1:A:14:PHE:CE1	1:A:58:GLY:HA3	2.39	0.58
1:A:341:ASN:HB3	1:A:360:CYS:SG	2.44	0.57
1:A:194:MET:C	1:A:195:LYS:HD3	2.25	0.57
1:A:15:ILE:HG23	1:A:101:LEU:HD13	1.86	0.57
1:B:34:ALA:O	1:B:38:GLU:HG3	2.04	0.57
1:B:139:VAL:HG12	1:B:143:MET:CE	2.34	0.57
1:A:73:ASP:OD2	1:A:73:ASP:O	2.22	0.57
1:B:299:ASN:HD22	1:B:299:ASN:N	2.01	0.57
1:B:189:CYS:O	1:B:193:ILE:HG13	2.05	0.57
1:B:280:PRO:O	1:B:282:GLU:N	2.37	0.57
1:A:31:LYS:HB3	1:A:31:LYS:HZ3	1.69	0.57
1:B:319:TYR:CE1	1:B:331:TYR:HD2	2.21	0.56
1:A:107:ASN:O	1:A:110:THR:HG22	2.05	0.56
1:B:272:ARG:HG3	1:B:273:ALA:N	2.20	0.56
1:A:36:MET:SD	1:A:101:LEU:HD22	2.46	0.56
1:A:377:PRO:HB3	1:B:113:TYR:CE2	2.40	0.56
1:A:136:ASN:H	1:A:136:ASN:HD22	1.53	0.56
1:B:42:ILE:O	1:B:46:ILE:HG13	2.05	0.56
1:A:321:GLN:O	1:A:325:LEU:HD23	2.06	0.56
1:A:11:VAL:CG2	1:A:147:MET:HE3	2.33	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:VAL:HG13	1:B:106:PHE:CG	2.41	0.56
1:A:88:ASP:C	1:A:88:ASP:OD2	2.44	0.56
1:B:119:MET:O	1:B:120:CYS:HB2	2.05	0.56
1:B:296:PHE:O	1:B:297:HIS:HD2	1.89	0.56
1:B:204:GLU:OE2	1:B:255:HIS:HE1	1.90	0.55
1:B:408:VAL:CG1	1:B:409:CYS:N	2.69	0.55
1:B:404:ALA:HB3	1:B:407:LYS:HB2	1.88	0.55
1:B:386:PHE:CE2	1:B:394:LYS:HD3	2.42	0.55
1:A:10:TYR:CZ	1:A:204:GLU:HG3	2.41	0.55
1:B:140:ALA:HA	1:B:143:MET:HE2	1.89	0.55
1:B:398:LEU:HD23	6:B:486:HOH:O	2.07	0.55
1:A:297:HIS:HB3	1:A:301:GLN:NE2	2.22	0.55
1:B:238:GLU:H	1:B:238:GLU:CD	2.10	0.55
1:B:50:LEU:HD21	1:B:181:PHE:CD2	2.42	0.54
1:A:342:GLN:HE22	1:A:362:PRO:HG3	1.73	0.54
1:A:280:PRO:HD2	1:A:295:VAL:O	2.07	0.54
1:A:19:GLN:HE21	1:A:65:GLY:HA2	1.73	0.54
1:B:106:PHE:CE2	1:B:128:ILE:HD11	2.42	0.54
1:B:140:ALA:O	1:B:143:MET:HB2	2.09	0.53
1:B:203:ASN:HD22	1:B:203:ASN:H	1.56	0.53
5:A:506:FLE:C7	1:B:111:ILE:HD11	2.39	0.53
1:B:35:ARG:HH22	1:B:139:VAL:HG21	1.73	0.53
1:A:74:VAL:HG13	1:A:113:TYR:CD2	2.42	0.53
1:A:148:GLY:CA	1:A:153:ILE:HD12	2.39	0.53
1:B:411:ASN:HB3	6:B:460:HOH:O	2.08	0.53
1:B:409:CYS:HA	1:B:413:HIS:O	2.08	0.53
1:B:115:TYR:CD1	1:B:124:ARG:HG2	2.44	0.53
1:A:381:ASN:C	1:A:381:ASN:ND2	2.62	0.52
1:A:415:VAL:HG22	1:A:416:ASP:H	1.75	0.52
1:A:304:LEU:HD13	1:A:317:ILE:HD13	1.91	0.52
1:A:356:LYS:HD3	1:A:356:LYS:H	1.74	0.52
1:B:272:ARG:CZ	1:B:272:ARG:HB2	2.39	0.52
1:A:252:GLN:HE22	1:A:264:PHE:H	1.57	0.52
1:B:104:ILE:O	1:B:104:ILE:HG13	2.09	0.52
1:B:85:ARG:NH2	1:B:125:SER:HB3	2.25	0.52
1:A:357:LYS:HE2	1:A:392:GLU:OE1	2.10	0.51
1:A:204:GLU:OE2	1:A:255:HIS:NE2	2.37	0.51
1:B:218:ASN:HD22	1:B:220:LEU:H	1.55	0.51
1:A:99:GLN:HE22	1:A:143:MET:HB3	1.75	0.51
1:B:346:TYR:CZ	1:B:347:TYR:HD2	2.27	0.51
1:B:398:LEU:HD13	1:B:399:PRO:HD2	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:LEU:HD12	1:A:14:PHE:H	1.76	0.51
1:A:356:LYS:CD	1:A:356:LYS:N	2.74	0.51
1:B:407:LYS:O	1:B:408:VAL:HG23	2.10	0.51
1:B:99:GLN:NE2	1:B:143:MET:HG2	2.26	0.50
1:A:136:ASN:N	1:A:136:ASN:ND2	2.58	0.50
1:A:226:GLU:HG3	1:A:246:LYS:HA	1.92	0.50
1:B:280:PRO:HG3	1:B:297:HIS:CD2	2.46	0.50
1:B:318:MET:HB3	1:B:332:GLU:HG3	1.92	0.50
1:B:267:SER:C	1:B:269:THR:H	2.15	0.50
1:B:346:TYR:HA	6:B:488:HOH:O	2.10	0.50
1:A:407:LYS:HG2	1:A:415:VAL:O	2.12	0.50
1:A:190:TRP:O	1:A:194:MET:HG2	2.12	0.50
1:B:85:ARG:HG3	1:B:126:VAL:CG1	2.41	0.50
1:B:286:GLY:C	1:B:288:SER:N	2.61	0.50
1:B:357:LYS:CE	1:B:357:LYS:H	2.24	0.50
1:A:308:GLY:HA2	1:A:402:LYS:CG	2.41	0.50
1:B:402:LYS:HA	1:B:408:VAL:HG22	1.94	0.50
1:B:70:VAL:HG23	1:B:104:ILE:CD1	2.42	0.50
1:A:121:HIS:HD2	1:A:124:ARG:H	1.58	0.49
1:B:267:SER:HA	1:B:285:THR:HA	1.94	0.49
1:B:338:PHE:HD2	1:B:366:LYS:HA	1.75	0.49
1:B:311:TYR:O	1:B:313:GLY:N	2.44	0.49
1:A:345:ASN:HD22	1:A:345:ASN:N	2.00	0.49
1:A:325:LEU:HD12	1:A:386:PHE:CB	2.42	0.49
1:B:194:MET:CE	1:B:194:MET:HA	2.42	0.49
1:A:11:VAL:CB	1:A:147:MET:HE3	2.41	0.49
1:B:286:GLY:O	1:B:288:SER:N	2.44	0.49
1:B:203:ASN:N	1:B:203:ASN:ND2	2.57	0.49
1:B:107:ASN:O	1:B:108:GLY:C	2.49	0.49
1:B:20:GLY:C	1:B:103:ALA:HB3	2.33	0.49
1:A:274:SER:HA	1:A:279:ASP:OD1	2.13	0.49
1:B:272:ARG:HD2	1:B:294:ASP:CG	2.33	0.49
1:B:59:LEU:HD12	1:B:60:GLU:H	1.77	0.49
1:A:14:PHE:CD1	1:A:58:GLY:HA3	2.47	0.49
1:B:168:ILE:HG21	1:B:181:PHE:CZ	2.48	0.49
1:A:342:GLN:NE2	1:A:362:PRO:HG3	2.28	0.49
1:B:70:VAL:HG23	1:B:104:ILE:HD11	1.94	0.49
1:A:194:MET:HB3	1:A:195:LYS:NZ	2.27	0.49
1:B:140:ALA:HA	1:B:143:MET:HE3	1.94	0.48
1:B:197:ASN:N	1:B:197:ASN:HD22	2.10	0.48
1:B:71:LYS:HD2	1:B:76:TYR:CD2	2.47	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:253:CYS:HB2	1:A:289:SER:OG	2.13	0.48
1:B:291:CYS:SG	1:B:292:PRO:HD2	2.54	0.48
1:A:145:HIS:CE1	5:A:505:TRP:CE2	3.02	0.48
1:B:98:ALA:HB3	1:B:126:VAL:HG12	1.96	0.48
1:B:282:GLU:CD	1:B:294:ASP:HA	2.34	0.48
1:A:345:ASN:ND2	1:A:345:ASN:N	2.60	0.48
1:B:74:VAL:HG13	1:B:106:PHE:CD1	2.49	0.47
1:B:282:GLU:OE2	1:B:294:ASP:HA	2.14	0.47
1:A:119:MET:O	1:A:120:CYS:HB2	2.14	0.47
1:A:35:ARG:HG2	1:A:39:LEU:HD22	1.96	0.47
1:A:345:ASN:O	1:A:347:TYR:N	2.47	0.47
1:A:159:PHE:O	2:A:501:NAG:H3	2.13	0.47
1:B:145:HIS:CE1	1:B:169:MET:HA	2.49	0.47
1:B:149:HIS:O	1:B:151:LEU:N	2.47	0.47
1:A:199:GLN:O	1:A:202:LEU:HB2	2.15	0.47
1:B:270:GLU:HA	1:B:283:HIS:ND1	2.30	0.47
1:B:281:ALA:HB3	6:B:450:HOH:O	2.14	0.47
1:A:118:SER:O	1:A:119:MET:C	2.51	0.47
1:A:108:GLY:N	1:A:109:PRO:HA	2.28	0.47
1:B:328:ALA:O	1:B:329:ASP:HB2	2.15	0.47
1:B:252:GLN:HG3	1:B:263:LYS:HZ3	1.79	0.47
1:B:252:GLN:HG3	1:B:263:LYS:NZ	2.29	0.47
1:B:21:MET:O	1:B:24:LYS:HB3	2.15	0.47
1:B:337:CYS:O	1:B:339:LYS:N	2.48	0.47
6:A:589:HOH:O	1:B:116:ILE:HD11	2.14	0.47
1:A:139:VAL:O	1:A:143:MET:HG3	2.15	0.46
1:B:266:LYS:HD3	1:B:266:LYS:HA	1.65	0.46
1:B:157:THR:OG1	1:B:158:ASP:N	2.46	0.46
1:B:78:LEU:HD22	1:B:113:TYR:HD2	1.80	0.46
1:B:141:VAL:HG13	1:B:168:ILE:CD1	2.45	0.46
1:A:192:PHE:CD1	1:A:196:GLU:HG3	2.51	0.46
1:A:73:ASP:OD2	1:A:73:ASP:C	2.54	0.46
1:B:248:LYS:HE3	1:B:249:SER:N	2.25	0.46
1:A:18:ASP:OD1	1:A:102:THR:HA	2.16	0.46
1:A:252:GLN:NE2	1:A:264:PHE:N	2.64	0.46
1:A:321:GLN:OE1	1:A:398:LEU:HB2	2.15	0.46
1:B:19:GLN:O	1:B:20:GLY:C	2.52	0.46
1:A:137:LEU:O	1:A:141:VAL:HG23	2.15	0.46
1:B:36:MET:HE3	1:B:101:LEU:HD22	1.98	0.46
1:A:338:PHE:O	1:A:365:VAL:HB	2.16	0.46
1:B:337:CYS:HB3	1:B:383:CYS:HB3	1.79	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:251:SER:HB3	1:A:262:CYS:HB3	1.98	0.46
1:B:218:ASN:ND2	1:B:220:LEU:N	2.59	0.46
1:B:141:VAL:HG13	1:B:168:ILE:HD13	1.98	0.46
1:A:29:LEU:HD11	1:A:63:SER:HB3	1.98	0.46
1:B:218:ASN:ND2	1:B:218:ASN:C	2.68	0.46
1:A:290:GLU:O	1:A:292:PRO:HD3	2.16	0.46
1:B:147:MET:O	1:B:150:ASN:HB2	2.15	0.46
1:A:175:ASN:O	1:A:177:PRO:HD3	2.16	0.46
1:A:46:ILE:HG12	1:A:179:LYS:HG2	1.98	0.45
1:B:107:ASN:O	1:B:109:PRO:N	2.50	0.45
1:A:52:MET:HE2	1:A:151:LEU:CD1	2.46	0.45
1:A:111:ILE:HG23	5:A:504:FLE:C5	2.46	0.45
1:B:99:GLN:HA	1:B:127:ALA:O	2.16	0.45
1:B:148:GLY:O	1:B:153:ILE:HB	2.17	0.45
1:B:154:HIS:HB2	1:B:188:GLN:NE2	2.26	0.45
1:B:385:MET:C	1:B:385:MET:SD	2.95	0.45
1:B:74:VAL:HG11	1:B:110:THR:HG21	1.97	0.45
1:B:255:HIS:CG	1:B:256:GLY:H	2.31	0.45
1:A:417:VAL:CG1	1:A:418:ALA:H	2.20	0.45
1:A:74:VAL:HG23	1:A:106:PHE:CD1	2.52	0.45
1:A:93:LYS:HD3	1:A:93:LYS:C	2.36	0.45
1:B:182:SER:O	1:B:185:SER:HB2	2.17	0.45
1:A:381:ASN:C	1:A:381:ASN:HD22	2.21	0.44
1:B:375:ASN:O	1:B:376:SER:C	2.56	0.44
1:B:35:ARG:NH2	1:B:139:VAL:HG21	2.31	0.44
1:B:285:THR:C	1:B:286:GLY:O	2.54	0.44
1:B:71:LYS:HD2	1:B:76:TYR:CG	2.51	0.44
1:B:86:LYS:HB2	1:B:122:PRO:O	2.17	0.44
1:B:92:ARG:HG2	1:B:92:ARG:NH2	2.33	0.44
1:B:119:MET:O	1:B:120:CYS:CB	2.65	0.44
1:A:219:GLU:O	1:A:220:LEU:HD23	2.18	0.44
5:A:506:FLE:HG	1:B:109:PRO:O	2.18	0.44
1:B:70:VAL:HG23	1:B:70:VAL:O	2.17	0.44
1:A:39:LEU:HD12	1:A:140:ALA:HB2	1.99	0.44
1:A:347:TYR:CD1	1:A:348:GLY:N	2.86	0.44
1:B:280:PRO:HG3	1:B:297:HIS:NE2	2.33	0.44
1:A:304:LEU:O	1:A:307:TYR:HB2	2.18	0.44
1:A:354:ASN:HD22	1:A:354:ASN:HA	1.56	0.44
1:B:218:ASN:HD22	1:B:220:LEU:N	2.15	0.44
1:A:176:GLU:HA	1:A:177:PRO:HD3	1.75	0.44
1:A:12:GLU:HG3	1:A:96:ASP:OD2	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:298:LYS:HE2	1:B:298:LYS:HB3	1.86	0.43
1:B:316:PRO:HB2	1:B:401:THR:OG1	2.18	0.43
1:B:162:CYS:O	1:B:165:TYR:HD2	2.01	0.43
1:A:115:TYR:CD1	1:A:124:ARG:HG2	2.54	0.43
1:B:154:HIS:H	1:B:188:GLN:NE2	2.16	0.43
1:A:388:SER:OG	1:B:388:SER:HB2	2.18	0.43
1:A:346:TYR:CZ	1:A:347:TYR:HD2	2.36	0.43
1:B:94:LYS:O	1:B:95:HIS:HB3	2.18	0.43
1:A:351:ARG:HG2	1:A:351:ARG:NH1	2.33	0.43
1:B:307:TYR:O	1:B:402:LYS:HD3	2.19	0.43
1:A:19:GLN:O	1:A:20:GLY:C	2.58	0.43
1:A:252:GLN:NE2	1:A:264:PHE:CG	2.87	0.43
1:A:154:HIS:HB2	1:A:188:GLN:HE22	1.84	0.43
1:B:43:VAL:HG12	1:B:43:VAL:O	2.19	0.43
1:A:121:HIS:CE1	1:A:124:ARG:NH1	2.87	0.42
1:A:35:ARG:HG2	1:A:39:LEU:CD2	2.49	0.42
1:A:66:ASP:HB3	1:A:68:ILE:O	2.19	0.42
1:B:214:PRO:HA	1:B:222:GLU:OE1	2.19	0.42
1:A:6:ASN:HA	1:A:7:PRO:HD3	1.76	0.42
1:B:37:TYR:CD2	1:B:212:SER:HB3	2.54	0.42
1:A:157:THR:O	1:A:158:ASP:C	2.57	0.42
1:A:341:ASN:OD1	1:A:365:VAL:O	2.37	0.42
1:B:119:MET:O	1:B:198:PRO:HB3	2.19	0.42
1:B:269:THR:C	1:B:283:HIS:HB3	2.39	0.42
1:A:14:PHE:HB2	1:A:95:HIS:CD2	2.54	0.42
1:B:191:ASP:OD1	1:B:195:LYS:HE3	2.20	0.42
1:A:71:LYS:HD2	1:A:76:TYR:CD2	2.55	0.42
1:B:408:VAL:HG13	1:B:409:CYS:H	1.84	0.42
1:B:259:CYS:HA	1:B:263:LYS:O	2.20	0.42
1:B:10:TYR:CD1	1:B:205:PRO:HD2	2.55	0.42
1:B:10:TYR:CE1	1:B:204:GLU:HG3	2.54	0.42
1:B:281:ALA:C	1:B:282:GLU:HG3	2.40	0.42
1:B:337:CYS:C	1:B:339:LYS:H	2.22	0.42
1:A:45:GLU:OE2	1:A:179:LYS:NZ	2.44	0.42
1:A:148:GLY:HA2	1:A:153:ILE:HD12	2.02	0.42
1:B:337:CYS:C	1:B:339:LYS:N	2.73	0.42
1:A:6:ASN:OD1	1:A:7:PRO:HD2	2.20	0.42
1:B:240:CYS:HA	1:B:247:LEU:HA	2.01	0.42
1:B:97:ASN:HA	1:B:125:SER:O	2.20	0.42
1:B:44:ASN:ND2	1:B:53:HIS:CD2	2.85	0.41
1:A:351:ARG:CG	1:A:351:ARG:NH1	2.76	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:203:ASN:HB2	6:B:435:HOH:O	2.18	0.41
1:A:346:TYR:HD1	1:A:387:TYR:CE2	2.37	0.41
1:B:149:HIS:C	1:B:151:LEU:N	2.73	0.41
1:B:148:GLY:HA2	1:B:153:ILE:HD12	2.01	0.41
1:A:346:TYR:HA	1:A:357:LYS:NZ	2.35	0.41
1:A:252:GLN:HE21	1:A:252:GLN:HB2	1.66	0.41
1:A:154:HIS:HD2	1:B:329:ASP:OD2	2.02	0.41
1:A:27:GLY:O	1:A:29:LEU:N	2.53	0.41
1:B:226:GLU:CB	1:B:246:LYS:HA	2.41	0.41
1:B:296:PHE:O	1:B:297:HIS:CD2	2.72	0.41
1:B:226:GLU:HB2	1:B:245:CYS:O	2.21	0.41
1:B:221:LEU:HD23	1:B:255:HIS:CD2	2.56	0.41
1:B:268:GLY:O	1:B:283:HIS:ND1	2.53	0.41
1:A:101:LEU:N	1:A:101:LEU:CD1	2.83	0.41
1:A:13:LEU:HD12	1:A:14:PHE:N	2.36	0.41
1:B:398:LEU:HA	1:B:399:PRO:HD3	1.92	0.41
1:B:345:ASN:HB2	6:B:467:HOH:O	2.21	0.41
1:B:240:CYS:SG	1:B:247:LEU:HD23	2.61	0.41
1:B:338:PHE:HB3	1:B:365:VAL:HG13	2.02	0.41
1:B:365:VAL:CG1	1:B:366:LYS:N	2.84	0.41
1:A:375:ASN:O	1:A:377:PRO:HD3	2.20	0.41
1:A:219:GLU:HG3	1:A:230:GLY:CA	2.50	0.41
1:B:280:PRO:HD2	1:B:295:VAL:O	2.21	0.41
1:A:213:PRO:O	1:A:214:PRO:C	2.57	0.41
1:A:28:ASP:CG	1:A:31:LYS:HB2	2.41	0.41
1:B:44:ASN:ND2	1:B:53:HIS:HD2	2.18	0.40
1:A:402:LYS:CE	1:A:404:ALA:O	2.69	0.40
1:A:402:LYS:HE2	1:A:402:LYS:HB3	1.89	0.40
1:B:218:ASN:HD21	1:B:220:LEU:HB2	1.84	0.40
1:B:108:GLY:O	1:B:109:PRO:C	2.60	0.40
1:B:407:LYS:HA	1:B:415:VAL:O	2.22	0.40
1:B:183:ASN:ND2	6:B:484:HOH:O	2.48	0.40
1:B:137:LEU:O	1:B:137:LEU:HD23	2.21	0.40
1:A:334:GLU:HG2	1:A:337:CYS:SG	2.62	0.40
1:A:202:LEU:HD21	6:A:555:HOH:O	2.21	0.40
1:A:361:ALA:O	1:A:364:ASP:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	414/419 (99%)	351 (85%)	54 (13%)	9 (2%)	8	22
1	B	410/419 (98%)	320 (78%)	70 (17%)	20 (5%)	3	5
All	All	824/838 (98%)	671 (81%)	124 (15%)	29 (4%)	4	10

All (29) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	28	ASP
1	A	249	SER
1	B	107	ASN
1	B	157	THR
1	B	281	ALA
1	B	312	ASN
1	A	261	GLN
1	A	391	ASP
1	B	109	PRO
1	B	150	ASN
1	B	247	LEU
1	B	261	GLN
1	B	338	PHE
1	A	346	TYR
1	A	417	VAL
1	B	254	GLY
1	B	269	THR
1	A	292	PRO
1	B	304	LEU
1	B	351	ARG
1	B	399	PRO
1	A	197	ASN
1	B	28	ASP
1	B	282	GLU
1	B	298	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	411	ASN
1	B	46	ILE
1	B	287	GLN
1	B	108	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	361/363 (99%)	323 (90%)	38 (10%)	8	19
1	B	358/363 (99%)	326 (91%)	32 (9%)	12	27
All	All	719/726 (99%)	649 (90%)	70 (10%)	9	23

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	MET
1	A	23	THR
1	A	29	LEU
1	A	38	GLU
1	A	39	LEU
1	A	50	LEU
1	A	73	ASP
1	A	74	VAL
1	A	88	ASP
1	A	93	LYS
1	A	102	THR
1	A	110	THR
1	A	128	ILE
1	A	136	ASN
1	A	172	THR
1	A	175	ASN
1	A	195	LYS
1	A	199	GLN
1	A	200	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	202	LEU
1	A	208	THR
1	A	237	ASN
1	A	251	SER
1	A	252	GLN
1	A	260	GLU
1	A	263	LYS
1	A	298	LYS
1	A	321	GLN
1	A	334	GLU
1	A	345	ASN
1	A	351	ARG
1	A	353	GLU
1	A	354	ASN
1	A	373	LYS
1	A	381	ASN
1	A	403	CYS
1	A	408	VAL
1	A	416	ASP
1	B	18	ASP
1	B	21	MET
1	B	30	ASP
1	B	35	ARG
1	B	39	LEU
1	B	41	ASN
1	B	50	LEU
1	B	74	VAL
1	B	85	ARG
1	B	86	LYS
1	B	102	THR
1	B	128	ILE
1	B	159	PHE
1	B	191	ASP
1	B	197	ASN
1	B	203	ASN
1	B	218	ASN
1	B	220	LEU
1	B	238	GLU
1	B	253	CYS
1	B	257	ASP
1	B	272	ARG
1	B	274	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	289	SER
1	B	299	ASN
1	B	340	ASP
1	B	351	ARG
1	B	357	LYS
1	B	365	VAL
1	B	380	ASN
1	B	384	LYS
1	B	385	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	26	ASN
1	A	64	ASN
1	A	99	GLN
1	A	121	HIS
1	A	154	HIS
1	A	155	HIS
1	A	188	GLN
1	A	199	GLN
1	A	236	GLN
1	A	237	ASN
1	A	252	GLN
1	A	297	HIS
1	A	299	ASN
1	A	301	GLN
1	A	312	ASN
1	A	314	ASN
1	A	341	ASN
1	A	342	GLN
1	A	345	ASN
1	A	354	ASN
1	A	375	ASN
1	A	381	ASN
1	A	393	HIS
1	B	19	GLN
1	B	44	ASN
1	B	53	HIS
1	B	79	ASN
1	B	99	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	150	ASN
1	B	155	HIS
1	B	188	GLN
1	B	197	ASN
1	B	218	ASN
1	B	236	GLN
1	B	255	HIS
1	B	287	GLN
1	B	299	ASN
1	B	321	GLN
1	B	341	ASN
1	B	375	ASN
1	B	380	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 8 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	501	1	14,14,15	1.61	2 (14%)	15,19,21	1.98	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	FLE	A	504	5	11,15,16	1.42	2 (18%)	10,19,21	3.31	6 (60%)
5	TRP	A	505	5,4	12,16,16	0.83	0	7,22,22	1.01	0
5	FLE	A	506	5	11,15,16	1.71	3 (27%)	10,19,21	2.13	2 (20%)
5	TRP	A	507	5,4	12,16,16	0.72	0	7,22,22	0.97	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	501	1	-	0/6/23/26	0/1/1/1
5	FLE	A	504	5	-	0/9/14/16	0/0/1/1
5	TRP	A	505	5,4	-	0/3/8/8	0/2/2/2
5	FLE	A	506	5	-	0/9/14/16	0/0/1/1
5	TRP	A	507	5,4	-	0/3/8/8	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	NAG	C3-C2	2.26	1.57	1.52
5	A	506	FLE	CA-N	2.57	1.49	1.46
5	A	504	FLE	CA-N	2.80	1.50	1.46
5	A	504	FLE	C2-N	2.93	1.40	1.34
5	A	506	FLE	C4-C2	3.07	1.54	1.49
5	A	506	FLE	C2-N	3.39	1.41	1.34
2	A	501	NAG	C1-C2	4.32	1.58	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	504	FLE	O3-C2-N	-4.36	114.56	122.44
5	A	506	FLE	O3-C2-N	-3.82	115.54	122.44
5	A	504	FLE	O3-C2-C4	-3.42	113.96	121.23
2	A	501	NAG	C4-C3-C2	-2.97	106.61	111.23
2	A	501	NAG	C3-C4-C5	-2.75	105.41	110.20
5	A	504	FLE	CA-N-C2	-2.60	114.58	121.62
5	A	504	FLE	O-C-CA	-2.03	120.08	125.44
5	A	504	FLE	CB-CA-N	4.08	120.65	110.48
5	A	506	FLE	C4-C2-N	4.70	125.56	115.10
2	A	501	NAG	C1-O5-C5	5.71	119.50	112.25
5	A	504	FLE	C4-C2-N	6.96	130.58	115.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	NAG	1	0
5	A	504	FLE	1	0
5	A	505	TRP	1	0
5	A	506	FLE	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	416/419 (99%)	0.20	20 (4%) 34 33	22, 38, 78, 180	0
1	B	412/419 (98%)	0.57	48 (11%) 6 5	24, 49, 129, 235	0
All	All	828/838 (98%)	0.38	68 (8%) 14 11	22, 43, 105, 235	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	273	ALA	6.4
1	B	248	LYS	6.0
1	B	240	CYS	5.8
1	B	267	SER	5.7
1	B	280	PRO	5.7
1	B	244	THR	5.3
1	B	262	CYS	4.6
1	A	404	ALA	4.4
1	B	293	ALA	4.3
1	A	308	GLY	4.3
1	A	296	PHE	4.2
1	B	296	PHE	4.1
1	B	306	ASN	3.9
1	A	194	MET	3.8
1	B	279	ASP	3.7
1	B	247	LEU	3.7
1	B	238	GLU	3.7
1	B	281	ALA	3.6
1	A	361	ALA	3.5
1	B	252	GLN	3.4
1	B	257	ASP	3.3
1	B	226	GLU	3.3
1	B	194	MET	3.2
1	A	144	ALA	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	263	LYS	3.1
1	B	187	ILE	3.0
1	B	161	SER	2.9
1	A	309	TYR	2.8
1	B	159	PHE	2.7
1	B	253	CYS	2.7
1	B	404	ALA	2.7
1	B	310	CYS	2.7
1	A	263	LYS	2.6
1	B	271	CYS	2.6
1	B	337	CYS	2.6
1	B	275	MET	2.6
1	B	239	CYS	2.5
1	A	242	ALA	2.5
1	B	363	GLU	2.5
1	B	307	TYR	2.5
1	A	405	ASP	2.4
1	B	266	LYS	2.4
1	A	252	GLN	2.4
1	B	236	GLN	2.4
1	A	300	GLY	2.3
1	A	406	GLY	2.3
1	A	304	LEU	2.3
1	A	352	LYS	2.3
1	B	302	PRO	2.3
1	B	232	PRO	2.2
1	B	217	GLY	2.2
1	B	334	GLU	2.2
1	B	15	ILE	2.2
1	A	172	THR	2.2
1	A	247	LEU	2.2
1	B	216	CYS	2.2
1	B	144	ALA	2.1
1	B	298	LYS	2.1
1	B	371	TYR	2.1
1	B	408	VAL	2.1
1	B	278	CYS	2.1
1	A	339	LYS	2.1
1	B	272	ARG	2.1
1	A	279	ASP	2.1
1	B	165	TYR	2.1
1	A	90	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	223	VAL	2.0
1	B	303	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	TRP	A	507	15/15	0.89	0.25	1.57	53,53,53,53	0
2	NAG	A	501	14/15	0.89	0.20	0.90	42,45,52,61	0
5	FLE	A	504	15/16	0.93	0.20	0.52	24,24,24,24	0
3	CA	A	1	1/1	0.96	0.14	-0.34	19,19,19,19	0
5	FLE	A	506	15/16	0.91	0.17	-0.69	42,42,42,42	0
3	CA	A	2	1/1	0.99	0.12	-1.15	26,26,26,26	0
5	TRP	A	505	15/15	0.98	0.13	-1.24	16,16,16,16	0
3	CA	A	502	1/1	0.96	0.06	-1.79	34,34,34,34	0
3	CA	B	422	1/1	0.98	0.08	-2.42	24,24,24,24	0
3	CA	B	424	1/1	0.93	0.15	-2.75	72,72,72,72	0
3	CA	B	423	1/1	0.94	0.04	-2.99	34,34,34,34	0
4	ZN	A	503	1/1	1.00	0.20	-	33,33,33,33	0
4	ZN	B	1	1/1	0.99	0.13	-	48,48,48,48	0

6.5 Other polymers [i](#)

There are no such residues in this entry.