



Full wwPDB X-ray Structure Validation Report i

Apr 4, 2016 – 01:47 PM EDT

PDB ID : 5DT5
Title : Crystal structure of the GH1 beta-glucosidase from Exiguobacterium antarcticum B7 in space group P21
Authors : Zanphorlin, L.M.; Giuseppe, P.O.; Tonoli, C.C.C.; Murakami, M.T.
Deposited on : 2015-09-17
Resolution : 2.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20027107
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027107


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1611 (2.26-2.22)
Clashscore	102246	1764 (2.26-2.22)
Ramachandran outliers	100387	1724 (2.26-2.22)
Sidechain outliers	100360	1724 (2.26-2.22)
RSRZ outliers	91569	1616 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	G	471	3%	90% • 6%
1	H	471	4%	90% • 6%

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 28918 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-glucosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	444	Total	C 3613	N 2320	O 603	S 675	15	0	0
1	B	441	Total	C 3596	N 2308	O 600	S 672	16	0	0
1	C	443	Total	C 3604	N 2314	O 601	S 674	15	0	0
1	D	443	Total	C 3604	N 2314	O 601	S 674	15	0	0
1	E	438	Total	C 3570	N 2291	O 595	S 669	15	0	0
1	F	439	Total	C 3579	N 2297	O 597	S 670	15	0	0
1	G	441	Total	C 3596	N 2308	O 600	S 672	16	0	0
1	H	443	Total	C 3604	N 2314	O 601	S 674	15	0	0

There are 184 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	initiating methionine	UNP K0A8J9
A	-21	GLY	-	expression tag	UNP K0A8J9
A	-20	SER	-	expression tag	UNP K0A8J9
A	-19	SER	-	expression tag	UNP K0A8J9
A	-18	HIS	-	expression tag	UNP K0A8J9
A	-17	HIS	-	expression tag	UNP K0A8J9
A	-16	HIS	-	expression tag	UNP K0A8J9
A	-15	HIS	-	expression tag	UNP K0A8J9
A	-14	HIS	-	expression tag	UNP K0A8J9
A	-13	HIS	-	expression tag	UNP K0A8J9
A	-12	SER	-	expression tag	UNP K0A8J9
A	-11	SER	-	expression tag	UNP K0A8J9
A	-10	GLY	-	expression tag	UNP K0A8J9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	LEU	-	expression tag	UNP K0A8J9
A	-8	VAL	-	expression tag	UNP K0A8J9
A	-7	PRO	-	expression tag	UNP K0A8J9
A	-6	ARG	-	expression tag	UNP K0A8J9
A	-5	GLY	-	expression tag	UNP K0A8J9
A	-4	SER	-	expression tag	UNP K0A8J9
A	-3	HIS	-	expression tag	UNP K0A8J9
A	-2	MET	-	expression tag	UNP K0A8J9
A	-1	ALA	-	expression tag	UNP K0A8J9
A	0	SER	-	expression tag	UNP K0A8J9
B	-22	MET	-	initiating methionine	UNP K0A8J9
B	-21	GLY	-	expression tag	UNP K0A8J9
B	-20	SER	-	expression tag	UNP K0A8J9
B	-19	SER	-	expression tag	UNP K0A8J9
B	-18	HIS	-	expression tag	UNP K0A8J9
B	-17	HIS	-	expression tag	UNP K0A8J9
B	-16	HIS	-	expression tag	UNP K0A8J9
B	-15	HIS	-	expression tag	UNP K0A8J9
B	-14	HIS	-	expression tag	UNP K0A8J9
B	-13	HIS	-	expression tag	UNP K0A8J9
B	-12	SER	-	expression tag	UNP K0A8J9
B	-11	SER	-	expression tag	UNP K0A8J9
B	-10	GLY	-	expression tag	UNP K0A8J9
B	-9	LEU	-	expression tag	UNP K0A8J9
B	-8	VAL	-	expression tag	UNP K0A8J9
B	-7	PRO	-	expression tag	UNP K0A8J9
B	-6	ARG	-	expression tag	UNP K0A8J9
B	-5	GLY	-	expression tag	UNP K0A8J9
B	-4	SER	-	expression tag	UNP K0A8J9
B	-3	HIS	-	expression tag	UNP K0A8J9
B	-2	MET	-	expression tag	UNP K0A8J9
B	-1	ALA	-	expression tag	UNP K0A8J9
B	0	SER	-	expression tag	UNP K0A8J9
C	-22	MET	-	initiating methionine	UNP K0A8J9
C	-21	GLY	-	expression tag	UNP K0A8J9
C	-20	SER	-	expression tag	UNP K0A8J9
C	-19	SER	-	expression tag	UNP K0A8J9
C	-18	HIS	-	expression tag	UNP K0A8J9
C	-17	HIS	-	expression tag	UNP K0A8J9
C	-16	HIS	-	expression tag	UNP K0A8J9
C	-15	HIS	-	expression tag	UNP K0A8J9
C	-14	HIS	-	expression tag	UNP K0A8J9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-13	HIS	-	expression tag	UNP K0A8J9
C	-12	SER	-	expression tag	UNP K0A8J9
C	-11	SER	-	expression tag	UNP K0A8J9
C	-10	GLY	-	expression tag	UNP K0A8J9
C	-9	LEU	-	expression tag	UNP K0A8J9
C	-8	VAL	-	expression tag	UNP K0A8J9
C	-7	PRO	-	expression tag	UNP K0A8J9
C	-6	ARG	-	expression tag	UNP K0A8J9
C	-5	GLY	-	expression tag	UNP K0A8J9
C	-4	SER	-	expression tag	UNP K0A8J9
C	-3	HIS	-	expression tag	UNP K0A8J9
C	-2	MET	-	expression tag	UNP K0A8J9
C	-1	ALA	-	expression tag	UNP K0A8J9
C	0	SER	-	expression tag	UNP K0A8J9
D	-22	MET	-	initiating methionine	UNP K0A8J9
D	-21	GLY	-	expression tag	UNP K0A8J9
D	-20	SER	-	expression tag	UNP K0A8J9
D	-19	SER	-	expression tag	UNP K0A8J9
D	-18	HIS	-	expression tag	UNP K0A8J9
D	-17	HIS	-	expression tag	UNP K0A8J9
D	-16	HIS	-	expression tag	UNP K0A8J9
D	-15	HIS	-	expression tag	UNP K0A8J9
D	-14	HIS	-	expression tag	UNP K0A8J9
D	-13	HIS	-	expression tag	UNP K0A8J9
D	-12	SER	-	expression tag	UNP K0A8J9
D	-11	SER	-	expression tag	UNP K0A8J9
D	-10	GLY	-	expression tag	UNP K0A8J9
D	-9	LEU	-	expression tag	UNP K0A8J9
D	-8	VAL	-	expression tag	UNP K0A8J9
D	-7	PRO	-	expression tag	UNP K0A8J9
D	-6	ARG	-	expression tag	UNP K0A8J9
D	-5	GLY	-	expression tag	UNP K0A8J9
D	-4	SER	-	expression tag	UNP K0A8J9
D	-3	HIS	-	expression tag	UNP K0A8J9
D	-2	MET	-	expression tag	UNP K0A8J9
D	-1	ALA	-	expression tag	UNP K0A8J9
D	0	SER	-	expression tag	UNP K0A8J9
E	-22	MET	-	initiating methionine	UNP K0A8J9
E	-21	GLY	-	expression tag	UNP K0A8J9
E	-20	SER	-	expression tag	UNP K0A8J9
E	-19	SER	-	expression tag	UNP K0A8J9
E	-18	HIS	-	expression tag	UNP K0A8J9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-17	HIS	-	expression tag	UNP K0A8J9
E	-16	HIS	-	expression tag	UNP K0A8J9
E	-15	HIS	-	expression tag	UNP K0A8J9
E	-14	HIS	-	expression tag	UNP K0A8J9
E	-13	HIS	-	expression tag	UNP K0A8J9
E	-12	SER	-	expression tag	UNP K0A8J9
E	-11	SER	-	expression tag	UNP K0A8J9
E	-10	GLY	-	expression tag	UNP K0A8J9
E	-9	LEU	-	expression tag	UNP K0A8J9
E	-8	VAL	-	expression tag	UNP K0A8J9
E	-7	PRO	-	expression tag	UNP K0A8J9
E	-6	ARG	-	expression tag	UNP K0A8J9
E	-5	GLY	-	expression tag	UNP K0A8J9
E	-4	SER	-	expression tag	UNP K0A8J9
E	-3	HIS	-	expression tag	UNP K0A8J9
E	-2	MET	-	expression tag	UNP K0A8J9
E	-1	ALA	-	expression tag	UNP K0A8J9
E	0	SER	-	expression tag	UNP K0A8J9
F	-22	MET	-	initiating methionine	UNP K0A8J9
F	-21	GLY	-	expression tag	UNP K0A8J9
F	-20	SER	-	expression tag	UNP K0A8J9
F	-19	SER	-	expression tag	UNP K0A8J9
F	-18	HIS	-	expression tag	UNP K0A8J9
F	-17	HIS	-	expression tag	UNP K0A8J9
F	-16	HIS	-	expression tag	UNP K0A8J9
F	-15	HIS	-	expression tag	UNP K0A8J9
F	-14	HIS	-	expression tag	UNP K0A8J9
F	-13	HIS	-	expression tag	UNP K0A8J9
F	-12	SER	-	expression tag	UNP K0A8J9
F	-11	SER	-	expression tag	UNP K0A8J9
F	-10	GLY	-	expression tag	UNP K0A8J9
F	-9	LEU	-	expression tag	UNP K0A8J9
F	-8	VAL	-	expression tag	UNP K0A8J9
F	-7	PRO	-	expression tag	UNP K0A8J9
F	-6	ARG	-	expression tag	UNP K0A8J9
F	-5	GLY	-	expression tag	UNP K0A8J9
F	-4	SER	-	expression tag	UNP K0A8J9
F	-3	HIS	-	expression tag	UNP K0A8J9
F	-2	MET	-	expression tag	UNP K0A8J9
F	-1	ALA	-	expression tag	UNP K0A8J9
F	0	SER	-	expression tag	UNP K0A8J9
G	-22	MET	-	initiating methionine	UNP K0A8J9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	-21	GLY	-	expression tag	UNP K0A8J9
G	-20	SER	-	expression tag	UNP K0A8J9
G	-19	SER	-	expression tag	UNP K0A8J9
G	-18	HIS	-	expression tag	UNP K0A8J9
G	-17	HIS	-	expression tag	UNP K0A8J9
G	-16	HIS	-	expression tag	UNP K0A8J9
G	-15	HIS	-	expression tag	UNP K0A8J9
G	-14	HIS	-	expression tag	UNP K0A8J9
G	-13	HIS	-	expression tag	UNP K0A8J9
G	-12	SER	-	expression tag	UNP K0A8J9
G	-11	SER	-	expression tag	UNP K0A8J9
G	-10	GLY	-	expression tag	UNP K0A8J9
G	-9	LEU	-	expression tag	UNP K0A8J9
G	-8	VAL	-	expression tag	UNP K0A8J9
G	-7	PRO	-	expression tag	UNP K0A8J9
G	-6	ARG	-	expression tag	UNP K0A8J9
G	-5	GLY	-	expression tag	UNP K0A8J9
G	-4	SER	-	expression tag	UNP K0A8J9
G	-3	HIS	-	expression tag	UNP K0A8J9
G	-2	MET	-	expression tag	UNP K0A8J9
G	-1	ALA	-	expression tag	UNP K0A8J9
G	0	SER	-	expression tag	UNP K0A8J9
H	-22	MET	-	initiating methionine	UNP K0A8J9
H	-21	GLY	-	expression tag	UNP K0A8J9
H	-20	SER	-	expression tag	UNP K0A8J9
H	-19	SER	-	expression tag	UNP K0A8J9
H	-18	HIS	-	expression tag	UNP K0A8J9
H	-17	HIS	-	expression tag	UNP K0A8J9
H	-16	HIS	-	expression tag	UNP K0A8J9
H	-15	HIS	-	expression tag	UNP K0A8J9
H	-14	HIS	-	expression tag	UNP K0A8J9
H	-13	HIS	-	expression tag	UNP K0A8J9
H	-12	SER	-	expression tag	UNP K0A8J9
H	-11	SER	-	expression tag	UNP K0A8J9
H	-10	GLY	-	expression tag	UNP K0A8J9
H	-9	LEU	-	expression tag	UNP K0A8J9
H	-8	VAL	-	expression tag	UNP K0A8J9
H	-7	PRO	-	expression tag	UNP K0A8J9
H	-6	ARG	-	expression tag	UNP K0A8J9
H	-5	GLY	-	expression tag	UNP K0A8J9
H	-4	SER	-	expression tag	UNP K0A8J9
H	-3	HIS	-	expression tag	UNP K0A8J9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	MET	-	expression tag	UNP K0A8J9
H	-1	ALA	-	expression tag	UNP K0A8J9
H	0	SER	-	expression tag	UNP K0A8J9

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	D	1	Total O S 5 4 1	0	0
2	E	1	Total O S 5 4 1	0	0
2	H	1	Total O S 5 4 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	8	Total O 8 8	0	0
3	B	12	Total O 12 12	0	0
3	C	22	Total O 22 22	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	50	Total O 50 50	0	0
3	E	11	Total O 11 11	0	0
3	F	14	Total O 14 14	0	0
3	G	4	Total O 4 4	0	0
3	H	6	Total O 6 6	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-glucosidase




- Molecule 1: Beta-glucosidase




- Molecule 1: Beta-glucosidase



- Molecule 1: Beta-glucosidase




- Molecule 1: Beta-glucosidase







- Molecule 1: Beta-glucosidase



- Molecule 1: Beta-glucosidase



- Molecule 1: Beta-glucosidase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	110.07 Å 104.60 Å 199.19 Å 90.00° 105.80° 90.00°	Depositor
Resolution (Å)	49.11 – 2.24 49.11 – 2.24	Depositor EDS
% Data completeness (in resolution range)	96.0 (49.11-2.24) 96.0 (49.11-2.24)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.43 (at 2.24 Å)	Xtriage
Refinement program	REFMAC	Depositor
R , R_{free}	0.209 , 0.229 0.211 , 0.231	Depositor DCC
R_{free} test set	9870 reflections (5.16%)	DCC
Wilson B-factor (Å ²)	39.2	Xtriage
Anisotropy	0.387	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
Estimated twinning fraction	0.722 for H, K, L 0.278 for -H, -K, H+L 0.279 for h,-k,-h-l	Xtriage
Reported twinning fraction	0.722 for H, K, L 0.278 for -H, -K, H+L	Depositor
L-test for twinning ²	$< L > = 0.42$, $< L^2 > = 0.24$	Xtriage
Outliers	3 of 201050 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	28918	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/3730	0.58	0/5072
1	B	0.39	0/3712	0.59	0/5045
1	C	0.37	0/3721	0.58	0/5061
1	D	0.38	0/3721	0.58	0/5061
1	E	0.38	0/3686	0.58	0/5013
1	F	0.38	0/3695	0.58	0/5024
1	G	0.38	0/3712	0.59	0/5045
1	H	0.39	0/3721	0.60	0/5061
All	All	0.38	0/29698	0.59	0/40382

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3613	0	3349	6	0
1	B	3596	0	3333	4	1
1	C	3604	0	3336	4	0
1	D	3604	0	3336	2	0
1	E	3570	0	3295	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3579	0	3308	3	0
1	G	3596	0	3333	8	0
1	H	3604	0	3336	21	1
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	H	5	0	0	0	0
3	A	8	0	0	0	0
3	B	12	0	0	0	0
3	C	22	0	0	0	0
3	D	50	0	0	0	0
3	E	11	0	0	0	0
3	F	14	0	0	0	0
3	G	4	0	0	0	0
3	H	6	0	0	0	0
All	All	28918	0	26626	53	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:82:ILE:HD11	1:H:145:VAL:HG11	1.53	0.90
1:H:82:ILE:HG21	1:H:142:PHE:CE1	2.06	0.90
1:E:105:GLN:NE2	1:E:153:ILE:O	2.06	0.89
1:H:89:PHE:HE1	1:H:145:VAL:HG11	1.55	0.72
1:H:89:PHE:CE1	1:H:145:VAL:HG11	2.31	0.64
1:E:101:ALA:HA	1:E:104:LEU:HD12	1.83	0.61
1:E:81:ARG:O	1:E:90:ASN:ND2	2.33	0.60
1:H:144:ARG:HB2	1:H:203:MET:HE1	1.84	0.60
1:H:98:LYS:HE2	1:H:153:ILE:HD11	1.85	0.59
1:G:89:PHE:CE1	1:G:145:VAL:HG11	2.40	0.56
1:H:98:LYS:CE	1:H:153:ILE:HD11	2.37	0.55
1:A:373:VAL:HG12	1:A:377:LEU:HD12	1.92	0.52
1:H:82:ILE:HG21	1:H:142:PHE:CD1	2.43	0.52
1:A:398:LEU:HG	1:A:399:LEU:HD23	1.92	0.51
1:H:98:LYS:HG2	1:H:153:ILE:CD1	2.42	0.50
1:H:94:MET:CE	1:H:145:VAL:HG12	2.43	0.49
1:H:83:PHE:HE2	1:H:142:PHE:HA	1.78	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:440:HIS:CE1	1:A:444:LEU:HD11	2.48	0.48
1:H:135:SER:HA	1:H:138:TRP:CE3	2.49	0.47
1:H:144:ARG:CB	1:H:203:MET:HE1	2.43	0.47
1:E:265:SER:HA	1:E:268:VAL:O	2.14	0.47
1:G:94:MET:SD	1:G:150:LEU:HD21	2.55	0.47
1:G:135:SER:HA	1:G:138:TRP:CE3	2.50	0.47
1:H:144:ARG:HA	1:H:203:MET:CE	2.44	0.46
1:E:19:GLU:HA	1:E:54:HIS:HB3	1.99	0.45
1:C:241:GLY:HA2	1:C:245:ARG:HB2	1.98	0.44
1:H:89:PHE:CE1	1:H:145:VAL:CG1	3.01	0.44
1:A:11:THR:HG21	1:A:398:LEU:HD13	2.00	0.43
1:B:39:ASP:HB3	1:D:313:TYR:CZ	2.54	0.43
1:B:135:SER:HA	1:B:138:TRP:CE3	2.53	0.43
1:D:241:GLY:HA2	1:D:245:ARG:HB2	2.01	0.43
1:B:396:TRP:HA	1:B:397:SER:HA	1.82	0.43
1:H:144:ARG:CA	1:H:203:MET:CE	2.96	0.43
1:F:435:ASN:O	1:F:439:THR:HG23	2.19	0.42
1:H:79:TRP:N	1:H:80:PRO:CD	2.82	0.42
1:F:241:GLY:HA2	1:F:245:ARG:HB2	2.01	0.42
1:G:139:PHE:CD2	1:G:196:SER:HB2	2.54	0.42
1:G:94:MET:HG2	1:G:149:GLU:HG3	2.00	0.42
1:A:135:SER:HA	1:A:138:TRP:CE3	2.54	0.42
1:B:3:PHE:HB2	1:B:440:HIS:CD2	2.54	0.42
1:E:79:TRP:HA	1:E:142:PHE:CE1	2.55	0.42
1:G:89:PHE:CE1	1:G:145:VAL:CG1	3.03	0.42
1:A:396:TRP:HA	1:A:397:SER:HA	1.86	0.42
1:G:204:LEU:HG	1:G:210:SER:HB2	2.02	0.41
1:H:82:ILE:CD1	1:H:145:VAL:HG11	2.37	0.41
1:H:82:ILE:HD11	1:H:145:VAL:CG1	2.38	0.41
1:C:293:PHE:CE2	1:C:330:PHE:HB2	2.55	0.41
1:H:396:TRP:HA	1:H:397:SER:HA	1.87	0.41
1:H:94:MET:HE3	1:H:145:VAL:HG12	2.02	0.41
1:C:135:SER:HA	1:C:138:TRP:CE3	2.56	0.41
1:G:140:LEU:HD11	1:G:199:LYS:HB3	2.04	0.40
1:C:396:TRP:HA	1:C:397:SER:HA	1.87	0.40
1:F:367:GLN:HA	1:F:370:ILE:HG13	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:207:GLU:OE2	1:H:88:GLN:NE2[2_1058]	1.81	0.39

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	442/471 (94%)	426 (96%)	16 (4%)	0	100 100
1	B	439/471 (93%)	426 (97%)	13 (3%)	0	100 100
1	C	441/471 (94%)	428 (97%)	13 (3%)	0	100 100
1	D	441/471 (94%)	426 (97%)	15 (3%)	0	100 100
1	E	436/471 (93%)	422 (97%)	14 (3%)	0	100 100
1	F	437/471 (93%)	423 (97%)	14 (3%)	0	100 100
1	G	439/471 (93%)	423 (96%)	16 (4%)	0	100 100
1	H	441/471 (94%)	424 (96%)	17 (4%)	0	100 100
All	All	3516/3768 (93%)	3398 (97%)	118 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	376/398 (94%)	373 (99%)	3 (1%)	86 92
1	B	375/398 (94%)	372 (99%)	3 (1%)	86 92

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	375/398 (94%)	374 (100%)	1 (0%)	94	97
1	D	375/398 (94%)	374 (100%)	1 (0%)	94	97
1	E	372/398 (94%)	367 (99%)	5 (1%)	76	85
1	F	373/398 (94%)	371 (100%)	2 (0%)	92	95
1	G	375/398 (94%)	370 (99%)	5 (1%)	76	85
1	H	375/398 (94%)	370 (99%)	5 (1%)	76	85
All	All	2996/3184 (94%)	2971 (99%)	25 (1%)	86	92

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	ASP
1	A	360	VAL
1	A	399	LEU
1	B	37	ASP
1	B	106	GLU
1	B	371	ASP
1	C	37	ASP
1	D	37	ASP
1	E	37	ASP
1	E	90	ASN
1	E	203	MET
1	E	204	LEU
1	E	275	HIS
1	F	209	ASN
1	F	439	THR
1	G	2	LYS
1	G	33	ASP
1	G	88	GLN
1	G	150	LEU
1	G	250	PRO
1	H	28	THR
1	H	37	ASP
1	H	98	LYS
1	H	204	LEU
1	H	371	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	B	501	-	4,4,4	0.34	0	6,6,6	0.06	0
2	SO4	C	501	-	4,4,4	0.34	0	6,6,6	0.09	0
2	SO4	D	501	-	4,4,4	0.33	0	6,6,6	0.09	0
2	SO4	E	501	-	4,4,4	0.34	0	6,6,6	0.06	0
2	SO4	H	501	-	4,4,4	0.36	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	B	501	-	-	0/0/0/0	0/0/0/0
2	SO4	C	501	-	-	0/0/0/0	0/0/0/0
2	SO4	D	501	-	-	0/0/0/0	0/0/0/0
2	SO4	E	501	-	-	0/0/0/0	0/0/0/0
2	SO4	H	501	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	444/471 (94%)	0.49	18 (4%) 41 43	26, 43, 63, 79	0
1	B	441/471 (93%)	0.37	8 (1%) 71 73	23, 40, 57, 77	0
1	C	443/471 (94%)	0.34	2 (0%) 91 92	27, 40, 56, 63	0
1	D	443/471 (94%)	0.25	3 (0%) 89 89	26, 36, 49, 57	0
1	E	438/471 (92%)	0.42	9 (2%) 67 69	27, 44, 66, 73	0
1	F	439/471 (93%)	0.29	3 (0%) 89 89	26, 42, 58, 64	0
1	G	441/471 (93%)	0.54	15 (3%) 49 51	32, 49, 73, 91	0
1	H	443/471 (94%)	0.63	18 (4%) 41 43	30, 49, 71, 82	0
All	All	3532/3768 (93%)	0.42	76 (2%) 65 68	23, 42, 66, 91	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	26	GLY	4.8
1	A	68	LEU	4.5
1	H	28	THR	4.4
1	G	7	PHE	4.1
1	A	360	VAL	4.0
1	H	88	GLN	3.9
1	A	419	PHE	3.8
1	F	228	ASP	3.6
1	H	82	ILE	3.4
1	D	5	PRO	3.4
1	G	6	ASN	3.3
1	A	442	ALA	3.3
1	A	443	ALA	3.3
1	G	89	PHE	3.1
1	B	55	TYR	3.1
1	A	356	ASP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	142	PHE	3.0
1	E	154	VAL	3.0
1	H	95	ALA	2.9
1	A	364	ILE	2.8
1	A	9	PHE	2.8
1	H	89	PHE	2.7
1	G	441	LYS	2.7
1	H	97	TYR	2.7
1	A	3	PHE	2.7
1	E	141	ASP	2.6
1	B	126	GLU	2.6
1	F	315	ASP	2.6
1	G	5	PRO	2.6
1	A	361	ASP	2.6
1	A	2	LYS	2.6
1	G	3	PHE	2.6
1	G	394	TYR	2.6
1	A	399	LEU	2.5
1	G	420	ASP	2.5
1	A	445	PRO	2.5
1	E	438	GLN	2.5
1	H	141	ASP	2.5
1	H	135	SER	2.4
1	H	56	HIS	2.4
1	H	93	GLY	2.4
1	B	207	GLU	2.4
1	G	286	CYS	2.4
1	B	109	ILE	2.3
1	A	425	ILE	2.3
1	H	160	HIS	2.3
1	G	209	ASN	2.3
1	D	89	PHE	2.3
1	G	212	THR	2.3
1	E	37	ASP	2.2
1	E	385	ASP	2.2
1	A	420	ASP	2.2
1	H	59	GLU	2.2
1	E	200	ALA	2.2
1	H	204	LEU	2.2
1	B	9	PHE	2.2
1	C	361	ASP	2.2
1	B	108	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	359	LEU	2.1
1	C	441	LYS	2.1
1	E	122	MET	2.1
1	G	144	ARG	2.1
1	A	106	GLU	2.1
1	E	136	VAL	2.1
1	F	436	VAL	2.1
1	H	94	MET	2.1
1	B	441	LYS	2.1
1	G	119	ASP	2.1
1	H	124	ALA	2.1
1	D	444	LEU	2.1
1	E	3	PHE	2.1
1	H	200	ALA	2.1
1	G	145	VAL	2.1
1	G	380	VAL	2.0
1	A	432	TRP	2.0
1	B	1	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	SO4	D	501	5/5	0.95	0.19	-	53,53,54,55	0
2	SO4	C	501	5/5	0.94	0.15	-	56,56,57,58	0
2	SO4	H	501	5/5	0.91	0.25	-	59,60,60,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	SO4	E	501	5/5	0.92	0.14	-	69,69,70,71	0
2	SO4	B	501	5/5	0.90	0.18	-	67,68,68,69	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.