



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:05 PM GMT

PDB ID : 1DYI  
Title : ISOMORPHOUS CRYSTAL STRUCTURES OF ESCHERICHIA COLI DIHYDROFOLATE REDUCTASE COMPLEXED WITH FOLATE, 5-DEAZAFOLATE AND 5,10-DIDEAZATETRAHYDROFOLATE: MECHANISTIC IMPLICATIONS  
Authors : Reyes, V.M.; Kraut, J.  
Deposited on : 1994-10-26  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	159	
1	B	159	

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2994 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIHYDROFOLATE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	159	Total	C	N	O	S	0	0	0
			1242	791	210	234	7			
1	B	159	Total	C	N	O	S	0	0	0
			1259	802	216	234	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	37	ASP	ASN	CONFLICT	UNP P0ABQ4
B	37	ASP	ASN	CONFLICT	UNP P0ABQ4


- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cl	0	0
			1	1		
2	A	1	Total	Cl	0	0
			1	1		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ca	0	0
			1	1		

- Molecule 4 is FOLIC ACID (three-letter code: FOL) (formula: C<sub>19</sub>H<sub>19</sub>N<sub>7</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total 32	C 19	N 7	O 6	0	0
4	B	1	Total 29	C 18	N 7	O 4	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	235	Total O 235 235	0	0
5	B	194	Total O 194 194	0	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: DIHYDROFOLATE REDUCTASE



#### • Molecule 1: DIHYDROFOLATE REDUCTASE



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.07Å 93.07Å 73.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 1.90	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.90)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	TNT	Depositor
R, $R_{free}$	0.137 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2994	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FOL, CA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.04	8/1275 (0.6%)	1.69	32/1735 (1.8%)
1	B	1.10	10/1293 (0.8%)	1.89	50/1758 (2.8%)
All	All	1.07	18/2568 (0.7%)	1.80	82/3493 (2.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	1	1
All	All	1	2

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	101	GLU	CD-OE2	8.03	1.34	1.25
1	B	80	GLU	CD-OE1	7.54	1.33	1.25
1	A	120	GLU	CD-OE2	7.50	1.33	1.25
1	A	90	GLU	CD-OE2	6.78	1.33	1.25
1	B	17	GLU	CD-OE2	6.78	1.33	1.25
1	B	139	GLU	CD-OE2	6.45	1.32	1.25
1	A	118	GLU	CD-OE2	6.40	1.32	1.25
1	A	134	GLU	CD-OE2	6.32	1.32	1.25
1	B	134	GLU	CD-OE2	6.00	1.32	1.25
1	B	87	ASP	CG-OD2	5.95	1.39	1.25
1	B	120	GLU	CD-OE2	5.83	1.32	1.25
1	B	157	GLU	CD-OE2	5.60	1.31	1.25
1	A	157	GLU	CD-OE2	5.54	1.31	1.25
1	B	48	GLU	CD-OE2	5.53	1.31	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	48	GLU	CD-OE2	5.49	1.31	1.25
1	B	90	GLU	CD-OE1	-5.45	1.19	1.25
1	A	80	GLU	CD-OE2	5.21	1.31	1.25
1	A	101	GLU	CD-OE2	5.03	1.31	1.25

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	71	ARG	NE-CZ-NH2	-13.92	113.34	120.30
1	B	98	ARG	NE-CZ-NH2	-12.24	114.18	120.30
1	B	144	ASP	CB-CG-OD1	11.30	128.47	118.30
1	B	144	ASP	CB-CG-OD2	-11.08	108.32	118.30
1	B	132	ASP	CB-CG-OD2	-10.56	108.79	118.30
1	B	11	ASP	CB-CG-OD2	-9.89	109.40	118.30
1	A	98	ARG	NE-CZ-NH1	9.40	125.00	120.30
1	B	79	ASP	CB-CG-OD1	9.01	126.41	118.30
1	A	87	ASP	CB-CG-OD1	-8.96	110.24	118.30
1	B	12	ARG	NE-CZ-NH1	8.91	124.75	120.30
1	B	37	ASP	CB-CG-OD2	-8.86	110.33	118.30
1	B	33	ARG	NE-CZ-NH1	8.80	124.70	120.30
1	B	27	ASP	CB-CG-OD1	8.59	126.03	118.30
1	B	122	ASP	CB-CG-OD2	-8.56	110.59	118.30
1	A	52	ARG	NE-CZ-NH1	8.55	124.57	120.30
1	A	37	ASP	CB-CG-OD2	-8.53	110.62	118.30
1	B	79	ASP	CB-CG-OD2	-8.38	110.76	118.30
1	B	116	ASP	CB-CG-OD1	8.25	125.72	118.30
1	B	11	ASP	CB-CG-OD1	7.88	125.39	118.30
1	A	79	ASP	CB-CG-OD1	-7.79	111.29	118.30
1	B	57	ARG	NE-CZ-NH2	-7.73	116.44	120.30
1	B	71	ARG	NE-CZ-NH1	7.71	124.16	120.30
1	B	98	ARG	NE-CZ-NH1	7.47	124.03	120.30
1	A	33	ARG	NE-CZ-NH1	7.37	123.99	120.30
1	A	16	MET	CG-SD-CE	7.33	111.92	100.20
1	A	12	ARG	NE-CZ-NH1	7.29	123.94	120.30
1	B	27	ASP	CB-CG-OD2	-7.16	111.85	118.30
1	A	70	ASP	CB-CG-OD1	7.16	124.75	118.30
1	A	142	ASP	CB-CG-OD2	-7.16	111.86	118.30
1	A	70	ASP	CB-CG-OD2	-7.13	111.88	118.30
1	B	52	ARG	NE-CZ-NH2	-6.83	116.88	120.30
1	A	127	ASP	CB-CG-OD2	-6.79	112.19	118.30
1	A	122	ASP	CB-CG-OD2	-6.79	112.19	118.30
1	A	69	ASP	CB-CG-OD2	-6.78	112.20	118.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	132	ASP	CB-CG-OD1	6.59	124.23	118.30
1	B	116	ASP	CB-CG-OD2	-6.59	112.37	118.30
1	B	52	ARG	CD-NE-CZ	6.47	132.66	123.60
1	B	37	ASP	CB-CG-OD1	6.32	123.99	118.30
1	A	79	ASP	CB-CG-OD2	6.29	123.96	118.30
1	B	142	ASP	CB-CG-OD1	6.19	123.87	118.30
1	A	132	ASP	CB-CG-OD2	-6.18	112.73	118.30
1	A	37	ASP	CB-CG-OD1	6.14	123.83	118.30
1	B	68	THR	CA-CB-CG2	6.14	120.99	112.40
1	B	12	ARG	CD-NE-CZ	6.13	132.18	123.60
1	B	52	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	B	12	ARG	NE-CZ-NH2	-6.09	117.25	120.30
1	B	70	ASP	CB-CG-OD2	-6.04	112.86	118.30
1	B	142	ASP	CB-CG-OD2	-6.01	112.89	118.30
1	B	57	ARG	NE-CZ-NH1	6.01	123.30	120.30
1	B	127	ASP	CB-CG-OD2	-6.00	112.90	118.30
1	A	130	PRO	N-CA-CB	5.96	110.45	103.30
1	B	87	ASP	CA-CB-CG	-5.94	100.34	113.40
1	B	68	THR	CA-CB-OG1	5.93	121.46	109.00
1	B	70	ASP	CB-CG-OD1	5.90	123.61	118.30
1	A	111	TYR	CB-CG-CD2	-5.87	117.48	121.00
1	A	158	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	A	27	ASP	CB-CG-OD1	5.76	123.48	118.30
1	B	109	LYS	N-CA-CB	-5.72	100.31	110.60
1	B	101	GLU	CB-CA-C	-5.71	98.97	110.40
1	A	79	ASP	N-CA-CB	5.69	120.84	110.60
1	A	144	ASP	CB-CG-OD1	5.66	123.39	118.30
1	A	98	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	B	127	ASP	CB-CG-OD1	5.58	123.32	118.30
1	A	120	GLU	C-N-CA	-5.40	110.97	122.30
1	B	112	LEU	CB-CA-C	-5.39	99.95	110.20
1	A	11	ASP	CB-CG-OD1	5.36	123.12	118.30
1	A	127	ASP	CB-CG-OD1	5.31	123.08	118.30
1	B	122	ASP	CB-CG-OD1	5.31	123.08	118.30
1	B	100	TYR	CB-CG-CD1	-5.29	117.83	121.00
1	B	8	LEU	CB-CA-C	-5.28	100.16	110.20
1	B	61	ILE	CG1-CB-CG2	-5.20	99.97	111.40
1	A	117	ALA	CB-CA-C	-5.18	102.33	110.10
1	A	87	ASP	CB-CG-OD2	5.16	122.94	118.30
1	B	129	GLU	N-CA-CB	5.16	119.89	110.60
1	A	122	ASP	CB-CG-OD1	5.15	122.93	118.30
1	A	27	ASP	CB-CG-OD2	-5.12	113.69	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	17	GLU	N-CA-CB	5.10	119.79	110.60
1	B	80	GLU	N-CA-CB	-5.07	101.47	110.60
1	A	12	ARG	CG-CD-NE	5.07	122.44	111.80
1	B	159	ARG	NE-CZ-NH1	-5.07	117.77	120.30
1	B	55	PRO	CB-CA-C	-5.05	99.38	112.00
1	B	158	ARG	NE-CZ-NH1	5.02	122.81	120.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	68	THR	CB

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	23	ASN	Sidechain
1	B	87	ASP	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1242	0	1172	33	1
1	B	1259	0	1215	35	1
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	B	1	0	0	1	0
4	A	32	0	15	0	0
4	B	29	0	14	2	0
5	A	235	0	0	10	5
5	B	194	0	0	11	8
All	All	2994	0	2416	69	9

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:420:CA:CA	5:B:477:HOH:O	1.24	1.12
1:B:124:HIS:HB3	5:B:597:HOH:O	1.76	0.84
1:B:67:GLY:O	1:B:68:THR:HB	1.82	0.79
1:B:65:GLN:HB3	1:B:66:PRO:HD2	1.64	0.77
1:B:135:SER:HA	1:B:156:LEU:HD23	1.67	0.76
1:A:134:GLU:HG3	5:A:601:HOH:O	1.88	0.73
1:B:69:ASP:OD2	1:B:71:ARG:NH1	2.23	0.71
1:A:10:VAL:HG13	1:A:117:ALA:O	1.93	0.68
1:B:68:THR:HG23	5:B:585:HOH:O	1.95	0.65
1:A:130:PRO:N	5:A:574:HOH:O	2.29	0.65
1:B:65:GLN:HB3	1:B:66:PRO:CD	2.27	0.63
1:A:44:ARG:HB3	5:A:573:HOH:O	2.00	0.62
1:A:128:TYR:O	1:A:130:PRO:HD3	2.00	0.62
1:A:67:GLY:HA2	1:A:74:TRP:CE2	2.34	0.61
1:A:67:GLY:HA2	1:A:74:TRP:CD2	2.35	0.61
1:B:146:GLN:HG3	5:B:451:HOH:O	2.02	0.59
1:A:12:ARG:HD2	5:A:546:HOH:O	2.04	0.55
1:B:66:PRO:O	1:B:67:GLY:O	2.25	0.53
1:A:4:LEU:HB2	1:A:110:LEU:HD23	1.89	0.53
1:B:132:ASP:HB3	5:B:614:HOH:O	2.10	0.51
1:B:18:ASN:HB2	5:B:537:HOH:O	2.10	0.51
1:A:125:PHE:CD1	1:A:126:PRO:HD2	2.46	0.51
1:A:98:ARG:NH1	1:A:101:GLU:OE1	2.44	0.50
1:B:77:SER:OG	1:B:80:GLU:HB2	2.12	0.49
1:A:66:PRO:N	5:A:514:HOH:O	2.45	0.48
1:B:52:ARG:HB2	1:B:53:PRO:HD2	1.96	0.48
1:A:104:LEU:N	1:A:105:PRO:CD	2.78	0.47
1:B:75:VAL:HG21	1:B:81:ALA:HA	1.95	0.47
1:A:9:ALA:HB2	1:A:22:TRP:HZ3	1.78	0.47
1:A:130:PRO:O	1:A:133:TRP:O	2.32	0.47
1:B:75:VAL:HG21	1:B:81:ALA:CA	2.45	0.47
1:A:129:GLU:O	1:A:132:ASP:HB2	2.15	0.47
1:A:116:ASP:HB3	5:A:620:HOH:O	2.14	0.47
1:A:44:ARG:HH21	1:A:65:GLN:HB2	1.80	0.46
1:B:1:MET:N	1:B:89:PRO:O	2.46	0.46
1:B:52:ARG:HD2	1:B:53:PRO:O	2.16	0.45
1:A:158:ARG:HB3	5:A:621:HOH:O	2.17	0.45
1:B:67:GLY:HA2	1:B:74:TRP:CD2	2.52	0.45
1:B:78:VAL:O	1:B:82:ILE:HG13	2.16	0.44
1:B:84:ALA:HB2	5:B:548:HOH:O	2.18	0.44
1:A:154:GLU:HG2	1:A:156:LEU:CD1	2.48	0.44
1:A:4:LEU:HB2	1:A:110:LEU:CD2	2.48	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:LYS:NZ	5:A:501:HOH:O	2.50	0.44
1:B:129:GLU:O	1:B:133:TRP:HD1	2.02	0.43
1:B:64:SER:HB2	1:B:65:GLN:NE2	2.33	0.43
1:B:128:TYR:O	1:B:130:PRO:HD3	2.19	0.43
1:A:154:GLU:HG2	1:A:156:LEU:HD11	1.99	0.43
1:B:99:VAL:HG23	5:B:541:HOH:O	2.17	0.43
1:B:97:GLY:O	1:B:101:GLU:HG3	2.19	0.43
1:A:12:ARG:NH2	5:A:597:HOH:O	2.29	0.43
1:B:69:ASP:OD1	1:B:71:ARG:HD2	2.19	0.43
1:B:94:ILE:O	4:B:161:FOL:H7	2.18	0.42
1:B:58:LYS:HA	5:B:604:HOH:O	2.19	0.42
1:B:129:GLU:HA	1:B:130:PRO:HD3	1.80	0.42
1:A:7:ALA:C	1:A:8:LEU:HD23	2.40	0.42
1:B:36:LEU:HA	1:B:36:LEU:HD12	1.77	0.42
1:A:75:VAL:HG21	1:A:81:ALA:HB2	2.01	0.41
1:A:103:PHE:C	1:A:105:PRO:HD2	2.40	0.41
1:B:52:ARG:NH2	4:B:161:FOL:O	2.54	0.41
1:B:69:ASP:OD1	1:B:71:ARG:CD	2.69	0.41
1:A:8:LEU:HD23	1:A:8:LEU:N	2.35	0.41
1:A:41:ILE:HD13	1:A:81:ALA:HB1	2.02	0.41
1:A:125:PHE:CG	1:A:126:PRO:HD2	2.56	0.40
1:B:22:TRP:HZ2	5:B:515:HOH:O	2.02	0.40
1:A:36:LEU:O	1:A:37:ASP:HB2	2.21	0.40
1:B:71:ARG:NH2	5:B:576:HOH:O	2.53	0.40
1:A:44:ARG:HB3	5:A:602:HOH:O	2.19	0.40
1:B:59:ASN:HD22	1:B:59:ASN:N	2.19	0.40
1:A:67:GLY:CA	1:A:74:TRP:CE2	3.04	0.40

All (9) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:424:HOH:O	5:B:477:HOH:O[3_564]	0.65	1.55
5:A:622:HOH:O	5:B:612:HOH:O[3_564]	0.92	1.28
5:A:624:HOH:O	5:A:625:HOH:O[5_564]	1.61	0.59
5:A:615:HOH:O	5:B:609:HOH:O[6_654]	1.89	0.31
5:B:424:HOH:O	5:B:460:HOH:O[3_564]	1.98	0.22
1:B:159:ARG:NH1	5:B:557:HOH:O[2_665]	2.12	0.08
5:A:622:HOH:O	5:B:459:HOH:O[2_664]	2.12	0.08
5:A:466:HOH:O	5:B:526:HOH:O[3_564]	2.15	0.05
1:A:134:GLU:OE1	5:B:609:HOH:O[6_654]	2.15	0.05

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	157/159 (99%)	151 (96%)	6 (4%)	0	100	100
1	B	157/159 (99%)	152 (97%)	3 (2%)	2 (1%)	15	4
All	All	314/318 (99%)	303 (96%)	9 (3%)	2 (1%)	30	17

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	67	GLY
1	B	68	THR

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	128/136 (94%)	121 (94%)	7 (6%)	27	14
1	B	133/136 (98%)	126 (95%)	7 (5%)	28	16
All	All	261/272 (96%)	247 (95%)	14 (5%)	27	15

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	33	ARG
1	A	52	ARG
1	A	87	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	104	LEU
1	A	138	SER
1	A	150	SER
1	B	1	MET
1	B	17	GLU
1	B	52	ARG
1	B	68	THR
1	B	71	ARG
1	B	87	ASP
1	B	126	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	45	HIS
1	A	65	GLN
1	B	65	GLN
1	B	124	HIS
1	B	146	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	FOL	A	161	-	27,34,34	4.39	18 (66%)	31,47,47	2.59	13 (41%)
4	FOL	B	161	-	26,31,34	3.79	15 (57%)	31,43,47	3.59	15 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FOL	A	161	-	-	0/16/22/22	0/3/3/3
4	FOL	B	161	-	-	0/15/19/22	0/3/3/3

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	161	FOL	C7-N8	-8.52	1.16	1.31
4	B	161	FOL	CA-N	-7.63	1.35	1.46
4	A	161	FOL	C2-NA2	-7.00	1.19	1.34
4	B	161	FOL	C16-C11	-5.41	1.30	1.39
4	A	161	FOL	C9-C6	-5.38	1.40	1.51
4	A	161	FOL	C15-C14	-5.21	1.30	1.39
4	B	161	FOL	C7-N8	-5.03	1.22	1.31
4	B	161	FOL	C-N	-4.68	1.23	1.34
4	B	161	FOL	C16-C15	-4.50	1.30	1.38
4	A	161	FOL	C8A-N1	-3.90	1.29	1.36
4	A	161	FOL	C16-C11	-3.61	1.33	1.39
4	A	161	FOL	CA-N	-3.44	1.41	1.46
4	A	161	FOL	O4-C4	-3.03	1.17	1.24
4	B	161	FOL	C14-N10	-2.95	1.30	1.38
4	A	161	FOL	C4-N3	-2.34	1.28	1.33
4	A	161	FOL	CB-CG	-2.33	1.41	1.52
4	B	161	FOL	CG-CB	2.23	1.65	1.50
4	B	161	FOL	C7-C6	2.37	1.43	1.39
4	A	161	FOL	C6-N5	2.55	1.37	1.32
4	B	161	FOL	C9-C6	2.92	1.56	1.51
4	B	161	FOL	C13-C12	3.24	1.44	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	161	FOL	C8A-N1	3.51	1.43	1.36
4	A	161	FOL	C9-N10	3.61	1.54	1.45
4	A	161	FOL	C4A-N5	4.48	1.40	1.33
4	A	161	FOL	C13-C14	4.62	1.46	1.39
4	B	161	FOL	O-C	5.16	1.33	1.23
4	B	161	FOL	C9-N10	5.22	1.59	1.45
4	A	161	FOL	C13-C12	5.39	1.48	1.38
4	A	161	FOL	CB-CA	6.11	1.61	1.53
4	B	161	FOL	C15-C14	6.76	1.50	1.39
4	B	161	FOL	C4-N3	7.52	1.47	1.33
4	A	161	FOL	O-C	8.14	1.39	1.23
4	A	161	FOL	C16-C15	8.91	1.54	1.38

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	161	FOL	N1-C2-N3	-9.46	113.03	127.44
4	A	161	FOL	N1-C2-N3	-6.28	117.89	127.44
4	B	161	FOL	C12-C13-C14	-6.06	113.47	120.28
4	B	161	FOL	CB-CA-CT	-5.47	105.79	112.39
4	B	161	FOL	C16-C15-C14	-5.16	114.49	120.28
4	A	161	FOL	C4A-C4-N3	-4.40	117.57	123.59
4	A	161	FOL	C6-N5-C4A	-4.27	113.10	118.41
4	B	161	FOL	C4A-C4-N3	-4.25	117.78	123.59
4	B	161	FOL	C6-N5-C4A	-4.05	113.38	118.41
4	B	161	FOL	C13-C14-N10	-3.90	113.59	121.06
4	B	161	FOL	C4-C4A-C8A	-3.11	117.95	119.94
4	A	161	FOL	C7-N8-C8A	-2.85	113.57	116.93
4	A	161	FOL	C12-C13-C14	-2.58	117.39	120.28
4	A	161	FOL	C16-C11-C12	-2.53	114.84	118.60
4	B	161	FOL	C7-N8-C8A	-2.52	113.96	116.93
4	A	161	FOL	CG-CB-CA	-2.32	108.28	112.99
4	B	161	FOL	O-C-N	-2.15	118.56	122.44
4	A	161	FOL	CB-CG-CD	-2.14	104.31	113.02
4	A	161	FOL	C9-C6-C7	2.39	125.41	121.18
4	B	161	FOL	C15-C14-C13	2.42	122.42	119.06
4	B	161	FOL	C9-N10-C14	3.25	130.98	122.15
4	A	161	FOL	C16-C15-C14	3.34	124.05	120.28
4	A	161	FOL	C13-C12-C11	3.75	125.11	120.76
4	A	161	FOL	C4-N3-C2	4.47	122.14	115.94
4	A	161	FOL	NA2-C2-N1	4.99	127.36	117.80
4	B	161	FOL	C15-C16-C11	5.71	127.38	120.76

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	161	FOL	NA2-C2-N1	6.19	129.67	117.80
4	B	161	FOL	C4-N3-C2	6.19	124.53	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	161	FOL	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.