



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:05 PM GMT

PDB ID : 1E05
Title : PLASMA ALPHA ANTITHROMBIN-III
Authors : McCoy, A.J.; Skinner, R.; Abrahams, J.-P.; Pei, X.Y.; Carrell, R.W.
Deposited on : 2000-03-09
Resolution : 2.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	3065 (2.64-2.60)
Ramachandran outliers	100387	3015 (2.64-2.60)
Sidechain outliers	100360	3015 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	I	432	
1	L	432	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	GUP	L	863	X	-	-	-

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 6903 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ANTITHROMBIN-III.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	I	417	Total	C	N	O	S	0	0	0
			3274	2088	553	617	16			
1	L	417	Total	C	N	O	S	0	0	0
			3261	2082	542	619	18			

- Molecule 2 is a polymer of unknown type called SUGAR (2-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	I	2	Total	C	N	O	0	0
			28	16	2	10		
2	L	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is SUGAR (ALPHA-D-MANNOSE) (three-letter code: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	I	1	Total	C	O	0	0
			11	6	5		
3	L	1	Total	C	O	0	0
			11	6	5		
3	L	1	Total	C	O	0	0
			11	6	5		

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	I	1	Total	C	N	O	0	0
			14	8	1	5		
4	I	1	Total	C	N	O	0	0
			14	8	1	5		
4	L	1	Total	C	N	O	0	0
			14	8	1	5		
4	L	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is a polymer of unknown type called SUGAR (3-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	I	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	I	1	Total	C	O	0	0
			6	3	3		
6	L	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	L	1	Total	O	P	0	0
			5	4	1		

- Molecule 8 is a polymer of unknown type called SUGAR (8-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	L	8	Total	C	N	O	0	0
			97	54	3	40		

- Molecule 9 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	I	46	Total	O	0	0
			46	46		
9	L	24	Total	O	0	0
			24	24		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ANTITHROMBIN-III



• Molecule 1: ANTITHROMBIN-III



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.41Å 98.31Å 90.41Å 90.00° 103.32° 90.00°	Depositor
Resolution (Å)	20.00 – 2.62	Depositor
% Data completeness (in resolution range)	72.0 (20.00-2.62)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.196 , 0.256	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6903	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, BMA, GUP, NAG, PO4, GAL, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	I	0.39	0/3340	1.02	4/4519 (0.1%)
1	L	0.37	0/3326	0.99	5/4500 (0.1%)
All	All	0.38	0/6666	1.00	9/9019 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	I	0	2
1	L	0	1
8	L	1	0
All	All	1	3

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	322	ARG	NE-CZ-NH1	7.06	123.83	120.30
1	L	17	MET	CA-CB-CG	7.00	125.20	113.30
1	L	322	ARG	CD-NE-CZ	6.86	133.21	123.60
1	I	413	ARG	CD-NE-CZ	6.39	132.54	123.60
1	I	351	LEU	CA-CB-CG	6.15	129.45	115.30
1	I	386	THR	N-CA-CB	5.46	120.68	110.30
1	L	135	ASN	N-CA-CB	5.33	120.19	110.60
1	L	135	ASN	CB-CG-ND2	5.28	129.38	116.70
1	I	192	ASN	CB-CG-ND2	5.21	129.20	116.70

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	L	863	GUP	C5

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	I	113	GLU	Mainchain
1	I	166	TYR	Mainchain
1	L	107	LYS	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	3274	0	3213	47	0
1	L	3261	0	3207	42	0
2	I	28	0	25	2	0
2	L	28	0	25	0	0
3	I	11	0	10	1	0
3	L	22	0	20	1	0
4	I	28	0	26	0	0
4	L	28	0	26	1	0
5	I	39	0	34	0	0
6	I	6	0	8	0	0
6	L	6	0	8	1	0
7	L	5	0	0	0	0
8	L	97	0	79	1	0
9	I	46	0	0	0	0
9	L	24	0	0	0	0
All	All	6903	0	6681	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:75:ASN:HD21	1:I:428:ASN:H	1.21	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:16:PRO:HD2	1:I:161:ILE:HD11	1.57	0.84
1:I:75:ASN:ND2	1:I:427:ALA:H	1.77	0.83
1:I:75:ASN:HD22	1:I:427:ALA:H	1.30	0.80
1:I:319:HIS:HB2	1:I:403:LYS:HA	1.66	0.77
1:L:47:ARG:HD3	1:L:113:GLU:HG3	1.68	0.74
1:I:194:THR:HG21	1:I:198:ILE:HD12	1.73	0.71
1:I:169:LYS:HD3	1:I:171:GLN:HG2	1.75	0.69
1:L:86:ALA:HA	1:L:89:MET:HE2	1.73	0.68
1:I:415:VAL:HB	1:I:416:PRO:HD3	1.76	0.68
1:L:62:PHE:HA	1:L:338:MET:HE1	1.76	0.67
1:L:71:ASN:HD22	1:L:72:ASP:H	1.44	0.66
1:L:287:LYS:HD3	1:L:290:LYS:HE3	1.78	0.65
1:I:15:ILE:HG23	1:I:161:ILE:HD12	1.82	0.60
1:L:71:ASN:HD22	1:L:72:ASP:N	2.00	0.59
1:L:258:PHE:HB2	1:L:316:LEU:HD21	1.84	0.59
1:L:20:MET:HG3	1:L:353:GLY:HA2	1.85	0.58
1:I:156:GLU:HA	1:I:159:GLN:HE21	1.69	0.58
1:L:120:HIS:HB3	1:L:165:VAL:HG11	1.86	0.57
1:I:50:GLU:HB3	1:I:111:ILE:HG23	1.87	0.56
1:L:3:SER:HB2	1:L:4:PRO:HD2	1.88	0.56
1:L:222:LYS:HD2	1:L:381:GLU:HB2	1.87	0.55
1:L:356:ALA:O	1:L:357:GLU:HB2	2.07	0.55
1:I:190:VAL:HG13	1:I:218:THR:HG21	1.89	0.54
1:I:213:LEU:HD11	1:I:354:ILE:HD13	1.90	0.54
1:I:190:VAL:HG11	1:I:201:VAL:HG21	1.88	0.54
1:I:257:LYS:HE2	1:I:313:GLU:HB3	1.89	0.54
1:L:57:ARG:HG2	1:L:301:PRO:HG2	1.90	0.53
1:I:75:ASN:ND2	1:I:428:ASN:H	1.99	0.53
1:L:428:ASN:ND2	1:L:430:CYS:H	2.08	0.52
1:L:183:ARG:HG3	1:L:207:ILE:HD12	1.93	0.51
1:L:23:TYR:H	1:L:116:SER:HB2	1.76	0.50
1:L:352:PRO:O	1:L:358:GLY:HA2	2.13	0.49
1:I:18:ASN:HD21	1:I:92:LEU:HA	1.77	0.49
1:L:428:ASN:HD21	1:L:430:CYS:HB2	1.78	0.48
1:I:134:ALA:HB3	1:I:136:LYS:HG2	1.94	0.48
1:I:147:PHE:HB2	1:I:214:VAL:HG12	1.94	0.48
8:L:861:NAG:H62	8:L:862:NAG:N2	2.29	0.48
1:L:322:ARG:HD2	1:L:377:GLU:OE1	2.13	0.48
1:L:286:PRO:HG3	1:L:292:LEU:HD13	1.95	0.48
1:I:287:LYS:HB2	1:I:288:PRO:HD2	1.95	0.47
1:I:143:ALA:HB3	1:I:218:THR:HG22	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:227:SER:HB2	1:L:254:GLN:HE22	1.78	0.47
1:I:173:LEU:HD13	1:I:182:SER:HB3	1.97	0.47
1:I:186:ILE:HG21	1:I:216:VAL:HG21	1.97	0.47
1:L:295:VAL:HG13	1:L:307:TRP:HH2	1.79	0.47
1:I:20:MET:HB2	2:I:802:NAG:H83	1.96	0.47
1:I:273:PRO:HB3	1:I:280:THR:HG22	1.97	0.46
1:I:132:ARG:HG3	1:I:136:LYS:HE2	1.98	0.46
1:I:3:SER:N	1:I:4:PRO:HD2	2.31	0.46
1:I:147:PHE:HB2	1:I:214:VAL:CG1	2.46	0.45
1:L:261:ARG:NE	1:L:310:GLU:HG2	2.31	0.45
1:I:415:VAL:HB	1:I:416:PRO:CD	2.46	0.45
1:L:261:ARG:HG2	1:L:310:GLU:HB3	1.98	0.45
1:I:171:GLN:HA	1:I:172:PRO:HD3	1.85	0.45
1:I:179:ALA:HB1	1:I:207:ILE:HG22	1.99	0.45
1:I:394:SER:HB3	1:L:240:TYR:H	1.82	0.45
1:I:45:ASN:HB3	1:I:48:VAL:HG22	1.99	0.44
1:L:413:ARG:HE	6:L:901:GOL:H2	1.80	0.44
1:L:364:VAL:HG22	1:L:390:ILE:HD13	1.99	0.44
1:L:17:MET:SD	1:L:120:HIS:HB2	2.58	0.44
1:I:3:SER:N	1:I:4:PRO:CD	2.79	0.44
1:I:23:TYR:OH	1:I:109:ASP:HA	2.18	0.44
1:L:415:VAL:HB	1:L:416:PRO:HD3	2.00	0.44
1:I:388:VAL:HG12	1:I:390:ILE:HG13	2.00	0.43
1:I:198:ILE:HG23	1:I:370:LYS:HD3	2.00	0.43
1:I:11:LYS:HB3	1:I:12:PRO:HD2	2.01	0.43
1:L:271:GLU:HG3	1:L:282:VAL:HG22	2.00	0.43
1:L:428:ASN:HD22	1:L:430:CYS:H	1.65	0.43
1:L:135:ASN:HA	4:L:821:NAG:C1	2.49	0.42
3:L:843:MAN:H2	3:L:844:MAN:H2	2.01	0.42
1:I:92:LEU:HD21	1:I:161:ILE:HG21	2.01	0.42
1:L:171:GLN:HA	1:L:172:PRO:HD3	1.89	0.42
1:I:3:SER:HB2	1:I:4:PRO:HD3	2.01	0.42
1:I:322:ARG:HH11	1:I:322:ARG:HD2	1.70	0.42
1:L:163:GLU:OE2	1:L:169:LYS:HG2	2.20	0.41
1:L:261:ARG:HB3	1:L:311:LEU:HD23	2.01	0.41
2:I:802:NAG:H61	3:I:803:MAN:C1	2.50	0.41
1:I:77:PHE:CZ	1:I:373:LEU:HB2	2.55	0.41
1:I:332:LYS:HG3	1:I:344:PHE:CD1	2.56	0.41
1:L:125:LYS:O	1:L:129:ARG:HG2	2.21	0.41
1:L:178:ASN:HB3	1:L:181:GLN:HB3	2.02	0.41
1:L:190:VAL:HG11	1:L:201:VAL:HG22	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:354:ILE:HG22	1:I:362:LEU:HD13	2.02	0.41
1:L:300:THR:HB	1:L:301:PRO:HD2	2.02	0.41
1:L:44:THR:O	1:L:48:VAL:HG23	2.21	0.41
1:L:183:ARG:NH1	1:L:204:SER:HA	2.36	0.40
1:L:94:ALA:HA	1:L:351:LEU:HD23	2.03	0.40
1:I:75:ASN:ND2	1:I:427:ALA:N	2.58	0.40
1:I:236:LYS:HA	1:I:249:ALA:O	2.22	0.40
1:I:345:SER:HA	1:I:346:PRO:HD3	1.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	413/432 (96%)	388 (94%)	22 (5%)	3 (1%)	26	49
1	L	413/432 (96%)	374 (91%)	36 (9%)	3 (1%)	26	49
All	All	826/864 (96%)	762 (92%)	58 (7%)	6 (1%)	26	49

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	I	4	PRO
1	L	245	GLU
1	L	136	LYS
1	L	263	VAL
1	I	407	PRO
1	I	111	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	354/383 (92%)	338 (96%)	16 (4%)	34	61
1	L	355/383 (93%)	333 (94%)	22 (6%)	23	44
All	All	709/766 (93%)	671 (95%)	38 (5%)	27	51

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	23	TYR
1	I	128	CYS
1	I	129	ARG
1	I	152	LEU
1	I	169	LYS
1	I	248	SER
1	I	306	GLU
1	I	311	LEU
1	I	320	MET
1	I	322	ARG
1	I	351	LEU
1	I	355	VAL
1	I	365	SER
1	I	366	ASP
1	I	376	ASN
1	I	418	ASN
1	L	5	VAL
1	L	17	MET
1	L	47	ARG
1	L	71	ASN
1	L	78	LEU
1	L	123	PHE
1	L	135	ASN
1	L	138	SER
1	L	197	ARG
1	L	199	THR
1	L	201	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	227	SER
1	L	285	LEU
1	L	297	LYS
1	L	324	ARG
1	L	330	SER
1	L	347	GLU
1	L	393	ARG
1	L	395	LEU
1	L	405	ASN
1	L	428	ASN
1	L	431	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	I	18	ASN
1	I	64	GLN
1	I	71	ASN
1	I	75	ASN
1	I	127	ASN
1	I	159	GLN
1	I	171	GLN
1	L	71	ASN
1	L	120	HIS
1	L	159	GLN
1	L	217	ASN
1	L	254	GLN
1	L	336	GLN
1	L	405	ASN
1	L	418	ASN
1	L	428	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

15 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	I	801	1,2	14,14,15	1.21	1 (7%)	15,19,21	0.84	0
2	NAG	I	802	2	14,14,15	1.12	1 (7%)	15,19,21	1.40	2 (13%)
5	NAG	I	841	1,5	14,14,15	1.30	2 (14%)	15,19,21	2.55	5 (33%)
5	NAG	I	842	5	14,14,15	1.21	1 (7%)	15,19,21	1.09	1 (6%)
5	BMA	I	843	5	11,11,12	0.65	0	14,15,17	1.10	1 (7%)
2	NAG	L	841	1,2	14,14,15	1.23	1 (7%)	15,19,21	0.76	0
2	NAG	L	842	2	14,14,15	1.17	1 (7%)	15,19,21	1.11	2 (13%)
8	NAG	L	861	1,8	14,14,15	1.20	1 (7%)	15,19,21	0.94	0
8	NAG	L	862	8	14,14,15	1.21	1 (7%)	15,19,21	1.65	2 (13%)
8	GUP	L	863	8	11,11,12	0.79	0	14,15,17	2.36	5 (35%)
8	MAN	L	864	8	11,11,12	1.38	1 (9%)	14,15,17	3.37	5 (35%)
8	NAG	L	865	8	14,14,15	1.43	3 (21%)	15,19,21	2.01	3 (20%)
8	GAL	L	866	8	11,11,12	3.50	3 (27%)	14,15,17	1.82	4 (28%)
8	MAN	L	868	8	11,11,12	0.95	1 (9%)	14,15,17	2.26	3 (21%)
8	BMA	L	869	8	11,11,12	0.73	0	14,15,17	1.00	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	I	801	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	802	2	-	0/6/23/26	0/1/1/1
5	NAG	I	841	1,5	-	0/6/23/26	0/1/1/1
5	NAG	I	842	5	-	0/6/23/26	0/1/1/1
5	BMA	I	843	5	-	0/2/19/22	0/1/1/1
2	NAG	L	841	1,2	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	L	842	2	-	0/6/23/26	0/1/1/1
8	NAG	L	861	1,8	-	0/6/23/26	0/1/1/1
8	NAG	L	862	8	-	0/6/23/26	0/1/1/1
8	GUP	L	863	8	1/1/4/5	0/2/19/22	0/1/1/1
8	MAN	L	864	8	-	0/2/19/22	1/1/1/1
8	NAG	L	865	8	-	0/6/23/26	0/1/1/1
8	GAL	L	866	8	-	0/2/19/22	0/1/1/1
8	MAN	L	868	8	-	0/2/19/22	0/1/1/1
8	BMA	L	869	8	-	0/2/19/22	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	L	866	GAL	C2-C3	-10.69	1.37	1.52
8	L	864	MAN	O2-C2	-3.79	1.34	1.43
8	L	865	NAG	O7-C7	-3.75	1.14	1.23
2	L	842	NAG	O7-C7	-3.74	1.14	1.23
8	L	862	NAG	O7-C7	-3.67	1.14	1.23
5	I	842	NAG	O7-C7	-3.65	1.14	1.23
2	I	801	NAG	O7-C7	-3.64	1.14	1.23
5	I	841	NAG	O7-C7	-3.63	1.14	1.23
8	L	861	NAG	O7-C7	-3.62	1.14	1.23
2	I	802	NAG	O7-C7	-3.58	1.14	1.23
2	L	841	NAG	O7-C7	-3.56	1.14	1.23
8	L	868	MAN	O5-C1	-2.22	1.40	1.43
5	I	841	NAG	O5-C5	-2.20	1.38	1.43
8	L	865	NAG	O4-C4	-2.15	1.37	1.43
8	L	865	NAG	C2-N2	2.09	1.50	1.46
8	L	866	GAL	C4-C3	2.89	1.60	1.52
8	L	866	GAL	O3-C3	3.44	1.51	1.43

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	L	864	MAN	C1-C2-C3	-5.00	103.63	109.54
8	L	863	GUP	C1-O5-C5	-4.55	106.48	112.25
8	L	864	MAN	O5-C1-C2	-3.48	105.22	110.86
8	L	862	NAG	C4-C3-C2	-3.43	105.90	111.23
8	L	866	GAL	O3-C3-C4	-3.28	102.96	110.34
2	I	802	NAG	C1-O5-C5	-3.27	108.09	112.25
8	L	866	GAL	C3-C4-C5	-3.11	104.77	110.20
5	I	841	NAG	C6-C5-C4	-2.76	106.21	113.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	841	NAG	O3-C3-C4	-2.69	104.27	110.34
8	L	868	MAN	C3-C4-C5	-2.69	105.51	110.20
8	L	864	MAN	C3-C4-C5	-2.64	105.59	110.20
8	L	865	NAG	O5-C5-C6	-2.14	102.72	107.35
5	I	841	NAG	O5-C5-C6	-2.03	102.94	107.35
8	L	869	BMA	C3-C4-C5	-2.00	106.70	110.20
2	L	842	NAG	C2-N2-C7	2.04	125.66	123.04
5	I	843	BMA	C1-O5-C5	2.09	114.90	112.25
8	L	863	GUP	C1-C2-C3	2.11	112.03	109.54
8	L	868	MAN	O2-C2-C1	2.26	113.73	109.21
2	L	842	NAG	C3-C4-C5	2.35	114.29	110.20
5	I	842	NAG	O4-C4-C3	2.45	115.84	110.34
8	L	863	GUP	C6-C5-C4	3.00	120.41	113.02
8	L	866	GAL	C2-C3-C4	3.13	116.35	111.04
8	L	866	GAL	O3-C3-C2	3.16	115.71	110.00
2	I	802	NAG	C3-C4-C5	3.53	116.34	110.20
8	L	865	NAG	O4-C4-C3	3.92	119.16	110.34
8	L	863	GUP	O5-C5-C6	3.92	115.84	107.35
8	L	863	GUP	O6-C6-C5	4.55	126.37	111.33
8	L	862	NAG	C1-O5-C5	4.83	118.37	112.25
5	I	841	NAG	C3-C4-C5	4.83	118.62	110.20
8	L	865	NAG	O4-C4-C5	5.18	122.96	109.24
8	L	864	MAN	O2-C2-C1	6.54	122.31	109.21
5	I	841	NAG	C1-O5-C5	6.79	120.87	112.25
8	L	868	MAN	C1-O5-C5	6.95	121.07	112.25
8	L	864	MAN	O2-C2-C3	7.77	125.74	110.12

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	L	863	GUP	C5

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	L	864	MAN	C1-C2-C3-C4-C5-O5

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	802	NAG	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	L	861	NAG	1	0
8	L	862	NAG	1	0

5.6 Ligand geometry

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	MAN	I	803	-	11,11,12	0.71	0	14,15,17	1.84	3 (21%)
4	NAG	I	821	1	14,14,15	1.25	1 (7%)	15,19,21	1.56	2 (13%)
4	NAG	I	861	1	14,14,15	1.18	1 (7%)	15,19,21	0.91	1 (6%)
6	GOL	I	901	-	5,5,5	0.69	0	5,5,5	0.67	0
7	PO4	L	501	-	4,4,4	0.65	0	6,6,6	0.28	0
4	NAG	L	801	1	14,14,15	1.20	1 (7%)	15,19,21	1.29	1 (6%)
4	NAG	L	821	1	14,14,15	1.24	1 (7%)	15,19,21	1.49	2 (13%)
3	MAN	L	843	-	11,11,12	0.85	0	14,15,17	1.53	2 (14%)
3	MAN	L	844	-	11,11,12	0.83	0	14,15,17	1.02	0
6	GOL	L	901	-	5,5,5	0.70	0	5,5,5	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MAN	I	803	-	-	0/2/19/22	0/1/1/1
4	NAG	I	821	1	-	0/6/23/26	0/1/1/1
4	NAG	I	861	1	-	0/6/23/26	0/1/1/1
6	GOL	I	901	-	-	0/4/4/4	0/0/0/0
7	PO4	L	501	-	-	0/0/0/0	0/0/0/0
4	NAG	L	801	1	-	0/6/23/26	0/1/1/1
4	NAG	L	821	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MAN	L	843	-	-	0/2/19/22	0/1/1/1
3	MAN	L	844	-	-	0/2/19/22	1/1/1/1
6	GOL	L	901	-	-	0/4/4/4	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	L	801	NAG	O7-C7	-3.71	1.14	1.23
4	I	861	NAG	O7-C7	-3.66	1.14	1.23
4	I	821	NAG	O7-C7	-3.62	1.14	1.23
4	L	821	NAG	O7-C7	-3.61	1.14	1.23

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	803	MAN	C1-C2-C3	-5.03	103.59	109.54
4	I	821	NAG	C4-C3-C2	-2.47	107.38	111.23
3	I	803	MAN	O5-C1-C2	-2.04	107.55	110.86
4	I	861	NAG	C4-C3-C2	-2.03	108.08	111.23
4	L	821	NAG	C1-O5-C5	2.20	115.03	112.25
3	I	803	MAN	C3-C4-C5	2.23	114.09	110.20
3	L	843	MAN	C2-C3-C4	2.35	115.03	111.04
3	L	843	MAN	C1-O5-C5	3.58	116.79	112.25
4	L	801	NAG	C1-O5-C5	3.77	117.03	112.25
4	I	821	NAG	C1-O5-C5	4.54	118.01	112.25
4	L	821	NAG	C3-C4-C5	4.74	118.46	110.20

There are no chirality outliers.

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	L	844	MAN	C1-C2-C3-C4-C5-O5

5 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	I	803	MAN	1	0
4	L	821	NAG	1	0
3	L	843	MAN	1	0
3	L	844	MAN	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	L	901	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.