



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 10:42 PM GMT

PDB ID : 5E0B
Title : Crystal structure of the complex of Peptidoglycan recognition protein PGRP-S with N-Acetyl Muramic acid at 2.6 Å resolution
Authors : Sharma, P.; Yamini, S.; Dube, D.; Sinha, M.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2015-09-28
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026982
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	171	<div> <div>4%</div> <div>80%</div> <div>18%</div> <div>.</div> </div>
1	B	171	<div> <div>6%</div> <div>63%</div> <div>36%</div> <div>.</div> </div>
1	C	171	<div> <div>3%</div> <div>75%</div> <div>23%</div> <div>.</div> </div>
1	D	171	<div> <div>4%</div> <div>68%</div> <div>29%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	AMU	C	202	-	-	X	X
4	GOL	D	201	-	-	-	X

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 5723 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidoglycan recognition protein 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			
1	B	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			
1	C	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			
1	D	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			

- Molecule 2 is L(+)-TARTARIC ACID (three-letter code: TLA) (formula: C₄H₆O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			10	4	6		

- Molecule 3 is BETA-N-ACETYLMURAMIC ACID (three-letter code: AMU) (formula: C₁₁H₁₉NO₈).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	N	O	0	0
			20	11	1	8		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	86	Total 86	O 86	0	0
5	B	92	Total 92	O 92	0	0
5	C	79	Total 79	O 79	0	0
5	D	82	Total 82	O 82	0	0

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Chain A:

80% 4% 18%

E1 D2 P3 P4 A5 G6 W15 R16 A17 C22 R23 S36 H37 Y59 M63 D68 V69 G70 Y71 M72 V81 R85 N99 P100 G104 I105 S106 Y111 V115 A123 M126 L134 R147 Q150 P151 T152 L153 S154 P155 R158 L159

R170 A171

Chain B:

63% 36% 6%


E1 D2 P3 M4 A5 G6 G7 S8 I9 L26 T27 A28 R31 Y32 T35 S36 H37 T38 A39 H42 C43 C67 D68 N72 F73 L74 E77 V81 F82 E83 G84 R85 K90 G91 A92 G95 P96 T97 A98 P100 I101 S102 L103 G104 I105 F106 T107 H108 C109

Chain C:

Category	Value
E1	3%
D2	75%
P3	75%
P4	75%
A5	75%
S8	75%
C22	75%
R23	75%
E24	75%
F28	75%
Y32	75%
E37	75%
C43	75%
S48	75%
Q51	75%
Q54	75%
Y59	75%
H60	75%
M63	75%
M66	75%
C67	75%
D68	75%
Y71	75%
I72	75%
E77	75%
R85	75%
M88	75%
I89	75%
K90	75%
G91	75%
A92	75%
P96	75%
T97	75%
W98	75%
N99	75%
P100	75%
G104	75%
I105	75%
S106	75%
Y111	75%
M112	75%
M113	75%
R114	75%
R119	75%
R138	75%
E142	75%
V143	75%
Y169	75%
R170	75%
A171	75%

Chain D:

Category	Color
E1	Red
D2	Red
P3	Red
P4	Red
A5	Red
C6	Yellow
G7	Yellow
S8	Yellow
R46	Yellow
A17	Yellow
R25	Yellow
R28	Yellow
P29	Green
V30	Yellow
H37	Red
T38	Yellow
A39	Yellow
C43	Yellow
A53	Yellow
Q57	Yellow
S58	Green
Y59	Yellow
R62	Yellow
M63	Yellow
D68	Yellow
V69	Yellow
G70	Yellow
Y71	Yellow
M72	Yellow
F73	Green
L74	Yellow
E77	Yellow
D78	Yellow
Y82	Yellow
R85	Yellow
M88	Yellow
K89	Green
G91	Yellow
P100	Yellow
I103	Yellow
G104	Yellow
I105	Yellow
S106	Yellow
E107	Yellow



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	88.20Å 101.51Å 163.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.79 – 2.60 19.78 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.8 (19.79-2.60) 99.6 (19.78-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.59Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.226 , 0.243 0.224 , 0.269	Depositor DCC
R_{free} test set	1165 reflections (5.12%)	DCC
Wilson B-factor (Å ²)	46.4	Xtriage
Anisotropy	0.892	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 58.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.54$, $\langle L^2 \rangle = 0.37$	Xtriage
Outliers	1 of 22829 reflections (0.004%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5723	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, TLA, AMU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/1374	0.79	0/1871
1	B	0.48	0/1374	0.78	0/1871
1	C	0.44	0/1374	0.74	1/1871 (0.1%)
1	D	0.47	0/1374	0.76	1/1871 (0.1%)
All	All	0.47	0/5496	0.77	2/7484 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	D	0	1
All	All	0	2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	8	SER	N-CA-C	-5.96	94.89	111.00
1	D	6	CYS	N-CA-C	5.36	125.47	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	111	TYR	Sidechain
1	D	111	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1337	0	1288	28	0
1	B	1337	0	1288	54	0
1	C	1337	0	1288	48	0
1	D	1337	0	1288	51	0
2	C	10	0	4	1	0
3	C	20	0	16	13	0
4	D	6	0	8	1	0
5	A	86	0	0	1	0
5	B	92	0	0	0	0
5	C	79	0	0	1	0
5	D	82	0	0	1	0
All	All	5723	0	5180	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2:ASP:OD1	1:C:3:PRO:HD2	1.41	1.17
1:D:3:PRO:HG2	1:D:4:PRO:HD3	1.08	1.05
1:B:155:PRO:HB2	1:B:159:LEU:HD23	1.36	1.03
1:D:3:PRO:HG2	1:D:4:PRO:CD	1.90	1.01
1:D:72:ASN:HD22	1:D:104:GLY:H	1.12	0.98
1:A:126:ASN:HD21	1:B:8:SER:H	0.97	0.96
1:D:3:PRO:CG	1:D:4:PRO:HD3	1.95	0.96
1:C:72:ASN:HD22	1:C:104:GLY:H	1.13	0.96
1:B:72:ASN:HD22	1:B:104:GLY:H	1.01	0.92
1:A:126:ASN:ND2	1:B:8:SER:H	1.67	0.92
1:B:72:ASN:ND2	1:B:104:GLY:H	1.66	0.91
1:C:96:PRO:HA	3:C:202:AMU:H113	1.57	0.86
1:B:158:ARG:HD3	1:B:158:ARG:N	1.89	0.85
1:C:1:GLU:CD	1:C:1:GLU:N	2.30	0.83
1:B:81:VAL:HG11	1:B:127:LEU:HD13	1.64	0.78
1:C:72:ASN:ND2	1:C:104:GLY:H	1.82	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:24:GLU:OE2	1:C:90:LYS:HE2	1.86	0.75
1:A:37:HIS:HD2	1:A:111:TYR:H	1.36	0.74
1:D:3:PRO:CG	1:D:4:PRO:CD	2.62	0.74
1:C:113:ASN:O	1:C:114:ARG:HG3	1.88	0.74
1:B:95:GLY:HA3	1:B:150:GLN:NE2	2.03	0.73
1:C:2:ASP:OD1	1:C:3:PRO:CD	2.31	0.73
1:C:92:ALA:HB2	3:C:202:AMU:H61	1.69	0.72
1:A:72:ASN:HD22	1:A:104:GLY:H	1.37	0.72
1:C:96:PRO:CA	3:C:202:AMU:H113	2.19	0.72
1:C:92:ALA:HB2	3:C:202:AMU:H4	1.71	0.71
1:B:28:ARG:HG2	1:B:136:ALA:HA	1.72	0.70
1:A:22:CYS:O	1:A:23:ARG:HD3	1.91	0.69
1:C:37:HIS:HD2	1:C:111:TYR:H	1.39	0.69
1:B:72:ASN:HD22	1:B:104:GLY:N	1.84	0.69
1:D:53:ALA:HA	1:D:108:MET:HE3	1.75	0.69
1:A:15:TRP:CZ3	1:A:17:ALA:HB2	2.28	0.69
1:B:159:LEU:O	1:B:163:ILE:HG12	1.92	0.68
1:C:59:TYR:HA	1:C:63:ASN:HD22	1.58	0.68
1:C:85:ARG:HD2	1:C:91:GLY:HA2	1.74	0.68
1:C:1:GLU:H3	1:C:1:GLU:CD	1.95	0.68
1:C:59:TYR:HA	1:C:63:ASN:ND2	2.10	0.66
3:C:202:AMU:H112	3:C:202:AMU:H81	1.77	0.65
1:D:90:LYS:HD2	1:D:100:PRO:HB3	1.77	0.65
1:C:28:ARG:HH21	1:C:88:ASN:HD21	1.43	0.64
1:C:99:ASN:HD22	3:C:202:AMU:C9	2.11	0.64
1:B:31:ARG:HD2	1:B:138:ARG:CZ	2.28	0.64
1:A:99:ASN:N	1:A:100:PRO:HD2	2.13	0.63
1:B:146:HIS:H	1:B:155:PRO:HD3	1.63	0.63
1:C:2:ASP:CG	1:C:4:PRO:HD3	2.19	0.62
1:B:98:TRP:CD1	1:B:149:VAL:HB	2.35	0.62
1:D:28:ARG:HH21	1:D:88:ASN:HD21	1.47	0.61
1:D:28:ARG:HH21	1:D:88:ASN:ND2	1.99	0.61
1:A:155:PRO:HB2	1:A:159:LEU:HD23	1.82	0.61
1:D:72:ASN:ND2	1:D:104:GLY:H	1.91	0.60
1:D:2:ASP:N	1:D:2:ASP:OD1	2.30	0.60
1:B:37:HIS:HD2	1:B:110:ASN:HA	1.66	0.59
1:A:126:ASN:ND2	1:B:8:SER:N	2.44	0.59
1:D:62:ARG:HH11	1:D:62:ARG:HG2	1.67	0.59
1:D:160:TYR:O	1:D:164:GLN:HG3	2.02	0.58
1:D:127:LEU:O	1:D:130:CYS:HB3	2.03	0.58
1:B:2:ASP:HB2	1:B:3:PRO:CD	2.34	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:ASN:ND2	1:A:104:GLY:H	2.00	0.58
1:D:37:HIS:HD2	1:D:111:TYR:H	1.51	0.58
1:B:73:PHE:HB2	1:B:105:ILE:HG22	1.85	0.58
1:C:3:PRO:N	1:C:4:PRO:CD	2.68	0.57
1:A:126:ASN:HD21	1:B:8:SER:N	1.82	0.57
1:C:105:ILE:HG13	1:C:105:ILE:O	2.03	0.57
1:D:105:ILE:HG13	1:D:105:ILE:O	2.04	0.57
1:B:43:CYS:O	1:B:77:GLU:HB2	2.05	0.56
1:C:1:GLU:CD	1:C:1:GLU:H1	2.08	0.56
1:D:28:ARG:NH2	1:D:88:ASN:HD21	2.02	0.56
1:D:59:TYR:O	1:D:63:ASN:HB2	2.06	0.56
1:B:38:THR:O	1:B:39:ALA:HB3	2.06	0.56
1:C:37:HIS:CD2	1:C:111:TYR:H	2.21	0.55
1:D:53:ALA:HA	1:D:108:MET:CE	2.34	0.55
1:B:2:ASP:CB	1:B:3:PRO:CD	2.84	0.55
1:B:95:GLY:HA3	1:B:150:GLN:HE22	1.71	0.55
1:A:15:TRP:CH2	1:A:17:ALA:HB2	2.42	0.54
1:C:59:TYR:O	1:C:63:ASN:HB2	2.08	0.54
1:B:32:TYR:HB2	1:B:102:SER:HB3	1.89	0.54
1:D:43:CYS:O	1:D:77:GLU:HB2	2.08	0.54
1:B:112:MET:O	1:B:157:ASP:HB2	2.08	0.53
1:D:85:ARG:HD2	1:D:91:GLY:HA2	1.90	0.53
1:C:99:ASN:HD22	3:C:202:AMU:H9	1.71	0.53
1:C:142:GLU:CD	1:C:170:ARG:NH1	2.63	0.53
1:D:77:GLU:HG2	1:D:117:PRO:HD2	1.91	0.52
1:B:77:GLU:CD	1:B:114:ARG:HH22	2.12	0.52
1:B:85:ARG:HD2	1:B:91:GLY:HA2	1.91	0.52
1:C:24:GLU:CD	1:C:90:LYS:HE2	2.29	0.52
1:B:28:ARG:NH2	1:B:134:LEU:HB3	2.25	0.52
1:D:68:ASP:OD1	1:D:69:VAL:N	2.43	0.52
1:C:60:HIS:O	1:C:66:TRP:HB2	2.10	0.51
1:B:98:TRP:NE1	1:B:149:VAL:HB	2.27	0.50
1:B:143:VAL:O	1:B:169:TYR:CD1	2.64	0.50
1:D:147:ARG:NH2	1:D:153:LEU:O	2.35	0.50
1:B:146:HIS:ND1	1:B:154:SER:HB3	2.27	0.50
1:C:142:GLU:OE1	1:C:170:ARG:HG2	2.13	0.49
1:A:59:TYR:O	1:A:63:ASN:HB2	2.12	0.49
1:B:161:GLU:HA	1:B:164:GLN:OE1	2.13	0.49
1:B:28:ARG:HH22	1:B:134:LEU:HB3	1.77	0.49
1:B:2:ASP:HB2	1:B:3:PRO:HD2	1.94	0.49
1:B:107:PHE:HB3	1:B:111:TYR:CE2	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:121:LEU:O	1:B:125:GLN:HG2	2.13	0.48
1:A:71:TYR:CD1	1:A:106:SER:HB2	2.48	0.48
1:D:147:ARG:HB3	1:D:154:SER:O	2.13	0.48
1:A:147:ARG:HB3	1:A:152:THR:O	2.13	0.48
1:D:115:VAL:HG12	1:D:158:ARG:HB3	1.96	0.47
1:A:70:GLY:HA2	1:A:85:ARG:HH21	1.79	0.47
1:D:90:LYS:HG3	1:D:100:PRO:HA	1.94	0.47
1:D:38:THR:O	1:D:39:ALA:HB3	2.15	0.47
1:B:42:HIS:HB3	1:B:109:GLY:HA3	1.95	0.47
2:C:201:TLA:O41	1:D:37:HIS:HE1	1.97	0.47
1:C:71:TYR:CD1	1:C:106:SER:HB2	2.49	0.47
1:C:59:TYR:HD1	1:C:63:ASN:HD22	1.61	0.47
1:D:115:VAL:CG1	1:D:158:ARG:HB3	2.45	0.47
1:A:4:PRO:HA	5:A:203:HOH:O	2.14	0.47
1:A:153:LEU:O	1:A:154:SER:C	2.53	0.47
3:C:202:AMU:O7	3:C:202:AMU:H1	2.15	0.46
1:A:36:SER:HA	1:A:155:PRO:HB3	1.97	0.46
1:A:3:PRO:HA	1:A:4:PRO:HD3	1.79	0.46
1:B:37:HIS:CD2	1:B:110:ASN:HA	2.50	0.46
1:B:37:HIS:CE1	1:B:154:SER:HA	2.51	0.46
1:B:144:LYS:NZ	1:B:170:ARG:O	2.47	0.46
1:C:22:CYS:SG	1:C:68:ASP:HB3	2.55	0.46
1:D:3:PRO:CD	1:D:4:PRO:HD2	2.46	0.46
1:B:92:ALA:HA	1:B:99:ASN:ND2	2.31	0.46
1:B:99:ASN:N	1:B:100:PRO:CD	2.78	0.46
1:A:115:VAL:HG12	1:A:158:ARG:HB3	1.97	0.46
1:C:99:ASN:HD22	3:C:202:AMU:C11	2.28	0.45
1:B:77:GLU:OE2	1:B:114:ARG:NH2	2.43	0.45
1:A:68:ASP:OD2	1:A:85:ARG:HG2	2.15	0.45
1:B:158:ARG:O	1:B:159:LEU:C	2.54	0.45
1:C:32:TYR:CD1	1:C:98:TRP:HZ3	2.34	0.45
1:A:81:VAL:HG23	1:A:123:ALA:HB1	1.99	0.45
1:D:74:LEU:HD22	1:D:108:MET:CE	2.47	0.45
1:D:68:ASP:O	1:D:69:VAL:C	2.54	0.45
1:D:62:ARG:NH1	1:D:62:ARG:HG2	2.31	0.45
1:C:2:ASP:HA	1:C:3:PRO:HD3	1.64	0.44
1:B:2:ASP:OD2	1:B:3:PRO:N	2.50	0.44
1:B:159:LEU:HD12	1:B:159:LEU:HA	1.89	0.44
1:D:53:ALA:N	1:D:108:MET:HE1	2.33	0.44
1:B:6:CYS:O	1:B:130:CYS:SG	2.75	0.44
1:B:153:LEU:HD23	1:B:153:LEU:HA	1.76	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:161:GLU:O	1:B:164:GLN:N	2.49	0.43
1:A:147:ARG:HA	1:A:150:GLN:O	2.19	0.43
1:D:71:TYR:OH	4:D:201:GOL:H31	2.18	0.43
1:B:158:ARG:O	1:B:161:GLU:HG2	2.17	0.43
1:C:113:ASN:O	1:C:114:ARG:CG	2.62	0.43
1:A:15:TRP:CE3	1:A:17:ALA:HB2	2.54	0.43
1:A:99:ASN:N	1:A:100:PRO:CD	2.81	0.43
1:C:119:ARG:HG2	5:C:314:HOH:O	2.18	0.43
1:A:170:ARG:HE	3:C:202:AMU:H82	1.83	0.43
1:B:9:ILE:CG2	1:B:83:GLU:HB2	2.48	0.43
1:C:24:GLU:CD	1:C:90:LYS:CE	2.87	0.43
1:D:53:ALA:CA	1:D:108:MET:HE3	2.47	0.43
1:D:25:ARG:NH2	1:D:88:ASN:HB3	2.34	0.43
1:D:119:ARG:HG2	5:D:310:HOH:O	2.18	0.43
1:D:30:VAL:HB	1:D:137:LEU:HD23	2.01	0.42
1:B:67:CYS:O	1:B:68:ASP:HB2	2.19	0.42
1:C:2:ASP:CG	1:C:3:PRO:HD2	2.29	0.42
1:C:96:PRO:N	3:C:202:AMU:H113	2.35	0.42
1:D:3:PRO:C	1:D:5:ALA:H	2.23	0.42
1:C:3:PRO:N	1:C:4:PRO:HD3	2.35	0.42
1:B:161:GLU:O	1:B:162:ILE:C	2.57	0.42
1:D:103:ILE:HD13	1:D:103:ILE:HA	1.77	0.41
1:D:158:ARG:HA	1:D:158:ARG:HD2	1.99	0.41
1:D:6:CYS:O	1:D:7:GLY:O	2.38	0.41
1:D:71:TYR:CD1	1:D:106:SER:HB2	2.56	0.41
1:B:26:LEU:HG	1:B:90:LYS:HA	2.02	0.41
1:D:77:GLU:HG2	1:D:117:PRO:CD	2.50	0.41
1:C:51:GLN:O	1:C:54:GLN:HB2	2.21	0.41
1:D:3:PRO:CD	1:D:4:PRO:CD	2.99	0.41
1:C:99:ASN:N	1:C:100:PRO:HD2	2.36	0.41
1:D:111:TYR:CD1	1:D:116:PRO:HG3	2.56	0.41
1:C:85:ARG:HH22	3:C:202:AMU:C6	2.34	0.40
1:D:57:GLN:HG3	1:D:69:VAL:HB	2.02	0.40
1:A:4:PRO:HD2	1:A:134:LEU:HD23	2.03	0.40
1:C:92:ALA:CB	3:C:202:AMU:H61	2.44	0.40
1:C:48:SER:O	1:C:51:GLN:HB3	2.20	0.40
1:C:43:CYS:O	1:C:77:GLU:HB2	2.22	0.40
1:C:143:VAL:HB	1:C:169:TYR:HA	2.04	0.40
1:D:114:ARG:N	1:D:158:ARG:HG3	2.37	0.40
1:D:78:ASP:OD2	1:D:82:TYR:OH	2.30	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	169/171 (99%)	155 (92%)	13 (8%)	1 (1%)	30	56
1	B	169/171 (99%)	147 (87%)	20 (12%)	2 (1%)	16	33
1	C	169/171 (99%)	158 (94%)	10 (6%)	1 (1%)	30	56
1	D	169/171 (99%)	151 (89%)	15 (9%)	3 (2%)	11	21
All	All	676/684 (99%)	611 (90%)	58 (9%)	7 (1%)	19	39

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	7	GLY
1	D	3	PRO
1	D	17	ALA
1	B	2	ASP
1	B	4	PRO
1	C	3	PRO
1	A	4	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	139/139 (100%)	137 (99%)	2 (1%)	74	90
1	B	139/139 (100%)	137 (99%)	2 (1%)	74	90
1	C	139/139 (100%)	135 (97%)	4 (3%)	50	77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	139/139 (100%)	134 (96%)	5 (4%)	42	71
All	All	556/556 (100%)	543 (98%)	13 (2%)	58	83

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	HIS
1	A	158	ARG
1	B	74	LEU
1	B	158	ARG
1	C	1	GLU
1	C	8	SER
1	C	37	HIS
1	C	138	ARG
1	D	8	SER
1	D	16	ARG
1	D	37	HIS
1	D	113	ASN
1	D	114	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	HIS
1	A	72	ASN
1	A	126	ASN
1	A	168	HIS
1	B	37	HIS
1	B	72	ASN
1	B	150	GLN
1	C	37	HIS
1	C	63	ASN
1	C	72	ASN
1	C	88	ASN
1	C	164	GLN
1	D	37	HIS
1	D	63	ASN
1	D	72	ASN
1	D	88	ASN
1	D	168	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	TLA	C	201	-	3,9,9	1.40	1 (33%)	6,12,12	1.35	0
3	AMU	C	202	-	17,20,20	2.63	7 (41%)	18,28,28	6.18	10 (55%)
4	GOL	D	201	-	5,5,5	0.58	0	5,5,5	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TLA	C	201	-	-	0/4/12/12	0/0/0/0
3	AMU	C	202	-	-	0/10/34/34	0/1/1/1
4	GOL	D	201	-	-	0/4/4/4	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	202	AMU	C8-C7	-6.59	1.36	1.50
3	C	202	AMU	O7-C7	-4.34	1.13	1.23
3	C	202	AMU	C4-C3	-4.11	1.40	1.52
3	C	202	AMU	C3-C2	-2.41	1.48	1.53
3	C	202	AMU	O6-C6	-2.15	1.33	1.42
2	C	201	TLA	O3-C3	2.04	1.46	1.42
3	C	202	AMU	O4-C4	2.75	1.49	1.43
3	C	202	AMU	O3-C9	3.13	1.51	1.44

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	202	AMU	O7-C7-N2	-12.66	96.03	121.84
3	C	202	AMU	C11-C9-C10	-8.03	103.28	113.19
3	C	202	AMU	C1-O5-C5	-5.99	102.08	113.54
3	C	202	AMU	O5-C5-C6	-2.98	98.67	106.38
3	C	202	AMU	C3-C2-N2	-2.85	106.19	111.06
3	C	202	AMU	O3-C9-C11	2.13	112.25	107.23
3	C	202	AMU	O6-C6-C5	3.89	124.30	111.30
3	C	202	AMU	O3-C9-C10	10.08	130.26	112.98
3	C	202	AMU	O7-C7-C8	11.41	143.07	122.07
3	C	202	AMU	C2-N2-C7	11.95	154.64	123.21

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	201	TLA	1	0
3	C	202	AMU	13	0
4	D	201	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	171/171 (100%)	-0.07	7 (4%) 41 33	31, 47, 66, 86	0
1	B	171/171 (100%)	0.22	11 (6%) 23 17	34, 55, 73, 84	0
1	C	171/171 (100%)	-0.17	5 (2%) 55 48	29, 42, 65, 88	0
1	D	171/171 (100%)	-0.11	6 (3%) 48 40	30, 46, 68, 85	0
All	All	684/684 (100%)	-0.03	29 (4%) 40 32	29, 46, 72, 88	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	3	PRO	7.8
1	A	2	ASP	7.2
1	D	1	GLU	6.9
1	B	4	PRO	6.9
1	B	1	GLU	6.8
1	C	5	ALA	6.7
1	B	3	PRO	6.5
1	B	2	ASP	6.1
1	C	3	PRO	5.9
1	C	4	PRO	5.3
1	A	171	ALA	5.1
1	A	5	ALA	4.8
1	B	5	ALA	4.8
1	D	3	PRO	4.7
1	D	2	ASP	4.7
1	A	1	GLU	4.3
1	C	2	ASP	4.2
1	C	1	GLU	3.7
1	A	4	PRO	3.7
1	B	7	GLY	3.3
1	D	171	ALA	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	28	ARG	3.0
1	B	134	LEU	2.7
1	D	4	PRO	2.6
1	D	5	ALA	2.5
1	B	35	VAL	2.4
1	B	6	CYS	2.4
1	B	97	THR	2.2
1	A	6	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	AMU	C	202	20/20	0.72	0.37	4.30	42,48,52,52	20
4	GOL	D	201	6/6	0.89	0.23	3.56	43,45,47,52	0
2	TLA	C	201	10/10	0.91	0.17	0.79	47,51,56,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.