



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:08 PM GMT

PDB ID : 1E5S
Title : PROLINE 3-HYDROXYLASE (TYPE II) - IRON FORM
Authors : Clifton, I.J.; Hsueh, L.C.; Baldwin, J.E.; Schofield, C.J.; Harlos, K.
Deposited on : 2000-07-28
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	290	<div> <div>7%</div> <div>49%</div> <div>30%</div> <div>9%</div> <div>10%</div> </div>
1	B	290	<div> <div>6%</div> <div>43%</div> <div>34%</div> <div>6%</div> <div>16%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	400	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4298 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROLINE OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	260	Total	C	N	O	S	0	0	0
			2110	1357	363	384	6			
1	B	243	Total	C	N	O	S	0	0	0
			1965	1262	343	354	6			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Fe	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Fe 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	115	Total 115	O 115	0	0
4	B	101	Total 101	O 101	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	72.78 Å 72.78 Å 224.90 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	23.82 – 2.40 23.82 – 2.40	Depositor EDS
% Data completeness (in resolution range)	93.8 (23.82-2.40) 93.9 (23.82-2.40)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.24 (at 2.41 Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.216 , 0.271 0.219 , 0.276	Depositor DCC
R_{free} test set	1267 reflections (4.83%)	DCC
Wilson B-factor (Å ²)	48.9	Xtriage
Anisotropy	0.315	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 70.0	EDS
Estimated twinning fraction	0.039 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 26915 reflections (0.004%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4298	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FE2, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	0/2167	0.98	4/2941 (0.1%)
1	B	0.84	1/2015 (0.0%)	0.94	3/2732 (0.1%)
All	All	0.85	1/4182 (0.0%)	0.96	7/5673 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	161	VAL	CB-CG2	5.07	1.63	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	233	LEU	CA-CB-CG	9.33	136.75	115.30
1	A	16	LEU	CA-CB-CG	7.19	131.84	115.30
1	B	130	SER	N-CA-C	-5.63	95.79	111.00
1	B	236	LYS	CD-CE-NZ	-5.46	99.15	111.70
1	A	188	ALA	N-CA-C	-5.39	96.44	111.00
1	A	127	LEU	CA-CB-CG	5.25	127.39	115.30
1	A	189	ASP	N-CA-C	-5.11	97.21	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	249	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2110	0	2040	124	0
1	B	1965	0	1915	94	0
2	A	5	0	0	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	115	0	0	5	0
4	B	101	0	0	8	0
All	All	4298	0	3955	218	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (218) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:GLU:HG2	1:A:36:PHE:H	1.19	1.06
1:A:69:THR:HG23	1:A:71:HIS:H	1.22	1.01
1:A:98:ASN:HD21	1:A:168:ARG:H	1.14	0.93
1:A:97:ARG:HD3	1:A:172:CYS:SG	2.12	0.90
1:A:47:TRP:HB2	1:A:94:ALA:HB3	1.58	0.84
1:B:228:ARG:HG2	1:B:287:LEU:HD23	1.57	0.84
1:A:96:SER:O	1:A:97:ARG:HG3	1.78	0.82
1:A:86:PHE:O	1:A:87:ASP:HB2	1.77	0.82
1:A:16:LEU:HB2	1:A:77:TYR:CE2	2.15	0.82
1:A:16:LEU:HB2	1:A:77:TYR:CD2	2.15	0.82
1:B:97:ARG:HD3	1:B:168:ARG:HH22	1.45	0.81
1:B:88:GLY:HA2	1:B:91:LEU:HB2	1.62	0.80
1:B:46:LEU:O	1:B:69:THR:HG23	1.83	0.78
1:A:22:TYR:HB2	1:A:75:VAL:HG21	1.69	0.75
1:A:290:TRP:CD1	1:A:290:TRP:N	2.54	0.75
1:B:5:ILE:HG22	1:B:7:GLY:H	1.52	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:SER:OG	1:B:289:SER:HB3	1.87	0.74
1:A:35:GLU:HG2	1:A:36:PHE:N	1.98	0.73
1:B:49:ALA:HB2	1:B:92:GLN:O	1.89	0.73
1:B:123:THR:HA	1:B:150:TRP:O	1.91	0.70
1:B:97:ARG:NE	4:B:2020:HOH:O	2.24	0.69
1:A:11:LEU:HB2	4:A:2007:HOH:O	1.92	0.69
1:A:122:ARG:HD2	4:A:2034:HOH:O	1.92	0.69
1:A:210:GLU:CG	1:A:214:ARG:HH12	2.06	0.68
1:A:92:GLN:O	1:A:93:MET:HG2	1.93	0.68
1:B:8:LYS:HG3	1:B:9:ILE:N	2.07	0.68
1:A:76:PRO:O	1:A:78:LEU:N	2.27	0.67
1:A:92:GLN:O	1:A:93:MET:CG	2.43	0.67
1:A:69:THR:CG2	1:A:71:HIS:H	2.06	0.66
1:A:193:TYR:CD2	1:A:195:PRO:HD3	2.30	0.66
1:B:47:TRP:CZ3	1:B:82:VAL:HG21	2.31	0.65
1:B:103:ILE:HD13	1:B:236:LYS:HG3	1.78	0.65
1:A:8:LYS:HE3	1:A:148:GLU:HG2	1.79	0.65
1:B:224:ARG:NH2	1:B:263:LYS:HD2	2.12	0.64
1:A:27:PRO:O	1:A:28:THR:O	2.16	0.64
1:B:224:ARG:HH22	1:B:263:LYS:HD2	1.62	0.63
1:A:205:ARG:HH21	1:A:240:LYS:HE3	1.64	0.63
1:A:187:PHE:HB3	1:A:189:ASP:O	2.00	0.62
1:A:91:LEU:O	1:A:91:LEU:HD12	1.99	0.62
1:A:210:GLU:HG2	1:A:214:ARG:NH1	2.14	0.62
1:A:68:PRO:HB3	1:A:72:VAL:HG21	1.82	0.61
1:A:86:PHE:CD2	1:A:175:PHE:HZ	2.18	0.61
1:A:277:GLU:HB3	1:A:279:ARG:HG3	1.81	0.61
1:A:210:GLU:HG2	1:A:214:ARG:HH12	1.66	0.61
1:B:43:HIS:HA	1:B:96:SER:O	1.99	0.61
1:A:283:GLU:O	1:A:284:ARG:CB	2.49	0.61
1:A:98:ASN:ND2	1:A:168:ARG:H	1.92	0.61
1:A:18:PRO:O	1:A:75:VAL:HG11	2.01	0.61
1:B:6:LEU:HB2	1:B:149:ILE:O	2.02	0.60
1:B:138:GLU:CG	1:B:156:THR:HB	2.31	0.60
1:A:19:ASP:OD2	1:A:76:PRO:O	2.20	0.60
1:A:276:VAL:O	1:A:276:VAL:HG23	2.01	0.60
1:B:6:LEU:HB2	1:B:149:ILE:HG22	1.82	0.60
1:B:267:LYS:HE3	1:B:286:SER:O	2.01	0.60
1:A:8:LYS:HG2	1:A:8:LYS:O	2.01	0.60
1:B:74:HIS:C	1:B:76:PRO:HD3	2.21	0.59
1:B:138:GLU:HG2	1:B:156:THR:HB	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:VAL:HG23	1:B:175:PHE:HE1	1.67	0.59
1:A:193:TYR:CE2	1:A:195:PRO:HD3	2.37	0.58
1:A:72:VAL:CG1	1:A:79:LYS:HG3	2.34	0.58
1:B:108:ARG:HH12	1:B:156:THR:HA	1.68	0.58
1:B:108:ARG:NH1	1:B:156:THR:HA	2.18	0.58
1:A:285:PHE:C	1:A:285:PHE:CD1	2.76	0.58
1:A:16:LEU:HB2	1:A:77:TYR:HE2	1.69	0.58
1:A:16:LEU:HB2	1:A:77:TYR:HD2	1.69	0.57
1:B:173:VAL:HG23	1:B:175:PHE:CE1	2.39	0.56
1:B:250:ASP:OD1	1:B:272:ARG:NH2	2.29	0.56
1:B:274:PHE:CD2	1:B:281:LEU:HD22	2.41	0.56
1:B:277:GLU:HB2	1:B:279:ARG:HG2	1.87	0.56
1:A:44:VAL:O	1:A:46:LEU:HD13	2.06	0.56
1:A:91:LEU:C	1:A:91:LEU:HD12	2.25	0.56
1:B:213:ARG:NE	4:B:2067:HOH:O	2.29	0.55
1:B:224:ARG:HH12	1:B:263:LYS:CD	2.20	0.55
1:A:132:LEU:HD12	1:A:164:SER:HB3	1.90	0.54
1:A:38:ASN:HD21	1:A:103:ILE:H	1.55	0.54
1:A:94:ALA:HA	1:A:172:CYS:O	2.07	0.54
1:A:273:ASP:O	1:A:277:GLU:HB3	2.06	0.54
1:A:97:ARG:NH2	2:A:400:SO4:O2	2.40	0.54
1:A:86:PHE:CD2	1:A:175:PHE:CZ	2.95	0.54
1:B:144:MET:CE	1:B:152:LEU:HD21	2.38	0.53
1:A:93:MET:O	1:A:94:ALA:HB2	2.09	0.53
1:A:210:GLU:HB3	4:A:2070:HOH:O	2.07	0.53
1:A:43:HIS:CE1	1:A:97:ARG:HG2	2.44	0.53
1:A:274:PHE:HB2	1:A:281:LEU:HD13	1.91	0.52
1:A:228:ARG:HG3	1:A:287:LEU:HD13	1.90	0.52
1:A:210:GLU:CG	1:A:214:ARG:NH1	2.70	0.52
1:B:97:ARG:CD	4:B:2020:HOH:O	2.57	0.52
1:B:99:LEU:HG	1:B:102:ALA:HB3	1.91	0.52
1:A:12:ASP:OD2	1:A:15:ARG:HG3	2.09	0.52
1:A:184:LYS:HE2	1:A:193:TYR:CE2	2.44	0.52
1:A:193:TYR:CE2	1:A:195:PRO:HG3	2.46	0.51
1:B:145:ARG:NH1	1:B:148:GLU:OE2	2.44	0.51
1:A:261:ASP:C	1:A:261:ASP:OD1	2.49	0.51
1:A:9:ILE:HD11	1:A:11:LEU:HD21	1.92	0.51
1:B:89:THR:O	1:B:90:HIS:CB	2.59	0.51
1:A:12:ASP:CG	1:A:15:ARG:HB2	2.31	0.51
1:B:224:ARG:NH1	1:B:263:LYS:CD	2.74	0.51
1:A:277:GLU:OE1	1:A:277:GLU:HA	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:PHE:CE1	1:A:287:LEU:HD11	2.46	0.50
1:B:97:ARG:HD3	4:B:2020:HOH:O	2.10	0.50
1:A:88:GLY:O	1:A:90:HIS:N	2.44	0.50
1:A:91:LEU:HD12	1:A:93:MET:H	1.75	0.50
1:B:224:ARG:NH1	1:B:263:LYS:HD3	2.26	0.50
1:A:26:VAL:HG12	1:A:28:THR:HG23	1.93	0.50
1:A:258:GLN:NE2	4:A:2099:HOH:O	2.34	0.50
1:A:16:LEU:HD21	1:A:20:LEU:HD21	1.94	0.50
1:A:106:PRO:HA	1:A:158:HIS:O	2.12	0.49
1:A:188:ALA:O	1:A:189:ASP:CB	2.60	0.49
1:B:222:ILE:HG12	1:B:264:MET:SD	2.52	0.49
1:B:108:ARG:CB	1:B:108:ARG:HH11	2.24	0.49
1:A:46:LEU:HB3	1:A:47:TRP:CE3	2.48	0.49
1:A:91:LEU:CD1	1:A:93:MET:O	2.61	0.49
1:A:19:ASP:OD1	1:A:75:VAL:HG12	2.13	0.49
1:B:173:VAL:CG2	1:B:175:PHE:HE1	2.25	0.48
1:B:3:SER:HB3	1:B:151:PHE:O	2.13	0.48
1:A:28:THR:HG21	1:A:43:HIS:O	2.13	0.48
1:A:67:GLN:O	1:A:68:PRO:O	2.32	0.48
1:B:272:ARG:HD3	4:B:2094:HOH:O	2.13	0.48
1:A:120:TYR:O	1:A:121:PHE:O	2.32	0.48
1:B:47:TRP:CZ3	1:B:82:VAL:CG2	2.97	0.48
1:B:47:TRP:HD1	1:B:68:PRO:HD3	1.78	0.48
1:A:95:ARG:HH21	1:A:122:ARG:HH22	1.62	0.48
1:A:17:ALA:N	1:A:18:PRO:HD2	2.29	0.48
1:A:205:ARG:NH2	1:A:240:LYS:HE3	2.29	0.48
1:B:88:GLY:C	1:B:90:HIS:H	2.17	0.47
1:B:47:TRP:O	1:B:93:MET:HB2	2.14	0.47
1:A:9:ILE:HG22	1:A:192:LEU:HD12	1.96	0.47
1:B:5:ILE:HD11	1:B:199:PRO:HB3	1.97	0.47
1:B:6:LEU:N	1:B:149:ILE:O	2.43	0.47
1:B:80:GLU:O	1:B:84:THR:HG23	2.14	0.47
1:A:35:GLU:CG	1:A:36:PHE:H	2.03	0.47
1:B:92:GLN:O	1:B:93:MET:HB3	2.12	0.47
1:A:37:SER:HB3	1:A:41:TRP:CZ3	2.49	0.47
1:A:71:HIS:O	1:A:74:HIS:N	2.48	0.47
1:B:253:ILE:O	1:B:257:LYS:HG3	2.15	0.47
1:B:139:ASP:HA	4:B:2040:HOH:O	2.14	0.47
1:A:121:PHE:O	1:A:122:ARG:HB2	2.15	0.47
1:B:49:ALA:CB	1:B:92:GLN:O	2.60	0.47
1:A:122:ARG:HD3	4:A:2035:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:VAL:HG23	1:B:75:VAL:O	2.15	0.46
1:A:86:PHE:O	1:A:188:ALA:CB	2.63	0.46
1:B:40:PHE:HB3	1:B:100:LYS:HB2	1.98	0.46
1:A:40:PHE:CD1	1:A:100:LYS:HD3	2.51	0.46
1:B:284:ARG:CB	4:B:2099:HOH:O	2.62	0.46
1:B:277:GLU:O	1:B:278:ALA:HB3	2.15	0.46
1:B:247:GLU:HG2	1:B:251:TRP:NE1	2.31	0.46
1:A:98:ASN:ND2	1:A:99:LEU:H	2.13	0.46
1:B:193:TYR:CE1	1:B:195:PRO:HD3	2.51	0.46
1:B:254:GLU:O	1:B:258:GLN:HG3	2.17	0.45
1:A:9:ILE:HD11	1:A:11:LEU:CD2	2.47	0.45
1:A:86:PHE:O	1:A:87:ASP:CB	2.56	0.45
1:A:277:GLU:C	1:A:279:ARG:H	2.18	0.45
1:A:244:HIS:ND1	1:A:245:PRO:HD2	2.31	0.45
1:A:168:ARG:NH1	2:A:400:SO4:O3	2.46	0.45
1:A:10:GLU:HA	1:A:10:GLU:OE1	2.17	0.45
1:A:98:ASN:HD21	1:A:168:ARG:N	1.97	0.45
1:B:75:VAL:N	1:B:76:PRO:HD3	2.32	0.45
1:B:16:LEU:O	1:B:20:LEU:HG	2.16	0.45
1:B:77:TYR:CZ	1:B:81:ILE:HD11	2.52	0.45
1:B:47:TRP:CE3	1:B:82:VAL:HG21	2.52	0.45
1:A:162:ASN:ND2	1:A:164:SER:H	2.15	0.44
1:B:94:ALA:HA	1:B:172:CYS:O	2.17	0.44
1:A:23:LEU:HD22	1:A:96:SER:OG	2.18	0.44
1:B:47:TRP:HA	1:B:68:PRO:N	2.32	0.44
1:A:124:PHE:CD1	1:A:144:MET:SD	3.10	0.44
1:B:274:PHE:CD2	1:B:281:LEU:CD2	3.01	0.44
1:A:71:HIS:O	1:A:72:VAL:C	2.56	0.44
1:B:17:ALA:N	1:B:18:PRO:HD2	2.32	0.44
1:B:133:ALA:O	1:B:143:HIS:HD2	2.00	0.44
1:A:98:ASN:HD22	1:A:99:LEU:H	1.66	0.44
1:A:26:VAL:O	1:A:42:LYS:NZ	2.42	0.43
1:A:86:PHE:O	1:A:188:ALA:HB2	2.18	0.43
1:A:89:THR:HG22	1:A:89:THR:O	2.18	0.43
1:A:8:LYS:HE3	1:A:148:GLU:CG	2.47	0.43
1:B:16:LEU:HG	1:B:20:LEU:HG	2.00	0.43
1:B:29:VAL:HG12	1:B:30:GLU:N	2.33	0.43
1:B:38:ASN:ND2	4:B:2009:HOH:O	2.48	0.43
1:B:87:ASP:OD1	1:B:87:ASP:C	2.56	0.43
1:B:8:LYS:HA	1:B:148:GLU:HA	2.00	0.43
1:A:47:TRP:HB2	1:A:94:ALA:CB	2.40	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:PHE:CZ	1:B:149:ILE:HD13	2.54	0.42
1:B:228:ARG:CG	1:B:287:LEU:HD23	2.41	0.42
1:A:12:ASP:O	1:A:16:LEU:HB3	2.19	0.42
1:B:96:SER:HA	1:B:170:SER:O	2.19	0.42
1:A:161:VAL:HG22	1:A:162:ASN:N	2.34	0.42
1:B:41:TRP:N	1:B:41:TRP:CD1	2.86	0.42
1:A:45:PRO:HA	1:A:95:ARG:HB3	2.01	0.42
1:B:267:LYS:HD2	1:B:290:TRP:CH2	2.55	0.42
1:A:135:HIS:HB2	1:A:142:ILE:HG12	2.02	0.42
1:A:26:VAL:CG1	1:A:28:THR:HG23	2.50	0.42
1:B:145:ARG:HB2	1:B:148:GLU:OE2	2.20	0.42
1:B:229:ASP:N	1:B:229:ASP:OD1	2.53	0.42
1:A:277:GLU:C	1:A:279:ARG:N	2.73	0.42
1:A:238:HIS:CD2	1:A:245:PRO:HB3	2.55	0.42
1:A:187:PHE:CD2	1:A:192:LEU:HB2	2.55	0.41
1:B:224:ARG:HH12	1:B:263:LYS:HD3	1.84	0.41
1:B:108:ARG:HB3	1:B:108:ARG:NH1	2.35	0.41
1:A:36:PHE:CD1	1:A:287:LEU:HD11	2.55	0.41
1:B:286:SER:OG	1:B:289:SER:CB	2.64	0.41
1:A:193:TYR:CE2	1:A:195:PRO:CD	3.03	0.41
1:A:249:TYR:HB3	1:A:272:ARG:HG3	2.02	0.41
1:A:273:ASP:O	1:A:277:GLU:CB	2.68	0.41
1:B:193:TYR:C	1:B:193:TYR:CD1	2.92	0.41
1:B:69:THR:C	1:B:71:HIS:N	2.74	0.41
1:A:22:TYR:CB	1:A:75:VAL:HG21	2.46	0.41
1:A:90:HIS:HB3	1:A:176:ALA:HB3	2.02	0.41
1:A:25:ALA:O	1:A:26:VAL:C	2.59	0.41
1:B:97:ARG:HD3	1:B:168:ARG:NH2	2.25	0.41
1:B:5:ILE:HG22	1:B:6:LEU:N	2.36	0.41
1:B:142:ILE:HG22	1:B:143:HIS:N	2.36	0.41
1:B:79:LYS:HG2	1:B:79:LYS:O	2.20	0.41
1:A:238:HIS:CG	1:A:245:PRO:HB3	2.56	0.41
1:B:23:LEU:HD11	1:B:78:LEU:CD1	2.52	0.41
1:B:69:THR:O	1:B:71:HIS:N	2.54	0.40
1:B:173:VAL:O	1:B:173:VAL:CG2	2.69	0.40
1:A:97:ARG:CD	1:A:172:CYS:SG	2.97	0.40
1:A:43:HIS:HD2	1:A:95:ARG:NH1	2.20	0.40
1:A:225:GLU:CD	1:A:225:GLU:H	2.25	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/290 (87%)	211 (84%)	23 (9%)	18 (7%)	1	0
1	B	233/290 (80%)	214 (92%)	14 (6%)	5 (2%)	9	10
All	All	485/580 (84%)	425 (88%)	37 (8%)	23 (5%)	3	2

All (23) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	28	THR
1	A	68	PRO
1	A	76	PRO
1	A	77	TYR
1	A	87	ASP
1	A	121	PHE
1	A	178	ASP
1	A	180	PRO
1	A	189	ASP
1	B	13	GLN
1	B	29	VAL
1	B	90	HIS
1	A	39	GLY
1	A	72	VAL
1	A	94	ALA
1	A	122	ARG
1	A	284	ARG
1	A	89	THR
1	A	93	MET
1	A	289	SER
1	B	89	THR
1	B	202	PRO
1	A	29	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/256 (88%)	199 (88%)	27 (12%)	6	8
1	B	211/256 (82%)	184 (87%)	27 (13%)	5	6
All	All	437/512 (85%)	383 (88%)	54 (12%)	6	7

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	GLN
1	A	15	ARG
1	A	16	LEU
1	A	26	VAL
1	A	48	ASN
1	A	68	PRO
1	A	69	THR
1	A	74	HIS
1	A	75	VAL
1	A	82	VAL
1	A	91	LEU
1	A	93	MET
1	A	98	ASN
1	A	127	LEU
1	A	137	ASN
1	A	162	ASN
1	A	165	GLU
1	A	180	PRO
1	A	197	SER
1	A	210	GLU
1	A	221	VAL
1	A	231	LEU
1	A	272	ARG
1	A	276	VAL
1	A	277	GLU
1	A	285	PHE
1	A	289	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	2	ARG
1	B	15	ARG
1	B	47	TRP
1	B	69	THR
1	B	73	GLU
1	B	82	VAL
1	B	91	LEU
1	B	92	GLN
1	B	108	ARG
1	B	111	VAL
1	B	127	LEU
1	B	139	ASP
1	B	140	THR
1	B	165	GLU
1	B	173	VAL
1	B	197	SER
1	B	198	THR
1	B	211	HIS
1	B	216	LEU
1	B	228	ARG
1	B	229	ASP
1	B	231	LEU
1	B	233	LEU
1	B	267	LYS
1	B	281	LEU
1	B	282	SER
1	B	287	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	ASN
1	A	48	ASN
1	A	98	ASN
1	A	137	ASN
1	A	143	HIS
1	A	162	ASN
1	B	38	ASN
1	B	48	ASN
1	B	74	HIS
1	B	101	ASN
1	B	143	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	220	GLN
1	B	258	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	400	-	4,4,4	0.98	0	6,6,6	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	400	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	400	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	260/290 (89%)	0.30	19 (7%) 18 18	29, 51, 98, 114	0
1	B	243/290 (83%)	0.21	16 (6%) 22 22	33, 54, 91, 104	0
All	All	503/580 (86%)	0.26	35 (6%) 19 19	29, 53, 95, 114	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	110	PHE	5.3
1	B	49	ALA	5.1
1	A	184	LYS	4.6
1	A	90	HIS	4.4
1	B	111	VAL	4.2
1	A	178	ASP	3.9
1	A	280	ALA	3.7
1	B	195	PRO	3.6
1	B	110	PHE	3.6
1	A	283	GLU	3.5
1	B	41	TRP	3.4
1	B	120	TYR	3.3
1	A	177	PHE	3.3
1	A	89	THR	3.3
1	B	2	ARG	3.2
1	A	180	PRO	3.1
1	A	179	GLY	2.9
1	B	196	GLY	2.9
1	A	14	THR	2.7
1	B	193	TYR	2.7
1	B	92	GLN	2.5
1	A	124	PHE	2.5
1	B	90	HIS	2.4
1	B	166	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	188	ALA	2.4
1	A	284	ARG	2.3
1	A	233	LEU	2.3
1	B	47	TRP	2.3
1	A	176	ALA	2.1
1	A	125	MET	2.1
1	A	41	TRP	2.1
1	B	283	GLU	2.1
1	A	74	HIS	2.1
1	B	170	SER	2.0
1	B	10	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	SO4	A	400	5/5	0.98	0.14	-0.78	69,70,73,74	0
3	FE2	B	801	1/1	0.93	0.08	-	60,60,60,60	0
3	FE2	A	800	1/1	0.87	0.07	-	62,62,62,62	0

6.5 Other polymers [i](#)

There are no such residues in this entry.