



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 16, 2016 – 04:47 AM EDT

PDB ID : 5E5W
Title : Hemagglutinin-esterase-fusion mutant structure of influenza D virus
Authors : Song, H.; Qi, J.; Shi, Y.; Gao, G.F.
Deposited on : 2015-10-09
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027107
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0122
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027107


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	427	<div> <div>86%</div> <div>12% ..</div> </div>
1	C	427	<div> <div>%</div> <div>83%</div> <div>16% .</div> </div>
2	B	157	<div> <div>9%</div> <div>70%</div> <div>20% . . 5%</div> </div>
2	D	157	<div> <div>15%</div> <div>68%</div> <div>20% 5% . 5%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	MAN	A	706	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9639 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin-esterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	424	Total	C	N	O	S	0	0	0
			3240	2039	540	639	22			
1	C	424	Total	C	N	O	S	0	0	0
			3240	2039	540	639	22			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	57	ALA	SER	engineered mutation	UNP K9LG83
A	356	ALA	ASP	engineered mutation	UNP K9LG83
A	359	ALA	HIS	engineered mutation	UNP K9LG83
C	57	ALA	SER	engineered mutation	UNP K9LG83
C	356	ALA	ASP	engineered mutation	UNP K9LG83
C	359	ALA	HIS	engineered mutation	UNP K9LG83

- Molecule 2 is a protein called Hemagglutinin-esterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	149	Total	C	N	O	S	0	0	0
			1110	695	194	217	4			
2	D	149	Total	C	N	O	S	0	0	0
			1110	695	194	217	4			

- Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is BETA-D-MANNOSE (three-letter code: BMA) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			11	6	5		
4	A	1	Total	C	O	0	0
			11	6	5		
4	C	1	Total	C	O	0	0
			11	6	5		
4	C	1	Total	C	O	0	0
			11	6	5		

- Molecule 5 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			11	6	5		
5	A	1	Total	C	O	0	0
			11	6	5		
5	A	1	Total	C	O	0	0
			11	6	5		
5	A	1	Total	C	O	0	0
			11	6	5		
5	A	1	Total	C	O	0	0
			11	6	5		
5	A	1	Total	C	O	0	0
			11	6	5		
5	C	1	Total	C	O	0	0
			11	6	5		
5	C	1	Total	C	O	0	0
			11	6	5		
5	C	1	Total	C	O	0	0
			11	6	5		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	265	Total	O	0	0
			265	265		
6	B	52	Total	O	0	0
			52	52		
6	C	209	Total	O	0	0
			209	209		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	18	Total	O	0	0
			18	18		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hemagglutinin-esterase



• Molecule 1: Hemagglutinin-esterase




• Molecule 2: Hemagglutinin-esterase



• Molecule 2: Hemagglutinin-esterase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	164.34Å 164.34Å 164.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.55 – 2.40 49.55 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.5 (49.55-2.40) 99.5 (49.55-2.40)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 2.39Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.9 _1692)	Depositor
R, R_{free}	0.205 , 0.253 0.201 , 0.253	Depositor DCC
R_{free} test set	2915 reflections (5.08%)	DCC
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 26.9	EDS
Estimated twinning fraction	0.023 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 57388 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9639	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/3315	0.52	0/4494
1	C	0.34	0/3315	0.53	0/4494
2	B	0.41	0/1127	0.63	1/1515 (0.1%)
2	D	0.35	0/1127	0.57	0/1515
All	All	0.36	0/8884	0.55	1/12018 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	147	ASP	N-CA-C	6.39	128.25	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3240	0	3114	43	0
1	C	3240	0	3114	48	0
2	B	1110	0	1067	39	0
2	D	1110	0	1067	40	0
3	A	84	0	73	7	0
3	B	42	0	38	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	84	0	73	3	0
3	D	42	0	38	0	0
4	A	22	0	17	2	0
4	C	22	0	19	3	0
5	A	66	0	57	0	0
5	C	33	0	28	0	0
6	A	265	0	0	10	0
6	B	52	0	0	5	0
6	C	209	0	0	11	0
6	D	18	0	0	1	0
All	All	9639	0	8705	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:147:ASP:O	2:D:151:LYS:HG2	1.33	1.24
2:B:147:ASP:OD2	2:B:148:ALA:N	1.84	1.09
2:D:147:ASP:O	2:D:151:LYS:CG	2.13	0.96
1:C:420:LEU:O	6:C:801:HOH:O	1.83	0.96
2:D:29:ARG:NH1	6:D:801:HOH:O	2.03	0.90
1:C:404:CYS:O	6:C:802:HOH:O	1.93	0.87
2:B:147:ASP:CG	2:B:148:ALA:H	1.77	0.86
2:B:37:ALA:O	2:B:38:SER:OG	1.93	0.86
2:B:30:SER:OG	2:B:31:ASN:N	2.13	0.81
2:B:42:THR:HG23	6:B:811:HOH:O	1.78	0.81
1:C:252:GLY:O	6:C:803:HOH:O	1.98	0.81
1:C:415:THR:O	2:D:101:ARG:NH1	2.14	0.81
2:D:44:ALA:HB3	2:D:46:PHE:CD2	2.16	0.80
2:D:43:GLN:HG2	2:D:44:ALA:H	1.47	0.80
1:A:141:ARG:NH1	6:A:804:HOH:O	2.17	0.78
1:C:294:THR:OG1	6:C:804:HOH:O	2.00	0.78
1:C:128:GLY:O	6:C:805:HOH:O	2.04	0.76
2:D:141:VAL:HG21	2:D:151:LYS:HZ2	1.50	0.74
2:B:73:HIS:HD2	2:B:74:ASP:N	1.89	0.70
1:A:16:SER:OG	6:A:802:HOH:O	2.09	0.70
2:D:42:THR:O	2:D:43:GLN:HB3	1.91	0.70
2:B:43:GLN:NE2	6:B:801:HOH:O	1.80	0.69
1:A:141:ARG:NH1	6:A:806:HOH:O	2.25	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:ARG:NE	6:A:807:HOH:O	2.26	0.68
2:B:101:ARG:NH1	6:B:804:HOH:O	2.27	0.68
2:D:146:CYS:HB3	2:D:151:LYS:NZ	2.09	0.68
1:C:149:SER:HB3	1:C:308:ASP:O	1.97	0.65
1:A:147:ARG:HD3	6:A:1005:HOH:O	1.97	0.62
2:B:73:HIS:CD2	2:B:74:ASP:N	2.67	0.62
2:D:44:ALA:CB	2:D:46:PHE:CE2	2.82	0.62
3:A:708:NAG:O3	4:A:709:BMA:H2	2.01	0.61
2:D:144:GLU:HB3	2:D:145:ASN:OD1	2.01	0.61
1:C:12:ASN:H	1:C:15:PHE:HD1	1.50	0.60
1:C:371:LEU:N	1:C:372:GLY:HA3	2.17	0.60
2:D:145:ASN:N	2:D:145:ASN:OD1	2.34	0.60
2:B:42:THR:O	2:B:42:THR:HG23	2.02	0.59
2:D:43:GLN:HG2	2:D:44:ALA:N	2.16	0.58
1:C:188:GLU:O	1:C:296:ARG:NH1	2.36	0.58
1:C:33:MET:HE2	1:C:414:PRO:HB2	1.84	0.58
2:D:147:ASP:O	2:D:151:LYS:CD	2.52	0.58
2:D:141:VAL:HG11	2:D:151:LYS:HE3	1.85	0.58
1:A:371:LEU:N	1:A:372:GLY:HA3	2.19	0.57
2:B:147:ASP:CG	2:B:148:ALA:N	2.45	0.57
2:D:141:VAL:HG21	2:D:151:LYS:NZ	2.20	0.57
1:A:25:VAL:HG13	1:A:421:ILE:HG23	1.87	0.57
3:A:714:NAG:O7	6:A:805:HOH:O	2.17	0.57
2:B:44:ALA:HB3	2:B:46:PHE:CD2	2.40	0.56
2:D:44:ALA:HB3	2:D:46:PHE:CE2	2.41	0.56
2:D:142:ASP:O	2:D:144:GLU:N	2.39	0.56
2:B:25:TYR:O	2:B:43:GLN:HG2	2.05	0.56
2:D:147:ASP:O	2:D:151:LYS:HD3	2.06	0.56
2:D:146:CYS:HB3	2:D:151:LYS:HZ3	1.71	0.56
1:C:234:LYS:HD3	1:C:244:ASP:OD1	2.06	0.55
3:C:702:NAG:O3	4:C:703:BMA:C1	2.55	0.55
2:D:31:ASN:CG	2:D:32:GLY:H	2.11	0.53
3:A:701:NAG:H61	3:A:702:NAG:C7	2.38	0.53
1:A:33:MET:HE2	1:A:414:PRO:HB2	1.90	0.53
1:C:242:CYS:O	6:C:807:HOH:O	2.19	0.53
1:C:71:ASP:HA	1:C:365:ARG:HG2	1.91	0.53
2:B:38:SER:C	2:B:39:VAL:HG12	2.29	0.52
1:C:38:ASN:ND2	6:C:816:HOH:O	2.33	0.52
2:D:104:ILE:O	2:D:108:ILE:HG12	2.08	0.52
1:C:33:MET:HE1	2:D:101:ARG:HB2	1.91	0.52
1:C:398:PRO:HB2	2:D:78:ILE:O	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:25:VAL:HG13	1:C:421:ILE:HG23	1.90	0.52
1:C:15:PHE:HZ	1:C:420:LEU:HD23	1.74	0.52
1:A:203:GLU:OE2	1:A:292:LYS:HD2	2.09	0.52
1:C:423:PRO:HD3	2:D:112:LEU:HD23	1.92	0.52
1:A:141:ARG:CD	6:A:807:HOH:O	2.58	0.52
2:D:43:GLN:CG	2:D:44:ALA:N	2.72	0.51
1:A:395:TYR:CD2	2:B:86:GLU:HG2	2.45	0.51
1:C:38:ASN:ND2	6:C:818:HOH:O	2.38	0.51
4:C:709:BMA:O3	6:C:809:HOH:O	2.20	0.51
2:B:147:ASP:H	2:B:150:CYS:HB3	1.76	0.50
2:B:9:PHE:N	6:B:809:HOH:O	2.45	0.50
1:A:65:GLN:HB2	1:A:69:SER:HB3	1.94	0.50
1:A:234:LYS:HG3	1:A:244:ASP:OD2	2.11	0.49
1:C:4:LEU:H	2:D:30:SER:HB3	1.77	0.49
2:B:157:PHE:O	6:B:802:HOH:O	2.20	0.49
1:A:361:ASP:O	1:A:365:ARG:HG3	2.12	0.49
2:B:126:ARG:NH2	2:B:153:TYR:O	2.45	0.49
2:B:42:THR:O	2:B:43:GLN:HB2	2.12	0.49
2:B:128:GLY:HA2	2:B:129:GLY:HA2	1.53	0.49
2:D:30:SER:OG	2:D:31:ASN:N	2.46	0.49
1:C:245:TYR:O	1:C:262:ASN:HB2	2.13	0.49
1:C:370:GLY:C	1:C:372:GLY:HA3	2.33	0.49
1:A:4:LEU:HG	2:B:140:TYR:CE1	2.48	0.48
1:A:210:LEU:HB3	1:A:222:HIS:CD2	2.47	0.48
2:D:128:GLY:HA2	2:D:129:GLY:HA2	1.50	0.47
1:C:125:ASP:HB3	1:C:174:SER:O	2.14	0.47
1:A:4:LEU:H	2:B:30:SER:HB2	1.80	0.47
1:C:116:VAL:HG22	1:C:322:TRP:CE2	2.49	0.47
1:A:61:LEU:HA	1:A:66:PHE:CD1	2.50	0.47
1:A:28:MET:SD	3:A:713:NAG:H5	2.54	0.47
1:C:238:ASN:HA	1:C:241:GLY:O	2.15	0.47
2:D:130:ILE:HG22	2:D:141:VAL:HG23	1.95	0.47
1:A:12:ASN:H	1:A:15:PHE:HD1	1.63	0.46
1:A:33:MET:HE1	2:B:101:ARG:HB2	1.97	0.46
1:A:67:PRO:HD2	6:A:1000:HOH:O	2.15	0.46
1:C:95:PRO:HA	1:C:180:MET:HE2	1.98	0.46
1:C:8:VAL:HG13	2:D:26:PHE:HB2	1.98	0.46
1:A:33:MET:HG3	1:A:416:LEU:HG	1.96	0.46
2:B:29:ARG:HG3	2:B:30:SER:H	1.80	0.46
1:A:78:LYS:O	1:A:81:ARG:NH2	2.49	0.46
1:C:423:PRO:HD3	2:D:112:LEU:CD2	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:126:CYS:SG	1:C:180:MET:HE3	2.57	0.45
1:C:32:PRO:HA	1:C:415:THR:HA	1.99	0.45
1:C:224:VAL:HG21	1:C:284:LEU:HD22	1.98	0.45
2:B:73:HIS:CD2	2:B:74:ASP:H	2.33	0.45
1:C:61:LEU:HA	1:C:66:PHE:CD1	2.52	0.44
2:B:31:ASN:OD1	2:B:32:GLY:N	2.46	0.44
1:C:28:MET:SD	3:C:710:NAG:H5	2.58	0.44
3:A:702:NAG:O3	4:A:703:BMA:C1	2.65	0.43
1:C:151:CYS:HB2	6:C:918:HOH:O	2.17	0.43
1:A:238:ASN:HA	1:A:241:GLY:O	2.18	0.43
1:A:28:MET:HE1	3:A:714:NAG:H82	2.00	0.43
1:A:3:GLU:OE1	2:B:29:ARG:HD2	2.19	0.43
1:C:31:GLU:O	1:C:416:LEU:N	2.49	0.43
2:D:127:GLY:O	2:D:130:ILE:N	2.51	0.43
1:C:413:ILE:HA	1:C:414:PRO:HD3	1.88	0.43
2:D:38:SER:C	2:D:39:VAL:HG12	2.38	0.43
3:A:701:NAG:H61	3:A:702:NAG:N2	2.34	0.43
1:A:7:ILE:O	2:B:10:GLY:HA2	2.19	0.43
1:C:206:ALA:HB2	1:C:298:LEU:HD21	2.00	0.43
1:C:114:GLU:OE2	1:C:139:TYR:HE1	2.01	0.42
1:C:52:ILE:CD1	1:C:105:GLY:HA3	2.49	0.42
1:A:33:MET:CE	2:B:101:ARG:HB2	2.49	0.42
2:B:157:PHE:HD1	2:B:157:PHE:HA	1.75	0.42
1:A:370:GLY:C	1:A:372:GLY:HA3	2.39	0.42
2:B:38:SER:O	2:B:39:VAL:HB	2.20	0.42
1:A:4:LEU:H	2:B:30:SER:CB	2.33	0.42
2:D:144:GLU:HB3	2:D:145:ASN:H	1.61	0.42
1:A:4:LEU:N	2:B:30:SER:HB2	2.34	0.42
1:C:55:GLY:HA2	1:C:114:GLU:HB3	2.02	0.42
1:A:237:PHE:CD1	1:A:245:TYR:HB2	2.55	0.42
1:A:143:TYR:HB3	1:A:315:ILE:HD11	2.02	0.42
1:A:98:LYS:HE2	6:A:907:HOH:O	2.19	0.42
2:B:38:SER:O	2:B:39:VAL:CB	2.68	0.41
1:A:237:PHE:HZ	1:A:294:THR:HG21	1.84	0.41
2:D:67:PHE:CD1	2:D:97:LEU:HD13	2.55	0.41
2:B:31:ASN:ND2	2:B:36:GLY:H	2.18	0.41
2:D:34:GLY:HA2	2:D:35:GLY:HA2	1.72	0.41
2:B:29:ARG:CG	2:B:30:SER:H	2.33	0.41
1:C:33:MET:CE	2:D:101:ARG:HB2	2.50	0.41
2:D:10:GLY:O	2:D:12:LEU:N	2.44	0.41
1:A:38:ASN:ND2	6:A:803:HOH:O	2.16	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:31:GLU:N	1:C:416:LEU:O	2.50	0.41
1:C:114:GLU:OE1	1:C:114:GLU:N	2.54	0.41
1:A:98:LYS:HD2	1:A:98:LYS:HA	1.80	0.41
1:C:91:SER:HB3	1:C:154:LEU:HD22	2.02	0.41
1:A:237:PHE:CZ	1:A:294:THR:HG21	2.55	0.41
1:A:45:VAL:O	1:A:376:THR:HB	2.20	0.41
1:C:369:SER:HA	6:C:867:HOH:O	2.21	0.41
3:C:708:NAG:H62	4:C:709:BMA:H2	2.02	0.41
1:A:276:LYS:HD3	1:A:276:LYS:HA	1.89	0.40
1:C:204:GLN:NE2	1:C:295:PRO:O	2.54	0.40
2:D:132:GLN:HG2	2:D:140:TYR:HB2	2.02	0.40
1:A:398:PRO:HB2	2:B:78:ILE:O	2.21	0.40
1:A:403:ARG:HB3	2:B:71:ILE:HB	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	420/427 (98%)	401 (96%)	17 (4%)	2 (0%)	34	48
1	C	420/427 (98%)	396 (94%)	20 (5%)	4 (1%)	19	28
2	B	147/157 (94%)	120 (82%)	18 (12%)	9 (6%)	2	0
2	D	147/157 (94%)	120 (82%)	17 (12%)	10 (7%)	1	0
All	All	1134/1168 (97%)	1037 (91%)	72 (6%)	25 (2%)	8	9

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	39	VAL
1	C	355	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	356	ALA
2	D	43	GLN
2	D	143	SER
2	B	19	GLY
2	B	43	GLN
1	C	264	VAL
1	C	270	ILE
2	D	21	VAL
2	D	38	SER
2	B	21	VAL
2	B	30	SER
2	B	38	SER
2	D	11	LEU
2	D	19	GLY
2	B	144	GLU
2	D	20	GLY
2	D	34	GLY
1	A	419	GLY
2	B	132	GLN
2	D	132	GLN
1	A	420	LEU
2	B	11	LEU
2	D	39	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	357/358 (100%)	347 (97%)	10 (3%)	51	72
1	C	357/358 (100%)	351 (98%)	6 (2%)	68	85
2	B	109/116 (94%)	101 (93%)	8 (7%)	17	27
2	D	109/116 (94%)	100 (92%)	9 (8%)	14	21
All	All	932/948 (98%)	899 (96%)	33 (4%)	43	64

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	8	VAL
1	A	114	GLU
1	A	147	ARG
1	A	158	LEU
1	A	171	THR
1	A	294	THR
1	A	306	CYS
1	A	392	VAL
1	A	412	ARG
2	B	11	LEU
2	B	43	GLN
2	B	78	ILE
2	B	99	ILE
2	B	145	ASN
2	B	146	CYS
2	B	156	ASN
2	B	157	PHE
1	C	74	LEU
1	C	180	MET
1	C	189	SER
1	C	234	LYS
1	C	306	CYS
1	C	392	VAL
2	D	11	LEU
2	D	39	VAL
2	D	43	GLN
2	D	78	ILE
2	D	144	GLU
2	D	146	CYS
2	D	147	ASP
2	D	152	GLU
2	D	155	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	73	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	701	1,3	14,14,15	0.30	0	15,19,21	0.88	1 (6%)
3	NAG	A	702	3,4	14,14,15	1.54	4 (28%)	15,19,21	1.60	5 (33%)
4	BMA	A	703	3,5	11,11,12	0.87	0	15,15,17	4.10	6 (40%)
5	MAN	A	704	5,4	11,11,12	0.24	0	15,15,17	0.75	0
5	MAN	A	705	5	11,11,12	0.43	0	15,15,17	0.74	0
5	MAN	A	706	5	11,11,12	0.30	0	15,15,17	1.24	3 (20%)
3	NAG	A	707	1,3	14,14,15	0.30	0	15,19,21	0.74	0
3	NAG	A	708	3,4	14,14,15	0.47	0	15,19,21	1.45	3 (20%)
4	BMA	A	709	3,5	11,11,12	0.48	0	15,15,17	2.55	7 (46%)
5	MAN	A	710	5,4	11,11,12	0.40	0	15,15,17	1.94	4 (26%)
5	MAN	A	711	5	11,11,12	0.36	0	15,15,17	0.77	0
5	MAN	A	712	4	11,11,12	0.46	0	15,15,17	1.17	1 (6%)
3	NAG	A	713	1,3	14,14,15	0.29	0	15,19,21	1.50	2 (13%)
3	NAG	A	714	3	14,14,15	0.38	0	15,19,21	1.62	1 (6%)
3	NAG	B	701	3,2	14,14,15	0.40	0	15,19,21	0.75	1 (6%)
3	NAG	B	702	3	14,14,15	0.28	0	15,19,21	1.38	2 (13%)
3	NAG	B	703	2	14,14,15	0.41	0	15,19,21	1.19	1 (6%)
3	NAG	C	701	1,3	14,14,15	0.29	0	15,19,21	0.81	1 (6%)
3	NAG	C	702	3,4	14,14,15	1.31	2 (14%)	15,19,21	1.33	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BMA	C	703	3,5	11,11,12	0.79	1 (9%)	15,15,17	2.18	3 (20%)
5	MAN	C	704	5,4	11,11,12	0.26	0	15,15,17	1.26	2 (13%)
5	MAN	C	705	5	11,11,12	0.42	0	15,15,17	0.99	0
5	MAN	C	706	5	11,11,12	0.39	0	15,15,17	0.68	0
3	NAG	C	707	1,3	14,14,15	0.39	0	15,19,21	1.07	2 (13%)
3	NAG	C	708	3,4	14,14,15	0.57	0	15,19,21	1.31	2 (13%)
4	BMA	C	709	3	11,11,12	0.38	0	15,15,17	1.15	1 (6%)
3	NAG	C	710	1,3	14,14,15	0.33	0	15,19,21	1.99	2 (13%)
3	NAG	C	711	3	14,14,15	0.28	0	15,19,21	1.18	1 (6%)
3	NAG	D	701	3,2	14,14,15	0.31	0	15,19,21	0.82	1 (6%)
3	NAG	D	702	3	14,14,15	0.33	0	15,19,21	1.14	2 (13%)
3	NAG	D	703	2	14,14,15	0.26	0	15,19,21	1.31	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	701	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	702	3,4	-	0/6/23/26	0/1/1/1
4	BMA	A	703	3,5	-	0/2/19/22	0/1/1/1
5	MAN	A	704	5,4	-	0/2/19/22	0/1/1/1
5	MAN	A	705	5	-	0/2/19/22	0/1/1/1
5	MAN	A	706	5	-	0/2/19/22	0/1/1/1
3	NAG	A	707	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	708	3,4	-	0/6/23/26	0/1/1/1
4	BMA	A	709	3,5	-	0/2/19/22	0/1/1/1
5	MAN	A	710	5,4	-	0/2/19/22	0/1/1/1
5	MAN	A	711	5	-	0/2/19/22	0/1/1/1
5	MAN	A	712	4	-	0/2/19/22	0/1/1/1
3	NAG	A	713	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	714	3	-	0/6/23/26	0/1/1/1
3	NAG	B	701	3,2	-	0/6/23/26	0/1/1/1
3	NAG	B	702	3	-	0/6/23/26	0/1/1/1
3	NAG	B	703	2	-	0/6/23/26	0/1/1/1
3	NAG	C	701	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	702	3,4	-	0/6/23/26	0/1/1/1
4	BMA	C	703	3,5	-	0/2/19/22	0/1/1/1
5	MAN	C	704	5,4	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MAN	C	705	5	-	0/2/19/22	0/1/1/1
5	MAN	C	706	5	-	0/2/19/22	0/1/1/1
3	NAG	C	707	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	708	3,4	-	0/6/23/26	0/1/1/1
4	BMA	C	709	3	-	0/2/19/22	0/1/1/1
3	NAG	C	710	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	711	3	-	0/6/23/26	0/1/1/1
3	NAG	D	701	3,2	-	0/6/23/26	0/1/1/1
3	NAG	D	702	3	-	0/6/23/26	0/1/1/1
3	NAG	D	703	2	-	0/6/23/26	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	702	NAG	O4-C4	-2.50	1.37	1.43
3	A	702	NAG	O5-C1	-2.36	1.39	1.43
3	A	702	NAG	C8-C7	-2.25	1.45	1.50
3	C	702	NAG	C2-N2	-2.16	1.42	1.46
3	A	702	NAG	O7-C7	-2.12	1.18	1.23
4	C	703	BMA	O5-C1	-2.04	1.40	1.43
3	C	702	NAG	O7-C7	-2.02	1.18	1.23

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	703	BMA	O5-C1-C2	-13.69	89.00	110.89
4	C	703	BMA	C1-O5-C5	-6.82	102.11	112.14
4	A	709	BMA	C2-C3-C4	-5.36	101.69	111.05
4	A	703	BMA	O5-C5-C4	-4.68	102.38	110.13
4	A	709	BMA	O3-C3-C2	-3.59	103.43	110.01
3	C	702	NAG	O4-C4-C3	-3.57	102.31	110.36
3	B	702	NAG	C2-N2-C7	-3.39	118.69	123.11
4	A	703	BMA	C3-C4-C5	-3.31	104.32	110.23
3	A	708	NAG	O3-C3-C2	-2.97	103.02	109.37
4	C	703	BMA	O5-C5-C4	-2.78	105.53	110.13
3	A	702	NAG	O4-C4-C3	-2.71	104.26	110.36
3	C	707	NAG	C2-N2-C7	-2.68	119.61	123.11
5	A	712	MAN	C1-O5-C5	-2.64	108.26	112.14
4	C	703	BMA	O2-C2-C3	-2.54	105.07	110.19
3	D	703	NAG	C2-N2-C7	-2.46	119.90	123.11
5	A	706	MAN	C1-C2-C3	-2.44	106.60	109.55
5	C	704	MAN	C6-C5-C4	-2.32	107.18	112.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	702	NAG	C2-N2-C7	-2.29	120.13	123.11
5	A	710	MAN	C6-C5-C4	-2.28	107.28	112.99
3	A	702	NAG	O5-C5-C4	-2.27	106.38	110.13
3	C	702	NAG	O5-C5-C4	-2.25	106.41	110.13
3	A	708	NAG	O4-C4-C5	-2.24	103.32	109.23
4	A	709	BMA	C6-C5-C4	-2.20	107.47	112.99
5	A	706	MAN	C6-C5-C4	-2.19	107.50	112.99
5	A	710	MAN	O3-C3-C4	-2.15	105.51	110.36
3	A	702	NAG	O7-C7-C8	-2.11	118.18	122.07
4	A	709	BMA	O6-C6-C5	-2.02	104.55	111.30
4	A	709	BMA	O2-C2-C3	-2.02	106.11	110.19
4	A	709	BMA	O5-C5-C4	2.04	113.51	110.13
3	B	701	NAG	C1-O5-C5	2.06	115.17	112.14
3	D	701	NAG	C1-O5-C5	2.07	115.18	112.14
4	A	703	BMA	C1-O5-C5	2.08	115.20	112.14
3	A	708	NAG	O4-C4-C3	2.09	115.07	110.36
5	A	706	MAN	O5-C5-C6	2.13	111.89	107.34
3	C	707	NAG	C1-O5-C5	2.20	115.38	112.14
3	C	701	NAG	C1-O5-C5	2.22	115.41	112.14
3	A	702	NAG	C2-N2-C7	2.39	126.22	123.11
5	C	704	MAN	C1-O5-C5	2.54	115.87	112.14
3	A	702	NAG	O7-C7-N2	2.66	127.28	121.84
3	A	701	NAG	C1-O5-C5	2.70	116.10	112.14
4	C	709	BMA	O5-C5-C6	2.71	113.15	107.34
3	A	713	NAG	O5-C5-C4	2.73	114.66	110.13
3	C	708	NAG	O4-C4-C3	2.77	116.60	110.36
3	D	702	NAG	C1-O5-C5	2.81	116.27	112.14
4	A	703	BMA	O2-C2-C1	2.85	114.94	109.23
3	C	710	NAG	O5-C5-C4	3.00	115.11	110.13
3	C	708	NAG	O4-C4-C5	3.05	117.27	109.23
3	B	703	NAG	C1-O5-C5	3.11	116.71	112.14
3	B	702	NAG	C1-O5-C5	3.13	116.74	112.14
4	A	703	BMA	C1-C2-C3	3.16	113.38	109.55
3	C	711	NAG	C1-O5-C5	3.33	117.04	112.14
3	D	703	NAG	C1-O5-C5	3.61	117.45	112.14
5	A	710	MAN	C1-C2-C3	3.81	114.17	109.55
3	A	713	NAG	C1-O5-C5	4.46	118.70	112.14
5	A	710	MAN	C1-O5-C5	4.82	119.22	112.14
3	A	714	NAG	C1-O5-C5	5.55	120.31	112.14
4	A	709	BMA	C1-C2-C3	5.58	116.31	109.55
3	C	710	NAG	C1-O5-C5	6.49	121.69	112.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

12 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	701	NAG	2	0
3	A	702	NAG	3	0
4	A	703	BMA	1	0
3	A	708	NAG	1	0
4	A	709	BMA	1	0
3	A	713	NAG	1	0
3	A	714	NAG	2	0
3	C	702	NAG	1	0
4	C	703	BMA	1	0
3	C	708	NAG	1	0
4	C	709	BMA	2	0
3	C	710	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	424/427 (99%)	-0.52	0 100 100	21, 33, 54, 82	0
1	C	424/427 (99%)	-0.38	3 (0%) 89 88	22, 35, 70, 98	0
2	B	149/157 (94%)	0.34	14 (9%) 11 10	18, 47, 112, 172	0
2	D	149/157 (94%)	0.65	24 (16%) 3 2	31, 55, 143, 172	0
All	All	1146/1168 (98%)	-0.21	41 (3%) 46 47	18, 37, 85, 172	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	32	GLY	10.5
2	B	34	GLY	9.2
2	B	32	GLY	7.9
2	D	37	ALA	7.9
2	D	145	ASN	6.1
2	D	35	GLY	6.1
2	D	157	PHE	6.0
2	B	37	ALA	6.0
2	D	36	GLY	5.6
2	D	38	SER	5.1
2	D	31	ASN	5.1
2	D	33	GLY	5.0
1	C	270	ILE	4.9
2	B	33	GLY	4.4
2	B	36	GLY	4.3
2	D	43	GLN	4.0
2	B	157	PHE	3.7
2	D	42	THR	3.5
2	D	39	VAL	3.5
2	D	44	ALA	3.3
2	B	35	GLY	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	146	CYS	3.2
2	B	16	PHE	3.1
1	C	272	ASN	3.1
2	D	27	TRP	3.1
1	C	236	LYS	3.1
2	D	9	PHE	3.0
2	D	29	ARG	2.9
2	D	143	SER	2.8
2	B	38	SER	2.8
2	D	34	GLY	2.7
2	B	131	ALA	2.7
2	B	22	ALA	2.6
2	B	9	PHE	2.5
2	B	44	ALA	2.4
2	D	30	SER	2.3
2	D	149	SER	2.3
2	D	144	GLU	2.3
2	B	43	GLN	2.2
2	D	18	ALA	2.0
2	D	45	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	MAN	A	706	11/12	0.91	0.14	3.13	29,35,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	MAN	C	706	11/12	0.92	0.12	1.39	41,43,45,50	0
3	NAG	B	702	14/15	0.94	0.14	0.46	43,49,58,59	0
3	NAG	D	702	14/15	0.94	0.13	-0.06	42,49,56,58	0
3	NAG	A	713	14/15	0.91	0.16	-0.24	54,58,59,61	0
3	NAG	C	710	14/15	0.91	0.17	-0.25	63,68,78,79	0
3	NAG	B	701	14/15	0.96	0.11	-0.43	26,30,34,37	0
3	NAG	D	701	14/15	0.97	0.11	-0.88	31,36,40,41	0
5	MAN	A	704	11/12	0.98	0.10	-	27,30,33,34	0
4	BMA	A	703	11/12	0.93	0.11	-	30,33,39,40	0
3	NAG	C	702	14/15	0.90	0.14	-	33,39,44,47	0
3	NAG	C	708	14/15	0.95	0.11	-	42,48,57,58	0
3	NAG	A	714	14/15	0.82	0.19	-	61,70,74,80	0
4	BMA	C	709	11/12	0.62	0.22	-	85,92,97,99	0
3	NAG	A	702	14/15	0.89	0.15	-	28,37,43,51	0
5	MAN	A	705	11/12	0.92	0.12	-	29,31,36,40	0
3	NAG	C	701	14/15	0.95	0.13	-	29,35,41,41	0
3	NAG	A	701	14/15	0.97	0.09	-	29,33,43,43	0
3	NAG	C	711	14/15	0.86	0.15	-	56,64,71,75	0
4	BMA	A	709	11/12	0.91	0.22	-	39,44,48,57	0
3	NAG	A	708	14/15	0.96	0.11	-	31,35,39,46	0
5	MAN	A	711	11/12	0.92	0.18	-	46,56,60,63	0
3	NAG	C	707	14/15	0.95	0.10	-	29,33,37,44	0
5	MAN	A	712	11/12	0.91	0.15	-	35,40,43,47	0
3	NAG	D	703	14/15	0.83	0.23	-	76,87,91,92	0
5	MAN	C	705	11/12	0.87	0.12	-	45,55,59,59	0
4	BMA	C	703	11/12	0.86	0.13	-	39,42,47,48	0
5	MAN	C	704	11/12	0.95	0.12	-	33,36,46,46	0
3	NAG	B	703	14/15	0.89	0.22	-	49,56,63,66	0
5	MAN	A	710	11/12	0.95	0.12	-	30,40,45,46	0
3	NAG	A	707	14/15	0.97	0.10	-	27,32,36,37	0

6.5 Other polymers ⓘ

There are no such residues in this entry.