



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:19 AM GMT

PDB ID : 3E7S
Title : Structure of bovine eNOS oxygenase domain with inhibitor AR-C95791
Authors : Garcin, E.D.; Arvai, A.S.; Rosenfeld, R.J.; Kroeger, M.D.; Crane, B.R.; Andersson, G.; Andrews, G.; Hamley, P.J.; Mallinder, P.R.; Nicholls, D.J.; St-Gallay, S.A.; Tinker, A.C.; Gensmantel, N.P.; Mete, A.; Cheshire, D.R.; Connolly, S.; Stuehr, D.J.; Aberg, A.; Wallace, A.V.; Tainer, J.A.; Getzoff, E.D.
Deposited on : 2008-08-18
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	431	<div> <div>3%</div> <div>70%</div> <div>21%</div> <div>6%</div> </div>
2	B	431	<div> <div>3%</div> <div>68%</div> <div>23%</div> <div>5%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	AT2	B	906	-	-	-	X
5	AT2	B	907	-	X	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6703 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	403	Total	C	N	O	S	0	0	0
			3168	2019	559	574	16			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	97	ARG	CYS	SEE REMARK 999	UNP P29473

- Molecule 2 is a protein called Nitric oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	409	Total	As	C	N	O	S	0	0
			3205	1	2041	565	582	16		


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	97	ARG	CYS	SEE REMARK 999	UNP P29473

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is HEME C (three-letter code: HEC) (formula: C₃₄H₃₄FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 5 is ETHYL 4-[(4-METHYLPYRIDIN-2-YL)AMINO]PIPERIDINE-1-CARBOXYLATE (three-letter code: AT2) (formula: C₁₄H₂₁N₃O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			19	14	3	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			19	14	3	2		
5	B	1	Total	C	N	O	0	0
			19	14	3	2		
5	B	1	Total	C	N	O	0	0
			19	14	3	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	74	Total	O	0	0
			74	74		
6	B	93	Total	O	0	0
			93	93		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	58.93Å 104.37Å 156.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.50 29.43 – 2.46	Depositor EDS
% Data completeness (in resolution range)	86.1 (30.00-2.50) 85.0 (29.43-2.46)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.57 (at 2.48Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.212 , 0.254 0.209 , 0.248	Depositor DCC
R_{free} test set	1453 reflections (5.19%)	DCC
Wilson B-factor (Å ²)	26.2	Xtriage
Anisotropy	0.526	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 30337 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6703	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CAS, ZN, AT2, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	1/3258 (0.0%)	0.80	5/4444 (0.1%)
2	B	0.44	0/3285	0.65	2/4482 (0.0%)
All	All	0.45	1/6543 (0.0%)	0.73	7/8926 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	61	PRO	N-CA	5.32	1.56	1.47

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	61	PRO	CA-N-CD	-17.44	87.08	111.50
1	A	60	ARG	C-N-CD	-15.58	86.33	120.60
1	A	61	PRO	N-CD-CG	11.27	120.10	103.20
1	A	61	PRO	N-CA-CB	10.47	115.86	103.30
1	A	60	ARG	C-N-CA	8.12	156.10	122.00
2	B	117	PRO	N-CA-CB	5.38	109.76	103.30
2	B	357	MET	N-CA-C	-5.11	97.21	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	134	TYR	Sidechain
2	B	380	VAL	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3168	0	3048	90	0
2	B	3205	0	3073	97	0
3	A	1	0	0	0	0
4	A	43	0	32	3	0
4	B	43	0	32	1	0
5	A	38	0	42	1	0
5	B	38	0	42	3	0
6	A	74	0	0	2	0
6	B	93	0	0	4	0
All	All	6703	0	6269	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:THR:HG22	1:A:96:ARG:H	1.23	1.00
2:B:94:THR:HG23	2:B:96:ARG:H	1.35	0.90
2:B:175:GLN:HE22	2:B:178:ARG:HH11	1.17	0.87
1:A:378:VAL:HG12	1:A:382:MET:CE	2.06	0.85
2:B:123:LEU:HD13	2:B:127:ARG:HH21	1.42	0.84
1:A:131:ASN:HA	1:A:145:HIS:HE1	1.42	0.83
1:A:131:ASN:HA	1:A:145:HIS:CE1	2.13	0.82
1:A:378:VAL:HG12	1:A:382:MET:HE2	1.62	0.81
1:A:328:ARG:HH11	1:A:328:ARG:HG2	1.47	0.80
2:B:142:SER:O	2:B:146:GLU:HG2	1.82	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:282:ASN:OD1	2:B:282:ASN:O	2.01	0.79
1:A:127:ARG:HH11	1:A:127:ARG:HG3	1.49	0.78
2:B:123:LEU:HD13	2:B:127:ARG:NH2	1.99	0.78
1:A:177:TRP:HB2	4:A:901:HEC:HBC3	1.66	0.77
1:A:328:ARG:HH11	1:A:328:ARG:CG	1.97	0.77
2:B:94:THR:HG22	2:B:97:ARG:H	1.51	0.76
1:A:134:TYR:CG	1:A:145:HIS:HB2	2.22	0.75
1:A:127:ARG:HG3	1:A:127:ARG:NH1	2.01	0.73
1:A:131:ASN:OD1	1:A:145:HIS:CE1	2.43	0.72
2:B:105:PRO:O	2:B:106:ARG:CB	2.39	0.71
2:B:456:THR:CG2	2:B:458:VAL:HG22	2.20	0.71
1:A:406:LEU:O	1:A:410:GLN:HG3	1.91	0.70
2:B:205:GLU:O	2:B:208:THR:HG22	1.92	0.69
2:B:261:ARG:NE	2:B:282:ASN:OD1	2.26	0.68
2:B:452:SER:HB3	2:B:455:LEU:HD12	1.75	0.68
2:B:200:CYS:SG	2:B:205:GLU:HB3	2.34	0.67
1:A:328:ARG:HG2	1:A:328:ARG:NH1	2.06	0.67
2:B:423:THR:HG21	2:B:456:THR:HG21	1.76	0.67
1:A:378:VAL:HG12	1:A:382:MET:HE3	1.78	0.66
2:B:88:GLN:HA	2:B:88:GLN:HE21	1.61	0.66
2:B:123:LEU:CD1	2:B:127:ARG:HH21	2.08	0.65
1:A:234:ALA:HB3	1:A:237:ARG:CD	2.26	0.65
2:B:479:TRP:CD1	2:B:480:LYS:N	2.64	0.65
1:A:378:VAL:CG1	1:A:382:MET:HE2	2.27	0.64
2:B:249:ARG:HG3	2:B:266:ASN:ND2	2.12	0.64
2:B:314:LEU:HG	2:B:328:ARG:HA	1.81	0.62
1:A:256:GLN:O	1:A:256:GLN:HG3	1.99	0.62
2:B:274:ILE:CD1	2:B:280:PRO:HG3	2.29	0.62
1:A:311:GLU:OE1	1:A:328:ARG:HD2	2.02	0.60
2:B:246:GLN:HB2	2:B:249:ARG:CD	2.32	0.60
2:B:123:LEU:HB3	2:B:127:ARG:HH21	1.65	0.60
2:B:246:GLN:HB2	2:B:249:ARG:HD2	1.84	0.59
1:A:364:ARG:CZ	5:A:905:AT2:H101	2.32	0.59
1:A:121:GLN:O	1:A:125:GLN:HG3	2.03	0.59
2:B:274:ILE:HD11	2:B:280:PRO:HG3	1.84	0.58
1:A:386:THR:HA	1:A:393:TRP:CD1	2.38	0.58
2:B:456:THR:HG21	2:B:458:VAL:HG22	1.83	0.58
2:B:94:THR:CG2	2:B:96:ARG:H	2.12	0.58
1:A:230:PHE:HB3	1:A:231:PRO:CD	2.34	0.57
1:A:123:LEU:HD23	1:A:156:VAL:HG11	1.86	0.57
1:A:93:CYS:HB3	2:B:93:CYS:HB3	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:363:THR:O	1:A:367:CYS:HB2	2.06	0.56
2:B:253:TYR:CE2	2:B:281:GLY:O	2.59	0.56
1:A:328:ARG:HH11	1:A:328:ARG:CB	2.19	0.56
2:B:253:TYR:CZ	2:B:281:GLY:O	2.59	0.56
2:B:456:THR:HG22	2:B:458:VAL:HG22	1.88	0.55
1:A:203:ALA:HA	1:A:206:MET:HE3	1.88	0.55
2:B:274:ILE:HG12	2:B:280:PRO:HG3	1.88	0.55
1:A:134:TYR:CD2	1:A:145:HIS:HB2	2.41	0.55
1:A:314:LEU:HG	1:A:328:ARG:HA	1.89	0.55
2:B:295:PRO:O	2:B:297:GLU:HG3	2.07	0.55
1:A:144:ALA:O	1:A:147:GLU:N	2.40	0.54
2:B:453:GLY:O	2:B:456:THR:HB	2.07	0.54
2:B:456:THR:HG22	2:B:458:VAL:H	1.73	0.54
2:B:249:ARG:HG3	2:B:266:ASN:HD21	1.70	0.54
2:B:237:ARG:HH21	2:B:240:PHE:HE1	1.56	0.54
1:A:315:GLU:HB3	1:A:323:ALA:HB2	1.91	0.53
1:A:328:ARG:HH11	1:A:328:ARG:HB3	1.73	0.53
1:A:170:VAL:HG22	1:A:194:VAL:HB	1.90	0.53
1:A:94:THR:HG23	1:A:95:PRO:HD2	1.92	0.52
1:A:468:LEU:O	1:A:471:ALA:HB2	2.09	0.52
1:A:249:ARG:HG3	6:A:969:HOH:O	2.09	0.52
2:B:123:LEU:O	2:B:127:ARG:HG3	2.10	0.52
1:A:230:PHE:HB3	1:A:231:PRO:HD2	1.92	0.52
2:B:363:THR:O	2:B:367:CYS:HB2	2.10	0.51
2:B:364:ARG:HH11	2:B:364:ARG:HB3	1.74	0.51
2:B:307:GLU:H	2:B:307:GLU:CD	2.12	0.51
2:B:379:ALA:HA	2:B:384:LEU:HD12	1.93	0.51
2:B:213:HIS:HD2	2:B:228:THR:OG1	1.95	0.50
2:B:274:ILE:CG1	2:B:280:PRO:HG3	2.42	0.50
1:A:72:ASN:HD22	1:A:461:GLN:NE2	2.10	0.50
1:A:233:ARG:HG3	1:A:346:GLU:O	2.10	0.50
1:A:102:LEU:HD22	2:B:462:GLU:OE2	2.11	0.50
1:A:131:ASN:OD1	1:A:145:HIS:HE1	1.95	0.49
1:A:243:TRP:HB2	1:A:291:LEU:HB3	1.94	0.49
1:A:243:TRP:CD1	1:A:478:PRO:HG3	2.47	0.49
1:A:331:ALA:HB1	1:A:414:VAL:HG11	1.94	0.49
2:B:423:THR:HG21	2:B:456:THR:CG2	2.41	0.49
2:B:406:LEU:HD21	2:B:418:ASP:HB3	1.95	0.49
1:A:316:HIS:CG	1:A:317:PRO:HD2	2.48	0.49
1:A:234:ALA:HB3	1:A:237:ARG:HD3	1.94	0.48
1:A:131:ASN:CA	1:A:145:HIS:HE1	2.20	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:335:VAL:HB	2:B:352:PHE:CE1	2.48	0.48
1:A:382:MET:HE1	1:A:397:ALA:HA	1.94	0.48
1:A:99:LEU:CD2	2:B:464:VAL:HG22	2.43	0.48
2:B:464:VAL:HG12	2:B:466:TYR:CD1	2.49	0.48
1:A:177:TRP:CE3	1:A:189:TRP:HA	2.48	0.48
1:A:123:LEU:O	1:A:123:LEU:HD13	2.14	0.48
2:B:230:PHE:HB3	2:B:231:PRO:CD	2.43	0.48
2:B:241:ARG:HD3	2:B:348:SER:HB2	1.96	0.47
1:A:177:TRP:CZ3	1:A:189:TRP:HA	2.49	0.47
2:B:367:CYS:SG	2:B:375:LEU:HD13	2.54	0.47
1:A:231:PRO:HB2	1:A:240:PHE:CE1	2.49	0.47
2:B:182:ARG:HD3	2:B:446:TRP:CD2	2.49	0.47
1:A:469:SER:HA	1:A:470:PRO:C	2.35	0.47
2:B:175:GLN:HE22	2:B:178:ARG:NH1	1.98	0.47
2:B:177:TRP:HB2	4:B:902:HEC:HBC3	1.97	0.47
1:A:230:PHE:HB2	1:A:349:ALA:O	2.14	0.46
1:A:218:THR:HA	1:A:223:LEU:HD22	1.95	0.46
1:A:420:HIS:HB2	2:B:389:THR:HB	1.96	0.46
1:A:237:ARG:HG2	1:A:238:GLY:N	2.30	0.46
2:B:184:VAL:O	2:B:184:VAL:HG22	2.15	0.46
2:B:445:ALA:O	5:B:907:AT2:H3	2.16	0.46
1:A:164:LEU:HG	1:A:345:LEU:HD12	1.98	0.46
2:B:282:ASN:CG	2:B:282:ASN:O	2.54	0.46
1:A:123:LEU:CD1	1:A:127:ARG:HH11	2.29	0.46
1:A:131:ASN:OD1	1:A:145:HIS:NE2	2.49	0.46
2:B:223:LEU:HD12	2:B:355:TRP:HB3	1.97	0.46
2:B:70:VAL:HG23	6:B:936:HOH:O	2.16	0.45
1:A:378:VAL:O	1:A:382:MET:HG3	2.16	0.45
2:B:243:TRP:HB2	2:B:291:LEU:HB3	1.99	0.45
1:A:134:TYR:HB2	1:A:145:HIS:ND1	2.32	0.45
2:B:364:ARG:HH22	5:B:907:AT2:H102	1.82	0.45
1:A:418:ASP:OD1	1:A:420:HIS:HB2	2.16	0.45
2:B:94:THR:HG22	2:B:97:ARG:N	2.27	0.44
1:A:291:LEU:HG	1:A:299:PRO:HB2	2.00	0.44
1:A:177:TRP:CB	4:A:901:HEC:HBC3	2.44	0.44
2:B:423:THR:CB	2:B:456:THR:HG23	2.47	0.44
1:A:355:TRP:H	4:A:901:HEC:HAB	1.82	0.44
1:A:256:GLN:O	1:A:257:ASP:OD1	2.35	0.44
1:A:249:ARG:HG3	1:A:266:ASN:HD21	1.83	0.44
1:A:123:LEU:CD1	1:A:127:ARG:NH1	2.81	0.44
2:B:464:VAL:HG12	2:B:466:TYR:HD1	1.83	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:386:THR:HG22	1:A:393:TRP:CD2	2.54	0.43
1:A:341:GLU:OE1	1:A:469:SER:OG	2.37	0.43
1:A:443:ASP:O	1:A:447:ILE:HG12	2.19	0.43
1:A:368:ASP:HB3	1:A:371:ARG:HG2	2.00	0.43
2:B:213:HIS:CD2	2:B:228:THR:OG1	2.71	0.43
1:A:321:TRP:O	1:A:324:ALA:HB3	2.18	0.43
1:A:311:GLU:HA	1:A:330:TYR:HA	2.01	0.43
2:B:161:THR:HG23	2:B:162:TYR:N	2.32	0.43
1:A:462:GLU:HB3	2:B:102:LEU:HD23	1.99	0.43
1:A:144:ALA:O	1:A:145:HIS:C	2.57	0.43
1:A:98:CYS:HB2	2:B:93:CYS:SG	2.58	0.43
1:A:123:LEU:HD12	1:A:127:ARG:NH1	2.34	0.42
2:B:223:LEU:HD12	2:B:355:TRP:CB	2.49	0.42
2:B:456:THR:HG23	2:B:457:PRO:HD2	2.01	0.42
1:A:87:SER:O	2:B:96:ARG:NH2	2.52	0.42
2:B:70:VAL:O	2:B:70:VAL:HG23	2.19	0.42
2:B:78:ILE:HG22	2:B:79:THR:N	2.34	0.42
1:A:203:ALA:HA	1:A:206:MET:CE	2.49	0.42
2:B:373:ASN:HA	6:B:948:HOH:O	2.18	0.42
2:B:433:GLU:OE1	2:B:433:GLU:HA	2.20	0.42
2:B:193:GLN:HG2	2:B:216:TYR:CZ	2.55	0.42
2:B:179:ASN:O	2:B:181:PRO:HD3	2.19	0.42
2:B:126:ALA:O	2:B:130:ILE:HG12	2.19	0.42
1:A:267:VAL:O	1:A:271:GLU:HG3	2.20	0.42
2:B:171:PHE:CZ	2:B:175:GLN:HG3	2.55	0.42
2:B:316:HIS:CG	2:B:317:PRO:HD2	2.55	0.42
2:B:364:ARG:HA	2:B:368:ASP:OD1	2.20	0.42
1:A:450:PRO:HD3	6:A:914:HOH:O	2.19	0.42
2:B:251:ALA:O	2:B:262:GLY:HA3	2.20	0.42
1:A:106:ARG:HD3	6:B:960:HOH:O	2.19	0.42
1:A:231:PRO:HB2	1:A:240:PHE:CD1	2.55	0.41
2:B:261:ARG:HA	6:B:950:HOH:O	2.19	0.41
2:B:246:GLN:HB2	2:B:249:ARG:HD3	2.01	0.41
2:B:382:MET:HE3	2:B:400:GLU:HG3	2.01	0.41
2:B:96:ARG:HB3	2:B:96:ARG:NH1	2.35	0.41
2:B:337:ASN:HD22	2:B:338:MET:N	2.17	0.41
1:A:204:GLN:O	1:A:208:THR:HG22	2.20	0.41
2:B:264:PRO:HB2	2:B:370:HIS:O	2.20	0.41
2:B:261:ARG:NH1	2:B:284:ARG:HG3	2.35	0.41
2:B:164:LEU:HG	2:B:345:LEU:HD12	2.02	0.41
2:B:241:ARG:HA	2:B:241:ARG:HD2	1.87	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:468:LEU:O	2:B:471:ALA:HB2	2.21	0.41
2:B:469:SER:HA	2:B:470:PRO:C	2.40	0.41
2:B:364:ARG:HH22	5:B:907:AT2:C10	2.34	0.40
1:A:305:PRO:HD2	1:A:308:LEU:HD12	2.04	0.40
1:A:205:GLU:O	1:A:208:THR:HG23	2.21	0.40
2:B:148:ARG:O	2:B:152:VAL:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	397/431 (92%)	363 (91%)	29 (7%)	5 (1%)	15	26
2	B	404/431 (94%)	370 (92%)	31 (8%)	3 (1%)	26	46
All	All	801/862 (93%)	733 (92%)	60 (8%)	8 (1%)	19	34

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	61	PRO
1	A	256	GLN
1	A	257	ASP
2	B	106	ARG
2	B	280	PRO
2	B	479	TRP
1	A	144	ALA
1	A	157	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/367 (91%)	319 (96%)	14 (4%)	36	62
2	B	334/366 (91%)	314 (94%)	20 (6%)	24	43
All	All	667/733 (91%)	633 (95%)	34 (5%)	29	52

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	70	VAL
1	A	97	ARG
1	A	123	LEU
1	A	148	ARG
1	A	208	THR
1	A	232	GLN
1	A	237	ARG
1	A	254	ARG
1	A	257	ASP
1	A	261	ARG
1	A	328	ARG
1	A	364	ARG
1	A	465	ASN
1	A	469	SER
2	B	88	GLN
2	B	89	GLN
2	B	94	THR
2	B	97	ARG
2	B	105	PRO
2	B	118	PRO
2	B	205	GLU
2	B	224	ARG
2	B	235	PRO
2	B	237	ARG
2	B	239	ASP
2	B	249	ARG
2	B	254	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	282	ASN
2	B	291	LEU
2	B	337	ASN
2	B	364	ARG
2	B	375	LEU
2	B	465	ASN
2	B	473	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	232	GLN
1	A	434	GLN
1	A	461	GLN
1	A	465	ASN
2	B	88	GLN
2	B	175	GLN
2	B	213	HIS
2	B	337	ASN
2	B	461	GLN
2	B	465	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CAS	B	381	-	5,8,9	1.66	1 (20%)	2,9,11	1.76	1 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CAS	B	381	-	-	0/0/7/9	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	381	CAS	O-C	3.23	1.34	1.19

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	381	CAS	O-C-CA	-2.11	119.99	125.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	HEC	A	901	-	24,50,50	2.08	9 (37%)	19,82,82	1.14	2 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	AT2	A	904	-	20,20,20	2.89	9 (45%)	26,26,26	3.49	15 (57%)
5	AT2	A	905	-	20,20,20	3.49	11 (55%)	26,26,26	3.92	15 (57%)
4	HEC	B	902	2	24,50,50	2.18	9 (37%)	19,82,82	1.15	1 (5%)
5	AT2	B	906	-	20,20,20	2.91	8 (40%)	26,26,26	2.95	15 (57%)
5	AT2	B	907	-	20,20,20	3.42	11 (55%)	26,26,26	3.97	17 (65%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEC	A	901	-	-	0/6/54/54	0/0/8/8
5	AT2	A	904	-	-	0/11/21/21	0/2/2/2
5	AT2	A	905	-	-	0/11/21/21	1/2/2/2
4	HEC	B	902	2	-	0/6/54/54	0/0/8/8
5	AT2	B	906	-	-	0/11/21/21	0/2/2/2
5	AT2	B	907	-	-	0/11/21/21	0/2/2/2

All (57) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	901	HEC	C3B-C2B	-4.22	1.36	1.40
5	A	905	AT2	C14-C13	-2.67	1.45	1.52
4	A	901	HEC	C3C-C2C	-2.55	1.38	1.40
4	B	902	HEC	C3C-C2C	-2.23	1.38	1.40
5	A	905	AT2	C13-N12	2.00	1.50	1.47
4	B	902	HEC	C3C-C4C	2.06	1.47	1.42
5	B	907	AT2	C10-C9	2.16	1.57	1.51
4	B	902	HEC	C3B-C4B	2.28	1.48	1.42
5	B	907	AT2	C10-C11	2.30	1.58	1.52
5	B	907	AT2	C3-C2	2.33	1.45	1.38
4	A	901	HEC	C3B-C4B	2.34	1.48	1.42
5	B	907	AT2	C14-C9	2.38	1.58	1.51
5	A	904	AT2	C10-C9	2.52	1.58	1.51
4	B	902	HEC	C4C-NC	2.53	1.40	1.36
4	A	901	HEC	CMC-C2C	2.55	1.57	1.51
4	A	901	HEC	CAD-C3D	2.66	1.56	1.52
4	A	901	HEC	CMB-C2B	2.75	1.57	1.51
4	A	901	HEC	C3C-C4C	2.79	1.49	1.42
5	A	905	AT2	C14-C9	2.79	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	904	AT2	C7-C6	3.14	1.47	1.39
5	B	906	AT2	C11-N12	3.21	1.52	1.47
5	A	905	AT2	C10-C9	3.26	1.60	1.51
5	A	904	AT2	O16-C15	3.29	1.26	1.21
4	B	902	HEC	CMD-C2D	3.41	1.58	1.51
5	A	905	AT2	C10-C11	3.46	1.61	1.52
5	A	904	AT2	C11-N12	3.47	1.53	1.47
5	A	904	AT2	C10-C11	3.51	1.62	1.52
4	A	901	HEC	C4A-NA	3.57	1.41	1.36
5	B	906	AT2	C13-N12	3.62	1.53	1.47
4	B	902	HEC	C4A-NA	3.90	1.41	1.36
5	B	906	AT2	C10-C9	3.94	1.62	1.51
5	B	907	AT2	C7-C6	4.00	1.49	1.39
5	B	906	AT2	C6-N5	4.10	1.41	1.34
4	B	902	HEC	CMB-C2B	4.11	1.60	1.51
4	A	901	HEC	CMA-C3A	4.15	1.60	1.51
4	B	902	HEC	CMC-C2C	4.19	1.60	1.51
5	B	906	AT2	C7-C6	4.25	1.50	1.39
5	A	905	AT2	C7-C6	4.36	1.50	1.39
4	B	902	HEC	CMA-C3A	4.44	1.61	1.51
5	A	904	AT2	C13-N12	4.54	1.54	1.47
5	A	905	AT2	C3-C4	4.96	1.48	1.38
5	A	904	AT2	C6-N5	5.00	1.43	1.34
5	B	907	AT2	C4-N5	5.01	1.45	1.34
5	B	907	AT2	O16-C15	5.02	1.28	1.21
5	B	906	AT2	C4-N5	5.03	1.45	1.34
5	B	907	AT2	C3-C4	5.19	1.49	1.38
5	A	904	AT2	C4-N5	5.30	1.46	1.34
5	B	907	AT2	C6-N5	5.38	1.44	1.34
5	B	906	AT2	C3-C4	5.40	1.49	1.38
5	A	905	AT2	O16-C15	5.51	1.29	1.21
5	B	906	AT2	O16-C15	5.56	1.29	1.21
5	A	905	AT2	C6-N5	5.63	1.44	1.34
5	A	904	AT2	C3-C4	5.72	1.50	1.38
5	A	905	AT2	C11-N12	5.73	1.56	1.47
5	B	907	AT2	C13-N12	6.41	1.58	1.47
5	B	907	AT2	C11-N12	6.52	1.58	1.47
5	A	905	AT2	C4-N5	7.51	1.50	1.34

All (65) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	905	AT2	C7-C6-N5	-7.14	115.07	123.06
5	A	904	AT2	C3-C4-N5	-6.78	116.17	123.90
5	B	907	AT2	C3-C4-N5	-6.58	116.39	123.90
5	A	905	AT2	C3-C4-N5	-6.44	116.55	123.90
5	B	906	AT2	C7-C6-N5	-5.89	116.46	123.06
5	A	904	AT2	C11-C10-C9	-5.73	101.16	110.37
5	B	906	AT2	C3-C4-N5	-5.12	118.05	123.90
5	A	904	AT2	C7-C6-N5	-4.99	117.47	123.06
5	B	907	AT2	C11-C10-C9	-4.71	102.80	110.37
5	A	904	AT2	C10-C9-N8	-4.65	102.62	110.55
5	B	907	AT2	C7-C6-N5	-3.99	118.59	123.06
5	A	904	AT2	C1-C2-C7	-3.90	115.02	120.95
5	A	905	AT2	C1-C2-C7	-3.47	115.68	120.95
5	B	906	AT2	C10-C11-N12	-3.44	106.08	111.07
5	A	905	AT2	N8-C6-N5	-3.43	111.20	116.74
5	B	906	AT2	C1-C2-C7	-3.23	116.05	120.95
5	B	907	AT2	C1-C2-C7	-3.19	116.11	120.95
5	A	904	AT2	O16-C15-N12	-3.18	118.28	124.32
5	B	907	AT2	O16-C15-N12	-3.10	118.43	124.32
5	B	907	AT2	C14-C9-C10	-2.98	105.75	110.82
5	A	904	AT2	N8-C6-N5	-2.60	112.54	116.74
5	A	905	AT2	O16-C15-N12	-2.50	119.57	124.32
5	B	906	AT2	O16-C15-N12	-2.42	119.72	124.32
5	B	907	AT2	N8-C6-N5	-2.31	113.00	116.74
5	A	904	AT2	C13-C14-C9	-2.25	106.75	110.37
5	B	906	AT2	C10-C9-N8	-2.24	106.74	110.55
4	A	901	HEC	CBD-CAD-C3D	-2.17	108.64	112.53
4	A	901	HEC	CAD-C3D-C4D	-2.11	124.72	127.01
5	A	904	AT2	C10-C11-N12	-2.09	108.04	111.07
4	B	902	HEC	CAD-C3D-C4D	-2.06	124.77	127.01
5	B	907	AT2	C14-C13-N12	2.00	113.98	111.07
5	A	905	AT2	C13-C14-C9	2.30	114.06	110.37
5	A	905	AT2	C14-C13-N12	2.33	114.45	111.07
5	B	906	AT2	C2-C7-C6	2.41	120.98	119.04
5	B	907	AT2	C18-O17-C15	2.51	119.80	115.63
5	B	906	AT2	C3-C2-C7	2.64	122.30	117.95
5	B	907	AT2	C3-C2-C7	2.65	122.31	117.95
5	B	906	AT2	C13-C14-C9	2.79	114.86	110.37
5	B	907	AT2	C10-C11-N12	2.92	115.30	111.07
5	A	904	AT2	C18-O17-C15	3.14	120.84	115.63
5	A	904	AT2	C3-C2-C7	3.18	123.19	117.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	905	AT2	C2-C7-C6	3.27	121.67	119.04
5	B	906	AT2	C14-C9-N8	3.28	116.14	110.55
5	A	904	AT2	C14-C9-N8	3.47	116.46	110.55
5	A	905	AT2	C3-C2-C7	3.81	124.22	117.95
5	B	906	AT2	C7-C6-N8	3.84	127.19	121.12
5	B	907	AT2	C4-N5-C6	4.01	122.80	117.28
5	B	906	AT2	C18-O17-C15	4.07	122.38	115.63
5	B	906	AT2	C14-C9-C10	4.20	117.99	110.82
5	B	906	AT2	O17-C15-N12	4.45	115.17	111.59
5	A	905	AT2	C14-C9-N8	4.58	118.35	110.55
5	B	907	AT2	C7-C6-N8	4.60	128.40	121.12
5	B	907	AT2	C13-N12-C11	4.68	121.24	112.56
5	B	906	AT2	C4-N5-C6	4.68	123.73	117.28
5	A	904	AT2	C4-N5-C6	4.78	123.87	117.28
5	A	905	AT2	C4-N5-C6	4.93	124.08	117.28
5	A	905	AT2	C18-O17-C15	5.02	123.96	115.63
5	A	904	AT2	C7-C6-N8	5.60	129.97	121.12
5	A	905	AT2	O17-C15-N12	6.25	116.63	111.59
5	B	907	AT2	C10-C9-N8	6.95	122.39	110.55
5	B	907	AT2	O17-C15-N12	6.96	117.19	111.59
5	A	904	AT2	O17-C15-N12	7.09	117.30	111.59
5	A	905	AT2	C7-C6-N8	7.93	133.67	121.12
5	A	905	AT2	C6-N8-C9	8.06	134.56	124.15
5	B	907	AT2	C6-N8-C9	10.24	137.39	124.15

There are no chirality outliers.

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	905	AT2	C10-C11-C13-C14-C9-N12

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	901	HEC	3	0
5	A	905	AT2	1	0
4	B	902	HEC	1	0
5	B	907	AT2	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/431 (93%)	-0.16	15 (3%) 45 50	9, 26, 61, 78	0
2	B	408/431 (94%)	-0.24	13 (3%) 51 56	11, 24, 51, 83	0
All	All	811/862 (94%)	-0.20	28 (3%) 48 53	9, 25, 57, 83	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	141	GLY	5.3
2	B	117	PRO	5.0
1	A	121	GLN	4.2
2	B	236	GLY	4.1
2	B	108	LEU	3.7
1	A	143	GLN	3.6
2	B	480	LYS	3.5
2	B	107	LYS	3.2
1	A	149	LEU	3.0
1	A	256	GLN	3.0
2	B	119	ALA	2.8
2	B	235	PRO	2.8
2	B	105	PRO	2.7
2	B	118	PRO	2.6
2	B	120	GLU	2.6
1	A	220	ARG	2.6
1	A	123	LEU	2.5
2	B	479	TRP	2.4
1	A	145	HIS	2.4
1	A	257	ASP	2.4
1	A	80	TYR	2.4
1	A	157	ALA	2.3
2	B	106	ARG	2.3
1	A	60	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	147	GLU	2.3
1	A	158	SER	2.3
2	B	121	GLN	2.2
1	A	236	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CAS	B	381	9/10	0.91	0.17	-	28,30,42,46	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	AT2	B	906	19/19	0.90	0.23	3.13	15,28,40,42	0
5	AT2	B	907	19/19	0.93	0.20	2.55	23,34,40,42	0
5	AT2	A	904	19/19	0.93	0.18	1.43	16,21,26,26	0
5	AT2	A	905	19/19	0.95	0.14	1.08	15,28,36,36	0
4	HEC	B	902	43/43	0.97	0.15	0.85	9,16,31,37	0
4	HEC	A	901	43/43	0.97	0.15	0.66	13,17,30,32	0
3	ZN	A	903	1/1	1.00	0.03	-3.59	18,18,18,18	0

6.5 Other polymers

There are no such residues in this entry.