



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:10 PM GMT

PDB ID : 1EBL  
Title : THE 1.8 Å CRYSTAL STRUCTURE AND ACTIVE SITE ARCHITECTURE OF BETA-KETOACYL-[ACYL CARRIER PROTEIN] SYNTHASE III (FABH) FROM ESCHERICHIA COLI  
Authors : Davies, C.; Heath, R.J.; White, S.W.; Rock, C.O.  
Deposited on : 2000-01-24  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	317	 82% 13% . .
1	B	317	 82% 15% . .

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5502 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-KETOACYL-ACP SYNTHASE III.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	317	Total	C	N	O	S	Se	0	0	0
			2351	1470	408	460	5	8			
1	B	317	Total	C	N	O	S	Se	0	0	0
			2351	1470	408	460	5	8			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
A	25	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
A	54	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
A	65	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
A	97	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
A	207	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
A	260	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
A	262	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
B	1	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
B	25	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
B	54	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
B	65	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
B	97	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
B	207	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
B	260	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0
B	262	MSE	MET	MODIFIED RESIDUE	UNP P0A6R0

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	353	Total	O	0	0
			353	353		
3	B	351	Total	O	0	0
			351	351		

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: BETA-KETOACYL-ACP SYNTHASE III



#### • Molecule 1: BETA-KETOACYL-ACP SYNTHASE III



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.13 Å 64.30 Å 165.92 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80	Depositor
% Data completeness (in resolution range)	97.2 (20.00-1.80)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.187 , 0.225	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5502	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: COA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.53	0/2383	1.52	26/3230 (0.8%)
1	B	0.65	5/2383 (0.2%)	1.45	26/3230 (0.8%)
All	All	0.59	5/4766 (0.1%)	1.49	52/6460 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	5
All	All	0	9

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	286	GLU	CB-CG	9.36	1.70	1.52
1	B	286	GLU	CD-OE2	-6.63	1.18	1.25
1	B	286	GLU	CG-CD	6.44	1.61	1.51
1	B	286	GLU	CD-OE1	6.34	1.32	1.25
1	B	173	GLY	N-CA	-5.67	1.37	1.46

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	42	ARG	CD-NE-CZ	33.11	169.95	123.60
1	A	17	ARG	CD-NE-CZ	30.66	166.52	123.60
1	B	172	PRO	C-N-CA	24.66	174.09	122.30
1	B	17	ARG	CD-NE-CZ	17.13	147.58	123.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	207	MSE	CA-CB-CG	16.63	141.56	113.30
1	B	307	GLY	O-C-N	-16.60	96.14	122.70
1	A	307	GLY	C-N-CA	16.34	162.55	121.70
1	B	207	MSE	CA-CB-CG	14.46	137.88	113.30
1	B	17	ARG	NE-CZ-NH2	-13.81	113.40	120.30
1	B	307	GLY	CA-C-N	11.63	142.78	117.20
1	A	42	ARG	NE-CZ-NH1	11.56	126.08	120.30
1	A	172	PRO	C-N-CA	10.47	144.29	122.30
1	A	172	PRO	O-C-N	-10.23	105.81	123.20
1	B	17	ARG	NE-CZ-NH1	10.16	125.38	120.30
1	A	308	PHE	N-CA-CB	9.98	128.57	110.60
1	A	205	LEU	CA-CB-CG	9.37	136.85	115.30
1	B	307	GLY	CA-C-O	-9.19	104.06	120.60
1	B	292	ARG	NE-CZ-NH2	-8.99	115.80	120.30
1	A	42	ARG	NE-CZ-NH2	-8.95	115.83	120.30
1	B	286	GLU	CB-CA-C	-8.48	93.45	110.40
1	A	292	ARG	NE-CZ-NH2	-7.81	116.40	120.30
1	B	151	ARG	NE-CZ-NH1	-7.58	116.51	120.30
1	B	151	ARG	NE-CZ-NH2	7.56	124.08	120.30
1	B	88	PRO	CA-N-CD	-7.41	101.13	111.50
1	A	17	ARG	NE-CZ-NH1	7.39	123.99	120.30
1	A	307	GLY	O-C-N	-7.15	111.25	122.70
1	B	87	PHE	CA-C-O	-6.97	105.46	120.10
1	A	87	PHE	CA-C-O	-6.94	105.53	120.10
1	A	88	PRO	N-CA-CB	6.87	111.54	103.30
1	B	286	GLU	CG-CD-OE1	6.79	131.89	118.30
1	B	302	GLU	OE1-CD-OE2	-6.67	115.30	123.30
1	A	316	ARG	NE-CZ-NH1	6.65	123.63	120.30
1	B	88	PRO	N-CA-CB	6.24	110.79	103.30
1	B	286	GLU	OE1-CD-OE2	-6.15	115.92	123.30
1	B	316	ARG	CD-NE-CZ	6.11	132.15	123.60
1	A	144	ARG	NE-CZ-NH1	6.07	123.34	120.30
1	A	88	PRO	CA-N-CD	-6.03	103.06	111.50
1	B	61	ARG	NE-CZ-NH1	6.02	123.31	120.30
1	B	292	ARG	NE-CZ-NH1	5.97	123.28	120.30
1	B	271	ARG	NE-CZ-NH1	5.97	123.28	120.30
1	A	61	ARG	NE-CZ-NH2	-5.87	117.36	120.30
1	A	144	ARG	NE-CZ-NH2	-5.85	117.38	120.30
1	A	49	GLU	OE1-CD-OE2	5.74	130.19	123.30
1	B	239	ASP	CB-CG-OD1	-5.64	113.22	118.30
1	A	316	ARG	CD-NE-CZ	5.50	131.31	123.60
1	A	17	ARG	NE-CZ-NH2	-5.42	117.59	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	75	LEU	CA-CB-CG	5.37	127.65	115.30
1	B	14	GLU	CB-CG-CD	5.21	128.27	114.20
1	A	138	GLY	N-CA-C	-5.14	100.24	113.10
1	B	225	ASP	CB-CG-OD2	5.06	122.86	118.30
1	B	207	MSE	CB-CA-C	-5.03	100.34	110.40
1	A	205	LEU	CB-CG-CD1	5.01	119.52	111.00

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	172	PRO	Mainchain,Peptide
1	A	87	PHE	Mainchain,Peptide
1	B	172	PRO	Peptide
1	B	307	GLY	Mainchain,Peptide
1	B	87	PHE	Mainchain,Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2351	0	2336	47	0
1	B	2351	0	2337	50	3
2	A	48	0	30	17	0
2	B	48	0	30	16	0
3	A	353	0	0	4	1
3	B	351	0	0	14	5
All	All	5502	0	4733	113	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2350:COA:C7P	2:B:2350:COA:N8P	1.70	1.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1350:COA:N8P	2:A:1350:COA:C7P	1.75	1.47
1:B:286:GLU:CB	3:B:2473:HOH:O	1.68	1.36
1:B:286:GLU:CG	3:B:2473:HOH:O	1.68	1.33
2:B:2350:COA:C6P	2:B:2350:COA:N8P	2.04	1.21
2:A:1350:COA:N8P	2:A:1350:COA:C6P	2.09	1.15
2:B:2350:COA:O8A	2:B:2350:COA:O3A	1.65	1.14
1:B:238:LEU:HD12	1:B:260:MSE:HE1	1.31	1.08
1:B:286:GLU:HG2	1:B:292:ARG:HH22	1.21	1.03
1:B:286:GLU:HG2	1:B:292:ARG:NH2	1.72	1.03
1:B:52:SER:HB3	1:B:97:MSE:HE1	1.40	1.03
2:A:1350:COA:HN8	2:A:1350:COA:C5P	1.80	0.94
2:B:2350:COA:N8P	2:B:2350:COA:H62	1.80	0.93
1:A:132:LYS:HD3	1:A:132:LYS:H	1.37	0.90
2:A:1350:COA:N8P	2:A:1350:COA:C5P	2.35	0.89
2:B:2350:COA:H143	2:B:2350:COA:O9P	1.71	0.88
1:A:52:SER:HB3	1:A:97:MSE:HE1	1.55	0.88
1:A:246:ALA:HB3	1:A:250:ILE:HG21	1.57	0.85
1:A:189:LEU:HD13	1:A:207:MSE:HG2	1.59	0.84
1:B:189:LEU:HD13	1:B:207:MSE:HG2	1.60	0.81
2:B:2350:COA:CEP	2:B:2350:COA:O9P	2.28	0.80
1:B:286:GLU:CD	3:B:2473:HOH:O	2.07	0.79
2:A:1350:COA:O5P	2:A:1350:COA:N8P	2.13	0.77
1:B:286:GLU:CA	3:B:2473:HOH:O	2.09	0.75
2:B:2350:COA:P1A	2:B:2350:COA:O8A	2.47	0.73
2:A:1350:COA:H3B	2:A:1350:COA:O1A	1.87	0.73
1:B:258:LEU:HB3	1:B:260:MSE:HE3	1.70	0.73
1:A:94:ILE:HA	1:A:97:MSE:HE3	1.70	0.73
1:A:88:PRO:HB3	1:B:307:GLY:HA2	1.72	0.72
1:A:52:SER:HB3	1:A:97:MSE:CE	2.19	0.72
1:B:52:SER:HB3	1:B:97:MSE:CE	2.19	0.71
1:A:307:GLY:HA2	1:B:88:PRO:HB3	1.73	0.71
1:A:210:ASN:OD1	3:A:1609:HOH:O	2.10	0.70
1:A:132:LYS:N	1:A:132:LYS:HD3	2.06	0.70
2:A:1350:COA:H3B	2:A:1350:COA:P1A	2.32	0.69
1:B:151:ARG:HD3	2:B:2350:COA:O2B	1.94	0.68
1:A:247:ASN:ND2	1:A:250:ILE:HG22	2.09	0.68
1:B:112:CYS:HG	2:B:2350:COA:HS1	1.40	0.68
1:B:245:GLN:HB3	1:B:269:LEU:HB3	1.77	0.66
1:A:132:LYS:HG2	3:A:1679:HOH:O	1.95	0.65
1:A:51:VAL:HG21	1:A:83:ALA:HA	1.78	0.65
1:A:17:ARG:HD3	3:A:1468:HOH:O	1.98	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:ASN:ND2	1:A:250:ILE:H	1.95	0.64
1:A:247:ASN:OD1	2:A:1350:COA:H143	1.97	0.64
1:B:155:ILE:HD11	2:B:2350:COA:O5A	1.98	0.64
1:B:238:LEU:CD1	1:B:260:MSE:HE1	2.20	0.63
1:B:220:LEU:HD12	1:B:250:ILE:HD11	1.82	0.61
1:A:220:LEU:CD1	1:A:250:ILE:HD11	2.31	0.60
1:B:14:GLU:HG3	3:B:2551:HOH:O	2.01	0.60
1:B:286:GLU:CG	1:B:292:ARG:NH2	2.57	0.60
1:A:51:VAL:CG2	1:A:83:ALA:HA	2.32	0.60
1:A:245:GLN:HB3	1:A:269:LEU:HB3	1.83	0.60
1:A:188:LEU:HD22	1:A:211:GLU:HG3	1.84	0.59
1:A:36:ARG:HB3	2:A:1350:COA:O5A	2.03	0.58
1:A:132:LYS:H	1:A:132:LYS:CD	2.12	0.58
1:A:290:ASP:OD2	1:A:292:ARG:HD3	2.04	0.57
1:B:189:LEU:CD1	1:B:207:MSE:HG2	2.34	0.57
1:B:152:GLY:O	1:B:156:ILE:HD12	2.04	0.56
1:B:14:GLU:CG	3:B:2551:HOH:O	2.53	0.56
1:B:254:THR:HB	3:B:2633:HOH:O	2.06	0.56
1:B:52:SER:CB	1:B:97:MSE:HE1	2.27	0.56
1:A:207:MSE:HE1	2:A:1350:COA:OAP	2.05	0.56
1:A:220:LEU:HD11	1:A:250:ILE:HD11	1.89	0.55
1:B:286:GLU:HA	3:B:2473:HOH:O	1.92	0.54
1:B:247:ASN:HB3	1:B:250:ILE:HG22	1.91	0.53
1:A:307:GLY:HA2	1:B:88:PRO:CB	2.37	0.53
2:B:2350:COA:HN8	2:B:2350:COA:C6P	2.12	0.52
1:A:36:ARG:HE	2:A:1350:COA:P1A	2.33	0.52
1:B:238:LEU:HB2	1:B:260:MSE:HE2	1.91	0.52
2:A:1350:COA:N8P	2:A:1350:COA:H61	2.17	0.51
1:A:94:ILE:CA	1:A:97:MSE:HE3	2.37	0.51
1:A:298:LEU:HB2	1:A:316:ARG:NH2	2.26	0.51
1:A:32:TRP:HZ2	2:A:1350:COA:H2B	1.76	0.51
1:A:244:HIS:CD2	1:A:279:SER:HB3	2.45	0.50
1:A:52:SER:CB	1:A:97:MSE:HE1	2.36	0.50
1:B:85:HIS:HE1	3:B:2372:HOH:O	1.93	0.50
2:B:2350:COA:O8A	2:B:2350:COA:O5B	2.31	0.49
1:B:286:GLU:CG	1:B:292:ARG:HH22	2.10	0.49
1:B:247:ASN:O	1:B:250:ILE:HG22	2.12	0.49
1:A:244:HIS:HD2	1:A:279:SER:HB3	1.77	0.48
1:A:22:LEU:HA	1:A:25:MSE:HG3	1.95	0.48
1:B:21:ASP:O	1:B:25:MSE:HG2	2.14	0.47
1:A:210:ASN:CG	3:A:1609:HOH:O	2.49	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3:THR:HG21	1:A:166:LEU:HD13	1.96	0.47
2:B:2350:COA:H72	3:B:2472:HOH:O	2.14	0.46
1:B:207:MSE:SE	2:B:2350:COA:O5P	2.84	0.46
2:A:1350:COA:C9P	2:A:1350:COA:C7P	2.78	0.46
1:B:151:ARG:H	1:B:151:ARG:HG3	1.40	0.45
1:B:1:MSE:HB2	3:B:2460:HOH:O	2.15	0.45
1:B:256:LYS:HB2	1:B:256:LYS:HE2	1.80	0.45
1:A:145:THR:HB	1:A:191:LEU:HD21	1.99	0.45
1:B:258:LEU:HB3	1:B:260:MSE:CE	2.45	0.44
1:A:2:TYR:CD1	1:A:172:PRO:HB3	2.52	0.44
1:A:151:ARG:NH2	2:A:1350:COA:O2B	2.48	0.44
1:A:22:LEU:HA	1:A:25:MSE:CG	2.47	0.44
1:B:112:CYS:SG	2:B:2350:COA:S1P	3.00	0.44
1:A:156:ILE:HD11	2:A:1350:COA:O4A	2.18	0.43
1:B:151:ARG:HH11	1:B:151:ARG:HD3	1.62	0.43
1:B:32:TRP:CH2	1:B:36:ARG:HG3	2.54	0.43
1:B:22:LEU:HA	1:B:25:MSE:CG	2.49	0.42
1:A:247:ASN:O	1:A:250:ILE:HG23	2.20	0.42
1:A:46:ALA:HB1	1:A:47:PRO:HD2	2.02	0.42
1:A:188:LEU:HD13	1:A:211:GLU:HG3	2.02	0.42
1:B:92:CYS:HA	3:B:2685:HOH:O	2.20	0.42
1:B:221:ALA:HB1	1:B:257:LYS:HE3	2.02	0.42
1:B:304:PHE:HB3	3:B:2419:HOH:O	2.19	0.42
1:A:189:LEU:CD1	1:A:207:MSE:HG2	2.38	0.41
1:B:250:ILE:HB	3:B:2472:HOH:O	2.20	0.41
1:A:101:LYS:HE2	1:A:101:LYS:HB3	1.85	0.41
1:B:209:GLY:HA3	2:B:2350:COA:H131	2.02	0.40
1:A:213:PHE:HD1	2:A:1350:COA:O9P	2.04	0.40
1:B:112:CYS:HB3	1:B:244:HIS:CE1	2.57	0.40
1:B:283:ALA:O	1:B:286:GLU:HB3	2.21	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:2483:HOH:O	3:B:2684:HOH:O[3_755]	1.60	0.60
1:B:229:ALA:N	3:B:2352:HOH:O[3_755]	1.70	0.50
1:B:229:ALA:CA	3:B:2352:HOH:O[3_755]	1.87	0.33
3:A:1644:HOH:O	3:B:2434:HOH:O[4_445]	2.08	0.12
1:B:237:GLN:OE1	3:B:2656:HOH:O[3_755]	2.10	0.10

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/317 (99%)	303 (96%)	11 (4%)	1 (0%)	46	29
1	B	315/317 (99%)	307 (98%)	8 (2%)	0	100	100
All	All	630/634 (99%)	610 (97%)	19 (3%)	1 (0%)	52	35

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	173	GLY

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/239 (103%)	233 (94%)	14 (6%)	25	10
1	B	247/239 (103%)	238 (96%)	9 (4%)	42	24
All	All	494/478 (103%)	471 (95%)	23 (5%)	32	14

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	PRO
1	A	14	GLU
1	A	17	ARG
1	A	25	MSE
1	A	42	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	75	LEU
1	A	132	LYS
1	A	135	LEU
1	A	171	GLU
1	A	191	LEU
1	A	205	LEU
1	A	211	GLU
1	A	237	GLN
1	A	247	ASN
1	B	26	VAL
1	B	42	ARG
1	B	71	ASP
1	B	101	LYS
1	B	135	LEU
1	B	200	GLU
1	B	241	LEU
1	B	286	GLU
1	B	302	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	HIS
1	A	93	GLN
1	A	124	GLN
1	A	193	ASN
1	A	198	ASN
1	A	201	ASN
1	A	204	HIS
1	A	231	ASN
1	A	244	HIS
1	A	247	ASN
1	B	85	HIS
1	B	93	GLN
1	B	231	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	COA	A	1350	-	40,50,50	2.95	5 (12%)	50,75,75	2.85	20 (40%)
2	COA	B	2350	-	40,50,50	2.77	7 (17%)	50,75,75	3.49	17 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	A	1350	-	-	0/44/64/64	0/3/3/3
2	COA	B	2350	-	-	0/44/64/64	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2350	COA	C2P-S1P	-12.11	1.39	1.80
2	A	1350	COA	C2P-S1P	-11.82	1.40	1.80
2	B	2350	COA	O4B-C1B	-2.35	1.38	1.41
2	A	1350	COA	O4B-C1B	-2.06	1.38	1.41
2	B	2350	COA	C4A-N3A	2.05	1.38	1.35
2	B	2350	COA	C2A-N3A	2.14	1.36	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2350	COA	O5P-C5P	2.26	1.28	1.23
2	A	1350	COA	C6P-C5P	2.52	1.56	1.51
2	A	1350	COA	C9P-N8P	2.59	1.39	1.33
2	B	2350	COA	C6P-C5P	3.69	1.58	1.51
2	B	2350	COA	C7P-N8P	10.27	1.70	1.46
2	A	1350	COA	C7P-N8P	12.67	1.75	1.46

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2350	COA	C6P-C7P-N8P	-15.75	77.31	111.88
2	A	1350	COA	C6P-C7P-N8P	-15.35	78.19	111.88
2	B	2350	COA	N3A-C2A-N1A	-9.48	121.64	128.89
2	B	2350	COA	O5P-C5P-C6P	-6.13	111.40	121.98
2	B	2350	COA	O5P-C5P-N4P	-5.57	111.87	122.94
2	B	2350	COA	C1B-N9A-C4A	-5.09	119.27	126.94
2	B	2350	COA	C2A-N1A-C6A	-4.57	110.59	118.77
2	B	2350	COA	C3P-N4P-C5P	-4.28	114.38	122.79
2	A	1350	COA	O9P-C9P-N8P	-4.04	114.98	123.08
2	A	1350	COA	N3A-C2A-N1A	-3.72	126.04	128.89
2	A	1350	COA	C1B-N9A-C4A	-3.65	121.43	126.94
2	B	2350	COA	C7P-C6P-C5P	-3.34	106.81	112.31
2	B	2350	COA	O3B-P3B-O7A	-3.07	99.43	107.11
2	A	1350	COA	C4B-O4B-C1B	-3.02	106.40	109.72
2	B	2350	COA	P3B-O3B-C3B	-2.88	114.66	121.56
2	A	1350	COA	O5P-C5P-N4P	-2.81	117.36	122.94
2	A	1350	COA	C2B-C3B-C4B	-2.73	98.16	103.29
2	A	1350	COA	OAP-CAP-C9P	-2.36	104.95	110.38
2	A	1350	COA	C2P-C3P-N4P	-2.34	107.75	112.37
2	A	1350	COA	O5P-C5P-C6P	-2.33	117.96	121.98
2	A	1350	COA	C3B-C2B-C1B	-2.28	94.50	99.98
2	A	1350	COA	C2A-N1A-C6A	-2.28	114.70	118.77
2	A	1350	COA	CEP-CBP-CDP	-2.27	104.72	109.28
2	B	2350	COA	O4B-C4B-C3B	-2.27	99.63	104.86
2	B	2350	COA	O9P-C9P-N8P	-2.24	118.60	123.08
2	A	1350	COA	O3B-P3B-O7A	-2.13	101.78	107.11
2	B	2350	COA	O9A-P3B-O7A	-2.06	103.96	110.58
2	A	1350	COA	N6A-C6A-N1A	-2.05	114.81	119.20
2	A	1350	COA	C3P-N4P-C5P	-2.01	118.85	122.79
2	A	1350	COA	O3A-P1A-O5B	2.06	108.41	102.94
2	A	1350	COA	O4B-C1B-N9A	2.09	112.48	108.10
2	B	2350	COA	O2A-P1A-O3A	2.12	114.73	105.09

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1350	COA	O8A-P3B-O7A	2.46	118.50	110.58
2	A	1350	COA	P2A-O3A-P1A	2.57	139.95	132.73
2	B	2350	COA	O8A-P3B-O7A	3.98	123.38	110.58
2	B	2350	COA	P2A-O3A-P1A	4.29	144.77	132.73
2	B	2350	COA	C7P-N8P-C9P	4.51	131.46	122.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 33 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1350	COA	17	0
2	B	2350	COA	16	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.