



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 08:23 AM GMT

PDB ID : 3EEY
Title : CRYSTAL STRUCTURE OF PUTATIVE RRNA-METHYLASE FROM Clostridium thermocellum
Authors : Patskovsky, Y.; Ramagopal, U.A.; Toro, R.; Rutter, M.; Hu, S.; Bain, K.; Sauder, J.M.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2008-09-06
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	B	301	-	-	-	X

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 15399 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative rRNA methylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	195	Total	C	N	O	S	0	3	0
			1536	974	261	293	8			
1	B	192	Total	C	N	O	S	0	3	0
			1504	954	251	291	8			
1	C	189	Total	C	N	O	S	0	5	0
			1487	946	245	288	8			
1	D	189	Total	C	N	O	S	0	1	0
			1462	928	240	286	8			
1	E	189	Total	C	N	O	S	0	3	0
			1475	937	243	286	9			
1	F	190	Total	C	N	O	S	0	4	0
			1487	944	245	290	8			
1	G	179	Total	C	N	O	S	0	4	0
			1404	894	231	271	8			
1	H	189	Total	C	N	O	S	0	4	0
			1482	942	244	288	8			
1	I	186	Total	C	N	O	S	0	1	0
			1445	919	240	278	8			
1	J	189	Total	C	N	O	S	0	1	0
			1464	929	243	284	8			

There are 110 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	expression tag	UNP A3DDA2
A	0	SER	-	expression tag	UNP A3DDA2
A	1	LEU	-	expression tag	UNP A3DDA2
A	188	GLU	-	expression tag	UNP A3DDA2
A	189	GLY	-	expression tag	UNP A3DDA2
A	190	HIS	-	expression tag	UNP A3DDA2
A	191	HIS	-	expression tag	UNP A3DDA2
A	192	HIS	-	expression tag	UNP A3DDA2
A	193	HIS	-	expression tag	UNP A3DDA2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	194	HIS	-	expression tag	UNP A3DDA2
A	195	HIS	-	expression tag	UNP A3DDA2
B	-1	MET	-	expression tag	UNP A3DDA2
B	0	SER	-	expression tag	UNP A3DDA2
B	1	LEU	-	expression tag	UNP A3DDA2
B	188	GLU	-	expression tag	UNP A3DDA2
B	188A	GLY	-	expression tag	UNP A3DDA2
B	188B	HIS	-	expression tag	UNP A3DDA2
B	188C	HIS	-	expression tag	UNP A3DDA2
B	188D	HIS	-	expression tag	UNP A3DDA2
B	192	HIS	-	expression tag	UNP A3DDA2
B	193	HIS	-	expression tag	UNP A3DDA2
B	194	HIS	-	expression tag	UNP A3DDA2
C	-1	MET	-	expression tag	UNP A3DDA2
C	0	SER	-	expression tag	UNP A3DDA2
C	1	LEU	-	expression tag	UNP A3DDA2
C	188	GLU	-	expression tag	UNP A3DDA2
C	189	GLY	-	expression tag	UNP A3DDA2
C	190	HIS	-	expression tag	UNP A3DDA2
C	191	HIS	-	expression tag	UNP A3DDA2
C	192	HIS	-	expression tag	UNP A3DDA2
C	193	HIS	-	expression tag	UNP A3DDA2
C	194	HIS	-	expression tag	UNP A3DDA2
C	195	HIS	-	expression tag	UNP A3DDA2
D	-1	MET	-	expression tag	UNP A3DDA2
D	0	SER	-	expression tag	UNP A3DDA2
D	1	LEU	-	expression tag	UNP A3DDA2
D	188	GLU	-	expression tag	UNP A3DDA2
D	189	GLY	-	expression tag	UNP A3DDA2
D	190	HIS	-	expression tag	UNP A3DDA2
D	191	HIS	-	expression tag	UNP A3DDA2
D	192	HIS	-	expression tag	UNP A3DDA2
D	193	HIS	-	expression tag	UNP A3DDA2
D	194	HIS	-	expression tag	UNP A3DDA2
D	195	HIS	-	expression tag	UNP A3DDA2
E	-1	MET	-	expression tag	UNP A3DDA2
E	0	SER	-	expression tag	UNP A3DDA2
E	1	LEU	-	expression tag	UNP A3DDA2
E	188	GLU	-	expression tag	UNP A3DDA2
E	189	GLY	-	expression tag	UNP A3DDA2
E	190	HIS	-	expression tag	UNP A3DDA2
E	191	HIS	-	expression tag	UNP A3DDA2

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	192	HIS	-	expression tag	UNP A3DDA2
E	193	HIS	-	expression tag	UNP A3DDA2
E	194	HIS	-	expression tag	UNP A3DDA2
E	195	HIS	-	expression tag	UNP A3DDA2
F	-1	MET	-	expression tag	UNP A3DDA2
F	0	SER	-	expression tag	UNP A3DDA2
F	1	LEU	-	expression tag	UNP A3DDA2
F	188	GLU	-	expression tag	UNP A3DDA2
F	189	GLY	-	expression tag	UNP A3DDA2
F	190	HIS	-	expression tag	UNP A3DDA2
F	191	HIS	-	expression tag	UNP A3DDA2
F	192	HIS	-	expression tag	UNP A3DDA2
F	193	HIS	-	expression tag	UNP A3DDA2
F	194	HIS	-	expression tag	UNP A3DDA2
F	195	HIS	-	expression tag	UNP A3DDA2
G	-1	MET	-	expression tag	UNP A3DDA2
G	0	SER	-	expression tag	UNP A3DDA2
G	1	LEU	-	expression tag	UNP A3DDA2
G	188	GLU	-	expression tag	UNP A3DDA2
G	189	GLY	-	expression tag	UNP A3DDA2
G	190	HIS	-	expression tag	UNP A3DDA2
G	191	HIS	-	expression tag	UNP A3DDA2
G	192	HIS	-	expression tag	UNP A3DDA2
G	193	HIS	-	expression tag	UNP A3DDA2
G	194	HIS	-	expression tag	UNP A3DDA2
G	195	HIS	-	expression tag	UNP A3DDA2
H	-1	MET	-	expression tag	UNP A3DDA2
H	0	SER	-	expression tag	UNP A3DDA2
H	1	LEU	-	expression tag	UNP A3DDA2
H	188	GLU	-	expression tag	UNP A3DDA2
H	189	GLY	-	expression tag	UNP A3DDA2
H	190	HIS	-	expression tag	UNP A3DDA2
H	191	HIS	-	expression tag	UNP A3DDA2
H	192	HIS	-	expression tag	UNP A3DDA2
H	193	HIS	-	expression tag	UNP A3DDA2
H	194	HIS	-	expression tag	UNP A3DDA2
H	195	HIS	-	expression tag	UNP A3DDA2
I	-1	MET	-	expression tag	UNP A3DDA2
I	0	SER	-	expression tag	UNP A3DDA2
I	1	LEU	-	expression tag	UNP A3DDA2
I	188	GLU	-	expression tag	UNP A3DDA2
I	189	GLY	-	expression tag	UNP A3DDA2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	190	HIS	-	expression tag	UNP A3DDA2
I	191	HIS	-	expression tag	UNP A3DDA2
I	192	HIS	-	expression tag	UNP A3DDA2
I	193	HIS	-	expression tag	UNP A3DDA2
I	194	HIS	-	expression tag	UNP A3DDA2
I	195	HIS	-	expression tag	UNP A3DDA2
J	-1	MET	-	expression tag	UNP A3DDA2
J	0	SER	-	expression tag	UNP A3DDA2
J	1	LEU	-	expression tag	UNP A3DDA2
J	188	GLU	-	expression tag	UNP A3DDA2
J	189	GLY	-	expression tag	UNP A3DDA2
J	190	HIS	-	expression tag	UNP A3DDA2
J	191	HIS	-	expression tag	UNP A3DDA2
J	192	HIS	-	expression tag	UNP A3DDA2
J	193	HIS	-	expression tag	UNP A3DDA2
J	194	HIS	-	expression tag	UNP A3DDA2
J	195	HIS	-	expression tag	UNP A3DDA2

- Molecule 2 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula: $C_{15}H_{22}N_6O_5S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
2	B	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
2	C	1	Total	C	N	O	S	0	0
			27	15	6	5	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total C N O S 27 15 6 5 1	0	0
2	E	1	Total C N O S 27 15 6 5 1	0	0
2	F	1	Total C N O S 27 15 6 5 1	0	0
2	H	1	Total C N O S 27 15 6 5 1	0	0
2	I	1	Total C N O S 27 15 6 5 1	0	0
2	J	1	Total C N O S 27 15 6 5 1	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	F	1	Total C O 6 3 3	0	0
4	H	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	52	Total O 52 52	0	0
5	B	64	Total O 64 64	0	0
5	C	51	Total O 51 51	0	0
5	D	45	Total O 45 45	0	0
5	E	31	Total O 32 32	0	1
5	F	28	Total O 28 28	0	0
5	G	15	Total O 15 15	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	H	35	Total O 35 35	0	0
5	I	16	Total O 16 16	0	0
5	J	23	Total O 23 23	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative rRNA methylase




- Molecule 1: Putative rRNA methylase




- Molecule 1: Putative rRNA methylase



- Molecule 1: Putative rRNA methylase




- Molecule 1: Putative rRNA methylase







- Molecule 1: Putative rRNA methylase




- Molecule 1: Putative rRNA methylase





- Molecule 1: Putative rRNA methylase



- Molecule 1: Putative rRNA methylase



- Molecule 1: Putative rRNA methylase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.16 Å 126.91 Å 125.61 Å 90.00° 99.54° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 19.92 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.1 (20.00-2.20) 99.1 (19.92-2.20)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.43 (at 2.19 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R , R_{free}	0.244 , 0.278 0.237 , 0.266	Depositor DCC
R_{free} test set	3257 reflections (3.09%)	DCC
Wilson B-factor (Å ²)	40.9	Xtriage
Anisotropy	0.592	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 58.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Outliers	2 of 108737 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15399	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, SAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.44	0/1573	0.59	2/2122 (0.1%)
1	B	0.55	0/1537	0.58	0/2074
1	C	0.61	0/1523	0.58	0/2053
1	D	0.47	0/1486	0.57	0/2006
1	E	0.43	0/1505	0.58	0/2031
1	F	0.42	0/1520	0.55	0/2050
1	G	0.44	0/1433	0.58	1/1929 (0.1%)
1	H	0.44	0/1515	0.60	0/2043
1	I	0.44	0/1469	0.57	0/1983
1	J	0.47	0/1488	0.58	0/2008
All	All	0.48	0/15049	0.58	3/20299 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	J	0	2
All	All	0	3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	193[A]	HIS	CB-CA-C	5.33	121.06	110.40
1	A	193[B]	HIS	CB-CA-C	5.33	121.06	110.40
1	G	99	LEU	CA-CB-CG	5.10	127.03	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	194	HIS	Peptide
1	J	140	GLY	Peptide
1	J	141	GLY	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1536	0	1543	12	0
1	B	1504	0	1514	6	0
1	C	1487	0	1524	6	0
1	D	1462	0	1481	5	0
1	E	1475	0	1503	14	0
1	F	1487	0	1516	3	0
1	G	1404	0	1445	2	0
1	H	1482	0	1513	9	0
1	I	1445	0	1474	14	0
1	J	1464	0	1488	9	0
2	A	27	0	22	1	0
2	B	27	0	22	0	0
2	C	27	0	22	0	0
2	D	27	0	22	0	0
2	E	27	0	22	0	0
2	F	27	0	22	1	0
2	H	27	0	22	0	0
2	I	27	0	22	0	0
2	J	27	0	22	1	0
3	A	15	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	1	0
4	A	6	0	8	0	0
4	B	6	0	8	2	0
4	F	6	0	8	0	0
4	H	6	0	8	0	0
5	A	52	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	64	0	0	0	0
5	C	51	0	0	0	0
5	D	45	0	0	0	0
5	E	32	0	0	1	0
5	F	28	0	0	0	0
5	G	15	0	0	0	0
5	H	35	0	0	0	0
5	I	16	0	0	0	0
5	J	23	0	0	0	0
All	All	15399	0	15231	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:73:ARG:HH21	1:I:73:ARG:CG	1.65	1.08
1:I:73:ARG:HG3	1:I:73:ARG:NH2	1.50	1.05
1:I:73:ARG:H	1:I:73:ARG:HD2	1.29	0.96
1:I:73:ARG:HD2	1:I:73:ARG:N	1.91	0.86
1:B:174:ALA:HB2	1:H:174:ALA:HB2	1.59	0.84
1:I:70:LEU:O	1:I:73:ARG:HD3	1.80	0.82
1:I:73:ARG:CD	1:I:73:ARG:H	1.97	0.77
1:A:193[B]:HIS:CE1	1:D:178:PRO:HD3	2.22	0.74
1:B:167:ARG:HH22	4:B:302:GOL:H11	1.52	0.74
1:I:174:ALA:HB2	1:J:174:ALA:HB2	1.77	0.66
1:I:73:ARG:HH21	1:I:73:ARG:HG3	0.69	0.66
1:C:174:ALA:HB2	1:D:174:ALA:HB2	1.80	0.62
1:C:140:GLY:HA3	3:C:301:SO4:O2	2.03	0.58
1:J:141:GLY:HA2	1:J:144:GLY:H	1.67	0.58
1:E:160:GLN:HG2	5:E:321:HOH:O	2.03	0.58
1:E:148:LYS:HD2	1:E:179:ILE:HD12	1.84	0.57
1:I:43:GLY:O	1:I:73:ARG:NH2	2.41	0.54
1:E:167:ARG:NH2	1:H:169:ASP:OD2	2.40	0.53
1:A:175:ASN:HA	1:E:141:GLY:O	2.08	0.53
1:J:98:ASN:HB3	2:J:300:SAM:HG1	1.91	0.52
1:A:145:PHE:HZ	1:E:140:GLY:HA2	1.75	0.51
1:H:25:VAL:HB	1:H:95:VAL:HG13	1.93	0.50
1:A:195:HIS:N	1:A:195:HIS:CD2	2.80	0.49
1:J:141:GLY:HA2	1:J:144:GLY:N	2.26	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:155:LEU:HD13	1:C:181:VAL:HG11	1.95	0.48
1:B:192[B]:HIS:HE1	1:C:175:ASN:O	1.95	0.48
1:B:112:ARG:HE	1:B:114:GLU:HG2	1.77	0.48
1:I:155:LEU:HD13	1:I:181:VAL:HG11	1.95	0.48
1:I:102:LEU:HD23	1:I:105:GLY:HA3	1.95	0.48
1:I:25:VAL:HB	1:I:95:VAL:HG13	1.96	0.47
1:I:73:ARG:NH2	1:I:73:ARG:CG	2.37	0.47
1:A:25:VAL:HB	1:A:95:VAL:HG13	1.97	0.47
1:H:148[B]:LYS:HE3	1:H:149[B]:GLU:OE2	2.14	0.46
1:F:29:CYS:HB2	1:F:52:ASP:HB2	1.97	0.46
1:A:98:ASN:HB3	2:A:300:SAM:HG1	1.99	0.45
1:J:148:LYS:HD2	1:J:179:ILE:HD12	1.98	0.45
1:E:162:LYS:HE3	1:E:189:GLY:HA3	1.99	0.45
1:G:99:LEU:HD12	1:G:137:ILE:HG12	2.00	0.44
1:C:153[B]:GLU:OE1	1:E:112[B]:ARG:NH1	2.50	0.44
1:H:113:PRO:HG3	1:H:147:GLU:HA	2.00	0.44
1:C:29:CYS:HB2	1:C:52:ASP:HB2	1.99	0.44
1:H:155:LEU:HD13	1:H:181:VAL:HG11	1.99	0.44
1:D:29:CYS:HB2	1:D:52:ASP:HB2	2.00	0.43
1:B:167:ARG:HH22	4:B:302:GOL:C1	2.28	0.43
1:A:145:PHE:CZ	1:E:140:GLY:HA2	2.53	0.43
1:E:155:LEU:HD13	1:E:181:VAL:HG11	2.01	0.43
1:E:29:CYS:HB2	1:E:52:ASP:HB2	1.99	0.43
1:E:47:ARG:NH1	1:E:73:ARG:O	2.52	0.42
1:G:99:LEU:O	1:G:138:TYR:HD2	2.03	0.42
1:J:25:VAL:HB	1:J:95:VAL:HG13	2.02	0.42
1:J:167[B]:ARG:HG2	1:J:167[B]:ARG:NH2	2.34	0.42
1:E:47:ARG:NH1	1:E:73:ARG:C	2.73	0.42
1:E:113:PRO:HG3	1:E:147:GLU:HA	2.02	0.41
1:E:25:VAL:HB	1:E:95:VAL:HG13	2.02	0.41
1:F:98:ASN:HB3	2:F:300:SAM:HG1	2.02	0.41
1:J:53:ILE:HD11	1:J:109:ILE:HD11	2.02	0.41
1:H:29:CYS:HB2	1:H:52:ASP:HB2	2.02	0.41
1:A:173:GLN:HB2	1:A:177:PRO:HG3	2.02	0.41
1:D:113:PRO:HG3	1:D:147:GLU:HA	2.02	0.41
1:A:94:ALA:HA	1:A:132:ILE:O	2.21	0.41
1:A:29:CYS:HB2	1:A:52:ASP:HB2	2.02	0.41
1:H:139:TYR:N	1:H:139:TYR:CD1	2.89	0.41
1:H:94:ALA:HA	1:H:132:ILE:O	2.21	0.40
1:I:29:CYS:HB2	1:I:52:ASP:HB2	2.02	0.40
1:B:94:ALA:HA	1:B:132:ILE:O	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:PRO:HG3	1:A:147:GLU:HA	2.01	0.40
1:D:102:LEU:HA	1:D:103:PRO:HD3	1.98	0.40
1:F:43:GLY:O	1:F:73:ARG:HD3	2.21	0.40
1:A:73:ARG:HA	1:A:73:ARG:HD2	1.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	196/197 (100%)	193 (98%)	1 (0%)	2 (1%)	19 16
1	B	190/197 (96%)	189 (100%)	1 (0%)	0	100 100
1	C	192/197 (98%)	190 (99%)	2 (1%)	0	100 100
1	D	188/197 (95%)	185 (98%)	3 (2%)	0	100 100
1	E	190/197 (96%)	187 (98%)	3 (2%)	0	100 100
1	F	192/197 (98%)	190 (99%)	2 (1%)	0	100 100
1	G	179/197 (91%)	177 (99%)	2 (1%)	0	100 100
1	H	191/197 (97%)	185 (97%)	5 (3%)	1 (0%)	34 35
1	I	185/197 (94%)	182 (98%)	3 (2%)	0	100 100
1	J	188/197 (95%)	181 (96%)	6 (3%)	1 (0%)	34 35
All	All	1891/1970 (96%)	1859 (98%)	28 (2%)	4 (0%)	52 59

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	193[A]	HIS
1	A	193[B]	HIS
1	J	142	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	105	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	172/171 (101%)	162 (94%)	10 (6%)	25 28
1	B	170/171 (99%)	161 (95%)	9 (5%)	28 32
1	C	168/171 (98%)	162 (96%)	6 (4%)	42 52
1	D	164/171 (96%)	151 (92%)	13 (8%)	15 15
1	E	166/171 (97%)	158 (95%)	8 (5%)	31 37
1	F	168/171 (98%)	159 (95%)	9 (5%)	27 31
1	G	158/171 (92%)	148 (94%)	10 (6%)	22 24
1	H	167/171 (98%)	154 (92%)	13 (8%)	16 15
1	I	162/171 (95%)	155 (96%)	7 (4%)	35 43
1	J	164/171 (96%)	155 (94%)	9 (6%)	27 30
All	All	1659/1710 (97%)	1565 (94%)	94 (6%)	26 29

All (94) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	THR
1	A	42	VAL
1	A	64	LYS
1	A	72	ASP
1	A	73	ARG
1	A	81	HIS
1	A	129	THR
1	A	132	ILE
1	A	190	HIS
1	A	195	HIS
1	B	15	LYS
1	B	35	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	42	VAL
1	B	44	GLU
1	B	64	LYS
1	B	73	ARG
1	B	81	HIS
1	B	112	ARG
1	B	193	HIS
1	C	19	LYS
1	C	42	VAL
1	C	81	HIS
1	C	101	TYR
1	C	129	THR
1	C	132	ILE
1	D	15	LYS
1	D	19	LYS
1	D	35	THR
1	D	42	VAL
1	D	44	GLU
1	D	72	ASP
1	D	73	ARG
1	D	81	HIS
1	D	121	SER
1	D	129	THR
1	D	132	ILE
1	D	143	THR
1	D	187	SER
1	E	19	LYS
1	E	35	THR
1	E	42	VAL
1	E	81	HIS
1	E	129	THR
1	E	132	ILE
1	E	143	THR
1	E	187	SER
1	F	35	THR
1	F	42	VAL
1	F	73	ARG
1	F	81	HIS
1	F	112	ARG
1	F	129	THR
1	F	132	ILE
1	F	167[A]	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	167[B]	ARG
1	G	15	LYS
1	G	35	THR
1	G	42	VAL
1	G	67	ASP
1	G	73	ARG
1	G	81	HIS
1	G	93	LYS
1	G	112	ARG
1	G	129	THR
1	G	132	ILE
1	H	19	LYS
1	H	35	THR
1	H	42	VAL
1	H	64	LYS
1	H	73	ARG
1	H	81	HIS
1	H	112	ARG
1	H	129	THR
1	H	132	ILE
1	H	139	TYR
1	H	149[A]	GLU
1	H	149[B]	GLU
1	H	161	LYS
1	I	35	THR
1	I	42	VAL
1	I	72	ASP
1	I	73	ARG
1	I	81	HIS
1	I	129	THR
1	I	132	ILE
1	J	35	THR
1	J	42	VAL
1	J	81	HIS
1	J	109	ILE
1	J	129	THR
1	J	132	ILE
1	J	139	TYR
1	J	142	ASP
1	J	143	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	191	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SAM	A	300	-	21,29,29	0.99	2 (9%)	17,42,42	3.31	2 (11%)
3	SO4	A	301	-	4,4,4	1.59	0	6,6,6	0.75	0
3	SO4	A	302	-	4,4,4	0.21	0	6,6,6	0.08	0
3	SO4	A	303	-	4,4,4	0.22	0	6,6,6	0.13	0
4	GOL	A	304	-	5,5,5	0.33	0	5,5,5	0.33	0
2	SAM	B	300	-	21,29,29	1.00	2 (9%)	17,42,42	3.44	3 (17%)
3	SO4	B	301	-	4,4,4	1.22	0	6,6,6	0.67	0
4	GOL	B	302	-	5,5,5	0.56	0	5,5,5	0.86	0
2	SAM	C	300	-	21,29,29	1.11	2 (9%)	17,42,42	3.25	2 (11%)
3	SO4	C	301	-	4,4,4	0.23	0	6,6,6	0.07	0
2	SAM	D	300	-	21,29,29	1.05	2 (9%)	17,42,42	3.41	3 (17%)
2	SAM	E	300	-	21,29,29	1.12	2 (9%)	17,42,42	3.21	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SAM	F	300	-	21,29,29	1.12	2 (9%)	17,42,42	3.29	2 (11%)
4	GOL	F	301	-	5,5,5	0.41	0	5,5,5	0.31	0
2	SAM	H	300	-	21,29,29	1.12	2 (9%)	17,42,42	3.17	2 (11%)
4	GOL	H	301	-	5,5,5	0.32	0	5,5,5	0.28	0
2	SAM	I	300	-	21,29,29	1.07	2 (9%)	17,42,42	3.27	3 (17%)
2	SAM	J	300	-	21,29,29	1.05	2 (9%)	17,42,42	3.28	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAM	A	300	-	-	0/8/33/33	0/3/3/3
3	SO4	A	301	-	-	0/0/0/0	0/0/0/0
3	SO4	A	302	-	-	0/0/0/0	0/0/0/0
3	SO4	A	303	-	-	0/0/0/0	0/0/0/0
4	GOL	A	304	-	-	0/4/4/4	0/0/0/0
2	SAM	B	300	-	-	0/8/33/33	0/3/3/3
3	SO4	B	301	-	-	0/0/0/0	0/0/0/0
4	GOL	B	302	-	-	0/4/4/4	0/0/0/0
2	SAM	C	300	-	-	0/8/33/33	0/3/3/3
3	SO4	C	301	-	-	0/0/0/0	0/0/0/0
2	SAM	D	300	-	-	0/8/33/33	0/3/3/3
2	SAM	E	300	-	-	0/8/33/33	0/3/3/3
2	SAM	F	300	-	-	0/8/33/33	0/3/3/3
4	GOL	F	301	-	-	0/4/4/4	0/0/0/0
2	SAM	H	300	-	-	0/8/33/33	0/3/3/3
4	GOL	H	301	-	-	0/4/4/4	0/0/0/0
2	SAM	I	300	-	-	0/8/33/33	0/3/3/3
2	SAM	J	300	-	-	0/8/33/33	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	300	SAM	C2-N1	2.27	1.38	1.33
2	J	300	SAM	C2-N1	2.28	1.38	1.33
2	A	300	SAM	C2-N1	2.29	1.38	1.33
2	D	300	SAM	C2-N1	2.32	1.38	1.33
2	I	300	SAM	C2-N1	2.40	1.38	1.33
2	E	300	SAM	C2-N1	2.50	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	300	SAM	C2-N1	2.50	1.38	1.33
2	H	300	SAM	C2-N1	2.55	1.38	1.33
2	C	300	SAM	C2-N1	2.65	1.38	1.33
2	A	300	SAM	C2-N3	3.06	1.37	1.32
2	B	300	SAM	C2-N3	3.11	1.37	1.32
2	D	300	SAM	C2-N3	3.30	1.38	1.32
2	J	300	SAM	C2-N3	3.42	1.38	1.32
2	I	300	SAM	C2-N3	3.45	1.38	1.32
2	F	300	SAM	C2-N3	3.48	1.38	1.32
2	C	300	SAM	C2-N3	3.49	1.38	1.32
2	H	300	SAM	C2-N3	3.63	1.38	1.32
2	E	300	SAM	C2-N3	3.65	1.38	1.32

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	300	SAM	N3-C2-N1	-13.30	118.71	128.89
2	D	300	SAM	N3-C2-N1	-13.19	118.79	128.89
2	F	300	SAM	N3-C2-N1	-13.02	118.93	128.89
2	A	300	SAM	N3-C2-N1	-12.98	118.95	128.89
2	J	300	SAM	N3-C2-N1	-12.80	119.09	128.89
2	I	300	SAM	N3-C2-N1	-12.77	119.11	128.89
2	E	300	SAM	N3-C2-N1	-12.67	119.20	128.89
2	C	300	SAM	N3-C2-N1	-12.64	119.22	128.89
2	H	300	SAM	N3-C2-N1	-12.41	119.39	128.89
2	B	300	SAM	C1'-N9-C4	-2.84	122.65	126.94
2	D	300	SAM	C1'-N9-C4	-2.53	123.12	126.94
2	A	300	SAM	C1'-N9-C4	-2.45	123.25	126.94
2	F	300	SAM	C1'-N9-C4	-2.21	123.60	126.94
2	H	300	SAM	C1'-N9-C4	-2.14	123.71	126.94
2	C	300	SAM	C1'-N9-C4	-2.02	123.89	126.94
2	I	300	SAM	C1'-N9-C4	-2.00	123.92	126.94
2	J	300	SAM	O4'-C1'-N9	2.05	112.38	108.10
2	I	300	SAM	O4'-C1'-N9	2.05	112.40	108.10
2	B	300	SAM	C2-N1-C6	2.09	122.50	118.77
2	D	300	SAM	O4'-C1'-N9	2.55	113.43	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	300	SAM	1	0
4	B	302	GOL	2	0
3	C	301	SO4	1	0
2	F	300	SAM	1	0
2	J	300	SAM	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	195/197 (98%)	0.38	14 (7%) 18 18	26, 48, 85, 109	0
1	B	192/197 (97%)	0.37	19 (9%) 9 8	26, 45, 86, 107	0
1	C	189/197 (95%)	0.36	14 (7%) 17 17	26, 47, 92, 121	0
1	D	189/197 (95%)	0.35	14 (7%) 17 17	26, 47, 89, 110	0
1	E	189/197 (95%)	0.52	20 (10%) 8 7	28, 50, 95, 143	0
1	F	190/197 (96%)	0.59	19 (10%) 9 8	28, 52, 87, 117	0
1	G	179/197 (90%)	0.62	20 (11%) 7 6	29, 48, 83, 95	0
1	H	189/197 (95%)	0.73	26 (13%) 4 3	30, 51, 108, 159	0
1	I	186/197 (94%)	0.99	39 (20%) 1 1	27, 53, 96, 146	0
1	J	189/197 (95%)	1.25	45 (23%) 1 1	33, 53, 108, 160	0
All	All	1887/1970 (95%)	0.61	230 (12%) 5 5	26, 50, 93, 160	0

All (230) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	105	GLY	10.5
1	I	102	LEU	8.8
1	H	105	GLY	8.1
1	J	102	LEU	8.0
1	I	105	GLY	7.8
1	G	53	ILE	7.6
1	I	101	TYR	6.9
1	H	102	LEU	6.8
1	H	103	PRO	6.6
1	I	108	SER	6.0
1	J	188	GLU	5.9
1	H	107	HIS	5.9
1	E	103	PRO	5.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	104	SER	5.9
1	H	189	GLY	5.8
1	J	104	SER	5.8
1	E	107	HIS	5.5
1	H	188	GLU	5.5
1	F	189	GLY	5.4
1	J	103	PRO	5.4
1	A	193[A]	HIS	5.4
1	B	107	HIS	5.3
1	I	44	GLU	5.3
1	H	101	TYR	5.3
1	I	103	PRO	5.3
1	J	107	HIS	5.3
1	I	104	SER	5.2
1	J	189	GLY	5.2
1	E	102	LEU	5.1
1	D	107	HIS	5.1
1	G	175	ASN	5.1
1	I	106	ASP	5.0
1	I	43	GLY	4.9
1	C	189	GLY	4.9
1	J	187	SER	4.8
1	E	104	SER	4.8
1	J	90	CYS	4.8
1	I	59	ALA	4.7
1	C	103	PRO	4.6
1	F	45	ASN	4.6
1	C	107	HIS	4.6
1	H	106	ASP	4.6
1	B	0	SER	4.6
1	F	0	SER	4.5
1	E	141	GLY	4.3
1	G	2	THR	4.3
1	I	89	ASP	4.2
1	G	31	ASN	4.2
1	J	18	VAL	4.1
1	J	101	TYR	4.1
1	I	100	GLY	4.1
1	C	187	SER	4.1
1	E	109	ILE	4.0
1	J	55	ASP	4.0
1	I	109	ILE	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	29	CYS	4.0
1	J	67	ASP	4.0
1	F	104	SER	4.0
1	F	66	THR	3.9
1	F	63	LYS	3.9
1	H	45	ASN	3.8
1	I	46	GLY	3.8
1	A	194	HIS	3.8
1	J	108	SER	3.7
1	A	191	HIS	3.7
1	G	57	ALA	3.7
1	H	187	SER	3.7
1	C	188	GLU	3.7
1	G	138	TYR	3.6
1	F	175	ASN	3.6
1	I	45	ASN	3.6
1	J	66	THR	3.6
1	F	46	GLY	3.5
1	A	190	HIS	3.5
1	J	106	ASP	3.5
1	J	21	GLY	3.4
1	J	46	GLY	3.4
1	F	103	PRO	3.4
1	C	63	LYS	3.4
1	G	56	LYS	3.4
1	E	189	GLY	3.4
1	E	1	LEU	3.4
1	J	128	VAL	3.4
1	F	55	ASP	3.4
1	I	21	GLY	3.3
1	J	40	SER	3.3
1	H	89	ASP	3.3
1	J	59	ALA	3.3
1	I	66	THR	3.3
1	H	62	THR	3.2
1	A	29	CYS	3.2
1	G	189	GLY	3.2
1	B	193	HIS	3.2
1	D	45	ASN	3.2
1	I	90	CYS	3.2
1	H	46	GLY	3.2
1	J	22	ASP	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	109	ILE	3.2
1	G	54	GLN	3.2
1	I	57	ALA	3.2
1	I	42	VAL	3.2
1	I	56	LYS	3.2
1	E	145	PHE	3.1
1	H	55	ASP	3.1
1	C	105	GLY	3.1
1	H	91	PRO	3.1
1	D	104	SER	3.1
1	J	109	ILE	3.1
1	B	29	CYS	3.1
1	J	91	PRO	3.0
1	B	192[A]	HIS	3.0
1	B	106	ASP	3.0
1	B	104	SER	3.0
1	E	110	SER	3.0
1	J	89	ASP	3.0
1	E	108	SER	3.0
1	E	101	TYR	3.0
1	I	91	PRO	3.0
1	A	189	GLY	2.9
1	J	30	GLY	2.9
1	H	20	GLU	2.9
1	I	76	LEU	2.9
1	C	56	LYS	2.9
1	I	161	LYS	2.9
1	D	108	SER	2.9
1	G	174	ALA	2.9
1	H	63	LYS	2.9
1	G	183	ILE	2.9
1	F	139	TYR	2.9
1	I	55	ASP	2.9
1	D	28	THR	2.8
1	I	162	LYS	2.8
1	G	89	ASP	2.8
1	J	73	ARG	2.8
1	F	44	GLU	2.8
1	H	109	ILE	2.8
1	J	86	LYS	2.8
1	H	90	CYS	2.8
1	G	25	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	54	GLN	2.7
1	A	95	VAL	2.7
1	A	103	PRO	2.7
1	I	63	LYS	2.7
1	J	45	ASN	2.7
1	C	1	LEU	2.7
1	A	68	LEU	2.7
1	I	110	SER	2.7
1	E	105	GLY	2.6
1	D	56	LYS	2.6
1	J	49	PHE	2.6
1	J	162	LYS	2.6
1	I	73	ARG	2.6
1	F	43	GLY	2.6
1	E	27	ALA	2.6
1	H	68	LEU	2.6
1	B	28	THR	2.6
1	J	48	VAL	2.6
1	A	141	GLY	2.5
1	G	142	ASP	2.5
1	F	68	LEU	2.5
1	B	95	VAL	2.5
1	E	56	LYS	2.5
1	D	106	ASP	2.5
1	F	188	GLU	2.5
1	F	105	GLY	2.5
1	J	126	LEU	2.4
1	D	101	TYR	2.4
1	B	109	ILE	2.4
1	I	58	ILE	2.4
1	C	104	SER	2.4
1	B	102	LEU	2.4
1	D	105	GLY	2.4
1	I	64	LYS	2.4
1	B	27	ALA	2.4
1	A	70	LEU	2.4
1	F	83	ASN	2.4
1	J	63	LYS	2.4
1	C	106	ASP	2.4
1	E	46	GLY	2.4
1	G	60	ASN	2.4
1	G	24	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	74	VAL	2.4
1	F	89	ASP	2.3
1	E	174	ALA	2.3
1	E	45	ASN	2.3
1	G	176	CYS	2.3
1	J	71	ILE	2.3
1	D	51	PHE	2.3
1	I	1	LEU	2.3
1	I	70	LEU	2.3
1	G	45	ASN	2.3
1	C	53	ILE	2.3
1	H	28	THR	2.3
1	C	101	TYR	2.3
1	H	40	SER	2.3
1	H	66	THR	2.2
1	J	50	GLY	2.2
1	J	141	GLY	2.2
1	A	104	SER	2.2
1	I	18	VAL	2.2
1	J	7	LEU	2.2
1	J	38	LEU	2.2
1	B	108	SER	2.2
1	A	1	LEU	2.2
1	J	29	CYS	2.2
1	E	144	GLY	2.1
1	J	43	GLY	2.1
1	A	175	ASN	2.1
1	E	89	ASP	2.1
1	B	50	GLY	2.1
1	B	24	VAL	2.1
1	G	48	VAL	2.1
1	J	51	PHE	2.1
1	G	52	ASP	2.1
1	B	101	TYR	2.1
1	I	88	ILE	2.1
1	B	194	HIS	2.1
1	H	162	LYS	2.1
1	B	51	PHE	2.1
1	J	47	ARG	2.0
1	F	70	LEU	2.0
1	D	89	ASP	2.0
1	B	103	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	103	PRO	2.0
1	I	159	ASP	2.0
1	I	40	SER	2.0
1	H	161	LYS	2.0
1	I	92	VAL	2.0
1	C	99	LEU	2.0
1	I	41	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SO4	B	301	5/5	0.90	0.26	3.38	68,79,85,88	0
2	SAM	J	300	27/27	0.77	0.27	0.70	63,81,117,118	0
2	SAM	F	300	27/27	0.90	0.18	0.14	25,67,93,97	0
2	SAM	E	300	27/27	0.86	0.21	0.12	76,88,107,107	0
2	SAM	C	300	27/27	0.89	0.17	-0.19	53,68,81,87	0
2	SAM	I	300	27/27	0.87	0.21	-0.21	58,81,87,97	0
2	SAM	H	300	27/27	0.87	0.17	-0.37	58,79,93,97	0
3	SO4	C	301	5/5	0.95	0.16	-0.40	76,76,80,85	0
2	SAM	D	300	27/27	0.90	0.16	-0.45	43,61,71,73	0
4	GOL	F	301	6/6	0.76	0.14	-0.47	89,95,97,100	0
3	SO4	A	302	5/5	0.93	0.18	-0.57	69,70,71,71	5
4	GOL	B	302	6/6	0.82	0.12	-0.83	69,73,79,81	0
2	SAM	B	300	27/27	0.93	0.14	-0.86	31,48,68,76	0
3	SO4	A	301	5/5	0.96	0.11	-1.11	79,82,87,89	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	SAM	A	300	27/27	0.96	0.10	-1.31	30,46,62,68	0
3	SO4	A	303	5/5	0.90	0.14	-1.45	87,89,92,96	0
4	GOL	H	301	6/6	0.91	0.08	-1.69	69,82,88,90	0
4	GOL	A	304	6/6	0.95	0.09	-2.51	56,71,75,75	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.