



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:19 PM GMT

PDB ID : 4EFJ
Title : Crystal structure of I-GzeII LAGLIDADG homing endonuclease in complex with DNA target site
Authors : Kulshina, N.
Deposited on : 2012-03-29
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	27	
1	E	27	
2	D	27	
2	F	27	
3	A	300	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	B	300	<div><div><div>%</div><div><div></div></div><div>66%</div><div>25%</div><div>5%</div><div>•</div></div></div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6846 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA target site top strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	27	Total	C	N	O	P	0	0	0
			565	267	111	160	27			
1	E	27	Total	C	N	O	P	0	0	0
			562	267	111	158	26			

- Molecule 2 is a DNA chain called DNA target site bottom strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	26	Total	C	N	O	P	0	0	0
			523	251	88	158	26			
2	F	26	Total	C	N	O	P	0	0	0
			520	251	88	156	25			

- Molecule 3 is a protein called LAGLIDADG endonuclease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	291	Total	C	N	O	S	0	0	0
			2329	1496	390	434	9			
3	B	291	Total	C	N	O	S	0	0	0
			2314	1489	387	429	9			

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Ca	0	0
			1	1		
4	A	2	Total	Ca	0	0
			2	2		
4	C	1	Total	Ca	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	4	Total 4	O 4	0	0
5	D	3	Total 3	O 3	0	0
5	E	4	Total 4	O 4	0	0
5	F	6	Total 6	O 6	0	0
5	A	9	Total 9	O 9	0	0
5	B	3	Total 3	O 3	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA target site top strand

Chain C: 



- Molecule 1: DNA target site top strand

Chain E: 



- Molecule 2: DNA target site bottom strand

Chain D: 




- Molecule 2: DNA target site bottom strand

Chain F: 



- Molecule 3: LAGLIDADG endonuclease

Chain A: 





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	125.83 Å 61.18 Å 128.88 Å 90.00° 116.30° 90.00°	Depositor
Resolution (Å)	38.51 – 2.80 38.51 – 2.80	Depositor EDS
% Data completeness (in resolution range)	95.0 (38.51-2.80) 95.0 (38.51-2.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.81 Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.183 , 0.278 0.182 , 0.279	Depositor DCC
R_{free} test set	1126 reflections (5.69%)	DCC
Wilson B-factor (Å ²)	49.1	Xtriage
Anisotropy	0.385	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 44.5	EDS
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	3 of 20852 reflections (0.014%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6846	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 34.52 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 6.7384e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.49	0/636	1.24	11/982 (1.1%)
1	E	0.59	1/633 (0.2%)	1.28	14/978 (1.4%)
2	D	0.57	1/583 (0.2%)	1.23	7/895 (0.8%)
2	F	0.53	0/580	1.31	15/891 (1.7%)
3	A	0.86	0/2383	0.93	4/3215 (0.1%)
3	B	0.81	0/2368	0.87	1/3196 (0.0%)
All	All	0.75	2/7183 (0.0%)	1.05	52/10157 (0.5%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	15	DT	O3'-P	-5.68	1.54	1.61
1	E	17	DG	O3'-P	-5.63	1.54	1.61

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	3	DT	P-O3'-C3'	13.59	136.01	119.70
2	D	16	DG	O5'-P-OP2	-9.86	96.83	105.70
1	C	13	DT	P-O3'-C3'	9.26	130.81	119.70
1	E	15	DT	OP1-P-O3'	-8.14	87.28	105.20
1	C	10	DC	P-O3'-C3'	7.89	129.16	119.70
1	C	21	DC	P-O3'-C3'	7.59	128.81	119.70
1	C	17	DG	C1'-O4'-C4'	-7.45	102.65	110.10
1	C	8	DT	P-O3'-C3'	7.44	128.62	119.70
3	A	117	LEU	CA-CB-CG	7.30	132.10	115.30
2	F	20	DC	P-O3'-C3'	7.19	128.32	119.70
2	D	16	DG	P-O3'-C3'	7.18	128.31	119.70
1	E	23	DA	P-O3'-C3'	7.14	128.27	119.70
1	E	4	DT	O3'-P-O5'	-7.05	90.60	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	15	DT	OP1-P-O3'	7.00	120.60	105.20
1	C	22	DA	P-O3'-C3'	6.82	127.88	119.70
1	E	12	DA	P-O3'-C3'	6.79	127.85	119.70
3	A	93	LEU	CA-CB-CG	6.56	130.38	115.30
2	F	2	DC	P-O3'-C3'	6.52	127.53	119.70
1	E	7	DG	O5'-P-OP2	-6.51	99.84	105.70
1	E	5	DG	P-O3'-C3'	6.44	127.43	119.70
2	F	11	DA	P-O3'-C3'	6.42	127.40	119.70
2	F	17	DG	OP1-P-O3'	-6.41	91.10	105.20
2	F	14	DA	P-O3'-C3'	6.33	127.30	119.70
1	C	18	DG	O5'-P-OP1	6.28	118.24	110.70
1	C	25	DG	P-O3'-C3'	6.22	127.16	119.70
1	C	23	DA	P-O3'-C3'	6.21	127.16	119.70
1	E	17	DG	C1'-O4'-C4'	-6.15	103.95	110.10
1	E	16	DT	OP2-P-O3'	6.12	118.67	105.20
2	D	24	DT	C1'-O4'-C4'	-6.08	104.02	110.10
1	E	26	DG	P-O3'-C3'	6.05	126.97	119.70
1	E	15	DT	O3'-P-O5'	5.99	115.38	104.00
3	B	232	VAL	CB-CA-C	-5.94	100.11	111.40
2	D	15	DT	P-O3'-C3'	-5.91	112.61	119.70
2	D	5	DT	P-O3'-C3'	5.88	126.75	119.70
2	F	5	DT	P-O3'-C3'	5.83	126.69	119.70
1	E	15	DT	OP2-P-O3'	5.76	117.86	105.20
1	C	26	DG	P-O3'-C3'	5.75	126.60	119.70
2	F	16	DG	OP1-P-O3'	5.68	117.69	105.20
2	F	15	DT	P-O3'-C3'	5.61	126.44	119.70
1	E	16	DT	P-O3'-C3'	5.61	126.43	119.70
2	F	1	DC	P-O3'-C3'	5.60	126.42	119.70
1	E	15	DT	P-O3'-C3'	5.59	126.41	119.70
2	F	16	DG	O3'-P-O5'	-5.56	93.43	104.00
2	F	17	DG	OP2-P-O3'	5.55	117.42	105.20
2	F	3	DT	OP2-P-O3'	5.41	117.11	105.20
2	D	8	DA	P-O3'-C3'	5.38	126.16	119.70
3	A	76	ARG	NE-CZ-NH2	-5.35	117.62	120.30
1	E	13	DT	O5'-P-OP1	-5.28	100.95	105.70
3	A	19	GLU	N-CA-C	-5.06	97.33	111.00
2	F	4	DT	P-O3'-C3'	5.03	125.74	119.70
2	F	18	DT	O5'-P-OP1	5.03	116.73	110.70
1	C	12	DA	O3'-P-O5'	-5.02	94.46	104.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	565	0	304	6	0
1	E	562	0	305	12	0
2	D	523	0	295	17	0
2	F	520	0	296	7	0
3	A	2329	0	2264	90	0
3	B	2314	0	2244	67	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	9	0	0	9	0
5	B	3	0	0	0	0
5	C	4	0	0	0	0
5	D	3	0	0	1	0
5	E	4	0	0	3	0
5	F	6	0	0	0	0
All	All	6846	0	5708	178	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:196:ARG:HG2	3:A:232:VAL:HG13	1.40	1.02
3:B:196:ARG:HG2	3:B:232:VAL:HG13	1.50	0.94
2:D:17:DG:H3'	3:B:23:MET:CE	2.01	0.90
2:D:17:DG:H3'	3:B:23:MET:HE3	1.56	0.87
3:B:134:ALA:HB3	3:B:152:ILE:HG23	1.61	0.81
3:A:140:LEU:HD22	3:A:144:VAL:HG11	1.61	0.81
1:E:16:DT:OP2	5:E:104:HOH:O	1.98	0.81
3:A:150:HIS:HA	5:A:502:HOH:O	1.83	0.78
3:A:150:HIS:CB	5:A:502:HOH:O	2.32	0.77
3:A:96:GLN:HA	3:A:158:LEU:HD12	1.65	0.77
3:A:196:ARG:HG2	3:A:232:VAL:CG1	2.14	0.76
3:A:75:VAL:HG21	3:A:84:ILE:HD11	1.68	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:151:ILE:HG22	3:A:152:ILE:H	1.53	0.74
3:A:162:MET:O	3:A:163:ASN:HB2	1.90	0.71
3:A:46:ARG:HD3	5:A:501:HOH:O	1.91	0.70
2:D:17:DG:C3'	3:B:23:MET:CE	2.70	0.70
3:A:134:ALA:HB3	3:A:152:ILE:HG23	1.75	0.69
3:B:225:GLY:O	3:B:227:LYS:N	2.25	0.69
3:A:150:HIS:CA	5:A:502:HOH:O	2.37	0.69
3:A:140:LEU:HD22	3:A:144:VAL:CG1	2.23	0.69
3:B:18:ALA:HB1	3:B:177:GLU:HG2	1.74	0.69
3:B:47:ASP:OD2	3:B:255:VAL:HG12	1.94	0.68
2:D:17:DG:H3'	3:B:23:MET:HE2	1.76	0.68
2:D:17:DG:C3'	3:B:23:MET:HE3	2.24	0.68
1:E:27:DG:N3	5:E:101:HOH:O	2.27	0.67
3:A:216:CYS:SG	3:A:233:THR:HG21	2.36	0.66
3:B:59:ASN:HD22	3:B:83:ILE:HD13	1.60	0.66
3:A:56:ASN:ND2	5:A:505:HOH:O	2.29	0.65
3:A:122:GLY:C	3:A:124:THR:H	2.00	0.65
3:B:12:VAL:O	3:B:16:THR:HG23	1.98	0.64
3:A:121:VAL:HA	3:A:126:LEU:HD22	1.80	0.64
3:A:130:ILE:HG23	3:A:140:LEU:HD21	1.78	0.64
3:B:134:ALA:CB	3:B:152:ILE:HG23	2.28	0.64
3:A:159:ILE:O	3:A:160:GLU:C	2.35	0.63
3:B:230:ILE:CG2	3:B:232:VAL:HG22	2.28	0.63
3:A:151:ILE:HG22	3:A:152:ILE:N	2.12	0.63
3:B:160:GLU:O	3:B:162:MET:N	2.29	0.62
1:C:24:DA:H2'	1:C:25:DG:C8	2.33	0.62
2:F:17:DG:OP2	3:A:21:SER:CB	2.46	0.62
3:A:131:SER:O	3:A:153:PRO:HD2	2.00	0.62
3:A:7:ILE:O	3:A:7:ILE:CG2	2.48	0.62
3:B:159:ILE:O	3:B:162:MET:SD	2.58	0.62
2:D:1:DC:P	2:D:1:DC:C6	2.93	0.62
3:B:230:ILE:HG22	3:B:232:VAL:HG22	1.80	0.61
3:A:151:ILE:CG2	3:A:152:ILE:H	2.12	0.61
3:A:7:ILE:O	3:A:7:ILE:HG23	1.98	0.61
3:B:151:ILE:HG22	3:B:152:ILE:H	1.63	0.61
2:D:8:DA:OP2	3:B:220:ASN:ND2	2.26	0.61
3:B:158:LEU:HD12	3:B:158:LEU:O	2.00	0.61
3:A:207:LEU:HD12	3:A:229:VAL:HG23	1.82	0.61
3:A:122:GLY:O	3:A:124:THR:N	2.33	0.61
2:F:17:DG:OP2	3:A:21:SER:HB3	2.01	0.60
3:B:96:GLN:HA	3:B:158:LEU:HD11	1.81	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:15:DT:H2''	1:C:16:DT:H5'	1.83	0.59
3:A:56:ASN:CB	5:A:505:HOH:O	2.51	0.59
3:B:55:LYS:NZ	3:B:60:ASN:HD22	2.01	0.58
3:B:7:ILE:CG2	3:B:53:GLU:OE2	2.52	0.58
3:A:46:ARG:CD	5:A:501:HOH:O	2.50	0.58
2:F:15:DT:C2'	2:F:16:DG:H5''	2.35	0.57
3:A:131:SER:O	3:A:153:PRO:CD	2.53	0.57
1:E:4:DT:OP2	3:A:118:SER:OG	2.23	0.57
2:D:26:DC:H3'	5:D:101:HOH:O	2.05	0.56
3:A:150:HIS:C	3:A:150:HIS:ND1	2.58	0.56
1:E:16:DT:P	5:E:104:HOH:O	2.60	0.56
3:B:107:ILE:HD13	3:B:129:ILE:HG23	1.88	0.54
3:A:192:SER:C	3:A:193:LEU:HD23	2.27	0.54
3:B:7:ILE:HG22	3:B:53:GLU:OE2	2.07	0.54
2:F:15:DT:H2''	2:F:16:DG:H5''	1.89	0.54
1:C:24:DA:H4'	1:C:24:DA:OP1	2.07	0.54
3:A:184:THR:HG22	3:A:191:VAL:HG22	1.89	0.54
2:F:17:DG:OP2	3:A:21:SER:HB2	2.07	0.53
3:A:121:VAL:HA	3:A:126:LEU:CD2	2.38	0.53
3:B:184:THR:HG22	3:B:191:VAL:HG23	1.91	0.53
3:A:201:ASN:C	3:A:202:LYS:O	2.45	0.52
1:E:4:DT:OP1	3:A:117:LEU:HG	2.10	0.52
3:B:120:GLU:O	3:B:122:GLY:N	2.42	0.52
3:B:241:ASP:O	3:B:245:PRO:HG3	2.10	0.52
3:A:222:HIS:HD2	3:A:230:ILE:HD11	1.75	0.51
3:B:266:VAL:O	3:B:267:ALA:C	2.49	0.51
3:A:92:ASN:HD22	3:A:98:LYS:NZ	2.07	0.51
3:A:191:VAL:HG11	3:A:270:ILE:HD11	1.94	0.50
3:A:151:ILE:CG2	3:A:152:ILE:N	2.72	0.50
3:A:196:ARG:CG	3:A:232:VAL:CG1	2.89	0.49
3:B:166:HIS:HD2	3:B:168:GLU:H	1.58	0.49
3:A:94:ILE:HD13	3:A:165:PRO:HD3	1.95	0.49
3:A:200:HIS:O	3:A:202:LYS:O	2.30	0.49
1:C:26:DG:H4'	1:C:27:DG:OP1	2.13	0.48
3:B:7:ILE:HG21	3:B:53:GLU:CG	2.44	0.48
3:B:121:VAL:HG12	3:B:121:VAL:O	2.14	0.48
3:B:101:PHE:O	3:B:104:PHE:HB3	2.13	0.48
2:D:16:DG:OP2	3:B:19:GLU:HA	2.13	0.48
3:A:55:LYS:HG3	3:A:73:TYR:CE1	2.47	0.48
3:A:116:HIS:CE1	3:A:119:TYR:CD1	3.01	0.48
3:A:46:ARG:HD3	3:A:255:VAL:HG11	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:17:DG:H2''	2:F:18:DT:H5'	1.94	0.48
3:A:135:SER:OG	3:A:152:ILE:HG22	2.13	0.48
3:A:131:SER:HB3	3:A:153:PRO:HD3	1.94	0.47
3:A:7:ILE:HD11	3:A:11:PHE:CD2	2.49	0.47
1:E:24:DA:H2''	1:E:25:DG:C8	2.49	0.47
3:B:185:THR:CG2	3:B:190:TYR:HB2	2.44	0.47
1:E:4:DT:OP2	3:A:117:LEU:HD12	2.13	0.47
3:B:196:ARG:CG	3:B:232:VAL:HG13	2.33	0.46
3:A:217:GLY:N	3:A:233:THR:HG22	2.30	0.46
1:E:19:DT:H2''	1:E:20:DA:H5'	1.97	0.46
3:A:33:TRP:CH2	3:A:144:VAL:HG22	2.51	0.46
3:B:123:ALA:O	3:B:127:GLN:CB	2.63	0.46
3:A:56:ASN:CG	5:A:505:HOH:O	2.53	0.45
3:B:241:ASP:O	3:B:245:PRO:CG	2.64	0.45
3:B:12:VAL:O	3:B:16:THR:CG2	2.64	0.45
3:B:134:ALA:HB1	3:B:152:ILE:HD13	1.98	0.45
3:A:24:ILE:HD13	3:A:37:PRO:HA	1.98	0.45
3:B:24:ILE:HG12	3:B:107:ILE:HG21	1.98	0.45
3:A:92:ASN:HD22	3:A:98:LYS:HZ1	1.64	0.45
3:A:98:LYS:HB3	3:A:158:LEU:HD13	1.99	0.45
3:A:122:GLY:C	3:A:124:THR:N	2.67	0.45
3:A:18:ALA:HB1	3:A:177:GLU:HG2	1.99	0.45
3:A:101:PHE:O	3:A:104:PHE:HB3	2.17	0.45
1:C:6:DG:O6	3:B:36:ARG:NH1	2.44	0.45
3:B:201:ASN:O	3:B:202:LYS:C	2.56	0.45
2:D:12:DA:H2''	2:D:13:DT:H71	1.98	0.44
1:E:15:DT:H2''	1:E:16:DT:O5'	2.17	0.44
3:A:96:GLN:HG3	3:A:202:LYS:HB3	1.98	0.44
3:B:55:LYS:HZ2	3:B:60:ASN:HD22	1.64	0.44
3:B:191:VAL:HG21	3:B:284:ILE:HG21	1.99	0.44
3:A:51:LEU:HD23	3:A:51:LEU:HA	1.68	0.44
3:B:150:HIS:ND1	3:B:150:HIS:C	2.69	0.44
3:A:56:ASN:HB2	5:A:505:HOH:O	2.16	0.43
3:B:58:PHE:O	3:B:59:ASN:C	2.57	0.43
3:A:193:LEU:HD23	3:A:193:LEU:N	2.32	0.43
3:B:7:ILE:HG21	3:B:53:GLU:OE2	2.17	0.43
3:B:151:ILE:HG22	3:B:152:ILE:N	2.32	0.43
3:A:103:LEU:HD22	3:A:132:ILE:HG23	2.01	0.43
3:A:202:LYS:O	3:A:203:ASP:C	2.56	0.43
3:B:56:ASN:O	3:B:57:TYR:C	2.52	0.43
3:A:98:LYS:HB3	3:A:158:LEU:CD1	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:17:DG:C2'	3:B:23:MET:CE	2.97	0.43
3:A:10:TRP:O	3:A:169:TRP:HA	2.18	0.43
3:B:131:SER:O	3:B:134:ALA:HB3	2.18	0.43
3:A:75:VAL:HG21	3:A:84:ILE:CD1	2.44	0.42
3:B:8:ASN:CG	3:B:168:GLU:HG2	2.39	0.42
2:D:17:DG:N7	3:B:40:GLN:NE2	2.66	0.42
3:B:162:MET:HE1	3:B:203:ASP:OD1	2.19	0.42
3:A:148:PHE:N	3:A:149:PRO:HD3	2.35	0.42
3:A:134:ALA:CB	3:A:152:ILE:HG23	2.45	0.42
2:D:17:DG:C3'	3:B:23:MET:HE2	2.43	0.42
3:A:98:LYS:O	3:A:101:PHE:HB3	2.20	0.42
3:A:94:ILE:HB	3:A:162:MET:HB3	2.02	0.42
3:B:98:LYS:HB3	3:B:158:LEU:HD22	2.01	0.42
3:B:162:MET:HB2	3:B:206:LEU:HD23	2.02	0.42
3:B:200:HIS:HD2	3:B:202:LYS:H	1.68	0.42
2:D:12:DA:H2''	2:D:13:DT:C7	2.50	0.42
3:B:124:THR:O	3:B:125:VAL:C	2.58	0.42
1:E:20:DA:OP2	3:A:183:TYR:OH	2.28	0.42
3:A:99:ALA:H	3:A:158:LEU:HD11	1.85	0.41
2:D:1:DC:H1'	2:D:2:DC:H5'	2.01	0.41
1:C:1:DG:H2'	1:C:2:DG:C8	2.55	0.41
3:A:142:SER:OG	3:A:143:SER:N	2.53	0.41
3:B:107:ILE:HG13	3:B:132:ILE:HG21	2.01	0.41
1:E:5:DG:C8	3:A:36:ARG:NH2	2.88	0.41
3:B:107:ILE:O	3:B:108:ILE:C	2.58	0.41
2:D:17:DG:H2'	3:B:23:MET:CE	2.51	0.41
3:A:75:VAL:HG11	3:A:84:ILE:HD12	2.02	0.41
3:A:247:PHE:CD1	3:A:252:ILE:HD11	2.55	0.41
3:A:31:ASP:C	3:A:31:ASP:OD1	2.59	0.41
3:B:121:VAL:CG1	3:B:121:VAL:O	2.68	0.41
3:A:200:HIS:ND1	3:A:201:ASN:N	2.68	0.41
3:A:120:GLU:O	3:A:121:VAL:HG13	2.20	0.41
3:B:94:ILE:HD11	3:B:206:LEU:HD11	2.02	0.41
3:A:63:SER:O	3:A:73:TYR:HA	2.21	0.41
3:A:217:GLY:CA	3:A:233:THR:HG22	2.51	0.41
3:B:55:LYS:O	3:B:59:ASN:O	2.39	0.41
3:B:266:VAL:HG13	3:B:284:ILE:HG12	2.03	0.41
1:E:9:DA:C2	2:F:19:DA:C2	3.09	0.41
3:A:124:THR:HG22	3:A:124:THR:O	2.20	0.41
3:A:95:THR:OG1	3:A:97:LYS:HB2	2.21	0.41
3:A:53:GLU:O	3:A:56:ASN:HB3	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:1:DC:H2''	2:D:2:DC:H5'	2.04	0.40
3:A:270:ILE:HG21	3:A:270:ILE:HD13	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	289/300 (96%)	255 (88%)	29 (10%)	5 (2%)	11	36
3	B	289/300 (96%)	255 (88%)	29 (10%)	5 (2%)	11	36
All	All	578/600 (96%)	510 (88%)	58 (10%)	10 (2%)	11	36

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	120	GLU
3	A	123	ALA
3	B	122	GLY
3	B	161	ASN
3	B	226	ASN
3	A	46	ARG
3	B	121	VAL
3	A	30	LYS
3	A	202	LYS
3	B	149	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	256/279 (92%)	232 (91%)	24 (9%)	11	31
3	B	252/279 (90%)	215 (85%)	37 (15%)	4	11
All	All	508/558 (91%)	447 (88%)	61 (12%)	6	19

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	7	ILE
3	A	31	ASP
3	A	38	THR
3	A	51	LEU
3	A	63	SER
3	A	66	THR
3	A	72	VAL
3	A	76	ARG
3	A	86	SER
3	A	119	TYR
3	A	127	GLN
3	A	133	ARG
3	A	143	SER
3	A	152	ILE
3	A	160	GLU
3	A	186	SER
3	A	209	SER
3	A	232	VAL
3	A	234	ARG
3	A	241	ASP
3	A	246	LEU
3	A	271	GLU
3	A	279	ASN
3	A	296	LYS
3	B	7	ILE
3	B	16	THR
3	B	38	THR
3	B	45	ILE
3	B	47	ASP
3	B	61	THR
3	B	63	SER
3	B	76	ARG
3	B	84	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	B	92	ASN
3	B	93	LEU
3	B	117	LEU
3	B	120	GLU
3	B	124	THR
3	B	125	VAL
3	B	128	GLU
3	B	133	ARG
3	B	135	SER
3	B	150	HIS
3	B	151	ILE
3	B	158	LEU
3	B	162	MET
3	B	163	ASN
3	B	177	GLU
3	B	179	SER
3	B	181	SER
3	B	186	SER
3	B	191	VAL
3	B	198	SER
3	B	204	LYS
3	B	206	LEU
3	B	209	SER
3	B	219	PHE
3	B	230	ILE
3	B	232	VAL
3	B	271	GLU
3	B	278	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	92	ASN
3	A	114	GLN
3	A	116	HIS
3	A	127	GLN
3	A	166	HIS
3	A	205	GLN
3	B	59	ASN
3	B	60	ASN
3	B	65	ASN
3	B	92	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	B	161	ASN
3	B	166	HIS
3	B	200	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	27/27 (100%)	-0.27	0 100 100	29, 52, 84, 130	0
1	E	27/27 (100%)	-0.25	0 100 100	29, 53, 70, 95	0
2	D	26/27 (96%)	-0.42	1 (3%) 44 32	32, 49, 79, 107	0
2	F	26/27 (96%)	-0.36	0 100 100	28, 47, 76, 94	0
3	A	291/300 (97%)	-0.20	9 (3%) 52 40	19, 38, 77, 130	0
3	B	291/300 (97%)	-0.25	2 (0%) 89 84	21, 41, 72, 95	0
All	All	688/708 (97%)	-0.24	12 (1%) 73 63	19, 41, 76, 130	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	A	120	GLU	7.0
3	A	121	VAL	7.0
3	B	123	ALA	6.1
3	A	119	TYR	4.3
3	A	29	ASN	3.8
3	A	118	SER	3.4
3	A	116	HIS	3.2
3	A	31	ASP	2.9
2	D	1	DC	2.3
3	A	68	ASN	2.1
3	B	150	HIS	2.1
3	A	117	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	CA	B	401	1/1	0.96	0.17	0.52	37,37,37,37	0
4	CA	A	401	1/1	0.93	0.17	0.46	27,27,27,27	0
4	CA	A	402	1/1	0.99	0.15	-0.08	31,31,31,31	0
4	CA	C	101	1/1	0.97	0.11	-1.63	41,41,41,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.