



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 02:59 PM BST

PDB ID : 1EKZ  
Title : NMR STRUCTURE OF THE COMPLEX BETWEEN THE THIRD DSRBD  
FROM DROSOPHILA STAUFEN AND A RNA HAIRPIN  
Authors : Ramos, A.; Grunert, S.; Bycroft, M.; St Johnston, D.; Varani, G.  
Deposited on : 2000-03-11

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 73%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958
RNA backbone	3027	600

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	B	30	
2	A	76	

## 2 Ensemble composition and analysis

This entry contains 36 models. Model 27 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:9-A:30, A:40-A:55, A:62-A:76 (53)	0.60	27

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 13 single-model clusters were found.

Cluster number	Models
1	2, 3, 4, 7, 8, 10, 11, 13, 17, 20, 23, 24, 25, 27, 28, 30, 32, 33
2	1, 5, 22
3	6, 21
Single-model clusters	9; 12; 14; 15; 16; 18; 19; 26; 29; 31; 34; 35; 36

### 3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 2173 atoms, of which 949 are hydrogens and 0 are deuteriums.

- Molecule 1 is a RNA chain called STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN.

Mol	Chain	Residues	Atoms						Trace
1	B	30	Total	C	H	N	O	P	0
			961	284	326	112	210	29	

- Molecule 2 is a protein called MATERNAL EFFECT PROTEIN (STAUFEN).

Mol	Chain	Residues	Atoms						Trace
2	A	76	Total	C	H	N	O	S	0
			1212	368	623	107	109	5	

## 4 Residue-property plots [i](#)

### 4.1 Average score per residue in the NMR ensemble


These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)

Chain A: 




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1


- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)

Chain A: 



#### 4.2.2 Score per residue for model 2


- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 23% 37% 27% 13%



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)

Chain A: 26% 30% 12% 30%



#### 4.2.3 Score per residue for model 3


- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 27% 47% 17% 10%




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)

Chain A: 17% 41% 9% 30%




#### 4.2.4 Score per residue for model 4

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.5 Score per residue for model 5

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.6 Score per residue for model 6

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)







#### 4.2.7 Score per residue for model 7

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.8 Score per residue for model 8

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)



#### 4.2.9 Score per residue for model 9



- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN









• Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.10 Score per residue for model 10

• Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN





• Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)



#### 4.2.11 Score per residue for model 11

• Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN



• Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)







#### 4.2.12 Score per residue for model 12

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.13 Score per residue for model 13

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN





- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)





#### 4.2.14 Score per residue for model 14

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN





- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)





#### 4.2.15 Score per residue for model 15

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)





#### 4.2.16 Score per residue for model 16

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)







#### 4.2.17 Score per residue for model 17

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)





#### 4.2.18 Score per residue for model 18

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.19 Score per residue for model 19

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN






- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)



#### 4.2.20 Score per residue for model 20

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.21 Score per residue for model 21

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




### 4.2.22 Score per residue for model 22

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




### 4.2.23 Score per residue for model 23

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




### 4.2.24 Score per residue for model 24

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.25 Score per residue for model 25

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.26 Score per residue for model 26

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.27 Score per residue for model 27 (medoid)


- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)


Chain A: 



#### 4.2.28 Score per residue for model 28

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)

Chain A: 



#### 4.2.29 Score per residue for model 29


- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)






#### 4.2.30 Score per residue for model 30

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.31 Score per residue for model 31

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)



### 4.2.32 Score per residue for model 32


- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 27% 33% 37%



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)

Chain A: 32% 32% 0% 30%



### 4.2.33 Score per residue for model 33


- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 23% 40% 17% 20%



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)

Chain A: 33% 28% 9% 30%




### 4.2.34 Score per residue for model 34

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN

Chain B: 23% 50% 23%




- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.35 Score per residue for model 35

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)




#### 4.2.36 Score per residue for model 36

- Molecule 1: STAUFEN DOUBLE-STRANDED RNA BINDING DOMAIN



- Molecule 2: MATERNAL EFFECT PROTEIN (STAUFEN)



## 5 Refinement protocol and experimental data overview

Of the 50 calculated structures, 36 were deposited, based on the following criterion: *structures with the least restraint violations, structures with the lowest energy.*

The authors did not provide any information on software used for structure solution, optimization or refinement.

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 4894
Number of chemical shift lists	2
Total number of shifts	1223
Number of shifts mapped to atoms	1121
Number of unparsed shifts	0
Number of shifts with mapping errors	102
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	73%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality i

### 6.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	B	1.10±0.01	0±0/708 (0.0±0.0%)	1.89±0.01	38±0/1102 (3.5±0.0%)
2	A	1.13±0.01	0±0/420 (0.0±0.0%)	0.84±0.01	0±0/558 (0.0±0.0%)
All	All	1.11	0/40608 (0.0%)	1.62	1369/59760 (2.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	B	0.0±0.0	0.1±0.3
2	A	0.0±0.0	3.0±0.0
All	All	0	110

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	B	17	G	N7-C8-N9	9.47	117.83	113.10	5	36
1	B	1	G	N7-C8-N9	9.45	117.82	113.10	36	36
1	B	9	G	N7-C8-N9	9.37	117.79	113.10	32	36
1	B	18	G	N7-C8-N9	9.31	117.75	113.10	7	36
1	B	20	G	N7-C8-N9	9.29	117.75	113.10	32	36
1	B	19	G	N7-C8-N9	9.28	117.74	113.10	21	36
1	B	24	G	N7-C8-N9	9.27	117.73	113.10	32	36
1	B	2	G	N7-C8-N9	9.25	117.72	113.10	35	36
1	B	27	G	N7-C8-N9	9.19	117.70	113.10	3	36
1	B	6	G	N7-C8-N9	9.15	117.67	113.10	36	36
1	B	24	G	C1'-O4'-C4'	-8.16	103.37	109.90	26	1
1	B	23	A	N7-C8-N9	7.63	117.61	113.80	1	36
1	B	3	A	N7-C8-N9	7.63	117.61	113.80	29	36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	B	5	A	N7-C8-N9	7.60	117.60	113.80	26	36
1	B	21	A	N7-C8-N9	7.57	117.59	113.80	2	36
1	B	1	G	C8-N9-C4	-7.38	103.45	106.40	3	36
1	B	17	G	C8-N9-C4	-7.18	103.53	106.40	7	36
1	B	19	G	C8-N9-C4	-6.85	103.66	106.40	21	36
1	B	24	G	C8-N9-C4	-6.82	103.67	106.40	32	35
1	B	20	G	C8-N9-C4	-6.81	103.67	106.40	21	36
1	B	2	G	C8-N9-C4	-6.80	103.68	106.40	35	36
1	B	18	G	C8-N9-C4	-6.76	103.69	106.40	21	36
1	B	27	G	C8-N9-C4	-6.76	103.70	106.40	23	36
1	B	9	G	C8-N9-C4	-6.73	103.71	106.40	7	36
1	B	6	G	C8-N9-C4	-6.71	103.71	106.40	36	36
1	B	24	G	C5-N7-C8	-6.17	101.22	104.30	26	36
1	B	24	G	O3'-P-O5'	-6.12	92.37	104.00	26	1
1	B	24	G	O4'-C1'-N9	6.05	113.04	108.20	26	1
1	B	3	A	C8-N9-C4	-5.83	103.47	105.80	29	36
1	B	21	A	C8-N9-C4	-5.83	103.47	105.80	2	36
1	B	9	G	C5-N7-C8	-5.78	101.41	104.30	32	36
1	B	5	A	C8-N9-C4	-5.67	103.53	105.80	34	36
1	B	23	A	C8-N9-C4	-5.59	103.56	105.80	2	35
1	B	1	G	C5-N7-C8	-5.58	101.51	104.30	32	36
1	B	18	G	C5-N7-C8	-5.45	101.58	104.30	27	36
1	B	6	G	C5-N7-C8	-5.38	101.61	104.30	26	36
1	B	19	G	C5-N7-C8	-5.37	101.61	104.30	33	36
1	B	25	C	O4'-C1'-N1	5.37	112.49	108.20	26	1
1	B	20	G	C5-N7-C8	-5.37	101.62	104.30	26	36
1	B	27	G	C5-N7-C8	-5.36	101.62	104.30	7	36
1	B	2	G	C5-N7-C8	-5.35	101.63	104.30	3	36
1	B	17	G	C5-N7-C8	-5.34	101.63	104.30	5	35

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
2	A	64	ARG	Sidechain	36
2	A	30	ARG	Sidechain	36
2	A	20	ARG	Sidechain	36
1	B	22	C	Sidechain	1
1	B	9	G	Sidechain	1

## 6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	B	635	326	326	10±6
2	A	416	453	453	24±11
All	All	37836	28044	28044	1193

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:41:ILE:HG23	2:A:65:ALA:HB2	1.01	1.26	31	1
2:A:13:VAL:HG22	2:A:70:LEU:HD21	0.96	1.36	25	20
2:A:50:VAL:HG11	2:A:69:MET:CE	0.95	1.92	36	1
2:A:50:VAL:HG11	2:A:69:MET:HE1	0.94	1.35	36	1
2:A:44:CYS:SG	2:A:65:ALA:HB1	0.93	2.02	2	5
1:B:22:C:H1'	1:B:23:A:O4'	0.92	1.64	32	1
1:B:14:U:HO2'	1:B:16:C:H5	0.92	0.95	24	6
2:A:50:VAL:HG12	2:A:51:THR:HG22	0.92	1.42	21	1
2:A:29:LEU:HD21	2:A:43:ALA:HB2	0.88	1.45	6	13
1:B:17:G:H2'	1:B:18:G:O4'	0.88	1.69	5	22
2:A:52:GLU:HG2	2:A:65:ALA:HB1	0.87	1.47	35	1
2:A:29:LEU:HD23	2:A:43:ALA:HB2	0.85	1.49	21	3
1:B:17:G:C8	2:A:18:ILE:HD11	0.83	2.08	13	1
2:A:24:VAL:HG22	2:A:46:VAL:HG23	0.81	1.49	28	3
2:A:13:VAL:HG23	2:A:70:LEU:HD21	0.80	1.53	6	4
2:A:18:ILE:HG22	2:A:18:ILE:O	0.79	1.77	28	7
2:A:13:VAL:HG23	2:A:70:LEU:CD2	0.78	2.07	2	3
1:B:2:G:O2'	1:B:3:A:H5'	0.78	1.78	33	1
2:A:41:ILE:HD11	2:A:64:ARG:HB2	0.78	1.54	31	1
2:A:29:LEU:HD21	2:A:43:ALA:CB	0.77	2.10	10	15
1:B:17:G:N3	1:B:17:G:H2'	0.77	1.91	27	1
1:B:24:G:HO2'	1:B:25:C:H5	0.77	1.23	26	1
1:B:12:C:H2'	1:B:13:C:O4'	0.76	1.80	26	1
2:A:45:ILE:HB	2:A:50:VAL:HB	0.75	1.58	36	1
1:B:1:G:H4'	1:B:2:G:OP1	0.75	1.82	12	3
2:A:13:VAL:HA	2:A:70:LEU:HD21	0.75	1.58	19	6

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:11:C:H2'	1:B:12:C:O4'	0.75	1.82	30	16
2:A:25:HIS:HB2	2:A:45:ILE:HG22	0.73	1.59	12	21
2:A:22:MET:HB3	2:A:46:VAL:HG22	0.73	1.58	1	3
2:A:50:VAL:HG13	2:A:51:THR:N	0.73	1.98	28	1
2:A:44:CYS:HB2	2:A:69:MET:SD	0.73	2.23	36	2
2:A:50:VAL:HG12	2:A:51:THR:H	0.73	1.43	19	3
1:B:17:G:H3'	1:B:17:G:N3	0.72	1.98	32	10
1:B:1:G:H1'	1:B:2:G:O4'	0.72	1.84	25	3
2:A:13:VAL:HG22	2:A:70:LEU:HG	0.72	1.61	15	6
2:A:16:ILE:HD12	2:A:70:LEU:CD1	0.72	2.14	26	1
2:A:45:ILE:HG13	2:A:50:VAL:HG21	0.72	1.62	36	1
2:A:41:ILE:HG22	2:A:42:THR:N	0.71	2.01	31	1
1:B:14:U:O2'	1:B:16:C:H5	0.71	1.68	1	3
2:A:41:ILE:HD11	2:A:64:ARG:CB	0.70	2.15	31	1
2:A:45:ILE:HB	2:A:50:VAL:CB	0.70	2.15	36	1
2:A:13:VAL:CG2	2:A:70:LEU:HD11	0.70	2.16	30	8
2:A:23:THR:HG22	2:A:25:HIS:NE2	0.70	2.00	18	2
1:B:22:C:HO2'	1:B:23:A:H8	0.70	1.27	22	1
2:A:50:VAL:O	2:A:51:THR:HG23	0.69	1.87	16	3
2:A:53:GLY:HA3	2:A:65:ALA:HB2	0.69	1.65	11	3
2:A:17:GLY:HA3	2:A:24:VAL:HG12	0.69	1.64	18	1
2:A:13:VAL:HG22	2:A:70:LEU:CD2	0.69	2.17	12	17
2:A:22:MET:HG2	2:A:45:ILE:HD12	0.68	1.65	36	1
2:A:14:HIS:HA	2:A:24:VAL:HG21	0.68	1.63	30	2
2:A:13:VAL:HG22	2:A:70:LEU:HD11	0.68	1.63	30	4
2:A:45:ILE:HG13	2:A:50:VAL:HG22	0.68	1.66	19	8
2:A:29:LEU:CD2	2:A:43:ALA:HB2	0.68	2.18	31	2
2:A:23:THR:HG22	2:A:47:GLY:N	0.68	2.04	34	1
1:B:24:G:O2'	1:B:25:C:C5	0.68	2.44	26	1
2:A:46:VAL:HG12	2:A:69:MET:HE2	0.67	1.67	6	2
2:A:30:ARG:HB2	2:A:41:ILE:HG22	0.67	1.67	11	1
2:A:9:PRO:O	2:A:13:VAL:HG23	0.67	1.88	1	12
2:A:16:ILE:HD13	2:A:73:LEU:CD1	0.67	2.19	12	2
2:A:43:ALA:HA	2:A:51:THR:HA	0.66	1.66	6	2
2:A:29:LEU:HD21	2:A:43:ALA:HB3	0.66	1.67	19	4
2:A:67:GLU:O	2:A:71:VAL:HG23	0.66	1.91	11	4
2:A:45:ILE:HA	2:A:50:VAL:HG11	0.66	1.66	28	1
2:A:45:ILE:CA	2:A:50:VAL:HG21	0.66	2.21	28	1
2:A:73:LEU:HD23	2:A:76:LEU:HD11	0.66	1.68	24	1
2:A:43:ALA:CB	2:A:52:GLU:HA	0.66	2.20	36	2
2:A:41:ILE:HG23	2:A:65:ALA:CB	0.66	2.15	31	1

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:45:ILE:CG1	2:A:69:MET:CE	0.66	2.74	36	1
2:A:14:HIS:HA	2:A:24:VAL:HG11	0.65	1.69	33	4
2:A:22:MET:CG	2:A:45:ILE:HD12	0.65	2.21	36	1
1:B:19:G:H2'	1:B:20:G:O4'	0.65	1.91	35	1
2:A:46:VAL:HG22	2:A:69:MET:CE	0.65	2.22	24	6
2:A:18:ILE:O	2:A:18:ILE:HG22	0.64	1.93	22	2
2:A:46:VAL:HG11	2:A:73:LEU:HD21	0.64	1.68	2	2
1:B:18:G:H2'	1:B:19:G:O4'	0.64	1.93	19	9
2:A:46:VAL:HG21	2:A:73:LEU:HB3	0.64	1.69	9	1
2:A:43:ALA:HB1	2:A:51:THR:O	0.64	1.93	16	1
2:A:46:VAL:HG22	2:A:69:MET:HE1	0.64	1.70	22	3
2:A:51:THR:HG21	2:A:69:MET:HB2	0.64	1.70	7	1
2:A:40:PHE:N	2:A:40:PHE:CD1	0.64	2.64	31	3
2:A:22:MET:SD	2:A:49:ILE:HD12	0.64	2.33	36	1
1:B:19:G:O2'	2:A:10:ILE:HG21	0.64	1.91	11	1
2:A:13:VAL:HG23	2:A:70:LEU:HD11	0.64	1.68	34	1
1:B:22:C:C1'	1:B:23:A:O4'	0.64	2.45	32	1
2:A:24:VAL:HG23	2:A:69:MET:SD	0.64	2.32	2	1
2:A:52:GLU:HG3	2:A:65:ALA:HB1	0.64	1.70	19	1
2:A:24:VAL:HG22	2:A:46:VAL:HG12	0.64	1.70	29	1
2:A:52:GLU:CG	2:A:65:ALA:HB1	0.63	2.21	35	2
2:A:25:HIS:HB2	2:A:45:ILE:O	0.63	1.92	36	1
2:A:45:ILE:HD13	2:A:46:VAL:N	0.63	2.08	32	3
2:A:13:VAL:HG12	2:A:24:VAL:HG11	0.63	1.70	19	4
2:A:67:GLU:O	2:A:71:VAL:HG22	0.63	1.93	35	1
2:A:46:VAL:HG13	2:A:46:VAL:O	0.63	1.94	9	3
2:A:54:GLU:HG3	2:A:65:ALA:HB2	0.63	1.71	15	1
2:A:27:LYS:NZ	2:A:28:VAL:O	0.62	2.29	30	5
1:B:17:G:N3	1:B:17:G:H3'	0.62	2.09	23	11
1:B:17:G:H2'	1:B:17:G:N3	0.62	2.09	7	2
2:A:42:THR:C	2:A:52:GLU:HB2	0.62	2.15	35	1
2:A:50:VAL:O	2:A:51:THR:HB	0.62	1.95	36	3
1:B:25:C:O2	1:B:25:C:H2'	0.62	1.94	26	1
2:A:25:HIS:CD2	2:A:69:MET:HG2	0.62	2.30	34	1
1:B:14:U:H2'	1:B:14:U:O2	0.62	1.94	32	1
2:A:50:VAL:O	2:A:51:THR:CB	0.61	2.49	36	3
1:B:9:G:O2'	1:B:10:U:C6	0.61	2.53	32	1
2:A:41:ILE:HD12	2:A:65:ALA:N	0.61	2.09	31	1
2:A:24:VAL:HG13	2:A:24:VAL:O	0.61	1.95	31	3
2:A:41:ILE:O	2:A:42:THR:HB	0.61	1.95	31	1
2:A:42:THR:HB	2:A:65:ALA:HB2	0.61	1.72	29	4

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:49:ILE:HG22	2:A:50:VAL:HG23	0.61	1.73	36	1
2:A:45:ILE:CG1	2:A:69:MET:HE3	0.61	2.26	36	1
2:A:13:VAL:HG13	2:A:70:LEU:HD21	0.61	1.73	15	1
1:B:14:U:C2	1:B:16:C:N3	0.61	2.69	35	1
2:A:45:ILE:CG1	2:A:50:VAL:HG13	0.60	2.26	15	1
1:B:13:C:O2'	1:B:14:U:H5'	0.60	1.95	30	8
2:A:24:VAL:HG22	2:A:46:VAL:HG22	0.60	1.73	14	1
2:A:15:GLU:O	2:A:19:LYS:NZ	0.60	2.35	36	1
2:A:13:VAL:HG21	2:A:70:LEU:CD2	0.60	2.25	29	1
1:B:9:G:O2'	1:B:10:U:H6	0.60	1.80	32	1
2:A:46:VAL:O	2:A:46:VAL:HG13	0.60	1.95	25	5
2:A:53:GLY:HA3	2:A:65:ALA:CB	0.60	2.27	23	1
2:A:45:ILE:HB	2:A:50:VAL:HG13	0.59	1.72	13	2
2:A:45:ILE:HA	2:A:50:VAL:HG21	0.59	1.74	28	1
1:B:4:C:H6	1:B:4:C:O5'	0.59	1.79	25	2
2:A:44:CYS:HB2	2:A:69:MET:CE	0.59	2.27	36	1
2:A:50:VAL:HG12	2:A:51:THR:N	0.59	2.13	19	5
1:B:14:U:H2'	1:B:16:C:C4	0.59	2.32	4	16
2:A:44:CYS:O	2:A:50:VAL:CG2	0.59	2.51	28	1
2:A:75:LYS:NZ	2:A:75:LYS:O	0.59	2.35	9	2
1:B:12:C:H2'	1:B:12:C:O2	0.58	1.97	2	7
2:A:15:GLU:HG3	2:A:16:ILE:N	0.58	2.13	6	1
1:B:11:C:O5'	1:B:11:C:H6	0.58	1.80	32	3
2:A:28:VAL:HG22	2:A:42:THR:OG1	0.58	1.98	36	2
2:A:51:THR:OG1	2:A:68:LYS:HE2	0.58	1.97	28	1
2:A:42:THR:HB	2:A:54:GLU:HB2	0.58	1.74	4	2
2:A:46:VAL:HG12	2:A:49:ILE:O	0.58	1.98	28	1
2:A:46:VAL:HG21	2:A:73:LEU:HD22	0.58	1.74	18	1
1:B:13:C:O5'	1:B:13:C:H6	0.58	1.80	35	5
2:A:44:CYS:CB	2:A:52:GLU:HG3	0.58	2.29	35	1
2:A:13:VAL:HG22	2:A:70:LEU:CG	0.58	2.29	5	10
2:A:41:ILE:O	2:A:42:THR:CB	0.58	2.51	31	1
2:A:20:ARG:O	2:A:21:ASN:HB2	0.57	1.99	3	7
1:B:24:G:O2'	1:B:25:C:H5	0.57	1.79	26	1
2:A:10:ILE:HG22	2:A:14:HIS:CD2	0.57	2.34	3	1
2:A:26:PHE:N	2:A:26:PHE:CD1	0.57	2.72	15	1
1:B:15:U:O2	2:A:19:LYS:NZ	0.57	2.34	21	1
2:A:27:LYS:O	2:A:43:ALA:HB3	0.57	2.00	34	1
2:A:44:CYS:O	2:A:50:VAL:CG1	0.57	2.52	28	1
2:A:13:VAL:CG2	2:A:70:LEU:HG	0.56	2.30	18	1
2:A:13:VAL:HG11	2:A:26:PHE:CE1	0.56	2.35	36	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:40:PHE:O	2:A:41:ILE:C	0.56	2.43	29	1
2:A:13:VAL:HG21	2:A:66:ALA:HB1	0.56	1.76	8	5
2:A:45:ILE:HA	2:A:50:VAL:HG13	0.56	1.78	35	1
2:A:45:ILE:HA	2:A:50:VAL:HA	0.56	1.78	7	2
1:B:17:G:N7	2:A:14:HIS:HB3	0.56	2.15	21	3
1:B:27:G:H2'	1:B:28:U:O4'	0.56	2.00	11	1
2:A:28:VAL:HA	2:A:42:THR:HA	0.56	1.77	4	10
1:B:22:C:O2	1:B:23:A:C8	0.56	2.59	32	1
2:A:51:THR:O	2:A:52:GLU:HB2	0.56	2.00	18	1
2:A:45:ILE:O	2:A:47:GLY:N	0.56	2.39	36	1
2:A:10:ILE:HB	2:A:14:HIS:CD2	0.56	2.35	26	1
1:B:28:U:O5'	1:B:28:U:H6	0.56	1.84	25	4
2:A:45:ILE:HG12	2:A:50:VAL:HG13	0.56	1.76	15	1
2:A:43:ALA:HB2	2:A:52:GLU:HA	0.56	1.77	36	1
2:A:51:THR:HB	2:A:69:MET:HG2	0.55	1.78	32	2
1:B:13:C:H2'	1:B:14:U:O4'	0.55	2.02	4	2
2:A:13:VAL:CG2	2:A:70:LEU:HD21	0.55	2.31	12	1
2:A:41:ILE:CG2	2:A:65:ALA:HB2	0.55	2.17	31	1
2:A:49:ILE:HG21	2:A:69:MET:HG2	0.55	1.76	21	1
2:A:20:ARG:O	2:A:21:ASN:HB3	0.55	2.01	32	1
1:B:16:C:H5'	2:A:15:GLU:OE1	0.55	2.01	5	1
2:A:70:LEU:HD23	2:A:73:LEU:HD21	0.55	1.77	7	1
2:A:26:PHE:HB3	2:A:44:CYS:CB	0.55	2.32	15	1
1:B:24:G:H1'	1:B:25:C:C6	0.55	2.37	26	1
2:A:46:VAL:HG13	2:A:69:MET:CE	0.55	2.32	16	1
1:B:17:G:C3'	1:B:17:G:N3	0.55	2.68	32	8
2:A:18:ILE:CG2	2:A:18:ILE:O	0.55	2.50	28	3
2:A:16:ILE:HD12	2:A:70:LEU:HD13	0.55	1.78	26	1
2:A:20:ARG:O	2:A:21:ASN:CB	0.55	2.54	32	6
2:A:47:GLY:O	2:A:48:SER:CB	0.55	2.55	28	5
1:B:22:C:O2'	1:B:23:A:H5''	0.55	2.01	22	1
2:A:45:ILE:HG21	2:A:50:VAL:HG23	0.55	1.79	36	1
1:B:20:G:O2'	1:B:21:A:H5'	0.55	2.00	24	2
2:A:41:ILE:HD11	2:A:52:GLU:HG3	0.55	1.77	36	1
2:A:63:LYS:O	2:A:67:GLU:HG3	0.54	2.02	3	2
2:A:18:ILE:HG22	2:A:19:LYS:N	0.54	2.15	29	1
2:A:15:GLU:O	2:A:19:LYS:HB2	0.54	2.02	6	9
2:A:9:PRO:HA	2:A:13:VAL:CG2	0.54	2.32	18	1
2:A:53:GLY:HA3	2:A:65:ALA:HA	0.54	1.79	17	1
2:A:42:THR:HB	2:A:52:GLU:CB	0.54	2.31	35	1
2:A:45:ILE:CG1	2:A:50:VAL:HG21	0.54	2.32	36	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:51:THR:HB	2:A:69:MET:SD	0.54	2.42	34	2
2:A:41:ILE:HG23	2:A:41:ILE:O	0.54	2.03	22	2
2:A:42:THR:HB	2:A:52:GLU:HB3	0.54	1.78	35	1
1:B:17:G:N3	1:B:17:G:C2'	0.54	2.71	7	4
2:A:17:GLY:O	2:A:22:MET:HB3	0.54	2.03	14	1
1:B:22:C:O2'	1:B:23:A:C8	0.54	2.60	32	1
1:B:17:G:H21	1:B:18:G:C1'	0.54	2.16	7	1
1:B:12:C:O2	1:B:12:C:H2'	0.54	2.02	6	3
2:A:50:VAL:O	2:A:51:THR:C	0.54	2.46	21	2
2:A:51:THR:CG2	2:A:68:LYS:HG2	0.53	2.33	1	1
2:A:24:VAL:CG2	2:A:46:VAL:HG23	0.53	2.27	28	1
1:B:29:C:H6	1:B:29:C:O5'	0.53	1.86	36	2
1:B:22:C:H1'	1:B:23:A:OP1	0.53	2.03	22	1
2:A:45:ILE:HG13	2:A:69:MET:HE3	0.53	1.81	36	1
2:A:45:ILE:HA	2:A:50:VAL:CG1	0.53	2.34	28	1
2:A:63:LYS:HE2	2:A:67:GLU:OE2	0.53	2.03	28	1
2:A:43:ALA:CA	2:A:52:GLU:HA	0.53	2.33	36	1
2:A:51:THR:HG23	2:A:52:GLU:N	0.53	2.18	36	1
2:A:49:ILE:O	2:A:50:VAL:HB	0.53	2.04	28	1
2:A:49:ILE:HD13	2:A:73:LEU:HD21	0.53	1.80	11	2
2:A:51:THR:OG1	2:A:69:MET:HG2	0.53	2.04	33	2
2:A:46:VAL:HG21	2:A:73:LEU:HD21	0.53	1.79	16	2
2:A:45:ILE:HG12	2:A:69:MET:CE	0.53	2.33	36	1
2:A:25:HIS:HB2	2:A:45:ILE:CG2	0.53	2.33	13	9
2:A:51:THR:HG23	2:A:68:LYS:HE3	0.53	1.79	2	1
2:A:46:VAL:O	2:A:48:SER:N	0.53	2.42	1	8
2:A:28:VAL:HG21	2:A:62:LYS:HE2	0.53	1.80	9	1
2:A:63:LYS:O	2:A:67:GLU:HG2	0.53	2.04	26	1
2:A:46:VAL:HG12	2:A:69:MET:CE	0.53	2.34	6	2
1:B:22:C:O2'	1:B:23:A:H8	0.53	1.87	22	3
2:A:29:LEU:HD12	2:A:41:ILE:CG2	0.52	2.32	10	5
2:A:20:ARG:NE	2:A:20:ARG:HA	0.52	2.18	35	1
2:A:51:THR:HG21	2:A:69:MET:CA	0.52	2.35	14	1
2:A:22:MET:HB3	2:A:46:VAL:CG2	0.52	2.32	1	1
2:A:28:VAL:HG12	2:A:42:THR:OG1	0.52	2.05	15	1
2:A:10:ILE:HD11	2:A:62:LYS:O	0.52	2.04	4	1
2:A:75:LYS:O	2:A:75:LYS:NZ	0.52	2.37	15	2
2:A:42:THR:HB	2:A:54:GLU:CB	0.52	2.35	4	1
2:A:46:VAL:HG22	2:A:69:MET:HE3	0.52	1.81	15	2
2:A:63:LYS:CE	2:A:67:GLU:HG3	0.52	2.34	15	1
1:B:21:A:C4	1:B:22:C:H2'	0.52	2.40	32	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:69:MET:HG2	2:A:73:LEU:HD23	0.52	1.82	28	1
2:A:41:ILE:CG2	2:A:42:THR:N	0.52	2.71	31	1
2:A:13:VAL:HG21	2:A:70:LEU:HD22	0.52	1.81	29	1
2:A:53:GLY:O	2:A:54:GLU:HB2	0.52	2.05	29	1
1:B:13:C:H6	1:B:13:C:O5'	0.51	1.88	34	7
2:A:50:VAL:CG1	2:A:51:THR:N	0.51	2.73	6	3
2:A:17:GLY:CA	2:A:22:MET:HA	0.51	2.35	34	1
2:A:43:ALA:HA	2:A:52:GLU:HB3	0.51	1.81	18	2
2:A:45:ILE:HD11	2:A:73:LEU:HD11	0.51	1.82	36	1
1:B:25:C:C6	1:B:25:C:H5''	0.51	2.40	26	1
2:A:72:GLU:HA	2:A:75:LYS:NZ	0.51	2.19	12	1
1:B:17:G:N7	2:A:19:LYS:HE3	0.51	2.20	19	1
2:A:49:ILE:HD13	2:A:73:LEU:CD2	0.51	2.34	26	1
1:B:16:C:O5'	1:B:16:C:H6	0.51	1.89	25	1
2:A:9:PRO:HD2	2:A:63:LYS:HG3	0.51	1.82	4	1
2:A:22:MET:HB3	2:A:46:VAL:CG1	0.51	2.35	7	2
2:A:45:ILE:CB	2:A:50:VAL:HB	0.51	2.32	36	1
2:A:46:VAL:HG23	2:A:49:ILE:HB	0.51	1.81	15	2
2:A:26:PHE:CD2	2:A:44:CYS:SG	0.51	3.00	36	1
2:A:16:ILE:HD13	2:A:73:LEU:HD13	0.51	1.82	28	1
2:A:13:VAL:HG22	2:A:70:LEU:CD1	0.51	2.34	11	1
2:A:28:VAL:C	2:A:29:LEU:HG	0.51	2.25	19	1
2:A:54:GLU:HG2	2:A:54:GLU:O	0.51	2.03	26	1
2:A:25:HIS:O	2:A:44:CYS:HA	0.51	2.06	34	6
2:A:50:VAL:HG11	2:A:69:MET:SD	0.51	2.45	36	1
1:B:14:U:H1'	1:B:16:C:N4	0.51	2.21	19	3
2:A:28:VAL:HG21	2:A:62:LYS:CE	0.51	2.35	9	1
2:A:23:THR:HB	2:A:25:HIS:NE2	0.51	2.20	34	2
2:A:26:PHE:CD2	2:A:44:CYS:HB3	0.51	2.41	27	4
2:A:70:LEU:N	2:A:70:LEU:HD12	0.51	2.21	8	1
2:A:46:VAL:O	2:A:47:GLY:C	0.51	2.49	18	2
2:A:53:GLY:HA3	2:A:65:ALA:CA	0.51	2.35	17	1
2:A:53:GLY:CA	2:A:65:ALA:CB	0.51	2.89	21	1
2:A:52:GLU:O	2:A:68:LYS:NZ	0.50	2.44	34	3
2:A:24:VAL:O	2:A:24:VAL:HG13	0.50	2.06	12	2
2:A:69:MET:O	2:A:73:LEU:HD13	0.50	2.07	3	2
2:A:41:ILE:HG12	2:A:54:GLU:HG2	0.50	1.83	33	1
2:A:45:ILE:HG13	2:A:50:VAL:HB	0.50	1.84	7	2
1:B:16:C:C2	1:B:17:G:C2	0.50	3.00	19	3
2:A:14:HIS:CD2	2:A:24:VAL:HG11	0.50	2.42	12	1
2:A:15:GLU:O	2:A:19:LYS:HE2	0.50	2.07	28	1

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:14:U:O2'	1:B:16:C:N4	0.50	2.44	35	1
2:A:45:ILE:HA	2:A:50:VAL:HB	0.50	1.83	16	1
2:A:17:GLY:HA3	2:A:24:VAL:CG2	0.50	2.36	33	4
1:B:14:U:H1'	1:B:17:G:O6	0.50	2.06	25	1
2:A:46:VAL:HG13	2:A:69:MET:HE1	0.50	1.83	16	1
2:A:15:GLU:HG2	2:A:16:ILE:N	0.50	2.22	31	1
2:A:43:ALA:HA	2:A:52:GLU:HA	0.50	1.83	36	5
2:A:68:LYS:O	2:A:72:GLU:HG2	0.50	2.07	12	2
2:A:53:GLY:O	2:A:54:GLU:CB	0.50	2.60	14	2
1:B:27:G:O2'	1:B:28:U:H5'	0.50	2.06	1	2
2:A:64:ARG:HA	2:A:67:GLU:HG3	0.50	1.83	31	1
1:B:17:G:N7	2:A:18:ILE:HD11	0.50	2.21	13	1
1:B:11:C:H6	1:B:11:C:O5'	0.50	1.90	31	4
2:A:19:LYS:O	2:A:19:LYS:NZ	0.50	2.40	14	1
2:A:41:ILE:HG23	2:A:54:GLU:HG2	0.50	1.82	9	1
1:B:23:A:N6	1:B:24:G:C6	0.50	2.80	26	1
2:A:26:PHE:CE1	2:A:66:ALA:HB2	0.50	2.42	11	2
2:A:50:VAL:HG21	2:A:69:MET:HE3	0.50	1.84	36	1
2:A:53:GLY:HA3	2:A:65:ALA:HB1	0.49	1.84	23	1
1:B:30:C:O5'	1:B:30:C:H6	0.49	1.89	32	1
2:A:22:MET:CE	2:A:45:ILE:HG23	0.49	2.37	36	1
2:A:13:VAL:CG1	2:A:14:HIS:N	0.49	2.75	27	1
2:A:44:CYS:C	2:A:69:MET:HE1	0.49	2.28	36	1
1:B:15:U:C2	2:A:11:SER:HB3	0.49	2.42	36	1
2:A:20:ARG:NH2	2:A:73:LEU:O	0.49	2.45	16	1
2:A:44:CYS:HG	2:A:65:ALA:HB1	0.49	1.67	2	1
1:B:3:A:O2'	1:B:4:C:H5'	0.49	2.07	4	1
2:A:68:LYS:NZ	2:A:72:GLU:OE2	0.49	2.39	24	3
2:A:46:VAL:HB	2:A:69:MET:CE	0.49	2.38	18	1
1:B:17:G:N2	1:B:18:G:C1'	0.49	2.76	7	3
1:B:18:G:N2	2:A:11:SER:OG	0.49	2.46	30	2
1:B:17:G:C2'	1:B:17:G:N3	0.49	2.76	19	2
2:A:46:VAL:HG21	2:A:73:LEU:HD11	0.49	1.83	1	2
2:A:45:ILE:HG22	2:A:49:ILE:O	0.49	2.07	36	1
2:A:54:GLU:O	2:A:54:GLU:HG2	0.49	2.06	3	1
2:A:54:GLU:O	2:A:64:ARG:HB3	0.49	2.08	14	1
2:A:44:CYS:SG	2:A:69:MET:HG3	0.49	2.47	4	1
1:B:28:U:H2'	1:B:29:C:O4'	0.49	2.07	33	2
2:A:16:ILE:HG22	2:A:21:ASN:CB	0.49	2.38	36	1
1:B:17:G:N7	2:A:18:ILE:HD13	0.49	2.23	35	1
2:A:54:GLU:HA	2:A:64:ARG:HG3	0.49	1.85	12	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:44:CYS:O	2:A:50:VAL:HG12	0.49	2.07	16	1
2:A:20:ARG:HA	2:A:20:ARG:NE	0.48	2.22	31	1
2:A:45:ILE:HD13	2:A:45:ILE:C	0.48	2.29	3	1
2:A:54:GLU:HG3	2:A:64:ARG:CB	0.48	2.38	4	1
1:B:3:A:H2'	1:B:4:C:O4'	0.48	2.08	33	4
2:A:44:CYS:HB3	2:A:69:MET:SD	0.48	2.48	31	1
1:B:1:G:H5'	1:B:2:G:OP1	0.48	2.09	27	1
1:B:15:U:H4'	2:A:15:GLU:OE2	0.48	2.08	28	1
2:A:9:PRO:HG3	2:A:67:GLU:HG3	0.48	1.84	4	1
2:A:68:LYS:O	2:A:71:VAL:HG22	0.48	2.09	25	3
1:B:29:C:H2'	1:B:30:C:C5	0.48	2.44	32	1
2:A:69:MET:SD	2:A:73:LEU:CD1	0.48	3.02	18	1
2:A:75:LYS:HE2	2:A:76:LEU:O	0.48	2.09	36	1
1:B:3:A:O5'	1:B:3:A:H8	0.48	1.91	32	1
2:A:45:ILE:HG13	2:A:50:VAL:HG13	0.48	1.85	22	1
2:A:44:CYS:O	2:A:46:VAL:N	0.48	2.46	36	1
1:B:2:G:C2	1:B:30:C:N4	0.48	2.82	7	1
2:A:51:THR:HG21	2:A:69:MET:HA	0.48	1.86	14	1
1:B:22:C:O5'	1:B:22:C:H6	0.47	1.92	36	2
1:B:10:U:H6	1:B:10:U:O5'	0.47	1.91	3	2
2:A:51:THR:HG23	2:A:52:GLU:H	0.47	1.68	21	1
2:A:24:VAL:HG22	2:A:46:VAL:CG2	0.47	2.32	28	1
1:B:29:C:O5'	1:B:29:C:H6	0.47	1.92	4	2
2:A:45:ILE:CB	2:A:50:VAL:CG2	0.47	2.92	36	1
2:A:46:VAL:HG11	2:A:73:LEU:HD11	0.47	1.85	27	3
2:A:25:HIS:NE2	2:A:46:VAL:HG23	0.47	2.25	34	1
2:A:45:ILE:HG21	2:A:50:VAL:CG2	0.47	2.39	36	1
2:A:49:ILE:HD12	2:A:73:LEU:HD22	0.47	1.86	35	1
1:B:1:G:O2'	1:B:2:G:H8	0.47	1.91	33	1
1:B:14:U:O2'	1:B:16:C:C5	0.47	2.55	1	1
2:A:75:LYS:O	2:A:75:LYS:HE3	0.47	2.09	36	1
2:A:45:ILE:CA	2:A:50:VAL:HG13	0.47	2.39	35	1
1:B:12:C:C2	1:B:20:G:C6	0.47	3.02	2	1
2:A:15:GLU:OE2	2:A:19:LYS:NZ	0.47	2.47	10	2
2:A:46:VAL:CG2	2:A:69:MET:SD	0.47	3.02	32	1
2:A:26:PHE:CD1	2:A:44:CYS:HB3	0.47	2.43	23	1
2:A:22:MET:HB3	2:A:46:VAL:HB	0.47	1.84	12	1
2:A:17:GLY:O	2:A:22:MET:CB	0.47	2.63	14	2
1:B:3:A:H8	1:B:3:A:O5'	0.47	1.92	35	1
1:B:12:C:H6	1:B:12:C:O5'	0.47	1.92	27	1
1:B:28:U:H6	1:B:28:U:O5'	0.47	1.93	9	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:27:LYS:CE	2:A:28:VAL:O	0.47	2.63	16	2
2:A:23:THR:HB	2:A:25:HIS:CE1	0.47	2.44	34	2
2:A:46:VAL:HG21	2:A:73:LEU:CD2	0.47	2.39	18	2
1:B:14:U:O2	1:B:14:U:C2'	0.47	2.63	32	1
1:B:18:G:O2'	2:A:14:HIS:ND1	0.47	2.47	30	1
1:B:16:C:C2	1:B:17:G:N1	0.47	2.83	35	2
2:A:73:LEU:HD12	2:A:73:LEU:O	0.47	2.09	23	1
2:A:10:ILE:CG2	2:A:14:HIS:CD2	0.47	2.98	31	2
2:A:72:GLU:OE2	2:A:75:LYS:NZ	0.47	2.48	3	3
1:B:14:U:H2'	1:B:16:C:C5	0.47	2.44	21	3
1:B:1:G:H2'	1:B:2:G:O4'	0.47	2.09	15	2
2:A:73:LEU:N	2:A:73:LEU:CD2	0.47	2.78	32	2
2:A:14:HIS:O	2:A:18:ILE:HG22	0.47	2.10	11	2
2:A:40:PHE:N	2:A:55:GLY:O	0.47	2.48	30	1
1:B:1:G:H4'	1:B:2:G:O5'	0.46	2.10	32	1
2:A:22:MET:HE2	2:A:23:THR:O	0.46	2.10	36	1
2:A:22:MET:HE2	2:A:45:ILE:HG23	0.46	1.85	36	1
2:A:45:ILE:HA	2:A:50:VAL:CB	0.46	2.41	28	1
2:A:44:CYS:SG	2:A:69:MET:SD	0.46	3.13	25	2
2:A:41:ILE:HA	2:A:54:GLU:HA	0.46	1.86	28	2
2:A:22:MET:SD	2:A:73:LEU:HD22	0.46	2.50	16	1
2:A:10:ILE:O	2:A:13:VAL:HG12	0.46	2.11	2	2
2:A:9:PRO:O	2:A:10:ILE:HB	0.46	2.10	12	2
2:A:17:GLY:HA2	2:A:22:MET:HB2	0.46	1.87	7	1
2:A:12:GLN:HA	2:A:15:GLU:HG2	0.46	1.86	6	1
2:A:63:LYS:NZ	2:A:67:GLU:OE2	0.46	2.47	10	3
2:A:44:CYS:HB2	2:A:50:VAL:HG11	0.46	1.86	16	1
1:B:17:G:N3	1:B:17:G:C3'	0.46	2.76	16	3
2:A:21:ASN:C	2:A:22:MET:CG	0.46	2.83	34	1
2:A:9:PRO:O	2:A:66:ALA:HB1	0.46	2.11	11	1
2:A:51:THR:HG21	2:A:68:LYS:HD3	0.46	1.87	11	1
2:A:23:THR:O	2:A:46:VAL:HG12	0.46	2.11	16	1
2:A:23:THR:O	2:A:45:ILE:HD13	0.46	2.10	36	1
2:A:44:CYS:SG	2:A:69:MET:HB2	0.46	2.50	28	1
2:A:45:ILE:HA	2:A:50:VAL:CG2	0.46	2.40	28	1
2:A:18:ILE:HG13	2:A:24:VAL:HG21	0.46	1.87	16	1
1:B:24:G:N3	1:B:24:G:H2'	0.46	2.26	32	1
2:A:68:LYS:O	2:A:71:VAL:HG12	0.46	2.11	4	2
2:A:42:THR:HB	2:A:54:GLU:CD	0.46	2.31	14	1
1:B:15:U:O5'	1:B:16:C:H5	0.46	1.94	34	1
1:B:22:C:O2'	1:B:23:A:P	0.46	2.74	32	1

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:10:U:O5'	1:B:10:U:H6	0.46	1.94	1	1
1:B:17:G:N2	1:B:18:G:O4'	0.46	2.49	27	1
2:A:45:ILE:C	2:A:69:MET:HE2	0.46	2.31	2	2
2:A:29:LEU:O	2:A:30:ARG:HB2	0.46	2.10	35	3
2:A:52:GLU:CD	2:A:65:ALA:HB1	0.46	2.31	18	1
2:A:74:GLN:HG3	2:A:75:LYS:N	0.46	2.24	24	1
2:A:63:LYS:O	2:A:67:GLU:HB2	0.46	2.11	15	2
2:A:10:ILE:HD11	2:A:62:LYS:HG2	0.45	1.87	1	1
1:B:2:G:C6	1:B:3:A:N7	0.45	2.84	28	1
2:A:41:ILE:HG12	2:A:55:GLY:H	0.45	1.71	31	1
2:A:16:ILE:HD12	2:A:70:LEU:HD23	0.45	1.87	8	1
2:A:13:VAL:HG13	2:A:70:LEU:HG	0.45	1.86	18	1
2:A:45:ILE:CD1	2:A:50:VAL:HG22	0.45	2.41	18	1
2:A:13:VAL:CG1	2:A:24:VAL:HG11	0.45	2.39	19	3
2:A:42:THR:OG1	2:A:62:LYS:N	0.45	2.47	13	1
2:A:46:VAL:CG1	2:A:46:VAL:O	0.45	2.65	5	3
1:B:22:C:C1'	1:B:23:A:OP1	0.45	2.65	22	1
2:A:13:VAL:HG13	2:A:24:VAL:HG11	0.45	1.87	27	1
2:A:29:LEU:O	2:A:30:ARG:HB3	0.45	2.11	3	1
1:B:8:U:H6	1:B:8:U:O5'	0.45	1.95	8	2
2:A:50:VAL:CG2	2:A:51:THR:N	0.45	2.79	33	3
2:A:73:LEU:CD2	2:A:76:LEU:HD11	0.45	2.40	24	1
2:A:42:THR:O	2:A:53:GLY:HA3	0.45	2.11	21	1
2:A:41:ILE:N	2:A:41:ILE:HD12	0.45	2.27	21	1
1:B:17:G:N2	1:B:18:G:C8	0.45	2.85	32	1
2:A:65:ALA:O	2:A:69:MET:HG2	0.45	2.10	36	1
1:B:25:C:O2	1:B:25:C:C2'	0.45	2.62	26	1
2:A:24:VAL:O	2:A:24:VAL:CG1	0.45	2.65	2	2
2:A:44:CYS:SG	2:A:65:ALA:CB	0.45	3.00	24	1
2:A:27:LYS:O	2:A:43:ALA:N	0.45	2.49	21	2
2:A:43:ALA:N	2:A:52:GLU:HB2	0.45	2.26	35	1
2:A:10:ILE:HG23	2:A:14:HIS:CD2	0.45	2.47	31	1
1:B:22:C:H2'	1:B:23:A:C8	0.45	2.46	6	3
2:A:28:VAL:HG13	2:A:41:ILE:O	0.45	2.11	8	1
1:B:17:G:H2'	1:B:18:G:C4'	0.45	2.41	18	2
1:B:29:C:H2'	1:B:30:C:C6	0.45	2.47	19	3
2:A:18:ILE:O	2:A:19:LYS:HD3	0.45	2.12	28	1
1:B:16:C:N3	2:A:14:HIS:HB3	0.45	2.27	17	1
2:A:43:ALA:CA	2:A:51:THR:HA	0.45	2.41	6	1
2:A:51:THR:HG22	2:A:51:THR:O	0.45	2.11	2	1
2:A:51:THR:CG2	2:A:68:LYS:HE3	0.45	2.42	2	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:17:G:N7	2:A:18:ILE:HG21	0.45	2.27	7	1
2:A:9:PRO:HB2	2:A:66:ALA:HB3	0.45	1.88	19	1
2:A:13:VAL:CG2	2:A:66:ALA:HB1	0.45	2.42	26	1
1:B:19:G:N2	1:B:20:G:C4	0.45	2.85	26	1
2:A:47:GLY:O	2:A:48:SER:OG	0.45	2.34	28	1
2:A:46:VAL:O	2:A:46:VAL:CG1	0.44	2.65	20	3
1:B:20:G:C2	1:B:21:A:C8	0.44	3.05	32	1
1:B:3:A:H2'	1:B:4:C:C6	0.44	2.47	32	1
2:A:54:GLU:CD	2:A:64:ARG:NH2	0.44	2.71	36	1
2:A:41:ILE:HB	2:A:53:GLY:O	0.44	2.12	31	1
2:A:17:GLY:HA3	2:A:24:VAL:HG21	0.44	1.88	9	3
2:A:50:VAL:HG22	2:A:51:THR:N	0.44	2.27	7	1
1:B:13:C:O2	1:B:19:G:C2	0.44	2.71	26	1
1:B:1:G:H2'	1:B:1:G:N3	0.44	2.26	11	1
1:B:1:G:N7	1:B:2:G:H1'	0.44	2.27	3	1
2:A:9:PRO:HD2	2:A:63:LYS:CG	0.44	2.42	4	1
2:A:22:MET:HB3	2:A:46:VAL:HG13	0.44	1.88	33	1
2:A:70:LEU:HD22	2:A:73:LEU:HD23	0.44	1.90	23	1
2:A:26:PHE:CE2	2:A:44:CYS:HB3	0.44	2.46	27	1
1:B:18:G:O2'	2:A:14:HIS:CE1	0.44	2.70	18	1
1:B:29:C:O2'	1:B:30:C:C6	0.44	2.67	1	1
2:A:44:CYS:O	2:A:50:VAL:HG21	0.44	2.12	28	1
2:A:18:ILE:O	2:A:20:ARG:N	0.44	2.51	29	1
2:A:18:ILE:HG13	2:A:24:VAL:HG23	0.44	1.89	14	1
1:B:17:G:C8	2:A:18:ILE:HG21	0.44	2.48	7	2
2:A:23:THR:O	2:A:46:VAL:HA	0.44	2.11	26	2
2:A:14:HIS:NE2	2:A:26:PHE:CD1	0.44	2.85	21	1
2:A:46:VAL:HG12	2:A:49:ILE:HB	0.44	1.88	21	1
2:A:46:VAL:CG2	2:A:73:LEU:HD21	0.44	2.43	8	1
1:B:1:G:C4'	1:B:2:G:O5'	0.44	2.66	32	1
2:A:11:SER:OG	2:A:12:GLN:N	0.44	2.51	15	1
2:A:68:LYS:HA	2:A:71:VAL:HG12	0.44	1.90	1	1
2:A:63:LYS:CE	2:A:67:GLU:CG	0.44	2.96	36	1
1:B:20:G:OP2	1:B:20:G:H8	0.44	1.95	20	1
1:B:10:U:C5	1:B:23:A:N6	0.44	2.86	32	1
2:A:41:ILE:HB	2:A:54:GLU:HA	0.44	1.89	31	1
1:B:28:U:H2'	1:B:29:C:C6	0.44	2.48	3	3
1:B:15:U:H6	1:B:15:U:O5'	0.44	1.96	27	1
2:A:45:ILE:HG12	2:A:50:VAL:HB	0.44	1.90	33	1
1:B:28:U:O2'	1:B:29:C:H5'	0.44	2.12	34	1
2:A:51:THR:CB	2:A:69:MET:HG2	0.44	2.43	32	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:64:ARG:HA	2:A:67:GLU:CD	0.44	2.33	30	1
2:A:13:VAL:HG11	2:A:26:PHE:CZ	0.44	2.48	36	1
2:A:13:VAL:O	2:A:17:GLY:N	0.44	2.49	29	1
1:B:26:U:H6	1:B:26:U:O5'	0.43	1.95	24	1
2:A:25:HIS:CD2	2:A:69:MET:CG	0.43	3.01	34	1
2:A:22:MET:HB2	2:A:46:VAL:CG1	0.43	2.43	32	1
2:A:22:MET:CG	2:A:46:VAL:HG13	0.43	2.42	32	1
2:A:49:ILE:HD12	2:A:73:LEU:CD2	0.43	2.43	35	1
1:B:15:U:OP2	1:B:15:U:C6	0.43	2.71	35	1
1:B:17:G:C8	2:A:14:HIS:CB	0.43	3.01	29	1
1:B:20:G:H2'	1:B:20:G:N3	0.43	2.26	10	3
1:B:26:U:O5'	1:B:26:U:H6	0.43	1.96	25	1
2:A:72:GLU:OE1	2:A:75:LYS:NZ	0.43	2.52	5	2
2:A:68:LYS:O	2:A:72:GLU:HG3	0.43	2.13	16	1
1:B:3:A:C6	1:B:4:C:C5	0.43	3.06	2	1
2:A:13:VAL:HG23	2:A:70:LEU:CG	0.43	2.42	10	1
2:A:13:VAL:HG12	2:A:24:VAL:CG1	0.43	2.42	36	1
2:A:29:LEU:HD12	2:A:54:GLU:OE1	0.43	2.13	31	1
2:A:50:VAL:O	2:A:51:THR:CG2	0.43	2.64	16	1
2:A:46:VAL:CG1	2:A:73:LEU:HD21	0.43	2.42	2	1
2:A:17:GLY:CA	2:A:22:MET:HG2	0.43	2.43	32	1
2:A:54:GLU:C	2:A:64:ARG:HG2	0.43	2.33	12	1
2:A:18:ILE:O	2:A:18:ILE:CG2	0.43	2.65	22	1
2:A:44:CYS:CB	2:A:69:MET:CE	0.43	2.96	36	1
2:A:45:ILE:HB	2:A:50:VAL:CG2	0.43	2.43	36	1
2:A:26:PHE:CE1	2:A:44:CYS:CB	0.43	3.02	28	1
1:B:22:C:H6	1:B:22:C:O5'	0.43	1.96	9	1
2:A:54:GLU:O	2:A:54:GLU:CG	0.43	2.66	26	1
2:A:13:VAL:O	2:A:16:ILE:HG13	0.43	2.13	3	2
2:A:22:MET:SD	2:A:47:GLY:HA3	0.43	2.54	14	1
2:A:54:GLU:HB2	2:A:65:ALA:HB2	0.43	1.89	4	1
1:B:30:C:O2	1:B:30:C:H2'	0.43	2.14	33	1
1:B:25:C:H2'	1:B:26:U:C6	0.43	2.49	30	2
2:A:45:ILE:CG1	2:A:50:VAL:HB	0.43	2.44	24	1
1:B:14:U:O2	1:B:18:G:N1	0.43	2.52	23	2
1:B:20:G:N2	1:B:21:A:C4	0.43	2.87	23	1
2:A:40:PHE:HB2	2:A:55:GLY:O	0.43	2.14	22	1
2:A:52:GLU:OE2	2:A:68:LYS:NZ	0.43	2.48	5	1
2:A:46:VAL:CG1	2:A:73:LEU:HD11	0.43	2.43	2	1
2:A:54:GLU:HG3	2:A:64:ARG:HB2	0.43	1.91	4	1
1:B:16:C:N4	2:A:11:SER:OG	0.43	2.52	7	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:42:THR:HG22	2:A:44:CYS:SG	0.43	2.54	21	1
2:A:75:LYS:O	2:A:75:LYS:HG2	0.43	2.14	30	1
1:B:17:G:H5''	1:B:17:G:N3	0.43	2.28	26	1
1:B:16:C:H4'	1:B:17:G:O5'	0.43	2.13	28	1
2:A:51:THR:HB	2:A:69:MET:HG3	0.43	1.91	11	1
1:B:21:A:H8	1:B:21:A:O5'	0.43	1.96	5	1
2:A:15:GLU:CD	2:A:19:LYS:NZ	0.43	2.72	36	1
2:A:43:ALA:HA	2:A:52:GLU:CB	0.43	2.44	31	1
2:A:30:ARG:HG3	2:A:30:ARG:O	0.43	2.14	31	1
2:A:68:LYS:HE3	2:A:71:VAL:CG2	0.42	2.44	27	1
2:A:25:HIS:HA	2:A:45:ILE:O	0.42	2.13	34	1
2:A:10:ILE:HD13	2:A:26:PHE:CZ	0.42	2.49	34	1
2:A:70:LEU:N	2:A:70:LEU:CD1	0.42	2.82	8	1
2:A:55:GLY:CA	2:A:64:ARG:HD2	0.42	2.44	19	1
2:A:45:ILE:HG12	2:A:50:VAL:HG22	0.42	1.91	32	2
2:A:23:THR:OG1	2:A:47:GLY:HA2	0.42	2.14	17	2
1:B:8:U:O5'	1:B:8:U:H6	0.42	1.97	1	1
1:B:15:U:C2'	2:A:15:GLU:HG2	0.42	2.43	17	1
1:B:15:U:O5'	1:B:15:U:H6	0.42	1.97	20	1
2:A:68:LYS:NZ	2:A:72:GLU:OE1	0.42	2.48	11	1
2:A:18:ILE:CG2	2:A:19:LYS:N	0.42	2.82	29	1
1:B:12:C:C2'	1:B:12:C:O2	0.42	2.64	2	2
1:B:21:A:H2'	1:B:22:C:O4'	0.42	2.14	19	1
2:A:21:ASN:C	2:A:22:MET:HG2	0.42	2.34	1	1
2:A:63:LYS:NZ	2:A:67:GLU:OE1	0.42	2.51	12	2
2:A:25:HIS:HB2	2:A:45:ILE:HB	0.42	1.91	18	1
1:B:24:G:O3'	1:B:25:C:H6	0.42	1.98	26	1
2:A:41:ILE:O	2:A:41:ILE:HG23	0.42	2.14	13	2
2:A:69:MET:HA	2:A:72:GLU:CG	0.42	2.45	27	1
2:A:13:VAL:O	2:A:16:ILE:HG22	0.42	2.15	34	1
1:B:23:A:O5'	1:B:23:A:H8	0.42	1.97	32	1
2:A:54:GLU:HA	2:A:64:ARG:CG	0.42	2.43	12	1
2:A:40:PHE:HA	2:A:55:GLY:O	0.42	2.14	31	1
2:A:44:CYS:SG	2:A:51:THR:O	0.42	2.77	14	1
2:A:63:LYS:HE2	2:A:67:GLU:HG3	0.42	1.92	15	1
2:A:51:THR:HB	2:A:69:MET:CG	0.42	2.44	11	2
2:A:13:VAL:HG13	2:A:70:LEU:CG	0.42	2.45	18	1
2:A:54:GLU:CD	2:A:54:GLU:N	0.42	2.73	19	1
2:A:45:ILE:CB	2:A:50:VAL:HG21	0.42	2.45	36	1
2:A:18:ILE:O	2:A:19:LYS:C	0.42	2.58	29	1
2:A:29:LEU:HD12	2:A:41:ILE:HG21	0.42	1.90	3	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:12:C:O5'	1:B:12:C:H6	0.42	1.96	32	1
2:A:17:GLY:HA2	2:A:22:MET:HG2	0.42	1.91	32	1
2:A:42:THR:HG21	2:A:62:LYS:HA	0.42	1.90	16	1
2:A:49:ILE:HB	2:A:69:MET:HE2	0.42	1.92	21	1
2:A:51:THR:HG21	2:A:68:LYS:HG2	0.42	1.91	1	1
2:A:26:PHE:CE2	2:A:44:CYS:SG	0.42	3.13	36	1
1:B:21:A:C2	1:B:22:C:C2	0.42	3.08	31	1
2:A:53:GLY:O	2:A:55:GLY:N	0.42	2.53	27	1
2:A:44:CYS:O	2:A:50:VAL:HA	0.42	2.15	19	2
2:A:46:VAL:CG1	2:A:49:ILE:HB	0.42	2.45	34	2
2:A:22:MET:HG3	2:A:46:VAL:HG13	0.42	1.92	32	1
1:B:17:G:C8	2:A:14:HIS:HB3	0.42	2.50	26	2
2:A:26:PHE:CZ	2:A:66:ALA:HB2	0.42	2.50	25	1
1:B:2:G:C2	1:B:3:A:C8	0.42	3.08	11	1
2:A:9:PRO:HG3	2:A:67:GLU:HG2	0.42	1.91	27	1
1:B:16:C:O2'	1:B:17:G:C5	0.42	2.73	1	1
2:A:44:CYS:CB	2:A:69:MET:SD	0.42	3.07	25	1
2:A:48:SER:C	2:A:49:ILE:CG1	0.41	2.88	24	2
2:A:28:VAL:HG12	2:A:28:VAL:O	0.41	2.15	19	1
2:A:53:GLY:CA	2:A:65:ALA:HA	0.41	2.45	23	1
2:A:45:ILE:CB	2:A:50:VAL:CB	0.41	2.95	36	1
2:A:10:ILE:O	2:A:11:SER:C	0.41	2.58	11	1
2:A:69:MET:O	2:A:73:LEU:HB2	0.41	2.15	33	1
2:A:54:GLU:CD	2:A:64:ARG:HH21	0.41	2.19	36	1
2:A:63:LYS:HE2	2:A:67:GLU:CG	0.41	2.45	36	1
2:A:41:ILE:CD1	2:A:65:ALA:N	0.41	2.82	31	1
1:B:19:G:N3	1:B:19:G:H2'	0.41	2.30	33	1
2:A:50:VAL:O	2:A:52:GLU:N	0.41	2.53	6	1
2:A:16:ILE:HD12	2:A:70:LEU:CD2	0.41	2.45	8	1
2:A:73:LEU:N	2:A:73:LEU:HD12	0.41	2.30	8	1
2:A:13:VAL:HG12	2:A:24:VAL:HG21	0.41	1.91	25	1
2:A:68:LYS:NZ	2:A:72:GLU:CD	0.41	2.74	13	1
1:B:10:U:H2'	1:B:11:C:C6	0.41	2.51	30	1
2:A:63:LYS:NZ	2:A:67:GLU:CD	0.41	2.74	24	1
2:A:53:GLY:HA2	2:A:65:ALA:CB	0.41	2.45	21	1
2:A:64:ARG:O	2:A:68:LYS:HB2	0.41	2.15	8	1
2:A:9:PRO:HB2	2:A:66:ALA:CB	0.41	2.45	19	1
1:B:18:G:OP2	1:B:18:G:H8	0.41	1.98	21	1
2:A:10:ILE:HG13	2:A:62:LYS:NZ	0.41	2.31	34	1
1:B:9:G:O2'	1:B:10:U:O4'	0.41	2.39	32	1
1:B:2:G:H2'	1:B:3:A:O4'	0.41	2.16	25	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:44:CYS:SG	2:A:69:MET:HG2	0.41	2.56	29	1
2:A:29:LEU:O	2:A:30:ARG:CB	0.41	2.69	3	1
2:A:24:VAL:HG12	2:A:26:PHE:CE2	0.41	2.51	1	1
2:A:25:HIS:O	2:A:27:LYS:NZ	0.41	2.43	17	1
2:A:22:MET:CE	2:A:73:LEU:HD22	0.41	2.46	31	1
2:A:70:LEU:O	2:A:74:GLN:HB2	0.41	2.16	3	1
2:A:53:GLY:O	2:A:54:GLU:HB3	0.41	2.16	14	1
2:A:53:GLY:CA	2:A:65:ALA:HB2	0.41	2.46	21	1
2:A:75:LYS:NZ	2:A:76:LEU:O	0.41	2.53	9	1
1:B:17:G:C4	2:A:18:ILE:CG2	0.41	3.03	19	1
1:B:16:C:C2	1:B:17:G:N2	0.41	2.88	19	1
1:B:18:G:C2	1:B:19:G:C4	0.41	3.09	22	1
2:A:14:HIS:O	2:A:18:ILE:HB	0.41	2.15	29	1
2:A:51:THR:OG1	2:A:69:MET:HG3	0.41	2.16	14	1
1:B:17:G:N7	2:A:14:HIS:ND1	0.41	2.60	6	1
1:B:20:G:H8	1:B:20:G:OP2	0.41	1.99	32	1
2:A:55:GLY:HA2	2:A:64:ARG:HD2	0.41	1.91	19	1
1:B:16:C:O4'	1:B:17:G:C6	0.41	2.74	28	1
1:B:15:U:O3'	2:A:19:LYS:NZ	0.41	2.54	25	1
1:B:15:U:O2'	2:A:15:GLU:HB3	0.41	2.16	29	1
1:B:7:C:H2'	1:B:8:U:C6	0.41	2.51	5	1
1:B:15:U:O2'	2:A:15:GLU:HA	0.41	2.16	13	1
2:A:26:PHE:CD1	2:A:44:CYS:HB2	0.40	2.51	7	1
2:A:44:CYS:C	2:A:50:VAL:HG23	0.40	2.36	7	1
1:B:15:U:O3'	2:A:15:GLU:HG2	0.40	2.15	36	1
1:B:1:G:HO2'	1:B:2:G:C5'	0.40	2.28	20	1
2:A:54:GLU:HG3	2:A:64:ARG:NH1	0.40	2.31	27	1
2:A:46:VAL:HG13	2:A:69:MET:SD	0.40	2.55	2	1
1:B:16:C:O4'	1:B:17:G:C4	0.40	2.75	32	1
2:A:26:PHE:CE1	2:A:66:ALA:HA	0.40	2.51	23	1
2:A:26:PHE:CD2	2:A:44:CYS:HB2	0.40	2.51	10	1
2:A:51:THR:O	2:A:51:THR:CG2	0.40	2.69	2	1
2:A:24:VAL:O	2:A:26:PHE:N	0.40	2.54	34	1
1:B:19:G:H2'	1:B:19:G:N3	0.40	2.32	8	1
2:A:26:PHE:CE1	2:A:44:CYS:SG	0.40	3.13	18	1
2:A:67:GLU:O	2:A:71:VAL:HB	0.40	2.16	18	1
2:A:26:PHE:CE1	2:A:44:CYS:HB2	0.40	2.51	19	1
2:A:49:ILE:HG22	2:A:50:VAL:N	0.40	2.31	36	1
2:A:75:LYS:HE3	2:A:75:LYS:HB3	0.40	1.77	13	1
1:B:12:C:N4	1:B:13:C:H41	0.40	2.15	4	1
1:B:1:G:O2'	1:B:2:G:O5'	0.40	2.35	33	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:23:THR:OG1	2:A:46:VAL:HA	0.40	2.16	33	1
2:A:22:MET:CE	2:A:46:VAL:HG22	0.40	2.47	21	1
2:A:27:LYS:HE2	2:A:28:VAL:O	0.40	2.17	6	1
2:A:63:LYS:O	2:A:64:ARG:C	0.40	2.60	18	1
2:A:44:CYS:SG	2:A:51:THR:HB	0.40	2.57	22	1
1:B:12:C:O2'	1:B:20:G:N2	0.40	2.55	30	1
1:B:15:U:H4'	1:B:16:C:OP2	0.40	2.16	22	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	52/76 (68%)	42±3 (81±5%)	7±2 (14±4%)	3±2 (6±3%)	4	23
All	All	1872/2736 (68%)	1507 (81%)	261 (14%)	104 (6%)	4	23

All 25 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	A	21	ASN	14
2	A	9	PRO	11
2	A	47	GLY	11
2	A	54	GLU	7
2	A	30	ARG	6
2	A	48	SER	6
2	A	19	LYS	5
2	A	49	ILE	5
2	A	40	PHE	5
2	A	51	THR	4
2	A	63	LYS	4
2	A	18	ILE	4
2	A	52	GLU	3
2	A	24	VAL	3
2	A	50	VAL	3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
2	A	41	ILE	2
2	A	10	ILE	2
2	A	46	VAL	2
2	A	11	SER	1
2	A	23	THR	1
2	A	22	MET	1
2	A	20	ARG	1
2	A	45	ILE	1
2	A	42	THR	1
2	A	26	PHE	1

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	46/65 (71%)	35±3 (77±6%)	11±3 (23±6%)	3	29
All	All	1656/2340 (71%)	1270 (77%)	386 (23%)	3	29

All 41 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	A	23	THR	27
2	A	11	SER	26
2	A	75	LYS	20
2	A	19	LYS	20
2	A	54	GLU	18
2	A	20	ARG	18
2	A	30	ARG	15
2	A	64	ARG	15
2	A	72	GLU	15
2	A	69	MET	15
2	A	52	GLU	14
2	A	21	ASN	13
2	A	63	LYS	13
2	A	68	LYS	13
2	A	50	VAL	12

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
2	A	62	LYS	12
2	A	74	GLN	11
2	A	45	ILE	10
2	A	27	LYS	9
2	A	49	ILE	9
2	A	12	GLN	8
2	A	15	GLU	7
2	A	51	THR	7
2	A	22	MET	6
2	A	67	GLU	6
2	A	18	ILE	6
2	A	70	LEU	5
2	A	13	VAL	4
2	A	29	LEU	4
2	A	73	LEU	4
2	A	42	THR	4
2	A	48	SER	3
2	A	44	CYS	3
2	A	41	ILE	3
2	A	16	ILE	2
2	A	76	LEU	2
2	A	46	VAL	2
2	A	40	PHE	2
2	A	71	VAL	1
2	A	26	PHE	1
2	A	28	VAL	1

### 6.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers	Suiteness
1	B	29/30 (97%)	13±3 (46±10%)	1±1 (4±5%)	0.13±0.03
All	All	1052/1080 (97%)	479 (46%)	45 (4%)	0.12

The overall RNA backbone suiteness is 0.13.

All unique RNA backbone outliers are listed below:

Mol	Chain	Res	Type	Models (Total)
1	B	18	G	30
1	B	17	G	28
1	B	27	G	26
1	B	30	C	23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	B	9	G	21
1	B	15	U	21
1	B	12	C	21
1	B	2	G	21
1	B	3	A	20
1	B	20	G	20
1	B	6	G	19
1	B	5	A	19
1	B	23	A	18
1	B	19	G	18
1	B	13	C	16
1	B	24	G	16
1	B	4	C	15
1	B	26	U	14
1	B	7	C	14
1	B	11	C	14
1	B	25	C	13
1	B	29	C	11
1	B	21	A	11
1	B	16	C	11
1	B	8	U	10
1	B	22	C	10
1	B	10	U	9
1	B	14	U	5
1	B	28	U	5

All unique RNA pucker outliers are listed below:

Mol	Chain	Res	Type	Models (Total)
1	B	19	G	11
1	B	1	G	8
1	B	3	A	5
1	B	22	C	3
1	B	12	C	3
1	B	24	G	2
1	B	2	G	2
1	B	18	G	2
1	B	20	G	2
1	B	29	C	2
1	B	17	G	2
1	B	23	A	1
1	B	14	U	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	B	25	C	1

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 73% for the well-defined parts and 67% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 4894

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	736
Number of shifts mapped to atoms	634
Number of unparsed shifts	0
Number of shifts with mapping errors	102
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	4

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Residue not found in structure. All 102 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	84	THR	H	8.31	-1.0	1
A	87	PHE	CA	56.0	-1.0	1
A	83	PRO	CD	50.0	-1.0	1
A	81	LEU	HB3	1.6	-1.0	1
A	81	LEU	N	122.3	-1.0	1
A	81	LEU	CB	41.4	-1.0	1
A	82	THR	CB	68.0	-1.0	1
A	82	THR	HG22	0.9	-1.0	1
A	85	LYS	HB2	1.77	-1.0	1
A	88	ILE	CG2	15.8	-1.0	1
A	83	PRO	HG3	1.92	-1.0	2
A	83	PRO	HA	4.56	-1.0	1
A	90	ASP	HB3	1.9	-1.0	1
A	82	THR	CG2	19.5	-1.0	1

*Continued on next page...*

*Continued from previous page...*

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	90	ASP	HA	4.37	-1.0	1
A	81	LEU	HD13	0.9	-1.0	1
A	88	ILE	HG23	0.86	-1.0	1
A	88	ILE	CB	37.5	-1.0	1
A	90	ASP	H	8.15	-1.0	1
A	89	VAL	HG21	0.84	-1.0	1
A	85	LYS	CB	31.5	-1.0	1
A	83	PRO	HB3	2.34	-1.0	1
A	89	VAL	HG11	0.98	-1.0	1
A	88	ILE	HD11	0.84	-1.0	1
A	89	VAL	N	125.4	-1.0	1
A	87	PHE	N	121.2	-1.0	1
A	87	PHE	CB	38.1	-1.0	1
A	87	PHE	HA	4.57	-1.0	1
A	83	PRO	CA	61.8	-1.0	1
A	83	PRO	CB	30.8	-1.0	1
A	81	LEU	HB2	1.6	-1.0	1
A	83	PRO	HG2	2.05	-1.0	2
A	89	VAL	HB	2.1	-1.0	1
A	83	PRO	HD2	3.88	-1.0	2
A	81	LEU	CA	54.0	-1.0	1
A	84	THR	HB	4.2	-1.0	1
A	90	ASP	HB2	1.9	-1.0	1
A	82	THR	N	116.8	-1.0	1
A	82	THR	H	8.2	-1.0	1
A	87	PHE	H	8.29	-1.0	1
A	89	VAL	HG22	0.84	-1.0	1
A	81	LEU	HD21	0.9	-1.0	1
A	81	LEU	HD22	0.9	-1.0	1
A	84	THR	CG2	19.5	-1.0	1
A	89	VAL	CB	31.0	-1.0	1
A	88	ILE	CG1	25.7	-1.0	1
A	84	THR	HG23	1.25	-1.0	1
A	84	THR	HG22	1.25	-1.0	1
A	81	LEU	HD11	0.9	-1.0	1
A	89	VAL	HA	4.16	-1.0	1
A	83	PRO	HD3	3.76	-1.0	2
A	85	LYS	CG	23.7	-1.0	1
A	89	VAL	H	8.48	-1.0	1
A	87	PHE	HD1	7.26	-1.0	1
A	89	VAL	HG23	0.84	-1.0	1

*Continued on next page...*

*Continued from previous page...*

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	85	LYS	CA	54.8	-1.0	1
A	83	PRO	CG	25.9	-1.0	1
A	82	THR	HB	4.18	-1.0	1
A	81	LEU	HD23	0.9	-1.0	1
A	87	PHE	HB2	3.12	-1.0	1
A	84	THR	N	115.0	-1.0	1
A	84	THR	CB	68.5	-1.0	1
A	85	LYS	HE2	3.0	-1.0	1
A	88	ILE	CA	59.2	-1.0	1
A	88	ILE	HD12	0.84	-1.0	1
A	81	LEU	HA	4.35	-1.0	1
A	89	VAL	HG13	0.98	-1.0	1
A	82	THR	HA	4.63	-1.0	1
A	85	LYS	HG2	1.44	-1.0	1
A	82	THR	CA	58.0	-1.0	1
A	88	ILE	HG13	1.19	-1.0	1
A	88	ILE	HB	1.78	-1.0	1
A	88	ILE	CD1	11.1	-1.0	1
A	84	THR	HA	4.5	-1.0	1
A	84	THR	CA	60.3	-1.0	1
A	87	PHE	HB3	3.03	-1.0	1
A	87	PHE	HE2	7.18	-1.0	1
A	85	LYS	H	8.38	-1.0	1
A	88	ILE	N	123.4	-1.0	1
A	88	ILE	HD13	0.84	-1.0	1
A	85	LYS	HB3	1.77	-1.0	1
A	85	LYS	HA	4.33	-1.0	1
A	89	VAL	CA	60.8	-1.0	1
A	89	VAL	HG12	0.98	-1.0	1
A	85	LYS	HG3	1.44	-1.0	1
A	90	ASP	CA	60.8	-1.0	1
A	88	ILE	HG21	0.86	-1.0	1
A	84	THR	HG21	1.25	-1.0	1
A	88	ILE	HG12	1.48	-1.0	1
A	88	ILE	HA	4.16	-1.0	1
A	81	LEU	HD12	0.9	-1.0	1
A	81	LEU	H	8.52	-1.0	1
A	85	LYS	N	124.0	-1.0	1
A	87	PHE	HE1	7.18	-1.0	1
A	87	PHE	HD2	7.26	-1.0	1
A	85	LYS	HE3	3.0	-1.0	1

*Continued on next page...*

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	82	THR	HG23	0.9	-1.0	1
A	89	VAL	CG1	20.0	-1.0	1
A	83	PRO	HB2	2.34	-1.0	1
A	88	ILE	HG22	0.86	-1.0	1
A	90	ASP	CB	31.0	-1.0	1
A	82	THR	HG21	0.9	-1.0	1

### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	70	$1.25 \pm 0.17$	Should be applied
$^{13}\text{C}_\beta$	34	$1.91 \pm 0.28$	Should be applied
$^{13}\text{C}'$	0	—	—
$^{15}\text{N}$	70	$0.97 \pm 0.39$	Should be applied

### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 35%, i.e. 439 atoms were assigned a chemical shift out of a possible 1247. 3 out of 10 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	198/263 (75%)	102/105 (97%)	47/106 (44%)	49/52 (94%)
Sidechain	225/384 (59%)	172/224 (77%)	46/142 (32%)	7/18 (39%)
Aromatic	16/32 (50%)	12/18 (67%)	4/12 (33%)	0/2 (0%)
Overall	439/1247 (35%)	286/675 (42%)	97/460 (21%)	56/112 (50%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 36%, i.e. 539 atoms were assigned a chemical shift out of a possible 1517. 3 out of 11 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	257/376 (68%)	133/150 (89%)	61/152 (40%)	63/74 (85%)
Sidechain	264/534 (49%)	207/314 (66%)	49/195 (25%)	8/25 (32%)
Aromatic	18/39 (46%)	13/22 (59%)	5/14 (36%)	0/3 (0%)
Overall	539/1517 (36%)	353/814 (43%)	115/561 (20%)	71/142 (50%)

### 7.1.4 Statistically unusual chemical shifts [i](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	12	GLN	CA	4.10	67.31 – 45.91	-24.5
1	A	22	MET	CG	16.00	38.33 – 25.73	-12.7
1	A	38	LYS	HD2	3.00	2.76 – 0.46	6.0
1	A	90	ASP	CB	31.00	49.06 – 32.66	-6.0

### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



## 7.2 Chemical shift list 2

File name: BMRB entry 4894

Chemical shift list name: *assigned\_chem\_shift\_list\_2*

### 7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	487
------------------------	-----



Number of shifts mapped to atoms	487
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	5

### 7.2.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

### 7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 38%, i.e. 479 atoms were assigned a chemical shift out of a possible 1249. 0 out of 10 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	0/263 (0%)	0/105 (0%)	0/106 (0%)	0/52 (0%)
Sidechain	0/384 (0%)	0/224 (0%)	0/142 (0%)	0/18 (0%)
Aromatic	0/32 (0%)	0/18 (0%)	0/12 (0%)	0/2 (0%)
Overall	479/1249 (38%)	268/675 (40%)	194/460 (42%)	17/114 (15%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 32%, i.e. 479 atoms were assigned a chemical shift out of a possible 1519. 0 out of 11 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	0/376 (0%)	0/150 (0%)	0/152 (0%)	0/74 (0%)
Sidechain	0/534 (0%)	0/314 (0%)	0/195 (0%)	0/25 (0%)
Aromatic	0/39 (0%)	0/22 (0%)	0/14 (0%)	0/3 (0%)
Overall	479/1519 (32%)	268/814 (33%)	194/561 (35%)	17/144 (12%)

### 7.2.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
2	B	8	U	N1	163.60	152.56 – 139.26	13.3
2	B	14	U	H6	5.81	8.67 – 6.87	-10.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atom	Shift, <i>ppm</i>	Expected range, <i>ppm</i>	Z-score
2	B	14	U	H5	7.83	6.81 – 4.11	8.8
2	B	22	C	H5	7.09	6.75 – 4.15	6.3
2	B	16	C	H5''	2.78	5.47 – 2.87	-5.3

### 7.2.5 Random Coil Index (RCI) plots [i](#)

No *random coil index* (RCI) plot could be generated from the current chemical shift list (assigned\_chem\_shift\_list\_2). RCI is only applicable to proteins.