



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:22 PM GMT

PDB ID : 4EOI  
Title : Thr 160 phosphorylated CDK2 K89D, Q131E - human cyclin A3 complex with the inhibitor RO3306  
Authors : Echalier, A.; Cot, E.; Camasses, A.; Hodimont, E.; Hoh, F.; Sheinerman, F.; Krasinska, L.; Fisher, D.  
Deposited on : 2012-04-14  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	299	<div> <div>3%</div> <div>86%</div> <div>12%</div> <div>..</div> </div>
1	C	299	<div> <div>10%</div> <div>89%</div> <div>9%</div> <div>..</div> </div>
2	B	258	<div> <div>5%</div> <div>90%</div> <div>9%</div> <div>.</div> </div>
2	D	258	<div> <div>14%</div> <div>90%</div> <div>9%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	1RO	A	301	-	-	X	-
3	1RO	C	301	-	-	X	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9466 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-dependent kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	295	Total	C	N	O	P	S	0	2	0
			2390	1552	405	424	1	8			
1	C	297	Total	C	N	O	P	S	0	3	0
			2410	1564	405	432	1	8			


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	EXPRESSION TAG	UNP P24941
A	89	ASP	LYS	ENGINEERED MUTATION	UNP P24941
A	131	GLU	GLN	ENGINEERED MUTATION	UNP P24941
C	0	SER	-	EXPRESSION TAG	UNP P24941
C	89	ASP	LYS	ENGINEERED MUTATION	UNP P24941
C	131	GLU	GLN	ENGINEERED MUTATION	UNP P24941

- Molecule 2 is a protein called Cyclin-A2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	258	Total	C	N	O	S		0	3	0
			2108	1364	344	389	11				
2	D	255	Total	C	N	O	S		0	1	0
			2071	1342	339	379	11				

- Molecule 3 is (5E)-5-(QUINOLIN-6-YLMETHYLIDENE)-2-[(THIOPHEN-2-YLMETHYL) AMINO]-1,3-THIAZOL-4(5H)-ONE (three-letter code: 1RO) (formula: C<sub>18</sub>H<sub>13</sub>N<sub>3</sub>OS<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			24	18	3	1	2		
3	C	1	Total	C	N	O	S	0	0
			24	18	3	1	2		

- Molecule 4 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula:  $C_2H_6OS$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is MONOTHIOGLYCEROL (three-letter code: SGM) (formula:  $C_3H_8O_2S$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	O	S	0	0
			6	3	2	1		
5	D	1	Total	C	O	S	0	0
			6	3	2	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	145	Total	O	0	0
			145	145		
6	B	111	Total	O	0	0
			111	111		
6	C	98	Total	O	0	0
			98	98		
6	D	69	Total	O	0	0
			69	69		







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.13Å 132.93Å 148.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.39 – 2.00 30.32 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.8 (30.39-2.00) 98.8 (30.32-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.00 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.213 , 0.234 0.228 , 0.247	Depositor DCC
$R_{free}$ test set	4962 reflections (5.32%)	DCC
Wilson B-factor (Å <sup>2</sup> )	29.9	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 41.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	2 of 98202 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9466	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.73% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, DMS, SGM, 1RO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.41	0/2439	0.54	1/3309 (0.0%)
1	C	0.40	0/2460	0.55	0/3340
2	B	0.35	0/2159	0.50	0/2933
2	D	0.36	1/2121 (0.0%)	0.49	0/2879
All	All	0.38	1/9179 (0.0%)	0.52	1/12461 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	374	GLU	CD-OE2	5.11	1.31	1.25

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	HIS	N-CA-CB	-6.32	99.23	110.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	162	GLU	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2390	0	2430	22	0
1	C	2410	0	2445	23	0
2	B	2108	0	2122	14	0
2	D	2071	0	2093	11	0
3	A	24	0	13	9	0
3	C	24	0	13	8	0
4	A	4	0	6	0	0
5	B	6	0	8	1	0
5	D	6	0	8	1	0
6	A	145	0	0	2	0
6	B	111	0	0	1	0
6	C	98	0	0	2	0
6	D	69	0	0	2	0
All	All	9466	0	9138	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:301:1RO:H13	3:C:301:1RO:O1	1.62	0.98
3:A:301:1RO:O1	3:A:301:1RO:H13	1.69	0.92
3:A:301:1RO:O1	3:A:301:1RO:C2	2.19	0.91
3:C:301:1RO:C2	3:C:301:1RO:O1	2.20	0.87
2:B:193:CYS:SG	5:B:501:SGM:S1	2.35	0.78
3:A:301:1RO:N2	3:A:301:1RO:C19	2.43	0.78
3:C:301:1RO:C19	3:C:301:1RO:N2	2.47	0.75
1:A:60:HIS:CD2	1:A:62:ASN:H	2.08	0.70
3:C:301:1RO:C13	3:C:301:1RO:H13	2.19	0.70
1:C:103[B]:LEU:O	1:C:103[B]:LEU:CD2	2.42	0.68
1:A:60:HIS:HD2	1:A:62:ASN:H	1.40	0.68
1:C:103[B]:LEU:HD22	1:C:103[B]:LEU:O	1.95	0.65
1:C:129:LYS:HD3	1:C:165[A]:THR:HG21	1.78	0.65
3:A:301:1RO:C13	3:A:301:1RO:H13	2.24	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:193:CYS:SG	5:D:501:SGM:S1	2.88	0.64
1:A:13:GLY:HA2	3:A:301:1RO:H2	1.79	0.64
1:C:60:HIS:HD2	1:C:62:ASN:H	1.44	0.63
1:C:60:HIS:CD2	1:C:62:ASN:H	2.17	0.61
2:B:219:VAL:HG22	2:B:232:LEU:HD11	1.82	0.60
1:A:82:PHE:CD2	1:A:83:LEU:O	2.55	0.60
1:A:252[B]:VAL:O	1:A:252[B]:VAL:HG13	2.04	0.58
1:A:94:SER:OG	1:A:295:HIS:HE1	1.86	0.57
1:A:295:HIS:HD2	1:A:297:ARG:H	1.52	0.57
3:A:301:1RO:C13	3:A:301:1RO:C2	2.82	0.55
2:B:183:HIS:HD2	6:B:666:HOH:O	1.88	0.55
1:C:103[B]:LEU:C	1:C:103[B]:LEU:CD2	2.75	0.53
2:B:176:PRO:HD2	2:B:179[B]:HIS:NE2	2.23	0.53
1:A:81:GLU:O	3:A:301:1RO:H9	2.09	0.53
2:B:344:ALA:HB1	2:B:348:LEU:HD22	1.89	0.53
1:C:103[B]:LEU:O	1:C:103[B]:LEU:HD23	2.09	0.53
2:B:391:LEU:HD23	2:B:432:LEU:HD11	1.89	0.53
1:C:98:GLY:HA2	1:C:199:ARG:HD3	1.89	0.53
2:B:388:LYS:O	2:B:392:MET:HG2	2.10	0.52
2:B:388:LYS:HG3	2:B:432:LEU:HD13	1.93	0.50
1:C:13:GLY:HA3	3:C:301:1RO:H2	1.93	0.50
3:C:301:1RO:C13	3:C:301:1RO:C2	2.82	0.48
1:C:13:GLY:CA	3:C:301:1RO:H2	2.44	0.48
1:C:131:GLU:O	3:C:301:1RO:H4	2.14	0.48
1:A:177:CYS:HB2	1:A:233:MET:HE3	1.95	0.48
2:B:395:HIS:HE1	2:B:427:PRO:O	1.97	0.47
2:B:303[A]:THR:HG23	2:B:305:ASP:OD2	2.15	0.47
1:C:52:ILE:HD11	1:C:78:LEU:HD21	1.96	0.46
1:A:97:THR:HG22	6:A:539:HOH:O	2.15	0.46
1:C:198:THR:O	1:C:199:ARG:HB2	2.15	0.46
2:D:347:TYR:OH	2:D:394:LEU:HA	2.15	0.45
1:C:62:ASN:ND2	1:C:110:GLN:HB3	2.32	0.45
1:A:177:CYS:HB2	1:A:233:MET:CE	2.47	0.45
1:C:295:HIS:HD2	6:C:439:HOH:O	1.99	0.45
2:D:346:PRO:O	2:D:349:LYS:HG2	2.17	0.45
1:C:103[B]:LEU:HD22	1:C:103[B]:LEU:C	2.36	0.44
2:B:388:LYS:HB3	2:B:389:PRO:HD3	1.99	0.44
1:A:60:HIS:HE1	6:A:432:HOH:O	2.01	0.44
1:A:55:LEU:HA	1:A:55:LEU:HD12	1.90	0.43
1:A:131:GLU:O	3:A:301:1RO:H4	2.18	0.43
1:C:55:LEU:HD12	1:C:55:LEU:HA	1.93	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:345:ASP:HA	2:D:346:PRO:HA	1.83	0.43
1:A:137:THR:O	1:A:293:VAL:HG22	2.18	0.43
2:D:233:HIS:HD2	6:D:663:HOH:O	2.01	0.43
1:C:155:PRO:HD2	2:D:316:THR:HB	2.02	0.42
3:A:301:1RO:N2	3:A:301:1RO:C23	2.81	0.42
1:A:223:ASP:H	1:A:226:VAL:HG12	1.83	0.42
2:D:372:TRP:HA	2:D:373:PRO:HD3	1.91	0.42
2:B:281:ILE:H	2:B:281:ILE:HG13	1.76	0.42
2:D:233:HIS:HE1	6:D:656:HOH:O	2.03	0.42
1:A:91:MET:O	1:A:199:ARG:NH1	2.53	0.42
1:C:51:GLU:O	1:C:55:LEU:HB2	2.20	0.41
1:A:75:LYS:HE3	1:A:77:TYR:OH	2.20	0.41
2:D:194:LYS:HA	2:D:195:PRO:HD3	1.95	0.41
1:C:83[B]:LEU:HD12	1:C:136:ASN:HB3	2.01	0.41
1:A:49:ILE:HG23	2:B:306:LEU:HD12	2.02	0.41
1:C:249:SER:HA	1:C:260:ARG:HD2	2.03	0.41
2:D:323:GLN:HA	2:D:324:PRO:HA	1.84	0.41
1:C:272:ASN:HB3	6:C:480:HOH:O	2.20	0.41
1:A:51:GLU:O	1:A:55:LEU:HB2	2.21	0.41
2:D:203:GLN:HA	2:D:204:PRO:HD3	1.92	0.41
2:B:372:TRP:HA	2:B:373:PRO:HD3	1.92	0.40
1:C:202:LEU:HD13	1:C:203:PHE:CE2	2.57	0.40
1:A:256:ASP:O	1:A:260:ARG:HG3	2.21	0.40
1:A:44:VAL:HA	1:A:45:PRO:HD3	1.95	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	292/299 (98%)	285 (98%)	6 (2%)	1 (0%)	46 41

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	297/299 (99%)	287 (97%)	9 (3%)	1 (0%)	46	41
2	B	259/258 (100%)	255 (98%)	3 (1%)	1 (0%)	39	33
2	D	254/258 (98%)	251 (99%)	3 (1%)	0	100	100
All	All	1102/1114 (99%)	1078 (98%)	21 (2%)	3 (0%)	46	41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	176	PRO
1	A	164	VAL
1	C	164	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/263 (99%)	251 (96%)	10 (4%)	40	36
1	C	264/263 (100%)	252 (96%)	12 (4%)	34	29
2	B	235/232 (101%)	230 (98%)	5 (2%)	61	63
2	D	230/232 (99%)	225 (98%)	5 (2%)	60	62
All	All	990/990 (100%)	958 (97%)	32 (3%)	47	44

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	ILE
1	A	55	LEU
1	A	96	LEU
1	A	101	LEU
1	A	122	ARG
1	A	148	LEU
1	A	150	ARG
1	A	161	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	293	VAL
1	A	296	LEU
2	B	196	LYS
2	B	232	LEU
2	B	292	LEU
2	B	296	HIS
2	B	328	LYS
1	C	38	ASP
1	C	55	LEU
1	C	103[A]	LEU
1	C	103[B]	LEU
1	C	122	ARG
1	C	148	LEU
1	C	150	ARG
1	C	165[A]	THR
1	C	165[B]	THR
1	C	175	LEU
1	C	202	LEU
1	C	231	THR
2	D	232	LEU
2	D	283	ASP
2	D	292	LEU
2	D	328	LYS
2	D	334	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	HIS
1	A	246	GLN
1	A	265	GLN
1	A	268	HIS
1	A	295	HIS
2	B	183	HIS
2	B	254	GLN
2	B	395	HIS
2	B	425	ASN
1	C	60	HIS
1	C	85	GLN
1	C	119	HIS
1	C	265	GLN
1	C	268	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	D	233	HIS
2	D	406	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	TPO	A	160	1	8,10,11	0.67	0	7,14,16	1.49	0
1	TPO	C	160	1	8,10,11	0.63	0	7,14,16	1.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	0/8/11/13	0/0/0/0
1	TPO	C	160	1	-	0/8/11/13	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.



## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	1RO	A	301	-	25,27,27	2.85	4 (16%)	26,37,37	2.71	8 (30%)
4	DMS	A	302	-	3,3,3	2.60	1 (33%)	3,3,3	0.50	0
5	SGM	B	501	-	5,5,5	0.40	0	5,5,5	0.69	0
3	1RO	C	301	-	25,27,27	2.68	5 (20%)	26,37,37	2.72	9 (34%)
5	SGM	D	501	-	5,5,5	0.36	0	5,5,5	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	1RO	A	301	-	-	0/5/21/21	0/4/4/4
4	DMS	A	302	-	-	0/0/0/0	0/0/0/0
5	SGM	B	501	-	-	0/4/4/4	0/0/0/0
3	1RO	C	301	-	-	0/5/21/21	0/4/4/4
5	SGM	D	501	-	-	0/4/4/4	0/0/0/0

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	1RO	C13-N2	-2.91	1.31	1.37
3	C	301	1RO	C13-N2	-2.61	1.32	1.37
3	C	301	1RO	C15-N2	2.07	1.34	1.31
3	A	301	1RO	O1-C13	2.22	1.27	1.24
3	C	301	1RO	O1-C13	2.32	1.28	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	302	DMS	O-S	4.36	1.80	1.50
3	A	301	1RO	C3-C4	4.50	1.48	1.42
3	C	301	1RO	C3-C4	4.52	1.48	1.42
3	C	301	1RO	C11-C12	11.21	1.48	1.34
3	A	301	1RO	C11-C12	12.07	1.50	1.34

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	1RO	C1-C11-C12	-9.91	117.29	130.96
3	C	301	1RO	C1-C11-C12	-9.85	117.36	130.96
3	A	301	1RO	C22-C21-S2	-6.06	106.52	113.23
3	C	301	1RO	C22-C21-S2	-5.95	106.64	113.23
3	C	301	1RO	C11-C12-S1	-3.82	125.06	129.31
3	A	301	1RO	O1-C13-N2	-3.49	115.80	124.40
3	C	301	1RO	O1-C13-N2	-3.20	116.51	124.40
3	A	301	1RO	C3-C4-N1	-2.34	118.74	122.08
3	C	301	1RO	C3-C4-N1	-2.28	118.83	122.08
3	C	301	1RO	C18-N3-C15	-2.11	119.38	122.81
3	A	301	1RO	C18-N3-C15	-2.01	119.55	122.81
3	C	301	1RO	C18-C19-C23	2.22	133.25	128.63
3	C	301	1RO	C5-C4-N1	2.23	122.23	118.52
3	C	301	1RO	C9-N1-C4	2.32	120.80	116.87
3	A	301	1RO	C18-C19-C23	2.51	133.87	128.63
3	A	301	1RO	C9-N1-C4	2.58	121.24	116.87
3	A	301	1RO	C5-C4-N1	2.63	122.89	118.52

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	1RO	9	0
5	B	501	SGM	1	0
3	C	301	1RO	8	0
5	D	501	SGM	1	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	294/299 (98%)	0.24	10 (3%) 49 50	16, 27, 48, 63	1 (0%)
1	C	296/299 (98%)	0.57	29 (9%) 10 10	24, 35, 50, 57	4 (1%)
2	B	258/258 (100%)	0.43	14 (5%) 29 31	19, 32, 50, 63	2 (0%)
2	D	255/258 (98%)	0.79	35 (13%) 4 4	22, 42, 74, 96	0
All	All	1103/1114 (99%)	0.50	88 (7%) 15 16	16, 33, 59, 96	7 (0%)

All (88) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	175	VAL	9.6
2	D	432	LEU	7.8
2	D	431	ASN	5.6
2	D	428	GLU	5.3
1	C	296	LEU	5.1
1	A	0	SER	4.6
2	D	284	ASP	4.5
2	D	416	SER	4.5
2	D	280	TYR	4.5
2	D	323	GLN	4.4
2	B	323	GLN	4.4
1	C	162	GLU	4.3
2	B	324	PRO	4.1
1	C	225	VAL	4.1
2	D	430	LEU	4.1
2	B	284	ASP	4.0
2	B	432	LEU	3.9
1	C	293	VAL	3.9
2	B	283	ASP	3.7
2	D	419	HIS	3.7
1	C	295	HIS	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	73	GLU	3.7
2	D	311	VAL	3.6
2	D	179[A]	HIS	3.5
2	D	325	ALA	3.5
2	D	429	THR	3.5
2	D	423	LEU	3.4
1	C	128	LEU	3.3
1	C	161	HIS	3.3
1	C	12	GLU	3.2
2	D	324	PRO	3.2
1	C	226	VAL	3.2
2	B	176	PRO	3.1
1	C	233	MET	3.1
1	C	287	GLN	3.1
1	C	111	LEU	3.1
1	A	36	ARG	3.0
2	D	283	ASP	3.0
1	C	231	THR	2.9
1	C	189	LEU	2.9
2	B	428	GLU	2.8
2	D	197	VAL	2.8
2	D	341	LEU	2.7
2	D	415	ASN	2.7
2	D	409	ILE	2.7
1	A	71	HIS	2.7
1	C	184	VAL	2.6
1	C	177	CYS	2.6
2	D	328	LYS	2.6
1	A	298	LEU	2.5
2	D	388	LYS	2.5
2	D	327	CYS	2.5
2	D	315	LEU	2.4
1	C	103[A]	LEU	2.4
2	D	392	MET	2.4
2	D	271	TYR	2.4
1	C	247	ASP	2.4
1	A	74	ASN	2.4
1	A	149	ALA	2.3
1	C	143	LEU	2.3
2	B	341	LEU	2.3
1	C	192	ILE	2.3
2	D	233	HIS	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	232	LEU	2.3
1	C	232	SER	2.3
2	D	336	LEU	2.3
1	A	72	THR	2.3
1	C	72	THR	2.3
1	C	228	PRO	2.3
1	A	19	TYR	2.2
1	C	256	ASP	2.2
2	D	334	MET	2.2
2	B	289	LYS	2.2
1	C	36	ARG	2.2
2	B	285	THR	2.2
2	D	310	THR	2.2
2	D	355	ILE	2.2
2	B	177[A]	ASP	2.2
1	C	191	CYS	2.1
2	D	333	ALA	2.1
1	A	5	GLN	2.1
1	C	71	HIS	2.1
2	D	285	THR	2.1
2	D	322	GLN	2.1
2	B	311	VAL	2.1
1	C	97	THR	2.0
1	C	234	PRO	2.0
2	D	274	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
1	TPO	C	160	11/12	0.98	0.09	-	26,30,33,34	0
1	TPO	A	160	11/12	0.99	0.09	-	19,22,22,23	0

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
5	SGM	B	501	6/6	0.91	0.14	1.31	41,42,43,43	0
3	1RO	A	301	24/24	0.87	0.16	0.60	33,41,42,44	0
3	1RO	C	301	24/24	0.88	0.17	0.24	33,42,48,48	0
4	DMS	A	302	4/4	0.95	0.20	-	58,59,59,59	0
5	SGM	D	501	6/6	0.69	0.25	-	51,51,51,51	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.