



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:24 PM GMT

PDB ID : 4EOQ  
Title : Thr 160 phosphorylated CDK2 WT - human cyclin A3 complex with ATP  
Authors : Echalier, A.; Cot, E.; Camasses, A.; Hodimont, E.; Hoh, F.; Sheinerman, F.; Krasinska, L.; Fisher, D.  
Deposited on : 2012-04-14  
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1045 (2.16-2.16)
Clashscore	102246	1152 (2.16-2.16)
Ramachandran outliers	100387	1131 (2.16-2.16)
Sidechain outliers	100360	1131 (2.16-2.16)
RSRZ outliers	91569	1050 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	<div> <div>6%</div> <div>85%</div> <div>11%</div> <div>• •</div> </div>
1	C	301	<div> <div>17%</div> <div>74%</div> <div>14%</div> <div>• • 8%</div> </div>
2	B	258	<div> <div>5%</div> <div>88%</div> <div>11%</div> <div>•</div> </div>
2	D	258	<div> <div>9%</div> <div>85%</div> <div>12%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SGM	B	502	-	-	-	X

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9271 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-dependent kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	P	S	0	3	0
			2405	1559	412	425	1	8			
1	C	276	Total	C	N	O	P	S	0	1	0
			2220	1438	379	395	1	7			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	PRO	-	EXPRESSION TAG	UNP P24941
A	-2	LEU	-	EXPRESSION TAG	UNP P24941
A	-1	GLY	-	EXPRESSION TAG	UNP P24941
A	0	SER	-	EXPRESSION TAG	UNP P24941
C	-3	PRO	-	EXPRESSION TAG	UNP P24941
C	-2	LEU	-	EXPRESSION TAG	UNP P24941
C	-1	GLY	-	EXPRESSION TAG	UNP P24941
C	0	SER	-	EXPRESSION TAG	UNP P24941

- Molecule 2 is a protein called Cyclin-A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	257	Total	C	N	O	S	0	0	0
			2076	1345	338	382	11			
2	D	254	Total	C	N	O	S	0	1	0
			2063	1335	338	379	11			

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
3	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		
4	A	1	Total	Mg	0	0
			1	1		

- Molecule 5 is MONOTHIOGLYCEROL (three-letter code: SGM) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>2</sub>S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	O	S	0	0
			6	3	2	1		
5	D	1	Total	C	O	S	0	0
			6	3	2	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	148	Total	O	0	0
			148	148		
6	B	121	Total	O	0	0
			121	121		
6	C	82	Total	O	0	0
			82	82		
6	D	80	Total	O	0	0
			80	80		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Cyclin-dependent kinase 2




#### • Molecule 1: Cyclin-dependent kinase 2




#### • Molecule 2: Cyclin-A2



#### • Molecule 2: Cyclin-A2







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.72Å 134.19Å 149.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.15 29.91 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.3 (30.00-2.15) 99.3 (29.91-2.15)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.73 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.199 , 0.234 0.207 , 0.242	Depositor DCC
$R_{free}$ test set	4066 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	27.6	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 42.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	1 of 80649 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9271	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, MG, SGM, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.61	0/2455	0.64	1/3328 (0.0%)
1	C	0.48	0/2260	0.66	5/3059 (0.2%)
2	B	0.54	1/2126 (0.0%)	0.56	0/2886
2	D	0.48	0/2113	0.57	0/2867
All	All	0.53	1/8954 (0.0%)	0.61	6/12140 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	371	SER	CB-OG	-5.52	1.35	1.42

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	0	SER	N-CA-C	-8.94	86.85	111.00
1	C	-1	GLY	N-CA-C	6.08	128.29	113.10
1	C	-2	LEU	CA-CB-CG	-6.07	101.35	115.30
1	C	250	LYS	N-CA-CB	5.51	120.52	110.60
1	C	248	PHE	N-CA-C	5.38	125.52	111.00
1	A	217	ARG	NE-CZ-NH1	-5.09	117.76	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2405	0	2442	42	1
1	C	2220	0	2269	51	0
2	B	2076	0	2098	31	0
2	D	2063	0	2083	25	0
3	A	31	0	12	1	0
3	C	31	0	12	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	B	6	0	7	0	0
5	D	6	0	8	2	0
6	A	148	0	0	5	1
6	B	121	0	0	2	0
6	C	82	0	0	3	0
6	D	80	0	0	5	0
All	All	9271	0	8931	127	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:LYS:CE	1:A:12:GLU:HG3	1.68	1.23
1:C:-2:LEU:N	1:C:-2:LEU:HD23	1.67	1.03
1:A:9:LYS:HE3	1:A:12:GLU:HG3	1.40	1.03
2:B:301:VAL:CG2	1:C:-2:LEU:HD11	1.88	1.03
1:A:9:LYS:HE3	1:A:12:GLU:CG	1.91	1.00
1:A:9:LYS:NZ	1:A:12:GLU:CD	2.17	0.97
1:C:71:HIS:HD2	2:D:296:HIS:HE1	1.03	0.97
1:A:9:LYS:CE	1:A:12:GLU:CG	2.44	0.96
2:D:193:CYS:SG	5:D:501:SGM:S1	2.53	0.95
1:C:71:HIS:HD2	2:D:296:HIS:CE1	1.88	0.92
1:C:-3:PRO:HG2	6:C:466:HOH:O	1.70	0.91
1:C:-3:PRO:C	1:C:-2:LEU:HD23	1.90	0.91
2:B:301:VAL:HG23	1:C:-2:LEU:HD11	1.54	0.90
1:A:9:LYS:HZ2	1:A:12:GLU:CD	1.76	0.86
2:B:301:VAL:HG23	1:C:-2:LEU:CD1	2.05	0.85
1:A:9:LYS:HE2	1:A:12:GLU:HG3	1.58	0.84
1:C:-2:LEU:N	1:C:-2:LEU:CD2	2.30	0.84
1:A:71:HIS:CE1	2:B:296:HIS:CD2	2.65	0.84

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:71:HIS:CD2	2:D:296:HIS:HE1	1.93	0.83
2:B:361:HIS:HE1	2:B:371:SER:HB3	1.42	0.82
2:B:301:VAL:HG22	1:C:-2:LEU:HD11	1.61	0.81
2:B:361:HIS:CE1	2:B:371:SER:HB3	2.16	0.81
1:C:12:GLU:HG3	1:C:13:GLY:H	1.50	0.76
2:D:229:ASN:HD22	2:D:334:MET:HE2	1.53	0.72
1:C:-3:PRO:CG	6:C:466:HOH:O	2.30	0.71
2:D:285:THR:N	6:D:670:HOH:O	2.24	0.70
1:A:60:HIS:HD2	1:A:62:ASN:H	1.40	0.70
1:A:9:LYS:NZ	1:A:12:GLU:OE2	2.22	0.70
2:B:300:LYS:HB3	1:C:-2:LEU:HD13	1.77	0.67
1:A:71:HIS:ND1	2:B:300:LYS:HE3	2.10	0.66
1:A:177:CYS:HB2	1:A:233:MET:CE	2.25	0.66
1:A:181:SER:HB3	6:A:487:HOH:O	1.95	0.66
2:B:361:HIS:CE1	2:B:371:SER:CB	2.78	0.65
1:A:71:HIS:HE1	2:B:296:HIS:CD2	2.13	0.65
2:B:361:HIS:HE1	2:B:371:SER:CB	2.10	0.65
1:A:60:HIS:CD2	1:A:62:ASN:H	2.15	0.64
1:C:60:HIS:CD2	1:C:62:ASN:H	2.16	0.64
1:C:202:LEU:HD13	1:C:203:PHE:CE2	2.33	0.63
2:D:229:ASN:HD22	2:D:334:MET:CE	2.10	0.63
1:A:260:ARG:HD3	6:A:408:HOH:O	1.99	0.63
2:B:374:GLU:OE1	2:B:378:ARG:HD3	1.99	0.63
2:D:346:PRO:O	2:D:349:LYS:HG2	1.99	0.62
2:D:395:HIS:HE1	2:D:427:PRO:O	1.82	0.62
1:A:9:LYS:NZ	1:A:12:GLU:CG	2.61	0.62
1:A:145:ASP:OD2	3:A:301:ATP:O1B	2.17	0.62
2:B:300:LYS:CB	1:C:-2:LEU:HD13	2.30	0.61
1:C:60:HIS:HD2	1:C:62:ASN:H	1.48	0.59
1:A:161[B]:HIS:O	1:A:162:GLU:O	2.20	0.59
1:A:9:LYS:NZ	1:A:12:GLU:HG3	2.17	0.59
1:C:249:SER:N	1:C:250:LYS:HB3	2.16	0.59
1:A:9:LYS:HZ1	1:A:12:GLU:CD	2.03	0.56
2:B:368:THR:OG1	2:B:370:GLN:HG3	2.06	0.56
1:C:252:VAL:HG13	1:C:253:PRO:HD2	1.89	0.55
1:A:9:LYS:CE	1:A:12:GLU:CD	2.74	0.55
2:B:395:HIS:HE1	2:B:427:PRO:O	1.90	0.54
1:A:96:LEU:O	1:A:96:LEU:HG	2.07	0.54
1:C:88:LYS:HA	1:C:91:MET:HE2	1.88	0.54
1:C:71:HIS:CD2	2:D:296:HIS:CE1	2.79	0.54
1:C:250:LYS:C	1:C:250:LYS:HE3	2.28	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:300:LYS:HB3	1:C:-2:LEU:HB3	1.91	0.53
1:A:57:GLU:OE2	2:B:307:ALA:HB3	2.08	0.53
1:C:51:GLU:O	1:C:55:LEU:HB2	2.09	0.53
1:C:83:LEU:HD12	1:C:136:ASN:HB3	1.90	0.53
1:A:127:ASP:OD1	1:A:165:THR:CG2	2.58	0.51
1:A:127:ASP:OD1	1:A:165:THR:HG23	2.10	0.51
1:C:129:LYS:NZ	1:C:165:THR:HG21	2.25	0.51
2:B:301:VAL:CG2	1:C:-2:LEU:CD1	2.68	0.51
1:C:12:GLU:HG3	1:C:13:GLY:N	2.22	0.51
1:A:163:VAL:HA	6:A:421:HOH:O	2.11	0.51
2:D:287:THR:HB	6:D:617:HOH:O	2.11	0.50
2:B:233:HIS:HE1	6:B:652:HOH:O	1.93	0.50
1:C:57:GLU:OE2	2:D:307:ALA:HB3	2.11	0.50
1:A:129:LYS:NZ	1:A:165:THR:HG21	2.27	0.49
1:C:-1:GLY:CA	1:C:70:ILE:HG12	2.43	0.48
1:C:250:LYS:HG3	1:C:251:VAL:HG23	1.95	0.48
1:C:52:ILE:HD11	1:C:78:LEU:HD21	1.95	0.48
1:A:41:THR:OG1	1:A:41:THR:O	2.29	0.48
2:B:395:HIS:HB2	2:B:430:LEU:HD11	1.95	0.48
1:C:295[B]:HIS:CG	1:C:296:LEU:N	2.82	0.48
3:C:301:ATP:O5'	3:C:301:ATP:H8	1.96	0.47
1:C:268:HIS:HD2	1:C:270:ASP:H	1.61	0.47
1:A:178:LYS:HE3	1:A:179:TYR:CZ	2.49	0.47
1:C:252:VAL:HG13	1:C:253:PRO:CD	2.45	0.46
1:C:119:HIS:HD2	6:D:603:HOH:O	1.97	0.46
2:D:283:ASP:HB3	2:D:284:ASP:H	1.37	0.46
1:C:-1:GLY:HA3	1:C:70:ILE:HG12	1.96	0.46
1:A:3:ASN:OD1	2:D:293[B]:ARG:NH2	2.42	0.45
2:D:388:LYS:HB3	2:D:389:PRO:HD3	1.99	0.45
1:C:34:LYS:HD3	1:C:75:LYS:HD2	1.99	0.45
1:C:49:ILE:HG23	2:D:306:LEU:HD12	1.99	0.45
2:D:281:ILE:H	2:D:281:ILE:HG13	1.48	0.45
2:D:305:ASP:HB3	5:D:501:SGM:H12	1.99	0.45
1:A:14:THR:C	1:A:16:GLY:H	2.19	0.44
1:A:37:LEU:HD13	2:B:296:HIS:HE1	1.81	0.44
2:D:233:HIS:HE1	6:D:646:HOH:O	2.00	0.43
2:D:372:TRP:HA	2:D:373:PRO:HD3	1.88	0.43
2:B:345:ASP:HA	2:B:346:PRO:HA	1.88	0.43
2:B:308:ALA:HA	2:B:309:PRO:HD3	1.90	0.42
2:B:391:LEU:HD23	2:B:432:LEU:HD22	2.01	0.42
2:B:300:LYS:HB3	1:C:-2:LEU:CD1	2.48	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:161[B]:HIS:HE1	1:A:173:ILE:O	2.02	0.42
1:C:249:SER:HB3	1:C:260:ARG:HD3	2.01	0.42
1:A:9:LYS:CE	1:A:12:GLU:OE2	2.68	0.42
1:C:218:THR:HG23	1:C:250:LYS:CD	2.49	0.42
1:C:218:THR:CG2	1:C:250:LYS:HD3	2.49	0.42
2:B:262:LEU:HD11	2:B:266:LYS:HE3	2.01	0.42
1:A:52:ILE:HD11	1:A:78:LEU:HD21	2.02	0.42
1:C:130:PRO:HD2	1:C:131:GLN:NE2	2.34	0.42
1:A:73:GLU:CG	1:A:74:ASN:H	2.33	0.42
1:C:253:PRO:HA	1:C:254:PRO:HA	1.54	0.42
6:C:452:HOH:O	2:D:296:HIS:HD2	2.03	0.41
2:B:219:VAL:HG22	2:B:232:LEU:HD11	2.03	0.41
1:A:60:HIS:HE1	6:A:471:HOH:O	2.03	0.41
2:B:297:LEU:HD12	1:C:-2:LEU:HD12	2.02	0.41
1:A:268:HIS:CE1	6:A:475:HOH:O	2.73	0.41
2:B:214:LEU:HD22	2:B:253:LEU:HG	2.02	0.41
1:A:195:GLU:O	1:A:199:ARG:N	2.52	0.41
1:C:155:PRO:HD2	2:D:316:THR:HB	2.02	0.41
2:B:177:ASP:HB2	6:B:720:HOH:O	2.20	0.41
2:D:187:ARG:HD3	6:D:606:HOH:O	2.20	0.41
2:D:335:PHE:CZ	2:D:339:LEU:HD11	2.55	0.41
1:C:-3:PRO:H3	1:C:-1:GLY:H	1.69	0.41
2:D:323:GLN:HA	2:D:324:PRO:HA	1.86	0.40
1:C:131:GLN:H	1:C:131:GLN:NE2	2.20	0.40
1:A:14:THR:C	1:A:16:GLY:N	2.75	0.40
1:A:84:HIS:CD2	1:A:84:HIS:H	2.39	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:ARG:NH1	6:A:515:HOH:O[4_445]	2.11	0.09

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	294/301 (98%)	281 (96%)	10 (3%)	3 (1%)	19	11
1	C	272/301 (90%)	254 (93%)	15 (6%)	3 (1%)	17	10
2	B	255/258 (99%)	251 (98%)	4 (2%)	0	100	100
2	D	253/258 (98%)	250 (99%)	2 (1%)	1 (0%)	39	34
All	All	1074/1118 (96%)	1036 (96%)	31 (3%)	7 (1%)	26	18

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	162	GLU
2	D	283	ASP
1	A	163	VAL
1	C	253	PRO
1	A	164	VAL
1	C	164	VAL
1	C	250	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/264 (99%)	251 (96%)	11 (4%)	36	34
1	C	242/264 (92%)	227 (94%)	15 (6%)	23	17
2	B	231/232 (100%)	226 (98%)	5 (2%)	60	63
2	D	229/232 (99%)	217 (95%)	12 (5%)	29	23
All	All	964/992 (97%)	921 (96%)	43 (4%)	35	30

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	55	LEU
1	A	73	GLU
1	A	83	LEU
1	A	122	ARG
1	A	150	ARG
1	A	161[A]	HIS
1	A	161[B]	HIS
1	A	165	THR
1	A	178	LYS
1	A	255	LEU
2	B	232	LEU
2	B	284	ASP
2	B	285	THR
2	B	292	LEU
2	B	374	GLU
1	C	-2	LEU
1	C	0	SER
1	C	17	VAL
1	C	22	ARG
1	C	37	LEU
1	C	55	LEU
1	C	103	LEU
1	C	122	ARG
1	C	131	GLN
1	C	150	ARG
1	C	202	LEU
1	C	217	ARG
1	C	250	LYS
1	C	252	VAL
1	C	281	LEU
2	D	177	ASP
2	D	232	LEU
2	D	245	SER
2	D	281	ILE
2	D	282	THR
2	D	283	ASP
2	D	285	THR
2	D	292	LEU
2	D	296	HIS
2	D	323	GLN
2	D	348	LEU
2	D	384	LEU



Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	HIS
1	A	71	HIS
1	A	84	HIS
1	A	272	ASN
2	B	233	HIS
2	B	254	GLN
2	B	296	HIS
2	B	395	HIS
2	B	403	GLN
2	B	425	ASN
1	C	59	ASN
1	C	60	HIS
1	C	71	HIS
1	C	84	HIS
1	C	85	GLN
1	C	119	HIS
1	C	131	GLN
1	C	246	GLN
1	C	265	GLN
1	C	268	HIS
2	D	233	HIS
2	D	254	GLN
2	D	296	HIS
2	D	395	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	TPO	A	160	1	8,10,11	0.71	0	7,14,16	1.23	1 (14%)
1	TPO	C	160	1	8,10,11	0.71	0	7,14,16	1.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	0/8/11/13	0/0/0/0
1	TPO	C	160	1	-	0/8/11/13	0/0/0/0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	160	TPO	O-C-CA	-2.02	120.09	125.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ATP	A	301	4	24,33,33	1.10	2 (8%)	31,52,52	1.97	6 (19%)
5	SGM	B	502	-	5,5,5	0.53	0	5,5,5	0.55	0
3	ATP	C	301	-	24,33,33	1.01	1 (4%)	31,52,52	1.96	4 (12%)
5	SGM	D	501	-	5,5,5	0.40	0	5,5,5	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	301	4	-	0/18/38/38	0/3/3/3
5	SGM	B	502	-	-	0/4/4/4	0/0/0/0
3	ATP	C	301	-	-	0/18/38/38	0/3/3/3
5	SGM	D	501	-	-	0/4/4/4	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	ATP	O4'-C1'	2.43	1.44	1.41
3	C	301	ATP	C5-C4	3.13	1.47	1.40
3	A	301	ATP	C5-C4	3.35	1.48	1.40

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	ATP	N3-C2-N1	-7.11	123.45	128.89
3	A	301	ATP	N3-C2-N1	-6.12	124.21	128.89
3	A	301	ATP	C2'-C1'-N9	-5.92	105.24	114.29
3	C	301	ATP	C2'-C1'-N9	-5.26	106.25	114.29
3	A	301	ATP	C4-C5-N7	-3.08	106.64	109.48
3	A	301	ATP	PB-O3B-PG	-2.82	123.21	132.67
3	C	301	ATP	PA-O3A-PB	-2.43	125.91	132.73
3	A	301	ATP	PA-O3A-PB	-2.43	125.92	132.73
3	C	301	ATP	C4-C5-N7	-2.11	107.53	109.48
3	A	301	ATP	O4'-C1'-N9	2.33	112.97	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	ATP	1	0
3	C	301	ATP	1	0
5	D	501	SGM	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	295/301 (98%)	0.25	17 (5%) 26 36	11, 21, 50, 59	0
1	C	275/301 (91%)	0.90	50 (18%) 2 3	19, 33, 65, 87	0
2	B	257/258 (99%)	0.27	14 (5%) 29 40	12, 24, 40, 56	0
2	D	254/258 (98%)	0.52	22 (8%) 13 19	16, 35, 68, 80	0
All	All	1081/1118 (96%)	0.49	103 (9%) 10 16	11, 28, 61, 87	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	15	TYR	11.3
1	C	14	THR	8.2
1	A	96	LEU	8.2
1	C	247	ASP	7.8
1	C	253	PRO	7.0
1	C	13	GLY	6.7
1	C	295[A]	HIS	6.3
2	D	283	ASP	5.7
1	C	-1	GLY	5.7
1	C	246	GLN	5.5
1	C	254	PRO	5.3
1	C	17	VAL	5.2
1	A	15	TYR	5.2
1	C	189	LEU	5.0
1	C	248	PHE	4.9
2	B	283	ASP	4.8
2	D	378	ARG	4.7
1	C	296	LEU	4.7
1	A	12	GLU	4.4
1	A	95	ALA	4.3
2	B	432	LEU	4.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	323	GLN	4.3
1	C	-2	LEU	4.1
1	C	12	GLU	4.0
1	C	293	VAL	4.0
1	C	128	LEU	3.8
2	B	284	ASP	3.8
1	C	221	THR	3.8
1	A	97	THR	3.7
1	C	273	LYS	3.7
1	A	17	VAL	3.7
2	B	280	TYR	3.6
1	C	192	ILE	3.6
1	A	71	HIS	3.5
1	C	287	GLN	3.5
1	C	220	GLY	3.4
2	D	311	VAL	3.4
2	D	324	PRO	3.3
1	A	41	THR	3.3
1	C	19	TYR	3.3
1	C	252	VAL	3.3
2	B	176	PRO	3.3
1	C	-3	PRO	3.3
1	C	36	ARG	3.3
1	A	74	ASN	3.2
1	C	9	LYS	3.1
2	B	431	ASN	3.1
1	C	288	ASP	3.1
1	A	36	ARG	3.1
1	A	73	GLU	3.0
1	C	186	ILE	3.0
1	C	115	LEU	3.0
1	C	111	LEU	2.9
2	D	315	LEU	2.9
2	B	311	VAL	2.9
1	C	191	CYS	2.9
2	D	284	ASP	2.8
2	D	381	GLY	2.8
2	D	337	GLY	2.8
2	B	201	LYS	2.7
1	C	2	GLU	2.7
1	C	138	GLU	2.6
1	C	250	LYS	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	341	LEU	2.5
2	D	419	HIS	2.5
2	D	336	LEU	2.5
1	C	73	GLU	2.5
1	C	176	GLY	2.5
1	A	14	THR	2.5
1	C	143	LEU	2.5
2	D	234	LEU	2.4
2	D	423	LEU	2.4
2	D	197	VAL	2.4
1	C	162	GLU	2.4
1	A	112	LEU	2.4
1	C	178	LYS	2.3
1	A	162	GLU	2.3
2	D	341	LEU	2.3
1	C	84	HIS	2.2
1	A	13	GLY	2.2
2	B	429	THR	2.2
1	C	272	ASN	2.2
2	B	234	LEU	2.2
1	C	161	HIS	2.2
1	C	190	GLY	2.2
1	C	249	SER	2.2
1	A	-1	GLY	2.2
1	C	257	GLU	2.2
2	D	428	GLU	2.2
1	C	108	LEU	2.1
1	C	269	TYR	2.1
2	D	325	ALA	2.1
1	A	111	LEU	2.1
1	C	188	SER	2.1
2	D	232	LEU	2.1
2	B	324	PRO	2.1
1	C	184	VAL	2.1
2	D	280	TYR	2.1
2	D	384	LEU	2.0
2	D	427	PRO	2.0
2	B	232	LEU	2.0
2	D	310	THR	2.0
2	D	271	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
1	TPO	C	160	11/12	0.98	0.08	-	22,24,27,28	0
1	TPO	A	160	11/12	0.98	0.10	-	19,20,21,21	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
5	SGM	B	502	6/6	0.88	0.17	2.98	42,45,46,47	0
3	ATP	A	301	31/31	0.90	0.15	0.03	31,43,54,55	9
3	ATP	C	301	31/31	0.81	0.17	-0.04	39,49,52,53	14
4	MG	B	501	1/1	0.98	0.05	-1.12	29,29,29,29	0
4	MG	A	302	1/1	0.85	0.09	-	41,41,41,41	0
5	SGM	D	501	6/6	0.79	0.25	-	62,64,65,67	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.