



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:28 AM GMT

PDB ID : 3ER6
Title : Crystal structure of a putative transcriptional regulator protein from *Vibrio parahaemolyticus*
Authors : Bonanno, J.B.; Freeman, J.; Bain, K.T.; Chang, S.; Ozyurt, S.; Wasserman, S.; Sauder, J.M.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2008-10-01
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	209	
1	B	209	
1	C	209	
1	D	209	
1	E	209	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	209	<div><div><div>%</div><div><div></div></div><div>84%</div><div>7%</div><div>8%</div></div></div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9362 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative transcriptional regulator protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	192	Total	C	N	O	S	0	3	0
			1511	979	247	280	5			
1	B	184	Total	C	N	O	S	0	0	0
			1425	927	229	264	5			
1	C	183	Total	C	N	O	S	0	0	0
			1426	925	234	262	5			
1	D	191	Total	C	N	O	S	0	1	0
			1476	956	245	270	5			
1	E	191	Total	C	N	O	S	0	0	0
			1466	947	241	273	5			
1	F	192	Total	C	N	O	S	0	1	0
			1501	973	246	277	5			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q87I90
A	2	SER	-	expression tag	UNP Q87I90
A	3	LEU	-	expression tag	UNP Q87I90
A	92	LYS	ASN	engineered	UNP Q87I90
A	202	GLU	-	expression tag	UNP Q87I90
A	203	GLY	-	expression tag	UNP Q87I90
A	204	HIS	-	expression tag	UNP Q87I90
A	205	HIS	-	expression tag	UNP Q87I90
A	206	HIS	-	expression tag	UNP Q87I90
A	207	HIS	-	expression tag	UNP Q87I90
A	208	HIS	-	expression tag	UNP Q87I90
A	209	HIS	-	expression tag	UNP Q87I90
B	1	MET	-	expression tag	UNP Q87I90
B	2	SER	-	expression tag	UNP Q87I90
B	3	LEU	-	expression tag	UNP Q87I90
B	92	LYS	ASN	engineered	UNP Q87I90
B	202	GLU	-	expression tag	UNP Q87I90

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	203	GLY	-	expression tag	UNP Q87I90
B	204	HIS	-	expression tag	UNP Q87I90
B	205	HIS	-	expression tag	UNP Q87I90
B	206	HIS	-	expression tag	UNP Q87I90
B	207	HIS	-	expression tag	UNP Q87I90
B	208	HIS	-	expression tag	UNP Q87I90
B	209	HIS	-	expression tag	UNP Q87I90
C	1	MET	-	expression tag	UNP Q87I90
C	2	SER	-	expression tag	UNP Q87I90
C	3	LEU	-	expression tag	UNP Q87I90
C	92	LYS	ASN	engineered	UNP Q87I90
C	202	GLU	-	expression tag	UNP Q87I90
C	203	GLY	-	expression tag	UNP Q87I90
C	204	HIS	-	expression tag	UNP Q87I90
C	205	HIS	-	expression tag	UNP Q87I90
C	206	HIS	-	expression tag	UNP Q87I90
C	207	HIS	-	expression tag	UNP Q87I90
C	208	HIS	-	expression tag	UNP Q87I90
C	209	HIS	-	expression tag	UNP Q87I90
D	1	MET	-	expression tag	UNP Q87I90
D	2	SER	-	expression tag	UNP Q87I90
D	3	LEU	-	expression tag	UNP Q87I90
D	92	LYS	ASN	engineered	UNP Q87I90
D	202	GLU	-	expression tag	UNP Q87I90
D	203	GLY	-	expression tag	UNP Q87I90
D	204	HIS	-	expression tag	UNP Q87I90
D	205	HIS	-	expression tag	UNP Q87I90
D	206	HIS	-	expression tag	UNP Q87I90
D	207	HIS	-	expression tag	UNP Q87I90
D	208	HIS	-	expression tag	UNP Q87I90
D	209	HIS	-	expression tag	UNP Q87I90
E	1	MET	-	expression tag	UNP Q87I90
E	2	SER	-	expression tag	UNP Q87I90
E	3	LEU	-	expression tag	UNP Q87I90
E	92	LYS	ASN	engineered	UNP Q87I90
E	202	GLU	-	expression tag	UNP Q87I90
E	203	GLY	-	expression tag	UNP Q87I90
E	204	HIS	-	expression tag	UNP Q87I90
E	205	HIS	-	expression tag	UNP Q87I90
E	206	HIS	-	expression tag	UNP Q87I90
E	207	HIS	-	expression tag	UNP Q87I90
E	208	HIS	-	expression tag	UNP Q87I90

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	209	HIS	-	expression tag	UNP Q87I90
F	1	MET	-	expression tag	UNP Q87I90
F	2	SER	-	expression tag	UNP Q87I90
F	3	LEU	-	expression tag	UNP Q87I90
F	92	LYS	ASN	engineered	UNP Q87I90
F	202	GLU	-	expression tag	UNP Q87I90
F	203	GLY	-	expression tag	UNP Q87I90
F	204	HIS	-	expression tag	UNP Q87I90
F	205	HIS	-	expression tag	UNP Q87I90
F	206	HIS	-	expression tag	UNP Q87I90
F	207	HIS	-	expression tag	UNP Q87I90
F	208	HIS	-	expression tag	UNP Q87I90
F	209	HIS	-	expression tag	UNP Q87I90

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	114	Total O 114 114	0	0
2	B	100	Total O 100 100	0	0
2	C	74	Total O 74 74	0	0
2	D	66	Total O 66 66	0	0
2	E	103	Total O 103 103	0	0
2	F	100	Total O 100 100	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Putative transcriptional regulator protein

Chain A: 





- Molecule 1: Putative transcriptional regulator protein

Chain B: 





- Molecule 1: Putative transcriptional regulator protein

Chain C: 




- Molecule 1: Putative transcriptional regulator protein

Chain D: 




- Molecule 1: Putative transcriptional regulator protein

Chain E: 



SER
GLU
GLY
HIS
HIS
HIS
HIS
HIS
HIS

● Molecule 1: Putative transcriptional regulator protein



MET
SER
LEU
THR
ASN
LYS
K7
E36
R53
P54
R58
D99
R102
V121
L126
S136
Y137
F142
L151
Q155
K156
A157
L158
M162
T198
ILE
GLU
SER
GLU
GLY
HIS
HIS
HIS
HIS
HIS
HIS

4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	105.27Å 105.27Å 101.75Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 1.90 46.75 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-1.90) 100.0 (46.75-1.90)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.4.0069	Depositor
R, R_{free}	0.192 , 0.231 0.196 , 0.236	Depositor DCC
R_{free} test set	4958 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	27.4	Xtriage
Anisotropy	0.269	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 55.0	EDS
Estimated twinning fraction	0.005 for -h,-k,l 0.026 for h,-h-k,-l 0.037 for -k,-h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 99357 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9362	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.96	0/1555	0.83	3/2109 (0.1%)
1	B	0.99	0/1456	0.85	3/1974 (0.2%)
1	C	0.77	0/1460	0.74	0/1982
1	D	0.76	0/1513	0.73	1/2054 (0.0%)
1	E	0.96	0/1499	0.86	3/2037 (0.1%)
1	F	0.97	0/1539	0.79	0/2088
All	All	0.91	0/9022	0.80	10/12244 (0.1%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	44	MET	CG-SD-CE	-7.57	88.08	100.20
1	B	44	MET	CA-CB-CG	7.18	125.51	113.30
1	E	176	MET	CG-SD-CE	5.94	109.71	100.20
1	A	85	ASP	CB-CG-OD1	5.82	123.54	118.30
1	E	19	ARG	NE-CZ-NH1	-5.78	117.41	120.30
1	A	58	ARG	NE-CZ-NH1	5.75	123.17	120.30
1	E	44	MET	CG-SD-CE	-5.67	91.13	100.20
1	B	97	LEU	CA-CB-CG	5.63	128.25	115.30
1	A	58	ARG	NE-CZ-NH2	-5.54	117.53	120.30
1	D	102	ARG	NE-CZ-NH1	-5.31	117.65	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1511	0	1509	7	0
1	B	1425	0	1420	10	0
1	C	1426	0	1416	13	0
1	D	1476	0	1465	6	0
1	E	1466	0	1444	13	0
1	F	1501	0	1493	15	0
2	A	114	0	0	0	0
2	B	100	0	0	0	0
2	C	74	0	0	0	0
2	D	66	0	0	0	0
2	E	103	0	0	0	0
2	F	100	0	0	1	0
All	All	9362	0	8747	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:41:GLN:NE2	1:E:41:GLN:H	1.67	0.92
1:F:156:LYS:N	1:F:156:LYS:HD2	1.87	0.89
1:F:137:TYR:CD2	1:F:137:TYR:O	2.32	0.82
1:F:137:TYR:O	1:F:137:TYR:HD2	1.64	0.80
1:D:140:HIS:O	1:D:144:GLU:HG3	1.89	0.72
1:C:9:LEU:HD12	1:C:40:PHE:CZ	2.25	0.72
1:C:99:ASP:O	1:C:103:GLU:HG2	1.91	0.71
1:F:137:TYR:CD2	1:F:137:TYR:C	2.66	0.69
1:C:9:LEU:HD21	1:C:183:TYR:CD1	2.28	0.69
1:E:41:GLN:H	1:E:41:GLN:HE21	1.43	0.67
1:F:137:TYR:HD2	1:F:137:TYR:C	1.98	0.65
1:B:37:PHE:HE2	1:B:195:PHE:CG	2.15	0.64
1:C:146:PHE:HB3	1:C:149:ILE:HD12	1.81	0.63
1:E:181:GLU:OE1	1:E:189:ARG:HD2	2.02	0.59
1:E:146:PHE:HB3	1:E:149:ILE:HD12	1.83	0.59
1:B:88:GLU:O	1:B:92:LYS:HD2	2.03	0.58
1:C:99:ASP:O	1:C:103:GLU:CG	2.53	0.56
1:B:37:PHE:HE2	1:B:195:PHE:CD2	2.23	0.56
1:E:182:GLU:HG3	1:E:182:GLU:O	2.04	0.55
1:C:115:ASP:OD1	1:C:135:HIS:HE1	1.90	0.55
1:F:142:PHE:HB3	1:F:151:LEU:HD11	1.88	0.55
1:A:88:GLU:OE1	1:A:88:GLU:C	2.44	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:168:GLY:HA3	1:E:172:HIS:CE1	2.42	0.54
1:B:69:TRP:CE2	1:B:97:LEU:HD13	2.44	0.52
1:F:36[B]:GLU:HG3	2:F:328:HOH:O	2.09	0.52
1:C:168:GLY:HA3	1:C:172:HIS:CE1	2.45	0.52
1:A:87:LEU:HD13	1:A:141:LEU:HD11	1.92	0.52
1:B:168:GLY:HA3	1:B:172:HIS:CE1	2.45	0.52
1:F:155:GLN:C	1:F:156:LYS:HD2	2.31	0.51
1:F:99:ASP:OD1	1:F:102:ARG:NH1	2.42	0.51
1:A:98:PHE:CZ	1:A:123:LYS:HD3	2.46	0.51
1:F:142:PHE:CB	1:F:151:LEU:HD11	2.40	0.50
1:C:100:TRP:HA	1:C:103:GLU:HG3	1.92	0.50
1:F:156:LYS:N	1:F:156:LYS:CD	2.66	0.49
1:A:14:LEU:O	1:A:16:PRO:HD3	2.13	0.49
1:C:181:GLU:HB2	1:C:189:ARG:HG3	1.94	0.49
1:E:187:HIS:O	1:E:191:LEU:HG	2.13	0.49
1:C:9:LEU:HD21	1:C:183:TYR:CE1	2.48	0.48
1:E:32:GLU:OE1	1:F:58:ARG:HD2	2.12	0.48
1:C:186:LYS:O	1:C:187:HIS:C	2.52	0.48
1:B:37:PHE:CE2	1:B:195:PHE:CB	2.97	0.47
1:B:110:LYS:NZ	1:B:182:GLU:OE1	2.37	0.47
1:D:140:HIS:O	1:D:144:GLU:CG	2.62	0.46
1:C:148:GLU:N	1:C:148:GLU:OE1	2.30	0.46
1:C:25:ILE:HG22	1:D:22:ALA:HB2	1.99	0.44
1:A:88:GLU:O	1:A:88:GLU:OE1	2.36	0.44
1:F:126:LEU:HD23	1:F:126:LEU:HA	1.86	0.44
1:E:181:GLU:HG3	1:E:186:LYS:HA	1.99	0.43
1:D:32:GLU:O	1:D:36:GLU:HG3	2.19	0.43
1:F:121:VAL:HG13	1:F:126:LEU:HB2	1.99	0.43
1:E:153:THR:HG22	1:E:154:GLU:CD	2.38	0.42
1:A:87:LEU:HA	1:A:87:LEU:HD12	1.83	0.42
1:D:153:THR:O	1:D:153:THR:HG22	2.18	0.42
1:F:53:ARG:HB3	1:F:54:PRO:HD2	2.02	0.42
1:B:37:PHE:CE2	1:B:195:PHE:CG	3.02	0.42
1:D:158:LEU:HD23	1:D:158:LEU:C	2.41	0.41
1:E:54:PRO:HA	1:E:63:VAL:O	2.21	0.41
1:A:44:MET:HE3	1:A:44:MET:HB3	1.89	0.41
1:B:69:TRP:CZ2	1:B:97:LEU:HD13	2.56	0.41
1:B:124:ALA:HB3	1:B:126:LEU:HD13	2.03	0.41
1:E:106:LEU:HA	1:E:106:LEU:HD23	1.94	0.41
1:E:167:SER:O	1:E:169:PRO:HA	2.20	0.41

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	193/209 (92%)	191 (99%)	2 (1%)	0	100	100
1	B	178/209 (85%)	175 (98%)	3 (2%)	0	100	100
1	C	181/209 (87%)	176 (97%)	5 (3%)	0	100	100
1	D	190/209 (91%)	188 (99%)	2 (1%)	0	100	100
1	E	189/209 (90%)	184 (97%)	5 (3%)	0	100	100
1	F	191/209 (91%)	188 (98%)	3 (2%)	0	100	100
All	All	1122/1254 (90%)	1102 (98%)	20 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/179 (92%)	162 (98%)	3 (2%)	66	61
1	B	154/179 (86%)	152 (99%)	2 (1%)	76	73
1	C	153/179 (86%)	150 (98%)	3 (2%)	63	57
1	D	158/179 (88%)	154 (98%)	4 (2%)	55	47
1	E	156/179 (87%)	152 (97%)	4 (3%)	54	45
1	F	162/179 (90%)	157 (97%)	5 (3%)	47	37
All	All	948/1074 (88%)	927 (98%)	21 (2%)	60	53

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	GLN
1	A	44	MET
1	A	92	LYS
1	B	44	MET
1	B	97	LEU
1	C	9	LEU
1	C	128	GLN
1	C	189	ARG
1	D	62	SER
1	D	128	GLN
1	D	174	SER
1	D	178	GLU
1	E	41	GLN
1	E	174	SER
1	E	189	ARG
1	E	193	ASN
1	F	136	SER
1	F	137	TYR
1	F	142	PHE
1	F	158	LEU
1	F	162	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	GLN
1	A	128	GLN
1	A	130	ASN
1	B	130	ASN
1	B	162	ASN
1	B	194	GLN
1	C	130	ASN
1	C	135	HIS
1	D	128	GLN
1	D	155	GLN
1	E	41	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	192/209 (91%)	-0.04	0	100	100	25, 33, 46, 53	0
1	B	184/209 (88%)	0.19	5 (2%)	58	61	25, 34, 52, 61	0
1	C	183/209 (87%)	0.31	12 (6%)	22	24	32, 41, 63, 78	0
1	D	191/209 (91%)	0.23	12 (6%)	23	26	31, 42, 63, 70	0
1	E	191/209 (91%)	0.24	12 (6%)	23	26	26, 34, 68, 82	0
1	F	192/209 (91%)	0.12	2 (1%)	84	86	26, 34, 54, 60	0
All	All	1133/1254 (90%)	0.17	43 (3%)	44	48	25, 36, 60, 82	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	168	GLY	5.5
1	F	137	TYR	5.2
1	D	139	ALA	4.2
1	D	150	MET	4.1
1	D	140	HIS	4.1
1	C	188	THR	4.0
1	E	193	ASN	3.9
1	E	196	LEU	3.8
1	D	141	LEU	3.6
1	E	106	LEU	3.6
1	C	187	HIS	3.3
1	E	187	HIS	3.2
1	E	188	THR	3.1
1	D	168	GLY	3.1
1	C	74	PHE	3.1
1	B	37	PHE	2.9
1	C	41	GLN	2.9
1	E	191	LEU	2.8
1	D	129	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	128	GLN	2.7
1	D	144	GLU	2.7
1	C	183	TYR	2.6
1	B	196	LEU	2.6
1	B	43	PHE	2.5
1	E	192	GLY	2.5
1	E	7	LYS	2.5
1	C	7	LYS	2.5
1	E	40	PHE	2.4
1	B	185	GLY	2.4
1	E	8	ASN	2.4
1	D	136	SER	2.3
1	C	186	LYS	2.3
1	F	136	SER	2.3
1	C	40	PHE	2.3
1	C	73	ASP	2.2
1	D	87	LEU	2.2
1	C	8	ASN	2.2
1	D	143	GLY	2.1
1	E	74	PHE	2.1
1	E	41	GLN	2.1
1	C	9	LEU	2.1
1	D	91	ASP	2.1
1	B	38	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.