



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:31 AM GMT

PDB ID : 3EXH
Title : Crystal structure of the pyruvate dehydrogenase (E1p) component of human pyruvate dehydrogenase complex
Authors : Kato, M.; Wynn, R.M.; Chuang, J.L.; Tso, S.-C.; Machius, M.; Li, J.; Chuang, D.T.
Deposited on : 2008-10-16
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	1003 (2.46-2.42)
Clashscore	102246	1071 (2.46-2.42)
Ramachandran outliers	100387	1065 (2.46-2.42)
Sidechain outliers	100360	1065 (2.46-2.42)
RSRZ outliers	91569	1005 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	382	<div><div>76%16%6%</div><div></div></div>
1	E	382	<div><div>4%69%15%13%</div><div></div></div>
2	B	329	<div><div>2%85%13%</div><div></div></div>
2	D	329	<div><div>5%87%12%</div><div></div></div>
2	F	329	<div><div>4%88%11%</div><div></div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	329	 6% 85% 13%
3	C	382	 % 77% 15% 5%
3	G	382	 % 76% 16% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	GOL	G	1905	-	-	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 22035 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	359	Total	C	N	O	S	0	0	0
			2802	1760	493	525	24			
1	E	331	Total	C	N	O	S	0	0	0
			2573	1621	448	482	22			

There are 46 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	EXPRESSION TAG	UNP P08559
A	-19	GLY	-	EXPRESSION TAG	UNP P08559
A	-18	SER	-	EXPRESSION TAG	UNP P08559
A	-17	SER	-	EXPRESSION TAG	UNP P08559
A	-16	HIS	-	EXPRESSION TAG	UNP P08559
A	-15	HIS	-	EXPRESSION TAG	UNP P08559
A	-14	HIS	-	EXPRESSION TAG	UNP P08559
A	-13	HIS	-	EXPRESSION TAG	UNP P08559
A	-12	HIS	-	EXPRESSION TAG	UNP P08559
A	-11	HIS	-	EXPRESSION TAG	UNP P08559
A	-10	SER	-	EXPRESSION TAG	UNP P08559
A	-9	SER	-	EXPRESSION TAG	UNP P08559
A	-8	GLY	-	EXPRESSION TAG	UNP P08559
A	-7	LEU	-	EXPRESSION TAG	UNP P08559
A	-6	VAL	-	EXPRESSION TAG	UNP P08559
A	-5	PRO	-	EXPRESSION TAG	UNP P08559
A	-4	ARG	-	EXPRESSION TAG	UNP P08559
A	-3	GLY	-	EXPRESSION TAG	UNP P08559
A	-2	SER	-	EXPRESSION TAG	UNP P08559
A	-1	HIS	-	EXPRESSION TAG	UNP P08559
A	0	MET	-	EXPRESSION TAG	UNP P08559
A	203	ALA	SER	ENGINEERED	UNP P08559
A	271	ALA	SER	ENGINEERED	UNP P08559
E	-20	MET	-	EXPRESSION TAG	UNP P08559

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-19	GLY	-	EXPRESSION TAG	UNP P08559
E	-18	SER	-	EXPRESSION TAG	UNP P08559
E	-17	SER	-	EXPRESSION TAG	UNP P08559
E	-16	HIS	-	EXPRESSION TAG	UNP P08559
E	-15	HIS	-	EXPRESSION TAG	UNP P08559
E	-14	HIS	-	EXPRESSION TAG	UNP P08559
E	-13	HIS	-	EXPRESSION TAG	UNP P08559
E	-12	HIS	-	EXPRESSION TAG	UNP P08559
E	-11	HIS	-	EXPRESSION TAG	UNP P08559
E	-10	SER	-	EXPRESSION TAG	UNP P08559
E	-9	SER	-	EXPRESSION TAG	UNP P08559
E	-8	GLY	-	EXPRESSION TAG	UNP P08559
E	-7	LEU	-	EXPRESSION TAG	UNP P08559
E	-6	VAL	-	EXPRESSION TAG	UNP P08559
E	-5	PRO	-	EXPRESSION TAG	UNP P08559
E	-4	ARG	-	EXPRESSION TAG	UNP P08559
E	-3	GLY	-	EXPRESSION TAG	UNP P08559
E	-2	SER	-	EXPRESSION TAG	UNP P08559
E	-1	HIS	-	EXPRESSION TAG	UNP P08559
E	0	MET	-	EXPRESSION TAG	UNP P08559
E	203	ALA	SER	ENGINEERED	UNP P08559
E	271	ALA	SER	ENGINEERED	UNP P08559

- Molecule 2 is a protein called Pyruvate dehydrogenase E1 component subunit beta, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	329	Total	C	N	O	S	0	0	0
			2519	1604	427	469	19			
2	D	329	Total	C	N	O	S	0	0	0
			2519	1604	427	469	19			
2	F	329	Total	C	N	O	S	0	0	0
			2519	1604	427	469	19			
2	H	329	Total	C	N	O	S	0	0	0
			2519	1604	427	469	19			

- Molecule 3 is a protein called Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	362	Total	C	N	O	P S	0	0	0
			2825	1772	496	532	1 24			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	G	362	Total	C	N	O	P	S	0	0	0
			2825	1772	496	532	1	24			

There are 46 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-20	MET	-	EXPRESSION TAG	UNP P08559
C	-19	GLY	-	EXPRESSION TAG	UNP P08559
C	-18	SER	-	EXPRESSION TAG	UNP P08559
C	-17	SER	-	EXPRESSION TAG	UNP P08559
C	-16	HIS	-	EXPRESSION TAG	UNP P08559
C	-15	HIS	-	EXPRESSION TAG	UNP P08559
C	-14	HIS	-	EXPRESSION TAG	UNP P08559
C	-13	HIS	-	EXPRESSION TAG	UNP P08559
C	-12	HIS	-	EXPRESSION TAG	UNP P08559
C	-11	HIS	-	EXPRESSION TAG	UNP P08559
C	-10	SER	-	EXPRESSION TAG	UNP P08559
C	-9	SER	-	EXPRESSION TAG	UNP P08559
C	-8	GLY	-	EXPRESSION TAG	UNP P08559
C	-7	LEU	-	EXPRESSION TAG	UNP P08559
C	-6	VAL	-	EXPRESSION TAG	UNP P08559
C	-5	PRO	-	EXPRESSION TAG	UNP P08559
C	-4	ARG	-	EXPRESSION TAG	UNP P08559
C	-3	GLY	-	EXPRESSION TAG	UNP P08559
C	-2	SER	-	EXPRESSION TAG	UNP P08559
C	-1	HIS	-	EXPRESSION TAG	UNP P08559
C	0	MET	-	EXPRESSION TAG	UNP P08559
C	203	ALA	SER	ENGINEERED	UNP P08559
C	271	ALA	SER	ENGINEERED	UNP P08559
G	-20	MET	-	EXPRESSION TAG	UNP P08559
G	-19	GLY	-	EXPRESSION TAG	UNP P08559
G	-18	SER	-	EXPRESSION TAG	UNP P08559
G	-17	SER	-	EXPRESSION TAG	UNP P08559
G	-16	HIS	-	EXPRESSION TAG	UNP P08559
G	-15	HIS	-	EXPRESSION TAG	UNP P08559
G	-14	HIS	-	EXPRESSION TAG	UNP P08559
G	-13	HIS	-	EXPRESSION TAG	UNP P08559
G	-12	HIS	-	EXPRESSION TAG	UNP P08559
G	-11	HIS	-	EXPRESSION TAG	UNP P08559
G	-10	SER	-	EXPRESSION TAG	UNP P08559
G	-9	SER	-	EXPRESSION TAG	UNP P08559
G	-8	GLY	-	EXPRESSION TAG	UNP P08559

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-7	LEU	-	EXPRESSION TAG	UNP P08559
G	-6	VAL	-	EXPRESSION TAG	UNP P08559
G	-5	PRO	-	EXPRESSION TAG	UNP P08559
G	-4	ARG	-	EXPRESSION TAG	UNP P08559
G	-3	GLY	-	EXPRESSION TAG	UNP P08559
G	-2	SER	-	EXPRESSION TAG	UNP P08559
G	-1	HIS	-	EXPRESSION TAG	UNP P08559
G	0	MET	-	EXPRESSION TAG	UNP P08559
G	203	ALA	SER	ENGINEERED	UNP P08559
G	271	ALA	SER	ENGINEERED	UNP P08559


- Molecule 4 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	G	1	Total Mn 1 1	0	0
4	A	1	Total Mn 1 1	0	0
4	C	1	Total Mn 1 1	0	0
4	E	1	Total Mn 1 1	0	0

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	G	1	Total K 1 1	0	0
5	A	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0

- Molecule 6 is THIAMINE DIPHOSPHATE (three-letter code: TPP) (formula: C₁₂H₁₉N₄O₇P₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	A	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
6	C	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
6	E	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
6	G	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 6 3 3	0	0
7	A	1	Total C O 6 3 3	0	0
7	C	1	Total C O 6 3 3	0	0
7	E	1	Total C O 6 3 3	0	0
7	G	1	Total C O 6 3 3	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	93	Total O 93 93	0	0
8	B	114	Total O 114 114	0	0
8	C	80	Total O 80 80	0	0
8	D	97	Total O 97 97	0	0
8	E	89	Total O 89 89	0	0
8	F	121	Total O 121 121	0	0
8	G	97	Total O 97 97	0	0
8	H	101	Total O 101 101	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial



- Molecule 1: Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial





- Molecule 2: Pyruvate dehydrogenase E1 component subunit beta, mitochondrial









- Molecule 2: Pyruvate dehydrogenase E1 component subunit beta, mitochondrial





- Molecule 2: Pyruvate dehydrogenase E1 component subunit beta, mitochondrial





- Molecule 2: Pyruvate dehydrogenase E1 component subunit beta, mitochondrial



- Molecule 3: Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial



- Molecule 3: Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	257.06Å 115.61Å 127.59Å 90.00° 113.64° 90.00°	Depositor
Resolution (Å)	50.00 – 2.44 47.46 – 2.44	Depositor EDS
% Data completeness (in resolution range)	97.8 (50.00-2.44) 97.8 (47.46-2.44)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.28 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.4	Depositor
R, R_{free}	0.165 , 0.211 0.166 , 0.210	Depositor DCC
R_{free} test set	6182 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	28.4	Xtriage
Anisotropy	0.144	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 41.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 123753 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	22035	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, K, MN, TPP, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.95	2/2857 (0.1%)	0.89	2/3845 (0.1%)
1	E	0.93	1/2621 (0.0%)	0.88	5/3527 (0.1%)
2	B	0.99	0/2574	0.95	7/3488 (0.2%)
2	D	0.96	3/2574 (0.1%)	0.91	2/3488 (0.1%)
2	F	0.99	2/2574 (0.1%)	0.92	2/3488 (0.1%)
2	H	0.98	1/2574 (0.0%)	0.90	3/3488 (0.1%)
3	C	0.94	2/2870 (0.1%)	0.87	1/3864 (0.0%)
3	G	0.93	1/2870 (0.0%)	0.86	1/3864 (0.0%)
All	All	0.96	12/21514 (0.1%)	0.90	23/29052 (0.1%)

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	29	GLU	CG-CD	6.55	1.61	1.51
3	G	62	CYS	CB-SG	-6.08	1.72	1.82
1	A	176	PHE	CE2-CZ	5.89	1.48	1.37
3	C	205	GLU	CG-CD	5.55	1.60	1.51
2	F	136	TYR	CD1-CE1	-5.49	1.31	1.39
3	C	280	GLU	CG-CD	5.33	1.59	1.51
2	D	250	GLU	CD-OE2	5.29	1.31	1.25
1	A	333	GLU	CG-CD	5.24	1.59	1.51
2	D	131	CYS	CB-SG	5.16	1.91	1.82
1	E	176	PHE	CE2-CZ	5.07	1.47	1.37
2	F	91	ASP	CB-CG	5.04	1.62	1.51
2	H	139	CYS	CB-SG	5.01	1.90	1.82

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	162	ARG	NE-CZ-NH2	-9.03	115.78	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	14	ASP	CB-CG-OD1	8.83	126.25	118.30
2	B	162	ARG	NE-CZ-NH1	8.21	124.40	120.30
1	E	197	ARG	NE-CZ-NH1	8.13	124.37	120.30
2	F	162	ARG	NE-CZ-NH1	7.13	123.87	120.30
2	H	162	ARG	NE-CZ-NH2	-6.78	116.91	120.30
2	B	14	ASP	CB-CG-OD2	-6.46	112.48	118.30
2	D	299	ASP	CB-CG-OD1	6.17	123.86	118.30
1	A	289	MET	CG-SD-CE	6.03	109.85	100.20
2	H	162	ARG	NE-CZ-NH1	5.62	123.11	120.30
2	B	152	ASP	CB-CG-OD2	-5.58	113.28	118.30
1	E	286	ASP	CB-CG-OD2	5.55	123.30	118.30
1	E	349	ARG	NE-CZ-NH2	-5.52	117.54	120.30
2	D	162	ARG	NE-CZ-NH2	-5.50	117.55	120.30
2	B	139	CYS	CA-CB-SG	-5.47	104.16	114.00
3	G	314	ARG	NE-CZ-NH1	5.42	123.01	120.30
2	B	152	ASP	CB-CG-OD1	5.30	123.07	118.30
2	F	162	ARG	NE-CZ-NH2	-5.29	117.66	120.30
1	A	98	ARG	NE-CZ-NH1	-5.17	117.72	120.30
2	H	214	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	E	71	CYS	CA-CB-SG	-5.08	104.85	114.00
1	E	99	GLY	N-CA-C	5.07	125.77	113.10
3	C	317	ILE	CG1-CB-CG2	-5.00	100.39	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2802	0	2755	39	0
1	E	2573	0	2543	41	0
2	B	2519	0	2517	27	0
2	D	2519	0	2517	20	0
2	F	2519	0	2517	24	0
2	H	2519	0	2517	27	0
3	C	2825	0	2775	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	2825	0	2775	44	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
4	E	1	0	0	0	0
4	G	1	0	0	0	0
5	A	1	0	0	0	0
5	C	1	0	0	0	0
5	E	1	0	0	0	0
5	G	1	0	0	0	0
6	A	26	0	16	2	0
6	C	26	0	16	4	0
6	E	26	0	16	3	0
6	G	26	0	16	7	0
7	A	12	0	16	0	0
7	C	6	0	8	0	0
7	E	6	0	8	0	0
7	G	6	0	8	0	0
8	A	93	0	0	2	0
8	B	114	0	0	1	0
8	C	80	0	0	1	0
8	D	97	0	0	0	0
8	E	89	0	0	3	0
8	F	121	0	0	2	0
8	G	97	0	0	5	0
8	H	101	0	0	3	0
All	All	22035	0	21020	253	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (253) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:264:SEP:O3P	3:G:266:SER:HB2	1.34	1.26
3:C:270:VAL:HG21	3:C:275:ARG:NH1	1.62	1.14
3:C:264:SEP:O3P	3:C:266:SER:HB2	1.48	1.11
1:E:206:ARG:HG3	1:E:206:ARG:HH11	1.03	1.06
1:A:68:GLN:HE22	1:A:196:ASN:HD22	1.07	1.03
3:C:98:ARG:HG2	3:C:131:PHE:HB2	1.41	0.99
3:G:98:ARG:HG2	3:G:131:PHE:HB2	1.46	0.98
1:E:206:ARG:NH1	1:E:206:ARG:HG3	1.77	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:98:ALA:HB2	2:H:142:LEU:HD13	1.53	0.91
2:F:118:ASN:HD21	2:F:132:PHE:H	1.17	0.89
1:A:68:GLN:NE2	1:A:196:ASN:HD22	1.72	0.87
2:H:317:LYS:HE3	8:H:2624:HOH:O	1.76	0.85
3:G:264:SEP:O3P	3:G:266:SER:CB	2.22	0.83
2:F:139:CYS:HB3	8:F:2605:HOH:O	1.79	0.81
3:G:276:GLU:O	3:G:280:GLU:HG2	1.81	0.80
2:F:16:GLU:OE1	2:F:162:ARG:HD2	1.85	0.77
2:B:118:ASN:HD21	2:B:132:PHE:H	1.28	0.76
3:C:270:VAL:CG2	3:C:275:ARG:NH1	2.47	0.75
2:F:104:SER:O	2:F:107:LEU:HD22	1.88	0.73
1:A:334:GLU:HG2	1:A:337:TYR:CE2	2.24	0.72
2:D:98:ALA:HB2	2:D:142:LEU:HD13	1.71	0.71
1:E:39:MET:CE	1:E:291:LEU:CD2	2.70	0.70
1:E:206:ARG:NH1	1:E:206:ARG:CG	2.52	0.69
1:E:39:MET:CE	1:E:291:LEU:HD23	2.22	0.69
2:B:199:LYS:HE2	2:B:239:ARG:NH2	2.07	0.69
1:E:39:MET:HE1	1:E:291:LEU:CD2	2.22	0.69
3:G:55:GLN:O	3:G:56:LYS:HB2	1.93	0.69
1:E:39:MET:HE1	1:E:291:LEU:HD22	1.75	0.68
3:C:270:VAL:HG21	3:C:275:ARG:CZ	2.22	0.68
1:A:68:GLN:HE22	1:A:196:ASN:ND2	1.87	0.67
1:A:223:LEU:HD21	1:A:253:MET:HG3	1.75	0.67
3:C:108:GLU:HB3	3:C:126:MET:HE1	1.76	0.66
3:G:59:ARG:HD2	8:G:2582:HOH:O	1.94	0.66
2:F:172:ASN:HD22	2:F:175:MET:H	1.42	0.66
2:F:118:ASN:HD21	2:F:132:PHE:N	1.92	0.65
2:B:207:ILE:HD11	2:B:260:VAL:HG23	1.79	0.65
3:C:91:ALA:O	3:C:95:THR:HG23	1.98	0.64
1:A:291:LEU:O	1:A:295:MET:HG3	1.97	0.63
2:B:172:ASN:HD22	2:B:175:MET:H	1.43	0.63
6:G:1502:TPP:H2	6:G:1502:TPP:HN42	1.63	0.63
1:E:29:ARG:NH2	1:E:305:GLU:OE1	2.31	0.63
3:G:118:LYS:HB2	8:G:2742:HOH:O	1.99	0.62
2:D:189:LYS:NZ	2:D:189:LYS:HB2	2.13	0.62
2:F:75:ARG:HH12	2:F:164:ASN:ND2	1.98	0.61
3:C:55:GLN:O	3:C:56:LYS:HB2	2.00	0.60
2:F:33:TYR:O	2:F:34:ASP:HB2	2.00	0.60
3:G:304:GLU:HG3	8:G:2727:HOH:O	2.01	0.60
2:D:259:LEU:HD22	2:D:279:ILE:HG13	1.82	0.60
6:C:1502:TPP:H2	8:C:2592:HOH:O	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:270:VAL:HG11	3:G:275:ARG:NH2	2.16	0.59
2:H:16:GLU:OE1	2:H:162:ARG:HD2	2.03	0.59
1:A:68:GLN:NE2	1:A:259:ARG:HB3	2.18	0.59
6:C:1502:TPP:HN42	6:C:1502:TPP:H2	1.66	0.59
3:G:334:GLU:HG2	3:G:337:TYR:CD2	2.38	0.59
1:E:223:LEU:N	1:E:223:LEU:HD23	2.18	0.58
3:G:101:SER:O	3:G:105:ILE:HG13	2.03	0.58
1:E:39:MET:CE	1:E:291:LEU:HD22	2.34	0.57
6:E:1502:TPP:HN42	6:E:1502:TPP:H2	1.69	0.57
1:A:223:LEU:HD23	1:A:252:LEU:O	2.06	0.56
2:B:203:GLN:NE2	8:B:2667:HOH:O	2.39	0.56
2:H:212:HIS:HB3	2:H:238:MET:CE	2.36	0.56
1:E:157:LYS:O	1:E:158:ASP:HB2	2.05	0.56
2:B:24:PHE:CZ	2:B:76:PRO:HB3	2.40	0.56
3:G:113:LYS:HG2	3:G:114:GLY:N	2.20	0.56
2:F:153:ALA:O	2:F:157:ILE:HG22	2.06	0.55
1:E:334:GLU:HG2	1:E:337:TYR:CE2	2.41	0.55
3:G:91:ALA:O	3:G:95:THR:CG2	2.55	0.55
2:B:16:GLU:OE1	2:B:162:ARG:HD2	2.08	0.54
1:A:223:LEU:N	1:A:223:LEU:HD23	2.21	0.54
2:B:118:ASN:HD21	2:B:132:PHE:N	2.01	0.54
1:A:196:ASN:O	1:A:197:ARG:HB2	2.08	0.54
3:G:29:ARG:NH2	3:G:305:GLU:OE1	2.41	0.54
1:E:308:GLU:HB3	8:E:2731:HOH:O	2.08	0.54
2:F:251:ALA:HA	2:F:254:MET:HE2	1.90	0.53
2:H:120:ALA:HB1	2:H:313:ILE:HD11	1.89	0.53
3:C:279:GLN:O	3:C:283:SER:HB3	2.08	0.53
3:G:321:ALA:O	3:G:325:THR:HG23	2.08	0.53
1:A:172:GLN:HB2	1:A:175:ILE:HD13	1.91	0.53
1:A:101:SER:OG	1:A:104:GLU:HG3	2.09	0.53
1:E:127:TYR:N	1:E:127:TYR:CD1	2.77	0.53
1:A:40:GLN:O	1:A:44:ARG:HG2	2.09	0.52
1:E:103:ARG:HG2	1:E:323:PHE:CD2	2.44	0.52
3:G:157:LYS:O	3:G:158:ASP:CB	2.56	0.52
2:B:104:SER:O	2:B:107:LEU:HD22	2.08	0.52
3:C:270:VAL:HG21	3:C:275:ARG:HH12	1.66	0.51
3:G:228:MET:HE3	3:G:287:PRO:HD3	1.92	0.51
3:G:228:MET:HE3	3:G:285:SER:O	2.09	0.51
2:B:246:MET:CE	2:B:279:ILE:HG12	2.40	0.51
1:A:341:SER:HB2	2:B:101:TYR:CE1	2.45	0.51
2:H:246:MET:CE	2:H:279:ILE:HG12	2.41	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1502:TPP:H2	8:A:2278:HOH:O	2.10	0.51
3:C:157:LYS:O	3:C:158:ASP:HB2	2.09	0.51
1:E:223:LEU:HD23	1:E:223:LEU:H	1.76	0.50
6:E:1502:TPP:H2	8:E:2668:HOH:O	2.10	0.50
1:E:302:SER:OG	1:E:305:GLU:HG3	2.11	0.50
3:G:334:GLU:HG2	3:G:337:TYR:CE2	2.46	0.50
3:G:89:TYR:OH	6:G:1502:TPP:H71	2.11	0.50
3:C:29:ARG:NH2	3:C:305:GLU:OE1	2.45	0.50
2:H:212:HIS:HB3	2:H:238:MET:HE2	1.94	0.50
2:H:120:ALA:CB	2:H:313:ILE:HD11	2.41	0.50
2:B:237:ASN:HD22	2:B:237:ASN:C	2.16	0.49
2:D:259:LEU:CD2	2:D:279:ILE:HG13	2.42	0.49
2:B:33:TYR:O	2:B:34:ASP:HB2	2.12	0.49
1:A:95:THR:HG23	1:A:100:LEU:HD22	1.94	0.49
1:A:223:LEU:H	1:A:223:LEU:HD23	1.77	0.49
3:C:108:GLU:HB3	3:C:126:MET:CE	2.42	0.49
1:A:304:GLU:HG3	1:A:305:GLU:N	2.26	0.49
2:H:263:GLU:HB2	8:H:2720:HOH:O	2.12	0.49
3:G:335:LEU:C	3:G:335:LEU:HD23	2.31	0.49
1:A:103:ARG:HG2	1:A:323:PHE:CD2	2.48	0.49
2:H:237:ASN:C	2:H:237:ASN:HD22	2.16	0.49
1:E:229:ASP:C	1:E:229:ASP:OD1	2.48	0.49
2:D:189:LYS:HZ3	2:D:189:LYS:HB2	1.77	0.49
1:E:66:ASP:HA	1:E:69:GLU:OE2	2.12	0.49
1:A:302:SER:OG	1:A:305:GLU:HB2	2.13	0.49
1:E:212:ASP:HB3	1:E:215:LYS:HG3	1.95	0.48
1:E:95:THR:HG23	1:E:100:LEU:HD22	1.95	0.48
2:F:184:PRO:HA	2:F:187:GLN:NE2	2.29	0.48
3:C:142:VAL:HB	3:C:143:PRO:HD3	1.95	0.48
2:F:256:THR:O	2:F:257:ASN:HB2	2.13	0.48
3:G:263:HIS:CE1	6:G:1502:TPP:S1	3.07	0.48
2:D:280:MET:HE2	2:D:285:PHE:CE1	2.48	0.48
3:C:144:LEU:HD13	2:D:71:MET:HE1	1.95	0.48
3:G:91:ALA:O	3:G:95:THR:HG22	2.14	0.48
3:C:229:ASP:CG	3:C:294:ARG:HH12	2.16	0.48
2:B:285:PHE:O	2:B:288:LEU:HB2	2.14	0.47
2:B:154:LYS:O	2:B:157:ILE:HG22	2.13	0.47
3:C:335:LEU:O	3:C:335:LEU:HD23	2.14	0.47
3:C:101:SER:O	3:C:105:ILE:HG13	2.14	0.47
3:G:144:LEU:HD22	2:H:71:MET:HE1	1.95	0.47
1:A:229:ASP:OD1	1:A:229:ASP:C	2.52	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:162:LEU:N	1:E:162:LEU:HD12	2.30	0.47
1:A:177:GLU:HB3	2:B:58:SER:HB3	1.96	0.47
2:D:246:MET:CE	2:D:279:ILE:HG12	2.45	0.47
3:C:335:LEU:C	3:C:335:LEU:HD23	2.36	0.47
1:A:138:VAL:HG13	1:A:169:ALA:HB2	1.96	0.47
1:A:68:GLN:HE21	1:A:259:ARG:HB3	1.79	0.46
2:D:302:MET:CE	2:D:313:ILE:HD11	2.45	0.46
1:E:89:TYR:OH	6:E:1502:TPP:H71	2.16	0.46
1:E:290:LEU:HD22	1:E:294:ARG:HD2	1.98	0.46
3:G:89:TYR:HB2	3:G:124:MET:HG2	1.98	0.45
1:A:132:TYR:N	1:A:132:TYR:CD1	2.84	0.45
1:A:32:GLY:HA3	1:A:295:MET:HE1	1.98	0.45
1:E:196:ASN:HA	1:E:257:THR:HG22	1.97	0.45
3:C:228:MET:HE3	3:C:285:SER:O	2.16	0.45
1:E:292:LYS:HG3	1:E:306:LEU:CD1	2.46	0.45
1:A:55:GLN:O	1:A:56:LYS:HB2	2.16	0.45
3:C:302:SER:OG	3:C:305:GLU:HB2	2.16	0.45
2:B:3:VAL:HG13	2:B:182:PHE:HB2	1.98	0.45
3:G:291:LEU:O	3:G:295:MET:HG3	2.17	0.45
3:G:132:TYR:N	3:G:132:TYR:CD1	2.84	0.45
3:C:66:ASP:N	3:C:66:ASP:OD1	2.43	0.45
2:B:256:THR:O	2:B:257:ASN:HB2	2.16	0.45
1:E:258:TYR:N	1:E:258:TYR:CD2	2.85	0.45
2:D:324:LYS:HG2	2:D:329:ILE:HG13	1.99	0.45
2:D:94:ILE:HG22	2:D:99:LYS:HE3	1.99	0.45
1:A:228:MET:HE3	1:A:287:PRO:HD3	1.99	0.45
1:A:95:THR:CG2	1:A:100:LEU:HD22	2.46	0.45
6:G:1502:TPP:HN42	6:G:1502:TPP:C2	2.30	0.44
3:G:91:ALA:O	3:G:95:THR:HG23	2.16	0.44
1:A:216:ARG:HG3	1:A:216:ARG:HH11	1.81	0.44
1:E:283:SER:O	1:E:289:MET:HG2	2.17	0.44
2:D:212:HIS:HB3	2:D:238:MET:HE3	1.99	0.44
2:H:147:PRO:HD2	2:H:170:LEU:O	2.17	0.44
6:A:1502:TPP:HN42	6:A:1502:TPP:H2	1.82	0.44
2:F:21:GLU:HG2	8:F:2205:HOH:O	2.17	0.44
3:C:112:ARG:HD2	3:C:327:ASP:O	2.18	0.44
1:E:174:GLN:HB3	2:F:60:MET:HG2	1.98	0.44
3:G:117:ALA:O	3:G:118:LYS:HB2	2.17	0.44
2:B:1:LEU:HD12	2:B:3:VAL:HG12	2.00	0.44
3:C:327:ASP:HA	3:C:328:PRO:HD3	1.90	0.44
3:G:46:GLU:HA	3:G:46:GLU:OE1	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:214:ARG:HB3	2:D:215:PRO:HD3	2.00	0.44
3:G:221:PRO:HG2	3:G:243:TYR:OH	2.18	0.44
3:G:55:GLN:O	3:G:56:LYS:CB	2.61	0.43
3:G:164:LEU:HD12	3:G:164:LEU:N	2.33	0.43
3:C:7:PHE:O	3:C:24:THR:HA	2.18	0.43
1:A:172:GLN:HB2	1:A:175:ILE:CD1	2.48	0.43
2:B:237:ASN:ND2	2:B:237:ASN:C	2.71	0.43
3:C:229:ASP:OD1	3:C:229:ASP:C	2.56	0.43
1:A:32:GLY:HA3	1:A:295:MET:CE	2.48	0.43
6:C:1502:TPP:HN42	6:C:1502:TPP:C2	2.31	0.43
2:H:212:HIS:HB3	2:H:238:MET:HE3	2.00	0.43
2:F:237:ASN:C	2:F:237:ASN:HD22	2.21	0.43
3:G:51:GLN:NE2	8:G:2252:HOH:O	2.51	0.43
2:B:202:ARG:O	2:B:234:GLU:HA	2.18	0.43
3:G:29:ARG:HH22	3:G:305:GLU:CD	2.22	0.43
1:A:341:SER:HB2	2:B:101:TYR:CZ	2.54	0.43
3:G:157:LYS:HB2	8:G:2711:HOH:O	2.18	0.43
1:A:343:ASP:HB3	1:A:344:PRO:HD2	1.99	0.43
2:H:157:ILE:HG13	2:H:158:LYS:N	2.33	0.43
2:D:279:ILE:HA	2:D:279:ILE:HD13	1.90	0.43
1:E:315:LYS:HB2	1:E:315:LYS:HE2	1.69	0.43
2:F:95:ASN:ND2	2:H:87:MET:CE	2.82	0.43
2:D:207:ILE:HG13	2:D:258:HIS:HB2	2.01	0.43
2:H:259:LEU:HD22	2:H:279:ILE:HG13	2.01	0.43
1:E:164:LEU:HG	1:E:192:ILE:HB	2.00	0.42
2:H:302:MET:SD	2:H:303:PRO:HD2	2.59	0.42
1:E:164:LEU:HD12	1:E:164:LEU:N	2.33	0.42
3:C:108:GLU:CG	3:C:126:MET:HE2	2.49	0.42
1:E:223:LEU:HD23	1:E:252:LEU:O	2.19	0.42
2:D:302:MET:HA	2:D:303:PRO:HD2	1.92	0.42
2:H:280:MET:HE3	2:H:285:PHE:CE1	2.55	0.42
1:A:257:THR:OG1	1:A:258:TYR:N	2.52	0.42
2:F:154:LYS:O	2:F:157:ILE:HG22	2.19	0.42
2:F:118:ASN:ND2	2:F:132:PHE:H	2.00	0.42
2:D:280:MET:HG3	2:D:285:PHE:CE1	2.54	0.42
3:C:138:VAL:HG13	3:C:169:ALA:HB2	2.01	0.42
3:C:334:GLU:HG2	3:C:337:TYR:CE2	2.55	0.42
2:H:237:ASN:ND2	8:H:2754:HOH:O	2.52	0.42
1:A:150:LEU:HA	1:A:187:LEU:HD22	2.01	0.42
2:F:172:ASN:HD22	2:F:175:MET:N	2.13	0.42
2:H:107:LEU:O	2:H:107:LEU:HD12	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:222:GLY:HA2	1:E:252:LEU:O	2.20	0.42
2:H:76:PRO:HG2	2:H:112:ILE:HG13	2.02	0.42
3:G:40:GLN:NE2	3:G:288:ILE:HD13	2.35	0.42
3:G:196:ASN:O	3:G:197:ARG:HB2	2.20	0.42
1:E:125:HIS:HE1	2:H:127:GLN:OE1	2.03	0.42
1:A:58:ILE:HD13	1:A:109:LEU:HG	2.02	0.42
3:G:100:LEU:HD12	3:G:100:LEU:HA	1.88	0.42
2:F:57:ILE:CD1	6:G:1502:TPP:HM41	2.50	0.42
1:E:58:ILE:HD13	1:E:109:LEU:HG	2.02	0.42
1:A:58:ILE:HD13	1:A:109:LEU:HB3	2.01	0.41
3:C:164:LEU:N	3:C:164:LEU:HD12	2.35	0.41
1:A:174:GLN:HB3	2:B:60:MET:HG2	2.01	0.41
3:C:321:ALA:O	3:C:325:THR:HG23	2.20	0.41
3:C:142:VAL:HA	3:C:163:THR:CG2	2.50	0.41
2:D:121:SER:OG	2:D:122:ALA:N	2.53	0.41
1:A:56:LYS:HD3	8:A:2676:HOH:O	2.20	0.41
2:B:70:ALA:HB1	2:B:111:PRO:HD2	2.03	0.41
3:G:263:HIS:HE1	6:G:1502:TPP:S1	2.44	0.41
3:G:55:GLN:HE21	3:G:57:ILE:HD12	1.86	0.41
3:G:157:LYS:O	3:G:158:ASP:HB2	2.18	0.41
1:E:206:ARG:HG2	1:E:206:ARG:H	1.41	0.41
2:F:57:ILE:HD13	6:G:1502:TPP:CM4	2.50	0.41
3:C:55:GLN:O	3:C:56:LYS:CB	2.64	0.41
3:C:169:ALA:O	3:C:175:ILE:HD12	2.21	0.41
2:D:34:ASP:O	2:D:38:LYS:HA	2.20	0.41
3:G:174:GLN:HB3	2:H:60:MET:HG2	2.03	0.41
3:G:270:VAL:O	3:G:270:VAL:HG12	2.21	0.41
2:H:237:ASN:C	2:H:237:ASN:ND2	2.74	0.41
2:F:237:ASN:ND2	2:F:237:ASN:C	2.74	0.41
2:F:99:LYS:HG2	2:H:301:PRO:HB3	2.03	0.40
2:B:59:GLU:OE2	6:C:1502:TPP:N1'	2.55	0.40
2:B:288:LEU:HD23	2:D:280:MET:CE	2.51	0.40
2:H:68:GLY:HA2	2:H:71:MET:HE2	2.02	0.40
1:E:357:PHE:HB3	8:E:2023:HOH:O	2.21	0.40
1:E:74:GLY:N	1:E:230:ILE:HD12	2.37	0.40
2:F:75:ARG:HH12	2:F:164:ASN:HD22	1.67	0.40
2:H:184:PRO:HA	2:H:187:GLN:NE2	2.37	0.40
1:E:47:LEU:HA	1:E:47:LEU:HD23	1.77	0.40
2:B:259:LEU:CD2	2:B:279:ILE:HG13	2.52	0.40
1:E:343:ASP:HB3	1:E:344:PRO:HD2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/382 (93%)	343 (97%)	9 (2%)	3 (1%)	24	28
1	E	325/382 (85%)	317 (98%)	7 (2%)	1 (0%)	46	56
2	B	327/329 (99%)	315 (96%)	12 (4%)	0	100	100
2	D	327/329 (99%)	319 (98%)	8 (2%)	0	100	100
2	F	327/329 (99%)	314 (96%)	13 (4%)	0	100	100
2	H	327/329 (99%)	315 (96%)	12 (4%)	0	100	100
3	C	359/382 (94%)	348 (97%)	10 (3%)	1 (0%)	46	56
3	G	359/382 (94%)	346 (96%)	12 (3%)	1 (0%)	46	56
All	All	2706/2844 (95%)	2617 (97%)	83 (3%)	6 (0%)	52	64

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	200	MET
3	C	218	ASP
1	E	218	ASP
3	G	218	ASP
1	A	88	ALA
1	A	218	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	290/310 (94%)	269 (93%)	21 (7%)	18	23
1	E	267/310 (86%)	243 (91%)	24 (9%)	12	13
2	B	268/268 (100%)	253 (94%)	15 (6%)	26	36
2	D	268/268 (100%)	254 (95%)	14 (5%)	29	40
2	F	268/268 (100%)	255 (95%)	13 (5%)	31	43
2	H	268/268 (100%)	251 (94%)	17 (6%)	22	31
3	C	291/309 (94%)	266 (91%)	25 (9%)	13	15
3	G	291/309 (94%)	266 (91%)	25 (9%)	13	15
All	All	2211/2310 (96%)	2057 (93%)	154 (7%)	19	25

All (154) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	10	LYS
1	A	24	THR
1	A	27	LEU
1	A	29	ARG
1	A	33	LEU
1	A	75	LEU
1	A	100	LEU
1	A	109	LEU
1	A	129	LYS
1	A	157	LYS
1	A	230	ILE
1	A	253	MET
1	A	255	LEU
1	A	279	GLN
1	A	285	SER
1	A	289	MET
1	A	304	GLU
1	A	307	LYS
1	A	322	GLN
1	A	342	SER
2	B	1	LEU
2	B	18	GLU
2	B	43	LEU
2	B	45	LYS
2	B	74	LEU
2	B	107	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	121	SER
2	B	162	ARG
2	B	172	ASN
2	B	173	GLU
2	B	185	GLU
2	B	197	LYS
2	B	237	ASN
2	B	279	ILE
2	B	288	LEU
3	C	10	LYS
3	C	11	LYS
3	C	27	LEU
3	C	33	LEU
3	C	56	LYS
3	C	75	LEU
3	C	95	THR
3	C	98	ARG
3	C	100	LEU
3	C	118	LYS
3	C	157	LYS
3	C	184	LEU
3	C	230	ILE
3	C	238	ARG
3	C	252	LEU
3	C	255	LEU
3	C	280	GLU
3	C	283	SER
3	C	289	MET
3	C	300	LEU
3	C	307	LYS
3	C	314	ARG
3	C	317	ILE
3	C	342	SER
3	C	360	VAL
2	D	1	LEU
2	D	43	LEU
2	D	45	LYS
2	D	74	LEU
2	D	142	LEU
2	D	173	GLU
2	D	188	SER
2	D	189	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	227	SER
2	D	237	ASN
2	D	255	LYS
2	D	279	ILE
2	D	288	LEU
2	D	306	LYS
1	E	3	ASN
1	E	10	LYS
1	E	22	PRO
1	E	24	THR
1	E	27	LEU
1	E	29	ARG
1	E	33	LEU
1	E	34	LYS
1	E	75	LEU
1	E	100	LEU
1	E	103	ARG
1	E	109	LEU
1	E	205	GLU
1	E	206	ARG
1	E	210	SER
1	E	230	ILE
1	E	255	LEU
1	E	257	THR
1	E	283	SER
1	E	290	LEU
1	E	314	ARG
1	E	315	LYS
1	E	322	GLN
1	E	342	SER
2	F	1	LEU
2	F	3	VAL
2	F	43	LEU
2	F	45	LYS
2	F	74	LEU
2	F	107	LEU
2	F	157	ILE
2	F	192	LEU
2	F	237	ASN
2	F	246	MET
2	F	279	ILE
2	F	288	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	317	LYS
3	G	10	LYS
3	G	11	LYS
3	G	24	THR
3	G	29	ARG
3	G	30	GLU
3	G	33	LEU
3	G	56	LYS
3	G	75	LEU
3	G	95	THR
3	G	98	ARG
3	G	100	LEU
3	G	113	LYS
3	G	118	LYS
3	G	158	ASP
3	G	230	ILE
3	G	238	ARG
3	G	252	LEU
3	G	255	LEU
3	G	283	SER
3	G	289	MET
3	G	300	LEU
3	G	307	LYS
3	G	314	ARG
3	G	318	GLU
3	G	322	GLN
2	H	1	LEU
2	H	3	VAL
2	H	43	LEU
2	H	45	LYS
2	H	51	ARG
2	H	74	LEU
2	H	142	LEU
2	H	173	GLU
2	H	185	GLU
2	H	188	SER
2	H	189	LYS
2	H	197	LYS
2	H	237	ASN
2	H	279	ILE
2	H	288	LEU
2	H	306	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	317	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (39) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	GLN
1	A	130	ASN
1	A	279	GLN
1	A	297	ASN
2	B	32	GLN
2	B	118	ASN
2	B	172	ASN
2	B	187	GLN
2	B	203	GLN
2	B	237	ASN
2	B	257	ASN
2	B	328	ASN
3	C	40	GLN
3	C	51	GLN
3	C	55	GLN
3	C	263	HIS
3	C	299	ASN
3	C	353	GLN
2	D	237	ASN
1	E	55	GLN
1	E	130	ASN
1	E	297	ASN
2	F	32	GLN
2	F	118	ASN
2	F	164	ASN
2	F	172	ASN
2	F	187	GLN
2	F	237	ASN
2	F	257	ASN
2	F	328	ASN
3	G	3	ASN
3	G	40	GLN
3	G	51	GLN
3	G	55	GLN
3	G	80	ASN
3	G	263	HIS
3	G	299	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	G	353	GLN
2	H	237	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SEP	C	264	3	8,9,10	1.71	2 (25%)	8,12,14	1.84	3 (37%)
3	SEP	G	264	3	8,9,10	1.47	1 (12%)	8,12,14	1.95	5 (62%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SEP	C	264	3	-	0/6/8/10	0/0/0/0
3	SEP	G	264	3	-	0/6/8/10	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	264	SEP	P-O2P	2.63	1.64	1.54
3	G	264	SEP	P-O1P	2.74	1.60	1.51
3	C	264	SEP	P-O1P	3.34	1.62	1.51

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	264	SEP	OG-CB-CA	-2.80	105.88	108.27
3	G	264	SEP	O3P-P-O1P	-2.55	102.37	110.58
3	G	264	SEP	O2P-P-OG	-2.19	100.27	106.56
3	G	264	SEP	O-C-CA	-2.17	119.85	125.49
3	C	264	SEP	O-C-CA	-2.16	119.86	125.49
3	C	264	SEP	OG-P-O1P	2.02	112.28	107.14
3	G	264	SEP	O3P-P-OG	2.16	112.80	106.56
3	G	264	SEP	O3P-P-O2P	2.40	116.52	107.38

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	264	SEP	1	0
3	G	264	SEP	2	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 8 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	TPP	A	1502	4	20,27,27	1.30	2 (10%)	31,40,40	2.09	13 (41%)
7	GOL	A	1901	-	5,5,5	0.20	0	5,5,5	1.32	1 (20%)
7	GOL	A	1902	-	5,5,5	0.30	0	5,5,5	0.50	0
6	TPP	C	1502	4	20,27,27	1.17	1 (5%)	31,40,40	2.17	13 (41%)
7	GOL	C	1903	-	5,5,5	0.37	0	5,5,5	0.74	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	TPP	E	1502	4	20,27,27	1.33	4 (20%)	31,40,40	2.67	14 (45%)
7	GOL	E	1904	-	5,5,5	0.29	0	5,5,5	0.47	0
6	TPP	G	1502	4	20,27,27	1.43	3 (15%)	31,40,40	2.18	13 (41%)
7	GOL	G	1905	-	5,5,5	0.53	0	5,5,5	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	TPP	A	1502	4	-	0/16/17/17	0/2/2/2
7	GOL	A	1901	-	-	0/4/4/4	0/0/0/0
7	GOL	A	1902	-	-	0/4/4/4	0/0/0/0
6	TPP	C	1502	4	-	0/16/17/17	0/2/2/2
7	GOL	C	1903	-	-	0/4/4/4	0/0/0/0
6	TPP	E	1502	4	-	0/16/17/17	0/2/2/2
7	GOL	E	1904	-	-	0/4/4/4	0/0/0/0
6	TPP	G	1502	4	-	0/16/17/17	0/2/2/2
7	GOL	G	1905	-	-	0/4/4/4	0/0/0/0

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	G	1502	TPP	C7'-N3	-3.70	1.41	1.48
6	C	1502	TPP	C7'-N3	-2.58	1.44	1.48
6	G	1502	TPP	C4-N3	-2.56	1.37	1.39
6	A	1502	TPP	C7'-N3	-2.44	1.44	1.48
6	E	1502	TPP	C7'-N3	-2.36	1.44	1.48
6	E	1502	TPP	PB-O2B	-2.12	1.47	1.54
6	G	1502	TPP	C5'-C4'	-2.00	1.38	1.42
6	E	1502	TPP	C2'-N3'	2.09	1.38	1.34
6	E	1502	TPP	C4'-N3'	2.21	1.38	1.35
6	A	1502	TPP	C2'-N3'	3.32	1.40	1.34

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	1502	TPP	C5'-C7'-N3	-4.71	105.46	113.33
6	E	1502	TPP	N1'-C2'-N3'	-4.20	117.83	125.60
6	G	1502	TPP	C5'-C7'-N3	-4.15	106.40	113.33
6	A	1502	TPP	N1'-C2'-N3'	-4.10	118.02	125.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	1502	TPP	CM4-C4-C5	-4.01	119.88	128.90
6	G	1502	TPP	N1'-C2'-N3'	-3.86	118.47	125.60
6	C	1502	TPP	N1'-C2'-N3'	-3.46	119.19	125.60
6	E	1502	TPP	C6-C5-S1	-3.27	115.66	120.24
6	E	1502	TPP	C7'-C5'-C6'	-3.22	114.07	120.67
6	C	1502	TPP	CM4-C4-C5	-3.17	121.77	128.90
6	A	1502	TPP	C6-C5-S1	-3.09	115.92	120.24
6	G	1502	TPP	C6-C5-S1	-3.07	115.95	120.24
6	E	1502	TPP	C5'-C7'-N3	-3.02	108.27	113.33
6	E	1502	TPP	C5'-C4'-N3'	-3.01	116.21	121.23
6	A	1502	TPP	C5'-C7'-N3	-2.96	108.38	113.33
6	G	1502	TPP	C5'-C4'-N3'	-2.83	116.51	121.23
6	G	1502	TPP	C7'-C5'-C6'	-2.54	115.47	120.67
7	A	1901	GOL	O3-C3-C2	-2.33	98.90	110.18
6	A	1502	TPP	CM4-C4-C5	-2.31	123.71	128.90
6	A	1502	TPP	C7'-C5'-C6'	-2.28	116.01	120.67
6	C	1502	TPP	C5'-C4'-N3'	-2.25	117.48	121.23
6	C	1502	TPP	C5'-C6'-N1'	-2.23	120.00	123.86
6	A	1502	TPP	C5'-C4'-N3'	-2.21	117.55	121.23
6	C	1502	TPP	PA-O3A-PB	-2.19	125.31	132.67
6	G	1502	TPP	CM4-C4-C5	-2.14	124.08	128.90
6	A	1502	TPP	O2A-PA-O3A	2.12	114.73	105.09
6	G	1502	TPP	N4'-C4'-N3'	2.21	120.15	116.95
6	A	1502	TPP	C6'-N1'-C2'	2.22	119.65	115.77
6	A	1502	TPP	C2'-N3'-C4'	2.27	122.71	118.19
6	C	1502	TPP	O3B-PB-O3A	2.34	115.73	105.09
6	C	1502	TPP	C6-C5-C4	2.36	129.68	127.56
6	E	1502	TPP	O3B-PB-O3A	2.40	115.98	105.09
6	A	1502	TPP	C6'-C5'-C4'	2.42	119.20	115.72
6	E	1502	TPP	C6'-N1'-C2'	2.43	120.03	115.77
6	G	1502	TPP	C2'-N3'-C4'	2.51	123.18	118.19
6	E	1502	TPP	C6'-C5'-C4'	2.58	119.42	115.72
6	G	1502	TPP	C6'-N1'-C2'	2.63	120.37	115.77
6	G	1502	TPP	O2A-PA-O3A	2.64	117.06	105.09
6	C	1502	TPP	O2A-PA-O3A	2.71	117.39	105.09
6	C	1502	TPP	CM2-C2'-N1'	2.73	120.31	117.03
6	C	1502	TPP	C6'-N1'-C2'	2.74	120.57	115.77
6	E	1502	TPP	C2'-N3'-C4'	2.96	124.07	118.19
6	G	1502	TPP	C6'-C5'-C4'	3.15	120.25	115.72
6	E	1502	TPP	CM2-C2'-N3'	3.29	122.80	117.20
6	E	1502	TPP	O3A-PA-O7	3.38	111.90	102.94
6	C	1502	TPP	C6'-C5'-C4'	3.44	120.65	115.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
6	A	1502	TPP	CM2-C2'-N3'	3.49	123.15	117.20
6	G	1502	TPP	CM2-C2'-N3'	3.64	123.39	117.20
6	A	1502	TPP	CM4-C4-N3	3.89	127.78	122.59
6	A	1502	TPP	C6-C5-C4	4.13	131.27	127.56
6	G	1502	TPP	CM4-C4-N3	4.40	128.45	122.59
6	C	1502	TPP	CM4-C4-N3	4.50	128.59	122.59
6	E	1502	TPP	CM4-C4-N3	5.70	130.18	122.59
6	E	1502	TPP	C6-C5-C4	6.45	133.35	127.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1502	TPP	2	0
6	C	1502	TPP	4	0
6	E	1502	TPP	3	0
6	G	1502	TPP	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	359/382 (93%)	-0.18	4 (1%) 82 84	10, 18, 32, 55	0
1	E	331/382 (86%)	-0.13	14 (4%) 40 39	10, 18, 29, 48	0
2	B	329/329 (100%)	-0.24	7 (2%) 67 67	10, 16, 27, 37	0
2	D	329/329 (100%)	0.01	15 (4%) 36 35	10, 17, 28, 39	0
2	F	329/329 (100%)	-0.13	14 (4%) 39 37	11, 16, 27, 40	0
2	H	329/329 (100%)	0.08	21 (6%) 23 20	10, 17, 28, 41	0
3	C	361/382 (94%)	-0.23	4 (1%) 82 84	10, 18, 32, 44	0
3	G	361/382 (94%)	-0.19	4 (1%) 82 84	10, 18, 30, 42	0
All	All	2728/2844 (95%)	-0.13	83 (3%) 54 52	10, 17, 29, 55	0

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	90	ILE	4.9
2	D	90	ILE	4.2
2	D	1	LEU	3.8
3	C	18	GLU	3.6
2	F	1	LEU	3.5
2	H	93	VAL	3.5
2	H	60	MET	3.4
2	B	1	LEU	3.2
1	E	285	SER	3.2
2	D	60	MET	3.1
2	D	89	ALA	3.1
1	E	205	GLU	3.1
1	E	308	GLU	3.1
2	D	136	TYR	3.0
2	H	94	ILE	3.0
1	E	1	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	87	MET	3.0
2	D	131	CYS	3.0
1	E	3	ASN	2.9
2	H	136	TYR	2.9
2	H	89	ALA	2.9
2	H	87	MET	2.9
1	E	18	GLU	2.8
2	H	33	TYR	2.8
2	F	135	TRP	2.8
2	B	184	PRO	2.8
2	H	132	PHE	2.8
1	A	301	ALA	2.8
2	D	94	ILE	2.7
2	D	132	PHE	2.7
2	B	87	MET	2.6
2	B	90	ILE	2.6
2	F	90	ILE	2.6
2	H	86	SER	2.6
2	H	181	GLU	2.6
2	F	87	MET	2.6
2	F	183	PRO	2.5
2	H	329	ILE	2.5
1	E	310	ASP	2.5
2	H	1	LEU	2.5
2	B	89	ALA	2.5
1	A	296	VAL	2.5
2	F	185	GLU	2.5
1	E	33	LEU	2.5
2	D	86	SER	2.4
2	F	184	PRO	2.4
3	C	1	PHE	2.4
3	G	18	GLU	2.4
2	D	85	PHE	2.4
3	G	10	LYS	2.4
2	H	184	PRO	2.3
2	H	131	CYS	2.3
1	E	309	ILE	2.3
2	H	183	PRO	2.3
2	D	93	VAL	2.3
2	H	135	TRP	2.3
1	E	0	MET	2.2
2	F	89	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	301	ALA	2.2
2	B	135	TRP	2.2
3	G	8	GLU	2.2
2	D	91	ASP	2.2
1	A	205	GLU	2.2
2	H	168	VAL	2.2
2	H	63	ALA	2.2
2	H	97	ALA	2.2
2	D	83	PHE	2.2
3	C	19	GLU	2.2
1	E	284	LYS	2.2
3	C	0	MET	2.1
2	B	93	VAL	2.1
3	G	1	PHE	2.1
1	A	304	GLU	2.1
1	E	2	ALA	2.1
2	F	88	GLN	2.1
2	F	182	PHE	2.1
2	F	86	SER	2.1
1	E	303	VAL	2.0
2	D	82	THR	2.0
2	H	139	CYS	2.0
2	F	93	VAL	2.0
2	F	94	ILE	2.0
2	F	132	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SEP	C	264	10/11	0.96	0.15	-	30,35,44,45	0
3	SEP	G	264	10/11	0.94	0.15	-	27,31,37,39	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	GOL	G	1905	6/6	0.89	0.15	2.20	44,47,49,49	0
7	GOL	A	1902	6/6	0.88	0.15	1.73	46,51,52,52	0
5	K	C	1501	1/1	0.98	0.13	1.32	32,32,32,32	0
5	K	G	1501	1/1	0.98	0.14	0.94	41,41,41,41	0
7	GOL	C	1903	6/6	0.80	0.17	0.80	45,51,52,53	0
7	GOL	E	1904	6/6	0.88	0.15	0.60	45,48,50,52	0
5	K	A	1501	1/1	0.98	0.14	0.56	36,36,36,36	0
7	GOL	A	1901	6/6	0.88	0.13	-0.06	43,43,46,48	0
6	TPP	E	1502	26/26	0.96	0.12	-0.75	7,16,31,40	0
6	TPP	C	1502	26/26	0.97	0.11	-0.97	10,14,26,34	0
5	K	E	1501	1/1	0.79	0.10	-1.00	48,48,48,48	0
6	TPP	A	1502	26/26	0.97	0.12	-1.05	9,16,27,28	0
6	TPP	G	1502	26/26	0.97	0.11	-1.06	9,14,25,31	0
4	MN	A	1500	1/1	1.00	0.02	-3.23	14,14,14,14	0
4	MN	G	1500	1/1	0.99	0.02	-4.28	13,13,13,13	0
4	MN	C	1500	1/1	1.00	0.01	-13.80	12,12,12,12	0
4	MN	E	1500	1/1	1.00	0.01	-	14,14,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.