



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:32 AM GMT

PDB ID : 3F0Y  
Title : Crystal structure of the human Adenovirus type 14 fiber knob  
Authors : Persson, B.D.; Reiter, D.M.; Arnberg, N.; Stehle, T.  
Deposited on : 2008-10-27  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4533 (1.80-1.80)
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)
RSRZ outliers	91569	4547 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	208	
1	B	208	
1	C	208	
1	D	208	
1	E	208	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	208	 88% 7% 5%
1	G	208	 2% 89% 6% 5%
1	H	208	 2% 83% 12% 5%
1	I	208	 2% 89% 6% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	2	-	-	-	X
2	GOL	A	3	-	-	-	X
2	GOL	C	4	-	-	-	X
3	IMD	A	326	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15886 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fiber protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	198	Total	C	N	O	S	0	4	0
			1570	986	259	315	10			
1	B	198	Total	C	N	O	S	0	1	0
			1547	969	255	313	10			
1	C	198	Total	C	N	O	S	0	2	0
			1552	974	255	313	10			
1	D	198	Total	C	N	O	S	0	5	0
			1572	989	257	315	11			
1	E	198	Total	C	N	O	S	0	3	0
			1561	982	255	314	10			
1	F	198	Total	C	N	O	S	0	4	0
			1565	985	255	315	10			
1	G	199	Total	C	N	O	S	0	3	0
			1569	988	256	315	10			
1	H	198	Total	C	N	O	S	0	3	0
			1559	978	256	315	10			
1	I	198	Total	C	N	O	S	0	1	0
			1549	970	256	313	10			

There are 45 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	118	GLY	-	EXPRESSION TAG	UNP Q8V791
A	119	SER	-	EXPRESSION TAG	UNP Q8V791
A	120	HIS	-	EXPRESSION TAG	UNP Q8V791
A	121	MET	-	EXPRESSION TAG	UNP Q8V791
A	122	GLY	-	EXPRESSION TAG	UNP Q8V791
B	118	GLY	-	EXPRESSION TAG	UNP Q8V791
B	119	SER	-	EXPRESSION TAG	UNP Q8V791
B	120	HIS	-	EXPRESSION TAG	UNP Q8V791
B	121	MET	-	EXPRESSION TAG	UNP Q8V791
B	122	GLY	-	EXPRESSION TAG	UNP Q8V791
C	118	GLY	-	EXPRESSION TAG	UNP Q8V791

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
C	119	SER	-	EXPRESSION TAG	UNP Q8V791
C	120	HIS	-	EXPRESSION TAG	UNP Q8V791
C	121	MET	-	EXPRESSION TAG	UNP Q8V791
C	122	GLY	-	EXPRESSION TAG	UNP Q8V791
D	118	GLY	-	EXPRESSION TAG	UNP Q8V791
D	119	SER	-	EXPRESSION TAG	UNP Q8V791
D	120	HIS	-	EXPRESSION TAG	UNP Q8V791
D	121	MET	-	EXPRESSION TAG	UNP Q8V791
D	122	GLY	-	EXPRESSION TAG	UNP Q8V791
E	118	GLY	-	EXPRESSION TAG	UNP Q8V791
E	119	SER	-	EXPRESSION TAG	UNP Q8V791
E	120	HIS	-	EXPRESSION TAG	UNP Q8V791
E	121	MET	-	EXPRESSION TAG	UNP Q8V791
E	122	GLY	-	EXPRESSION TAG	UNP Q8V791
F	118	GLY	-	EXPRESSION TAG	UNP Q8V791
F	119	SER	-	EXPRESSION TAG	UNP Q8V791
F	120	HIS	-	EXPRESSION TAG	UNP Q8V791
F	121	MET	-	EXPRESSION TAG	UNP Q8V791
F	122	GLY	-	EXPRESSION TAG	UNP Q8V791
G	118	GLY	-	EXPRESSION TAG	UNP Q8V791
G	119	SER	-	EXPRESSION TAG	UNP Q8V791
G	120	HIS	-	EXPRESSION TAG	UNP Q8V791
G	121	MET	-	EXPRESSION TAG	UNP Q8V791
G	122	GLY	-	EXPRESSION TAG	UNP Q8V791
H	118	GLY	-	EXPRESSION TAG	UNP Q8V791
H	119	SER	-	EXPRESSION TAG	UNP Q8V791
H	120	HIS	-	EXPRESSION TAG	UNP Q8V791
H	121	MET	-	EXPRESSION TAG	UNP Q8V791
H	122	GLY	-	EXPRESSION TAG	UNP Q8V791
I	118	GLY	-	EXPRESSION TAG	UNP Q8V791
I	119	SER	-	EXPRESSION TAG	UNP Q8V791
I	120	HIS	-	EXPRESSION TAG	UNP Q8V791
I	121	MET	-	EXPRESSION TAG	UNP Q8V791
I	122	GLY	-	EXPRESSION TAG	UNP Q8V791

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is IMIDAZOLE (three-letter code: IMD) (formula:  $C_3H_5N_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N 5 3 2	0	0
3	A	1	Total C N 5 3 2	0	0
3	C	1	Total C N 5 3 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	183	Total O 183 183	0	0
4	B	225	Total O 225 225	0	0
4	C	185	Total O 185 185	0	0
4	D	216	Total O 216 216	0	0
4	E	199	Total O 199 199	0	0
4	F	223	Total O 223 223	0	0
4	G	218	Total O 218 218	0	0
4	H	183	Total O 183 183	0	0
4	I	171	Total O 171 171	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Fiber protein




#### • Molecule 1: Fiber protein




#### • Molecule 1: Fiber protein



#### • Molecule 1: Fiber protein




#### • Molecule 1: Fiber protein




#### • Molecule 1: Fiber protein



Chain F:  88% 7% 5%





• Molecule 1: Fiber protein

Chain G:  89% 6% 5%




• Molecule 1: Fiber protein

Chain H:  83% 12% 5%



• Molecule 1: Fiber protein

Chain I:  89% 6% 5%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 32 1 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.47Å 106.47Å 311.71Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.40 – 1.80 47.38 – 1.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (47.40-1.80) 99.3 (47.38-1.80)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.44 (at 1.81Å)	Xtriage
Refinement program	REFMAC 5.3.0037	Depositor
R, $R_{free}$	0.188 , 0.215 0.192 , 0.217	Depositor DCC
$R_{free}$ test set	9272 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	17.5	Xtriage
Anisotropy	0.014	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 38.6	EDS
Estimated twinning fraction	0.046 for -h,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.43$ , $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	0 of 185428 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	15886	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, IMD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/1617	0.49	0/2205
1	B	0.29	0/1584	0.50	0/2160
1	C	0.28	0/1592	0.49	0/2172
1	D	0.29	0/1622	0.52	0/2212
1	E	0.29	0/1605	0.52	0/2190
1	F	0.29	0/1612	0.51	0/2200
1	G	0.28	0/1613	0.49	0/2201
1	H	0.29	0/1599	0.50	0/2182
1	I	0.29	0/1586	0.51	0/2163
All	All	0.28	0/14430	0.50	0/19685

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1570	0	1505	7	0
1	B	1547	0	1475	6	0
1	C	1552	0	1486	5	0
1	D	1572	0	1508	11	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1561	0	1494	15	0
1	F	1565	0	1502	10	0
1	G	1569	0	1506	10	0
1	H	1559	0	1492	18	0
1	I	1549	0	1476	10	0
2	A	12	0	16	0	0
2	C	6	0	8	0	0
2	H	6	0	8	0	0
3	A	10	0	10	0	0
3	C	5	0	5	0	0
4	A	183	0	0	0	0
4	B	225	0	0	2	0
4	C	185	0	0	2	0
4	D	216	0	0	0	0
4	E	199	0	0	0	0
4	F	223	0	0	1	0
4	G	218	0	0	1	0
4	H	183	0	0	1	0
4	I	171	0	0	0	0
All	All	15886	0	13491	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:281:ALA:HA	1:I:282:ILE:HG23	1.47	0.94
1:D:151:SER:HA	1:D:152:GLU:HB2	1.53	0.89
1:G:319[B]:TYR:OH	1:H:319:TYR:OH	1.88	0.88
1:E:319[A]:TYR:OH	1:F:319[A]:TYR:OH	1.93	0.85
1:E:319[B]:TYR:OH	1:F:319[B]:TYR:OH	1.99	0.81
1:I:281:ALA:HA	1:I:282:ILE:CG2	2.10	0.81
1:D:151:SER:HA	1:D:152:GLU:CB	2.12	0.80
1:E:151:SER:HA	1:E:152:GLU:HB2	1.63	0.78
1:I:281:ALA:CA	1:I:282:ILE:HG23	2.13	0.78
1:B:319:TYR:OH	1:C:319:TYR:OH	2.02	0.78
1:E:151:SER:HA	1:E:152:GLU:CB	2.25	0.66
1:C:258[B]:THR:HG22	4:C:1406:HOH:O	1.95	0.66
1:E:151:SER:CA	1:E:152:GLU:HB2	2.29	0.61
1:D:218:HIS:HE1	1:D:230:THR:H	1.47	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:281:ALA:HA	1:I:282:ILE:CB	2.31	0.60
1:D:151:SER:CA	1:D:152:GLU:CB	2.81	0.59
1:I:281:ALA:HA	1:I:282:ILE:CG1	2.33	0.58
1:G:218:HIS:HE1	1:G:230:THR:H	1.53	0.57
1:A:169:VAL:HG23	1:A:322:ARG:HB3	1.88	0.56
1:D:186:THR:CG2	1:D:311:LEU:HD13	2.35	0.56
1:E:218:HIS:HE1	1:E:230:THR:H	1.54	0.54
1:A:319[B]:TYR:HH	1:C:319:TYR:HH	1.53	0.54
1:F:281:ALA:HB1	1:F:286[A]:THR:OG1	2.07	0.53
1:H:186:THR:CG2	1:H:311:LEU:HD13	2.38	0.52
1:H:169:VAL:HG23	1:H:322:ARG:HB3	1.92	0.52
1:G:165[A]:THR:HG22	1:H:163:VAL:HG11	1.92	0.52
1:I:185:LEU:HD22	1:I:191:ILE:HD12	1.91	0.52
1:H:186:THR:HG22	1:H:311:LEU:HD13	1.92	0.51
1:D:169:VAL:HG23	1:D:322:ARG:HB3	1.93	0.50
1:B:278:ASN:HD22	1:B:289:CYS:H	1.58	0.50
1:A:321:ILE:HD13	1:B:138:VAL:HG22	1.94	0.49
1:H:278:ASN:HD22	1:H:289:CYS:H	1.61	0.49
1:G:186:THR:CG2	1:G:311:LEU:HD13	2.43	0.49
1:D:238:SER:OG	1:E:222:GLN:NE2	2.45	0.49
1:G:147:MET:O	4:G:1644:HOH:O	2.19	0.49
1:E:319[B]:TYR:CZ	1:F:319[B]:TYR:OH	2.67	0.48
1:D:218:HIS:CE1	1:D:230:THR:H	2.29	0.48
1:I:169:VAL:HG23	1:I:322:ARG:HB3	1.95	0.48
1:H:185:LEU:HD22	1:H:191:ILE:HD12	1.95	0.48
1:F:169:VAL:HG23	1:F:322:ARG:HB3	1.95	0.48
1:I:186:THR:CG2	1:I:311:LEU:HD13	2.44	0.47
1:A:190:ASN:ND2	1:A:297[A]:ASN:OD1	2.48	0.47
1:H:218:HIS:CE1	1:H:230:THR:H	2.33	0.46
1:B:169:VAL:HG23	1:B:322:ARG:HB3	1.97	0.46
1:F:218:HIS:HE1	1:F:230:THR:H	1.62	0.46
1:D:186:THR:O	1:D:301:ALA:HB1	2.16	0.46
1:E:278:ASN:HD22	1:E:289:CYS:H	1.63	0.46
1:D:222:GLN:NE2	1:F:238:SER:OG	2.49	0.46
1:C:258[B]:THR:HG23	4:C:958:HOH:O	2.15	0.45
1:F:147:MET:O	4:F:1642:HOH:O	2.21	0.45
1:E:169:VAL:HG23	1:E:322:ARG:HB3	1.99	0.45
1:E:165:THR:HG22	1:F:163:VAL:HG11	1.99	0.44
1:E:171:ALA:O	1:E:317:THR:HA	2.17	0.44
1:A:255:ILE:HG23	4:B:85:HOH:O	2.17	0.43
1:A:185:LEU:HD22	1:A:191:ILE:HD12	2.00	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:281:ALA:HB1	1:H:286[A]:THR:OG1	2.19	0.43
1:I:209:LEU:HD21	1:I:283:ARG:NH1	2.34	0.43
1:A:138:VAL:HG21	1:A:222:GLN:NE2	2.33	0.43
1:F:171:ALA:O	1:F:317:THR:HA	2.19	0.43
1:G:319[B]:TYR:CZ	1:H:319:TYR:OH	2.70	0.42
1:H:206:LEU:HD12	1:H:286[A]:THR:HG22	2.01	0.42
1:B:233:LYS:NZ	4:B:1024:HOH:O	2.52	0.42
1:H:258[A]:THR:HG23	4:H:692:HOH:O	2.18	0.42
1:G:238:SER:OG	1:H:222:GLN:NE2	2.52	0.42
1:B:259:CYS:SG	1:B:273:ILE:HD11	2.59	0.42
1:H:238:SER:OG	1:I:222:GLN:NE2	2.53	0.42
1:G:169:VAL:HG23	1:G:322:ARG:HB3	2.01	0.42
1:H:206:LEU:CD1	1:H:286[A]:THR:HG22	2.50	0.42
1:E:151:SER:HA	1:E:152:GLU:CG	2.50	0.42
1:E:151:SER:CA	1:E:152:GLU:CB	2.95	0.41
1:H:189:ARG:NH1	1:H:299:GLY:O	2.54	0.41
1:E:146:GLN:NE2	1:E:151:SER:O	2.54	0.41
1:G:321:ILE:HD13	1:H:138:VAL:HG22	2.02	0.41
1:G:256:TYR:CD1	1:H:260:HIS:HB2	2.56	0.41
1:C:186:THR:CG2	1:C:311:LEU:HD13	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	200/208 (96%)	195 (98%)	5 (2%)	0	100	100
1	B	197/208 (95%)	192 (98%)	5 (2%)	0	100	100
1	C	198/208 (95%)	194 (98%)	4 (2%)	0	100	100
1	D	201/208 (97%)	192 (96%)	7 (4%)	2 (1%)	19	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	199/208 (96%)	194 (98%)	4 (2%)	1 (0%)	34	17
1	F	200/208 (96%)	196 (98%)	4 (2%)	0	100	100
1	G	200/208 (96%)	198 (99%)	2 (1%)	0	100	100
1	H	199/208 (96%)	192 (96%)	7 (4%)	0	100	100
1	I	197/208 (95%)	191 (97%)	5 (2%)	1 (0%)	34	17
All	All	1791/1872 (96%)	1744 (97%)	43 (2%)	4 (0%)	52	35

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	152	GLU
1	E	152	GLU
1	I	282	ILE
1	D	300	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	178/182 (98%)	176 (99%)	2 (1%)	80	74
1	B	175/182 (96%)	173 (99%)	2 (1%)	80	74
1	C	176/182 (97%)	174 (99%)	2 (1%)	80	74
1	D	179/182 (98%)	177 (99%)	2 (1%)	80	74
1	E	177/182 (97%)	176 (99%)	1 (1%)	90	88
1	F	178/182 (98%)	176 (99%)	2 (1%)	80	74
1	G	178/182 (98%)	177 (99%)	1 (1%)	90	88
1	H	177/182 (97%)	174 (98%)	3 (2%)	68	57
1	I	175/182 (96%)	173 (99%)	2 (1%)	80	74
All	All	1593/1638 (97%)	1576 (99%)	17 (1%)	80	74

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	135	TRP
1	A	280	ARG
1	B	135	TRP
1	B	280	ARG
1	C	135	TRP
1	C	279	GLN
1	D	135	TRP
1	D	279	GLN
1	E	135	TRP
1	F	135	TRP
1	F	279	GLN
1	G	135	TRP
1	H	135	TRP
1	H	279	GLN
1	H	297	ASN
1	I	135	TRP
1	I	279	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	190	ASN
1	A	222	GLN
1	B	222	GLN
1	B	231	ASN
1	B	278	ASN
1	C	247	ASN
1	C	253	ASN
1	D	218	HIS
1	D	222	GLN
1	D	231	ASN
1	D	266	HIS
1	D	279	GLN
1	E	218	HIS
1	E	222	GLN
1	E	278	ASN
1	F	218	HIS
1	F	253	ASN
1	G	132	ASN
1	G	180	ASN
1	G	218	HIS
1	G	222	GLN
1	G	231	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	H	180	ASN
1	H	218	HIS
1	H	222	GLN
1	H	231	ASN
1	H	278	ASN
1	H	279	GLN
1	H	297	ASN
1	I	218	HIS
1	I	222	GLN
1	I	247	ASN
1	I	253	ASN
1	I	297	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	IMD	A	1	-	3,5,5	0.52	0	4,5,5	0.57	0
2	GOL	A	2	-	5,5,5	0.32	0	5,5,5	0.36	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GOL	A	3	-	5,5,5	0.33	0	5,5,5	0.22	0
3	IMD	A	326	-	3,5,5	0.50	0	4,5,5	0.58	0
3	IMD	C	2	-	3,5,5	0.52	0	4,5,5	0.59	0
2	GOL	C	4	-	5,5,5	0.35	0	5,5,5	0.24	0
2	GOL	H	1	-	5,5,5	0.37	0	5,5,5	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IMD	A	1	-	-	0/0/0/0	0/1/1/1
2	GOL	A	2	-	-	0/4/4/4	0/0/0/0
2	GOL	A	3	-	-	0/4/4/4	0/0/0/0
3	IMD	A	326	-	-	0/0/0/0	0/1/1/1
3	IMD	C	2	-	-	0/0/0/0	0/1/1/1
2	GOL	C	4	-	-	0/4/4/4	0/0/0/0
2	GOL	H	1	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	198/208 (95%)	-0.00	5 (2%) 61 56	16, 22, 26, 30	0
1	B	198/208 (95%)	-0.23	2 (1%) 84 82	12, 16, 23, 26	0
1	C	198/208 (95%)	-0.09	4 (2%) 68 64	15, 21, 27, 30	0
1	D	198/208 (95%)	-0.21	3 (1%) 76 72	12, 17, 24, 26	0
1	E	198/208 (95%)	-0.13	4 (2%) 68 64	12, 18, 25, 28	0
1	F	198/208 (95%)	-0.32	1 (0%) 91 90	10, 16, 23, 25	0
1	G	199/208 (95%)	-0.18	5 (2%) 61 56	13, 17, 25, 29	0
1	H	198/208 (95%)	-0.14	5 (2%) 61 56	14, 20, 25, 29	0
1	I	198/208 (95%)	-0.08	5 (2%) 61 56	15, 21, 27, 31	0
All	All	1783/1872 (95%)	-0.15	34 (1%) 70 66	10, 18, 26, 31	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	127	ILE	7.5
1	G	305	GLN	4.6
1	I	282	ILE	4.6
1	C	282	ILE	4.5
1	D	298	THR	4.1
1	H	152	GLU	3.5
1	F	282	ILE	3.5
1	E	305	GLN	3.3
1	E	152	GLU	3.2
1	G	308	ALA	3.2
1	I	325	ASP	3.0
1	A	149	ASP	2.8
1	C	149	ASP	2.8
1	D	152	GLU	2.7
1	D	300	ASP	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	149	ASP	2.7
1	C	128	ASP	2.6
1	E	128	ASP	2.5
1	A	128	ASP	2.4
1	H	128	ASP	2.4
1	G	306	THR	2.4
1	A	325	ASP	2.4
1	B	298	THR	2.3
1	A	282	ILE	2.3
1	I	281	ALA	2.3
1	B	299	GLY	2.2
1	H	149	ASP	2.2
1	G	307	SER	2.2
1	I	300	ASP	2.2
1	I	152	GLU	2.1
1	H	305	GLN	2.1
1	C	305	GLN	2.1
1	H	300	ASP	2.1
1	A	266	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	GOL	A	3	6/6	0.41	0.24	6.12	47,47,47,48	0
2	GOL	A	2	6/6	0.42	0.28	5.92	42,42,42,42	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	IMD	A	326	5/5	0.88	0.17	2.86	63,63,63,63	0
2	GOL	C	4	6/6	0.67	0.26	2.32	63,63,63,63	0
3	IMD	A	1	5/5	0.78	0.15	0.58	55,55,55,55	0
3	IMD	C	2	5/5	0.80	0.21	-	47,47,47,47	0
2	GOL	H	1	6/6	0.84	0.24	-	32,32,32,32	6

## 6.5 Other polymers [i](#)

There are no such residues in this entry.