



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:36 AM GMT

PDB ID : 3FB8
Title : KcsA Potassium channel in the open-conductive state with 20 Å opening at T112 in the presence of Rb⁺ ion
Authors : Cuello, L.G.; Jogini, V.; Cortes, D.M.; Perozo, E.
Deposited on : 2008-11-18
Resolution : 3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1611 (3.50-3.30)
Ramachandran outliers	100387	1571 (3.50-3.30)
Sidechain outliers	100360	1571 (3.50-3.30)
RSRZ outliers	91569	1485 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	<div> <div>14%</div> <div>78%</div> <div>21%</div> <div>.</div> </div>
2	B	212	<div> <div>17%</div> <div>70%</div> <div>30%</div> </div>
3	C	104	<div> <div>30%</div> <div>49%</div> <div>5%</div> <div>16%</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3915 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called antibody fab fragment heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	219	Total	C	N	O	S	0	0	0
			1648	1042	275	325	6			

- Molecule 2 is a protein called antibody fab fragment light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	212	Total	C	N	O	S	0	0	0
			1649	1023	283	338	5			

- Molecule 3 is a protein called Voltage-gated potassium channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	87	Total	C	N	O	S	0	0	0
			610	400	100	108	2			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	25	GLN	HIS	ENGINEERED	UNP P0A334
C	90	CYS	LEU	ENGINEERED	UNP P0A334
C	117	GLN	ARG	ENGINEERED	UNP P0A334
C	120	GLN	GLU	ENGINEERED	UNP P0A334
C	121	GLN	ARG	ENGINEERED	UNP P0A334
C	122	GLN	ARG	ENGINEERED	UNP P0A334
C	124	GLN	HIS	ENGINEERED	UNP P0A334



- Molecule 4 is RUBIDIUM ION (three-letter code: RB) (formula: Rb).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	4	Total	Rb	0	0
			4	4		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	3	Total 3	O 3	0	0
5	D	1	Total 1	O 1	0	0

- Molecule 1: antibody fab fragment heavy chain



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	155.64Å 155.64Å 73.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 3.40 42.29 – 3.31	Depositor EDS
% Data completeness (in resolution range)	(Not available) (40.00-3.40) 86.9 (42.29-3.31)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.45 (at 3.32Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.284 , 0.304 0.286 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	89.2	Xtriage
Anisotropy	0.146	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 67.2	EDS
Estimated twinning fraction	0.042 for -k,-h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 12213 reflections	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	3915	wwPDB-VP
Average B, all atoms (Å ²)	119.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: RB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/1692	0.66	0/2312
2	B	0.34	0/1686	0.64	0/2287
3	C	0.42	0/623	0.69	0/860
All	All	0.36	0/4001	0.66	0/5459

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1648	0	1620	40	6
2	B	1649	0	1580	73	5
3	C	610	0	608	48	0
4	C	4	0	0	0	0
5	B	3	0	0	0	0
5	D	1	0	0	0	0
All	All	3915	0	3808	157	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:55:ILE:HB	2:B:58:ILE:HD12	1.35	1.05
2:B:47:LEU:HA	2:B:58:ILE:HD13	1.51	0.90
3:C:51:GLU:HG3	3:C:59:LEU:HB3	1.54	0.90
2:B:29:ILE:HD13	2:B:68:GLY:O	1.71	0.89
3:C:74:THR:HG22	3:C:103:PHE:HE1	1.36	0.89
2:B:78:VAL:HG11	2:B:106:ILE:HD11	1.55	0.88
2:B:167:ASP:OD2	2:B:169:LYS:HB2	1.79	0.83
3:C:74:THR:HG22	3:C:103:PHE:CE1	2.15	0.81
2:B:55:ILE:HB	2:B:58:ILE:CD1	2.10	0.81
1:A:65:GLN:H	1:A:65:GLN:NE2	1.79	0.80
1:A:120:LYS:H	1:A:120:LYS:HE3	1.49	0.78
1:A:22:CYS:HG	1:A:96:CYS:HG	0.88	0.78
2:B:134:CYS:HG	2:B:194:CYS:HG	0.77	0.76
2:B:25:ALA:CB	2:B:29:ILE:HD12	2.16	0.75
3:C:42:ALA:O	3:C:46:LEU:HD13	1.86	0.75
1:A:31:SER:HB2	3:C:62:TYR:CE1	2.22	0.74
2:B:47:LEU:HA	2:B:58:ILE:CD1	2.19	0.72
2:B:29:ILE:HD13	2:B:29:ILE:H	1.54	0.72
3:C:89:ARG:O	3:C:93:VAL:HG23	1.90	0.72
2:B:21:PHE:HE1	2:B:75:ILE:HD13	1.56	0.70
2:B:183:LYS:O	2:B:187:GLU:HG2	1.91	0.70
2:B:74:SER:C	2:B:75:ILE:HD12	2.13	0.69
1:A:124:PRO:HB3	1:A:150:TYR:HB3	1.73	0.68
1:A:101:GLY:HA3	3:C:62:TYR:CE1	2.29	0.68
3:C:26:TRP:HA	3:C:29:ALA:HB3	1.77	0.68
3:C:93:VAL:O	3:C:97:VAL:HG23	1.94	0.67
3:C:36:LEU:O	3:C:40:LEU:HD23	1.95	0.67
2:B:29:ILE:HD11	2:B:71:PHE:HE1	1.59	0.66
3:C:44:SER:OG	3:C:66:LEU:HA	1.96	0.66
2:B:183:LYS:HB3	2:B:183:LYS:NZ	2.11	0.65
2:B:61:ARG:HG3	2:B:76:ASN:O	1.96	0.64
3:C:86:LEU:HD12	3:C:86:LEU:O	1.97	0.64
3:C:53:GLY:O	3:C:55:PRO:HD3	1.98	0.64
1:A:148:LYS:HB3	1:A:181:THR:HG23	1.79	0.64
2:B:37:GLN:HB2	2:B:47:LEU:HD11	1.79	0.63
2:B:47:LEU:C	2:B:48:ILE:HD12	2.20	0.63
1:A:120:LYS:HE3	1:A:120:LYS:N	2.14	0.62
3:C:62:TYR:HB2	3:C:63:PRO:HD3	1.82	0.61
1:A:51:ILE:HD13	1:A:52:ILE:C	2.21	0.61
2:B:47:LEU:HB3	2:B:48:ILE:HD12	1.83	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:21:PHE:HE1	2:B:75:ILE:CD1	2.13	0.61
1:A:120:LYS:H	1:A:120:LYS:CE	2.13	0.60
3:C:86:LEU:C	3:C:86:LEU:HD12	2.23	0.59
3:C:34:VAL:O	3:C:38:ILE:HG12	2.03	0.59
1:A:38:LYS:HB2	1:A:48:ILE:HD11	1.85	0.59
2:B:75:ILE:N	2:B:75:ILE:HD12	2.18	0.59
3:C:71:GLU:OE2	3:C:78:TYR:HD1	1.86	0.59
2:B:13:VAL:CG2	2:B:17:GLU:HB3	2.32	0.59
3:C:36:LEU:HD12	3:C:102:SER:HB2	1.85	0.58
3:C:91:VAL:O	3:C:95:VAL:HG23	2.04	0.58
2:B:47:LEU:CA	2:B:58:ILE:HD13	2.29	0.58
2:B:29:ILE:HD13	2:B:29:ILE:N	2.17	0.58
2:B:29:ILE:CD1	2:B:68:GLY:O	2.47	0.58
3:C:84:VAL:HG22	3:C:84:VAL:O	2.05	0.57
1:A:6:GLN:HE21	1:A:109:GLY:HA3	1.69	0.57
2:B:124:GLN:HG2	2:B:129:GLY:O	2.05	0.57
1:A:23:LYS:HD3	1:A:78:THR:CG2	2.35	0.57
3:C:64:ARG:O	3:C:67:TRP:N	2.38	0.56
2:B:29:ILE:HD11	2:B:71:PHE:CE1	2.39	0.56
1:A:64:ILE:HD12	1:A:65:GLN:O	2.06	0.56
2:B:25:ALA:HB3	2:B:29:ILE:HD12	1.88	0.56
2:B:47:LEU:CB	2:B:48:ILE:HD12	2.36	0.55
2:B:85:ASN:ND2	2:B:103:LYS:HD3	2.22	0.55
2:B:21:PHE:CE1	2:B:75:ILE:HD13	2.41	0.54
3:C:39:VAL:O	3:C:43:GLY:N	2.34	0.54
3:C:89:ARG:O	3:C:92:ALA:HB3	2.06	0.54
2:B:78:VAL:CG1	2:B:106:ILE:HD11	2.33	0.54
3:C:109:ALA:C	3:C:111:ALA:H	2.11	0.54
3:C:107:THR:C	3:C:109:ALA:H	2.11	0.54
1:A:1:GLN:OE1	1:A:1:GLN:N	2.42	0.53
2:B:19:VAL:HG12	2:B:75:ILE:HB	1.91	0.53
1:A:182:LEU:HD12	1:A:182:LEU:C	2.29	0.53
2:B:46:LEU:O	2:B:58:ILE:HD11	2.09	0.53
1:A:101:GLY:HA3	3:C:62:TYR:HE1	1.75	0.53
1:A:51:ILE:HD13	1:A:52:ILE:N	2.24	0.52
1:A:83:LEU:HB3	1:A:86:LEU:HD21	1.92	0.52
2:B:18:ARG:NH1	2:B:76:ASN:OD1	2.43	0.52
1:A:140:MET:HE3	1:A:187:THR:HG22	1.90	0.52
3:C:36:LEU:HD12	3:C:102:SER:CB	2.39	0.51
3:C:109:ALA:C	3:C:111:ALA:N	2.63	0.51
3:C:60:ILE:O	3:C:61:THR:HG22	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:13:VAL:HG13	2:B:106:ILE:HD13	1.93	0.51
3:C:109:ALA:O	3:C:111:ALA:N	2.44	0.51
2:B:9:ALA:HB3	2:B:10:ILE:HD12	1.92	0.51
3:C:100:ILE:O	3:C:100:ILE:HG22	2.11	0.51
2:B:9:ALA:C	2:B:10:ILE:HD12	2.31	0.51
1:A:23:LYS:HD3	1:A:78:THR:HG23	1.94	0.50
1:A:65:GLN:H	1:A:65:GLN:HE21	1.58	0.50
2:B:13:VAL:CG1	2:B:106:ILE:HD13	2.42	0.50
1:A:17:SER:CB	1:A:84:SER:HA	2.42	0.50
1:A:101:GLY:HA3	3:C:62:TYR:CD1	2.47	0.49
2:B:79:GLU:HG3	2:B:81:GLU:HG2	1.95	0.49
2:B:10:ILE:HD12	2:B:10:ILE:N	2.28	0.49
2:B:161:ASN:HB3	2:B:175:MET:HE3	1.95	0.49
3:C:74:THR:O	3:C:75:THR:OG1	2.27	0.49
2:B:115:VAL:HG22	2:B:136:LEU:CD1	2.43	0.49
2:B:13:VAL:HG13	2:B:106:ILE:CD1	2.42	0.49
3:C:35:LEU:O	3:C:38:ILE:HB	2.13	0.48
2:B:205:ILE:HD12	2:B:205:ILE:N	2.29	0.48
2:B:142:LYS:HB3	2:B:173:TYR:CG	2.49	0.48
1:A:148:LYS:NZ	1:A:148:LYS:HB2	2.29	0.47
2:B:136:LEU:N	2:B:136:LEU:HD22	2.29	0.47
3:C:48:VAL:O	3:C:52:ARG:HG3	2.13	0.47
2:B:13:VAL:HG22	2:B:14:SER:N	2.29	0.47
2:B:150:ILE:HD12	2:B:155:ARG:HH11	1.78	0.47
3:C:37:VAL:O	3:C:37:VAL:HG12	2.15	0.47
2:B:48:ILE:HD13	2:B:73:LEU:CD1	2.45	0.47
3:C:82:TYR:HB2	3:C:83:PRO:HD2	1.96	0.47
2:B:25:ALA:CB	2:B:29:ILE:CD1	2.91	0.46
3:C:48:VAL:HG13	3:C:60:ILE:C	2.35	0.46
1:A:12:VAL:O	1:A:116:VAL:HA	2.15	0.46
2:B:142:LYS:HD3	2:B:173:TYR:CE2	2.50	0.46
1:A:145:CYS:HG	1:A:200:CYS:HG	1.64	0.46
3:C:70:VAL:O	3:C:74:THR:HG23	2.16	0.46
2:B:183:LYS:HZ3	2:B:183:LYS:HB3	1.79	0.46
2:B:25:ALA:HB3	2:B:29:ILE:CD1	2.47	0.45
2:B:13:VAL:HG22	2:B:17:GLU:HB3	1.99	0.44
1:A:120:LYS:H	1:A:120:LYS:CD	2.29	0.44
1:A:98:ARG:HD3	1:A:100:ARG:CZ	2.48	0.44
3:C:51:GLU:OE1	3:C:84:VAL:HG12	2.17	0.44
2:B:40:THR:HG22	2:B:41:ASN:ND2	2.33	0.44
1:A:3:GLN:O	1:A:24:ALA:HA	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:84:ALA:O	2:B:103:LYS:HD2	2.17	0.43
1:A:3:GLN:O	1:A:4:LEU:HD12	2.18	0.43
3:C:30:GLY:O	3:C:34:VAL:HG23	2.19	0.43
2:B:193:THR:HG22	2:B:208:SER:HB3	1.99	0.43
1:A:124:PRO:CB	1:A:150:TYR:HB3	2.46	0.43
2:B:193:THR:HG22	2:B:208:SER:CB	2.49	0.43
1:A:52:ILE:O	1:A:52:ILE:HG23	2.18	0.43
3:C:100:ILE:O	3:C:100:ILE:CG2	2.66	0.43
2:B:118:PHE:HA	2:B:119:PRO:HD3	1.87	0.43
2:B:55:ILE:CB	2:B:58:ILE:HD12	2.27	0.42
2:B:75:ILE:CD1	2:B:75:ILE:N	2.81	0.42
1:A:140:MET:CE	1:A:187:THR:HG22	2.48	0.42
2:B:139:PHE:HE1	2:B:142:LYS:HA	1.83	0.42
1:A:35:HIS:CG	1:A:105:PHE:HE2	2.37	0.42
2:B:61:ARG:NH1	2:B:82:ASP:OD1	2.53	0.42
2:B:21:PHE:CE1	2:B:75:ILE:CD1	2.99	0.42
3:C:72:THR:HG22	3:C:96:MET:HG2	2.00	0.42
2:B:83:ILE:HD13	2:B:166:GLN:HG2	2.01	0.42
1:A:1:GLN:CD	1:A:1:GLN:N	2.73	0.42
3:C:76:VAL:O	3:C:77:GLY:O	2.38	0.42
1:A:128:PRO:HG3	1:A:213:LYS:HD2	2.01	0.42
3:C:90:CYS:O	3:C:94:VAL:HG23	2.20	0.42
2:B:47:LEU:O	2:B:58:ILE:CD1	2.68	0.41
1:A:23:LYS:HD3	1:A:78:THR:OG1	2.20	0.41
3:C:60:ILE:C	3:C:61:THR:CG2	2.88	0.41
3:C:36:LEU:C	3:C:38:ILE:H	2.24	0.41
2:B:136:LEU:CD1	2:B:196:ALA:HB2	2.51	0.41
2:B:47:LEU:O	2:B:58:ILE:HD13	2.20	0.41
2:B:48:ILE:HD13	2:B:73:LEU:HD13	2.02	0.41
2:B:13:VAL:HG23	2:B:17:GLU:CD	2.41	0.41
1:A:91:SER:O	1:A:92:ALA:HB2	2.21	0.41
1:A:40:ARG:NH2	1:A:89:GLU:HB3	2.36	0.41
2:B:9:ALA:CB	2:B:10:ILE:HD12	2.51	0.40
2:B:85:ASN:ND2	2:B:103:LYS:CD	2.84	0.40
3:C:29:ALA:C	3:C:31:ALA:N	2.75	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:GLN:OE1	2:B:18:ARG:NE[3_755]	1.52	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:GLN:OE1	2:B:18:ARG:CZ[3_755]	1.69	0.51
1:A:1:GLN:OE1	1:A:193:TRP:CZ3[6_664]	1.92	0.28
1:A:65:GLN:OE1	2:B:18:ARG:CD[3_755]	1.97	0.23
1:A:65:GLN:OE1	2:B:18:ARG:NH1[3_755]	2.10	0.10
1:A:161:SER:CB	2:B:206:VAL:CG2[6_664]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/219 (99%)	212 (98%)	5 (2%)	0	100	100
2	B	210/212 (99%)	203 (97%)	7 (3%)	0	100	100
3	C	85/104 (82%)	68 (80%)	13 (15%)	4 (5%)	3	26
All	All	512/535 (96%)	483 (94%)	25 (5%)	4 (1%)	24	67

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	77	GLY
3	C	29	ALA
3	C	110	LEU
3	C	63	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/185 (100%)	178 (96%)	7 (4%)	40	76
2	B	190/190 (100%)	184 (97%)	6 (3%)	46	80
3	C	55/75 (73%)	53 (96%)	2 (4%)	42	78
All	All	430/450 (96%)	415 (96%)	15 (4%)	43	78

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	ILE
1	A	65	GLN
1	A	120	LYS
1	A	148	LYS
1	A	152	PRO
1	A	154	PRO
1	A	194	PRO
2	B	4	LEU
2	B	29	ILE
2	B	95	PRO
2	B	165	ASP
2	B	184	ASP
2	B	190	ASN
3	C	86	LEU
3	C	103	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	5	GLN
1	A	6	GLN
1	A	65	GLN
2	B	41	ASN
2	B	85	ASN
2	B	92	ASN
2	B	137	ASN
2	B	190	ASN
2	B	210	ASN
3	C	58	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	219/219 (100%)	0.86	31 (14%) 4 3	83, 136, 162, 192	0
2	B	212/212 (100%)	0.83	35 (16%) 2 2	67, 122, 166, 172	0
3	C	87/104 (83%)	-0.08	0 100 100	49, 67, 145, 156	0
All	All	518/535 (96%)	0.69	66 (12%) 5 5	49, 127, 164, 192	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	157	ASN	6.6
2	B	152	GLY	4.9
1	A	215	ILE	4.9
2	B	145	ASN	4.5
2	B	202	THR	4.4
2	B	199	LYS	4.3
1	A	219	ASP	4.2
2	B	142	LYS	4.1
2	B	153	SER	3.6
1	A	133	SER	3.6
2	B	154	GLU	3.5
2	B	209	PHE	3.5
1	A	83	LEU	3.4
1	A	124	PRO	3.4
2	B	109	ALA	3.4
1	A	134	ALA	3.3
2	B	212	ASN	3.3
2	B	144	ILE	3.3
2	B	191	SER	3.3
1	A	27	TYR	3.2
2	B	146	VAL	3.2
1	A	128	PRO	3.2
1	A	1	GLN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	86	LEU	3.1
1	A	178	ASP	3.0
2	B	143	ASP	3.0
1	A	63	LYS	3.0
2	B	110	ASP	2.9
2	B	131	SER	2.9
1	A	55	TYR	2.9
1	A	131	PRO	2.8
2	B	158	GLY	2.8
2	B	156	GLN	2.8
2	B	179	LEU	2.7
2	B	108	ARG	2.7
2	B	208	SER	2.6
1	A	198	VAL	2.6
1	A	218	ARG	2.6
2	B	195	GLU	2.6
2	B	147	LYS	2.6
2	B	105	GLU	2.6
1	A	129	LEU	2.5
2	B	200	THR	2.5
1	A	146	LEU	2.5
2	B	107	LYS	2.5
1	A	145	CYS	2.5
2	B	104	LEU	2.5
2	B	13	VAL	2.5
1	A	200	CYS	2.5
1	A	183	SER	2.5
1	A	126	VAL	2.4
2	B	205	ILE	2.4
1	A	68	ALA	2.4
2	B	163	TRP	2.4
2	B	133	VAL	2.4
2	B	118	PHE	2.3
1	A	11	LEU	2.3
1	A	80	PHE	2.3
1	A	119	ALA	2.2
1	A	3	GLN	2.2
1	A	144	GLY	2.2
1	A	177	SER	2.2
2	B	149	LYS	2.1
1	A	67	LYS	2.1
2	B	181	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	74	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	RB	C	4	1/1	0.90	0.30	-	74,74,74,74	1
4	RB	C	3	1/1	0.99	0.24	-	91,91,91,91	1
4	RB	C	2	1/1	0.99	0.30	-	57,57,57,57	1
4	RB	C	1	1/1	0.95	0.23	-	45,45,45,45	1

6.5 Other polymers [i](#)

There are no such residues in this entry.