



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:22 PM GMT

PDB ID : 1FC2
Title : Crystallographic Refinement and Atomic Models of a Human FC Fragment and its Complex with Fragment B of Protein A from Staphylococcus Aureus at 2.9-and 2.8-Angstroms Resolution
Authors : Deisenhofer, J.
Deposited on : 1981-05-21
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	C	58	
2	D	224	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FUC	D	2	X	-	-	-
3	MAN	D	4	X	-	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2125 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FRAGMENT B OF PROTEIN A COMPLEX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	C	44	Total	C	N	O	25	0	1
			354	220	62	72			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	175	UNK	ALA	CONFLICT	UNP P02976
C	176	UNK	PRO	CONFLICT	UNP P02976

- Molecule 2 is a protein called IMMUNOGLOBULIN FC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	207	Total	C	N	O	S	279	0	1
			1656	1054	282	313	7			


There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	272	GLN	GLU	CONFLICT	EMBL Y14737
D	283	GLN	GLU	CONFLICT	EMBL Y14737
D	294	GLN	GLU	CONFLICT	EMBL Y14737
D	312	ASN	ASP	CONFLICT	EMBL Y14737
D	315	ASP	ASN	CONFLICT	EMBL Y14737

- Molecule 3 is a polymer of unknown type called SUGAR (9-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	9	Total	C	N	O	68	0
			110	62	4	44		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	O	S	0	0
			5	4	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: FRAGMENT B OF PROTEIN A COMPLEX

Chain C: 



• Molecule 2: IMMUNOGLOBULIN FC

Chain D: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	70.60Å 70.60Å 147.40Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 2.80	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	unknown	Depositor
R, R_{free}	(Not available) , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2125	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, GAL, NAG, SO4, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.93	0/360	1.40	0/486
2	D	1.04	4/1702 (0.2%)	1.27	1/2318 (0.0%)
All	All	1.02	4/2062 (0.2%)	1.29	1/2804 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	4
2	D	0	14
3	D	3	0
All	All	3	18

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	417	TRP	NE1-CE2	-7.90	1.27	1.37
2	D	381	TRP	NE1-CE2	-7.82	1.27	1.37
2	D	277	TRP	NE1-CE2	-7.71	1.27	1.37
2	D	313	TRP	NE1-CE2	-7.63	1.27	1.37

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	367	CYS	N-CA-CB	5.12	119.82	110.60

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	D	2	FUC	C5,C1
3	D	4	MAN	C1

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	125	ASN	Sidechain
1	C	127	GLU	Sidechain
1	C	140	ASN	Sidechain
1	C	154	LYS	Mainchain
2	D	252	MET	Mainchain
2	D	276	ASN	Sidechain
2	D	325	ASN	Sidechain
2	D	361	ASN	Mainchain
2	D	380	GLU	Sidechain
2	D	386	GLN	Sidechain
2	D	388	GLU	Sidechain
2	D	390	ASN	Sidechain
2	D	399	ASP	Sidechain
2	D	401	ASP	Sidechain
2	D	413	ASP	Sidechain
2	D	418	GLN	Sidechain
2	D	438	GLN	Sidechain
2	D	443	LEU	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	354	0	330	12	3
2	D	1656	0	1629	59	7
3	D	110	0	94	2	0
4	C	5	0	0	0	0
All	All	2125	0	2053	68	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:388:GLU:HG2	2:D:410:LEU:HD11	1.53	0.88
2:D:284:VAL:HB	2:D:287:ALA:HB2	1.59	0.83
1:C:135:ILE:HD13	1:C:149:PHE:HB3	1.63	0.79
2:D:238:PRO:HA	2:D:265:ASP:CB	2.17	0.74
2:D:238:PRO:HA	2:D:265:ASP:HB3	1.70	0.73
2:D:420:GLY:HA2	2:D:443:LEU:HB3	1.69	0.72
1:C:132:PHE:HB2	2:D:253:ILE:HD12	1.72	0.72
2:D:287:ALA:HB3	2:D:306:LEU:HD11	1.73	0.70
2:D:379:VAL:HG21	2:D:406:LEU:HD11	1.72	0.70
2:D:377:ILE:HG13	2:D:429:HIS:HB2	1.75	0.68
1:C:126:LYS:HB3	1:C:128:GLN:H	1.59	0.67
2:D:250:THR:HG22	2:D:257:PRO:HB3	1.75	0.67
2:D:248:LYS:HG3	2:D:428:MET:HE1	1.77	0.67
2:D:351:LEU:HB2	2:D:366:THR:HB	1.76	0.66
2:D:381:TRP:CE3	2:D:410:LEU:HD22	2.33	0.63
2:D:259:VAL:HG23	2:D:308:VAL:HG21	1.82	0.62
2:D:417:TRP:HH2	2:D:441:LEU:HD22	1.64	0.61
2:D:339:ALA:HB2	2:D:374:PRO:HB3	1.82	0.61
2:D:371:GLY:HA2	2:D:403:SER:HB3	1.83	0.59
2:D:365:LEU:HB2	2:D:410:LEU:HB3	1.84	0.58
1:C:129:GLN:HA	1:C:132:PHE:HB3	1.83	0.58
2:D:383:SER:HB2	2:D:388:GLU:OE2	2.04	0.57
2:D:341:GLY:HA3	2:D:373:TYR:CE2	2.40	0.57
2:D:246:LYS:HE2	2:D:248:LYS:HB3	1.87	0.55
2:D:353:PRO:HD3	2:D:365:LEU:HD23	1.89	0.55
2:D:245:PRO:HB2	2:D:250:THR:HG23	1.89	0.55
2:D:238:PRO:CA	2:D:265:ASP:HB3	2.37	0.55
2:D:245:PRO:HA	3:D:7:GAL:H61	1.88	0.54
1:C:130:ASN:HA	2:D:434:ASN:OD1	2.09	0.53
1:C:162:ASN:HD22	1:C:162:ASN:C	2.11	0.53
2:D:397:VAL:HG23	2:D:405:PHE:CE2	2.43	0.53
2:D:291:PRO:HA	2:D:303:VAL:O	2.09	0.53
2:D:341:GLY:HA3	2:D:373:TYR:HE2	1.74	0.52
2:D:258:GLU:HB2	3:D:7:GAL:H62	1.91	0.52
1:C:124:PHE:HB2	2:D:252:MET:SD	2.50	0.52
2:D:247:PRO:O	2:D:251:LEU:HG	2.10	0.51
2:D:346:PRO:HD3	2:D:429:HIS:HD2	1.74	0.51
2:D:365:LEU:HD12	2:D:410:LEU:HD23	1.94	0.50
2:D:422:VAL:HG22	2:D:442:SER:HB3	1.92	0.49
2:D:258:GLU:HB3	2:D:305:VAL:CG1	2.42	0.49
1:C:150:ILE:O	1:C:153:LEU:HB3	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:248:LYS:HG3	2:D:428:MET:CE	2.42	0.48
2:D:371:GLY:HA2	2:D:403:SER:CB	2.44	0.48
2:D:245:PRO:HD3	2:D:259:VAL:HG22	1.96	0.47
2:D:360:LYS:O	2:D:414:LYS:HD2	2.14	0.47
2:D:238:PRO:HA	2:D:265:ASP:HB2	1.95	0.47
2:D:365:LEU:HD22	2:D:441:LEU:HD13	1.96	0.46
1:C:129:GLN:HE21	1:C:129:GLN:HB2	1.41	0.46
2:D:258:GLU:HG2	2:D:307:THR:HG22	1.98	0.45
2:D:388:GLU:CG	2:D:410:LEU:HD11	2.38	0.45
2:D:369:VAL:HG11	2:D:377:ILE:HD11	1.99	0.45
2:D:390:ASN:HD22	2:D:390:ASN:HA	1.58	0.45
2:D:260:THR:HG22	2:D:262:VAL:HG23	1.99	0.45
2:D:347:GLN:HB2	2:D:370:LYS:HG2	1.99	0.44
2:D:308:VAL:HG13	2:D:319:TYR:OH	2.17	0.44
2:D:259:VAL:HG23	2:D:308:VAL:CG2	2.48	0.44
2:D:245:PRO:HB2	2:D:250:THR:CG2	2.47	0.43
1:C:163:LEU:HD23	1:C:163:LEU:H	1.83	0.43
2:D:264:VAL:O	2:D:265:ASP:HB2	2.18	0.43
2:D:278:TYR:HB2	2:D:320:LYS:HB3	1.99	0.42
2:D:251:LEU:HD23	2:D:251:LEU:HA	1.77	0.42
2:D:257:PRO:HG2	2:D:308:VAL:O	2.19	0.41
1:C:135:ILE:HG21	1:C:135:ILE:HD13	1.83	0.41
2:D:276:ASN:HB3	2:D:278:TYR:CE1	2.56	0.41
1:C:138:LEU:HD23	1:C:138:LEU:HA	1.87	0.41
2:D:430:GLU:HA	2:D:435:HIS:CD2	2.56	0.40
2:D:351:LEU:HA	2:D:352:PRO:HD2	1.85	0.40
2:D:361:ASN:HA	2:D:414:LYS:HD2	2.04	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:356:GLU:OE2	2:D:439:LYS:NZ[6_555]	0.71	1.49
1:C:159:GLN:NE2	2:D:390:ASN:ND2[5_665]	1.56	0.64
2:D:356:GLU:CD	2:D:439:LYS:NZ[6_555]	1.59	0.61
1:C:159:GLN:NE2	2:D:390:ASN:CG[5_665]	1.89	0.31
2:D:356:GLU:OE2	2:D:439:LYS:CE[6_555]	2.08	0.12
2:D:356:GLU:OE1	2:D:439:LYS:NZ[6_555]	2.10	0.10
1:C:159:GLN:CD	2:D:390:ASN:ND2[5_665]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	42/58 (72%)	33 (79%)	3 (7%)	6 (14%)	0	1
2	D	205/224 (92%)	180 (88%)	17 (8%)	8 (4%)	4	12
All	All	247/282 (88%)	213 (86%)	20 (8%)	14 (6%)	2	6

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	125	ASN
1	C	158	SER
1	C	160	SER
1	C	161	ALA
2	D	265	ASP
2	D	297	ASN
2	D	339	ALA
2	D	342	GLN
1	C	164	LEU
1	C	143	GLU
2	D	324	SER
2	D	341	GLY
2	D	385	GLY
2	D	340	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	39/49 (80%)	35 (90%)	4 (10%)	9	26
2	D	193/207 (93%)	182 (94%)	11 (6%)	25	58
All	All	232/256 (91%)	217 (94%)	15 (6%)	21	52

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	151	GLN
1	C	155	ASP
1	C	162	ASN
1	C	163	LEU
2	D	245	PRO
2	D	270	ASP
2	D	280	ASP
2	D	289	THR
2	D	311	GLN
2	D	325	ASN
2	D	350	THR
2	D	367	CYS
2	D	374	PRO
2	D	396	PRO
2	D	425	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	128	GLN
1	C	140	ASN
1	C	162	ASN
2	D	311	GLN
2	D	384	ASN
2	D	389	ASN
2	D	390	ASN
2	D	421	ASN
2	D	438	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

9 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAG	D	1	3,2	14,14,15	0.73	0	15,19,21	1.46	1 (6%)
3	FUC	D	2	3	10,10,11	0.79	0	14,14,16	1.56	2 (14%)
3	NAG	D	3	3	14,14,15	1.08	1 (7%)	15,19,21	1.45	2 (13%)
3	MAN	D	4	3	11,11,12	0.65	0	14,15,17	1.47	1 (7%)
3	MAN	D	5	3	11,11,12	0.75	1 (9%)	14,15,17	1.89	2 (14%)
3	NAG	D	6	3	14,14,15	0.74	0	15,19,21	1.62	1 (6%)
3	GAL	D	7	3	11,11,12	0.65	0	14,15,17	1.84	3 (21%)
3	MAN	D	8	3	11,11,12	0.56	0	14,15,17	1.75	1 (7%)
3	NAG	D	9	3	14,14,15	0.72	0	15,19,21	1.67	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	1	3,2	-	0/6/23/26	0/1/1/1
3	FUC	D	2	3	2/2/4/5	0/0/17/20	0/1/1/1
3	NAG	D	3	3	-	0/6/23/26	0/1/1/1
3	MAN	D	4	3	1/1/4/5	0/2/19/22	0/1/1/1
3	MAN	D	5	3	-	0/2/19/22	0/1/1/1
3	NAG	D	6	3	-	0/6/23/26	0/1/1/1
3	GAL	D	7	3	-	0/2/19/22	0/1/1/1
3	MAN	D	8	3	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	9	3	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	5	MAN	C2-C3	2.04	1.55	1.52
3	D	3	NAG	C1-C2	2.25	1.55	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	7	GAL	O5-C1-C2	-2.69	106.49	110.86
3	D	2	FUC	C1-C2-C3	2.05	111.96	109.54
3	D	7	GAL	O2-C2-C1	2.06	113.34	109.21
3	D	3	NAG	C2-N2-C7	2.15	125.81	123.04
3	D	5	MAN	C1-C2-C3	2.54	112.54	109.54
3	D	3	NAG	C1-O5-C5	4.45	117.90	112.25
3	D	4	MAN	C1-O5-C5	4.47	117.93	112.25
3	D	2	FUC	C1-O5-C5	4.81	119.81	112.38
3	D	1	NAG	C1-O5-C5	5.01	118.61	112.25
3	D	6	NAG	C1-O5-C5	5.20	118.84	112.25
3	D	7	GAL	C1-O5-C5	5.42	119.13	112.25
3	D	5	MAN	C1-O5-C5	5.84	119.67	112.25
3	D	8	MAN	C1-O5-C5	5.98	119.83	112.25
3	D	9	NAG	C1-O5-C5	6.13	120.03	112.25

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	D	2	FUC	C5
3	D	2	FUC	C1
3	D	4	MAN	C1

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	7	GAL	2	0

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	C	10	-	4,4,4	1.51	0	6,6,6	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SO4	C	10	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.