



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 16, 2016 – 02:52 PM EST

PDB ID : 5FCR  
Title : MOUSE COMPLEMENT FACTOR D  
Authors : Mac Sweeney, A.  
Deposited on : 2015-12-15  
Resolution : 1.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20028320  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20028320


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1442 (1.30-1.22)
Clashscore	102246	1530 (1.30-1.22)
Ramachandran outliers	100387	1467 (1.30-1.22)
Sidechain outliers	100360	1465 (1.30-1.22)
RSRZ outliers	91569	1442 (1.30-1.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	
1	B	234	
1	C	234	
1	D	234	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EPE	B	301	-	-	-	X
2	EPE	C	301	-	-	-	X
3	GOL	B	302	-	-	X	X
4	SO4	C	302	-	-	-	X

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 8005 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Complement factor D.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	230	Total 1799	C 1114	N 327	O 344	S 14	0	11	0
1	B	230	Total 1762	C 1090	N 318	O 338	S 16	0	6	0
1	C	229	Total 1784	C 1108	N 320	O 340	S 16	0	12	0
1	D	230	Total 1771	C 1097	N 321	O 337	S 16	0	8	0

- Molecule 2 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C<sub>8</sub>H<sub>18</sub>N<sub>2</sub>O<sub>4</sub>S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	B	1	Total 15	C 8	N 2	O 4	S 1	0	0
2	C	1	Total 15	C 8	N 2	O 4	S 1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula:  $C_2H_6OS$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	D	1	Total	C	O	S	0	0
			4	2	1	1		
5	D	1	Total	C	O	S	0	0
			4	2	1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	207	Total	O	0	0
			207	207		
6	B	234	Total	O	0	0
			234	234		
6	C	201	Total	O	0	0
			201	201		
6	D	198	Total	O	0	0
			198	198		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Complement factor D




- Molecule 1: Complement factor D



- Molecule 1: Complement factor D



- Molecule 1: Complement factor D





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	51.27Å 52.87Å 84.28Å 90.46° 98.04° 90.14°	Depositor
Resolution (Å)	83.45 – 1.25 83.45 – 1.25	Depositor EDS
% Data completeness (in resolution range)	88.3 (83.45-1.25) 88.3 (83.45-1.25)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.23 (at 1.25Å)	Xtrriage
Refinement program	REFMAC 5.8.0131	Depositor
R, $R_{free}$	0.150 , 0.196 0.160 , 0.203	Depositor DCC
$R_{free}$ test set	10766 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	8.7	Xtrriage
Anisotropy	0.867	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 44.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.137 for -h,k,-l	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	8005	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	18.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.16 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.1252e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, EPE, DMS, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.56	16/1866 (0.9%)	1.55	38/2544 (1.5%)
1	B	1.66	24/1816 (1.3%)	1.49	25/2475 (1.0%)
1	C	1.58	15/1851 (0.8%)	1.46	21/2525 (0.8%)
1	D	1.59	16/1832 (0.9%)	1.43	20/2498 (0.8%)
All	All	1.60	71/7365 (1.0%)	1.48	104/10042 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (71) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	168	CYS	CB-SG	-13.11	1.59	1.82
1	A	100	GLU	CD-OE2	-12.81	1.11	1.25
1	D	100	GLU	CD-OE2	-10.46	1.14	1.25
1	B	184	GLU	CD-OE2	-9.93	1.14	1.25
1	B	168[A]	CYS	CB-SG	-9.29	1.66	1.82
1	B	168[B]	CYS	CB-SG	-9.29	1.66	1.82
1	A	215	TRP	CB-CG	9.13	1.66	1.50
1	D	215	TRP	CB-CG	9.07	1.66	1.50
1	A	49	GLU	CD-OE2	-8.86	1.16	1.25
1	B	142	GLY	CA-C	-8.02	1.39	1.51
1	A	210	GLU	CD-OE2	-7.68	1.17	1.25
1	C	29	TYR	CG-CD1	7.44	1.48	1.39
1	D	43	GLY	CA-C	-6.94	1.40	1.51
1	C	100	GLU	CD-OE2	-6.93	1.18	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	111	ASN	CG-ND2	-6.86	1.15	1.32
1	B	141	TRP	CB-CG	6.79	1.62	1.50
1	C	171	TYR	CE2-CZ	-6.75	1.29	1.38
1	C	127	GLU	CD-OE1	-6.74	1.18	1.25
1	D	165	ARG	CD-NE	-6.68	1.35	1.46
1	A	29	TYR	CD2-CE2	-6.67	1.29	1.39
1	A	239	GLU	CG-CD	6.59	1.61	1.51
1	A	127	GLU	CD-OE1	-6.59	1.18	1.25
1	D	165	ARG	CZ-NH2	6.54	1.41	1.33
1	D	210	GLU	CD-OE1	-6.52	1.18	1.25
1	B	44	GLY	N-CA	-6.36	1.36	1.46
1	A	19	GLY	N-CA	-6.35	1.36	1.46
1	C	61	GLY	N-CA	6.16	1.55	1.46
1	B	210	GLU	CD-OE1	-5.97	1.19	1.25
1	A	82	TRP	CE3-CZ3	5.93	1.48	1.38
1	B	29	TYR	CD2-CE2	-5.88	1.30	1.39
1	B	100	GLU	CD-OE2	-5.86	1.19	1.25
1	C	228	TYR	CE2-CZ	-5.84	1.30	1.38
1	B	61(B)	THR	CB-CG2	-5.84	1.33	1.52
1	A	100	GLU	CD-OE1	5.81	1.32	1.25
1	D	171	TYR	CE2-CZ	-5.81	1.31	1.38
1	C	27	ARG	C-N	5.75	1.45	1.34
1	C	159	ARG	CZ-NH2	-5.70	1.25	1.33
1	C	21	GLU	CD-OE2	5.70	1.31	1.25
1	B	94[A]	SER	CA-CB	5.69	1.61	1.52
1	B	94[B]	SER	CA-CB	5.69	1.61	1.52
1	B	196	GLY	CA-C	5.69	1.60	1.51
1	B	24	ALA	C-O	5.67	1.34	1.23
1	D	141	TRP	CB-CG	5.66	1.60	1.50
1	B	71	HIS	C-O	5.60	1.33	1.23
1	D	43	GLY	C-N	5.54	1.43	1.33
1	B	29	TYR	CD1-CE1	-5.51	1.31	1.39
1	C	210	GLU	CD-OE1	-5.49	1.19	1.25
1	D	171	TYR	CE1-CZ	-5.48	1.31	1.38
1	B	171	TYR	CG-CD2	-5.38	1.32	1.39
1	A	121[A]	ARG	C-N	-5.36	1.24	1.34
1	A	121[B]	ARG	C-N	-5.36	1.24	1.34
1	D	195[A]	SER	CB-OG	-5.34	1.35	1.42
1	D	195[B]	SER	CB-OG	-5.34	1.35	1.42
1	C	21	GLU	CD-OE1	5.34	1.31	1.25
1	D	141	TRP	CG-CD1	-5.34	1.29	1.36
1	C	79	TYR	CB-CG	-5.33	1.43	1.51

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	217	SER	C-O	-5.29	1.13	1.23
1	A	216	GLY	N-CA	5.29	1.53	1.46
1	B	129(A)	GLU	CD-OE2	5.28	1.31	1.25
1	D	182[A]	CYS	CB-SG	-5.27	1.73	1.81
1	D	182[B]	CYS	CB-SG	-5.27	1.73	1.81
1	B	194	ASP	CG-OD1	5.24	1.37	1.25
1	C	129(A)	GLU	CD-OE2	-5.22	1.20	1.25
1	C	121	ARG	C-N	-5.22	1.24	1.34
1	C	129(A)	GLU	CG-CD	-5.21	1.44	1.51
1	A	126	TYR	CG-CD1	5.20	1.46	1.39
1	B	212	VAL	C-O	5.20	1.33	1.23
1	B	141	TRP	CA-C	5.18	1.66	1.52
1	B	83	TYR	CG-CD1	-5.14	1.32	1.39
1	B	43	GLY	CA-C	-5.10	1.43	1.51
1	D	44	GLY	CA-C	5.04	1.59	1.51

All (104) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	81	ARG	NE-CZ-NH2	-12.02	114.29	120.30
1	B	192	ARG	NE-CZ-NH2	-11.44	114.58	120.30
1	A	236	MET	CG-SD-CE	10.79	117.47	100.20
1	A	218	ARG	NE-CZ-NH2	-10.78	114.91	120.30
1	A	151	ARG	NE-CZ-NH2	-10.68	114.96	120.30
1	D	165	ARG	NE-CZ-NH1	10.39	125.50	120.30
1	C	163	MET	CG-SD-CE	-10.23	83.83	100.20
1	B	150	ARG	NE-CZ-NH1	9.67	125.14	120.30
1	A	218	ARG	NE-CZ-NH1	9.51	125.05	120.30
1	A	192	ARG	NE-CZ-NH1	9.42	125.01	120.30
1	C	218	ARG	NE-CZ-NH2	-9.34	115.63	120.30
1	B	150	ARG	NE-CZ-NH2	-9.22	115.69	120.30
1	C	99	LEU	CA-CB-CG	9.07	136.16	115.30
1	A	45[A]	THR	OG1-CB-CG2	-8.98	89.36	110.00
1	A	45[B]	THR	OG1-CB-CG2	-8.98	89.36	110.00
1	B	218	ARG	NE-CZ-NH2	-8.83	115.88	120.30
1	B	151	ARG	NE-CZ-NH1	-8.72	115.94	120.30
1	D	62	ASP	CB-CG-OD2	-8.69	110.48	118.30
1	A	163	MET	CG-SD-CE	-8.51	86.59	100.20
1	C	151	ARG	NE-CZ-NH2	-8.43	116.08	120.30
1	A	159[A]	ARG	NE-CZ-NH2	-8.40	116.10	120.30
1	A	159[B]	ARG	NE-CZ-NH2	-8.40	116.10	120.30
1	A	99	LEU	CA-CB-CG	8.30	134.38	115.30

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	150	ARG	NE-CZ-NH1	8.28	124.44	120.30
1	D	83	TYR	CB-CG-CD2	-8.25	116.05	121.00
1	C	159	ARG	NE-CZ-NH2	-8.21	116.19	120.30
1	A	192	ARG	NE-CZ-NH2	-8.16	116.22	120.30
1	B	159	ARG	NE-CZ-NH2	-8.14	116.23	120.30
1	D	95	ARG	NE-CZ-NH2	-8.10	116.25	120.30
1	B	188	ARG	NE-CZ-NH2	-7.72	116.44	120.30
1	B	141	TRP	CD1-CG-CD2	7.57	112.36	106.30
1	D	218	ARG	NE-CZ-NH2	-7.52	116.54	120.30
1	A	121[A]	ARG	NE-CZ-NH2	7.48	124.04	120.30
1	A	121[B]	ARG	NE-CZ-NH2	7.48	124.04	120.30
1	D	60	ASP	CB-CG-OD1	7.37	124.93	118.30
1	B	194	ASP	CB-CG-OD2	7.36	124.92	118.30
1	B	159	ARG	CG-CD-NE	7.36	127.25	111.80
1	D	151	ARG	NE-CZ-NH2	-7.34	116.63	120.30
1	B	27	ARG	NE-CZ-NH2	-7.34	116.63	120.30
1	A	170(A)	ARG	NE-CZ-NH2	-7.20	116.70	120.30
1	D	45[A]	THR	CA-CB-CG2	-7.09	102.47	112.40
1	D	45[B]	THR	CA-CB-CG2	-7.09	102.47	112.40
1	B	150	ARG	CD-NE-CZ	6.92	133.29	123.60
1	C	97	ASP	CB-CG-OD1	-6.78	112.20	118.30
1	B	77	GLU	OE1-CD-OE2	6.75	131.40	123.30
1	B	141	TRP	CG-CD1-NE1	-6.75	103.35	110.10
1	A	127	GLU	OE1-CD-OE2	-6.71	115.24	123.30
1	D	141	TRP	CD1-CG-CD2	6.55	111.54	106.30
1	A	99	LEU	N-CA-CB	6.55	123.49	110.40
1	C	218	ARG	NE-CZ-NH1	6.52	123.56	120.30
1	D	83	TYR	CB-CG-CD1	6.48	124.89	121.00
1	C	159	ARG	CG-CD-NE	6.48	125.40	111.80
1	A	159[A]	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	A	159[B]	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	A	244	GLY	CA-C-O	-6.44	109.00	120.60
1	B	60	ASP	CB-CG-OD2	-6.44	112.51	118.30
1	B	196	GLY	O-C-N	6.43	132.98	122.70
1	C	60	ASP	CB-CG-OD2	-6.40	112.54	118.30
1	D	234	TYR	CB-CG-CD2	6.33	124.80	121.00
1	C	189	ASP	CB-CG-OD1	6.32	123.99	118.30
1	B	192	ARG	NH1-CZ-NH2	6.32	126.35	119.40
1	D	99	LEU	CA-CB-CG	6.32	129.83	115.30
1	B	141	TRP	CD1-NE1-CE2	6.24	114.62	109.00
1	D	194	ASP	CB-CG-OD2	6.11	123.80	118.30
1	B	151	ARG	CB-CG-CD	-6.04	95.90	111.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	99	LEU	N-CA-CB	6.01	122.43	110.40
1	A	45[A]	THR	CA-CB-CG2	-5.94	104.09	112.40
1	A	45[B]	THR	CA-CB-CG2	-5.94	104.09	112.40
1	A	171	TYR	CB-CG-CD1	5.82	124.49	121.00
1	C	21	GLU	OE1-CD-OE2	5.80	130.26	123.30
1	A	151	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	A	165	ARG	NE-CZ-NH1	-5.77	117.41	120.30
1	C	84	ASP	CB-CG-OD1	5.75	123.48	118.30
1	A	224	LYS	CD-CE-NZ	-5.71	98.57	111.70
1	A	163	MET	CA-CB-CG	5.68	122.96	113.30
1	C	170(A)	ARG	NE-CZ-NH2	-5.66	117.47	120.30
1	B	106	PHE	CB-CG-CD1	-5.66	116.84	120.80
1	C	197[A]	SER	CB-CA-C	5.66	120.85	110.10
1	C	197[B]	SER	CB-CA-C	5.66	120.85	110.10
1	C	153	ASP	CB-CG-OD1	-5.63	113.24	118.30
1	A	81	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	C	49	GLU	OE1-CD-OE2	-5.48	116.73	123.30
1	A	60	ASP	CB-CG-OD1	5.44	123.19	118.30
1	D	230	ARG	NE-CZ-NH2	-5.44	117.58	120.30
1	A	188	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	C	228	TYR	CB-CG-CD1	-5.38	117.77	121.00
1	D	60	ASP	CB-CG-OD2	-5.37	113.47	118.30
1	B	84	ASP	CB-CG-OD1	-5.33	113.50	118.30
1	D	192	ARG	NE-CZ-NH1	-5.33	117.64	120.30
1	B	150	ARG	CG-CD-NE	-5.32	100.63	111.80
1	C	224	LYS	CD-CE-NZ	-5.27	99.58	111.70
1	D	189	ASP	CB-CG-OD1	5.21	122.99	118.30
1	B	40	HIS	O-C-N	5.16	130.96	122.70
1	A	168	CYS	N-CA-CB	5.16	119.89	110.60
1	D	171	TYR	CZ-CE2-CD2	5.16	124.44	119.80
1	B	170(A)	ARG	NE-CZ-NH1	5.15	122.88	120.30
1	B	24	ALA	CA-C-N	5.14	128.52	117.20
1	A	159[A]	ARG	CG-CD-NE	5.11	122.52	111.80
1	A	159[B]	ARG	CG-CD-NE	5.11	122.52	111.80
1	D	151	ARG	CB-CG-CD	-5.09	98.35	111.60
1	A	81	ARG	NE-CZ-NH2	-5.06	117.77	120.30
1	A	137	ASP	CB-CG-OD2	5.03	122.83	118.30
1	A	197[A]	SER	CB-CA-C	5.02	119.64	110.10
1	A	197[B]	SER	CB-CA-C	5.02	119.64	110.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	95	ARG	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1799	0	1751	14	4
1	B	1762	0	1698	24	0
1	C	1784	0	1735	16	3
1	D	1771	0	1709	28	0
2	B	15	0	18	1	0
2	C	15	0	18	1	0
3	B	6	0	6	6	0
4	C	5	0	0	0	0
5	D	8	0	12	2	0
6	A	207	0	0	9	4
6	B	234	0	0	9	1
6	C	201	0	0	9	3
6	D	198	0	0	8	3
All	All	8005	0	6947	79	9

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:136:CYS:SG	1:D:162:ILE:HD11	2.01	1.00
1:D:45[B]:THR:HG22	1:D:198:PRO:HG3	1.53	0.90
1:D:134:THR:O	1:D:162:ILE:HD12	1.76	0.84
1:D:91:HIS:HD1	1:D:93:GLY:H	1.25	0.80
1:B:49:GLU:HG2	6:B:585:HOH:O	1.84	0.76
1:B:184:GLU:HB2	6:B:484:HOH:O	1.84	0.76
1:B:152:PRO:HA	3:B:302:GOL:H11	1.68	0.73
1:C:195[B]:SER:HB3	6:C:512:HOH:O	1.89	0.72
1:B:172:HIS:HD2	6:B:596:HOH:O	1.74	0.71
1:B:153:ASP:H	3:B:302:GOL:H11	1.56	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:45[B]:THR:HG21	1:D:198:PRO:HB3	1.74	0.69
1:C:94[B]:SER:OG	6:C:401:HOH:O	2.12	0.67
1:B:172:HIS:HE1	1:B:225:PRO:O	1.78	0.66
1:D:146:HIS:HD2	6:D:538:HOH:O	1.79	0.65
1:D:151:ARG:HD3	6:D:494:HOH:O	1.96	0.65
1:B:61(B):THR:HG23	1:B:61(D):ASP:H	1.64	0.63
1:C:166[A]:THR:HG23	6:C:458:HOH:O	1.99	0.63
1:A:119:HIS:HD2	6:A:384:HOH:O	1.82	0.62
1:C:172:HIS:HE1	1:C:225:PRO:O	1.83	0.62
1:C:100:GLU:OE1	2:C:301:EPE:O8	2.07	0.61
1:B:153:ASP:H	3:B:302:GOL:C1	2.12	0.61
1:C:146:HIS:HD2	6:C:530:HOH:O	1.82	0.61
1:D:45[B]:THR:HG22	1:D:198:PRO:CG	2.29	0.60
1:D:172:HIS:HD2	6:D:465:HOH:O	1.85	0.60
1:D:119:HIS:HD2	6:D:478:HOH:O	1.86	0.59
1:D:45[B]:THR:CG2	1:D:198:PRO:HG3	2.30	0.59
1:A:172:HIS:HE1	1:A:225:PRO:O	1.87	0.58
1:D:61(B):THR:HG23	1:D:61(D):ASP:H	1.68	0.58
1:A:195[B]:SER:HB3	6:A:437:HOH:O	2.03	0.58
1:C:61(B):THR:HG23	1:C:61(D):ASP:H	1.67	0.58
1:D:45[B]:THR:CG2	1:D:198:PRO:HB3	2.34	0.57
1:B:91:HIS:O	1:B:94[B]:SER:HB3	2.05	0.56
1:D:172:HIS:HE1	1:D:225:PRO:O	1.88	0.56
1:A:129(A):GLU:OE1	1:A:165:ARG:NH1	2.35	0.56
1:C:172:HIS:HD2	6:C:560:HOH:O	1.89	0.55
1:C:119:HIS:HD2	6:C:508:HOH:O	1.89	0.55
1:A:172:HIS:HD2	6:A:406:HOH:O	1.89	0.55
1:D:170(A):ARG:HG3	1:D:170(A):ARG:HH11	1.72	0.55
1:D:57[A]:HIS:ND1	1:D:102:ASP:OD2	2.40	0.54
1:D:45[B]:THR:HG23	6:D:402:HOH:O	2.07	0.53
1:A:38:GLY:HA2	6:A:310:HOH:O	2.09	0.53
1:D:153:ASP:H	5:D:302:DMS:C1	2.21	0.53
1:B:119:HIS:HD2	6:B:522:HOH:O	1.91	0.52
1:C:57[A]:HIS:ND1	1:C:102:ASP:OD2	2.40	0.52
1:D:45[B]:THR:CG2	1:D:198:PRO:CG	2.88	0.51
1:A:65:GLN:OE1	1:B:170:LEU:HD21	2.11	0.51
1:B:20:GLN:HE22	1:D:125:GLN:HE22	1.58	0.51
1:D:134:THR:HB	1:D:162:ILE:HD13	1.93	0.51
1:A:151:ARG:HD3	6:A:330:HOH:O	2.10	0.51
1:B:94[A]:SER:OG	6:B:401:HOH:O	2.19	0.51
1:C:129(A):GLU:OE1	1:C:165:ARG:NH1	2.38	0.50

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:195[B]:SER:HB3	6:D:520:HOH:O	2.12	0.49
1:B:49:GLU:CG	6:B:585:HOH:O	2.49	0.49
1:D:91:HIS:NE2	5:D:301:DMS:C1	2.76	0.49
1:D:45[A]:THR:HG22	6:D:429:HOH:O	2.13	0.49
1:C:166[A]:THR:HG22	6:C:556:HOH:O	2.12	0.48
1:A:57[A]:HIS:ND1	1:A:102:ASP:OD2	2.42	0.48
1:C:163:MET:SD	1:C:168[B]:CYS:HB3	2.54	0.48
1:D:170(A):ARG:CG	1:D:170(A):ARG:HH11	2.27	0.48
1:C:163:MET:HB2	1:C:163:MET:HE2	1.49	0.45
1:C:151:ARG:HD3	6:C:538:HOH:O	2.16	0.45
1:A:45[A]:THR:HG22	6:A:334:HOH:O	2.16	0.45
1:B:151:ARG:CZ	6:B:451:HOH:O	2.64	0.45
1:B:61(B):THR:HG23	1:B:61(D):ASP:N	2.31	0.44
1:B:153:ASP:N	3:B:302:GOL:H11	2.29	0.44
1:A:195[A]:SER:HB2	6:A:437:HOH:O	2.16	0.44
1:B:146:HIS:HD2	6:B:459:HOH:O	2.01	0.43
1:A:151:ARG:NH2	6:A:301:HOH:O	2.32	0.42
1:A:45[A]:THR:CG2	6:A:334:HOH:O	2.68	0.42
1:D:163:MET:HE2	1:D:163:MET:HB3	1.84	0.42
1:B:20:GLN:HE22	1:D:125:GLN:NE2	2.17	0.42
1:B:156:HIS:HE1	3:B:302:GOL:O3	2.03	0.42
1:B:119:HIS:HE1	6:B:584:HOH:O	2.01	0.42
1:B:101:ASP:OD2	2:B:301:EPE:H82	2.20	0.41
1:C:170(B):THR:HG21	6:C:405:HOH:O	2.19	0.41
1:B:211:GLY:HA2	1:B:229:THR:O	2.22	0.40
1:D:151:ARG:NH2	6:D:406:HOH:O	2.54	0.40
1:A:223(A):LYS:HA	1:A:223(A):LYS:HD2	1.92	0.40
1:B:150:ARG:NH2	3:B:302:GOL:H31	2.37	0.40

All (9) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:GLU:OE2	6:C:459:HOH:O[1_645]	0.33	1.87
1:C:127:GLU:OE2	6:A:404:HOH:O[1_455]	0.35	1.85
1:C:127:GLU:CD	6:A:404:HOH:O[1_455]	1.27	0.93
6:B:401:HOH:O	6:D:510:HOH:O[1_445]	1.31	0.89
1:A:127:GLU:CD	6:C:459:HOH:O[1_645]	1.38	0.82
6:A:491:HOH:O	6:C:410:HOH:O[1_545]	1.59	0.61
1:C:145:THR:OG1	6:A:491:HOH:O[1_565]	1.75	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:GLY:CA	6:D:580:HOH:O[1_545]	1.91	0.29
1:A:244:GLY:C	6:D:596:HOH:O[1_545]	1.93	0.27

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	239/234 (102%)	232 (97%)	7 (3%)	0	100	100
1	B	234/234 (100%)	223 (95%)	11 (5%)	0	100	100
1	C	238/234 (102%)	229 (96%)	9 (4%)	0	100	100
1	D	236/234 (101%)	225 (95%)	11 (5%)	0	100	100
All	All	947/936 (101%)	909 (96%)	38 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/197 (102%)	198 (98%)	4 (2%)	63	21
1	B	196/197 (100%)	196 (100%)	0	100	100
1	C	201/197 (102%)	195 (97%)	6 (3%)	48	9
1	D	197/197 (100%)	191 (97%)	6 (3%)	48	9
All	All	796/788 (101%)	780 (98%)	16 (2%)	74	21

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	96	PRO
1	A	99	LEU
1	A	197[A]	SER
1	A	197[B]	SER
1	C	96	PRO
1	C	99	LEU
1	C	197[A]	SER
1	C	197[B]	SER
1	C	240[A]	ASN
1	C	240[B]	ASN
1	D	45[A]	THR
1	D	45[B]	THR
1	D	99	LEU
1	D	170(A)	ARG
1	D	240[A]	ASN
1	D	240[B]	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	GLN
1	A	111	ASN
1	A	119	HIS
1	A	156	HIS
1	A	172	HIS
1	B	20	GLN
1	B	111	ASN
1	B	119	HIS
1	B	146	HIS
1	B	156	HIS
1	B	157	GLN
1	B	172	HIS
1	B	240	ASN
1	C	50	GLN
1	C	86	GLN
1	C	111	ASN
1	C	119	HIS
1	C	146	HIS
1	C	172	HIS
1	D	86	GLN
1	D	110	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	111	ASN
1	D	119	HIS
1	D	146	HIS
1	D	156	HIS
1	D	172	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	EPE	B	301	-	15,15,15	1.46	3 (20%)	19,20,20	2.98	9 (47%)
3	GOL	B	302	-	5,5,5	2.33	3 (60%)	5,5,5	2.34	2 (40%)
2	EPE	C	301	-	15,15,15	1.78	2 (13%)	19,20,20	3.39	8 (42%)
4	SO4	C	302	-	4,4,4	1.07	0	6,6,6	1.08	1 (16%)
5	DMS	D	301	-	3,3,3	1.87	1 (33%)	3,3,3	1.87	1 (33%)
5	DMS	D	302	-	3,3,3	1.14	0	3,3,3	3.16	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EPE	B	301	-	-	0/9/19/19	0/1/1/1
3	GOL	B	302	-	-	0/4/4/4	0/0/0/0
2	EPE	C	301	-	-	0/9/19/19	0/1/1/1
4	SO4	C	302	-	-	0/0/0/0	0/0/0/0
5	DMS	D	301	-	-	0/0/0/0	0/0/0/0
5	DMS	D	302	-	-	0/0/0/0	0/0/0/0

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	EPE	C10-S	-3.73	1.71	1.77
2	C	301	EPE	C10-S	-3.60	1.72	1.77
3	B	302	GOL	C3-C2	-3.22	1.39	1.52
5	D	301	DMS	C1-S	-3.20	1.51	1.75
3	B	302	GOL	O2-C2	-2.69	1.35	1.43
3	B	302	GOL	C1-C2	-2.49	1.42	1.52
2	B	301	EPE	C9-C10	2.08	1.59	1.52
2	B	301	EPE	O2S-S	2.86	1.53	1.45
2	C	301	EPE	O2S-S	4.60	1.58	1.45

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	EPE	O3S-S-O2S	-7.85	93.90	111.26
2	C	301	EPE	O1S-S-C10	-6.23	102.47	106.87
2	B	301	EPE	O3S-S-C10	-4.43	95.79	104.99
2	B	301	EPE	C7-N4-C5	-3.10	104.49	111.25
2	B	301	EPE	C6-N1-C2	-2.68	102.88	108.87
2	C	301	EPE	C9-N1-C2	-2.49	105.83	111.25
2	B	301	EPE	O2S-S-O1S	-2.47	106.98	113.96
2	B	301	EPE	C6-C5-N4	-2.28	106.21	110.65
2	B	301	EPE	O8-C8-C7	-2.14	101.44	111.27
2	C	301	EPE	C5-N4-C3	-2.09	104.20	108.87
2	C	301	EPE	C9-N1-C6	2.06	115.74	111.25
4	C	302	SO4	O2-S-O1	2.19	116.92	109.59
2	C	301	EPE	O2S-S-C10	2.26	108.47	106.87
5	D	301	DMS	C2-S-C1	2.76	113.09	98.50
2	B	301	EPE	C5-C6-N1	2.82	116.15	110.65

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	GOL	O1-C1-C2	3.14	125.89	109.97
2	B	301	EPE	O3S-S-O1S	3.41	118.82	111.26
3	B	302	GOL	O3-C3-C2	3.58	128.12	109.97
2	C	301	EPE	C2-C3-N4	4.16	118.76	110.65
5	D	302	DMS	C2-S-C1	5.40	127.03	98.50
2	C	301	EPE	O3S-S-O1S	8.08	129.13	111.26
2	B	301	EPE	O1S-S-C10	9.28	113.42	106.87

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	EPE	1	0
3	B	302	GOL	6	0
2	C	301	EPE	1	0
5	D	301	DMS	1	0
5	D	302	DMS	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	230/234 (98%)	-0.38	0 <b>100</b>   <b>100</b>	9, 15, 36, 71	0
1	B	230/234 (98%)	-0.36	1 (0%) <b>93</b>   <b>91</b>	7, 13, 33, 64	0
1	C	229/234 (97%)	-0.33	1 (0%) <b>93</b>   <b>91</b>	9, 15, 34, 66	1 (0%)
1	D	230/234 (98%)	-0.27	2 (0%) <b>85</b>   <b>84</b>	8, 14, 37, 66	0
All	All	919/936 (98%)	-0.34	4 (0%) <b>93</b>   <b>91</b>	7, 14, 36, 71	1 (0%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	243	ASN	4.1
1	D	243	ASN	2.8
1	C	97	ASP	2.6
1	D	170(B)	THR	2.5

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	GOL	B	302	6/6	0.93	0.16	4.64	18,21,29,34	0
2	EPE	B	301	15/15	0.98	0.12	3.01	18,24,32,37	0
4	SO4	C	302	5/5	0.97	0.16	2.44	28,40,47,77	0
2	EPE	C	301	15/15	0.97	0.12	2.08	19,29,42,44	0
5	DMS	D	302	4/4	0.98	0.10	1.58	19,23,26,27	0
5	DMS	D	301	4/4	0.98	0.06	-0.15	13,20,24,29	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.