



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:03 AM GMT

PDB ID : 2FDV
Title : Microsomal P450 2A6 with the inhibitor N-Methyl(5-(pyridin-3-yl)furan-2-yl)methanamine bound
Authors : Yano, J.K.; Stout, C.D.; Johnson, E.F.
Deposited on : 2005-12-14
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1226 (1.66-1.66)
Clashscore	102246	1323 (1.66-1.66)
Ramachandran outliers	100387	1295 (1.66-1.66)
Sidechain outliers	100360	1295 (1.66-1.66)
RSRZ outliers	91569	1227 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	476	<div> <div>2%</div> <div>88%</div> <div>9%</div> <div>.</div> </div>
1	B	476	<div> <div>4%</div> <div>85%</div> <div>12%</div> <div>..</div> </div>
1	C	476	<div> <div>2%</div> <div>86%</div> <div>11%</div> <div>..</div> </div>
1	D	476	<div> <div>5%</div> <div>84%</div> <div>13%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	2504	-	-	-	X
5	EDO	C	2002	-	-	-	X
5	EDO	C	2004	-	-	X	-
5	EDO	D	2007	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16747 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2A6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	465	Total	C	N	O	S	0	0	0
			3760	2414	650	678	18			
1	B	465	Total	C	N	O	S	0	0	0
			3767	2418	653	678	18			
1	C	464	Total	C	N	O	S	0	0	0
			3751	2408	648	677	18			
1	D	464	Total	C	N	O	S	0	0	0
			3751	2408	648	677	18			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	23	MET	-	CLONING ARTIFACT	UNP P11509
A	24	ALA	-	CLONING ARTIFACT	UNP P11509
A	25	LYS	-	CLONING ARTIFACT	UNP P11509
A	26	LYS	-	CLONING ARTIFACT	UNP P11509
A	27	THR	-	CLONING ARTIFACT	UNP P11509
A	28	SER	-	CLONING ARTIFACT	UNP P11509
A	495	HIS	-	EXPRESSION TAG	UNP P11509
A	496	HIS	-	EXPRESSION TAG	UNP P11509
A	497	HIS	-	EXPRESSION TAG	UNP P11509
A	498	HIS	-	EXPRESSION TAG	UNP P11509
B	23	MET	-	CLONING ARTIFACT	UNP P11509
B	24	ALA	-	CLONING ARTIFACT	UNP P11509
B	25	LYS	-	CLONING ARTIFACT	UNP P11509
B	26	LYS	-	CLONING ARTIFACT	UNP P11509
B	27	THR	-	CLONING ARTIFACT	UNP P11509
B	28	SER	-	CLONING ARTIFACT	UNP P11509
B	495	HIS	-	EXPRESSION TAG	UNP P11509
B	496	HIS	-	EXPRESSION TAG	UNP P11509
B	497	HIS	-	EXPRESSION TAG	UNP P11509
B	498	HIS	-	EXPRESSION TAG	UNP P11509
C	23	MET	-	CLONING ARTIFACT	UNP P11509

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	24	ALA	-	CLONING ARTIFACT	UNP P11509
C	25	LYS	-	CLONING ARTIFACT	UNP P11509
C	26	LYS	-	CLONING ARTIFACT	UNP P11509
C	27	THR	-	CLONING ARTIFACT	UNP P11509
C	28	SER	-	CLONING ARTIFACT	UNP P11509
C	495	HIS	-	EXPRESSION TAG	UNP P11509
C	496	HIS	-	EXPRESSION TAG	UNP P11509
C	497	HIS	-	EXPRESSION TAG	UNP P11509
C	498	HIS	-	EXPRESSION TAG	UNP P11509
D	23	MET	-	CLONING ARTIFACT	UNP P11509
D	24	ALA	-	CLONING ARTIFACT	UNP P11509
D	25	LYS	-	CLONING ARTIFACT	UNP P11509
D	26	LYS	-	CLONING ARTIFACT	UNP P11509
D	27	THR	-	CLONING ARTIFACT	UNP P11509
D	28	SER	-	CLONING ARTIFACT	UNP P11509
D	495	HIS	-	EXPRESSION TAG	UNP P11509
D	496	HIS	-	EXPRESSION TAG	UNP P11509
D	497	HIS	-	EXPRESSION TAG	UNP P11509
D	498	HIS	-	EXPRESSION TAG	UNP P11509

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 4 is N-METHYL(5-(PYRIDIN-3-YL)FURAN-2-YL)METHANAMINE (three-letter code: D2G) (formula: $C_{11}H_{12}N_2O$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	11	2	1		
4	B	1	Total	C	N	O	0	0
			14	11	2	1		
4	C	1	Total	C	N	O	0	0
			14	11	2	1		
4	D	1	Total	C	N	O	0	0
			14	11	2	1		

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	411	Total O 411 411	0	0
6	B	255	Total O 255 255	0	0
6	C	417	Total O 417 417	0	0
6	D	354	Total O 354 354	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome P450 2A6




- Molecule 1: Cytochrome P450 2A6



- Molecule 1: Cytochrome P450 2A6



- Molecule 1: Cytochrome P450 2A6



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.93Å 157.43Å 103.90Å 90.00° 92.21° 90.00°	Depositor
Resolution (Å)	33.80 – 1.65 33.80 – 1.60	Depositor EDS
% Data completeness (in resolution range)	88.0 (33.80-1.65) 89.2 (33.80-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.60 (at 1.60Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.188 , 0.220 0.185 , 0.216	Depositor DCC
R_{free} test set	12931 reflections (5.47%)	DCC
Wilson B-factor (Å ²)	21.0	Xtriage
Anisotropy	0.329	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 54.4	EDS
Estimated twinning fraction	0.019 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 278599 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16747	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, SO4, D2G, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.07	2/3851 (0.1%)	0.98	6/5186 (0.1%)
1	B	0.94	1/3860 (0.0%)	0.93	4/5200 (0.1%)
1	C	1.08	3/3842 (0.1%)	0.97	4/5175 (0.1%)
1	D	1.05	4/3842 (0.1%)	0.95	5/5175 (0.1%)
All	All	1.04	10/15395 (0.1%)	0.96	19/20736 (0.1%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	103	GLU	CG-CD	7.62	1.63	1.51
1	D	237	ALA	CA-CB	5.81	1.64	1.52
1	C	82	CYS	CB-SG	5.42	1.91	1.82
1	A	103	GLU	CD-OE1	5.39	1.31	1.25
1	B	221	GLU	CG-CD	5.19	1.59	1.51
1	D	220	TYR	CE1-CZ	5.12	1.45	1.38
1	D	405	PHE	CE2-CZ	5.09	1.47	1.37
1	A	103	GLU	CG-CD	5.02	1.59	1.51
1	C	394	MET	CG-SD	5.01	1.94	1.81
1	D	55	TYR	CD1-CE1	5.01	1.46	1.39

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	269	ASP	CB-CG-OD2	7.25	124.83	118.30
1	B	352	MET	CG-SD-CE	-6.24	90.21	100.20
1	D	64	ARG	NE-CZ-NH2	-6.24	117.18	120.30
1	D	381	ARG	NE-CZ-NH1	6.20	123.40	120.30
1	C	104	GLN	N-CA-C	-6.01	94.78	111.00
1	A	339	ARG	NE-CZ-NH2	-5.98	117.31	120.30
1	D	104	GLN	N-CA-C	-5.93	94.99	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	104	GLN	N-CA-C	-5.90	95.06	111.00
1	C	373	ARG	NE-CZ-NH1	5.61	123.10	120.30
1	D	316	LEU	CA-CB-CG	5.38	127.67	115.30
1	A	269	ASP	CB-CG-OD1	-5.36	113.47	118.30
1	A	437	ARG	NE-CZ-NH2	5.26	122.93	120.30
1	B	108	ASP	CB-CG-OD1	5.26	123.04	118.30
1	D	174	LEU	CA-CB-CG	5.18	127.22	115.30
1	C	136	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	C	437	ARG	NE-CZ-NH2	5.12	122.86	120.30
1	B	446	ARG	NE-CZ-NH1	-5.05	117.77	120.30
1	B	104	GLN	N-CA-C	-5.03	97.42	111.00
1	A	437	ARG	NE-CZ-NH1	-5.02	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3760	0	3747	37	0
1	B	3767	0	3745	54	0
1	C	3751	0	3734	50	0
1	D	3751	0	3734	54	0
2	A	15	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
3	A	43	0	30	4	0
3	B	43	0	30	1	0
3	C	43	0	30	1	0
3	D	43	0	30	2	0
4	A	14	0	11	2	0
4	B	14	0	11	2	0
4	C	14	0	11	1	0
4	D	14	0	11	2	0
5	A	4	0	6	0	0
5	C	20	0	30	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	4	0	6	0	0
6	A	411	0	0	4	0
6	B	255	0	0	9	0
6	C	417	0	0	10	0
6	D	354	0	0	2	0
All	All	16747	0	15166	196	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (196) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:108:ASP:HA	5:C:2004:EDO:H22	1.22	1.11
5:C:2004:EDO:H11	6:C:2808:HOH:O	1.58	1.04
1:C:108:ASP:CA	5:C:2004:EDO:H22	1.91	0.99
1:B:176:ARG:HD3	1:B:198:PHE:CE2	2.00	0.96
1:C:453:PHE:O	1:C:457:MET:HG2	1.71	0.91
1:D:418:ASN:HD21	1:D:422:GLN:HE21	1.13	0.90
1:C:108:ASP:HB2	5:C:2004:EDO:O1	1.70	0.90
1:C:31:GLY:O	1:C:32:LYS:HB2	1.72	0.89
1:A:30:LYS:HG3	1:A:32:LYS:H	1.37	0.89
1:B:344:GLU:HG3	6:B:2549:HOH:O	1.74	0.88
1:A:189:ASP:HB2	6:A:2881:HOH:O	1.74	0.87
1:A:30:LYS:HG2	1:A:382:ASP:O	1.76	0.85
1:B:236:GLN:HG2	6:B:2614:HOH:O	1.78	0.84
1:B:203:ARG:HB3	1:B:203:ARG:NH1	1.93	0.82
1:C:210:GLN:HG2	6:C:2873:HOH:O	1.78	0.82
1:C:257:ARG:HH11	1:C:257:ARG:HG2	1.48	0.78
1:B:305:THR:HG23	6:B:2714:HOH:O	1.82	0.78
1:C:32:LYS:HA	1:C:32:LYS:HE2	1.66	0.77
1:D:276:GLN:O	1:D:279:GLU:HG3	1.84	0.77
1:D:140:VAL:H	1:D:145:ILE:HB	1.49	0.77
1:A:99:SER:OG	1:A:375:LYS:HE3	1.84	0.77
1:B:176:ARG:HD3	1:B:198:PHE:CD2	2.20	0.76
1:C:32:LYS:HA	1:C:32:LYS:CE	2.16	0.74
1:B:33:LEU:HD21	1:B:77:ARG:HD2	1.70	0.74
1:C:412:ASN:HD21	1:C:414:GLN:HB2	1.52	0.73
1:C:276:GLN:O	1:C:279:GLU:HG3	1.91	0.71
1:C:210:GLN:CD	6:C:2606:HOH:O	2.28	0.71
1:D:305:THR:HG23	6:D:2236:HOH:O	1.90	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:SER:HB2	1:D:225:SER:HB2	1.71	0.71
1:B:48:GLN:NE2	6:B:2724:HOH:O	2.23	0.71
1:B:203:ARG:HH11	1:B:203:ARG:HB3	1.53	0.70
1:D:342:LYS:HE3	1:D:344:GLU:OE2	1.91	0.70
1:C:125:LYS:NZ	1:C:129:ARG:NH2	2.40	0.69
1:A:30:LYS:HG3	1:A:31:GLY:N	2.07	0.69
1:B:32:LYS:HD2	1:B:384:PHE:HB2	1.75	0.68
1:C:39:PRO:O	5:C:2001:EDO:H22	1.94	0.68
1:B:129:ARG:NH1	6:B:2676:HOH:O	2.27	0.68
1:D:161:ARG:HH11	1:D:161:ARG:HG3	1.58	0.68
1:B:176:ARG:CZ	1:B:202:LEU:HB2	2.24	0.67
1:B:235:GLN:O	1:B:239:GLN:HG2	1.96	0.66
1:D:271:PHE:CD2	1:D:291:LEU:HB2	2.31	0.66
1:A:305:THR:HG21	4:A:501:D2G:H112	1.78	0.65
1:D:305:THR:HG21	4:D:501:D2G:H112	1.79	0.65
1:C:125:LYS:HZ3	1:C:129:ARG:NH2	1.94	0.64
1:D:256:GLN:HG3	1:D:272:LEU:CD1	2.28	0.64
1:A:348:LYS:NZ	6:A:2907:HOH:O	2.30	0.64
1:B:203:ARG:HH11	1:B:203:ARG:CB	2.10	0.64
1:C:32:LYS:HD3	1:C:384:PHE:HB3	1.79	0.64
1:D:418:ASN:HD21	1:D:422:GLN:NE2	1.92	0.63
1:C:161:ARG:HD2	6:C:2865:HOH:O	1.98	0.62
1:C:108:ASP:HA	5:C:2004:EDO:C2	2.15	0.61
1:C:257:ARG:HH11	1:C:257:ARG:CG	2.13	0.61
1:B:176:ARG:HA	1:B:176:ARG:NE	2.16	0.61
1:A:30:LYS:HG3	1:A:32:LYS:N	2.13	0.61
1:A:342:LYS:HG3	1:A:344:GLU:HG2	1.83	0.60
1:B:305:THR:HG21	4:B:501:D2G:H112	1.83	0.60
1:A:342:LYS:HE3	1:A:344:GLU:OE1	2.01	0.60
1:D:264:PRO:HG3	1:D:273:ILE:HD12	1.84	0.59
1:D:123:ARG:HA	1:D:285:GLU:HG3	1.83	0.58
1:D:342:LYS:CE	1:D:344:GLU:OE2	2.51	0.58
1:B:172:PHE:O	1:B:176:ARG:HG2	2.03	0.58
1:C:31:GLY:N	6:C:2901:HOH:O	2.36	0.58
1:D:271:PHE:CE2	1:D:291:LEU:HB2	2.39	0.58
1:B:210:GLN:O	1:B:214:THR:HG23	2.04	0.57
1:B:143:ARG:HG3	6:B:2636:HOH:O	2.04	0.57
1:D:271:PHE:HB3	1:D:291:LEU:HD13	1.87	0.57
1:D:260:ASP:OD2	1:D:262:ASN:HB2	2.04	0.56
1:D:115:GLY:O	1:D:119:SER:HB3	2.05	0.56
1:B:493:PRO:C	1:B:495:HIS:H	2.07	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:125:LYS:NZ	1:C:129:ARG:HH22	2.04	0.55
1:B:176:ARG:NH2	1:B:202:LEU:HB2	2.22	0.55
5:C:2006:EDO:H22	6:C:2606:HOH:O	2.06	0.54
1:D:139:GLY:HA2	1:D:142:LYS:HG2	1.90	0.54
1:D:374:VAL:CG1	1:D:376:LYS:O	2.55	0.54
1:B:236:GLN:NE2	6:B:2614:HOH:O	2.33	0.54
1:A:465:SER:HB3	6:B:2675:HOH:O	2.07	0.54
1:A:305:THR:HG23	6:A:2598:HOH:O	2.08	0.54
1:B:176:ARG:NH1	1:B:198:PHE:O	2.41	0.53
1:C:32:LYS:HD3	1:C:384:PHE:CB	2.39	0.53
1:D:256:GLN:HG3	1:D:272:LEU:HD13	1.89	0.53
1:D:253:GLU:O	1:D:257:ARG:HG2	2.09	0.53
1:A:30:LYS:CG	1:A:31:GLY:N	2.71	0.53
1:B:32:LYS:HB3	1:B:384:PHE:HB3	1.89	0.52
1:C:161:ARG:NH1	6:C:2865:HOH:O	2.39	0.52
1:C:108:ASP:HB2	5:C:2004:EDO:C1	2.39	0.52
1:A:249:ALA:O	1:A:253:GLU:HG3	2.09	0.51
1:A:33:LEU:HD21	1:A:77:ARG:NE	2.25	0.51
1:C:331:ILE:CD1	1:C:457:MET:HB2	2.39	0.51
1:D:138:PHE:CE1	1:D:266:ASP:HA	2.46	0.51
1:C:418:ASN:HB3	1:C:422:GLN:H	1.76	0.51
1:D:145:ILE:HD13	1:D:185:ILE:HD11	1.93	0.51
1:B:176:ARG:HA	1:B:176:ARG:HE	1.75	0.51
1:D:140:VAL:H	1:D:145:ILE:CB	2.21	0.50
1:B:208:ILE:HD13	1:B:241:LEU:HG	1.93	0.50
1:D:476:LYS:HB2	1:D:485:ARG:HA	1.93	0.50
1:B:337:LYS:HE2	1:B:496:HIS:NE2	2.26	0.50
1:A:433:SER:HB3	3:A:500:HEM:HBA1	1.93	0.50
1:D:264:PRO:HG3	1:D:273:ILE:CD1	2.42	0.50
1:A:342:LYS:CE	1:A:344:GLU:OE1	2.60	0.50
1:B:493:PRO:C	1:B:495:HIS:N	2.65	0.50
1:D:433:SER:HB3	3:D:500:HEM:HBA1	1.94	0.50
1:D:142:LYS:HG3	1:D:144:GLY:H	1.77	0.49
1:A:143:ARG:HD3	6:A:2872:HOH:O	2.11	0.49
1:B:59:MET:HA	1:B:59:MET:CE	2.42	0.49
1:B:446:ARG:NH1	1:B:446:ARG:HG3	2.27	0.49
1:C:108:ASP:CB	5:C:2004:EDO:H22	2.43	0.49
1:C:326:LYS:HB2	1:C:351:TYR:CE2	2.48	0.49
1:D:210:GLN:NE2	6:D:2204:HOH:O	2.29	0.49
1:B:354:ALA:HB2	1:B:417:LEU:HD13	1.94	0.49
1:D:140:VAL:HA	1:D:145:ILE:HG21	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:305:THR:CG2	4:B:501:D2G:H112	2.42	0.48
1:D:140:VAL:CA	1:D:145:ILE:HG21	2.43	0.48
1:A:55:TYR:CZ	1:A:400:ARG:NH2	2.82	0.48
1:C:168:ILE:O	1:C:168:ILE:HD12	2.13	0.48
1:B:433:SER:HB3	3:B:500:HEM:HBA1	1.95	0.48
1:B:33:LEU:CD2	1:B:77:ARG:HD2	2.42	0.48
1:A:30:LYS:HD3	1:A:32:LYS:HB2	1.95	0.47
1:B:33:LEU:HD21	1:B:77:ARG:CD	2.42	0.47
1:C:433:SER:HB3	3:C:500:HEM:HBA1	1.95	0.47
1:C:76:ARG:NH2	1:C:103:GLU:HG3	2.30	0.46
1:D:374:VAL:HG12	1:D:376:LYS:O	2.15	0.46
1:D:125:LYS:NZ	1:D:129:ARG:HH21	2.13	0.46
1:A:97:GLU:HG3	1:A:376:LYS:HE3	1.97	0.46
1:B:207:GLY:O	1:B:210:GLN:HG2	2.15	0.46
1:D:260:ASP:O	1:D:262:ASN:N	2.49	0.46
1:D:208:ILE:HD13	1:D:241:LEU:CD2	2.46	0.46
1:B:59:MET:CE	1:B:82:CYS:SG	3.04	0.46
1:D:244:LEU:HB3	1:D:296:LEU:HD11	1.97	0.46
1:B:258:THR:O	1:B:258:THR:HG22	2.16	0.46
1:D:342:LYS:HB2	1:D:342:LYS:HE2	1.51	0.46
1:D:432:PHE:HB3	1:D:439:CYS:HB3	1.98	0.45
1:A:463:LYS:HB3	1:A:490:SER:OG	2.15	0.45
1:A:99:SER:OG	1:A:375:LYS:CE	2.59	0.45
1:D:142:LYS:HG3	1:D:144:GLY:N	2.32	0.45
1:A:468:PRO:HA	1:A:471:ILE:HD12	1.98	0.45
1:D:145:ILE:CD1	1:D:185:ILE:HD11	2.47	0.45
1:C:244:LEU:HB3	1:C:296:LEU:HD11	1.98	0.45
1:D:31:GLY:C	1:D:32:LYS:HD3	2.37	0.45
1:B:163:THR:HG21	1:B:168:ILE:HD13	1.98	0.45
1:B:175:SER:OG	1:B:202:LEU:HD13	2.17	0.45
1:C:210:GLN:O	1:C:214:THR:HG23	2.18	0.45
1:D:256:GLN:HG3	1:D:272:LEU:HD11	1.99	0.45
1:A:30:LYS:HE3	1:A:383:PHE:CE2	2.51	0.44
1:C:250:LYS:HE3	1:C:253:GLU:OE2	2.17	0.44
1:B:176:ARG:HE	1:B:176:ARG:CA	2.29	0.44
1:D:342:LYS:HE2	1:D:344:GLU:HG2	1.99	0.44
1:D:305:THR:CG2	4:D:501:D2G:H112	2.45	0.44
1:C:430:VAL:HA	6:C:2572:HOH:O	2.18	0.44
1:B:126:GLN:HB3	1:B:126:GLN:HE21	1.62	0.44
1:C:271:PHE:HB3	1:C:291:LEU:HD13	2.00	0.44
1:B:176:ARG:NE	1:B:176:ARG:CA	2.81	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:494:ARG:O	1:B:495:HIS:HB2	2.18	0.43
1:C:250:LYS:HD2	1:C:250:LYS:HA	1.66	0.43
1:D:161:ARG:NH1	1:D:161:ARG:HG3	2.30	0.43
1:B:203:ARG:NH1	1:B:203:ARG:CB	2.71	0.43
1:C:140:VAL:HA	1:C:145:ILE:HG21	2.01	0.43
1:C:141:GLY:HA2	6:C:2706:HOH:O	2.18	0.43
1:D:143:ARG:HA	1:D:146:GLU:HB3	2.00	0.43
1:A:271:PHE:CD2	1:A:291:LEU:HB2	2.53	0.43
1:A:30:LYS:CG	1:A:32:LYS:H	2.20	0.43
1:A:189:ASP:C	1:A:189:ASP:OD1	2.57	0.42
1:C:257:ARG:NH1	1:C:257:ARG:CG	2.77	0.42
1:C:412:ASN:ND2	1:C:414:GLN:HB2	2.28	0.42
1:C:205:MET:CE	1:C:299:PHE:CE2	3.03	0.42
1:B:37:PRO:HB2	1:B:48:GLN:NE2	2.35	0.42
1:A:319:LYS:HD2	1:A:468:PRO:O	2.18	0.42
1:D:467:SER:O	1:D:468:PRO:C	2.58	0.42
1:B:405:PHE:O	1:B:408:PRO:HD3	2.20	0.42
1:B:476:LYS:HG2	1:B:477:HIS:CD2	2.54	0.42
1:D:271:PHE:CB	1:D:291:LEU:HD13	2.49	0.42
1:D:257:ARG:O	1:D:258:THR:HG23	2.20	0.42
1:A:441:GLY:HA3	3:A:500:HEM:C3C	2.55	0.42
1:B:49:LEU:O	6:B:2664:HOH:O	2.22	0.41
1:A:381:ARG:O	1:A:382:ASP:HB2	2.20	0.41
1:A:117:VAL:HG22	3:A:500:HEM:HAD1	2.02	0.41
1:D:208:ILE:HD13	1:D:241:LEU:HD23	2.02	0.41
1:A:40:LEU:HD21	1:C:47:LEU:HD11	2.02	0.41
3:A:500:HEM:HBB2	3:A:500:HEM:HMB2	2.01	0.41
1:D:441:GLY:HA3	3:D:500:HEM:C3C	2.54	0.41
1:C:305:THR:HG23	6:C:2774:HOH:O	2.18	0.41
1:B:271:PHE:HB3	1:B:291:LEU:HD13	2.01	0.41
1:C:33:LEU:HD11	1:C:77:ARG:CZ	2.51	0.41
1:B:53:GLN:HB3	1:B:56:ASN:HB2	2.01	0.41
1:A:305:THR:CG2	4:A:501:D2G:H112	2.50	0.41
1:B:446:ARG:HG3	1:B:446:ARG:HH11	1.85	0.41
1:C:326:LYS:HE3	1:C:351:TYR:CE1	2.55	0.41
1:A:271:PHE:HB3	1:A:291:LEU:HD13	2.03	0.41
1:C:168:ILE:HD12	1:C:168:ILE:C	2.41	0.40
1:C:375:LYS:O	1:C:387:LYS:HG3	2.21	0.40
1:B:274:ARG:NH1	1:B:286:PHE:CE2	2.89	0.40
1:C:172:PHE:O	1:C:176:ARG:HG3	2.22	0.40
1:D:260:ASP:C	1:D:262:ASN:H	2.24	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:168:ILE:HD12	1:B:173:PHE:CE1	2.56	0.40
1:D:271:PHE:CG	1:D:291:LEU:HD13	2.56	0.40
1:C:305:THR:HG21	4:C:501:D2G:H112	2.03	0.40
1:A:432:PHE:HB3	1:A:439:CYS:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	463/476 (97%)	453 (98%)	10 (2%)	0	100	100
1	B	463/476 (97%)	451 (97%)	12 (3%)	0	100	100
1	C	462/476 (97%)	453 (98%)	8 (2%)	1 (0%)	52	30
1	D	462/476 (97%)	448 (97%)	12 (3%)	2 (0%)	39	18
All	All	1850/1904 (97%)	1805 (98%)	42 (2%)	3 (0%)	52	30

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	32	LYS
1	D	140	VAL
1	D	261	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	412/422 (98%)	405 (98%)	7 (2%)	68	45
1	B	413/422 (98%)	402 (97%)	11 (3%)	52	23
1	C	411/422 (97%)	403 (98%)	8 (2%)	65	40
1	D	411/422 (97%)	406 (99%)	5 (1%)	78	60
All	All	1647/1688 (98%)	1616 (98%)	31 (2%)	65	40

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	LYS
1	A	135	LEU
1	A	167	ASN
1	A	236	GLN
1	A	274	ARG
1	A	312	TYR
1	A	465	SER
1	B	135	LEU
1	B	172	PHE
1	B	176	ARG
1	B	274	ARG
1	B	312	TYR
1	B	353	GLU
1	B	392	TYR
1	B	417	LEU
1	B	419	GLU
1	B	468	PRO
1	B	495	HIS
1	C	32	LYS
1	C	135	LEU
1	C	210	GLN
1	C	312	TYR
1	C	326	LYS
1	C	417	LEU
1	C	457	MET
1	C	467	SER
1	D	174	LEU
1	D	263	SER
1	D	312	TYR
1	D	316	LEU
1	D	375	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	126	GLN
1	B	466	GLN
1	D	320	HIS
1	D	422	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	A	2003	-	3,3,3	1.72	1 (33%)	2,2,2	0.27	0
2	SO4	A	2502	-	4,4,4	0.81	0	6,6,6	0.16	0
2	SO4	A	2503	-	4,4,4	0.84	0	6,6,6	0.14	0
2	SO4	A	2504	-	4,4,4	0.79	0	6,6,6	0.51	0
3	HEM	A	500	1,4	30,50,50	3.32	12 (40%)	24,82,82	2.63	9 (37%)
4	D2G	A	501	3	12,15,15	1.70	3 (25%)	13,19,19	2.05	2 (15%)
2	SO4	B	2506	-	4,4,4	0.83	0	6,6,6	0.32	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEM	B	500	1,4	30,50,50	3.46	12 (40%)	24,82,82	2.57	8 (33%)
4	D2G	B	501	3	12,15,15	1.76	4 (33%)	13,19,19	2.20	5 (38%)
5	EDO	C	2001	-	3,3,3	1.34	0	2,2,2	0.24	0
5	EDO	C	2002	-	3,3,3	0.47	0	2,2,2	0.79	0
5	EDO	C	2004	-	3,3,3	1.42	0	2,2,2	0.99	0
5	EDO	C	2005	-	3,3,3	1.37	0	2,2,2	0.28	0
5	EDO	C	2006	-	3,3,3	0.85	0	2,2,2	0.50	0
2	SO4	C	2508	-	4,4,4	0.73	0	6,6,6	0.12	0
3	HEM	C	500	1,4	30,50,50	3.92	16 (53%)	24,82,82	2.65	10 (41%)
4	D2G	C	501	3	12,15,15	1.55	2 (16%)	13,19,19	2.10	3 (23%)
5	EDO	D	2007	-	3,3,3	0.50	0	2,2,2	1.29	0
3	HEM	D	500	1,4	30,50,50	4.03	14 (46%)	24,82,82	2.46	6 (25%)
4	D2G	D	501	3	12,15,15	1.74	3 (25%)	13,19,19	2.09	4 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	2003	-	-	0/1/1/1	0/0/0/0
2	SO4	A	2502	-	-	0/0/0/0	0/0/0/0
2	SO4	A	2503	-	-	0/0/0/0	0/0/0/0
2	SO4	A	2504	-	-	0/0/0/0	0/0/0/0
3	HEM	A	500	1,4	-	0/10/54/54	0/0/8/8
4	D2G	A	501	3	-	0/3/7/7	0/1/2/2
2	SO4	B	2506	-	-	0/0/0/0	0/0/0/0
3	HEM	B	500	1,4	-	0/10/54/54	0/0/8/8
4	D2G	B	501	3	-	0/3/7/7	0/1/2/2
5	EDO	C	2001	-	-	0/1/1/1	0/0/0/0
5	EDO	C	2002	-	-	0/1/1/1	0/0/0/0
5	EDO	C	2004	-	-	0/1/1/1	0/0/0/0
5	EDO	C	2005	-	-	0/1/1/1	0/0/0/0
5	EDO	C	2006	-	-	0/1/1/1	0/0/0/0
2	SO4	C	2508	-	-	0/0/0/0	0/0/0/0
3	HEM	C	500	1,4	-	0/10/54/54	0/0/8/8
4	D2G	C	501	3	-	0/3/7/7	0/1/2/2
5	EDO	D	2007	-	-	0/1/1/1	0/0/0/0
3	HEM	D	500	1,4	-	0/10/54/54	0/0/8/8
4	D2G	D	501	3	-	0/3/7/7	0/1/2/2

All (67) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	500	HEM	C3B-C4B	-15.06	1.38	1.51
3	C	500	HEM	C3B-C4B	-12.95	1.40	1.51
3	B	500	HEM	C3B-C4B	-9.51	1.43	1.51
3	A	500	HEM	C3B-C4B	-9.00	1.43	1.51
3	C	500	HEM	C3D-C4D	-8.30	1.40	1.51
3	B	500	HEM	C3D-C4D	-8.08	1.41	1.51
3	D	500	HEM	C3D-C4D	-7.58	1.41	1.51
3	B	500	HEM	C2C-C1C	-7.43	1.38	1.52
3	D	500	HEM	C2C-C1C	-7.29	1.38	1.52
3	A	500	HEM	C3D-C4D	-7.21	1.42	1.51
3	C	500	HEM	C2D-C3D	-6.48	1.35	1.54
3	B	500	HEM	C2D-C3D	-6.37	1.35	1.54
3	A	500	HEM	C2D-C3D	-6.17	1.36	1.54
3	C	500	HEM	C3C-CAC	-6.00	1.40	1.51
3	D	500	HEM	C3C-CAC	-6.00	1.40	1.51
3	A	500	HEM	C2C-C1C	-5.81	1.41	1.52
3	C	500	HEM	C2C-C1C	-5.72	1.41	1.52
3	A	500	HEM	C3C-CAC	-5.64	1.40	1.51
3	D	500	HEM	C2D-C3D	-4.86	1.40	1.54
3	B	500	HEM	C3C-CAC	-4.76	1.42	1.51
3	D	500	HEM	C3B-CAB	-4.71	1.42	1.51
3	A	500	HEM	C3B-CAB	-4.41	1.43	1.51
3	C	500	HEM	C3B-CAB	-4.39	1.43	1.51
4	B	501	D2G	C_1-C_6	-4.03	1.41	1.46
3	A	500	HEM	C2B-C1B	-3.94	1.38	1.51
3	C	500	HEM	C2D-C1D	-3.68	1.39	1.51
3	B	500	HEM	C2D-C1D	-3.47	1.40	1.51
3	B	500	HEM	C3B-CAB	-3.36	1.45	1.51
3	C	500	HEM	C1C-NC	-3.22	1.32	1.36
3	C	500	HEM	C2B-C1B	-3.12	1.41	1.51
4	C	501	D2G	C10-C_9	-3.08	1.47	1.51
3	D	500	HEM	C2B-C1B	-2.92	1.42	1.51
3	A	500	HEM	C2D-C1D	-2.88	1.42	1.51
4	A	501	D2G	C_1-C_6	-2.69	1.42	1.46
3	D	500	HEM	C2D-C1D	-2.55	1.43	1.51
4	D	501	D2G	C_1-C_6	-2.43	1.43	1.46
4	B	501	D2G	C10-C_9	-2.36	1.48	1.51
4	C	501	D2G	C_1-C_6	-2.23	1.43	1.46
3	B	500	HEM	C2B-C1B	-2.22	1.44	1.51
4	A	501	D2G	C11-N_2	-2.19	1.42	1.47
3	A	500	HEM	CAD-C3D	-2.01	1.50	1.54
3	D	500	HEM	CMA-C3A	2.02	1.55	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	501	D2G	C_5-C_1	2.04	1.42	1.39
3	C	500	HEM	CAD-CBD	2.06	1.63	1.52
5	A	2003	EDO	O2-C2	2.10	1.53	1.42
3	B	500	HEM	CBC-CAC	2.11	1.41	1.29
3	C	500	HEM	FE-ND	2.15	2.08	1.97
3	C	500	HEM	CMC-C2C	2.15	1.58	1.53
4	B	501	D2G	C_2-C_1	2.19	1.44	1.39
3	C	500	HEM	FE-NC	2.20	2.04	1.95
3	D	500	HEM	FE-NC	2.22	2.04	1.95
3	D	500	HEM	CHD-C4C	2.23	1.41	1.36
3	D	500	HEM	FE-NB	2.32	2.09	1.97
3	B	500	HEM	CMC-C2C	2.52	1.59	1.53
3	A	500	HEM	CHD-C4C	2.61	1.42	1.36
4	A	501	D2G	C_5-C_1	2.64	1.44	1.39
3	B	500	HEM	CBB-CAB	2.67	1.44	1.29
3	D	500	HEM	CBB-CAB	2.70	1.44	1.29
3	C	500	HEM	CBB-CAB	2.83	1.45	1.29
4	D	501	D2G	C_5-C_1	2.86	1.44	1.39
3	A	500	HEM	CMA-C3A	2.86	1.57	1.51
3	D	500	HEM	CMD-C2D	2.96	1.60	1.53
4	D	501	D2G	C_2-C_1	2.97	1.45	1.39
3	C	500	HEM	CHD-C4C	2.99	1.43	1.36
3	C	500	HEM	CMA-C3A	3.14	1.58	1.51
3	A	500	HEM	CBB-CAB	3.39	1.48	1.29
3	B	500	HEM	C4C-NC	4.06	1.41	1.36

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	500	HEM	CAA-C2A-C1A	-2.91	123.84	127.01
3	A	500	HEM	CBA-CAA-C2A	-2.79	107.53	112.53
3	C	500	HEM	CMA-C3A-C4A	-2.75	123.82	128.36
3	C	500	HEM	CAA-C2A-C1A	-2.69	124.09	127.01
3	B	500	HEM	C2D-C3D-C4D	2.06	105.00	101.50
4	D	501	D2G	C11-N_2-C10	2.07	117.95	112.33
4	B	501	D2G	C_7-C_8-C_9	2.23	108.00	106.78
3	C	500	HEM	C4B-CHC-C1C	2.42	129.87	125.82
4	B	501	D2G	C10-C_9-C_8	2.44	133.79	128.60
3	A	500	HEM	CMD-C2D-C3D	2.48	125.32	114.35
3	C	500	HEM	C3C-CAC-CBC	2.51	128.31	124.46
3	D	500	HEM	C3B-CAB-CBB	2.63	128.48	124.46
3	C	500	HEM	CMD-C2D-C3D	2.76	126.58	114.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	500	HEM	CMD-C2D-C3D	2.81	126.78	114.35
3	B	500	HEM	CMD-C2D-C3D	2.90	127.17	114.35
4	B	501	D2G	C_4-N_1-C_5	2.98	122.32	116.84
4	C	501	D2G	C10-C_9-C_8	2.99	134.97	128.60
4	D	501	D2G	C10-C_9-C_8	3.07	135.12	128.60
4	D	501	D2G	C_9-C10-N_2	3.08	120.03	113.41
3	A	500	HEM	CAD-C3D-C4D	3.65	125.34	112.47
3	B	500	HEM	C3B-CAB-CBB	3.69	130.11	124.46
4	C	501	D2G	C11-N_2-C10	3.72	122.44	112.33
3	B	500	HEM	CAD-C3D-C4D	3.72	125.61	112.47
4	A	501	D2G	C11-N_2-C10	3.78	122.61	112.33
3	A	500	HEM	CMC-C2C-C3C	3.80	126.03	116.53
3	D	500	HEM	CAD-C3D-C4D	3.86	126.10	112.47
3	C	500	HEM	CAD-C3D-C4D	3.90	126.22	112.47
4	B	501	D2G	C11-N_2-C10	4.23	123.83	112.33
3	A	500	HEM	CMB-C2B-C3B	4.26	127.17	116.53
3	C	500	HEM	C3B-CAB-CBB	4.41	131.21	124.46
3	C	500	HEM	CMC-C2C-C3C	4.44	127.61	116.53
3	B	500	HEM	CMC-C2C-C3C	4.44	127.62	116.53
3	B	500	HEM	C3C-CAC-CBC	4.44	131.27	124.46
3	D	500	HEM	CMC-C2C-C3C	4.51	127.79	116.53
3	A	500	HEM	C3C-CAC-CBC	4.52	131.39	124.46
4	B	501	D2G	C_7-C_6-C_1	4.67	132.60	128.74
4	D	501	D2G	C_7-C_6-C_1	4.82	132.73	128.74
4	A	501	D2G	C_7-C_6-C_1	4.90	132.79	128.74
4	C	501	D2G	C_7-C_6-C_1	5.23	133.07	128.74
3	A	500	HEM	C3B-CAB-CBB	5.32	132.62	124.46
3	C	500	HEM	CMB-C2B-C3B	5.43	130.08	116.53
3	C	500	HEM	CAD-C3D-C2D	5.55	129.17	113.22
3	D	500	HEM	CAD-C3D-C2D	5.60	129.31	113.22
3	B	500	HEM	CAD-C3D-C2D	5.63	129.40	113.22
3	B	500	HEM	CMB-C2B-C3B	5.71	130.78	116.53
3	A	500	HEM	CAD-C3D-C2D	5.77	129.80	113.22
3	D	500	HEM	CMB-C2B-C3B	6.11	131.78	116.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

11 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	500	HEM	4	0
4	A	501	D2G	2	0
3	B	500	HEM	1	0
4	B	501	D2G	2	0
5	C	2001	EDO	1	0
5	C	2004	EDO	7	0
5	C	2006	EDO	1	0
3	C	500	HEM	1	0
4	C	501	D2G	1	0
3	D	500	HEM	2	0
4	D	501	D2G	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	465/476 (97%)	-0.18	10 (2%) 65 67	16, 25, 41, 58	0
1	B	465/476 (97%)	0.16	20 (4%) 39 38	19, 31, 50, 67	0
1	C	464/476 (97%)	-0.17	9 (1%) 70 73	16, 24, 39, 56	0
1	D	464/476 (97%)	0.02	25 (5%) 29 26	16, 25, 50, 64	0
All	All	1858/1904 (97%)	-0.04	64 (3%) 49 49	16, 26, 45, 67	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	31	GLY	7.3
1	B	496	HIS	6.1
1	B	495	HIS	5.7
1	D	143	ARG	5.3
1	A	30	LYS	5.2
1	D	262	ASN	4.4
1	D	419	GLU	4.0
1	B	143	ARG	3.8
1	B	196	LYS	3.8
1	D	139	GLY	3.7
1	B	194	LYS	3.7
1	D	31	GLY	3.6
1	C	366	ILE	3.6
1	D	276	GLN	3.5
1	A	419	GLU	3.5
1	D	280	LYS	3.4
1	D	140	VAL	3.4
1	B	193	TYR	3.4
1	A	31	GLY	3.2
1	D	306	VAL	3.2
1	B	258	THR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	419	GLU	3.1
1	B	382	ASP	3.1
1	C	418	ASN	3.1
1	B	257	ARG	3.0
1	A	382	ASP	3.0
1	D	138	PHE	3.0
1	A	32	LYS	2.9
1	C	420	LYS	2.9
1	D	376	LYS	2.8
1	D	282	PRO	2.8
1	D	338	ASN	2.7
1	A	257	ARG	2.7
1	D	310	LEU	2.7
1	D	366	ILE	2.6
1	B	198	PHE	2.6
1	A	469	LYS	2.6
1	B	365	VAL	2.6
1	A	280	LYS	2.6
1	B	259	LEU	2.6
1	D	142	LYS	2.5
1	D	420	LYS	2.5
1	D	305	THR	2.5
1	B	282	PRO	2.5
1	C	365	VAL	2.5
1	D	141	GLY	2.5
1	D	263	SER	2.5
1	D	445	ALA	2.5
1	A	420	LYS	2.4
1	B	469	LYS	2.4
1	D	257	ARG	2.4
1	B	253	GLU	2.3
1	B	262	ASN	2.3
1	D	309	THR	2.2
1	A	143	ARG	2.2
1	B	379	LYS	2.2
1	C	449	LEU	2.2
1	D	444	LEU	2.2
1	B	432	PHE	2.1
1	C	306	VAL	2.1
1	C	309	THR	2.1
1	B	406	SER	2.0
1	D	250	LYS	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	129	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	SO4	A	2504	5/5	0.89	0.24	8.54	50,51,53,55	0
5	EDO	C	2002	4/4	0.81	0.23	6.69	33,35,36,39	0
5	EDO	D	2007	4/4	0.86	0.14	3.84	31,32,33,34	0
4	D2G	D	501	14/14	0.98	0.17	0.93	20,22,24,28	0
4	D2G	B	501	14/14	0.97	0.14	0.79	22,24,25,26	0
4	D2G	C	501	14/14	0.97	0.14	0.63	19,22,24,28	0
3	HEM	B	500	43/43	0.98	0.13	0.49	17,21,24,29	0
4	D2G	A	501	14/14	0.98	0.13	0.48	16,19,21,23	0
3	HEM	A	500	43/43	0.99	0.13	0.47	12,15,18,25	0
3	HEM	D	500	43/43	0.98	0.14	0.09	16,20,23,29	0
3	HEM	C	500	43/43	0.99	0.12	0.06	15,18,21,24	0
5	EDO	C	2004	4/4	0.96	0.08	-0.20	23,25,28,30	0
5	EDO	C	2006	4/4	0.93	0.17	-	34,35,36,37	0
2	SO4	A	2503	5/5	0.95	0.19	-	56,56,57,58	0
2	SO4	B	2506	5/5	0.93	0.15	-	57,59,60,60	0
5	EDO	C	2001	4/4	0.84	0.33	-	33,35,36,37	0
2	SO4	A	2502	5/5	0.94	0.12	-	54,55,57,57	0
2	SO4	C	2508	5/5	0.92	0.13	-	62,62,63,65	0
5	EDO	A	2003	4/4	0.87	0.30	-	34,34,35,36	0
5	EDO	C	2005	4/4	0.91	0.32	-	36,37,38,39	0

6.5 Other polymers

There are no such residues in this entry.