



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:03 AM GMT

PDB ID : 2FH8
Title : Crystal Structure Analysis of Klebsiella pneumoniae pullulanase complexed with isomaltose
Authors : Mikami, B.; Iwamoto, H.; Katsuya, Y.; Yoon, H.-J.; Demirkan-Sarikaya, E.; Malle, D.
Deposited on : 2005-12-23
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1083	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BGC	A	1098	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8236 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called pullulanase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	922	Total	C	N	O	S	0	13	0
			7130	4453	1218	1433	26			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	680	LEU	GLY	ENGINEERED	GB 149300
A	882	LEU	VAL	ENGINEERED	GB 149300

- Molecule 2 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	2	Total	C	O	0	0
			23	12	11		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	4	Total	Ca	0	0
			4	4		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1079	Total	O	0	0
			1079	1079		

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	149.53Å 60.32Å 134.02Å 90.00° 112.62° 90.00°	Depositor
Resolution (Å)	15.00 – 1.90 47.80 – 1.70	Depositor EDS
% Data completeness (in resolution range)	81.6 (15.00-1.90) 68.5 (47.80-1.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 1.70Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.177 , 0.221 0.177 , 0.219	Depositor DCC
R_{free} test set	7158 reflections (11.21%)	DCC
Wilson B-factor (Å ²)	17.6	Xtriage
Anisotropy	0.523	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 50.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 83194 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8236	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, CA, BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/7325	0.60	0/9961

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7130	0	6863	172	0
2	A	23	0	21	1	0
3	A	4	0	0	0	0
4	A	1079	0	0	23	0
All	All	8236	0	6884	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:978:ASN:HD21	1:A:984:GLN:H	1.19	0.90
1:A:680:LEU:HG	1:A:710:SER:HB2	1.56	0.87
1:A:606:ASN:HD21	1:A:607:HIS:HD2	1.21	0.84
1:A:680:LEU:HD13	1:A:708:TRP:H	1.42	0.83
1:A:680:LEU:HD11	1:A:709:ASP:H	1.45	0.80
1:A:606:ASN:ND2	1:A:607:HIS:HD2	1.83	0.77
1:A:680:LEU:HD22	1:A:707:GLY:HA3	1.67	0.76
1:A:680:LEU:HD11	1:A:709:ASP:N	2.01	0.76
1:A:680:LEU:CG	1:A:710:SER:HB2	2.16	0.75
1:A:1009:ILE:HG12	1:A:1067[A]:GLU:HG2	1.67	0.74
1:A:771:THR:HG23	4:A:2201:HOH:O	1.87	0.73
1:A:987:LEU:HD21	1:A:1022:LEU:HD21	1.72	0.72
1:A:229:ASN:ND2	1:A:232:VAL:H	1.88	0.71
1:A:229:ASN:HD21	1:A:232:VAL:CB	2.03	0.71
1:A:301:LEU:HD23	1:A:395:ASP:HB2	1.73	0.71
1:A:706:GLU:HG2	1:A:707:GLY:H	1.54	0.71
1:A:627:TYR:O	1:A:651:HIS:HD2	1.74	0.70
1:A:560[B]:ASP:HB3	1:A:609:ASN:ND2	2.08	0.69
1:A:680:LEU:CD1	1:A:710:SER:H	2.05	0.68
1:A:680:LEU:HD13	1:A:708:TRP:N	2.09	0.67
1:A:977:ARG:NH1	1:A:1024:ASP:HB3	2.09	0.66
1:A:170:ALA:HA	4:A:2124:HOH:O	1.96	0.65
1:A:722:ILE:HG23	4:A:1665:HOH:O	1.96	0.65
1:A:229:ASN:HD21	1:A:232:VAL:CG2	2.12	0.63
1:A:816:PRO:HG2	4:A:1995:HOH:O	1.99	0.63
1:A:208:VAL:HG21	1:A:262:VAL:HG21	1.80	0.63
1:A:560[A]:ASP:HB2	1:A:609:ASN:ND2	2.14	0.63
1:A:229:ASN:ND2	1:A:232:VAL:HB	2.14	0.63
1:A:229:ASN:HD21	1:A:232:VAL:HB	1.63	0.62
1:A:680:LEU:HD21	4:A:1543:HOH:O	1.99	0.62
1:A:229:ASN:HD21	1:A:232:VAL:H	1.48	0.62
1:A:1049:GLN:HG3	1:A:1057:THR:HB	1.80	0.62
1:A:680:LEU:HD11	1:A:710:SER:H	1.66	0.61
1:A:1012:ALA:HB1	1:A:1058[B]:LEU:HD21	1.81	0.61
1:A:229:ASN:HD21	1:A:232:VAL:HG23	1.66	0.60
1:A:322:ILE:HG22	1:A:330:ILE:HD11	1.83	0.60
1:A:977:ARG:HH11	1:A:1024:ASP:HB3	1.65	0.60
1:A:706:GLU:HG2	1:A:707:GLY:N	2.16	0.60
1:A:418:LYS:HD2	1:A:966[B]:ASP:OD1	2.01	0.60
1:A:1039:ALA:HB3	1:A:1043:SER:HB2	1.82	0.60
1:A:523:THR:OG1	1:A:526:GLU:HG3	2.02	0.60
1:A:484:THR:N	1:A:560[A]:ASP:OD2	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:VAL:CG2	1:A:262:VAL:HG21	2.32	0.59
1:A:254:ASP:HB2	4:A:2156:HOH:O	2.03	0.59
1:A:682:HIS:HD2	1:A:686:GLN:HE22	1.51	0.58
1:A:972:LYS:HG3	4:A:1135:HOH:O	2.03	0.58
1:A:258:GLN:HE22	1:A:316:GLN:HA	1.69	0.57
1:A:430:HIS:HB3	1:A:433:ASP:HB2	1.86	0.57
1:A:753:ARG:HD3	1:A:769:LEU:HD12	1.87	0.56
1:A:606:ASN:ND2	1:A:607:HIS:CD2	2.70	0.56
1:A:367:GLN:HG2	4:A:1479:HOH:O	2.05	0.55
1:A:841:MET:HE1	4:A:2075:HOH:O	2.07	0.55
1:A:710:SER:O	1:A:711:ASN:HB3	2.07	0.55
1:A:680:LEU:CD2	1:A:707:GLY:HA3	2.37	0.55
1:A:708:TRP:N	1:A:708:TRP:CE3	2.75	0.55
1:A:387:ASN:ND2	1:A:487:GLU:H	2.05	0.55
1:A:560[B]:ASP:HB3	1:A:609:ASN:HD22	1.72	0.54
1:A:682:HIS:CD2	1:A:686:GLN:HE22	2.25	0.54
1:A:682:HIS:HD2	1:A:686:GLN:NE2	2.05	0.54
1:A:525:GLU:HG2	4:A:2213:HOH:O	2.07	0.54
1:A:642:THR:O	1:A:643:CYS:HB3	2.06	0.53
1:A:643:CYS:SG	1:A:644:CYS:N	2.81	0.53
1:A:198:VAL:HG12	1:A:223:LEU:HD12	1.89	0.53
1:A:839:TRP:HA	1:A:842[A]:ILE:HG22	1.89	0.53
1:A:946:THR:O	1:A:950:GLN:HG3	2.09	0.53
1:A:997:GLN:HG2	4:A:2004:HOH:O	2.09	0.53
1:A:1066:LEU:N	1:A:1066:LEU:HD22	2.24	0.53
1:A:253:VAL:HG23	1:A:254:ASP:N	2.24	0.52
1:A:854:THR:O	1:A:858:MET:HG3	2.09	0.52
1:A:543:GLN:NE2	1:A:917:SER:H	2.08	0.52
1:A:223:LEU:CD2	1:A:247:LEU:HD23	2.40	0.52
1:A:722:ILE:C	1:A:722:ILE:HD12	2.30	0.51
1:A:200:LEU:HB3	1:A:221:VAL:CG2	2.41	0.51
1:A:690:ALA:O	1:A:694:ILE:HG12	2.11	0.51
1:A:680:LEU:CD2	1:A:680:LEU:H	2.24	0.51
1:A:706:GLU:HB2	1:A:732:PHE:CD2	2.46	0.50
1:A:272:LEU:C	1:A:272:LEU:HD23	2.31	0.50
1:A:384:LEU:HD23	1:A:391:SER:HA	1.92	0.50
1:A:834:ASP:O	1:A:835:ASN:HB2	2.12	0.49
1:A:680:LEU:HD23	1:A:680:LEU:H	1.77	0.49
1:A:606:ASN:HD21	1:A:607:HIS:CD2	2.14	0.49
1:A:238:HIS:HE1	4:A:1434:HOH:O	1.95	0.49
1:A:680:LEU:CD1	1:A:708:TRP:N	2.75	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:543:GLN:HE21	1:A:916:ARG:HA	1.78	0.49
1:A:296:SER:O	1:A:309:ARG:HD2	2.14	0.48
1:A:750:ASP:O	1:A:754:GLN:HG3	2.14	0.48
1:A:771:THR:HG22	4:A:1664:HOH:O	2.13	0.48
1:A:211:ASP:OD1	1:A:213:ASN:HB2	2.13	0.48
1:A:914[B]:MET:HE3	1:A:931:LYS:HE2	1.95	0.48
1:A:1014:ASN:HD21	1:A:1020:ARG:HH11	1.60	0.48
1:A:229:ASN:HD22	1:A:229:ASN:C	2.17	0.48
1:A:875:ASP:OD1	1:A:879:SER:HB2	2.13	0.48
1:A:495:ILE:HA	1:A:524:VAL:HB	1.96	0.47
1:A:496:GLN:H	1:A:496:GLN:NE2	2.12	0.47
1:A:839:TRP:HA	1:A:842[A]:ILE:CG2	2.44	0.47
1:A:210:ALA:HB2	1:A:216:PHE:CE1	2.50	0.47
1:A:710:SER:O	1:A:711:ASN:CB	2.63	0.46
1:A:176:LEU:HA	4:A:1721:HOH:O	2.15	0.46
1:A:449:TYR:CZ	1:A:571:TYR:HB2	2.50	0.46
1:A:182:VAL:HG21	1:A:232:VAL:HG11	1.97	0.46
1:A:484:THR:HG23	1:A:560[A]:ASP:OD2	2.16	0.46
1:A:678:LEU:HD21	2:A:1098:BGC:H3	1.97	0.46
1:A:465:GLN:HG3	1:A:950:GLN:HE22	1.80	0.46
1:A:430:HIS:HD2	1:A:433:ASP:H	1.62	0.46
1:A:642:THR:O	1:A:643:CYS:CB	2.64	0.46
1:A:195:LYS:HG2	1:A:265:ALA:HB1	1.98	0.46
1:A:1003:ASP:OD2	1:A:1005:ARG:HD3	2.16	0.46
1:A:886:SER:O	1:A:887:PHE:HB2	2.16	0.46
1:A:228:VAL:HG12	4:A:2055:HOH:O	2.14	0.45
1:A:968:ALA:HA	1:A:971[A]:MET:HE3	1.98	0.45
1:A:510:LYS:HD3	4:A:1500:HOH:O	2.16	0.45
1:A:680:LEU:CD1	1:A:708:TRP:H	2.19	0.45
1:A:657:LEU:C	1:A:657:LEU:HD23	2.37	0.45
1:A:473:HIS:CD2	1:A:598:ASN:HB2	2.52	0.45
1:A:680:LEU:HD12	1:A:710:SER:H	1.80	0.45
1:A:377:THR:OG1	1:A:563:HIS:HE1	2.00	0.45
1:A:297:TYR:CD1	1:A:309:ARG:HG2	2.52	0.45
1:A:839:TRP:O	1:A:842[A]:ILE:CG2	2.65	0.45
1:A:706:GLU:HA	1:A:708:TRP:CZ2	2.52	0.44
1:A:1012:ALA:CB	1:A:1058[B]:LEU:HD21	2.45	0.44
1:A:504:GLU:HG2	4:A:1917:HOH:O	2.16	0.44
1:A:706:GLU:HB2	1:A:732:PHE:HD2	1.82	0.44
1:A:842[A]:ILE:HD12	1:A:858:MET:HB2	1.99	0.44
1:A:968:ALA:HA	1:A:971[A]:MET:CE	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:GLU:HB2	1:A:364:TYR:CE1	2.52	0.44
1:A:680:LEU:HD11	1:A:710:SER:N	2.31	0.44
1:A:706:GLU:CG	1:A:707:GLY:H	2.27	0.44
1:A:680:LEU:N	1:A:680:LEU:HD23	2.32	0.44
1:A:1049:GLN:CG	1:A:1057:THR:HB	2.45	0.44
1:A:199:ARG:HB2	1:A:201:TYR:HE1	1.83	0.44
1:A:1023:GLN:NE2	1:A:1055:SER:HB3	2.33	0.44
1:A:200:LEU:HB3	1:A:221:VAL:HG22	1.99	0.43
1:A:797:LEU:HD12	1:A:797:LEU:O	2.19	0.43
1:A:36:ARG:HG2	1:A:36:ARG:HH11	1.82	0.43
1:A:229:ASN:ND2	1:A:229:ASN:C	2.72	0.43
1:A:208:VAL:HG21	1:A:262:VAL:CG2	2.48	0.43
1:A:183:ASP:OD2	1:A:186:THR:N	2.52	0.43
1:A:996:MET:HE2	4:A:1813:HOH:O	2.18	0.43
1:A:195:LYS:HA	1:A:196:PRO:HD3	1.87	0.42
1:A:592:LYS:HE2	1:A:672:ASP:OD2	2.19	0.42
1:A:923:ASN:O	1:A:927:ILE:HG13	2.19	0.42
1:A:229:ASN:HD22	1:A:229:ASN:N	2.18	0.42
1:A:199:ARG:HD3	1:A:220:TYR:CD2	2.54	0.42
1:A:194:ASN:C	1:A:195:LYS:HE3	2.40	0.42
1:A:470:GLY:HA2	1:A:957:LYS:HD3	2.01	0.42
1:A:483:ALA:HB1	1:A:617:THR:HG21	2.02	0.42
1:A:430:HIS:CD2	1:A:432:ARG:H	2.37	0.42
1:A:465:GLN:NE2	4:A:1600:HOH:O	2.53	0.42
1:A:231:GLN:OE1	1:A:231:GLN:N	2.53	0.42
1:A:246:LYS:HE2	4:A:1651:HOH:O	2.18	0.41
1:A:252:ASN:OD1	1:A:255:GLU:HB2	2.20	0.41
1:A:170:ALA:C	1:A:172:PHE:H	2.23	0.41
1:A:680:LEU:HG	1:A:710:SER:CB	2.39	0.41
1:A:411:MET:HG2	1:A:672:ASP:OD1	2.21	0.41
1:A:424:MET:HB3	1:A:872:ILE:HG23	2.02	0.41
1:A:651:HIS:HE1	4:A:1186:HOH:O	2.02	0.41
1:A:560[A]:ASP:HB2	1:A:609:ASN:HD22	1.82	0.41
1:A:258:GLN:NE2	1:A:316:GLN:HA	2.35	0.41
1:A:465:GLN:HG3	1:A:950:GLN:NE2	2.35	0.41
1:A:413:HIS:HD2	4:A:1172:HOH:O	2.04	0.41
1:A:370:LYS:HG3	4:A:1967:HOH:O	2.20	0.41
1:A:189:TRP:CE2	1:A:191:GLY:HA3	2.56	0.41
1:A:708:TRP:CD2	1:A:708:TRP:N	2.89	0.40
1:A:792:LEU:HB2	1:A:795:PHE:HB2	2.03	0.40
1:A:1023:GLN:HE22	1:A:1055:SER:HB3	1.86	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:993:ASP:HB2	1:A:1078:LEU:O	2.21	0.40
1:A:680:LEU:HD13	1:A:708:TRP:CA	2.51	0.40
1:A:36:ARG:HG2	1:A:36:ARG:NH1	2.36	0.40
1:A:466:LEU:HD23	1:A:950:GLN:HE21	1.87	0.40
1:A:195:LYS:HA	1:A:195:LYS:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	931/1083 (86%)	898 (96%)	30 (3%)	3 (0%)	46 35

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	643	CYS
1	A	478	PRO
1	A	710	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	771/891 (86%)	747 (97%)	24 (3%)	47 37

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	195	LYS
1	A	229	ASN
1	A	252	ASN
1	A	373[A]	GLN
1	A	373[B]	GLN
1	A	374	TYR
1	A	387	ASN
1	A	391	SER
1	A	478	PRO
1	A	482	LEU
1	A	496	GLN
1	A	543	GLN
1	A	562	PHE
1	A	593	GLN
1	A	708	TRP
1	A	711	ASN
1	A	722	ILE
1	A	797	LEU
1	A	859	GLN
1	A	886	SER
1	A	1025	PHE
1	A	1049	GLN
1	A	1058[A]	LEU
1	A	1058[B]	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	194	ASN
1	A	204	HIS
1	A	229	ASN
1	A	230	GLN
1	A	238	HIS
1	A	252	ASN
1	A	258	GLN
1	A	279	GLN
1	A	316	GLN
1	A	317	GLN
1	A	387	ASN
1	A	392	GLN
1	A	413	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	430	HIS
1	A	439	GLN
1	A	455	GLN
1	A	458	ASN
1	A	465	GLN
1	A	496	GLN
1	A	533	GLN
1	A	534	ASN
1	A	541	GLN
1	A	543	GLN
1	A	551	GLN
1	A	563	HIS
1	A	606	ASN
1	A	607	HIS
1	A	609	ASN
1	A	651	HIS
1	A	682	HIS
1	A	686	GLN
1	A	711	ASN
1	A	859	GLN
1	A	899	ASN
1	A	911	ASN
1	A	950	GLN
1	A	978	ASN
1	A	983	GLN
1	A	1014	ASN
1	A	1023	GLN
1	A	1037	GLN
1	A	1074	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	A	1097	2	11,11,12	0.45	0	14,15,17	0.55	0
2	BGC	A	1098	2	12,12,12	0.37	0	17,17,17	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	A	1097	2	-	0/2/19/22	0/1/1/1
2	BGC	A	1098	2	-	0/2/22/22	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1098	BGC	1	0

5.6 Ligand geometry

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	922/1083 (85%)	-0.16	34 (3%) 45 49	16, 24, 51, 69	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	172	PHE	7.0
1	A	270	GLY	5.4
1	A	217	SER	4.9
1	A	170	ALA	4.8
1	A	33	VAL	4.3
1	A	34	VAL	3.9
1	A	251	VAL	3.7
1	A	35	VAL	3.6
1	A	173	GLY	3.6
1	A	268	SER	3.5
1	A	216	PHE	3.5
1	A	213	ASN	3.3
1	A	209	ALA	3.3
1	A	222	LYS	3.2
1	A	171	ALA	3.1
1	A	797	LEU	3.1
1	A	32	ASP	3.1
1	A	198	VAL	2.9
1	A	38	PRO	2.9
1	A	221	VAL	2.8
1	A	271	ILE	2.7
1	A	746	PHE	2.7
1	A	249	ASP	2.6
1	A	210	ALA	2.5
1	A	219	LYS	2.4
1	A	220	TYR	2.3
1	A	225	PRO	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	201	TYR	2.3
1	A	247	LEU	2.2
1	A	215	GLU	2.2
1	A	266	ALA	2.2
1	A	197	ILE	2.2
1	A	218	ASP	2.1
1	A	206	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	BGC	A	1098	12/12	0.84	0.18	2.09	38,51,53,53	0
2	GLC	A	1097	11/12	0.96	0.07	-1.09	32,34,36,40	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	CA	A	2401	1/1	1.00	0.03	-1.53	21,21,21,21	0
3	CA	A	2403	1/1	0.99	0.04	-1.94	42,42,42,42	0
3	CA	A	2402	1/1	0.96	0.04	-2.13	38,38,38,38	0
3	CA	A	2404	1/1	1.00	0.03	-2.55	21,21,21,21	0

6.5 Other polymers

There are no such residues in this entry.