



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 08:33 PM BST

PDB ID : 2FI2
Title : Solution structure of the SCAN homodimer from MZF-1/ZNF42
Authors : Volkman, B.F.; Peterson, F.C.; Sander, T.L.; Waltner, J.K.; Center for Eukaryotic Structural Genomics (CESG)
Deposited on : 2005-12-27

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 88%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	94	
1	B	94	

2 Ensemble composition and analysis ⓘ

This entry contains 20 models. Model 5 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:40-A:123, B:39-B:123 (169)	0.46	5

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 1 single-model cluster was found.

Cluster number	Models
1	4, 5, 6, 9, 10, 12, 16, 19
2	1, 2, 11, 13
3	3, 14, 15, 18
4	8, 17, 20
Single-model clusters	7

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2941 atoms, of which 1464 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Zinc finger protein 42.

Mol	Chain	Residues	Atoms						Trace
1	A	94	Total	C	H	N	O	S	0
			1471	459	733	139	137	3	
1	B	94	Total	C	H	N	O	S	0
			1470	459	731	139	138	3	

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	35	GLY	-	CLONING ARTIFACT	UNP P28698
A	36	SER	-	CLONING ARTIFACT	UNP P28698
B	35	GLY	-	CLONING ARTIFACT	UNP P28698
B	36	SER	-	CLONING ARTIFACT	UNP P28698

4 Residue-property plots


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Zinc finger protein 42



- Molecule 1: Zinc finger protein 42




4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.2 Score per residue for model 2

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.3 Score per residue for model 3

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.4 Score per residue for model 4

- Molecule 1: Zinc finger protein 42



- Molecule 1: Zinc finger protein 42



4.2.5 Score per residue for model 5 (medoid)


- Molecule 1: Zinc finger protein 42

Chain A: 



- Molecule 1: Zinc finger protein 42

Chain B: 



4.2.6 Score per residue for model 6

- Molecule 1: Zinc finger protein 42

Chain A: 



- Molecule 1: Zinc finger protein 42

Chain B: 



4.2.7 Score per residue for model 7

- Molecule 1: Zinc finger protein 42

Chain A: 



- Molecule 1: Zinc finger protein 42

Chain B: 



G127
G128

4.2.8 Score per residue for model 8

- Molecule 1: Zinc finger protein 42

Chain A:  74% 14% 11%

G35 S36 D37 P38 G39 Y52 P58 L62 W72 L73 E76 V77 L84 L87 V88 Q91 L96 Q105 L118 R124 E125 P126 G127 G128

- Molecule 1: Zinc finger protein 42

Chain B:  73% 15% 10%

G35 S36 D37 P38 G39 A42 L45 R46 F47 Y52 P58 L62 W72 L73 R80 L84 L87 V88 L96 Q105 L118 L122 R123 R124 E125 P126 G127 G128

4.2.9 Score per residue for model 9

- Molecule 1: Zinc finger protein 42

Chain A:  71% 17% 11%

G35 S36 D37 P38 G39 R44 Y52 P58 Q59 L62 R66 C69 W72 L73 R80 E81 L84 L87 V88 L96 E114 L118 R124 E125 P126 G127 G128

- Molecule 1: Zinc finger protein 42

Chain B:  64% 26% 10%

G35 S36 D37 P38 G39 R44 Y52 T56 G57 P58 L62 R66 E67 L68 C69 W70 Q71 W72 L73 R80 E81 Q82 R83 L84 R85 L86 L87 V88 L89 E90 L96 E99 R103 V104 Q105 E114 A115 A116 A117 L118 L122 R123 R124 E125 P126 G127 G128


4.2.10 Score per residue for model 10

- Molecule 1: Zinc finger protein 42

Chain A:  69% 20% 11%


G35 S36 D37 P38 G39 R44 H51 Y52 E53 E57 Q71 W72 L73 L84 L87 V88 L89 E90 L96 E99 R103 V104 Q105 E114 A115 A116 A117 L118 R124 E125 P126 G127 G128

- Molecule 1: Zinc finger protein 42




4.2.11 Score per residue for model 11

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.12 Score per residue for model 12

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.13 Score per residue for model 13

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.14 Score per residue for model 14

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.15 Score per residue for model 15

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.16 Score per residue for model 16

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.17 Score per residue for model 17

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.18 Score per residue for model 18

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.19 Score per residue for model 19

- Molecule 1: Zinc finger protein 42




- Molecule 1: Zinc finger protein 42




4.2.20 Score per residue for model 20

- Molecule 1: Zinc finger protein 42



- Molecule 1: Zinc finger protein 42



5 Refinement protocol and experimental data overview

The models were refined using the following method: *AUTOMATED METHODS WERE USED FOR BACKBONE CHEMICAL SHIFT ASSIGNMENT AND ITERATIVE NOE REFINEMENT. FINAL STRUCTURES WERE OBTAINED BY MOLECULAR DYNAMICS IN EXPLICIT SOLVENT.*

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
XPLOr-NIH	refinement	2.9.3.
CYANA	structure solution	2.1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 6957
Number of chemical shift lists	1
Total number of shifts	2288
Number of shifts mapped to atoms	2288
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	88%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality

6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	0.1±0.2
1	B	0.0±0.0	0.1±0.3
All	All	0	3

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	B	123	ARG	Sidechain	1
1	B	48	ARG	Sidechain	1
1	A	44	ARG	Sidechain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	674	677	676	16±3
1	B	678	680	679	16±3
All	All	27040	27140	27100	468

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:87:LEU:HD21	1:B:72:TRP:CZ3	0.75	2.16	13	7
1:A:66:ARG:HA	1:A:69:CYS:SG	0.74	2.21	14	6
1:A:44:ARG:HG2	1:A:72:TRP:CE2	0.70	2.22	12	1
1:B:44:ARG:HD3	1:B:72:TRP:CZ2	0.69	2.22	9	3
1:A:72:TRP:CZ3	1:B:87:LEU:HD21	0.69	2.22	11	9
1:A:72:TRP:CH2	1:B:87:LEU:HD21	0.66	2.24	7	14
1:A:73:LEU:HD11	1:B:87:LEU:HD23	0.65	1.67	1	13
1:B:66:ARG:HA	1:B:69:CYS:SG	0.65	2.32	14	7
1:A:84:LEU:O	1:A:88:VAL:HG23	0.63	1.93	17	20
1:B:84:LEU:O	1:B:88:VAL:HG23	0.63	1.93	17	20
1:A:87:LEU:HD23	1:B:73:LEU:HD11	0.63	1.70	16	13
1:B:67:GLU:O	1:B:71:GLN:HG3	0.63	1.94	12	8
1:A:87:LEU:HD21	1:B:72:TRP:CH2	0.63	2.28	10	14
1:A:67:GLU:O	1:A:71:GLN:HG3	0.62	1.95	20	5
1:B:59:GLN:HE21	1:B:59:GLN:N	0.61	1.93	13	4
1:A:59:GLN:HE21	1:A:59:GLN:N	0.59	1.95	6	3
1:B:59:GLN:N	1:B:59:GLN:HE21	0.59	1.96	16	5
1:A:52:TYR:CD2	1:B:96:LEU:HD23	0.58	2.33	9	19
1:A:96:LEU:HD23	1:B:52:TYR:CD2	0.58	2.32	11	20
1:A:88:VAL:HG22	1:B:69:CYS:SG	0.58	2.38	2	6
1:A:67:GLU:O	1:A:71:GLN:HG2	0.57	1.99	6	5
1:B:99:GLU:O	1:B:103:ARG:HG2	0.57	2.00	10	4
1:A:59:GLN:N	1:A:59:GLN:HE21	0.57	1.97	14	3
1:A:87:LEU:HD13	1:B:87:LEU:HD13	0.56	1.78	12	16
1:A:104:VAL:HA	1:A:107:GLN:OE1	0.55	2.01	20	2
1:B:60:GLU:O	1:B:64:GLN:HG3	0.55	2.01	3	2
1:B:41:GLU:O	1:B:45:LEU:HG	0.55	2.00	1	1
1:B:44:ARG:HD2	1:B:90:GLU:OE1	0.54	2.01	2	7
1:B:101:GLN:O	1:B:105:GLN:HG2	0.54	2.01	17	3
1:B:105:GLN:N	1:B:105:GLN:HE21	0.54	2.01	15	1
1:A:58:PRO:O	1:A:62:LEU:HG	0.54	2.02	2	13
1:A:58:PRO:HG2	1:A:59:GLN:NE2	0.54	2.18	6	6
1:A:73:LEU:HD12	1:B:84:LEU:HD13	0.53	1.81	8	3
1:B:93:LEU:HD11	1:B:104:VAL:HG11	0.53	1.79	10	1
1:A:44:ARG:HD3	1:A:72:TRP:CZ2	0.53	2.39	7	4
1:A:114:GLU:O	1:A:118:LEU:HG	0.53	2.03	11	5
1:A:69:CYS:SG	1:B:88:VAL:HG22	0.53	2.44	9	5
1:A:123:ARG:HB2	1:B:54:GLU:OE1	0.53	2.04	6	1
1:B:82:GLN:O	1:B:86:LEU:HG	0.53	2.03	4	8
1:A:99:GLU:O	1:A:103:ARG:HG2	0.52	2.05	20	5
1:B:44:ARG:O	1:B:48:ARG:HG3	0.52	2.04	5	1
1:A:118:LEU:O	1:A:122:LEU:HG	0.52	2.05	12	7

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:91:GLN:OE1	1:B:48:ARG:HD3	0.52	2.05	20	1
1:B:104:VAL:HA	1:B:107:GLN:OE1	0.52	2.05	4	1
1:B:89:LEU:HD23	1:B:112:PRO:HA	0.52	1.82	2	2
1:B:58:PRO:O	1:B:62:LEU:HG	0.51	2.05	7	14
1:B:58:PRO:HG2	1:B:59:GLN:NE2	0.51	2.21	11	8
1:B:118:LEU:O	1:B:122:LEU:HG	0.51	2.06	7	10
1:B:105:GLN:HE21	1:B:105:GLN:N	0.51	2.04	8	1
1:A:56:THR:O	1:A:60:GLU:HB3	0.51	2.06	1	4
1:A:79:SER:HB2	1:A:81:GLU:OE2	0.51	2.06	17	2
1:B:44:ARG:HD2	1:B:90:GLU:OE2	0.50	2.06	19	1
1:B:114:GLU:O	1:B:118:LEU:HG	0.50	2.07	10	7
1:A:59:GLN:NE2	1:B:116:ALA:HB1	0.50	2.22	2	5
1:A:101:GLN:O	1:A:105:GLN:HB2	0.50	2.06	12	2
1:A:116:ALA:HB1	1:B:59:GLN:NE2	0.50	2.22	19	7
1:A:84:LEU:HD13	1:B:73:LEU:HD12	0.49	1.83	15	6
1:A:54:GLU:OE1	1:B:123:ARG:HB2	0.49	2.08	4	1
1:B:67:GLU:O	1:B:71:GLN:HG2	0.49	2.07	10	3
1:A:73:LEU:O	1:A:78:ARG:HD2	0.49	2.06	5	3
1:B:66:ARG:HA	1:B:69:CYS:HG	0.49	1.68	2	2
1:B:79:SER:HB2	1:B:81:GLU:OE2	0.49	2.08	17	2
1:A:44:ARG:HD2	1:A:90:GLU:OE1	0.48	2.07	10	4
1:B:56:THR:O	1:B:60:GLU:HB3	0.47	2.09	7	3
1:A:120:ASP:O	1:A:123:ARG:HG2	0.47	2.10	14	1
1:A:44:ARG:O	1:A:48:ARG:HG3	0.47	2.10	15	1
1:A:44:ARG:HG2	1:A:72:TRP:NE1	0.47	2.24	12	1
1:A:62:LEU:O	1:A:66:ARG:HG2	0.47	2.10	16	2
1:A:81:GLU:HG3	1:A:82:GLN:NE2	0.46	2.26	4	1
1:B:119:VAL:O	1:B:123:ARG:HG3	0.46	2.11	11	1
1:B:93:LEU:HD22	1:B:104:VAL:HG11	0.46	1.88	4	3
1:A:93:LEU:HD22	1:A:104:VAL:HG11	0.46	1.88	2	5
1:A:119:VAL:O	1:A:123:ARG:HG3	0.46	2.11	7	2
1:A:82:GLN:O	1:A:86:LEU:HG	0.46	2.11	11	4
1:B:119:VAL:O	1:B:123:ARG:HG2	0.46	2.11	4	1
1:A:64:GLN:O	1:A:68:LEU:HG	0.46	2.11	17	3
1:A:54:GLU:HB3	1:B:123:ARG:CZ	0.45	2.41	7	1
1:B:62:LEU:O	1:B:66:ARG:HG2	0.45	2.11	7	1
1:B:64:GLN:O	1:B:68:LEU:HG	0.45	2.12	12	1
1:A:42:ALA:O	1:A:46:ARG:HG3	0.45	2.12	16	1
1:A:47:PHE:CE1	1:A:69:CYS:HB3	0.45	2.47	4	1
1:A:115:ALA:O	1:A:119:VAL:HG12	0.44	2.11	15	1
1:B:107:GLN:NE2	1:B:118:LEU:HD13	0.44	2.27	11	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:118:LEU:HD23	1:B:118:LEU:H	0.44	1.73	8	2
1:A:76:GLU:HG3	1:A:77:VAL:HG23	0.44	1.90	8	2
1:A:66:ARG:HA	1:A:69:CYS:HG	0.44	1.73	9	1
1:A:97:PRO:HB2	1:A:99:GLU:OE1	0.44	2.12	4	1
1:A:48:ARG:NH1	1:B:91:GLN:HA	0.44	2.27	5	2
1:B:42:ALA:O	1:B:45:LEU:HB3	0.44	2.13	15	2
1:A:41:GLU:OE1	1:A:110:GLY:HA2	0.43	2.13	6	1
1:B:47:PHE:CE1	1:B:69:CYS:HB3	0.43	2.48	2	1
1:A:91:GLN:HB2	1:B:47:PHE:CZ	0.43	2.48	8	1
1:A:87:LEU:O	1:A:90:GLU:HB3	0.43	2.13	20	1
1:A:103:ARG:HB2	1:A:122:LEU:HD13	0.43	1.91	20	1
1:B:105:GLN:HG3	1:B:108:ARG:CZ	0.42	2.43	11	1
1:B:69:CYS:O	1:B:73:LEU:HD12	0.42	2.14	18	1
1:B:114:GLU:O	1:B:118:LEU:HD23	0.42	2.14	7	3
1:B:50:PHE:CD2	1:B:65:LEU:HD21	0.42	2.49	3	1
1:A:41:GLU:O	1:A:45:LEU:HG	0.42	2.14	12	1
1:A:101:GLN:O	1:A:105:GLN:HG2	0.42	2.13	16	2
1:A:91:GLN:HB3	1:B:47:PHE:CZ	0.42	2.50	15	1
1:B:89:LEU:O	1:B:93:LEU:HG	0.42	2.15	6	1
1:A:82:GLN:O	1:A:85:GLU:HB3	0.42	2.15	17	1
1:B:97:PRO:HB2	1:B:99:GLU:OE1	0.41	2.16	7	1
1:A:48:ARG:HD3	1:B:91:GLN:OE1	0.41	2.16	4	1
1:A:87:LEU:HD22	1:B:87:LEU:HD22	0.41	1.92	1	1
1:A:69:CYS:SG	1:B:87:LEU:HD23	0.41	2.56	11	1
1:A:60:GLU:O	1:A:64:GLN:HG2	0.41	2.16	11	3
1:A:107:GLN:NE2	1:A:118:LEU:HD13	0.41	2.31	7	1
1:A:105:GLN:HG3	1:A:108:ARG:CZ	0.41	2.46	1	1
1:B:70:ARG:HD3	1:B:70:ARG:C	0.41	2.37	7	1
1:A:47:PHE:CZ	1:B:91:GLN:HB2	0.41	2.51	5	1
1:A:51:HIS:CE1	1:A:53:GLU:HB3	0.41	2.51	10	1
1:B:40:PRO:HG3	1:B:78:ARG:NH2	0.41	2.31	1	1
1:B:101:GLN:O	1:B:105:GLN:HB2	0.40	2.17	2	1
1:B:44:ARG:HD3	1:B:72:TRP:CE2	0.40	2.51	6	1
1:A:70:ARG:HD2	1:A:70:ARG:C	0.40	2.36	11	1
1:B:44:ARG:NH1	1:B:108:ARG:HH11	0.40	2.14	2	1
1:A:44:ARG:HD3	1:A:90:GLU:OE2	0.40	2.16	12	1
1:A:89:LEU:O	1:A:93:LEU:HG	0.40	2.16	6	1
1:A:105:GLN:OE1	1:A:108:ARG:HD2	0.40	2.16	12	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	84/94 (89%)	81±1 (96±1%)	3±1 (4±1%)	0±0 (0±0%)	59	88
1	B	85/94 (90%)	82±1 (96±1%)	3±1 (4±1%)	0±0 (0±0%)	59	88
All	All	3380/3760 (90%)	3241 (96%)	136 (4%)	3 (0%)	59	88

All 3 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	108	ARG	1
1	B	109	PRO	1
1	A	123	ARG	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	69/75 (92%)	66±2 (95±2%)	3±2 (5±2%)	35	79
1	B	69/75 (92%)	65±1 (95±2%)	4±1 (5±2%)	33	78
All	All	2760/3000 (92%)	2619 (95%)	141 (5%)	34	78

All 31 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	B	118	LEU	12
1	A	59	GLN	9
1	B	59	GLN	9
1	A	118	LEU	9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	B	51	HIS	8
1	A	91	GLN	7
1	A	105	GLN	7
1	B	105	GLN	7
1	A	51	HIS	6
1	A	108	ARG	6
1	B	91	GLN	6
1	A	81	GLU	5
1	B	81	GLU	5
1	B	80	LYS	5
1	A	41	GLU	4
1	A	80	LYS	3
1	B	108	ARG	3
1	A	76	GLU	3
1	B	90	GLU	3
1	A	107	GLN	3
1	B	107	GLN	3
1	A	70	ARG	3
1	B	99	GLU	3
1	A	99	GLU	3
1	B	70	ARG	2
1	B	41	GLU	2
1	B	56	THR	1
1	A	67	GLU	1
1	B	76	GLU	1
1	B	123	ARG	1
1	B	98	PRO	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry

There are no ligands in this entry.

6.7 Other polymers

There are no such molecules in this entry.

6.8 Polymer linkage issues

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 88% for the well-defined parts and 87% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 6957

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2288
Number of shifts mapped to atoms	2288
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	10

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	184	-0.83 ± 0.10	Should be applied
$^{13}\text{C}_\beta$	168	-0.20 ± 0.07	None needed (< 0.5 ppm)
$^{13}\text{C}'$	180	-0.49 ± 0.17	None needed (< 0.5 ppm)
^{15}N	164	0.55 ± 0.22	Should be applied

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 88%, i.e. 1943 atoms were assigned a chemical shift out of a possible 2199. 30 out of 34 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	815/817 (100%)	324/324 (100%)	336/338 (99%)	155/155 (100%)
Sidechain	1044/1272 (82%)	652/754 (86%)	372/440 (85%)	20/78 (26%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	84/110 (76%)	52/58 (90%)	30/46 (65%)	2/6 (33%)
Overall	1943/2199 (88%)	1028/1136 (90%)	738/824 (90%)	177/239 (74%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 87%, i.e. 2076 atoms were assigned a chemical shift out of a possible 2386. 30 out of 34 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	876/904 (97%)	348/358 (97%)	364/376 (97%)	164/170 (96%)
Sidechain	1116/1372 (81%)	700/816 (86%)	396/472 (84%)	20/84 (24%)
Aromatic	84/110 (76%)	52/58 (90%)	30/46 (65%)	2/6 (33%)
Overall	2076/2386 (87%)	1100/1232 (89%)	790/894 (88%)	186/260 (72%)

7.1.4 Statistically unusual chemical shifts ⓘ


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	48	ARG	NE	118.12	92.63 – 76.73	21.0
1	B	48	ARG	NE	118.12	92.63 – 76.73	21.0
1	A	66	ARG	NE	116.95	92.63 – 76.73	20.3
1	B	66	ARG	NE	116.95	92.63 – 76.73	20.3
1	A	44	ARG	NE	113.45	92.63 – 76.73	18.1
1	B	44	ARG	NE	113.45	92.63 – 76.73	18.1
1	B	44	ARG	HG3	-0.75	3.00 – 0.10	-7.9
1	A	44	ARG	HG3	-0.75	3.00 – 0.10	-7.9
1	B	44	ARG	HB2	0.29	3.15 – 0.45	-5.6
1	A	44	ARG	HB2	0.29	3.15 – 0.45	-5.6

7.1.5 Random Coil Index (RCI) plots ⓘ

The images below report *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain B:

