



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:36 PM GMT

PDB ID : 4FK3
Title : B-Raf Kinase V600E Oncogenic Mutant in Complex with PLX3203
Authors : Zhang, Y.; Wang, W.; Zhang, K.Y.J.
Deposited on : 2012-06-12
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3152 (2.70-2.62)
Clashscore	102246	3524 (2.70-2.62)
Ramachandran outliers	100387	3469 (2.70-2.62)
Sidechain outliers	100360	3469 (2.70-2.62)
RSRZ outliers	91569	3161 (2.70-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	292	
1	B	292	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4119 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase B-raf.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	0	0
			2005	1272	356	364	13			
1	B	257	Total	C	N	O	S	0	0	0
			2054	1302	365	375	12			

There are 58 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	432	MET	-	EXPRESSION TAG	UNP P15056
A	433	LYS	-	EXPRESSION TAG	UNP P15056
A	434	LYS	-	EXPRESSION TAG	UNP P15056
A	435	GLY	-	EXPRESSION TAG	UNP P15056
A	436	HIS	-	EXPRESSION TAG	UNP P15056
A	437	HIS	-	EXPRESSION TAG	UNP P15056
A	438	HIS	-	EXPRESSION TAG	UNP P15056
A	439	HIS	-	EXPRESSION TAG	UNP P15056
A	440	HIS	-	EXPRESSION TAG	UNP P15056
A	441	HIS	-	EXPRESSION TAG	UNP P15056
A	442	GLY	-	EXPRESSION TAG	UNP P15056
A	443	SER	-	EXPRESSION TAG	UNP P15056
A	543	ALA	ILE	ENGINEERED MUTATION	UNP P15056
A	544	SER	ILE	ENGINEERED MUTATION	UNP P15056
A	551	LYS	ILE	ENGINEERED MUTATION	UNP P15056
A	562	ARG	GLN	ENGINEERED MUTATION	UNP P15056
A	588	ASN	LEU	ENGINEERED MUTATION	UNP P15056
A	600	GLU	VAL	ENGINEERED MUTATION	UNP P15056
A	630	SER	LYS	ENGINEERED MUTATION	UNP P15056
A	667	GLU	PHE	ENGINEERED MUTATION	UNP P15056
A	673	SER	TYR	ENGINEERED MUTATION	UNP P15056
A	688	ARG	ALA	ENGINEERED MUTATION	UNP P15056
A	706	SER	LEU	ENGINEERED MUTATION	UNP P15056
A	709	ARG	GLN	ENGINEERED MUTATION	UNP P15056
A	713	GLU	SER	ENGINEERED MUTATION	UNP P15056

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	716	GLU	LEU	ENGINEERED MUTATION	UNP P15056
A	720	GLU	SER	ENGINEERED MUTATION	UNP P15056
A	722	SER	PRO	ENGINEERED MUTATION	UNP P15056
A	723	GLY	LYS	ENGINEERED MUTATION	UNP P15056
B	432	MET	-	EXPRESSION TAG	UNP P15056
B	433	LYS	-	EXPRESSION TAG	UNP P15056
B	434	LYS	-	EXPRESSION TAG	UNP P15056
B	435	GLY	-	EXPRESSION TAG	UNP P15056
B	436	HIS	-	EXPRESSION TAG	UNP P15056
B	437	HIS	-	EXPRESSION TAG	UNP P15056
B	438	HIS	-	EXPRESSION TAG	UNP P15056
B	439	HIS	-	EXPRESSION TAG	UNP P15056
B	440	HIS	-	EXPRESSION TAG	UNP P15056
B	441	HIS	-	EXPRESSION TAG	UNP P15056
B	442	GLY	-	EXPRESSION TAG	UNP P15056
B	443	SER	-	EXPRESSION TAG	UNP P15056
B	543	ALA	ILE	ENGINEERED MUTATION	UNP P15056
B	544	SER	ILE	ENGINEERED MUTATION	UNP P15056
B	551	LYS	ILE	ENGINEERED MUTATION	UNP P15056
B	562	ARG	GLN	ENGINEERED MUTATION	UNP P15056
B	588	ASN	LEU	ENGINEERED MUTATION	UNP P15056
B	600	GLU	VAL	ENGINEERED MUTATION	UNP P15056
B	630	SER	LYS	ENGINEERED MUTATION	UNP P15056
B	667	GLU	PHE	ENGINEERED MUTATION	UNP P15056
B	673	SER	TYR	ENGINEERED MUTATION	UNP P15056
B	688	ARG	ALA	ENGINEERED MUTATION	UNP P15056
B	706	SER	LEU	ENGINEERED MUTATION	UNP P15056
B	709	ARG	GLN	ENGINEERED MUTATION	UNP P15056
B	713	GLU	SER	ENGINEERED MUTATION	UNP P15056
B	716	GLU	LEU	ENGINEERED MUTATION	UNP P15056
B	720	GLU	SER	ENGINEERED MUTATION	UNP P15056
B	722	SER	PRO	ENGINEERED MUTATION	UNP P15056
B	723	GLY	LYS	ENGINEERED MUTATION	UNP P15056

- Molecule 2 is N-{2,4-DIFLUORO-3-[(5-PYRIDIN-3-YL-1H-PYRROLO[2,3-B]PYRIDIN-3-YL)CARBONYL]PHENYL}ETHANESULFONAMIDE (three-letter code: 325) (formula: C₂₁H₁₆F₂N₄O₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			31	21	2	4	3	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	21	Total	O	0	0
			21	21		
3	B	8	Total	O	0	0
			8	8		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.20 Å 105.41 Å 110.47 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	55.24 – 2.65 55.24 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.4 (55.24-2.65) 99.4 (55.24-2.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 2.65 Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.7.3_928)	Depositor
R, R_{free}	0.259 , 0.315 0.260 , 0.314	Depositor DCC
R_{free} test set	912 reflections (5.36%)	DCC
Wilson B-factor (Å ²)	41.5	Xtriage
Anisotropy	0.663	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 51.3	EDS
Estimated twinning fraction	0.085 for -h,l,k	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.23$	Xtriage
Outliers	0 of 17913 reflections	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	4119	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 325

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	0/2046	0.45	0/2755
1	B	0.26	0/2095	0.45	0/2822
All	All	0.26	0/4141	0.45	0/5577

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2005	0	2019	32	0
1	B	2054	0	2069	50	0
2	A	31	0	16	1	0
3	A	21	0	0	1	0
3	B	8	0	0	1	0
All	All	4119	0	4104	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:687:LYS:HA	1:A:690:LYS:HB3	1.71	0.72
1:B:688:ARG:HB2	1:B:717:LEU:HD21	1.77	0.66
1:B:539:HIS:ND1	1:B:544:SER:OG	2.29	0.66
1:B:496:GLN:O	1:B:500:ASN:ND2	2.30	0.65
1:A:710:ILE:O	1:A:714:ILE:HG13	1.97	0.65
1:B:698:LYS:O	1:B:704:ARG:NH1	2.31	0.64
1:B:623:GLU:OE2	1:B:704:ARG:NH2	2.32	0.62
1:A:496:GLN:NE2	3:A:908:HOH:O	2.34	0.60
1:B:688:ARG:HG2	1:B:691:ARG:HH12	1.66	0.60
1:B:668:MET:HB3	1:B:674:LEU:HB2	1.83	0.60
1:A:523:PRO:O	1:A:524:GLN:HB2	2.02	0.60
1:A:684:ASN:N	1:A:684:ASN:OD1	2.35	0.58
1:B:539:HIS:HA	1:B:543:ALA:HB3	1.85	0.58
1:B:492:PRO:HG3	1:B:495:LEU:HD22	1.85	0.58
1:B:491:THR:O	1:B:493:GLN:N	2.36	0.57
1:B:681:VAL:HG21	1:B:690:LYS:HE2	1.85	0.57
1:B:698:LYS:HB2	1:B:704:ARG:HG2	1.86	0.57
1:B:688:ARG:NH2	1:B:716:GLU:OE2	2.37	0.57
1:A:617:ILE:HD12	1:A:662:ARG:HD2	1.87	0.56
1:B:707:PHE:HA	1:B:710:ILE:HB	1.88	0.56
1:B:462:ARG:HA	1:B:472:TYR:HA	1.88	0.56
1:A:594:ASP:H	2:A:801:325:HN23	1.51	0.56
1:B:684:ASN:N	1:B:684:ASN:OD1	2.30	0.56
1:B:555:ASP:OD2	1:B:559:GLN:NE2	2.38	0.54
1:A:477:HIS:ND1	1:B:565:ASP:OD2	2.25	0.54
1:B:499:LYS:NZ	3:B:801:HOH:O	2.34	0.54
1:B:492:PRO:HA	1:B:495:LEU:HB2	1.89	0.54
1:B:495:LEU:HD12	1:B:525:LEU:HD11	1.90	0.53
1:B:515:LEU:HB3	1:B:530:GLN:HB3	1.90	0.53
1:B:539:HIS:O	1:B:544:SER:N	2.41	0.53
1:B:573:ILE:HG22	1:B:575:ARG:HG3	1.92	0.51
1:A:507:LYS:O	1:A:570:LYS:NZ	2.44	0.51
1:B:688:ARG:NH2	1:B:713:GLU:OE1	2.43	0.51
1:A:707:PHE:HA	1:A:710:ILE:HB	1.93	0.50
1:B:595:PHE:O	1:B:597:LEU:N	2.44	0.50
1:A:695:GLU:HB3	1:A:705:PRO:HD3	1.93	0.50
1:A:661:ASN:HB3	1:A:664:GLN:HB2	1.94	0.50
1:A:681:VAL:HG21	1:A:690:LYS:HE2	1.94	0.49
1:A:710:ILE:HG23	1:A:714:ILE:HD11	1.94	0.49
1:B:501:GLU:HA	1:B:504:VAL:HG12	1.95	0.49
1:B:541:LEU:HD21	1:B:649:LEU:HD23	1.95	0.48
1:A:458:THR:HB	1:A:475:LYS:HB2	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:454:ASP:HB2	1:A:522:LYS:HB2	1.95	0.48
1:A:653:GLN:OE1	1:A:680:LYS:HG2	2.13	0.47
1:A:688:ARG:HH11	1:A:688:ARG:HG3	1.79	0.47
1:B:698:LYS:HE2	1:B:698:LYS:HA	1.97	0.47
1:B:624:VAL:HA	1:B:632:PRO:HB2	1.95	0.47
1:A:688:ARG:NH1	1:A:688:ARG:HG3	2.31	0.46
1:B:688:ARG:HD3	1:B:717:LEU:HD21	1.98	0.45
1:A:503:GLY:O	1:A:507:LYS:HG3	2.17	0.45
1:A:541:LEU:HD23	1:A:648:GLU:HB3	1.99	0.45
1:A:668:MET:HB3	1:A:674:LEU:HB2	1.98	0.45
1:A:644:ILE:O	1:A:648:GLU:HG3	2.17	0.44
1:B:452:ILE:HD12	1:B:528:VAL:HG21	1.98	0.44
1:B:682:ARG:HB3	1:B:684:ASN:OD1	2.18	0.44
1:B:640:TYR:HA	1:B:696:CYS:O	2.18	0.44
1:B:486:ASN:O	1:B:486:ASN:ND2	2.47	0.44
1:A:539:HIS:HA	1:A:543:ALA:HB3	2.00	0.43
1:B:499:LYS:HD2	1:B:499:LYS:HA	1.73	0.43
1:B:491:THR:HA	1:B:492:PRO:HD3	1.83	0.43
1:A:709:ARG:O	1:A:713:GLU:HG2	2.18	0.43
1:B:687:LYS:HE3	1:B:687:LYS:HB2	1.78	0.43
1:B:716:GLU:O	1:B:720:GLU:N	2.42	0.43
1:B:620:MET:HB3	1:B:625:ILE:HG13	2.00	0.43
1:B:503:GLY:O	1:B:507:LYS:HG3	2.18	0.43
1:B:481:ALA:HB2	1:B:531:TRP:HE3	1.84	0.42
1:B:473:LYS:HB2	1:B:531:TRP:CH2	2.54	0.42
1:A:701:ARG:HG2	1:A:702:ASP:N	2.34	0.42
1:B:522:LYS:HD3	1:B:522:LYS:HA	1.81	0.42
1:B:667:GLU:O	1:B:671:ARG:HB2	2.19	0.42
1:A:558:ARG:HH11	1:A:562:ARG:NH2	2.17	0.42
1:A:550:MET:HB2	1:A:550:MET:HE2	1.94	0.42
1:A:700:LYS:H	1:A:700:LYS:HD2	1.84	0.41
1:A:717:LEU:HA	1:A:717:LEU:HD12	1.87	0.41
1:B:585:HIS:NE2	1:B:586:GLU:OE2	2.53	0.41
1:B:523:PRO:HB2	1:B:524:GLN:H	1.58	0.41
1:B:623:GLU:HG3	1:B:701:ARG:HD2	2.03	0.40
1:A:507:LYS:HE2	1:A:507:LYS:HB2	1.64	0.40
1:A:582:ILE:HG23	1:A:590:VAL:HG13	2.03	0.40
1:B:522:LYS:HB2	1:B:523:PRO:HD3	2.03	0.40
1:B:538:TYR:CD1	1:B:542:HIS:HD2	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	245/292 (84%)	234 (96%)	10 (4%)	1 (0%)	39	65
1	B	251/292 (86%)	239 (95%)	9 (4%)	3 (1%)	16	35
All	All	496/584 (85%)	473 (95%)	19 (4%)	4 (1%)	24	47

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	524	GLN
1	B	523	PRO
1	B	596	GLY
1	B	492	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/256 (86%)	184 (84%)	36 (16%)	3	6
1	B	225/256 (88%)	188 (84%)	37 (16%)	3	6
All	All	445/512 (87%)	372 (84%)	73 (16%)	3	6

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	449	ASP
1	A	462	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	467	SER
1	A	468	PHE
1	A	475	LYS
1	A	484	MET
1	A	485	LEU
1	A	487	VAL
1	A	488	THR
1	A	491	THR
1	A	493	GLN
1	A	494	GLN
1	A	499	LYS
1	A	506	ARG
1	A	511	VAL
1	A	520	SER
1	A	547	LYS
1	A	551	LYS
1	A	553	LEU
1	A	571	SER
1	A	589	THR
1	A	614	SER
1	A	616	SER
1	A	617	ILE
1	A	620	MET
1	A	637	SER
1	A	653	GLN
1	A	658	ASN
1	A	674	LEU
1	A	682	ARG
1	A	684	ASN
1	A	688	ARG
1	A	690	LYS
1	A	701	ARG
1	A	702	ASP
1	A	717	LEU
1	B	449	ASP
1	B	457	ILE
1	B	459	VAL
1	B	461	GLN
1	B	462	ARG
1	B	463	ILE
1	B	467	SER
1	B	470	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	484	MET
1	B	485	LEU
1	B	486	ASN
1	B	488	THR
1	B	520	SER
1	B	521	THR
1	B	527	ILE
1	B	532	CYS
1	B	533	GLU
1	B	541	LEU
1	B	550	MET
1	B	551	LYS
1	B	583	PHE
1	B	586	GLU
1	B	587	ASP
1	B	594	ASP
1	B	600	GLU
1	B	625	ILE
1	B	660	ASN
1	B	662	ARG
1	B	667	GLU
1	B	668	MET
1	B	674	LEU
1	B	675	SER
1	B	679	SER
1	B	684	ASN
1	B	703	GLU
1	B	719	ARG
1	B	720	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	325	A	801	-	32,34,34	1.65	6 (18%)	38,50,50	1.59	8 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	325	A	801	-	-	0/16/20/20	0/4/4/4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	325	C21-N23	-3.59	1.36	1.42
2	A	801	325	C13-C11	-2.96	1.40	1.42
2	A	801	325	C10-N15	-2.65	1.30	1.34
2	A	801	325	C14-N15	-2.55	1.31	1.36
2	A	801	325	C13-C16	-2.40	1.47	1.50
2	A	801	325	C8-N9	4.90	1.40	1.31

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	325	C7-C8-N9	-3.81	120.65	125.46
2	A	801	325	O27-S24-C26	-3.02	102.67	108.07
2	A	801	325	O25-S24-O27	-2.41	115.18	119.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	325	C17-C22-C21	2.12	122.64	121.20
2	A	801	325	O27-S24-N23	2.46	115.13	107.66
2	A	801	325	C20-C21-N23	2.59	126.50	120.94
2	A	801	325	O25-S24-N23	2.65	115.73	107.66
2	A	801	325	C8-N9-C10	3.49	121.04	116.93

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	325	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	251/292 (85%)	0.13	7 (2%) 56 55	22, 47, 85, 105	0
1	B	257/292 (88%)	0.46	16 (6%) 24 22	21, 58, 115, 161	0
All	All	508/584 (86%)	0.30	23 (4%) 37 35	21, 51, 100, 161	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	467	SER	7.2
1	B	466	GLY	4.8
1	B	462	ARG	4.4
1	B	459	VAL	4.0
1	B	491	THR	3.7
1	B	465	SER	3.4
1	B	463	ILE	3.1
1	B	597	LEU	3.1
1	A	627	MET	2.9
1	B	468	PHE	2.9
1	B	461	GLN	2.8
1	B	469	GLY	2.7
1	A	468	PHE	2.7
1	B	493	GLN	2.6
1	A	554	ILE	2.5
1	A	687	LYS	2.5
1	A	488	THR	2.5
1	B	470	THR	2.4
1	B	474	GLY	2.3
1	B	492	PRO	2.3
1	A	461	GLN	2.0
1	A	448	ASP	2.0
1	B	595	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	325	A	801	31/31	0.97	0.18	0.99	38,45,63,77	0

6.5 Other polymers [i](#)

There are no such residues in this entry.