



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:41 AM GMT

PDB ID : 3FNL
Title : Crystal Structure of the Complex of Buffalo Lactoperoxidase with Salicylhydroxamic Acid at 2.48 Å Resolution
Authors : Sheikh, I.A.; Vikram, G.; Singh, N.; Sinha, M.; Bhushan, A.; Sharma, S.; Kaur, P.; Singh, T.P.
Deposited on : 2008-12-25
Resolution : 2.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4309 (2.50-2.46)
Clashscore	102246	5050 (2.50-2.46)
Ramachandran outliers	100387	4961 (2.50-2.46)
Sidechain outliers	100360	4963 (2.50-2.46)
RSRZ outliers	91569	4319 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	<div> <div>8%</div> <div>75%</div> <div>19%</div> <div>5%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	IOD	A	609	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 5286 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	P	S	0	0	0
			4770	3032	845	865	1	27			

- Molecule 2 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	3	Total	C	N	O	0	0
			39	22	2	15		
2	A	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	2	Total	C	N	O	0	0
			28	16	2	10		
3	A	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca	0	0
			1	1		

- Molecule 5 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	8	Total	I	0	0
			8	8		


- Molecule 6 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (for-

mula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 7 is THIOCYANATE ION (three-letter code: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 8 is SALICYLHYDROXAMIC ACID (three-letter code: SHA) (formula: $C_7H_7NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			11	7	1	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	316	Total	O	0	0
			316	316		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Lactoperoxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	54.48Å 80.63Å 78.12Å 90.00° 102.75° 90.00°	Depositor
Resolution (Å)	20.00 – 2.48 19.44 – 2.48	Depositor EDS
% Data completeness (in resolution range)	99.2 (20.00-2.48) 99.2 (19.44-2.48)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 2.49Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.200 , 0.240 0.198 , 0.241	Depositor DCC
R_{free} test set	1191 reflections (5.40%)	DCC
Wilson B-factor (Å ²)	38.1	Xtriage
Anisotropy	0.083	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	2 of 23259 reflections (0.009%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5286	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SCN, NAG, SEP, CA, SHA, HEM, IOD, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	1/4886 (0.0%)	0.71	4/6627 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	14	LYS	CD-CE	5.18	1.64	1.51

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	258	GLU	N-CA-CB	6.00	121.41	110.60
1	A	43	LEU	CA-CB-CG	5.89	128.86	115.30
1	A	486	THR	O-C-N	-5.82	110.05	121.10
1	A	175	LEU	C-N-CA	-5.29	108.47	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4770	0	4675	112	0
2	A	78	0	68	0	0
3	A	56	0	50	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	0	0
5	A	8	0	0	2	0
6	A	43	0	30	5	0
7	A	3	0	0	0	0
8	A	11	0	6	1	0
9	A	316	0	0	8	0
All	All	5286	0	4829	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:CYS:HB3	1:A:168:PRO:CD	1.69	1.21
1:A:32:ARG:CB	1:A:32:ARG:HH21	1.54	1.19
1:A:167:CYS:HB3	1:A:168:PRO:HD2	1.20	1.17
1:A:2:TRP:CB	1:A:4:VAL:HG22	1.76	1.16
1:A:32:ARG:HB3	1:A:32:ARG:HH21	1.07	1.15
1:A:8:ALA:HB1	1:A:9:PRO:HD2	1.28	1.09
1:A:167:CYS:CB	1:A:168:PRO:HD2	1.81	1.09
1:A:2:TRP:HB2	1:A:4:VAL:HG22	1.13	1.09
1:A:32:ARG:HB3	1:A:32:ARG:NH2	1.79	0.97
1:A:196:GLU:HB3	1:A:198:SEP:O2P	1.68	0.94
1:A:2:TRP:HB2	1:A:4:VAL:CG2	1.97	0.94
1:A:487:PRO:HA	1:A:490:ILE:HD13	1.51	0.93
1:A:8:ALA:CB	1:A:9:PRO:HD2	2.02	0.89
1:A:169:THR:HB	1:A:170:PRO:HD2	1.54	0.89
1:A:169:THR:HB	1:A:170:PRO:CD	2.05	0.86
1:A:8:ALA:HB1	1:A:9:PRO:CD	2.07	0.83
1:A:202:ARG:HD3	9:A:656:HOH:O	1.78	0.83
1:A:173:GLN:HG3	1:A:174:SER:H	1.43	0.83
1:A:32:ARG:NH2	1:A:32:ARG:CB	2.39	0.83
1:A:167:CYS:HB3	1:A:168:PRO:HD3	1.61	0.81
1:A:263:ALA:O	1:A:267:THR:HG22	1.84	0.77
1:A:32:ARG:HB2	1:A:32:ARG:HH21	1.49	0.74
1:A:231:ASN:HA	9:A:817:HOH:O	1.86	0.74
6:A:615:HEM:HBC2	6:A:615:HEM:HMC1	1.72	0.72
1:A:333:ASN:HD22	1:A:333:ASN:C	1.93	0.71
1:A:246:VAL:HG11	1:A:387:ILE:HD13	1.70	0.71
1:A:43:LEU:HD13	1:A:181:ASN:HB2	1.73	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:351:HIS:HD1	1:A:437:ASN:HD21	1.37	0.70
1:A:264:THR:HG23	1:A:392:ILE:HD12	1.75	0.69
1:A:487:PRO:HA	1:A:490:ILE:CD1	2.23	0.68
1:A:567:PHE:HB2	5:A:609:IOD:I	2.64	0.67
1:A:328:TYR:HD1	1:A:523:ARG:HD3	1.60	0.66
1:A:2:TRP:HB3	1:A:4:VAL:HG22	1.76	0.65
1:A:101:MET:HE2	1:A:102:GLN:HA	1.79	0.64
1:A:63:GLN:HG2	9:A:911:HOH:O	1.98	0.64
1:A:168:PRO:HG2	1:A:172:TYR:CZ	2.33	0.63
1:A:551:ARG:HD3	1:A:584:LYS:HA	1.78	0.63
1:A:2:TRP:C	1:A:4:VAL:H	2.01	0.63
1:A:259:GLN:HE22	1:A:261:LEU:HB2	1.62	0.62
1:A:167:CYS:HB2	1:A:168:PRO:HD2	1.77	0.62
1:A:8:ALA:O	1:A:10:VAL:HG22	1.99	0.61
1:A:101:MET:CE	1:A:102:GLN:HA	2.31	0.61
1:A:169:THR:O	1:A:170:PRO:O	2.19	0.61
1:A:328:TYR:CD1	1:A:523:ARG:HD3	2.36	0.59
6:A:615:HEM:HBC2	6:A:615:HEM:CMC	2.35	0.57
1:A:42:ALA:HB2	1:A:166:VAL:HG21	1.86	0.57
1:A:8:ALA:CB	1:A:9:PRO:CD	2.75	0.57
1:A:168:PRO:HG2	1:A:172:TYR:CE1	2.40	0.57
1:A:121:SER:O	1:A:122:ASN:HB2	2.06	0.55
1:A:2:TRP:C	1:A:4:VAL:N	2.60	0.55
1:A:169:THR:CB	1:A:170:PRO:CD	2.85	0.52
1:A:467:LEU:HD22	1:A:481:MET:CE	2.40	0.52
1:A:173:GLN:HG3	1:A:174:SER:N	2.20	0.51
1:A:588:SER:HB3	9:A:755:HOH:O	2.11	0.51
1:A:383:THR:O	1:A:387:ILE:HD12	2.11	0.51
1:A:187:LEU:HD13	1:A:305:GLN:HA	1.92	0.51
1:A:481:MET:HE1	1:A:487:PRO:HG3	1.92	0.50
1:A:221:ASP:HB2	1:A:226:TYR:CZ	2.45	0.50
1:A:232:ARG:O	1:A:232:ARG:HG3	2.11	0.50
1:A:11:PRO:HA	9:A:739:HOH:O	2.10	0.50
1:A:476:LEU:HD21	1:A:498:ALA:HB1	1.94	0.50
1:A:173:GLN:CG	1:A:174:SER:H	2.09	0.49
1:A:242:THR:O	1:A:245:ARG:CZ	2.59	0.49
1:A:276:LEU:O	1:A:280:LEU:HB2	2.13	0.49
6:A:615:HEM:HMB2	6:A:615:HEM:HBB2	1.95	0.49
1:A:8:ALA:O	1:A:10:VAL:N	2.47	0.48
1:A:120:GLY:C	1:A:122:ASN:H	2.14	0.48
6:A:615:HEM:HBB2	6:A:615:HEM:CMB	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:462:LYS:NZ	9:A:668:HOH:O	2.48	0.47
1:A:347:PHE:HB3	6:A:615:HEM:HMD2	1.97	0.47
1:A:3:GLU:O	1:A:5:GLY:N	2.48	0.47
1:A:8:ALA:O	1:A:9:PRO:C	2.53	0.47
1:A:197:PRO:HD2	1:A:198:SEP:O2P	2.16	0.46
1:A:467:LEU:HG	1:A:471:LEU:HD22	1.97	0.45
1:A:487:PRO:CA	1:A:490:ILE:HD13	2.35	0.45
1:A:101:MET:HE2	1:A:102:GLN:CA	2.46	0.45
1:A:258:GLU:HG3	8:A:617:SHA:H2	1.97	0.45
1:A:19:SER:HA	1:A:20:PRO:HD3	1.83	0.45
1:A:257:SER:O	1:A:381:PHE:HA	2.17	0.45
1:A:16:ASP:HB3	1:A:19:SER:HB2	1.98	0.45
1:A:563:PRO:HD3	1:A:576:PHE:CE2	2.52	0.44
1:A:325:ILE:HD11	1:A:516:GLY:HA2	1.99	0.44
1:A:400:LEU:HD11	1:A:553:ILE:HD13	2.00	0.44
1:A:333:ASN:ND2	1:A:333:ASN:C	2.65	0.44
1:A:287:TRP:HB3	1:A:292:LEU:HD22	1.99	0.44
1:A:10:VAL:HG12	1:A:40:ASN:O	2.17	0.44
1:A:259:GLN:HB2	1:A:259:GLN:HE21	1.50	0.44
1:A:203:LEU:HD21	1:A:252:GLY:HA2	1.99	0.44
1:A:227:LEU:HD11	1:A:266:HIS:HB3	2.01	0.43
1:A:276:LEU:HD12	1:A:587:LEU:HD11	1.99	0.43
1:A:360:ARG:NH2	1:A:371:GLU:O	2.48	0.43
1:A:565:HIS:HB3	5:A:609:IOD:I	2.88	0.43
1:A:239:PHE:CZ	1:A:427:LYS:HG2	2.54	0.43
1:A:175:LEU:HD23	1:A:176:ALA:H	1.83	0.43
1:A:230:ASN:CG	1:A:232:ARG:HG2	2.38	0.43
1:A:519:PHE:HA	1:A:522:ILE:HG12	2.01	0.43
1:A:360:ARG:HD2	9:A:803:HOH:O	2.19	0.42
1:A:91:VAL:HG13	1:A:405:LYS:HG3	2.00	0.42
1:A:407:MET:HB3	1:A:501:MET:CE	2.50	0.42
1:A:385:ARG:O	1:A:389:ASP:HB3	2.20	0.42
1:A:56:ALA:HB3	9:A:740:HOH:O	2.19	0.42
1:A:113:PHE:O	1:A:115:PRO:HD3	2.20	0.41
1:A:280:LEU:HB3	1:A:292:LEU:HD12	2.02	0.41
1:A:387:ILE:H	1:A:387:ILE:HD12	1.85	0.41
1:A:499:GLU:OE1	1:A:509:PRO:HD2	2.20	0.41
1:A:288:ASP:O	1:A:292:LEU:CD2	2.69	0.41
1:A:325:ILE:O	1:A:325:ILE:HG22	2.20	0.41
1:A:124:HIS:O	1:A:128:GLN:HB2	2.21	0.41
1:A:292:LEU:HD13	1:A:292:LEU:HA	1.92	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:TRP:HB3	1:A:510:LEU:HD11	2.03	0.41
1:A:77:GLU:HG2	1:A:81:LYS:HD3	2.02	0.41
1:A:202:ARG:HD2	1:A:250:LEU:HD21	2.03	0.41
1:A:45:ARG:CZ	1:A:49:ALA:HB2	2.52	0.40
1:A:343:PHE:CD1	1:A:518:GLN:HG2	2.56	0.40
1:A:170:PRO:HB3	1:A:171:PRO:CD	2.52	0.40
1:A:166:VAL:HG22	1:A:178:GLU:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	592/595 (100%)	554 (94%)	24 (4%)	14 (2%)	7 10

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	4	VAL
1	A	8	ALA
1	A	9	PRO
1	A	122	ASN
1	A	168	PRO
1	A	169	THR
1	A	170	PRO
1	A	174	SER
1	A	6	CYS
1	A	17	GLU
1	A	167	CYS
1	A	594	GLU
1	A	166	VAL
1	A	120	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	516/516 (100%)	469 (91%)	47 (9%)	12	20

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	TRP
1	A	4	VAL
1	A	12	LEU
1	A	18	ASN
1	A	32	ARG
1	A	43	LEU
1	A	57	LEU
1	A	81	LYS
1	A	91	VAL
1	A	101	MET
1	A	166	VAL
1	A	172	TYR
1	A	175	LEU
1	A	187	LEU
1	A	202	ARG
1	A	203	LEU
1	A	231	ASN
1	A	240	ILE
1	A	242	THR
1	A	259	GLN
1	A	261	LEU
1	A	267	THR
1	A	268	LEU
1	A	276	LEU
1	A	283	LEU
1	A	286	GLN
1	A	292	LEU
1	A	317	LEU
1	A	323	LYS
1	A	333	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	347	PHE
1	A	360	ARG
1	A	428	ILE
1	A	464	LEU
1	A	465	LYS
1	A	471	LEU
1	A	480	LEU
1	A	490	ILE
1	A	504	ARG
1	A	511	LEU
1	A	520	GLN
1	A	539	LYS
1	A	543	SER
1	A	559	ILE
1	A	561	LYS
1	A	564	LEU
1	A	583	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	217	GLN
1	A	259	GLN
1	A	333	ASN
1	A	364	ASN
1	A	497	ASN
1	A	520	GLN
1	A	545	GLN
1	A	570	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	198	1	8,9,10	1.47	1 (12%)	8,12,14	1.45	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	198	1	-	0/6/8/10	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	198	SEP	P-O1P	2.87	1.60	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SEP	OG-CB-CA	2.88	110.73	108.27

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	198	SEP	2	0

5.5 Carbohydrates

10 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	596	1,2	14,14,15	0.56	0	15,19,21	1.52	5 (33%)
2	NAG	A	597	2	14,14,15	0.73	0	15,19,21	0.90	0
2	MAN	A	598	2	11,11,12	0.61	0	14,15,17	1.65	1 (7%)
3	NAG	A	599	1,3	14,14,15	0.57	0	15,19,21	0.84	0
3	NAG	A	600	3	14,14,15	0.67	0	15,19,21	1.36	3 (20%)
2	NAG	A	601	1,2	14,14,15	0.55	0	15,19,21	0.96	0
2	NAG	A	602	2	14,14,15	0.43	0	15,19,21	1.99	3 (20%)
2	MAN	A	603	2	11,11,12	0.61	0	14,15,17	1.66	1 (7%)
3	NAG	A	604	1,3	14,14,15	0.64	0	15,19,21	1.49	1 (6%)
3	NAG	A	605	3	14,14,15	0.63	0	15,19,21	1.29	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	596	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	597	2	-	0/6/23/26	0/1/1/1
2	MAN	A	598	2	-	0/2/19/22	1/1/1/1
3	NAG	A	599	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	600	3	-	0/6/23/26	0/1/1/1
2	NAG	A	601	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	602	2	-	0/6/23/26	0/1/1/1
2	MAN	A	603	2	-	0/2/19/22	1/1/1/1
3	NAG	A	604	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	605	3	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	605	NAG	C1-O5-C5	-3.53	107.76	112.25
3	A	605	NAG	C2-N2-C7	-2.57	119.74	123.04
2	A	602	NAG	C4-C3-C2	-2.42	107.47	111.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	600	NAG	C6-C5-C4	-2.29	107.37	113.02
2	A	596	NAG	C2-N2-C7	-2.07	120.38	123.04
2	A	596	NAG	O4-C4-C3	-2.01	105.80	110.34
2	A	602	NAG	O5-C5-C6	2.09	111.87	107.35
2	A	596	NAG	C6-C5-C4	2.17	118.36	113.02
3	A	600	NAG	C3-C4-C5	2.25	114.13	110.20
2	A	596	NAG	O4-C4-C5	2.34	115.43	109.24
2	A	596	NAG	C1-O5-C5	2.76	115.75	112.25
3	A	600	NAG	C1-O5-C5	3.42	116.59	112.25
3	A	604	NAG	C4-C3-C2	4.62	118.41	111.23
2	A	598	MAN	C1-O5-C5	5.31	118.99	112.25
2	A	603	MAN	C1-O5-C5	5.37	119.06	112.25
2	A	602	NAG	C1-O5-C5	6.61	120.64	112.25

There are no chirality outliers.

There are no torsion outliers.

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	598	MAN	C1-C2-C3-C4-C5-O5
2	A	603	MAN	C1-C2-C3-C4-C5-O5

No monomer is involved in short contacts.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 9 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	HEM	A	615	1,8	30,50,50	2.36	8 (26%)	24,82,82	2.22	8 (33%)
7	SCN	A	616	-	2,2,2	1.85	1 (50%)	1,1,1	0.04	0
8	SHA	A	617	6	11,11,11	1.74	1 (9%)	13,14,14	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	HEM	A	615	1,8	-	0/10/54/54	0/0/8/8
7	SCN	A	616	-	-	0/0/0/0	0/0/0/0
8	SHA	A	617	6	-	0/6/6/6	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	615	HEM	C3B-C4B	-8.35	1.44	1.51
6	A	615	HEM	C3D-C4D	-4.02	1.46	1.51
6	A	615	HEM	C2C-C1C	-3.44	1.46	1.52
6	A	615	HEM	C2D-C1D	-2.71	1.43	1.51
6	A	615	HEM	FE-NB	2.04	2.08	1.97
6	A	615	HEM	C3C-CAC	2.41	1.55	1.51
6	A	615	HEM	C3B-CAB	2.48	1.56	1.51
7	A	616	SCN	C-S	2.56	1.80	1.63
6	A	615	HEM	FE-NC	5.09	2.15	1.95
8	A	617	SHA	C1-C6	5.21	1.49	1.41

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	615	HEM	CBD-CAD-C3D	-2.47	106.37	113.55
6	A	615	HEM	CBA-CAA-C2A	-2.24	108.52	112.53
6	A	615	HEM	C2D-C3D-C4D	2.17	105.17	101.50
6	A	615	HEM	CMB-C2B-C3B	3.39	124.99	116.53
6	A	615	HEM	CMD-C2D-C3D	3.49	129.78	114.35
6	A	615	HEM	CMC-C2C-C3C	4.30	127.28	116.53
6	A	615	HEM	CAD-C3D-C4D	4.36	127.86	112.47
6	A	615	HEM	CAD-C3D-C2D	4.78	126.95	113.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	615	HEM	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	617	SHA	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/595 (99%)	0.20	47 (7%) 15 16	21, 35, 68, 86	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	SER	15.7
1	A	2	TRP	9.8
1	A	7	GLY	9.3
1	A	121	SER	8.7
1	A	8	ALA	8.4
1	A	595	ASN	7.5
1	A	119	LEU	7.4
1	A	594	GLU	7.3
1	A	174	SER	7.3
1	A	122	ASN	7.1
1	A	120	GLY	7.0
1	A	593	ARG	6.8
1	A	125	SER	6.8
1	A	173	GLN	6.1
1	A	172	TYR	5.9
1	A	9	PRO	5.9
1	A	170	PRO	5.1
1	A	4	VAL	4.7
1	A	126	LYS	4.6
1	A	574	HIS	4.4
1	A	171	PRO	4.3
1	A	169	THR	4.0
1	A	6	CYS	3.9
1	A	175	LEU	3.8
1	A	124	HIS	3.7
1	A	3	GLU	3.6
1	A	13	VAL	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	16	ASP	3.5
1	A	118	GLU	3.5
1	A	231	ASN	3.1
1	A	128	GLN	3.0
1	A	123	GLU	2.7
1	A	234	PRO	2.7
1	A	18	ASN	2.7
1	A	5	GLY	2.5
1	A	12	LEU	2.5
1	A	322	GLN	2.4
1	A	10	VAL	2.4
1	A	64	ARG	2.3
1	A	117	THR	2.3
1	A	132	TYR	2.2
1	A	329	GLN	2.2
1	A	63	GLN	2.1
1	A	14	LYS	2.1
1	A	11	PRO	2.1
1	A	239	PHE	2.0
1	A	134	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	SEP	A	198	10/11	0.91	0.20	-	35,36,41,42	0

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NAG	A	596	14/15	0.92	0.22	1.09	59,65,68,73	0
2	NAG	A	601	14/15	0.94	0.14	-0.25	51,54,56,61	0
3	NAG	A	599	14/15	0.91	0.12	-0.68	54,56,61,63	0
3	NAG	A	604	14/15	0.75	0.29	-	58,66,69,74	0
2	MAN	A	598	11/12	0.66	0.73	-	76,78,78,78	0
3	NAG	A	600	14/15	0.80	0.41	-	67,70,72,74	0
2	NAG	A	597	14/15	0.76	0.46	-	78,82,84,88	0
2	NAG	A	602	14/15	0.70	0.36	-	66,69,72,74	0
2	MAN	A	603	11/12	0.72	0.47	-	76,78,78,78	0
3	NAG	A	605	14/15	0.80	0.51	-	78,81,84,84	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
8	SHA	A	617	11/11	0.91	0.15	1.22	26,27,29,30	0
6	HEM	A	615	43/43	0.97	0.12	-0.55	22,26,29,31	0
7	SCN	A	616	3/3	0.87	0.16	-0.73	33,33,33,35	0
5	IOD	A	608	1/1	0.98	0.09	-1.25	86,86,86,86	0
4	CA	A	606	1/1	0.98	0.09	-1.64	29,29,29,29	0
5	IOD	A	607	1/1	0.94	0.09	-1.81	93,93,93,93	0
5	IOD	A	611	1/1	1.00	0.08	-1.85	30,30,30,30	0
5	IOD	A	610	1/1	0.94	0.09	-2.49	72,72,72,72	0
5	IOD	A	613	1/1	0.99	0.07	-3.15	72,72,72,72	0
5	IOD	A	609	1/1	0.95	0.18	-	85,85,85,85	1
5	IOD	A	614	1/1	0.91	0.07	-	67,67,67,67	1
5	IOD	A	612	1/1	0.97	0.06	-	59,59,59,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.