



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:28 PM GMT

PDB ID : 1FSZ
Title : CRYSTAL STRUCTURE OF THE CELL-DIVISION PROTEIN FTSZ AT 2.8Å RESOLUTION
Authors : Lowe, J.; Amos, L.A.
Deposited on : 1997-06-24
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	372	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2623 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FTSZ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	334	Total	C	N	O	S	0	0	0
			2479	1558	423	486	12			


- Molecule 2 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: FTSZ



4 Data and refinement statistics

Property	Value	Source
Space group	I 21 3	Depositor
Cell constants a, b, c, α , β , γ	159.14Å 159.14Å 159.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.80 33.93 – 2.78	Depositor EDS
% Data completeness (in resolution range)	99.5 (8.00-2.80) 98.9 (33.93-2.78)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 2.76Å)	Xtriage
Refinement program	X-PLOR 3.8	Depositor
R, R_{free}	0.199 , 0.282 0.198 , 0.276	Depositor DCC
R_{free} test set	803 reflections (5.07%)	DCC
Wilson B-factor (Å ²)	57.8	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 92.7	EDS
Estimated twinning fraction	0.034 for -l,-k,-h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	2 of 16848 reflections (0.012%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2623	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/2499	0.85	2/3372 (0.1%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	246	GLY	N-CA-C	-7.20	95.10	113.10
1	A	92	THR	N-CA-C	-5.18	97.02	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2479	0	2606	187	0
2	A	28	0	12	0	0
3	A	116	0	0	6	0
All	All	2623	0	2618	187	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 36.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:284:GLY:HA2	1:A:316:THR:O	1.64	0.96
1:A:62:GLU:O	1:A:227:THR:HG21	1.70	0.91
1:A:70:ASN:HD22	1:A:71:THR:N	1.69	0.90
1:A:299:GLU:O	1:A:303:VAL:HG23	1.71	0.90
1:A:40:ILE:HD13	1:A:124:MET:HB3	1.55	0.89
1:A:70:ASN:HD22	1:A:71:THR:H	1.16	0.88
1:A:212:ASP:O	1:A:216:ILE:HD13	1.73	0.87
1:A:155:VAL:HG22	1:A:186:THR:HG23	1.57	0.86
1:A:240:LYS:O	1:A:244:ASN:HB2	1.76	0.85
1:A:300:ALA:O	1:A:304:VAL:HG23	1.77	0.83
1:A:262:ALA:O	1:A:266:VAL:HG23	1.79	0.83
1:A:92:THR:HG22	1:A:93:ARG:N	1.94	0.82
1:A:124:MET:HG3	1:A:153:LEU:HB3	1.63	0.80
1:A:160:LEU:HG	1:A:170:MET:CE	2.13	0.78
1:A:50:ASN:HD21	1:A:70:ASN:HB2	1.50	0.77
1:A:27:LYS:HE2	1:A:27:LYS:HA	1.65	0.77
1:A:202:MET:CE	1:A:207:ALA:HA	2.15	0.77
1:A:195:LEU:HD11	1:A:214:VAL:HG21	1.67	0.76
1:A:266:VAL:HG21	1:A:303:VAL:HA	1.68	0.76
1:A:202:MET:HE1	1:A:207:ALA:HA	1.67	0.75
1:A:292:PRO:HD3	1:A:330:THR:O	1.88	0.74
1:A:92:THR:HG22	1:A:94:GLY:H	1.52	0.73
1:A:224:GLU:HA	1:A:227:THR:HG22	1.69	0.73
1:A:91:LEU:CD2	1:A:106:GLU:HB3	2.22	0.70
1:A:169:ARG:CG	1:A:169:ARG:HH11	2.05	0.69
1:A:196:PHE:CE1	1:A:202:MET:HE2	2.27	0.69
1:A:199:VAL:O	1:A:199:VAL:HG22	1.92	0.69
1:A:160:LEU:HG	1:A:170:MET:HE2	1.73	0.68
1:A:220:LYS:O	1:A:224:GLU:HG3	1.94	0.68
1:A:41:THR:HG23	1:A:65:LYS:HG3	1.76	0.67
1:A:193:GLU:OE1	1:A:193:GLU:HA	1.93	0.67
1:A:91:LEU:HD22	1:A:106:GLU:HB3	1.75	0.67
1:A:354:LYS:HG2	1:A:356:LEU:CD1	2.25	0.67
1:A:76:LEU:O	1:A:84:LYS:HE2	1.96	0.66
1:A:246:GLY:HA2	1:A:338:THR:HB	1.78	0.66
1:A:231:LEU:O	1:A:232:ILE:HD13	1.95	0.66
1:A:303:VAL:O	1:A:307:VAL:HG23	1.96	0.65
1:A:281:GLY:H	1:A:343:ARG:NH1	1.93	0.65
1:A:155:VAL:HG22	1:A:186:THR:CG2	2.26	0.65
1:A:248:LEU:HB2	1:A:341:GLN:HB3	1.77	0.65
1:A:55:ARG:HH22	1:A:213:GLU:CD	2.00	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:THR:O	1:A:284:GLY:O	2.16	0.64
1:A:202:MET:SD	1:A:210:VAL:HG21	2.38	0.63
1:A:54:THR:HG23	1:A:80:LYS:HB2	1.81	0.63
1:A:192:ASN:O	1:A:195:LEU:HB2	1.98	0.63
1:A:60:GLY:O	1:A:220:LYS:HE3	1.99	0.62
1:A:163:VAL:HG13	1:A:193:GLU:CD	2.18	0.62
1:A:354:LYS:HG2	1:A:356:LEU:HD12	1.81	0.62
1:A:344:ILE:CG2	1:A:345:GLU:N	2.61	0.62
1:A:92:THR:HG22	1:A:93:ARG:H	1.64	0.62
1:A:204:LEU:O	1:A:207:ALA:HB3	2.00	0.62
1:A:256:SER:HB2	1:A:264:GLU:HB2	1.82	0.61
1:A:179:ARG:HD2	3:A:509:HOH:O	1.99	0.61
1:A:71:THR:HG21	1:A:97:ALA:HB2	1.83	0.61
1:A:240:LYS:HG3	1:A:244:ASN:HD22	1.64	0.61
1:A:225:LEU:O	1:A:234:VAL:HG11	2.01	0.60
1:A:277:VAL:HG23	1:A:344:ILE:CD1	2.31	0.60
1:A:180:LEU:O	1:A:184:THR:HB	2.01	0.60
1:A:325:GLU:HG2	1:A:326:ASN:ND2	2.17	0.60
1:A:169:ARG:HG2	1:A:169:ARG:HH11	1.68	0.59
1:A:296:THR:OG1	1:A:299:GLU:HG3	2.01	0.59
1:A:266:VAL:HG22	1:A:303:VAL:HG13	1.84	0.59
1:A:281:GLY:H	1:A:343:ARG:HH12	1.51	0.59
1:A:311:LEU:CD1	1:A:317:ILE:HD11	2.33	0.59
1:A:311:LEU:HD12	1:A:317:ILE:HD11	1.82	0.59
1:A:62:GLU:HG2	1:A:227:THR:HG23	1.85	0.58
1:A:277:VAL:HG22	1:A:278:ASP:N	2.19	0.58
1:A:242:VAL:HG21	1:A:318:ILE:HG12	1.84	0.58
1:A:160:LEU:HG	1:A:170:MET:HE1	1.83	0.58
1:A:240:LYS:HG3	1:A:244:ASN:ND2	2.18	0.57
1:A:216:ILE:CD1	1:A:216:ILE:N	2.68	0.57
1:A:73:ALA:O	1:A:77:ILE:HG13	2.05	0.57
1:A:344:ILE:HG23	1:A:345:GLU:N	2.20	0.57
1:A:116:LYS:HD3	3:A:469:HOH:O	2.05	0.56
1:A:242:VAL:HG21	1:A:318:ILE:CG1	2.36	0.56
1:A:92:THR:CG2	1:A:93:ARG:N	2.63	0.55
1:A:161:PRO:HD2	1:A:170:MET:CE	2.37	0.55
1:A:88:GLY:O	1:A:92:THR:HB	2.08	0.54
1:A:204:LEU:HD22	1:A:207:ALA:HB3	1.90	0.54
1:A:344:ILE:HG21	1:A:351:LEU:HD22	1.89	0.54
1:A:218:ALA:HB2	1:A:251:ILE:HD12	1.89	0.54
1:A:204:LEU:HD22	1:A:204:LEU:O	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:SER:O	1:A:330:THR:HG23	2.07	0.53
1:A:262:ALA:HB2	1:A:299:GLU:HB3	1.90	0.53
1:A:278:ASP:O	1:A:343:ARG:HG2	2.08	0.53
1:A:174:MET:HG3	1:A:347:THR:O	2.08	0.53
1:A:260:LYS:HG2	1:A:264:GLU:HG3	1.90	0.53
1:A:169:ARG:CG	1:A:169:ARG:NH1	2.70	0.53
1:A:161:PRO:HD2	1:A:170:MET:HE3	1.91	0.53
1:A:235:ASP:HA	3:A:440:HOH:O	2.07	0.52
1:A:354:LYS:HG3	1:A:355:LYS:N	2.23	0.52
1:A:26:ASP:O	1:A:30:LEU:HD22	2.09	0.52
1:A:131:LEU:O	1:A:161:PRO:HD3	2.11	0.51
1:A:70:ASN:ND2	1:A:71:THR:H	1.96	0.51
1:A:235:ASP:HB3	1:A:238:ASP:OD2	2.11	0.51
1:A:256:SER:CB	1:A:264:GLU:HB2	2.40	0.50
1:A:145:GLU:HB2	1:A:183:HIS:CG	2.46	0.50
1:A:216:ILE:HD12	1:A:216:ILE:N	2.27	0.50
1:A:104:GLY:HA3	1:A:134:GLY:O	2.12	0.50
1:A:70:ASN:ND2	1:A:72:ASP:H	2.09	0.50
1:A:55:ARG:NH2	1:A:213:GLU:OE1	2.44	0.50
1:A:206:LEU:O	1:A:207:ALA:C	2.50	0.49
1:A:145:GLU:HB2	1:A:183:HIS:ND1	2.27	0.49
1:A:196:PHE:CE1	1:A:202:MET:CE	2.94	0.49
1:A:126:PHE:HA	1:A:155:VAL:O	2.13	0.49
1:A:246:GLY:CA	1:A:338:THR:HB	2.40	0.49
1:A:74:GLN:NE2	1:A:78:ARG:HH21	2.10	0.49
1:A:53:ILE:HG23	1:A:66:THR:HB	1.94	0.49
1:A:275:LEU:O	1:A:277:VAL:N	2.46	0.48
1:A:261:ARG:O	1:A:262:ALA:C	2.50	0.48
1:A:154:THR:O	1:A:185:ASP:HB2	2.14	0.48
1:A:145:GLU:HA	1:A:183:HIS:HB3	1.95	0.48
1:A:203:PRO:O	1:A:205:LYS:N	2.47	0.47
1:A:206:LEU:O	1:A:209:LYS:N	2.47	0.47
1:A:196:PHE:O	1:A:200:PRO:HA	2.14	0.47
1:A:79:THR:CG2	1:A:80:LYS:N	2.77	0.47
1:A:238:ASP:O	1:A:241:ALA:HB3	2.15	0.47
1:A:300:ALA:O	1:A:303:VAL:HB	2.13	0.47
1:A:40:ILE:HD13	1:A:124:MET:CB	2.35	0.47
1:A:194:LYS:HB3	1:A:194:LYS:HE3	1.66	0.47
1:A:277:VAL:HG21	1:A:340:VAL:HB	1.97	0.47
1:A:198:ILE:HG12	1:A:273:PRO:CG	2.45	0.47
1:A:266:VAL:HG12	1:A:266:VAL:O	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:LEU:O	1:A:340:VAL:HG22	2.15	0.46
1:A:195:LEU:HD21	1:A:211:ALA:HA	1.97	0.46
1:A:334:LEU:HD12	1:A:335:LEU:H	1.80	0.46
1:A:88:GLY:HA3	1:A:107:ALA:HB1	1.98	0.46
1:A:55:ARG:HD3	1:A:59:GLU:OE2	2.15	0.46
1:A:216:ILE:O	1:A:220:LYS:HB2	2.16	0.46
1:A:61:ILE:HG23	1:A:61:ILE:O	2.16	0.45
1:A:92:THR:CG2	1:A:93:ARG:H	2.27	0.45
1:A:199:VAL:O	1:A:199:VAL:CG2	2.64	0.45
1:A:251:ILE:HD11	1:A:334:LEU:HD11	1.99	0.45
1:A:343:ARG:O	1:A:354:LYS:HB3	2.16	0.45
1:A:283:THR:HG21	3:A:442:HOH:O	2.17	0.45
1:A:331:VAL:O	1:A:331:VAL:HG23	2.18	0.44
1:A:232:ILE:HD12	1:A:319:TRP:CH2	2.52	0.44
1:A:216:ILE:CD1	1:A:216:ILE:H	2.30	0.44
1:A:198:ILE:HG12	1:A:273:PRO:HG3	1.99	0.44
1:A:263:LYS:O	1:A:267:SER:OG	2.33	0.44
1:A:120:GLN:O	1:A:120:GLN:NE2	2.51	0.44
1:A:250:MET:CE	1:A:344:ILE:HG12	2.47	0.44
1:A:179:ARG:NH2	3:A:420:HOH:O	2.51	0.44
1:A:258:SER:OG	1:A:260:LYS:HD3	2.18	0.44
1:A:187:LEU:O	1:A:187:LEU:HG	2.18	0.44
1:A:285:ALA:HB3	1:A:317:ILE:HG12	2.00	0.44
1:A:347:THR:C	1:A:349:THR:H	2.21	0.44
1:A:146:ILE:O	1:A:150:ILE:HG23	2.18	0.44
1:A:344:ILE:HG23	1:A:345:GLU:H	1.83	0.44
1:A:24:PRO:O	1:A:28:GLU:HB2	2.18	0.44
1:A:238:ASP:O	1:A:242:VAL:HG23	2.18	0.43
1:A:331:VAL:O	1:A:331:VAL:CG2	2.67	0.43
1:A:290:MET:HA	1:A:322:THR:O	2.18	0.43
1:A:140:ALA:HB3	1:A:141:PRO:HD3	2.01	0.43
1:A:160:LEU:HA	1:A:160:LEU:HD12	1.67	0.43
1:A:257:ASP:OD1	1:A:329:ASN:OD1	2.36	0.43
1:A:256:SER:C	1:A:330:THR:HG23	2.38	0.43
1:A:217:ASN:O	1:A:218:ALA:C	2.56	0.43
1:A:296:THR:HG23	1:A:299:GLU:OE2	2.19	0.42
1:A:162:PHE:HB3	3:A:430:HOH:O	2.19	0.42
1:A:57:LYS:O	1:A:57:LYS:HG3	2.20	0.42
1:A:271:ASN:O	1:A:272:SER:C	2.58	0.42
1:A:70:ASN:HD22	1:A:72:ASP:H	1.68	0.42
1:A:334:LEU:HD12	1:A:335:LEU:N	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:277:VAL:CG2	1:A:278:ASP:N	2.83	0.42
1:A:292:PRO:HG2	1:A:294:ASP:OD1	2.20	0.41
1:A:184:THR:HG21	1:A:187:LEU:HB2	2.02	0.41
1:A:226:ILE:HG22	1:A:226:ILE:O	2.19	0.41
1:A:124:MET:HE3	1:A:153:LEU:HD13	2.03	0.41
1:A:203:PRO:HD2	1:A:206:LEU:HD22	2.01	0.41
1:A:230:GLY:HA3	1:A:321:ALA:O	2.20	0.41
1:A:66:THR:O	1:A:82:ASP:HB2	2.20	0.41
1:A:204:LEU:HA	1:A:207:ALA:HB2	2.03	0.41
1:A:164:MET:SD	1:A:204:LEU:HG	2.61	0.41
1:A:61:ILE:HD12	1:A:220:LYS:HG3	2.02	0.41
1:A:238:ASP:HB3	1:A:318:ILE:CD1	2.51	0.41
1:A:354:LYS:CG	1:A:356:LEU:HD12	2.48	0.41
1:A:92:THR:HG22	1:A:94:GLY:N	2.25	0.41
1:A:287:ILE:O	1:A:319:TRP:HA	2.21	0.41
1:A:218:ALA:HB2	1:A:251:ILE:CD1	2.51	0.41
1:A:147:SER:O	1:A:150:ILE:HG12	2.20	0.41
1:A:250:MET:HE1	1:A:344:ILE:HD11	2.01	0.41
1:A:56:LEU:HB3	1:A:61:ILE:HB	2.02	0.40
1:A:260:LYS:CD	1:A:260:LYS:N	2.85	0.40
1:A:245:ASN:O	1:A:246:GLY:C	2.56	0.40
1:A:71:THR:O	1:A:92:THR:HG21	2.20	0.40
1:A:74:GLN:HE21	1:A:78:ARG:HH21	1.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	332/372 (89%)	297 (90%)	25 (8%)	10 (3%)	5 18

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	258	SER
1	A	261	ARG
1	A	276	ASP
1	A	284	GLY
1	A	328	GLU
1	A	204	LEU
1	A	325	GLU
1	A	353	ARG
1	A	205	LYS
1	A	354	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	269/304 (88%)	190 (71%)	79 (29%)	0 1

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	SER
1	A	27	LYS
1	A	29	LEU
1	A	30	LEU
1	A	31	GLU
1	A	35	GLN
1	A	36	THR
1	A	37	LYS
1	A	55	ARG
1	A	61	ILE
1	A	65	LYS
1	A	69	ILE
1	A	70	ASN
1	A	71	THR
1	A	74	GLN
1	A	80	LYS
1	A	83	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	106	GLU
1	A	114	GLU
1	A	116	LYS
1	A	148	LYS
1	A	149	LYS
1	A	153	LEU
1	A	158	VAL
1	A	160	LEU
1	A	164	MET
1	A	169	ARG
1	A	174	MET
1	A	181	LYS
1	A	184	THR
1	A	186	THR
1	A	187	LEU
1	A	189	VAL
1	A	194	LYS
1	A	195	LEU
1	A	199	VAL
1	A	201	ASN
1	A	204	LEU
1	A	205	LYS
1	A	213	GLU
1	A	216	ILE
1	A	217	ASN
1	A	227	THR
1	A	232	ILE
1	A	233	ASN
1	A	234	VAL
1	A	243	MET
1	A	244	ASN
1	A	248	LEU
1	A	251	ILE
1	A	259	GLU
1	A	260	LYS
1	A	263	LYS
1	A	267	SER
1	A	268	MET
1	A	272	SER
1	A	274	LEU
1	A	275	LEU
1	A	280	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	283	THR
1	A	287	ILE
1	A	289	VAL
1	A	290	MET
1	A	294	ASP
1	A	296	THR
1	A	297	LEU
1	A	301	ARG
1	A	302	GLU
1	A	310	ARG
1	A	311	LEU
1	A	316	THR
1	A	326	ASN
1	A	328	GLU
1	A	330	THR
1	A	335	LEU
1	A	342	SER
1	A	343	ARG
1	A	352	LYS
1	A	354	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	70	ASN
1	A	74	GLN
1	A	75	GLN
1	A	120	GLN
1	A	172	ASN
1	A	192	ASN
1	A	326	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GDP	A	999	-	23,30,30	1.69	5 (21%)	30,47,47	2.34	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GDP	A	999	-	-	0/12/32/32	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	999	GDP	PB-O2B	-2.48	1.45	1.54
2	A	999	GDP	PB-O1B	-2.04	1.44	1.51
2	A	999	GDP	O4'-C1'	2.32	1.44	1.41
2	A	999	GDP	C2-N1	2.84	1.40	1.35
2	A	999	GDP	C6-N1	4.97	1.42	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	999	GDP	C5-C6-N1	-8.41	112.08	123.59
2	A	999	GDP	N3-C2-N1	-3.10	122.72	127.44
2	A	999	GDP	C1'-N9-C4	-3.01	122.40	126.94
2	A	999	GDP	O2B-PB-O1B	2.52	118.68	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	999	GDP	C6-N1-C2	6.52	124.99	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	334/372 (89%)	-0.29	12 (3%) 46 34	24, 49, 91, 100	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	355	LYS	3.2
1	A	291	GLY	3.0
1	A	329	ASN	3.0
1	A	295	LEU	2.9
1	A	231	LEU	2.6
1	A	293	GLU	2.5
1	A	292	PRO	2.4
1	A	206	LEU	2.3
1	A	356	LEU	2.3
1	A	260	LYS	2.3
1	A	256	SER	2.1
1	A	323	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	GDP	A	999	28/28	0.98	0.15	0.06	33,40,45,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.